



U.S. INSTRUMENT PRICE LIST

Effective October 1, 1992

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.
THIS PRICE LIST SUPERSEDES ALL PREVIOUS PRICE LISTS.

WARRANTY:

Quest Electronics warrants its instruments to be free from defects in materials and workmanship under normal conditions of use and service. Should unit prove to be defective within one (1) year after delivery to the original purchaser, we will replace or repair the unit at Quest's option, free of charge. (Exception: Model 208/208L meters and precision microphones - 90 days warranty.) Chart Recorders and Printers are warranted by their manufacturer.

FOR ORDERING INFORMATION CONTACT

OUR MAIN OFFICE AND FACTORY:

QUEST ELECTRONICS

510 S. Worthington, Oconomowoc, WI 53066 USA

414/567-9157, TWX 910 260 1438 LaBelle, FAX: 414/567-4047

Toll Free: 800/245-0779 U.S., Canada and Puerto Rico

MODEL	SOUND LEVEL METERS	LIST PRICE
All Sound Level Meters except 208/208L include calibrator adapter, windscreen, and carrying case.		
Type 1 Precision		
1800	INTEGRATING SOUND LEVEL METER: includes 1/2 inch removable microphone, and computer cable	2655.00
1700	SOUND LEVEL METER: includes 1/2 inch removable microphone	2395.00
1400	SOUND LEVEL METER: includes fixed microphone	995.00
Type 2 General Purpose		
2800	INTEGRATING SOUND LEVEL METER: includes removable microphone, and computer cable	1450.00
2700	SOUND LEVEL METER: includes removable microphone	825.00
2400	SOUND LEVEL METER: includes fixed microphone	485.00
208L	SOUND LEVEL METER: special purpose, 50-100dBA, includes pouch	165.00
208	SOUND LEVEL METER: same as above except range is 70-120dBA	165.00
KITS WITH CALIBRATORS *		
*Includes same as unit above, plus QC-10 or QC-20 calibrator as indicated.		
1800-20	INTEGRATING SOUND LEVEL METER & CALIBRATOR KIT	3180.00
1700-20	SOUND LEVEL METER & CALIBRATOR KIT	2895.00
1400-20	SOUND LEVEL METER & CALIBRATOR KIT	1630.00
2800-10	INTEGRATING SOUND LEVEL METER & CALIBRATOR KIT	1795.00
2700-10	SOUND LEVEL METER & CALIBRATOR KIT	1170.00
2400-10	SOUND LEVEL METER & CALIBRATOR KIT	795.00
OCTAVE BAND FILTER SETS		
OB-300	OCTAVE BAND FILTER SET: combination 1/3-1/1 filter, 12.5Hz to 20KHz	1845.00
OB-100	OCTAVE BAND FILTER SET: 31Hz to 16KHz	795.00
OB-50	OCTAVE BAND FILTER SET: 31Hz to 8KHz	695.00
OCTAVE BAND ANALYZER KITS		
1800-30020	INTEGRATING OCTAVE BAND ANALYZER: includes 1800, OB-300, QC-20, windscreen, and carrying case	4895.00
1700-10020	OCTAVE BAND ANALYZER: includes 1700, OB-100, QC-20, windscreen, and carrying case	3795.00
2800-10010	INTEGRATING OCTAVE BAND ANALYZER: includes 2800, OB-100, QC-10, windscreen, and carrying case	2695.00
2700-5010	OCTAVE BAND ANALYZER: includes 2700, OB-50, QC-10, windscreen, and carrying case	1975.00

Note: Octave Band Filters and Calibrators may be substituted within the kits, add or subtract difference in cost accordingly.

DO A 04365
CONFIDENTIAL

MODEL

AUDIOMETER CALIBRATION EQUIPMENT

LIST PRICE

All Audiometer Calibration Kits include a 10 ft. mic cable, EC-9A coupler, W-440 weight, AS-1550 calibration stand and a carrying case.

Type 1 Precision

AA-18820AM	AUDIOMETER ANALYZER KIT: includes AA-188 precision analyzer, preamp, 1 inch mic, patch cords, QC-20, and printer cable	6995.1
AM-2018	AUDIOMETER ANALYZER KIT: includes 1800 with 1 inch mic, OB-100, QC-20, AA-175 analyzer, LT-20 Linearity Transformer	6585.1
1800-30020AM	AUDIOMETER CALIBRATION KIT: includes 1800 with 1 inch mic, OB-300, and QC-20	5525.1

Type 2 General Purpose

AM-2028	AUDIOMETER CALIBRATION KIT: includes 2800, OB-100, QC-10, LT-20 Linearity Transformer, and AA-175 analyzer	5100.1
2800-30010AM	AUDIOMETER CALIBRATION KIT: includes 2800, OB-300, and QC-10	4060.1
2700-5010AM	AUDIOMETER CALIBRATION KIT: includes 2700, OB-50, and QC-10	2695.1

Note: Meters, Octave Filters and Calibrators may be substituted within the kits, add or subtract difference in costs

AA-175	AUDIOMETER ANALYZER: includes power supply (specify cable required 58-700 for 1800/2700 series meters, 59-969 for older 215 and 155 series)	1695.1
BA-201	BIO-ACOUSTIC SIMULATOR: for biological calibrations	470.1
BA-201-D	RESPONSE DELAY SIMULATOR: for Besserman audiometers	570.1
BA-201-25	BIO-ACOUSTIC SIMULATOR: with octave monitor	895.1
BA-201-25-D	RESPONSE DELAY SIMULATOR: with octave monitor	995.1

ACCESSORIES FOR AUDIOMETER CALIBRATION EQUIPMENTMISCELLANEOUS

58-825	LT-20 Linearity Transformer (price does not include input cable) specify cable needed, either 58-817 or 59-746	175.1
58-909	Model 65 Power Supply for AA-175 Analyzer (110v)	60.1
59-994	Model 120 Power Supply for BA-201's (110v)	70.1

MICROPHONES AND PREAMPS

58-488	QE4170 (was 7023) One inch condenser microphone	745.1
58-376	A-63B Preamp Adapter for use with one inch mic	60.1
58-913	Preamp for AA-188 Analyzer	260.1
59-701	Preamp for 1800/1700 meters	170.1
59-706	Preamp for 2800/2700 meters	140.1
59-898	PA-5B Probe Microphone System	550.1
59-993	Earphone with cable and connector for BA-201-25	198.1

EARPHONE COUPLERS, WEIGHTS AND STANDS

56-992	QE1150 IEC 6cc coupler 1/2", includes ICM-2 cable	2295.1
56-993	QE1140 ANSI 6cc coupler 1", includes ICM-2 cable	1295.1
59-946	EC-9A 6cc Earphone Coupler	150.1
59-985	W-440 Weight	75.1
59-963	AS-1550 Calibration Stand	95.1

CABLES

58-600	Patch Cords from AA-188 to Audiometer (Pkg. of 2)	40.1
58-985	PMC-10 Microphone Cable from AA-188	190.1
59-733	ICM-10 Microphone Cable from sound level meters	110.1
58-883	AA-188 Printer Cable (36 pin parallel)	80.1
58-817	Input Cable for AA-188 Analyzer or older 155 meter	125.1
59-746	Input Cable for 1800, 1700, 2800 or 2700 meters	60.1
59-975	PMC-5M Cable from B&K Artificial Mastoid to AA-188	150.1
59-995	Response Cable for BA-201	30.1

CARRYING CASES

59-998	Carrying Case - holds AA-175 Analyzer and Octave Band Kits	300.1
59-854	Carrying Case - holds AA-18820AM Kit	300.1

DO A 043653
CONFIDENTIAL

ACCESSORIES FOR SOUND LEVEL METERS AND KITS

DATA STORAGE DEVICES

56-811	QUESTORE DATA SHUTTLE (for use with 1800/2800 meters), includes software, cables, power supply, and carrying case	895.00
NL-15	NOISE DATA LOGGER (for use with 1800/2800 sound level meters) includes canvas carrying pouch	825.00
58-837	PS-95 AC Adapter	105.00

MICROPHONES AND PREAMPS

58-489	QE4150, (was 7046) 1/2 inch free-field condenser, 200v polarized	695.00
58-490	QE4160, (was 7047) 1/2 inch pressure condenser, 200v polarized	695.00
58-487*	QE4140, (was 7013) 1/2 inch pressure condenser, 200v polarized	695.00
58-488	QE4170, (was 7023) One inch pressure condenser, 200v polarized, (A-63B adapter needed)	745.00
59-491	QE4146, 1/2 inch free-field prepolarized condenser (electret)	695.00
59-413**	QE4110, 1/4 inch free-field condenser, 200v polarized	895.00
14-948	Microphone for 2800, 2700 and 2400 meters (preamp not included)	135.00
59-701	Preamp for 1800/1700 meters	170.00
59-706	Preamp for 2800/2700 meters	140.00
58-376	A-63B Preamp Adapter for use with one inch mic only	60.00

* For measurements up to 150dB.

** For measurements up to 170dB.

WINDSCREENS, WINDMETERS AND TRIPODS

58-115	WS-3 Windscreen (for 1 inch mic) Pkg. of 3	33.00
59-344	WS-7 Windscreen (for 1/2 inch mic) Pkg. of 3	33.00
59-322	WS-6 Windscreen (for .83 inch mic) Pkg. of 3	33.00
59-44	WM-1 Wind Velocity Meter	30.00
59-45	TP-1 Tripod (larger, will not fit in a carrying case)	70.00
59-46	TP-2 Tripod (smaller, will fit into some carrying cases)	70.00
59-909	TMH-1 Tripod Mic Holder	30.00

CHART RECORDERS AND ACCESSORIES

58-836	411L Chart Recorder - line operated, selectable chart speed and sensitivity, z-fold chart paper, pens, and input cable included	2025.00
58-835	411BB Chart Recorder - battery operated, same as above except also includes battery and battery charger	2125.00
58-429	Red Pens for Chart Recorders - Pkg. of 6	33.00
58-496	Black Pens for Chart Recorders - Pkg. of 6	33.00
58-653	Z-fold paper - Pkg. of 3	36.00
58-428	Carrying Case for Recorder	375.00

CABLES

59-899	Extension Cable ICM-2 Microphone Cable: 2 ft. with connectors to 1800, 1700, 2800, 2700 meters	80.00
59-733	Extension Cable ICM-10 Microphone Cable: 10 ft. with connectors to 1800, 1700, 2800, 2700 meters	110.00
59-734	Extension Cable ICM-50 Microphone Cable: 50 ft. with connectors to 1800, 1700, 2800, 2700 meters	140.00
59-745	Printer Cable (serial) for 1800/2800 meters	80.00
59-746	Input Cable for 1800, 1700, 2800 or 2700 meters	60.00
59-703	Input Adapter, Female BNC to 1/2 inch, 18 pf capacitance, for 1800, 1700, 1400 to a signal generator	120.00
59-748	Cable from 1800/2800 to NL-15 Data Logger	50.00
59-749	Serial Computer Cable to IBM or compatible PC for 1800/2800 meters	80.00
59-750	Serial Computer Cable to IBM-AT (9 pin) for 1800/2800 meters	80.00

CARRYING CASES

59-999	Carrying Case - holds 1800, 1700, 2800, and 1400 meters	110.00
59-970	Carrying Case - holds Octave Band Analyzer Kits	210.00

DO A 043654
CONFIDENTIAL

MODEL	NOISE DOSIMETERS/ANALYZERS	LIST PRICE
	All Dosimeters include calibrator adapter, windscreen, and carrying case.	
M-39	TYPE 1 PRECISION LOGGING NOISE ANALYZER: Includes 1/2 inch microphone, windscreen, printer cable, BX-9 adapter, and 59-756 preamp for measurements of 60-146dB	269.
Q-400	NOISE LOGGING DOSIMETER: includes printer cable	198.
M-29	LOGGING NOISE ANALYZER: (Type 2 version of M-39) includes printer cable	172.
M-28	NOISE LOGGING DOSIMETER: includes printer cable	167.
M-27	NOISE LOGGING DOSIMETER: includes printer cable	157.
Q-100	NOISE LOGGING DOSIMETER: includes printer cable, and computer set-up software with interface cable	1495
MICRO-15	NOISE DOSIMETER	1095
MICRO-18	INTERNATIONAL NOISE DOSIMETER: 3dBA exchange rate	1045
MICRO-14	NOISE DOSIMETER	995

KITS WITH CALIBRATORS *

*Includes same as unit above, plus QC-10 or QC-20 calibrator as indicated.

M-3920	PRECISION LOGGING NOISE ANALYZER & CALIBRATOR KIT	3220
Q-40010	NOISE LOGGING DOSIMETER & CALIBRATOR KIT	2330
M-2910	LOGGING NOISE ANALYZER & CALIBRATOR KIT	2070
M-2810	NOISE LOGGING DOSIMETER & CALIBRATOR KIT	2020
M-2710	NOISE LOGGING DOSIMETER & CALIBRATOR KIT	1920
Q-10010	NOISE LOGGING DOSIMETER & CALIBRATOR KIT	1840
MICRO-1510	NOISE DOSIMETER & CALIBRATOR KIT	1440
MICRO-1810	INTERNATIONAL NOISE DOSIMETER & CALIBRATOR KIT	1390
MICRO-1410	NOISE DOSIMETER & CALIBRATOR KIT	1340
5Q-40010	5-PACK NOISE DOSIMETER KIT: includes five Q-400's, QC-10, printer cable, and carrying case	9985.0
5M-2910	5-PACK NOISE ANALYZER KIT: includes five M-29's, QC-10, printer cable, BX-9 adapter, and carrying case	8940.0
5M-2810	5-PACK NOISE DOSIMETER KIT: includes five M-28's, QC-10, printer cable, BX-9 adapter, and carrying case	8690.0
5M-2710	5-PACK NOISE DOSIMETER KIT: includes five M-27's, QC-10, printer cable, BX-9 adapter, and carrying case	8190.0
5Q-10010	5-PACK NOISE DOSIMETER KIT: includes five Q-100's, QC-10, set-up software, computer cable, and carrying case	7420.0
5M-1510	5-PACK NOISE DOSIMETER KIT: includes five MICRO-15's, QC-10, and carrying case	5850.0
5M-1810	5-PACK INTL. NOISE DOSIMETER KIT: includes five MICRO-18's, QC-10, and carrying case	5630.0
5M-1410	5-PACK NOISE DOSIMETER KIT: includes five MICRO-14's, QC-10, and carrying case	5380.0
	All 10-pack Kits include same accessories as 5-packs except in a larger carrying case.	
10Q-40010	10-PACK NOISE DOSIMETER KIT	19775.0
10M-2910	10-PACK NOISE ANALYZER KIT	17255.0
10M-2810	10-PACK NOISE DOSIMETER KIT	16755.0
10M-2710	10-PACK NOISE DOSIMETER KIT	15755.0
10Q-10010	10-PACK NOISE DOSIMETER KIT	14135.0
10M-1510	10-PACK NOISE DOSIMETER KIT	11115.0
10M-1810	10-PACK INTERNATIONAL NOISE DOSIMETER KIT	10695.0
10M-1410	10-PACK NOISE DOSIMETER KIT	10195.0

DO A 043655
CONFIDENTIAL

PRICE**OUTDOOR MEASUREMENT SYSTEM****WRM-3920****WEATHER RESISTANT NOISE MONITORING SYSTEM:**

Includes M-39 Analyzer, QC-20 calibrator, 59-848 case,

56-810 outdoor mic stand with cables 6095.00

Outdoor Mic Stand Assembly, for M-39 only 2695.00

ACCESSORIES FOR DOSIMETERS/ANALYZERS**MISCELLANEOUS**

Printer - 80 column, parallel only 525.00

NOISE DATA LOGGER (for use with MICRO-15)

includes canvas carrying pouch 825.00

POWER SUPPLIES

BX-9 Battery Charge Adapter (for M-27/28/29/39 Models) 40.00

AC Adapter (for Q-400 only) requires Quest #56-067 or

equivalent, see below 25.00

Model 920 AC Power Supply for Q-400 65.00

WINDSCREENS, TRIPODS AND EARLOOPS

WS-5 Windscreens (for 8mm dosimeter mic) Pkg. of 10 33.00

WS-7 Windscreen (for 1/2 inch mic) Pkg. of 3 33.00

Earloops to hold dosimeter mics - Pkg. of 10 33.00

TP-1 Tripod (larger, will not fit in a carrying case) 70.00

TP-2 Tripod (smaller, will fit into some carrying cases) 70.00

MICROPHONE AND PREAMPS

Field Replaceable Microphone for M-27/28/29 Models 170.00

Field Replaceable Microphone for Q-100 and 400 Models 195.00

Preamp M-39 (for range of 60-146dB) 270.00

Preamp M-39 (for range of 30-116dB) 270.00

CABLES

Printer Cable (serial) for MICRO-15 80.00

Printer Cable (Parallel) for M-27/28/29 and NL-15 80.00

Printer Cable (Parallel) for M-39 80.00

Printer Cable (Parallel) for Q-100 and 400 Models 140.00

Serial Computer Cable to IBM or Compatible PC (for Q-100/400) 140.00

Serial Computer Cable to IBM or Compatible PC (for M-27/28-NL-15) 80.00

Serial Computer Cable to IBM-AT, 9-pin (for MICRO-15) 80.00

Serial Computer Cable to IBM or Compatible PC (for MICRO-15) 80.00

Computer Cable to a Macintosh (for M-27/28-NL-15) 80.00

Interconnector Cable from Weather Proof Mic Stand to case 120.00

SOFTWARE PROGRAMS

Software for MICRO-15 to IBM PC or compatible - includes cable 195.00

Software for MICRO-15/NL-15 to IBM PC or compatible - includes cable 295.00

Software for M-27 to IBM PC or compatible - includes cable 295.00

Software for M-28 to IBM PC or compatible - includes cable 295.00

Software for M-29/39 to IBM PC or compatible - includes cable 295.00

Setup Software for Q-100 - DOS and Windows, 3.5" - includes cable 100.00

Setup Software for Q-100 - DOS and Windows, 5.25" - includes cable 100.00

Noise Manager Software DOS version 5.25" - includes cable 495.00

Noise Manager Software DOS version 3.5" - includes cable 495.00

Noise Manager Software Windows version 5.25" - includes cable 495.00

Noise Manager Software Windows version 3.5" - includes cable 495.00

CARRYING CASES

Carrying Case (optional) - holds 1 dosimeter and 1 calibrator 150.00

Carrying Case - holds 5 larger dosimeters and 1 calibrator 210.00

Carrying Case - holds 10 larger dosimeters and 1 calibrator 300.00

Carrying Case - holds 5 smaller dosimeters and 1 calibrator 210.00

Carrying Case - holds 10 smaller dosimeters and 1 calibrator 300.00

Weather Resistant Carrying Case for M-39 Analyzer,

includes microphone cable with external connector, "AA"

battery pack, (6) "AA" batteries, (1) 9v Alkaline battery 290.00

DO A 043656
CONFIDENTIAL

MODEL	AUDIOMETER CALIBRATION EQUIPMENT	LIST PRICE
-------	----------------------------------	------------

All Audiometer Calibration Kits include a 10 ft. mic cable, EC-9A coupler, W-440 weight, AS-1550 calibration stand and a carrying case.

Type 1 Precision

AA-18820AM	AUDIOMETER ANALYZER KIT: includes AA-188 precision analyzer, preamp, 1 inch mic, patch cords, QC-20, and printer cable	6995.00
AM-2018	AUDIOMETER ANALYZER KIT: includes 1800 with 1 inch mic, OB-100, QC-20, AA-175 analyzer, LT-20 Linearity Transformer	6585.00
1800-30020AM	AUDIOMETER CALIBRATION KIT: includes 1800 with 1 inch mic, OB-300, and QC-20	5525.00

Type 2 General Purpose

AM-2028	AUDIOMETER CALIBRATION KIT: includes 2800, OB-100, QC-10, LT-20 Linearity Transformer, and AA-175 analyzer	5100.00
2800-30010AM	AUDIOMETER CALIBRATION KIT: includes 2800, OB-300, and QC-10	4060.00
2700-5010AM	AUDIOMETER CALIBRATION KIT: includes 2700, OB-50, and QC-10	2895.00

Note: Meters, Octave Filters and Calibrators may be substituted within the kits, add or subtract difference in costs.

AA-175	AUDIOMETER ANALYZER: includes power supply (specify cable required 58-700 for 1800/2700 series meters, 59-969 for older 215 and 155 series)	1695.00
BA-201	BIO-ACOUSTIC SIMULATOR: for biological calibrations	470.00
BA-201-D	RESPONSE DELAY SIMULATOR: for Besserman audiometers	570.00
BA-201-25	BIO-ACOUSTIC SIMULATOR: with octave monitor	895.00
BA-201-25-D	RESPONSE DELAY SIMULATOR: with octave monitor	995.00

ACCESSORIES FOR AUDIOMETER CALIBRATION EQUIPMENT

MISCELLANEOUS

58-825	LT-20 Linearity Transformer (price does not include input cable) specify cable needed, either 58-817 or 59-746	175.00
58-909	Model 65 Power Supply for AA-175 Analyzer (110v)	60.00
59-994	Model 120 Power Supply for BA-201's (110v)	70.00

MICROPHONES AND PREAMPS

58-488	QE4170 (was 7023) One inch condenser microphone	745.00
58-376	A-63B Preamp Adapter for use with one inch mic	60.00
58-913	Preamp for AA-188 Analyzer	260.00
59-701	Preamp for 1800/1700 meters	170.00
59-706	Preamp for 2800/2700 meters	140.00
59-898	PA-5B Probe Microphone System	550.00
59-993	Microphone with cable and connector for BA-201-25	198.00

EARPHONE COUPLERS, WEIGHTS AND STANDS

56-992	QE1150 IEC 6cc coupler 1/2", includes ICM-2 cable	2295.00
56-993	QE1140 ANSI 6cc coupler 1", includes ICM-2 cable	1295.00
59-946	EC-9A 6cc Earphone Coupler	150.00
59-985	W-440 Weight	75.00
59-963	AS-1550 Calibration Stand	95.00

CABLES

58-600	Patch Cords from AA-188 to Audiometer (Pkg. of 2)	40.00
58-985	PMC-10 Microphone Cable from AA-188	190.00
59-733	ICM-10 Microphone Cable from sound level meters	110.00
58-883	AA-188 Printer Cable (36 pin parallel)	80.00
58-817	Input Cable for AA-188 Analyzer or older 155 meter	125.00
59-748	Input Cable for 1800, 1700, 2800 or 2700 meters	60.00
59-975	PMC-5M Cable from B&K Artificial Mastoid to AA-188	150.00
59-995	Response Cable for BA-201	30.00

CARRYING CASES

59-998	Carrying Case - holds AA-175 Analyzer and Octave Band Kits	300.00
59-854	Carrying Case - holds AA-18820AM Kit	300.00

DO A 043657
CONFIDENTIAL

MODEL	SOUND LEVEL DETECTOR	LIST PRICE
-------	----------------------	------------

261	SOUND LEVEL DETECTOR/CONTROLLER	745.00
-----	---------------------------------------	--------

ACCESSORIES FOR SOUND LEVEL DETECTOR		
--------------------------------------	--	--

B-26	Light Box	295.00
58-874	30 ft. fixed mic & cable assembly for 261	125.00
58-876	DMC-50 Microphone Extension Cable: 50 ft. with connectors to 261 Detector/Controller	110.00

MODEL	VIBRATION MEASURING SYSTEMS	LIST PRICE
-------	-----------------------------	------------

VI-100	VIBRATION METER: includes meter, cable to accelerometer, probe, and carrying case	1195.00
--------	--	---------

VA-508C	VIBRATION ASSEMBLY (for use with 1800/1700/2800/2700 meters) includes accelerometer, VI-90 vibration integrator, accelerometer cable, probe, conversion chart, and 59-746 Input Cable	895.00
---------	---	--------

COMBINATION VIBRATION / SOUND KITS		
------------------------------------	--	--

1800-30020-508C	VIBRATION AND PRECISION INTEGRATING SOUND MEASURING ANALYZER KIT: includes 1800, OB-300, QC-20, VA-508C, windscreen, and carrying case	5790.00
-----------------	--	---------

2800-10010-508C	VIBRATION AND INTEGRATING SOUND MEASURING ANALYZER KIT: Includes 2800, OB-100, QC-10, VA-508C, windscreen, and carrying case	3585.00
-----------------	--	---------

2700-10-508C	VIBRATION AND SOUND MEASURING ANALYZER KIT: includes 2700, QC-10, VA-508C, windscreen, and carrying case	2175.00
--------------	---	---------

ACCESSORIES FOR VIBRATION MEASURING SYSTEMS		
---	--	--

58-806	VI-90 Vibration Integrator	295.00
58-82	Accelerometer	450.00
58-940	AC-5 Accelerometer Cable	75.00
58-72	Probe	15.00
58-746	Input Cable from sound level meter	60.00
58-999	Carrying Case - holds 2700-10-508C Kit	110.00
58-970	Carrying Case - holds Octave Band/Vibration Kits	210.00

MODEL	SOUND CALIBRATORS / PISTONPHONES	LIST PRICE
-------	----------------------------------	------------

QC-10	SOUND CALIBRATOR: output 114dB, 1000Hz	345.00
QC-20	SOUND CALIBRATOR: output 94/114dB, 250/1000Hz	525.00
QE1240	PISTONPHONE: output 124dB at 250Hz, includes 1/2" and 1/4" adapters	1795.00

Adapters for "QC" series calibrators (with one inch opening)		
--	--	--

58-988	For 1/4 inch diameter microphone	30.00
58-990	For 1/2 inch diameter microphone	30.00
58-160	For 10mm diameter microphone (208's)	30.00
58-989	For 8mm diameter microphone (dosimeters)	30.00
58-162	For .725 inch diameter microphone (261's)	30.00
58-163	For .83 inch diameter microphone (2800/2700/2400's)	30.00

Adapters for older "CA" series calibrators (with 1 1/8 inch opening)		
--	--	--

58-928	For 1/2 inch diameter microphone	20.00
58-929	For 1 inch diameter microphone	20.00
58-386	For 10mm diameter microphone (208's)	20.00
58-839	For 8mm diameter microphone (dosimeters)	20.00
	For 1/2 inch diameter microphone (2800/2700/2400's)	20.00

DO A 043658
CONFIDENTIAL