



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295


Volume I of IX

Page 1 of 4068


COMPLIANCE STATEMENT

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

All aspects of this study were in accordance with the Good Laboratory Practice
Regulations as set forth in Title 40 of the US Code of Federal Regulations Part 792,
issued November 29, 1983 (effective December 29, 1983), and with any applicable
amendments.



Peter J. Thomford, PhD
Study Director
Covance Laboratories Inc.



Date


QUALITY ASSURANCE STATEMENT

This report, with the exception of Appendices 7 and 8, has been reviewed by the Quality Assurance Unit of Covance Laboratories Inc., in accordance with the Environmental Protection Agency (EPA) Good Laboratory Practice Standards, 40 CFR 792 . The following inspections were conducted and findings reported to the study director and study director management.

Inspection Dates		Phase	Date Reported to Study Director and Study Director Management
From	To		
04/21/98	04/21/98	Protocol Review	04/21/98
05/11/98	05/11/98	Food Consumption	05/11/98
05/14/98	05/14/98	Test Article Preparation	05/14/98
07/20/98	07/20/98	Body Weight	07/20/98
07/20/98	07/20/98	Protocol Amendment Review	07/20/98
10/19/98	10/19/98	Test Article Administration	10/19/98
01/18/99	01/18/99	Animal Observation	01/18/99
04/20/00	04/20/99	Clinical Laboratory Inspection	04/20/99
06/02/99	06/04/99	Protocol Amendment Review	06/04/99
11/08/99	11/08/99	Test Article Administration	11/08/99
02/28/00	02/28/00	Protocol Amendment Review	02/28/00
04/19/00	04/19/00	Postlife	04/19/00
05/02/00	05/22/00	Data Review	05/23/00
09/20/00	10/12/00	Data Review	10/17/00
10/10/00	11/03/00	Report Review	11/08/00
05/15/01	05/17/01	Report Review	05/17/01
12/05/01	12/13/01	Report Review	12/17/01
01/02/02	01/02/02	Protocol Amendment Review	01/02/02
01/02/02	01/02/02	Protocol Amendment Review	01/02/02



Representative
Quality Assurance Unit



Date

STUDY IDENTIFICATION

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Test Material:	Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295)
Sponsor:	3M Toxicology Services Building 220-2E-02, 3M Center St. Paul, Minnesota 55144-1000
Study Monitor:	Andrew M. Seacat, PhD 3M 651.575.3161
Alternate Study Monitor:	John Butenhoff, PhD, DABT 3M 651.733.5180
Study Location:	Covance Laboratories Inc. 3301 Kinsman Boulevard Madison, Wisconsin 53704-2595
Study Director:	Peter J. Thomford, PhD Covance Laboratories Inc. PO Box 7545 Madison, Wisconsin 53707-7545 608.241.7207
Study Timetable:	
Study Initiation Date:	April 15, 1998
Experimental Start Date:	April 20, 1998
Inlife End Date:	April 24, 2000
Experimental Termination Date:	December 21, 2001
Study Completion Date:	January 2, 2002

KEY PERSONNEL

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Study Director:	Peter J. Thomford, PhD
Study Toxicologist:	Thomas E. Ryan, BS
Study Coordinator:	Nii van Bruce-Konuah
Supervisor, Small-Animal Toxicology:	Pamela D. Gabris, BS, LAT
Supervisor, Dose Formulation:	Dixie Bushee, BS, LATG
Supervisor, Chemistry/Tox Support:	Mark Hoffmann, BS, MBA
Associate Director, Laboratory Animal Medicine:	Donna J. Clemons, DVM, MS Diplomate, ACLAM
Clinical Pathologist:	Robert L. Hall, DVM, PhD Diplomate, ACVP (Clinical Pathology)
Supervisor, Clinical Pathology:	Ronald Markevitch, BS, MT (ASCP)
Anatomic Pathologist:	Richard D. Alsaker, DVM, MS Diplomate, ACVP Diplomate, ABT
Supervisor, Anatomic Pathology:	Kimberly W. Durland, BS, HT
Supervisor, Anatomic Pathology:	Laurie J. Schuller, BA, LAT
Staff Scientist, Safety Assessment and Biostatistics:	Arjun Roy, MA
Principal Scientist and Biostatistician, Safety Assessment and Biostatistics:	Ajit K. Thakur, PhD
Anatomic Pathologist, Cell Proliferation:	Sandra R. Eldridge, PhD Pathology Associates International
Anatomic Pathologist, Electron Microscopy:	James B. Nold, DVM, PhD Diplomate, ACVP Pathology Associates International

CONTENTS

VOLUME I OF IX	Page
ABSTRACT.....	11
PURPOSE.....	17
REGULATORY COMPLIANCE.....	17
TEST MATERIAL AND VEHICLE	17
Test Material	17
Vehicle.....	17
Carrier.....	18
Reserve (Archive) Samples.....	18
Disposition.....	18
TEST ANIMALS AND HUSBANDRY	18
Animals.....	18
Identification	18
Justification.....	19
Husbandry	19
Acclimation.....	19
PROCEDURES.....	20
Major Computer Systems	20
Group Designations and Dose Levels	20
Dosing Procedures.....	21
Dose Analysis.....	23
Observation of Animals.....	23
Clinical Pathology	24
Serum PFOS Analyses.....	25
Anatomic Pathology	26
Interim Sacrifices	26
Terminal Sacrifice	26
Recovery Sacrifice	27
Statistical Evaluation.....	30
Survival and Tumor Analysis	30
Record Retention.....	33
RESULTS AND DISCUSSION	33
Dose Analysis.....	33
Observation of Animals.....	34
Clinical Pathology	36
Anatomic Pathology	37
Cell Proliferation Results.....	39

CONTENTS (Continued)

VOLUME I OF IX	Page
RESULTS AND DISCUSSION (Continued)	
Electron Microscopy Results	39
Characterization of Tumor Incidence Outcome.....	40
CONCLUSION.....	41
SIGNATURES.....	42
REFERENCES.....	43
PATHOLOGY REPORT.....	44
PATHOLOGY PEER REVIEW STATEMENT	52
STATISTICAL REPORT OF SURVIVAL, NONNEOPLASTIC, AND NEOPLASTIC LESIONS	56
COMMENTS ON THE DATA	93
CODES, ABBREVIATIONS, AND UNITS.....	96
General Codes and Abbreviations.....	97
Codes for Clinical Pathology	98
Abbreviations and Units for Clinical Hematology.....	101
Abbreviations and Units for Clinical Chemistry.....	103
Abbreviations and Units for Clinical Urinalysis.....	105
Abbreviations and Units for Urine Chemistry.....	106
Codes for Anatomic Pathology	107
FIGURES	
1 Survival Data - Males	109
2 Survival Data - Females.....	110
3 Mean Body Weight Data (g) - Males	111
4 Mean Body Weight Data (g) - Females.....	112
5 Mean Food Consumption Data (g) - Males	113
6 Mean Food Consumption Data (g) - Females	114
TABLES	
1 Results of Homogeneity Analyses (ppm)	115
2 Results of Stability Analyses (ppm)	119
3 Results of Dose Preparation Analysis (ppm)	121
4 Survival Data.....	132
5 Summary of Clinical Observations.....	150
6 Summary of Mass Observations.....	170

CONTENTS (Continued)

VOLUME I OF IX	Page
TABLES	
7 Summary of Body Weight Data (g).....	176
8 Summary of Body Weight Change Data (g).....	188
9 Summary of Food Consumption Data (g).....	200
10 Summary of Test Material Consumption Data (mg/kg/day).....	212
11 Summary of Clinical Hematology Data - Week 4.....	218
12 Summary of Clinical Hematology Data - Week 14.....	222
13 Summary of Clinical Hematology Data - Week 27.....	226
14 Summary of Clinical Hematology Data - Week 53.....	230
15 Summary of Clinical Chemistry Data - Week 4	234
16 Summary of Clinical Chemistry Data - Week 14 (PCOAO).....	240
17 Summary of Clinical Chemistry Data - Week 14.....	242
18 Summary of Clinical Chemistry Data - Week 27.....	246
19 Summary of Clinical Chemistry Data - Week 53.....	250
20 Summary of Clinical Chemistry Data - Week 105.....	254
21 Summary of Clinical Chemistry Data - Day 719	256
22 Summary of Clinical Urinalysis Data - Week 4.....	257
23 Summary of Clinical Urinalysis Data - Week 14.....	259
24 Summary of Clinical Urinalysis Data - Week 27.....	261
25 Summary of Clinical Urinalysis Data - Week 53.....	263
26 Summary of Urine Chemistry Data - Week 4.....	265
27 Summary of Urine Chemistry Data - Week 14.....	267
28 Summary of Urine Chemistry Data - Week 27	269
29 Summary of Urine Chemistry Data - Week 53	271
30 Summary of Organ Weight Data - Week 14 Sacrifice	273
31 Summary of Organ Weight Data - Week 53 Sacrifice	303
32 Incidence of Macroscopic Observations - Week 14 Sacrifice	318
33 Incidence of Macroscopic Observations - Week 53 Sacrifice	320
34 Incidence of Macroscopic Observations - All Animals.....	333
35 Incidence of Macroscopic Observations - Recovery Sacrifice	357
36 Incidence of Microscopic Observations - Week 14 Interim Sacrifice.....	372
37 Incidence of Microscopic Observations - Week 53 Interim Sacrifice.....	385
38 Incidence of Microscopic Observations - Terminal Sacrifice.....	401
39 Incidence of Microscopic Observations - Unscheduled Deaths and Sacrifices	425
40 Incidence of Microscopic Observations - All Animals	460
41 Incidence of Microscopic Observations - Recovery Sacrifice	497
APPENDIX 1.....	514
Protocol Deviations	515

CONTENTS (Continued)

VOLUME II OF IX	Page
APPENDIX 2.....	520
Individual Animal Fate Data.....	521
Individual Clinical Observations.....	543
 VOLUME III OF IX	
APPENDIX 2 (Continued)	809
Individual Clinical Observations.....	810
 VOLUME IV OF IX	
APPENDIX 3.....	1257
Individual Body Weight Data (g).....	1258
APPENDIX 4.....	1345
Individual Food Consumption Data (g).....	1346
Individual Test Material Consumption Data (mg/kg/day).....	1432
APPENDIX 5.....	1512
Individual Clinical Hematology Data.....	1513
Individual Clinical Chemistry Data.....	1585
Individual Clinical Urinalysis Data.....	1652
Individual Urine Chemistry Data	1724
 VOLUME V OF IX	
APPENDIX 6.....	1750
Individual Anatomic Pathology Data	1751

CONTENTS (Continued)

VOLUME VI OF IX	Page
APPENDIX 6 (Continued)	2144
Individual Anatomic Pathology Data	2145
 VOLUME VII OF IX	
APPENDIX 6 (Continued)	2497
Individual Anatomic Pathology Data	2498
 VOLUME VIII OF IX	
APPENDIX 6 (Continued)	2855
Individual Anatomic Pathology Data	2856
 VOLUME IX OF IX	
APPENDIX 6 (Continued)	3455
Individual Anatomic Pathology Data	3456
APPENDIX 7	4004
Cell Proliferation Report	4005
APPENDIX 8	4029
Electron Microscopy Report	4030

ABSTRACT

The purpose of this study was to assess the chronic toxicity and carcinogenicity of Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295), also referred to as T-6295, when administered in the diet to rats for at least 104 weeks. Due to excessive mortality, female animals in Group 3 were terminated during Week 103.

Male and female Crl:CD®(SD)IGS BR rats were assigned to six groups (70 animals/sex/group for Groups 1 and 5; 60 animals/sex/group for Groups 2, 3, and 4; and 40 animals/sex/group for Group 6). Each group received diets containing acetone, the vehicle (Group 1), 0.5 (Group 2), 2 (Group 3), 5 (Group 4), or 20 (Groups 5 and 6) ppm T-6295. Group 6 was placed on recovery after 52 weeks of treatment.

Food was provided *ad libitum*, except when animals were fasted. Water was provided *ad libitum*. The animals were observed twice daily (a.m. and p.m.) for mortality and moribundity; findings were recorded as they were observed. At least once prior to treatment and weekly thereafter, each animal was removed from its cage and examined; abnormal findings or an indication of normal was recorded. Body weight data were collected weekly through Week 17, once every 4 weeks thereafter, and at Week 105. Food consumption data were collected weekly for the first 16 weeks and once every 4 weeks thereafter. During Weeks 4, 14, 27, and 53, blood and urine were collected for hematology, clinical chemistry, urinalysis, and urine chemistry tests from 10 animals/sex in Groups 1 through 5. Blood was collected for cholesterol and triglyceride determinations from all animals prior to the terminal sacrifice during Week 105 (Week 103 for females in Group 3) and the recovery sacrifice (Group 6) during Week 106. Blood films were also prepared for animals at the terminal and recovery sacrifices. Five animals/sex in Groups 1 through 5 were sacrificed during Week 4; livers were collected and weighed. [The liver samples were collected for PFOS analysis, mitochondrial activity, hepatocellular proliferation rate measurements by proliferation cell nuclear antigen (PCNA), and determination of palmitoyl-CoA oxidase activity. In addition, liver samples were collected for PFOS analysis (Weeks 14, 53, 103, 105, and 106), hepatocellular proliferation rate measurement [by PCNA at Week 14 and by bromodeoxyuridine (BrdU) immunohistochemistry at Week 53] and palmitoyl-CoA oxidase determination (Week 4 and 14).] A section of duodenum was also collected at Week 53 for BrdU immunohistochemistry. During Weeks 14 (Groups 1 through 5) and 53 (Groups 1 and 5), necropsies were performed on five and 10 animals/sex,

respectively. Surviving females in Group 3 were sacrificed and necropsied during Week 103 because of reduced survival. The remaining animals in Groups 1 through 6 were sacrificed and necropsied during Weeks 105 and 106. At necropsy, macroscopic observations were recorded, organ weights were obtained (Weeks 14 and 53), and tissues were placed in fixative as specified by the protocol. At the terminal and recovery sacrifices, sections of the heart and liver were preserved in 2.0% paraformaldehyde/2.5% glutaraldehyde in 0.1M phosphate buffer, processed, and embedded in epoxy resin for possible future electron microscopy from 10 animals/sex in Groups 1, 4, 5, and 6. Animals that died on test or were sacrificed at unscheduled intervals were also necropsied, but organ weights were not recorded. Microscopic examinations were done on selected tissues (adrenals, brain, eyes, kidney, liver, mesenteric lymph node, pancreas, spleen, testes, and ovaries) from the animals necropsied during Week 14 and on all tissues from the animals in Groups 1 and 5 that were necropsied during Weeks 53, 105, and 106. In addition, microscopic examinations were done on the tissues from animals that died or were sacrificed due to poor health. Macroscopic lesions, liver, lung, kidneys, pancreas, thyroid, testes, and mammary gland (females), and urinary bladder were examined for animals in Groups 2, 3, 4, and 6 that were sacrificed during Weeks 103, 105, and 106.

Liver sections from five animals/sex/group from Groups 1 and 5 were stained with Oil Red “O” and examined microscopically. In addition, liver samples from five animals/sex/group were processed and evaluated by electron microscopy.

Survival after 104 weeks of treatment was 22.0, 22.0, 34.0, 50.0, 45.0, and 27.0% for males in Groups 1, 2, 3, 4, 5, and 6, respectively, and 50.0, 30.0, 20.0 (after 102 weeks), 34.0, 52.0, and 48.0% (after 104 weeks) for females in Groups 1, 2, 3, 4, 5, and 6, respectively.

There was a significant increased trend in survival that occurred in the males that was due to significant increases in survival in mid-high (5.0 ppm) and high-dose (20.0 ppm) groups as compared to that of the control group. None of the other treated groups in the males revealed any significant differences in survival. No significant trend was noted in survival in females. There was a significant decrease in survival in the mid-dose (2.0 ppm) group and not in the mid-high (5.0 ppm) and high-dose (20.0 ppm) groups as compared to that of the control.

There were no clinical observations attributed to administration of the test material.

Males given 20 ppm (Groups 5 and 6) had significantly lower mean body weights compared to animals in the control group during Weeks 9 through 37. During recovery the mean body weights for Group 6 males were similar to mean body weights for Group 5 males. Females in Group 5 given 20 ppm had significantly lower body weights compared to animals in the control group during Weeks 3 through 101. Mean body weights for females in Group 6 given 20 ppm were statistically lower than mean body weights for control females during Weeks 3 through 61, but their mean body weights became nearer to the weights of the control females when placed on recovery. At Week 105, mean body weights for surviving males were 98, 108, 103, 101, and 96% of controls for the low- (0.5 ppm), mid- (2.0 ppm), and high-dose groups (20.0 ppm), respectively. At Week 105, mean body weights for surviving females were 101, 107 (Week 101), 100, 86, and 105% of controls, for the low- (0.5 ppm), mid- (2.0 ppm), and high-dose groups (20.0 ppm), respectively.

Mean body weight change was statistically significantly lower for males given 20 ppm diets for Weeks 1 through 15 and Weeks 15 through 29. Mean body weight change was statistically significantly lower for females given 20 ppm for Weeks 1 through 15 and Weeks 29 through 57 (Group 5 only). Mean body weight changes for males and females in Group 6 were significantly increased during the several weeks of recovery. Animals at lower dose levels occasionally had statistically significantly decreases in body weight gain; however, these occurrences were inconsistent over time between sexes and were not clearly dose-related.

Although not always statistically significant, males given 20 ppm tended to consume less food during Weeks 1 through 24. Food consumption was similar for males given 20 ppm compared to animals given the control material during Weeks 28 through 104. Statistically significantly lower food consumption was noted frequently for females given 20 ppm during Weeks 2 through 44. Food consumption for males and females was similar in all the other treated groups compared to animals given the control material.

Dietary administration of PFOS for approximately 53 weeks was associated with mildly higher urea nitrogen for males and females fed 5 or 20 ppm; mildly lower glucose for males and females fed 20 ppm; mildly to moderately lower cholesterol for males and females fed 20 ppm; and mildly higher alanine aminotransferase for males fed 20 ppm.

None of these effects were considered adverse. The effect on cholesterol was no longer apparent after 104 weeks of treatment. There was no effect on hepatic palmitoyl-CoA oxidase activity.

Terminal body weights in males and females at Week 14 were comparable between control and treated groups. At the Week 14 interim sacrifice, absolute and relative liver weights were significantly increased in the males given 20 ppm. In females given 20 ppm, only the liver-to-body weight percentage was significantly increased. Test material-related histomorphologic changes were limited to the liver in the males given 5 or 20 ppm and in the females given 20 ppm. The changes consisted of hypertrophy of hepatocytes in centrilobular areas in males and females, and midzonal to centrilobular hepatocytic vacuolation. The incidence and severity of the changes tended to be greater in the males.

At the Week 53 interim sacrifice, terminal body weights were significantly decreased in the females given 20 ppm. In the males, absolute and relative liver weights were increased in the group receiving 20 ppm. In addition, absolute and relative spleen weights were decreased in males given 20 ppm. There were no clear or consistent gross observations at the Week 53 interim sacrifice that could be attributed to the administration of the test material. At the Week 53 interim sacrifice, centrilobular hepatocytic hypertrophy and vacuolation was increased in incidence and severity in the males given 20 ppm. Generally, in the females given 20 ppm, only centrilobular hypertrophy was seen, and the change was less severe than that noted in the males. In addition, minimal to slight centrilobular hepatocytic pigment was found in the females given 20 ppm. There were no other histomorphologic changes that could be associated with the administration of the test material. Liver findings in several unscheduled deaths given 20 ppm resembled those seen in animals sacrificed at Week 53.

At the terminal sacrifice, the livers of animals given 5 or 20 ppm exhibited a slight increase in macroscopic findings, including enlarged, mottled, diffuse darkened, or focally lightened. Hepatotoxicity, characterized by centrilobular hypertrophy, centrilobular eosinophilic hepatocytic granules, centrilobular hepatocytic pigment, or centrilobular hepatocytic vacuolation was noted in the animals given 5 or 20 ppm. An increase in eosinophilic clear cell altered foci and cystic hepatocellular degeneration was noted in the males given 2, 5, or 20 ppm.

The data suggests that the hepatotoxicity did not persist in the recovery-sacrifice animals. In the unscheduled sacrifices between Weeks 54 and 105, animals given 20 ppm had increased hepatocellular centrilobular hypertrophy, eosinophilic hepatocytic granules, and centrilobular hepatocytic pigment were noted. Increased hepatocellular centrilobular hypertrophy was seen in animals given 5 ppm.

A significant positive trend was noted in the incidences of liver hepatocellular adenoma for males. This was associated with a significant increase in the high-dose (20.0 ppm) group over the control. The high-dose recovery (20.0 ppm) group animals in this case exhibited a significantly decreased incidence when compared to that of the high-dose (20.0 ppm) group. Significantly increased incidences were observed for thyroid follicular cell adenoma in the high-dose recovery (20.0 ppm) group when compared to either the control or the high-dose (20.0 ppm) group. There was also a significant increase in the combined (adenoma and carcinoma) thyroid follicular cell tumors in the high-dose recovery (20.0 ppm) group animals as compared to that of the high-dose (20.0 ppm) group. None of these cases were associated with any significant trend. Thyroid follicular cell carcinoma did not show any significant effect.

There were no other significant neoplastic findings in the males.

Significant positive trends were observed in the incidences of hepatocellular adenoma and hepatocellular combined adenoma and carcinoma in the females. These cases were associated with significant increases in the high-dose (20.0 ppm) group as compared to the control. All these tumors were incidental and noted at the terminal sacrifice. A marginally significant increase for thyroid follicular cell adenoma and carcinoma combined was observed in the mid-high (5.0 ppm) group but not in the high-dose (20.0 ppm) group as compared to the control group. In fact, thyroid C-cell adenoma and thyroid C-cell combined adenoma and carcinoma actually showed significant decreases in the high-dose (20.0 ppm) group as compared to the control. There were significant negative trends in the incidences of mammary fibroadenoma and mammary combined adenoma and fibroadenoma. These cases were associated with significantly lower incidences in the respective high-dose (20.0 ppm) group when compared to that of the control. However, the low-dose (0.5 ppm) group animals for these cases exhibited significant increases over the control. A significant decreased incidence was found for the high-dose recovery (20.0 ppm) group in the incidences of mammary carcinoma as compared to the high-dose (20.0 ppm) group. There was no other significant group effect.

in mammary carcinoma. There was a marginal significant negative trend for the mammary combined fibroadenoma/adenoma/carcinoma. However, the low- (0.5 ppm) and mid-high (5.0 ppm) groups for this case exhibited significantly increased incidences over the control.

There were no other significant neoplastic findings in the females.

There were no statistically significant increases in cell proliferation as measured by Proliferative cell nuclear antigen (PCNA) immunohistochemistry at weeks 4 and 14, or by bromodeoxyuridine (BrdU) immunohistochemistry at week 53.

Liver samples were obtained from each of the 20 rats during necropsy at terminal sacrifice for examination by transmission electron microscopy (TEM). Liver samples were assessed for ultrastructural changes that may be related to chronic toxicity of the test material when administered in the diet. Electron microscopic evaluation identified mild to moderate changes related to treatment. Mild to moderate smooth endoplasmic reticulum hyperplasia and minimal to mild hepatocellular hypertrophy were the prominent features found to be different between the high dose group and the control animals. Other changes included a slight increase in the amount of glycogen in treated animals compared with controls.

The chronic toxicity and carcinogenicity of the test material, Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295) was assessed following dietary admixture to male and female Crl:CD®(SD)IGS BR rats at dose levels of 0.5, 2, 5, or 20 ppm. Based on anatomic pathology findings in the liver, the no-observable-adverse-effect level for Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295) is considered to be 2 ppm.

PURPOSE

The purpose of this study was to assess the chronic toxicity and carcinogenicity of Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295), when administered in the diet to rats for at least 104 weeks. Due to excessive mortality, female animals in Group 3 were terminated during Week 103.

REGULATORY COMPLIANCE

All aspects of this study were in accordance with the Good Laboratory Practice Regulations as set forth in Title 40 of the US Code of Federal Regulations Part 792, issued November 29, 1983 (effective December 29, 1983), and with any applicable amendments.

TEST MATERIAL AND VEHICLE

Test Material

The test material, Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295), Lot No. 217, is a light colored, free flowing powder and is 86.9% pure. It was received at Covance on June 4, 1996, and September 4, 1997. The test material was stored at room temperature.

Information on synthesis methods, stability, composition, or other characteristics that define the test material was provided by the sponsor and is on file with Covance.

Vehicle

The vehicle, acetone (Spectrum Chemical Mfg. Corp., New Brunswick, New Jersey and Gardena, California), Lot Nos. LH0253 and NS0231 (expiration date: June and September 1, 2000, respectively). The shipments were received at Covance on June 23, 1997, and September 8, 1998, respectively. The vehicle was stored at room temperature.

Information on synthesis methods, purity, composition, or other characteristics that define the acetone is on file with the manufacturer.

Carrier

Certified rodent diet (#5002 meal, PMI Nutrition International) was used as supplied. The lot numbers are recorded in the data. The diet is routinely analyzed by the manufacturer for nutritional components and environmental contaminants.

Reserve (Archive) Samples

A reserve sample (5 g) of the test material was taken and stored at room temperature. This sample was transferred to the sponsor on June 12, 2000.

Disposition

Remaining test material was returned to the sponsor on June 12, 2000, after authorization from the sponsor.

TEST ANIMALS AND HUSBANDRY

Animals

Male and female Crl:CD®(SD)IGS BR rats were obtained from the Raleigh, North Carolina, facility of Charles River Laboratories on April 7, 1998. At initiation of treatment, the animals were approximately 41 days old; the males weighed from 135 to 226 g, and the females weighed from 128 to 182 g.

Identification

Each animal was assigned a temporary number upon arrival. Before initiation of treatment, a microchip identification device was implanted into each animal. After randomization for placement on test, each animal was assigned a permanent number, and the microchip was coded with the permanent number. All data for an animal are recorded under these numbers.

Justification

Historically, rats have been used in safety evaluation studies and are recommended by appropriate regulatory agencies.

Husbandry

Animals were housed in Animal rooms 316, 332, or 345 for 13 days during acclimation and then were moved to rooms 3004 or 3005 for the duration of the study.

Environmental controls for the animal rooms were set to maintain 18 to 26°C, a relative humidity of 30 to 70%, and a 12-hour light/12-hour dark cycle.

The animals were housed individually (except for the first 6 days of acclimation when animals were group-housed) in stainless-steel cages (see Protocol Deviations for exceptions). Some animals were placed in polycarbonate cages during the study when health problems dictated.

Certified rodent diet (#5002 meal, PMI Nutrition International) was provided *ad libitum* during acclimation (see Protocol Deviations for exceptions).

Water was provided *ad libitum* (see Protocol Deviations for exceptions).

Samples of the water are analyzed for specified microorganisms and environmental contaminants. The results are on file with Covance-Madison.

There were no known contaminants in the diet or water at levels that would have interfered with this study.

Animals not selected for the study (42 males and 40 females) were sacrificed and discarded.

Acclimation

Four hundred and two males and 400 females were received on April 7, 1998, and acclimated in Animal Rooms 316, 332, or 345 for 13 days then moved to rooms 3004 and 3005 before initiation of treatment. In general, animals in this shipment appeared

healthy. During acclimation, the animals were examined for abnormalities indicative of health problems, and body weights were recorded for all animals at randomization.

PROCEDURES

This study was conducted in accordance with the Protocol dated April 15, 1998, and with Protocol Amendment Nos. 1, 2, 3, 4, and 5. Protocol deviations are in Appendix 1.

Major Computer Systems

The Path/Tox application, supplied by Xybion Medical Systems Corporation, was used for the direct on-line capture of in-life toxicology and anatomic pathology data. The Randomization and Data Extension Systems (RADES) and Automatic Form and Label Generation System (AFLGS) applications were used in conjunction with the Path/Tox system to randomize animals and produce labels and forms, respectively. The Talisman application was used for the dose preparation information, and the Millennium system was used for the collection of dose analysis data, and the Clinical application was used for the collection of clinical pathology data. The Report Generation System application was used to pull the information from the Path/Tox and clinical applications into Word for reporting purposes. All version numbers of the applications can be found in the log book for the application.

Group Designations and Dose Levels

The animals were examined by a laboratory animal veterinarian on April 14, 1998, and were found to be suitable for study consideration. Selection of animals for the study was based on acclimation data. Animals were assigned to treatment groups using a computerized blocking procedure designed to achieve body weight balance with respect to treatment group. At the time of randomization, the weight variation of the animals did not exceed ± 2 standard deviations of the mean body weight for each sex. Group mean body weights were analyzed using Levene's test for homogeneity of variance at the 5.0% probability level and were found to be homogeneous. Animals were assigned to the study according to the following design.

Group	Number of Animals		Dietary Levels (ppm T-6295)
	Male	Female	
1 (Control) ^{a, b, c}	70	70	0
2 (Low) ^b	60	60	0.5
3 (Mid) ^b	60	60	2.0
4 (Mid-High) ^b	60	60	5.0
5 (High) ^{b, c}	70	70	20.0
6 (High Recovery) ^d	40	40	20.0

- a The control animals received the control diet (basal diet with acetone).
- b Five animals/sex in Groups 1 through 5 were sacrificed at Weeks 4 and 14 for hepatocellular proliferation rate measurements, biochemical analyses (palmitoyl-CoA oxidation), and histopathology (Week 14 only).
- c Ten animals/sex in Groups 1 and 5 were designated as interim sacrifice animals. These animals were sacrificed after at least 52 weeks of treatment.
- d Animals in Group 6 were treated for at least 52 weeks, then treatment was discontinued, and the animals were observed for reversibility, persistence, or delayed occurrence of toxic effects for at least 52 weeks posttreatment. During recovery, the animals received basal diet only.

Dosing Procedures

Dose Preparation. Dietary concentrations were based on the test material as supplied. Before initiation of treatment, diets of 0.5, 1, 2, and 20 ppm concentrations were prepared for stability and homogeneity analyses. Diets were prepared at least once every 4 weeks during the treatment phase of the study.

Preparation of Diet for Group 1. The appropriate amount of certified diet was weighed and mixed with an appropriate volume of acetone.

Preparation of Base Diet. A specified amount of certified diet was weighed into a labeled container. The required amount of test material was weighed and transferred into a labeled container and the appropriate volume of acetone was added to the container and mixed manually. Additional volume of acetone was added as necessary until the test material dissolved. To prepare a premix, the certified diet was transferred into a labeled Hobart® mixing bowl. The test material and acetone were added to the mixing bowl, overlaid with a portion of diet from the mixing bowl, and thoroughly mixed. A portion of

diet from the mixing bowl was transferred to a second mixing bowl, mixed manually to recover residual test material, and returned to the first mixing bowl. The contents of the mixing bowl were thoroughly mixed.

Preparation of Diets for Groups 2 through 4. Each dose level was prepared independently. A specified amount of certified diet was weighed into a labeled container and a specified amount of base diet was weighed for each dietary concentration. A pocket was formed in the feed in the mixing bowl and the amount of base diet was transferred to the pocket. The contents of the mixing bowl were thoroughly mixed for 15 minutes.

Preparation of Diets for Groups 5 and 6. A specified amount of certified rodent diet (#5002) was weighed into a labeled Hobart® mixing bowl and a specified amount of base diet was weighed for each diet. A pocket was formed in the feed in the mixing bowl and the amount of base diet was transferred to the pocket. The contents of the mixing bowl were thoroughly mixed for 15 minutes.

Samples for dose analyses were taken directly from the mixing bowl.

The diets were stored at room temperature in covered containers until dispensed into feeding jars.

Method of Administration. Dietary admixture was used because the potential route of exposure in humans is oral.

The dose preparations were administered *ad libitum* (see Protocol Deviations for exceptions). Animals in Groups 1, 2, 3 (males), 4, and 5 received the test diet for at least 104 weeks. Animals in Group 3 (females) received the test diet for at least 103 weeks. Animals in Group 6 received the test diet for 52 weeks.

Retention Samples. Samples (approximately 100 g) were taken from each dose preparation during the inlife phase and stored at room temperature. These samples were discarded on June 15, 2000.

Dose Analysis

Analyses for the concentration of test material in the dose preparations were done by Covance using an analytical method, MP-M383-MA, supplied by the sponsor and validated by Covance.

Homogeneity was determined from the dose preparations mixed pretest and from preparations mixed for Week 1. One sample (approximately 100 g each) from the top, middle, and bottom of the dose preparations were collected, divided into three subsamples for extraction and analysis, and analyzed for test material content. All samples were stored at room temperature until analyzed within 7 days of mixing.

To evaluate the stability of the test material in the carrier, one set of samples (approximately 100 g each) were taken from the preparations mixed pretest, stored at room temperature for 28 days, then analyzed. Homogeneity samples collected from the middle of the pretest dose preparations were analyzed within 2 days of mixing and used as the baseline value. An additional set of samples (approximately 100 g each) were taken from the preparations mixed for Week 1, stored at room temperature for 33 days, then analyzed. Homogeneity samples collected from the middle of the dose preparations for Week 1 were analyzed on the day of mixing and used as the baseline value.

For dose confirmation, samples (approximately 100 g each) from all dose preparations were analyzed in duplicate. Homogeneity samples collected from the middle of the dose preparations for Week 1 were used for dose confirmation results. All samples were stored at room temperature until analyzed.

Observation of Animals

Clinical Observations. The animals were observed twice daily (a.m. and p.m.) for mortality and moribundity. Once prior to treatment and weekly thereafter, each animal was removed from its cage and examined; abnormal findings or an indication of normal was recorded. In addition, the time of onset, location, size, appearance, and progression of each grossly visible or palpable mass were recorded.

Body Weights. Individual body weight data were recorded at the time of randomization, weekly for Weeks 1 through 17, once every 4 weeks thereafter, and at Week 105.

Food Consumption. Individual food consumption data were recorded weekly for Weeks 1 through 16 and once every 4 weeks thereafter.

Administration of Bromodeoxyuridine. Seven days before the Week 53 interim sacrifice, osmotic pumps (ALZET® Model 2ML1) were surgically implanted in five animals/sex/group from Groups 1 and 5. The osmotic pumps were preloaded with approximately 2 mL of bromodeoxyuridine (BrdU) at a concentration of 20 mg/mL. The animals were anesthetized by administration of acepromazine-ketamine-xylazine, and one pump/animal was aseptically inserted subcutaneously (dorsal surface). The incision was closed with wound clips, and the animals were monitored during clinical observations until the time of sacrifice to ensure that there were no clinical signs of infection. One Group 5 male implanted with the osmotic pump was sacrificed before the Week 53 sacrifice.

Clinical Pathology

Blood and urine samples were collected from 10 animals/sex/group in Groups 1 through 5 during Weeks 4, 14, 27, and 53. Blood films were made and held for possible future examination from animals sacrificed at unscheduled intervals and from animals at scheduled sacrifices after at least 52, 103 (Group 3 females), and 104 weeks of treatment. In addition, blood was collected for cholesterol and triglycerides from all remaining animals at the terminal and recovery sacrifices.

Animals were fasted overnight, and urine was collected chilled overnight (approximately 16 hours) before blood sampling. Blood was collected from a jugular vein. The anticoagulant was potassium EDTA for hematology tests. The samples for clinical chemistry samples were collected without anticoagulant. Animals were bled in random order. The following were evaluated.

Hematology

red blood cell (erythrocyte) count	white blood cell (leukocyte) count
hemoglobin	differential blood cell count
hematocrit	segmented neutrophil count
mean corpuscular volume	lymphocyte count
mean corpuscular hemoglobin	monocyte count
mean corpuscular hemoglobin concentration	eosinophil count
platelet count	basophil count
	blood cell morphology

Reticulocyte smears were made and held for possible future examination.

Clinical Chemistry

glucose	alanine aminotransferase
urea nitrogen	gamma glutamyltransferase
creatinine	aspartate aminotransferase
total protein	calcium
albumin	inorganic phosphorus
globulin	sodium
cholesterol	potassium
total bilirubin	chloride

Urinalysis

appearance	glucose
volume	ketones
specific gravity	bilirubin
pH	blood
protein	microscopic examination of sediment
urobilinogen	

Urine Chemistry

sodium	16 hour excretion of:
potassium	sodium
	potassium

Serum PFOS Analyses

During Weeks 4 and 14, blood samples (approximately 2 mL) were collected for serum analyses from five animals/sex/group in Groups 1 through 5 (animals selected for hepatocellular proliferation and biochemical analyses). During Week 53, blood samples (approximately 2 mL) were collected from five animals/sex/group in Groups 1 and 5 (from animals selected for interim sacrifice) and from all remaining animals at terminal and recovery sacrifices. Animals were fasted overnight. Blood was collected from a jugular vein, allowed to clot at room temperature, and centrifuged. Samples were collected without anticoagulant. Serum was harvested and stored in a freezer, set to maintain -60 to -80°C, until sent to the sponsor for analyses of PFOS levels and metabolites. Analysis of these samples is the responsibility of the sponsor; results are not included in this report.

Anatomic Pathology

Necropsy at Unscheduled Intervals. A necropsy was done on each animal that died or was sacrificed at an unscheduled interval. Animals sacrificed at unscheduled intervals were anesthetized with carbon dioxide, weighed, and exsanguinated (see Protocol Deviations for exceptions). A blood film was taken as part of the necropsy procedure for sacrificed animals.

Interim Sacrifices

During Weeks 4, five animals/sex/group/interval in Groups 1 through 5 were fasted overnight, bled for serum chemistry, anesthetized with carbon dioxide, weighed, and exsanguinated. The abdominal cavity of each animal was opened, the liver was removed and weighed. Liver samples were collected for palmitoyl-CoA, cell proliferation, and PFOS concentration analyses and for mitochondrial activity. Animals sacrificed during Week 4 were discarded after liver collection. During Week 14, five animals/sex/group/interval in Groups 1 through 5 were fasted overnight, bled for serum chemistry, anesthetized with carbon dioxide, weighed, and exsanguinated. Liver samples were collected for palmitoyl-CoA, cell proliferation, PFOS concentration analyses, and for histopathology. During Week 53, 10 animals/sex/group from Groups 1 and 5 were fasted overnight, bled for serum samples (five animals/sex/group), anesthetized with carbon dioxide, weighed, exsanguinated, and necropsied. The liver was weighed and liver samples were collected and frozen for analysis. Animals sacrificed during Weeks 14 and 53 had macroscopic observations recorded, selected organs weighed, and selected tissues collected and preserved. A blood film was taken for each animal sacrificed at the Week 53 interim sacrifice. Animals were necropsied in random order.

Terminal Sacrifice

After at least 104 weeks of treatment (Week 103 for females in Group 3), the remaining animals were fasted overnight, bled for serum samples (five animals/sex/group), anesthetized with carbon dioxide, weighed, exsanguinated, and necropsied. Animals were necropsied in random order.

Recovery Sacrifice

After at least 52 weeks of treatment and 52 weeks without treatment, the remaining animals in Group 6 were fasted overnight, anesthetized with carbon dioxide, weighed, exsanguinated, and necropsied.

A blood film was taken as part of the necropsy procedures at the terminal and recovery sacrifices.

The necropsy included a macroscopic examination of the external features of the carcass; all external body orifices; the abdominal, thoracic, and cranial cavities; organs; and tissues.

Cell Proliferation Tissue Collection and Immunohistochemical Evaluation. During the Week 4 and 14 tissue collection from animals in Groups 1 through 5 (five animals/sex/group), representative samples of the left lateral lobe and any macroscopic lesions of the liver were collected and preserved in zinc formalin. Liver samples were fixed and embedded in paraffin and blocks were sent to Pathology Associates International (PAI), PAI evaluated the samples (left lateral lobe only) for proliferation cell nuclear antigen (PCNA). In addition, liver sections were stained with hematoxylin and eosin and examined microscopically by PAI. The cell proliferation report is in Appendix 7.

Palmitoyl-CoA (PCoA) Oxidase Analyses. During the Week 4 and 14 tissue collections from animals in Groups 1 through 5 (five animals/sex/group), a sample (approximately 500 mg) of the right lateral lobe of the liver was collected and flash-frozen in liquid nitrogen. The samples were stored in a freezer set to maintain -60 to -80°C, until analyzed by Covance for PCoA oxidase activity.

Organ Weights. At the interim sacrifice during Weeks 14 and 53, the following organs (when present) were weighed; paired organs were weighed separately.

adrenal (2)	ovary (2)
brain	spleen
kidney (2)	testes
liver	thyroid (2) with parathyroid
lung	uterus with cervix

Organ-to-body weight percentages and organ-to-brain weight ratios were calculated.

Liver PFOS Analysis. A portion of the liver was collected from five animals/sex/group from Groups 1 through 5 at the Week 4 and 14 interim sacrifices, from five animals/sex/group from Groups 1 and 5 at the Week 53 interim sacrifice, and from all remaining animals at the terminal and recovery sacrifice and flash-frozen in liquid nitrogen and stored in a freezer set to maintain -60 to -80°C, until packed on dry ice and shipped to the sponsor for PFOS and metabolites analyses. Analysis of these samples is the responsibility of the sponsor; results are not included in this report.

Mitochondrial Analyses. During the Week 4 tissue collections for animals in Groups 1 through 5, liver samples (approximately 1.5 g) were collected and analyzed by the sponsor for mitochondrial activity. Analysis of these samples is the responsibility of the sponsor; results are not included in this report.

Tissue Preservation. The following tissues were collected and preserved in 10% neutral-buffered formalin (see Protocol Deviations for exceptions).

adrenal (2)	pancreas
brain	pituitary
cecum	prostate
cervix	rectum
colon	salivary gland [mandibular (2)]
duodenum	sciatic nerve
epididymis (2)	seminal vesicle (2)
esophagus	skeletal muscle (thigh)
eye (2)	skin
femur with bone marrow (articular surface of the distal end)	spinal cord (cervical, thoracic, and lumbar)
Harderian gland	spleen
heart	sternum with bone marrow
ileum	stomach
jejunum	testis (2)
kidney (2)	thymus
lesions	thyroid (2) with parathyroid
liver	trachea
lung with mainstem bronchi	urinary bladder
lymph node (mesenteric)	uterus
mammary gland (females only)	vagina
ovary (2)	

Bone marrow smears from the femur of each animal at scheduled sacrifices were prepared, stained with Wright's stain, and retained for possible examination.

In addition, at the terminal sacrifice, sections of the heart and liver were collected from 10 animals/sex in Groups 1, 4, 5, and 6 and preserved in 2.0% paraformaldehyde/2.5% glutaraldehyde in 0.1M phosphate buffer (see Protocol Deviations for exceptions). The tissues were processed and embedded in epoxy blocks for possible future examination by electron microscopy.

Histopathology. Tissues (as appropriate) from each animal in Groups 1, 5, and 6 sacrificed at the Week 53 interim sacrifice were embedded in paraffin, sectioned, stained with hematoxylin and eosin, and examined microscopically.

Adrenals, brain, eyes, kidneys, liver, mesenteric lymph node, pancreas, spleen, testes, and ovaries from the animals necropsied at the Week 14 interim sacrifice were also embedded in paraffin, sectioned, stained with hematoxylin and eosin, and examined microscopically.

Tissues (as appropriate) from each animal in Groups 1 and 5 sacrificed at the terminal sacrifice and any animals that died on test or were sacrificed at unscheduled intervals were embedded in paraffin, sectioned, stained with hematoxylin and eosin, and examined microscopically.

Lesions, liver, lungs, kidneys, pancreas, thyroid, testes, mammary glands (females), and urinary bladder from each animal in Groups 2, 3, 4, and 6 sacrificed at the terminal and recovery sacrifices were embedded in paraffin, sectioned, stained with hematoxylin and eosin, and examined microscopically (see Protocol Deviations for exceptions). Parathyroids were processed with the thyroids, but were not examined.

At the Week 53 sacrifice, BrdU immunohistochemistry was performed by PAI on the livers and duodenums from five animals/sex/group in Groups 1 and 5 that received BrdU. In addition, sections of the liver and duodenums from these animals were stained with hematoxylin and eosin and examined microscopically.

A pathology peer review was conducted by a pathologist designated by the sponsor.

Liver sections from five animals/sex/group from Groups 1 and 5 were stained with Oil Red “O” stain and examined microscopically.

Liver sections in epoxy blocks for five animals/sex/group from Groups 1 and 5 were processed and evaluated by electron microscopy by Pathology Associates International (report included in Appendix 8).

Slides of the pancreas from males found dead, sacrificed at an unscheduled interval, or sacrificed at the Week 14 and 53 interim sacrifices, terminal, and recovery sacrifices were sent to Tox Path Inc. for peer-review and results were provided to Covance for inclusion in the final report (see Protocol Deviations for exceptions). After examination, slides were returned to Covance.

Statistical Evaluation

Levene’s test (Levene, 1960) was done to test for variance homogeneity. In the case of heterogeneity of variance at $p \leq 0.05$, transformations were used to stabilize the variance. One-way analysis of variance [ANOVA (Winer, 1971)] was used to analyze body weights, body weight changes, food consumption, continuous clinical pathology values, palmitoyl CoA oxidase activities, and organ weight data (Week14 and 53 interim sacrifices only).

ANOVA was done on the homogeneous or transformed data. If the ANOVA was significant, Dunnett’s t-test (Dunnett, 1964) was used for pairwise comparisons between treated and control groups.

Group comparisons (Groups 2 through 6 versus Group 1) were evaluated at the 5.0%, two-tailed probability level. Only data collected on or after the first day of treatment were analyzed statistically.

Survival and Tumor Analysis

Survival. Evaluations of trend and heterogeneity of survival data were performed using the Cox-Tarone binary regression method using the National Cancer Institute (NCI) Life Table Package (Thomas, Breslow, and Gart, 1977). Week 105 was treated as the end of the study in the NCI package for both sexes. Animals that were sacrificed at scheduled

intervals were censored in the analysis. Continuity-corrected one-sided tail probabilities for trend and two-sided tail probabilities for group comparisons were evaluated at the 5.0% significance level.

Nonneoplastic Lesions. Nonneoplastic lesions were chosen for statistical analyses if the incidence in at least one treated group (Groups 2 through 5) was increased or decreased by at least two occurrences over the control group (Group 1). The high recovery group (Group 6) was selected based on the incidence rate (%) if it was increased or decreased by at least two as compared to the control or high-dose (20.0 ppm) group. When there was only one incidence in the high-recovery and none in the other groups, that case was excluded from the statistical evaluation. These were analyzed by the Cochran-Armitage test for trend and the Fisher-Irwin exact test for control versus treatment comparisons (Thakur, Berry, and Mielke, 1985). One-sided tail probabilities for trend and group comparisons were evaluated at the 5.0% significance level and are reported in Text Tables 3 and 4 for males and females, respectively.

Neoplastic Lesions. Neoplastic lesions were chosen for statistical analyses using the same criteria as in the case of nonneoplastic lesions. The incidental tumors (i.e., tumors that were not assigned to be the cause of death of the animals by the study pathologist) were analyzed by logistic regression of tumor prevalence (Dinse and Lagakos, 1983). The logistic regression model included linear and quadratic terms in age (week of death), but the quadratic term was eliminated if there was a lack of convergence. The fatal and palpable (superficial) tumors were analyzed by Cox-Tarone binary regression method using the death time or the first palpation time (as applicable) as a surrogate for the tumor onset time. In the case of any particular tumor type where the study pathologist assigned the tumor in question being the cause of death of a subset of the animals and the rest of the animals were assumed to be dead of other competing risks, IARC-type (Peto et al, 1980) cause of death analysis was performed. Specifically, the subset of the tumors which were assigned to be the cause of death by the study pathologist was analyzed by Cox-Tarone logistic regression under life table techniques. The subset, which was considered incidental by the pathologist, was analyzed by logistic regression of tumor prevalences. Tumor types whose cause of death was undetermined, were treated as incidental for statistical evaluation. The score statistics and their respective variances from the above tests were then used to compute the combined evidence as described by Gart et al. (1986). If one tumor in the group belonged to one of the two categories (fatal and incidental) in a test was combined with the other category for the purpose of statistical

analyses. In addition, in the cases where there was lack of convergence for the asymptotic test of the logistic regression method, the exact probability of the significance was obtained by using LogXact-Turbo (1993) and combined with the probability of Cox-Tarone test, if necessary.

The benign and malignant neoplastic incidences were evaluated both separately and combined where appropriate. The criteria for combination were based on the work of McConnell et al. (1986). The incidences of multiple-organ findings such as hemangioma, hemangiosarcoma, lipoma, liposarcoma, fibroma, fibrosarcoma, leiomyoma, leiomyosarcoma, endometrial stromal polyp, and endometrial stromal sarcoma were counted by animal, not by tissue type. They were evaluated statistically if they met the selection criterion for the analysis. The statistical results for these cases may be biased because not all the animals were examined for every tissue. One-sided trend and pairwise group comparisons were evaluated at the 5.0% significance level and are shown in Text Tables 5 and 6 for males and females, respectively.

In the nonneoplastic analyses, animals sacrificed early (Week 4) were excluded from the denominators. In the statistical evaluations of the neoplastic lesions, animals sacrificed early (during or before Week 14) were discounted from the number of animals at risk. In the neoplastic analyses, the low- (0.5 ppm), mid-(2.0 ppm), mid-high, and high recovery groups that did not have complete histopathology examinations were excluded from statistical analyses.

In the text tables, the p-values under Group 1 (control) are for trend analysis and the p-values under Groups 2 (low), 3 (mid), 4 (mid-high), 5 (high) and 6 (high recovery) are for the comparison of that group versus the control group. Group 6 was also compared with Group 5, and the p-values for those comparisons are indicated in the text tables. Trend analysis includes Groups 1, 2, 3, 4, and 5 only. Ordinal dose levels 0, 1, 2, 3, and 4 were used in all analyses for Groups 1, 2, 3, 4, and 5, respectively. Continuity correction was done for all asymptotic tests.

The following notations are used throughout this report designating direction and significance of effects.

+ = Effect in the increased direction
- = Effect in the decreased direction
* = Significant at $p \leq 0.05$
** = Significant at $p \leq 0.01$
E = Exact permutation test
NA = Not analyzed

Record Retention

The raw data, documentation, records, specimens, protocol, and final report generated as a result of this study will be archived in the storage facilities of Covance-Madison. At least 1 year after submission of the final report, the Covance Archives staff will contact the sponsor. At that time, the sponsor may choose to have the aforementioned materials returned, archived for an additional period of time, or disposed of by Covance; a fee will be charged based on the archive disposition option selected by the sponsor. Raw data stored on magnetic media and the protocol, study correspondence, and the original final report will be retained by Covance. At least 1 year after submission of the final report, any frozen samples will be returned to the sponsor, retained by Covance, or disposed of, and a fee will be charged. Data generated by the sponsor will be archived in the sponsor's storage facilities.

Specimens, data, and reports for PCNA evaluation, BrdU immunohistochemistry and electron microscopy will be retained by PAI.

RESULTS AND DISCUSSION

Dose Analysis

Results of the homogeneity, stability, and dose preparation analyses are in Tables 1 through 3.

Several homogeneity analyses were conducted on each of the several mixes in an attempt to resolve issues related to the inherent variability and lack of sufficient sensitivity in the analytical method for measuring Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295). Mean values of the homogeneity analyses for the pre-dosing mix done on March 18, 1998, ranged from 119-135% and 107-118% of the theoretical concentrations for the diets containing 0.5 and 20 ppm (PFOS; T-6295), respectively. Mean values of

the homogeneity analyses for the mix done on April 16, 1998, ranged from 96.2-122%, 98.5-107%, 97.6-101%, and 90.0-101% of the theoretical concentrations for the diet containing 0.5, 2, 5, and 20 ppm (PFOS; T-6295), respectively. Mean values of the homogeneity analyses for the mix done on April 22, 1998, ranged from 93.5-103% of the theoretical concentrations for the diet containing 20 ppm (PFOS; T-6295). Mean values of the homogeneity analyses for the mix done on June 18, 1998, ranged from 91.0-175%, 111-130%, 99.6-102%, and 90.5-97.0% of the theoretical concentrations for the diet containing 0.5, 2, 5, and 20 ppm (PFOS; T-6295). These results indicate that the mixing procedure produced a homogeneous distribution of the test material in the dose preparations; although variability generally appeared slightly greater at the lower dietary concentrations.

Stability analyses were conducted prestudy in an attempt to resolve issues related to the inherent variability and lack of sufficient sensitivity at levels in the analytical method for measuring (PFOS; T-6295). Results of stability analyses for the pre-dosing mix conducted on March 18, 1998, of samples stored for 28 days at room temperature indicated that the mean concentrations were 78.5, 76.7, 79.8, and 88.1% of the initial concentrations of 0.5, 1, 2, and 20 ppm, respectively. Results of stability analyses for the mix conducted on April 16, 1998, of samples stored for 33 days at room temperature indicated that the mean concentrations were 112.3, 119.6, 113.9, and 126.7% of the initial concentrations of 0.5, 2, 5, and 20 ppm, respectively.

The mean concentrations of the dose preparation analyses for all levels ranged from 44.4-635% of the theoretical concentrations (including the reassay and retention sample analyses). The overall mean concentrations within each dose level ranged from 102.3 to 108.7. Inherent variability and lack of sufficient sensitivity at low levels in the analytical method for measuring (PFOS; T-6295) resulted in homogeneity, stability, and routine analysis data that were in many cases outside of the standard limits of $\pm 15\%$.

Observation of Animals

Survival and Clinical Observations. Clinical observations including mass observations are summarized in Tables 5 and 6; individual data are in Appendix 2. Adjusted survival data are illustrated in Figures 1 and 2 and summarized in Table 4; individual animal fate data are in Appendix 2.

Survival after 104 weeks of treatment was 22.0, 22.0, 34.0, 50.0, 45.0, and 27.0% for males in Groups 1, 2, 3, 4, 5, and 6, respectively, and 50.0, 30.0, 20.0 (after 102 weeks), 34.0, 52.0, and 48.0% for females in Groups 1, 2, 3, 4, 5, and 6, respectively.

There was a significant increased trend in survival that occurred in the males that and was due to significant increases in survival in mid-high (5.0 ppm) and high-dose (20.0 ppm) groups as compared to that of the control group. None of the other treated groups in the males revealed any significant differences in survival. No significant trend was noted in survival in females. There was a significant decrease in survival in the mid-dose (2.0 ppm) group and not in the mid-high (5.0 ppm) and high-dose (20.0 ppm) groups as compared to that of the control.

There were no clinical observations attributed to administration of the test material. The types of clinical observations noted are commonly observed in laboratory rats as they age on long term safety studies.

There was no effect of the test material on the incidence of palpable masses.

Body Weights. Body weight and body weight change data are illustrated in Figures 3 and 4 and summarized in Tables 7 and 8; individual body weight data are in Appendix 3.

Males given 20 ppm (Groups 5 and 6) had significantly lower mean body weights compared to animals in the control group during Weeks 9 through 37. During recovery the mean body weights for Group 6 males were similar to mean body weights for Group 5 males. Females in Group 5 given 20 ppm had significantly lower body weights compared to animals in the control group during Weeks 3 through 101. Mean body weights for females in Group 6 given 20 ppm were statistically lower than mean body weights for control females during Weeks 3 through 61, but their mean body weights became nearer to the weights of the control females when placed on recovery. At Week 105, mean body weights for surviving males were 98, 108, 103, 101, and 96% of controls for the low-, mid-, and high-dose groups (Groups 5 and 6), respectively. At Week 105, mean body weights for surviving females were 101, 107 (Week 101), 100, 86, and 105% of controls, for the low-, mid-, and high-dose groups (Groups 5 and 6), respectively. Overall mean body weight change was statistically significantly lower for males given 20 ppm diets for Weeks 1 through 15 and Weeks 15 through 29. Mean body weight change was statistically significantly lower for females given 20 ppm for Weeks 1

through 15 and Weeks 29 through 57 (Group 5 only). Mean body weight changes for males and females in Group 6 were significantly increased during the several weeks of recovery. Animals at lower dose levels occasionally had statistically significant decreases in body weight gain; however, these occurrences were inconsistent over time between sexes and were not clearly dose-related.

Food Consumption. Food consumption data are illustrated in Figures 5 and 6 and summarized in Table 9; individual data are in Appendix 4.

Although not always statistically significant, males given 20 ppm tended to consume less food during Weeks 1 through 24. Food consumption was similar for males given 20 ppm compared to animals given the control material during Weeks 28 through 104. Statistically significantly lower food consumption was noted for females given 20 ppm during Weeks 2 through 36. Food consumption for males and females was similar in all the other treated groups compared to animals given the control material.

Test Material Consumption. Test material consumption data are summarized in Table 10. Individual test material consumption data are presented in Appendix 4.

Animals were fed diets containing 0, 0.5, 2, 5, or 20 ppm T-6295. The amount of test material consumed by animals on a mg/kg of body weight/day basis was as follows.

Group	Dietary Concentrations (ppm)	Mean Achieved Dose Levels - Range (mg/kg body weight/day)	
		Males	Females
2	0.5	0.015 - 0.057	0.015 - 0.052
3	2.0	0.064 - 0.226	0.073 - 0.213
4	5.0	0.153 - 0.570	0.186 - 0.559
5	20.0	0.643 - 2.205	0.838 - 2.149
6	20.0	0.732- 2.336	1.047 - 2.160

Clinical Pathology

Hematology, coagulation, clinical chemistry, urinalysis, and urine chemistry data are summarized in Tables 11 through 29; individual data are in Appendix 5. The Pathology Report contains a discussion of the data.

Dietary administration of PFOS for approximately 53 weeks was associated with mildly higher urea nitrogen for males and females fed 5 or 20 ppm; mildly lower glucose for males and females fed 20 ppm; mildly to moderately lower cholesterol for males and females fed 20 ppm; and mildly higher alanine aminotransferase for males fed 20 ppm. None of these effects were considered adverse. The effect on cholesterol was no longer apparent after 104 weeks of treatment. There was no effect on hepatic palmitoyl-CoA oxidase activity.

Anatomic Pathology

Organ weight data are summarized in Tables 30 through 31; incidences of macroscopic and microscopic observations are summarized in Tables 32 through 41. Individual data are in Appendix 6. The Pathology Report contains a discussion of the data.

Terminal body weights in males and females at Week 14 were comparable between control and treated groups. At the Week 14 interim sacrifice, absolute and relative liver weights were significantly increased in the males given 20 ppm. In females given 20 ppm, only the liver-to-body weight percentage was significantly increased. Test material-related histomorphologic changes were limited to the liver in the males given 5 or 20 ppm and in the females given 20 ppm. The changes consisted of hypertrophy of hepatocytes in centrilobular areas in males and females, and midzonal to centrilobular hepatocytic vacuolation. The incidence and severity of the changes tended to be greater in the males.

At the Week 53 interim sacrifice, terminal body weights were significantly decreased in the females given 20 ppm. In the males, absolute and relative liver weights were increased in the group receiving 20 ppm. In addition, absolute and relative spleen weights were decreased in males given 20 ppm. There were no clear or consistent gross observations at the Week 53 interim sacrifice that could be attributed to the administration of the test material. At the Week 53 interim sacrifice, centrilobular hepatocytic hypertrophy and vacuolation was increased in incidence and severity in the males given 20 ppm. Generally, in the females given 20 ppm, only centrilobular hypertrophy was seen, and the change was less severe than that noted in the males. In addition, minimal to slight centrilobular hepatocytic pigment was found in the females given 20 ppm. There were no other histomorphologic changes that could be associated

with the administration of the test material. Liver findings in several unscheduled deaths given 20 ppm resembled those seen in animals sacrificed at Week 53.

At the terminal sacrifice, the livers of animals given 5 or 20 ppm exhibited a slight increase in macroscopic findings, including enlarged, mottled, diffuse darkened, or focally lightened. Hepatotoxicity, characterized by centrilobular hypertrophy, centrilobular eosinophilic hepatocytic granules, centrilobular hepatocytic pigment, or centrilobular hepatocytic vacuolation was noted in the animals given 5 or 20 ppm. An increase in eosinophilic clear cell altered foci and cystic hepatocellular degeneration was noted in the males given 2, 5, or 20 ppm.

The data suggests that the hepatotoxicity did not persist in the recovery-sacrifice animals.

In the unscheduled sacrifices between Weeks 54 and 105, animals given 20 ppm had increased hepatocellular centrilobular hypertrophy, eosinophilic hepatocytic granules, and centrilobular hepatocytic pigment were noted. Increased hepatocellular centrilobular hypertrophy was seen in animals given 5 ppm.

A significant positive trend was noted in the incidences of liver hepatocellular adenoma for males. This was associated with a significant increase in the high-dose (20.0 ppm) group over the control. The high-dose recovery (20.0 ppm) group animals in this case exhibited a significantly decreased incidence when compared to that of the high-dose (20.0 ppm) group. Significantly increased incidences were observed for thyroid follicular cell adenoma in the high-dose recovery (20.0 ppm) group when compared to either the control or the high-dose (20.0 ppm) group. There was also a significant increase in the combined (adenoma and carcinoma) thyroid follicular cell tumors in the high-dose recovery (20.0 ppm) group animals as compared to that of the high-dose (20.0 ppm) group. None of these cases were associated with any significant trend. Thyroid follicular cell carcinoma did not show any significant effect.

There were no other significant neoplastic findings in the males.

Significant positive trends were observed in the incidences of hepatocellular adenoma and hepatocellular combined adenoma and carcinoma in the females. These cases were associated with significant increases in the high-dose (20.0 ppm) group as compared to the control. All these tumors were incidental and noted at the terminal sacrifice. A

marginally significant increase for thyroid follicular cell adenoma and carcinoma combined was observed in the mid-high (5.0 ppm) group but not in the high-dose (20.0 ppm) group as compared to the control group. In fact, thyroid C-cell adenoma and thyroid C-cell combined adenoma and carcinoma actually showed significant decreases in the high-dose (20.0 ppm) group as compared to the control. There were significant negative trends in the incidences of mammary fibroadenoma and mammary combined adenoma and fibroadenoma. These cases were associated with significantly lower incidences in the respective high-dose (20.0 ppm) group when compared to that of the control. However, the low-dose (0.5 ppm) group animals for these cases exhibited significant increases over the control. A significant decreased incidence was found for the high-dose recovery (20.0 ppm) group in the incidences of mammary carcinoma as compared to the high-dose (20.0 ppm) group. There was no other significant group effect in mammary carcinoma. There was a marginal significant negative trend for the mammary combined fibroadenoma/adenoma/carcinoma. However, the low- (0.5 ppm) and mid-high (5.0 ppm) groups for this case exhibited significantly increased incidences over the control.

There were no other significant neoplastic findings in the females.

Cell Proliferation Results

There were no statistically significant increases in cell proliferation as measured by PCNA at weeks 4 and 14, or by bromodeoxyuridine (BrdU) immunohistochemistry at week 53. However, two out of five females in each of the mid-high and high dose groups showed a very mild, but biologically significant response (i.e. had a proliferative index that was twice the mean of the controls and greater than that of the highest control) at week 4. The cell proliferation response at week four was transient in nature as it was not observed at week 14, and was considered to be test compound-related.

Electron Microscopy Results

Liver samples were obtained from each of the 20 rats during necropsy at terminal sacrifice for examination by transmission electron microscopy (TEM). Liver samples were assessed for ultrastructural changes that may be related to chronic toxicity of the test material when administered in the diet. Electron microscopic evaluation identified mild to moderate changes related to treatment. Mild to moderate smooth endoplasmic

reticulum hyperplasia and minimal to mild hepatocellular hypertrophy were the prominent features found to be different between the high dose group and the control animals. Other changes included a slight increase in the amount of glycogen in treated animals compared with controls.

Characterization of Tumor Incidence Outcome

In males, hepatocellular adenoma was increased for trend ($p = 0.0276$) and pair-wise against control for the 20 ppm dose group (7/60 20 ppm vs. 0/60 control, $p = 0.0456$). Hepatocellular adenoma was not observed in the 20 ppm recovery group, which was significant compared to the 20 ppm dose group (0/40 20 ppm recovery group vs. 7/60 200 ppm dose group, $p = 0.0240$). Overall, the response in terms of hepatocellular adenoma can be considered weak at the 20 ppm dose level.

Thyroid follicular cell adenoma was increased pair-wise against control for the 20 ppm recovery group (9/39 20 ppm recovery group vs. 3/60 control, $p = 0.0280$). Although this finding is outside the range of recent historical control values in this laboratory, there were no other indications of thyroid abnormality.

In females, hepatocellular adenoma was increased for trend ($p = 0.0153$) and pair-wise against control for the 20 ppm dose group (5/60 20 ppm dose group vs. 0/60 control, $p = 0.0386$). Overall, the response in terms of hepatocellular adenoma can be considered weak at the 20 ppm dose level. The only hepatocellular carcinoma observed in the study was at the high dose. Hepatocellular adenoma/carcinoma was increased for trend ($p = 0.0057$) and pair-wise against control for the 20 ppm dose group (6/60 20 ppm vs. 0/60 control, $p = 0.0204$).

Mammary fibroadenoma was decreased for trend ($p = 0.0152$) and pair-wise against control for the 20 ppm dose group (11/60 20 ppm vs. 20/60 control, $p = 0.0235$).

CONCLUSION


The chronic toxicity and carcinogenicity of the test material, Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295) was assessed following dietary admixture to male and female Crl:CD®(SD)IGS BR rats at dose levels of 0.5, 2, 5, or 20 ppm. Based on anatomic pathology findings in the liver, the no-observable-adverse-effect level for Perfluorooctane sulfonic acid potassium salt (PFOS; T-6295) is considered to be 2 ppm.

SIGNATURES



Nii van Bruce-Konuah
Study Coordinator
Covance Laboratories Inc.

02 January 2002
Date



Peter J. Thomford, PhD
Study Director
Covance Laboratories Inc.

02 Jan 2002
Date

REFERENCES

Dunnett, C. W., "New Tables for Multiple Comparisons with a Control," *Biometrics*, 20:482-491 (1964).

Levene, H., "Robust Tests for Equality of Variances," *Contributions to Probability and Statistics*, (eds.) I. Olkin *et al.*, Ch. 25, pp. 278-292, Stanford University Press: Stanford, California (1960).

Winer, B. J., "Design and Analysis of Single-Factor Experiments," *Statistical Principles in Experimental Design*, Second Ed., Ch. 3, pp. 149-260, McGraw-Hill: New York, New York (1971a).

Winer, B. J., "Analysis of Covariance," *Statistical Principles in Experimental Design*, Second Ed., Ch. 10, pp. 752-812, McGraw-Hill: New York, New York (1971b).

PATHOLOGY REPORT

SUMMARY

The purpose of this study was to assess the chronic toxicity and carcinogenicity of the test material, Perfluorooctane Sulfuric Acid Potassium Salt (PFOS) when administered in the diet to rats for at least 104 weeks. The test material was administered at dose levels of 0.5, 2, 5, and 20 ppm.

Dietary administration of PFOS for approximately 53 weeks was associated with mildly higher urea nitrogen for males and females fed 5 or 20 ppm; mildly lower glucose for males and females fed 20 ppm; mildly to moderately lower cholesterol for males and females fed 20 ppm; and mildly higher alanine aminotransferase for males fed 20 ppm. None of these effects were considered adverse. The effect on cholesterol was no longer apparent after 104 weeks of treatment. There was no effect on hepatic palmitoyl-CoA oxidase activity.

Terminal body weights in males and females at Week 14 were comparable between control and treated groups. At the Week 14 interim sacrifice, absolute and relative liver weights were significantly increased in the males given 20 ppm. In females given 20 ppm, only the liver-to-body weight percentage was significantly increased. Test material-related histomorphologic changes were limited to the liver in the males given 5 or 20 ppm and in the females given 20 ppm. The changes consisted of hypertrophy of hepatocytes in centrilobular areas in males and females, and midzonal to centrilobular hepatocytic vacuolation. The incidence and severity of the changes tended to be greater in the males.

At the Week 53 interim sacrifice, terminal body weights were significantly decreased in the females given 20 ppm. In the males, absolute and relative liver weights were increased in the group receiving 20 ppm. In addition, absolute and relative spleen weights were decreased in males given 20 ppm. There were no clear or consistent gross observations at the Week 53 interim sacrifice that could be attributed to the administration of the test material. At the Week 53 interim sacrifice, centrilobular hepatocytic hypertrophy and vacuolation was increased in incidence and severity in the males given 20 ppm. Generally, in the females given 20 ppm, only centrilobular

hypertrophy was seen, and the change was less severe than that noted in the males. In addition, minimal to slight centrilobular hepatocytic pigment was found in the females given 20 ppm. There were no other histomorphologic changes that could be associated with the administration of the test material. Liver findings in several unscheduled deaths given 20 ppm resembled those seen in animals sacrificed at Week 53.

At the terminal sacrifice, the livers of animals given 5 or 20 ppm exhibited a slight increase in macroscopic findings, including enlarged, mottled, diffuse darkened, or focally lightened. Hepatotoxicity, characterized by centrilobular hypertrophy, centrilobular eosinophilic hepatocytic granules, centrilobular hepatocytic pigment, or centrilobular hepatocytic vacuolation was noted in the animals given 5 or 20 ppm. An increase in eosinophilic clear cell altered foci and cystic hepatocellular degeneration was noted in the males given 2, 5, or 20 ppm.

The data suggests that the hepatotoxicity did not persist in the recovery-sacrifice animals.

In the unscheduled sacrifices between Weeks 54 and 105, animals given 20 ppm had increased hepatocellular centrilobular hypertrophy, eosinophilic hepatocytic granules, and centrilobular hepatocytic pigment were noted. Increased hepatocellular centrilobular hypertrophy was seen in animals given 5 ppm.

A complete discussion of statistically significant differences in the incidence of neoplasms may be found in the section entitled "Statistical Report of Survival, Nonneoplastic, and Neoplastic Lesions."

METHODS

Six groups of CrI:CD®(SD)IGS BR rats were studied using the following study design.

Group	Number of Animals		Dietary Levels (ppm T-6295)
	Male	Female	
1 (Control)	70	70	0
2 (Low)	60	60	0.5
3 (Mid)	60	60	2.0
4 (Mid-High)	60	60	5.0
5 (High)	70	70	20.0
6 (High Recovery)	40	40	20.0

The animals in Group 6 were designated as recovery animals and were treated for 52 weeks, then placed in recovery for an additional 52 weeks.

During Weeks 4, 14, 27, and 53, blood and urine were collected for hematology, clinical chemistry, urinalysis, and urine chemistry tests from 10 animals/sex in Groups 1 through 5. Blood was collected for cholesterol and triglyceride determinations from all animals prior to the terminal sacrifice during Weeks 105 and 106 (Week 103 for females in Group 3) and the recovery sacrifice (Group 6) during Weeks 105 and 106. Blood films were also prepared for animals at the terminal and recovery sacrifices.

Five animals/sex in Groups 1 through 5 were sacrificed during Week 4; livers were collected and weighed. A portion of the liver was shipped to the sponsor for PFOS analysis and mitochondrial activity, a portion was shipped to Pathology Associates International (PAI) for hepatocellular proliferation rate measurements by proliferation cell nuclear antigen (PCNA), and a third portion was used for determination of palmitoyl-CoA oxidase activity. During Weeks 14 and 53, necropsies were performed on five and 10 animals/sex, respectively, in Groups 1 through 5. Surviving females in Group 3 were sacrificed and necropsied during Week 103 because of reduced survival. The remaining animals in Groups 1 through 6 were sacrificed and necropsied during Weeks 105 and 106. At necropsy, macroscopic observations were recorded, organ weights were obtained (Weeks 14 and 53), and tissues were placed in fixative as specified by the protocol. In addition, liver samples were collected for PFOS analysis (Weeks 14, 53, 103, 105, and 106), hepatocellular proliferation rate measurement [by PCNA at Week 14 and by bromodeoxyuridine (BrdU) immunohistochemistry at Week 53], and palmitoyl-CoA oxidase determination (Week 14). A section of duodenum was also collected at Week 53 for BrdU immunohistochemistry. At the terminal and recovery sacrifices, sections of heart and liver from 10 animals/sex in Groups 1, 4, 5, and 6 were preserved in 2.0% paraformaldehyde/2.5% glutaraldehyde in 0.1M phosphate buffer, processed, and embedded in epoxy resin for possible future electron microscopy.

At unscheduled necropsies for animals that died or were sacrificed because of poor health, macroscopic observations were recorded, and tissues were placed in fixative, but organ weights were not obtained. Microscopic examinations were done on selected tissues (adrenals, brain, eyes, kidney, liver, mesenteric lymph node, pancreas, spleen, testes, and ovaries) from the animals necropsied during Week 14 and on all tissues from the animals in Groups 1 and 5 that were necropsied during Weeks 53, 105, and 106. In addition, microscopic examinations were done on the tissues from animals that died or were sacrificed due to poor health. Macroscopic lesions, liver, lung, kidneys, pancreas, thyroid, testes, and mammary gland (females) were examined for animals in Groups 2, 3, 4, and 6 that were sacrificed during Weeks 103, 105, and 106. Sections of liver were stained with Oil Red O and examined from five terminally sacrificed males and females in Groups 1 and 5. Also, urinary bladder was examined microscopically from all terminally sacrificed animals in Groups 2, 3, and 4, and from all animals at the recovery sacrifice.

Statistically significant differences cited in the Results and Discussion section are based on comparisons between the control and treated groups.

RESULTS AND DISCUSSION

Clinical Pathology

Weeks 4, 14, 27, and 53. There were relatively few statistically significant or otherwise notable differences for clinical pathology results between the control and treated groups. Those differences that were the most consistent over time were considered to be associated with administration of the test material. These included mildly higher urea nitrogen for males and females fed 5 or 20 ppm; mildly lower glucose for males and females fed 20 ppm; mildly to moderately lower cholesterol for males and females fed 20 ppm; and mildly higher alanine aminotransferase for males fed 20 ppm.

There were no correlative microscopic renal findings for the minor change in urea nitrogen. The findings for alanine aminotransferase, and possibly for glucose and cholesterol, were likely associated with the histopathological findings of hepatocellular hypertrophy and vacuolation. None of the clinical pathology effects were considered adverse.

Of uncertain relationship to the test material were statistically higher urea nitrogen for males fed 2 ppm and statistically lower glucose for females fed 2 or 5 ppm at Week 53. These findings were not as consistent over time as those considered to be effects of the test material, and the magnitudes of these differences were very small.

All other statistically significant differences for clinical pathology results between the control and treated groups were considered incidental. Most of these differences did not affect animals fed the highest dose level, and none of these differences were consistent over time.

Week 103 (Day 719; Group 3 Females) and Week 105. As expected for rats of this age, the cholesterol and triglyceride results were extremely variable, especially for the males. Because of this naturally-occurring variability, the effect on cholesterol observed at earlier intervals was no longer clearly apparent. Although males and females fed 20 ppm had lower mean cholesterol concentrations than those of the other groups, the marked individual variability made it impossible to definitively identify a test material-related effect on cholesterol at Week 105.

The recovery males (Group 6) had a mean cholesterol concentration similar to that of the control males, but the recovery females had a mean cholesterol concentration that was similar to the females in Group 5. Once again, the marked individual variability for cholesterol obscured the significance of these findings.

Anatomical Pathology

Week 14, Terminal Body Weight and Organ Weights. Terminal body weights were comparable between control and treated groups. Absolute and relative liver weights were statistically significantly increased in the males given 20 ppm. In females given 20 ppm, only the liver-to-body weight percentage was significantly increased. The absolute spleen weight was significantly decreased in the females given 20 ppm, as was the absolute lung weight in females given 2, 5, or 20 ppm. Spurious, significant increases in left thyroid/parathyroid-to-body weight percentages were seen in females given 5 or 20 ppm.

Macroscopic Observations. There were no macroscopic observations that could be attributed to the administration of the test material.

Microscopic Observations. Test material-related histomorphologic changes were limited to the liver in the males given 5 or 20 ppm and in the females given 20 ppm. The changes consisted of hypertrophy of hepatocytes in centrilobular areas and midzonal to centrilobular hepatocytic vacuolation. The incidence and severity of the changes tended to be greater in the males.

There were no potentially test material-related lesions in the remaining tissues examined.

Week 53 Interim Sacrifice, Body and Organ Weights. In the females, terminal body weights were significantly decreased in the group given 20 ppm. Terminal body weights in the males were comparable between the control and treated group.

In the males, absolute and relative liver weights were increased in the group receiving 20 ppm. In addition, absolute and relative spleen weights were decreased in males given 20 ppm. Significantly decreased left thyroid/parathyroid weights were considered to be spurious due to the absence of a contralateral effect.

In view of the significant decrease in body weight for females given 20 ppm, significant increases in organ-to-body weight percentages for brain, kidney, liver, and spleen may be of no toxicological importance. Decreased absolute weights in the left adrenal gland and bilateral adrenal-to-brain weight ratios may also represent changes secondary to the body weight loss.

Macroscopic Observations. There were no clear or consistent gross observations at the Week 53 interim sacrifice that could be attributed to the administration of the test material.

Microscopic Observations. Centrilobular hepatocytic hypertrophy and vacuolation were increased in incidence and severity in the males given 20 ppm. Generally, in the females given 20 ppm, only centrilobular hypertrophy was seen, and the change was less severe than that noted in the males. In addition, minimal to slight centrilobular hepatocytic pigment was found in the females given 20 ppm. There were no other histomorphologic changes that could be associated with the administration of the test material.

Unscheduled Deaths Through Week 53

Large, mottled, or diffusely dark livers were noted in 2/3 males and 1/1 females given 20 ppm. There were no other gross observations that could be attributed to the administration of the test material. Microscopically, several animals given 20 ppm exhibited liver changes that were similar or related to those seen at the Week 53 interim sacrifice.

Terminal Sacrifice

Macroscopic Observations. The livers of animals given 5 or 20 ppm exhibited a slight increase in macroscopic findings, including enlarged, mottled, diffuse darkened, or focally lightened.

Microscopic Observations. Hepatotoxicity, characterized by centrilobular hypertrophy, centrilobular eosinophilic hepatocytic granules, centrilobular hepatocytic pigment, or centrilobular hepatocytic vacuolation was noted in animals given 5 or 20 ppm. An increase in eosinophilic clear cell altered foci and cystic hepatocellular degeneration was noted in the males given 2, 5, or 20 ppm. There were no clear differences in the Oil Red O stained sections between Groups 1 and 5.

Recovery Sacrifice

Macroscopic Observations. There were no consistent gross findings in the recovery sacrifice animals that could be attributed to the test material.

Microscopic Observations. The data suggests that the hepatotoxicity did not persist in the recovery-sacrifice animals.

Unscheduled Deaths Weeks 54-105


Macroscopic Observations. There were no consistent gross findings in the recovery sacrifice animals that could be attributed to the test material.

Microscopic Observations. Liver findings of the died-on-test or moribund sacrifice animals were generally similar to those seen in the terminally-sacrificed animals. Increased hepatocellular centrilobular hypertrophy, eosinophilic hepatocytic granules,

and centrilobular hepatocytic pigment were noted in the animals given 20 ppm.
Increased hepatocellular centrilobular hypertrophy was seen in animals given 5 ppm.

Neoplasm Analysis - All Animals

A complete discussion of statistically significant differences in the incidence of neoplasms may be found in the section entitled "Statistical Report of Survival, Nonneoplastic, and Neoplastic Lesions."


Robert L. Hall, DVM, PhD
Diplomate, ACVP
(Clinical Pathology)


Date


Richard D. Alsaker, DVM, MS
Diplomate, ACVP
Diplomate, ABT


Date

CPS
Colorado Pathology Services, Inc.

Project Number P-1934

104-Week Dietary Chronic Toxicity and Carcinogenicity
Study with Perfluorooctane Sulfonic Acid Potassium
Salts (PFOS; T-6295) in Rats

Covance Study Number: 6329-183


PATHOLOGY PEER REVIEW

Submitted To:


Dr. Marvin Case
3M Pharmaceuticals
3M Center/Building 220-2E-02
Saint Paul, MN 55144

Submitted By:

Donald N. Kitchen, D.V.M., Ph.D.
Colorado Pathology Services, Inc.
54901 ME Road
Collbran, Colorado 81624



Donald N. Kitchen, D.V.M., Ph.D.
President, Colorado Pathology
Services, Inc.
Veterinary Pathologist
Diplomate: ACVP



Date

Colorado Pathology Services, Inc.

Project Number: P-1934

Introduction

A peer review of the histopathology portion of the study entitled: 104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salts (PFOS; T-6295) in Rats was conducted at Covance, Madison, Wisconsin, By Donald N. Kitchen, D.V.M., PhD of Colorado Pathology Services, Inc., Collbran, Colorado. The tissues had been previously examined and the data tabulated by pathologist, Dr. Richard Alsacker, at Covance.

Experimental Design

A summary of the experimental design for the study is presented below:

	Number of Animals		Dietary Levels
Group	Male	Female	(ppm T-6295)
1 (Control) ^{a, b, c}	70	70	0
2 (Low) ^b	60	60	0.5
3 (Mid) ^b	60	60	2.0
4 (Mid-High) ^b	60	60	5.0
5 (High) ^{b, c}	70	70	20.0
6 (High Recovery) ^d	40	40	20.0

- The control animals received the basal diet only.
- Five animals/sex in Groups 1 and 5 were sacrificed at Weeks 4 and 14 for hepatocellular proliferation rate measurements, biochemical analysis.
- Ten animals/sex in Groups 1 and 5 were designated as interim sacrifice animals. These animals were sacrificed after at least 52 weeks of treatment.
- Animals in Group 6 were treated for at least 52 weeks, then treatment will be discontinued, and the animals were observed for reversibility, persistence, or delayed occurrence of toxic effects for at least 52 weeks posttreatment. During recovery, the animals received basal diet only.

Colorado Pathology Services, Inc.

Project Number: P-1934

Methods

The peer review as conducted consisted of two tasks. The first task was the complete review of all slides and confirmation of all diagnoses for 10% of the rats in the control and high dose (Groups 1 and 5) including the recovery (Group 6) of study 6329-183. The animals for complete review were selected by Covance and included the following:

— Main Study ---			
Males		Females	
Control	Group 5	Control	Group 5
C92503	C92753	C92866	C93113
C92505	C92757	C92867	C93115
C92510	C92761	C92868	C93124
C92513	C92762	C92869	C93125
C92514	C92774	C92871	C93133
C92518	C92775	C92873	C93135
C92541	C92776	C92874	C93137

— Recovery Animals 10% —	
Males	Females
C92821	C93181
C92823	C93182
C92827	C93183
C92833	C93184

Colorado Pathology Services, Inc.

Project Number: P-1934

The second task consisted of a review of livers from all animals and thyroid glands and pancreas from all male animals, suspected target tissues.


Results

All the materials necessary for this review were readily available and well organized. Relevant in-life data and necropsy data were available to the reviewing pathologist. All slides required to be examined by the reviewing pathologist, were present and were considered to be of good quality. The quality of the histotechnique and the hematoxylin and eosin (H&E) staining were also considered to be good. No tissue artifacts were present that interfered with the slide evaluation and the stain provided good balance between nuclear and cytoplasmic staining. All slides were adequately labeled. Dr. Richard Alsacker the study pathologist, and Marcia J. Holland, histology supervisor, were especially helpful in providing the reviewing pathologist with materials and information needed to complete the peer review.

The differences noted during this review were examined and discussed by the study pathologist, the reviewing pathologist and the 3M pathologist (Dr. Marvin Case) utilizing a multiple headed microscope. All differences noted during this review were resolved with complete agreement concerning the final diagnoses.

Summary

The excellent organization of all materials prior to the arrival of the reviewing pathologist greatly aided and simplified this peer review. The slides were well identified, organized by task and of excellent quality. All differences noted during this review were resolved with complete agreement concerning the final diagnoses.

 12/13/00
Donald N. Kitchen, D.V.M., Ph.D. Date
Veterinary Pathologist
Diplomate: ACVP

STATISTICAL REPORT OF SURVIVAL, NONNEOPLASTIC, AND NEOPLASTIC LESIONS

Methods

Survival. Evaluations of trend and heterogeneity of survival data were performed using the Cox-Tarone binary regression method using the National Cancer Institute (NCI) Life Table Package (Thomas, Breslow, and Gart, 1977). Week 105 was treated as the end of the study in the NCI package for both sexes. Animals that were sacrificed at scheduled intervals were censored in the analysis. Continuity-corrected one-sided tail probabilities for trend and two-sided tail probabilities for group comparisons were evaluated at the 5.0% significance level, as reported in Text Tables 1 and 2. Kaplan-Meier product limit survival curves are presented in Text Figures 1 and 2 for males and females, respectively.

Nonneoplastic Lesions. Nonneoplastic lesions were chosen for statistical analyses if the incidence in at least one treated group (Groups 2 through 5) was increased or decreased by at least two occurrences over the control group (Group 1). The high recovery group (Group 6) was selected based on the incidence rate (%) if it was increased or decreased by at least two as compared to the control or high-dose (20.0 ppm) group. When there was only one incidence in the high-recovery and none in the other groups, that case was excluded from the statistical evaluation. These were analyzed by the Cochran-Armitage test for trend and the Fisher-Irwin exact test for control versus treatment comparisons (Thakur, Berry, and Mielke, 1985). One-sided tail probabilities for trend and group comparisons were evaluated at the 5.0% significance level and are reported in Text Tables 3 and 4 for males and females, respectively.

Neoplastic Lesions. Neoplastic lesions were chosen for statistical analyses using the same criteria as in the case of nonneoplastic lesions. The incidental tumors (i.e., tumors that were not assigned to be the cause of death of the animals by the study pathologist) were analyzed by logistic regression of tumor prevalence (Dinse and Lagakos, 1983). The logistic regression model included linear and quadratic terms in age (week of death), but the quadratic term was eliminated if there was a lack of convergence. The fatal and palpable (superficial) tumors were analyzed by Cox-Tarone binary regression method using the death time or the first palpation time (as applicable) as a surrogate for the tumor onset time. In the case of any particular tumor type where the study pathologist assigned the tumor in question being the cause of death of a subset of the animals and the rest of the animals were assumed to be dead of other competing risks, IARC-type (Peto et al,

1980) cause of death analysis was performed. Specifically, the subset of the tumors which were assigned to be the cause of death by the study pathologist was analyzed by Cox-Tarone logistic regression under life table techniques. The subset, which was considered incidental by the pathologist, was analyzed by logistic regression of tumor prevalences. Tumor types whose cause of death was undetermined, were treated as incidental for statistical evaluation. The score statistics and their respective variances from the above tests were then used to compute the combined evidence as described by Gart et al. (1986). If one tumor in the group belonged to one of the two categories (fatal and incidental) in a test was combined with the other category for the purpose of statistical analyses. In addition, in the cases where there was lack of convergence for the asymptotic test of the logistic regression method, the exact probability of the significance was obtained by using LogXact-Turbo (1993) and combined with the probability of Cox-Tarone test, if necessary.

The benign and malignant neoplastic incidences were evaluated both separately and combined where appropriate. The criteria for combination were based on the work of McConnell et al. (1986). The incidences of multiple-organ findings such as hemangioma, hemangiosarcoma, lipoma, liposarcoma, fibroma, fibrosarcoma, leiomyoma, leiomyosarcoma, endometrial stromal polyp, and endometrial stromal sarcoma were counted by animal, not by tissue type. They were evaluated statistically if they met the selection criterion for the analysis. The statistical results for these cases may be biased because not all the animals were examined for every tissue. One-sided trend and pairwise group comparisons were evaluated at the 5.0% significance level and are shown in Text Tables 5 and 6 for males and females, respectively.

In the nonneoplastic analyses, animals sacrificed early (Week 4) were excluded from the denominators. In the statistical evaluations of the neoplastic lesions, animals sacrificed early (during or before Week 14) were discounted from the number of animals at risk. In the neoplastic analyses, the low- (0.5 ppm), mid-(2.0 ppm), mid-high (5.0 ppm), and high recovery (20 ppm) groups that did not have complete histopathology examinations were excluded from statistical analyses.

In the text tables, the p-values under Group 1 (control) are for trend analysis and the p-values under Groups 2 (low), 3 (mid), 4 (mid-high), 5 (high) and 6 (high recovery) are for the comparison of that group versus the control group. Group 6 was also compared with Group 5, and the p-values for those comparisons are indicated in the text tables.

Trend analysis includes Groups 1, 2, 3, 4, and 5 only. Ordinal dose levels 0, 1, 2, 3, and 4 were used in all analyses for Groups 1, 2, 3, 4, and 5, respectively. Continuity correction was done for all asymptotic tests.

The following notations are used throughout this report designating direction and significance of effects.

+ = Effect in the increased direction

- = Effect in the decreased direction

* = Significant at $p \leq 0.05$

** = Significant at $p \leq 0.01$

E = Exact permutation test

NA = Not analyzed

Results and Discussion

Survival. As indicated in Text Table 1, a significant negative trend ($p = 0.0005$) for decreased mortality occurred in for the males and was associated with significant decreases in mortality in mid-high- (5.0 ppm) and high-dose (20.0 ppm) groups as compared to that of the control group ($p = 0.0115$ and 0.0292 , respectively). None of the other treated groups in the males revealed any significant differences in mortality.

As indicated in Text Table 2, no significant trend was noted in mortality in females. There was a significant increase in mortality in the mid-dose (2.0 ppm) group ($p = 0.0015$) and not in the mid-high (5.0 ppm) and high-dose (20.0 ppm) groups as compared to that of the control.

Nonneoplastic Lesions. The liver, pancreas, and thyroid in both sexes have been identified as appropriate to perform statistical analysis for nonneoplastic lesions.

As indicated in Text Table 3, there were significant positive trends in the incidences of hepatocellular centrilobular hypertrophy, liver eosinophilic centrilobular granular cytoplasm, and hepatocellular midzonal/centrilobular vacuolation ($p \leq 0.01$ for all the cases) for males. These cases were associated with significant increases in the high-dose (20.0 ppm) group ($p \leq 0.01$ for all the cases) when compared to those of the control group. In addition, there were significantly increased incidences in the mid- (2.0 ppm) and mid-high-dose (5.0 ppm) groups for hepatocellular centrilobular hypertrophy

($p = 0.0415$ and 0.0000 , respectively) and the mid-high-dose (5.0 ppm) group for hepatocellular midzonal/centrilobular vacuolation ($p = 0.0024$) as compared to the control in this sex. However, the male high-dose recovery (20.0 ppm) group animals in all these cases exhibited significantly decreased incidences over the high-dose (20.0 ppm) group ($p \leq 0.01$ for all the cases), implying that the effect may be transient (reversible) in nature. Significant positive trends were also noted for hepatocellular centrilobular pigment and liver individual hepatocyte necrosis ($p = 0.0006$ and 0.0106 , respectively) in association with significant increases in the respective high-dose (20.0 ppm) group over the control ($p = 0.0139$ and 0.0224 , respectively). A significant positive trend was detected for cystic degeneration in association with significantly increased incidences in all the dose groups as compared to the control ($p \leq 0.01$ for Groups 2 through 6 vs. 1, respectively). Furthermore, a significant positive trend without any significant group effect was noted for liver degeneration/necrosis centrilobular ($p = 0.0132$). Marginally significant increases over the control were observed in the mid-high-dose (5.0 ppm) group incidences for hepatocellular altered basophilic focus and liver coagulative necrosis ($p = 0.0352$ and 0.0351 , respectively) and in the mid-dose (2.0 ppm) group for pancreatic interstitial fat infiltration ($p = 0.0133$) without any significant trends.

As indicated in Text Table 4, there were significant positive trends in the incidences of hepatocellular centrilobular hypertrophy and liver eosinophilic centrilobular granular cytoplasm ($p \leq 0.01$ for both cases) for the females. These cases were associated with significant increases in respective mid-high (5.0 ppm) and high-dose (20.0 ppm) groups ($p \leq 0.01$ for all the cases) when compared to that of the control group. Significant positive trends were also noted for hepatocellular centrilobular pigment and liver individual hepatocyte necrosis ($p = 0.0000$ and 0.0359 , respectively). These cases were associated with significant increases in the respective high-dose (20.0 ppm) group ($p = 0.0000$ and 0.0500 , respectively) when compared to that of the control group. However, the high-dose recovery (20.0 ppm) group animals in all the above cases exhibited significantly decreased incidences over the high-dose (20.0 ppm) group ($p \leq 0.01$ for all the cases, except for liver individual hepatocyte necrosis ($p = 0.0329$) implying that the effect may be transient in nature. A significant positive trend in association with a significant increase in the high-dose (20.0 ppm) group was found for lymphohistiocytic infiltration in the liver ($p = 0.0080$ for trend and 0.0038 for high-dose versus control). A significant positive trend was also noted for cystic degeneration in the liver ($p = 0.0187$). However, no significant group comparison was detected. In addition, there was a significant positive trend in the incidences of pigmented macrophage

infiltration in the liver ($p = 0.0000$). This was associated with significant increases in the high-dose (20.0 ppm) and high-dose recovery (20.0 ppm) groups as compared to the control ($p = 0.0000$ and 0.0147 , respectively). However, the high-dose recovery (20.0 ppm) group animals exhibited significantly decreased incidences over the high-dose (20.0 ppm) group ($p = 0.0383$). A marginally significant positive trend was noted for Zymogen decreased granules in the pancreas ($p = 0.0488$). This was associated with significant increases in all dosed groups ($p = 0.0093$, 0.0011 , 0.0329 , 0.0127 , and 0.0030 for Group 2 through 6 versus 1, respectively) when compared to the control. Significant increases were also observed over the control in the mid-dose (2.0 ppm) incidences of hepatocellular periportal vacuolation ($p = 0.0358$) and the low-dose (0.5 ppm) incidences of liver hematopoiesis extramedullary ($p = 0.0352$). However, no significant trends were associated with them. A significant negative trend was observed for hepatocellular hypertrophy periportal ($p = 0.0026$). This was associated with a significant decrease in the high-dose (20.0 ppm) group ($p = 0.0127$) as compared to that of the control. The high-dose recovery (20.0 ppm) animals in this case exhibited significantly increased incidences ($p = 0.0344$) when compared to the high-dose (20.0 ppm) group. Significant negative trends were also noted for angiectasis and congestion in the liver ($p = 0.0231$ and 0.0451 , respectively) and islet cell hyperplasia in the pancreas ($p = 0.0372$). However, no significant group comparisons were found for these cases.

Neoplastic Lesions. As indicated in Text Table 5, a significant positive trend was noted in the incidences of liver hepatocellular adenoma for males ($p = 0.0276$). This was associated with a significant increase in the high-dose (20.0 ppm) group over the control ($p = 0.0456$). The high-dose recovery (20.0 ppm) group animals in this case exhibited a significantly decreased incidence when compared to that of the high-dose (20.0 ppm) group ($p = 0.0240$). Significantly increased incidences were observed for thyroid follicular cell adenoma in the high-dose recovery (20.0 ppm) group when compared to either the control or the high-dose (20.0 ppm) group ($p = 0.0280$ and 0.0121 , respectively). There was also a significant increase in the combined (adenoma and carcinoma) thyroid follicular cell tumors in the high-dose recovery (20.0 ppm) group animals as compared to that of the high-dose (20.0 ppm) group ($p = 0.0125$). None of these cases were associated with any significant trend. Thyroid follicular cell carcinoma did not show any significant effect.

There were no other significant neoplastic findings in the males.

As indicated in Text Table 6, significant positive trends were observed in the incidences of hepatocellular adenoma ($p = 0.0153$) and hepatocellular combined adenoma and carcinoma ($p = 0.0057$) in the females. These cases were associated with significant increases in the high-dose (20.0 ppm) group as compared to the control ($p \leq 0.05$ for both cases). All these tumors were incidental and noted at the terminal sacrifice. A marginally significant increase for thyroid follicular cell adenoma and carcinoma combined was observed in the mid-high (5.0 ppm) group ($p = 0.0471$) but not in the high-dose (20.0 ppm) group as compared to the control group. In fact, thyroid C-cell adenoma and thyroid C-cell combined adenoma and carcinoma actually showed significant decreases in the high-dose (20.0 ppm) group as compared to the control ($p = 0.0336$ for both cases). There were significant negative trends in the incidences of mammary fibroadenoma and mammary combined adenoma and fibroadenoma ($p \leq 0.05$ for both cases). These cases were associated with significantly lower incidences in the respective high-dose (20.0 ppm) group ($p \leq 0.05$ for both cases) when compared to that of the control. However, the low-dose (0.5 ppm) group animals for these cases exhibited significant increases over the control ($p \leq 0.05$ for both cases). A significant decreased incidence was found for the high-dose recovery (20.0 ppm) group in the incidences of mammary carcinoma ($p = 0.0161$) as compared to the high-dose (20.0 ppm) group. There was no other significant group effect in mammary carcinoma. There was a marginal significant negative trend for the mammary combined fibroadenoma/adenoma/carcinoma ($p = 0.0482$). However, the low- (0.5 ppm) and mid-high (5.0 ppm) groups for this case exhibited significantly increased incidences over the control ($p = 0.0474$ and 0.0066 , respectively).

There were no other significant neoplastic findings in the females.

References

Dinse, G.E. and Lagakos, S.W., "Regression analysis of tumor prevalence data," *Journal of Royal Statistical Society Series C (Applied Statistics)*, 32: 236-248 (1983).

Gart, J.J., Krewski, D., Lee, P.N., Tarone, R.E., and Wahrendorf, J., *Statistical Methods in Cancer Research: The Design and Analysis of Long-Term Animal Experiments*, IARC Scientific Publications, Vol. 3, No. 79, Oxford University Press, New York (1986).


LogXact-Turbo, Cytel Software Corporation, Version 1.1, Cambridge, Massachusetts, 1993.

McConnell, E.E., Solleveld, H.A., Swenberg, J.A., and Boorman, G.A., "Guidelines for combining neoplasms for evaluation of rodent carcinogenicity studies," *Journal of National Cancer Institute*, 76:283-289 (1986).

Peto, R., Pike, M.C., Day, N.E., Gray, R.G., Lee, P.N., Parish, S., Peto, J., Richards, S., and Wahrendorf, J., "Guidelines for simple, sensitive significance tests for carcinogenic effects in long-term animal experiments, in *Long-term and Short-term Screening Assays for Carcinogens: A Critical Appraisal*," Lyon: International Agency for Cancer Research (IARC), 311-426 (1980).

Thakur, A.K., K.J. Berry, and Mielke, P.W., Jr., "A FORTRAN program for testing trend and homogeneity in proportions," *Computer Programs in Biomedicine*, 19: 229-233 (1985).

Thomas, D.G., Breslow, N., and Gart, J. J., "Trend and homogeneity analyses of proportions and life table data," *Computers and Biomedical Research*, 10:373-381 (1977).



Arjun Roy, MA
Staff Scientist and Biostatistician
Department of Safety Assessment and Biostatistics



Date



Ajit K. Thakur, PhD
Principal Scientist and Biostatistician
Department of Safety Assessment and Biostatistics



Date

Text Table 1

Results of Statistical Analyses of Survival Data for Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery
Unadjusted Mortality (Rate)	39/70 .557	40/60 .667	33/60 .550	25/60 .417	29/70 .414	30/40 .750
Adjusted Mortality: Kaplan-Meier Estimate (Final)	.778	.800	.660	.500	.565	.750
Standard Error	.059	.057	.067	.071	.070	.068

	Cox-Tarone Test
Trend (Groups 1 - 5) p (one-sided)	.0005 -**
Groups 1 vs 2 p (two-sided)	.9849 -
Groups 1 vs 3 p (two-sided)	.1820 -
Groups 1 vs 4 p (two-sided)	.0115 -*
Groups 1 vs 5 p (two-sided)	.0292 -*
Groups 1 vs 6 p (two-sided)	.7372 -
Groups 5 vs 6 p (two-sided)	.0980 +

Text Table 2

Results of Statistical Analyses of Survival Data for Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery
Unadjusted Mortality (Rate)	26/70 .371	35/60 .583	41/60 .683	35/60 .583	25/70 .357	23/40 .575
Adjusted Mortality: Kaplan-Meier Estimate (Final)	.520	.700	.820	.700	.498	.575
Standard Error	.071	.065	.054	.065	.071	.078

	Cox-Tarone Test
Trend (Groups 1 - 5) p (one-sided)	.3394 -
Groups 1 vs 2 p (two-sided)	.1700 +
Groups 1 vs 3 p (two-sided)	.0015 +**
Groups 1 vs 4 p (two-sided)	.2338 +
Groups 1 vs 5 p (two-sided)	.8644 -
Groups 1 vs 6 p (two-sided)	.9407 +
Groups 5 vs 6 p (two-sided)	.6113 +

Text Table 3

Results of Statistical Analyses of Nonneoplastic Lesions in the Males

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Infiltrate, Lymphohistiocytic	51/65	43/55	44/55	45/55	45/65	31/40	
p-values	.1836 -	.5720 -	.5090 +	.4111 +	.1592 -	NA	.2450 +
Liver - Hypertrophy, Hepatocellular Centrilobular	0/65	2/55	4/55	22/55	42/65	3/40	
	.0000 +**	.2080 +	.0415 +*	.0000 +**	.0000 +**	.0527 +	.0000 -**
Liver - Granular Cytoplasm, Eosinophilic, Centrilobular	0/65	0/55	0/55	0/55	14/65	0/40	
	.0000 +**	NA	NA	NA	.0000 +**	NA	.0007 -**
Liver - Pigment Hepatocellular, Centrilobular	0/65	0/55	0/55	0/55	6/65	0/40	
	.0006 +**	NA	NA	NA	.0139 +*	NA	.0513 -
Liver - Necrosis, Individual Hepatocyte	5/65	4/55	6/55	5/55	14/65	4/40	
	.0106 +*	NA	NA	NA	.0224 +*	.4699 +	.1024 -
Liver - Vacuolation, Hepatocellular Midzonal / Centrilobular	3/65	3/55	6/55	13/55	19/65	3/40	
	.0000 +**	NA	.1696 +	.0024 +**	.0001 +**	.4152 +	.0060 -**

Text Table 3 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Males

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Focus, Altered Hepatocellular, Clear / Eosinophilic Cell							
	20/65	21/55	23/55	24/55	24/65	16/40	
p-values	.1948 +	NA	.1431 +	.1026 +	.2892 +	.2243 +	.4553 +
Liver - Focus, Altered Hepatocellular, Basophilic							
	10/65	7/55	16/55	17/55	13/65	8/40	
p-values	.0663 +	.4414 -	.0556 +	.0352 +*	.3232 +	.3616 +	NA
Liver - Degeneration, Cystic							
	5/65	15/55	19/55	17/55	22/65	15/40	
p-values	.0007 +**	.0041 +**	.0003 +**	.0011 +**	.0002 +**	.0002 +**	.4306 +
Liver - Necrosis, Coagulative							
	1/65	4/55	1/55	6/55	2/65	4/40	
p-values	.2563 +	.1346 +	NA	.0351 +*	NA	.0683 +	.1471 +
Liver - Hematopoiesis, Extramedullary							
	4/65	3/55	8/55	3/55	7/65	5/40	
p-values	.2161 +	NA	.1111 +	NA	.2652 +	.2187 +	NA
Liver - Hyperplasia, Bile Duct							
	20/65	20/55	25/55	24/55	25/65	21/40	
p-values	.1351 +	NA	.0713 +	.1026 +	.2305 +	.0224 +*	.1141 +

Text Table 3 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Males

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Fibrosis, Peribiliary	8/65	7/55	11/55	7/55	14/65	4/40	
p-values	.1057 +	NA	.1842 +	NA	.1209 +	.4901 -	.1024 -
Liver - Hypertrophy, Hepatocellular Periportal	4/65	1/55	7/55	2/55	2/65	5/40	
p-values	.3303 -	.2387 -	.1773 +	.4222 -	.3400 -	.2187 +	.0719 +
Liver - Infiltrate, Macrophage, Pigmented	6/65	5/55	3/55	4/55	5/65	2/40	
p-values	.3554 -	NA	.3357 -	.4813 -	NA	.3491 -	.4588 -
Liver - Vacuolation, Hepatocellular	6/65	2/55	3/55	1/55	7/65	3/40	
p-values	.4677 +	.1976 -	.3357 -	.0881 -	NA	NA	.4254 -
Liver - Degeneration / Necrosis Centrilobular	1/65	0/55	0/55	1/55	5/65	1/40	
p-values	.0132 +*	NA	NA	NA	.1039 +	NA	.2566 -
Liver - Glycogen, Hepatocellular, Increased	1/65	3/55	0/55	0/55	1/65	0/40	
p-values	.2206 -	.2491 +	NA	NA	NA	NA	NA

Text Table 3 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Males

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Angiectasis	1/65	1/55	2/55	0/55	2/65	0/40	
p-values	NA	NA	NA	NA	NA	NA	.3810 -
Liver - Lipidosis Subcapsular	0/65	0/55	3/55	1/55	0/65	0/40	
p-values	.4317 +	NA	.0934 +	NA	NA	NA	NA
Pancreas - Zymogen Granules, Decreased	11/65	15/54	11/55	14/55	16/65	8/40	
p-values	.2162 +	.1145 +	NA	.1785 +	.1937 +	.4406 +	.3831 -
Pancreas - Infiltrate, Lymphohistiocytic	2/65	2/54	1/55	4/55	1/65	1/40	
p-values	.4593 -	NA	NA	.2641 +	NA	NA	NA
Pancreas - Infiltrate, Macrophage, Pigmented	24/65	17/54	18/55	13/55	19/65	13/40	
p-values	.1172 -	.3350 -	.3873 -	.0845 -	.2281 -	.4031 -	.4437 +
Pancreas - Atrophy, Acinar	7/65	7/54	8/55	9/55	7/65	3/40	
p-values	.4354 +	NA	NA	.2642 +	NA	.4254 -	.4254 -

Text Table 3 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Males

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Pancreas - Hypertrophy / Basophilia, Acinar Cells	2/65	3/54	0/55	1/55	3/65	3/40	
p-values	.4568 -	NA	.2913 -	NA	NA	.2812 +	.4152 +
Pancreas - Inflammation, Vascular	2/65	1/54	4/55	4/55	1/65	4/40	
p-values	.4632 +	NA	.2641 +	.2641 +	NA	.1471 +	.0683 +
Pancreas - Infiltration, Fat, Interstitial	11/65	16/54	20/55	14/55	12/65	6/40	
p-values	.4908 -	.0768 +	.0133 +*	.1785 +	NA	NA	.4302 -
Pancreas - Thrombus	1/65	0/54	0/55	0/55	0/65	2/40	
p-values	NA	NA	NA	NA	NA	.5112 -	.1429 +
Thyroid - Hyperplasia, C-Cell	9/60	8/49	10/50	7/49	9/59	4/39	
p-values	.4920 -	NA	NA	.5687 -	NA	.3586 -	.3467 -
Thyroid - Dilatation / Cyst, Follicular	6/60	3/49	3/50	9/49	8/59	2/39	
p-values	.0966 +	.3558 -	.3440 -	.1631 +	.3756 +	.3196 -	.1568 -

Text Table 4

Results of Statistical Analyses of Nonneoplastic Lesions in the Females

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Infiltrate, Lymphohistiocytic	42/65	42/55	38/55	41/55	56/65	32/40	
p-values	.0080 +**	NA	.3738 +	NA	.0038 +**	.0709 +	.2852 -
Liver - Hypertrophy, Hepatocellular, Centrilobular	2/65	1/55	4/55	16/55	52/65	2/40	
	.0000 +**	NA	.2641 +	.0001 +**	.0000 +**	NA	.0000 -**
Liver - Granular Cytoplasm, Eosinophilic, Centrilobular	0/65	0/55	0/55	7/55	36/65	1/40	
	.0000 +**	NA	NA	.0034 +**	.0000 +**	.3810 +	.0000 -**
Liver - Pigment, Hepatocellular, Centrilobular	0/65	0/55	0/55	1/55	36/65	0/40	
	.0000 +**	NA	NA	NA	.0000 +**	NA	.0000 -**
Liver - Necrosis, Individual Hepatocyte	7/65	6/55	6/55	6/55	15/65	3/40	
	.0359 +*	NA	NA	NA	.0500 +*	.4254 -	.0329 -*
Liver - Vacuolation, Hepatocellular, Midzonal / Centrilobular	1/65	1/55	0/55	1/55	4/65	1/40	
	.0753 +	NA	NA	NA	.1826 +	NA	.3660 -

Text Table 4 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Females

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Vacuolation, Hepatocellular, Periportal	15/65	15/55	22/55	16/55	22/65	11/40	
p-values	.1052 +	NA	.0358 +*	NA	.1217 +	.3877 +	.3235 -
Liver - Focus, Altered Hepatocellular, Clear / Eosinophilic Cell	27/65	21/55	18/55	17/55	21/65	13/40	
p-values	.0985 -	.4263 -	.2109 -	.1553 -	.1818 -	.2367 -	NA
Liver - Focus, Altered Hepatocellular, Basophilic	16/65	20/55	13/55	21/55	20/65	11/40	
p-values	.2314 +	.1153 +	.5367 -	.0801 +	.2785 +	.4573 +	.4487 -
Liver - Degeneration, Cystic	0/65	1/55	1/55	2/55	4/65	1/40	
p-values	.0187 +*	NA	NA	.2080 +	.0596 +	.3810 +	.3660 -
Liver - Necrosis, Coagulative	3/65	2/55	4/55	2/55	2/65	2/40	
p-values	.3857 -	NA	NA	NA	NA	NA	NA
Liver - Hematopoiesis, Extramedullary	10/65	17/55	15/55	8/55	7/65	5/40	
p-values	.0721 -	.0352 +*	.0851 +	.5528 -	.3020 -	.4579 -	NA

Text Table 4 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Females

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Hyperplasia, Bile Duct							
	23/65	25/55	19/55	17/55	30/65	17/40	
p-values	.3266 +	.1749 +	.5389 -	.3738 -	.1421 +	.2999 +	.4358 -
Liver - Fibrosis, Peribiliary							
	9/65	13/55	4/55	9/55	10/65	4/40	
p-values	.4341 -	.1264 +	.1960 -	NA	NA	.3987 -	.3168 -
Liver - Hypertrophy, Hepatocellular, Periportal							
	12/65	10/55	9/55	4/55	3/65	7/40	
p-values	.0026 -**	.5796 -	.4778 -	.0614 -	.0127 -*	NA	.0344 +*
Liver - Infiltrate, Macrophage, Pigmented							
	2/65	3/55	5/55	6/55	23/65	7/40	
p-values	.0000 +**	NA	.1567 +	.0889 +	.0000 +**	.0147 +*	.0383 -*
Liver - Vacuolation, Hepatocellular							
	3/65	2/55	0/55	3/55	3/65	2/40	
p-values	.4582 +	NA	.1555 -	NA	NA	NA	NA
Liver - Cyst, Biliary							
	3/65	1/55	1/55	1/55	4/65	2/40	
p-values	.3708 +	.3749 -	.3749 -	.3749 -	NA	NA	NA

Text Table 4 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Females

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Liver - Inflammation, Subacute							
	2/65	0/55	0/55	0/55	1/65	0/40	
p-values	.2760 -	.2913 -	.2913 -	.2913 -	NA	.3810 -	NA
Liver - Angiectasis							
	6/65	1/55	2/55	1/55	1/65	2/40	
p-values	.0231 -*	.0881 -	.1976 -	.0881 -	.0574 -	.3491 -	.3232 +
Liver - Congestion							
	2/65	2/55	1/55	0/55	0/65	0/40	
p-values	.0451 -*	NA	NA	.2913 -	.2481 -	.3810 -	NA
Pancreas - Zymogen Granules, Decreased							
	3/65	11/55	14/55	9/55	12/65	10/40	
p-values	.0488 +*	.0093 +**	.0011 +**	.0329 +*	.0127 +*	.0030 +**	.2879 +
Pancreas - Infiltrate, Lymphohistiocytic							
	3/65	0/55	2/55	3/55	3/65	1/40	
p-values	.2999 +	.1555 -	NA	NA	NA	.5071 -	.5071 -
Pancreas - Hyperplasia, Islet Cells							
	2/65	1/55	0/55	0/55	0/65	0/40	
p-values	.0372 -*	NA	.2913 -	.2913 -	.2481 -	.3810 -	NA

Text Table 4 (Continued)

Results of Statistical Analyses of Nonneoplastic Lesions in the Females

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs. 6
Pancreas - Atrophy, Acinar							
	2/65	3/55	5/55	2/55	4/65	3/40	
p-values	.3303 +	NA	.1567 +	NA	.3400 +	.2812 +	NA
Pancreas - Hypertrophy / Basophilia, Acinar Cells							
	1/65	5/55	2/55	1/55	0/65	1/40	
p-values	.1017 -	.0698 +	NA	NA	NA	NA	.3810 +
Pancreas - Infiltration, Fat, Interstitial							
	10/65	7/55	4/55	9/55	6/65	7/40	
p-values	.2520 -	.4414 -	.1367 -	NA	.2120 -	.4888 +	.1721 +
Thyroid - Hyperplasia, C-Cell							
	20/60	19/50	19/50	15/50	19/60	16/40	
p-values	.3153 -	NA	NA	.4342 -	NA	.3190 +	.2598 +

Text Table 5

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Brain - Astrocytoma, Malignant							
Fatal Incidence	1				0		
Incidental Incidence	1				0		
Total Incidence Rate	2/60	0/40	0/40	1/30	0/60	0/34	
One-sided p-value					.3955 -		
Liver - Hepatocellular, Adenoma							
Fatal Incidence	0	0	1	0	0	0	
Incidental Incidence	0	3	2	1	7	0	
Total Incidence Rate	0/60	3/50	3/50	1/50	7/60	0/40	
One-sided p-value	.0276 +*	.1345 +	.0689 +	NA	.0456 +*E	NA	.0240 -*
Pancreas - Islet Cell, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	4	3	4	4	4	1	
Total Incidence Rate	4/60	3/49	4/50	4/50	4/60	1/40	
One-sided p-value	NA	NA	NA	NA	NA	.2824 -	.3021 -

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Pancreas - Islet Cell, Carcinoma							
Fatal Incidence	0	1	0	0	0	0	
Incidental Incidence	1	1	2	5	5	3	
Total Incidence Rate	1/60	2/49	2/50	5/50	5/60	3/40	
One-sided p-value	.0681 +	NA	NA	.2487 +	.2435 +	.2834 +	.4972 -
Pancreas - Islet Cell, Adenoma/Carcinoma							
Fatal Incidence	0	1	0	0	0	0	
Incidental Incidence	5	4	6	8	9	4	
Total Incidence Rate	5/60	5/49	6/50	8/50	9/60	4/40	
One-sided p-value	.1341 +	NA	NA	.2904 +	.2027 +	NA	.3709 -
Adrenal Cortex - Adenoma							
Fatal Incidence	0				0		
Incidental Incidence	3				1		
Total Incidence Rate	3/60	0/42	1/33	2/26	1/60	0/30	
One-sided p-value					.2238 -		

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Adrenal Medulla - Pheochromocytoma, Benign							
Fatal Incidence	0				0		
Incidental Incidence	3				5		
Total Incidence Rate	3/60	6/42	5/33	3/26	5/60	1/30	
One-sided p-value					.3519 +		
Adrenal Medulla - Pheochromocytoma, Malignant							
Fatal Incidence	0				0		
Incidental Incidence	1				1		
Total Incidence Rate	1/60	2/42	0/33	0/26	1/60	0/30	
Note: Incidences across groups do not meet selection criterion.							
Adrenal Medulla - Pheochromocytoma, Benign/Malignant							
Fatal Incidence	0				0		
Incidental Incidence	3				6		
Total Incidence Rate	3/60				6/60	1/30	
One-sided p-value					.4033 +		

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Testis - Interstitial Cell Tumor, Benign							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	1	1	2	2	1	1	
Total Incidence Rate	1/60	1/50	2/50	2/50	1/60	1/39	
Note: Incidences across groups do not meet selection criterion.							
Testis - Interstitial Cell Tumor, Malignant							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	0	0	1	0	0	
Total Incidence Rate	0/60	0/50	0/50	1/50	0/60	0/39	
Note: Incidences across groups do not meet selection criterion.							
Testis - Interstitial Cell Tumor, Benign/Malignant							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	1	1	2	3	1	1	
Total Incidence Rate	1/60	1/50	2/50	3/50	1/60	1/39	
One-sided p-value	.4583 +	NA	NA	.3760 +	NA	NA	NA

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Thyroid - C-Cell, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	5	6	6	9	7	4	
Total Incidence Rate	5/60	6/49	6/50	9/49	7/59	4/39	
One-sided p-value	.3844 +	NA	NA	.2803 +	.3745 +	NA	.3752 -
Thyroid - C-Cell, Carcinoma							
Fatal Incidence			0		0	0	
Incidental Incidence			1		0	1	
Total Incidence Rate	0/60	0/49	1/50	0/49	0/59	1/39	
Note: Incidences across groups do not meet selection criterion.							
Thyroid - C-Cell, Adenoma/Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	5	6	7	9	7	5	
Total Incidence Rate	5/60	6/49	7/50	9/49	7/59	5/39	
One-sided p-value	.4037 +	NA	.3945 +	.2803 +	.3745 +	.4858 +	.4952 +

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Thyroid - Follicular Cell, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	3	5	4	4	4	9	
Total Incidence Rate	3/60	5/49	4/50	4/49	4/59	9/39	
One-sided p-value	.4998 -	.3967 +	NA	NA	NA	.0280 +*	.0121 +*
Thyroid - Follicular Cell, Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	3	1	1	2	1	1	
Total Incidence Rate	3/60	1/49	1/50	2/49	1/59	1/39	
One-sided p-value	.2210 -	.3855 -	.2448 -	NA	.1734 -	.4280 -	NA
Thyroid - Follicular Cell, Adenoma/Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	6	6	5	5	5	10	
Total Incidence Rate	6/60	6/49	5/50	5/49	5/59	10/39	
One-sided p-value	.2520 -	NA	NA	NA	NA	.0970 +	.0125 +*

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Muscle Skeletal - Sarcoma Undifferentiated, Malignant							
Fatal Incidence	1				0		
Incidental Incidence	1				0		
Total Incidence Rate	2/60	0/40	0/33	0/25	0/60	0/30	
One-sided p-value					.2136 -		
Pituitary - Adenoma							
Fatal Incidence	18	21	20	14	12	15	
Incidental Incidence	19	8	22	17	25	13	
Total Incidence Rate	37/60	29/45	42/46	31/36	37/59	28/38	
One-sided p-value	NA	NA	NA	NA	NA	.4448 +	.1455 +
Skin - Keratoacanthoma							
Total Incidence Rate	1/60	4/43	4/37	6/31	5/60	6/33	
One-sided p-value	NA	NA	NA	NA	.1612 +	NA	NA
Multiple Tumor - Lipoma							
Total Incidence Rate	0/60	1/43	0/50	0/50	3/60	0/40	
One-sided p-value	NA	NA	NA	NA	.2088 +	NA	.2149 -

Text Table 5 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Male Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Multiple Tumor - Liposarcoma							
Total Incidence Rate	0/60	0/43	0/50	0/50	1/2	1/40	
Note: Incidences across groups do not meet selection criterion.							
Multiple Tumor - Lipoma/Liposarcoma							
Total Incidence Rate	0/60	1/43	0/50	0/50	4/60	1/40	
One-sided p-value	NA	NA	NA	NA	.1143 +	NA	.3076 -

Text Table 6

Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Liver - Hepatocellular, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	1	1	1	5	2	
Total Incidence Rate	0/60	1/50	1/49	1/50	5/60	2/40	
One-sided p-value	.0153 +*	NA	NA	NA	.0386 +*	.2040 +	.3050 -
Liver - Hepatocellular, Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	0	0	0	1	0	
Total Incidence Rate	0/60	0/50	0/49	0/50	1/60	0/40	
Note: Incidences across groups do not meet selection criterion.							
Liver - Hepatocellular, Adenoma/Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	1	1	1	6	2	
Total Incidence Rate	0/60	1/50	1/49	1/50	6/60	2/40	
One-sided p-value	.0057 +**	NA	NA	NA	.0204 +*	.2040 +	.2114 -

Text Table 6 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Pancreas - Islet Cell, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	2	2	1	0	2	0	
Total Incidence Rate	2/60	2/50	1/49	0/50	2/60	0/40	
One-sided p-value	.3126 -	NA	NA	.3484 -E	NA	.2387 -	.2502 -
Pancreas - Islet Cell, Carcinoma							
Fatal Incidence	1	0	0	0	1	0	
Incidental Incidence	0	0	1	0	0	0	
Total Incidence Rate	1/60	0/50	1/49	0/50	1/60	0/40	
Note: Incidences across groups do not meet selection criterion.							
Pancreas - Islet Cell, Adenoma/Carcinoma							
Fatal Incidence	1	0	0	0	1	0	
Incidental Incidence	2	2	2	0	2	0	
Total Incidence Rate	3/60	2/50	2/49	0/50	3/60	0/40	
One-sided p-value	.3421 -	NA	NA	.0513 -	NA	.1539 -	.1750 -

Text Table 6 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Thyroid - Follicular Cell, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	0	0	2	1	1	
Total Incidence Rate	0/60	0/50	0/49	2/50	1/60	1/40	
One-sided p-value	.1002 +	NA	NA	.1054 +	NA	.2387 -	NA
Thyroid - Follicular Cell, Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	0	0	1	0	0	
Total Incidence Rate	0/60	0/50	0/49	1/50	0/60	0/40	
Note: Incidences across groups do not meet selection criterion.							
Thyroid - Follicular Cell, Adenoma/Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	0	0	3	1	1	
Total Incidence Rate	0/60	0/50	0/49	3/50	1/60	1/40	
One-sided p-value	.0790 +	NA	NA	.0471 +*	NA	.1539 -	NA

Text Table 6 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Thyroid - C-Cell, Adenoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	12	6	6	8	5	6	
Total Incidence Rate	12/60	6/50	6/49	8/50	5/60	6/40	
One-sided p-value	.0703 -	.1478 -	.1705 -	.2103 -	.0336 -*	.2392 -	.3548 +
Thyroid - C-Cell, Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	0	1	0	0	0	1	
Total Incidence Rate	0/60	1/50	0/49	0/50	0/60	1/40	
Note: Incidences across groups do not meet selection criterion.							
Thyroid - C-Cell, Adenoma/Carcinoma							
Fatal Incidence	0	0	0	0	0	0	
Incidental Incidence	12	7	6	8	5	7	
Total Incidence Rate	12/60	7/50	6/49	8/50	5/60	7/40	
One-sided p-value	.0560 -	.2284 -	.1705 -	.2103 -	.0336 -*	.3380 -	.2399 +

Text Table 6 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Pituitary - Adenoma							
Fatal Incidence	18	23	32	23	15	16	
Incidental Incidence	28	18	10	14	25	14	
Total Incidence Rate	46/60	41/50	42/46	37/46	40/60	30/34	
One-sided p-value	NA	.2409 +	NA	NA	.1726 -	NA	NA
Skin - Squamous Cell, Papilloma							
Total Incidence Rate	2/60	0/36	0/40	0/35	0/60	1/25	
One-sided p-value	NA	NA	NA	NA	.2209 -	NA	NA
Skin - Squamous Cell, Carcinoma							
Total Incidence Rate	1/60	0/36	0/40	0/35	0/60	0/25	
Note: Incidences across groups do not meet selection criterion.							
Skin - Squamous Cell, Papilloma/Carcinoma							
Total Incidence Rate	3/60	0/36	0/40	0/35	0/60	1/25	
One-sided p-value	NA	NA	NA	NA	.1140 -	NA	NA

Text Table 6 (Continued)


Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Mammary Female- Fibroadenoma							
Total Incidence Rate	20/60	27/50	19/48	24/50	11/60	15/40	
One-sided p-value	.0152 -*	.0337 +*	.1125 +	.2521 +	.0235 -*	.4099 -	.0573 +
Mammary Female- Adenoma							
Total Incidence Rate	7/60	6/50	5/48	7/50	4/60	4/40	
One-sided p-value	.2359 -	NA	.4086 +	NA	.2315 -	NA	.5055 +
Mammary Female- Fibroadenoma/Adenoma							
Total Incidence Rate	23/60	30/50	22/48	26/50	15/60	16/40	
One-sided p-value	.0239 -*	.0318+*	.0527 +	.2753 +	.0488 -*	NA	.1451 +
Mammary Female- Carcinoma							
Total Incidence Rate	11/60	12/50	15/48	11/50	14/60	4/40	
One-sided p-value	.3569	.3996 +	.0515 +	NA	.3373 +	.0606 -	.0161 -*

Text Table 6 (Continued)

Results of Statistical Analyses of Neoplastic Lesions - Female Rats

Group	1 Control	2 Low	3 Mid	4 Mid-High	5 High	6 High Recovery	Groups 5 vs 6
Mammary Female- Fibroadenoma/Adenoma/Carcinoma							
Total Incidence Rate	29/60	36/50	31/48	29/50	24/60	17/40	
One-sided p-value	.0482 -*	.0474 +*	.0066 +**	NA	.1479 -	.0598 -	.3482 -



COMMENTS ON THE DATA

Various models of calculators, computers, and computer programs were used to analyze data in this study. Because different models round off or truncate numbers differently, values in some tables (e.g., means, standard deviations, or individual values) may differ slightly from those in other tables, from individually calculated data, or from statistical analysis data. Neither the integrity nor the interpretation of the data was affected by these differences.

The units for the dose levels in the inlife summary tables are ppm.

The number of animals listed in the heading of the summary tables for clinical and mass observations reflects the number of animals assigned to each group at the start of the study.

The summary tables for clinical observations indicate the number of animals for which a condition was observed without regard to the reversibility, number of incidences/animal, or the length of time the condition persisted.

Only observations for each animal other than normal are indicated in the summary clinical observations tables.

Each animal with observations recorded as “Normal” throughout the study has the comment “No remarkable observations” indicated in the individual clinical observations tables.

The specific details for comments in the individual clinical observations tables that are indicated with a “C” can be found at the end of each group for each sex.

The level of severity for some clinical observations was not specified at the time of the observation and is indicated as <UNSPECIFIED> in the summary and individual clinical observation tables.

The day of initiation of treatment is “Day 1, Week 1.” Body weight data are entered at the start of a study week (e.g., a body weight recorded on Day 1 is considered a Week 1 body weight, a body weight recorded on Day 8 is considered a Week 2 body weight). Body weight change data are calculated from the first day of the study week to the first day of the following study week (e.g., Week 1 values are calculated from Day 1 through 8). Weekly food consumption are calculated from the first day of the study week to the first day of the following study week (e.g., Week 1 values are calculated from Day 1 through 8).

COMMENTS ON THE DATA (Continued)

The values for summary and individual test material consumption are reported with more significant figures than is appropriate for the data due to limitations of the data collection and reporting software.

The comment “SPILLED” in individual food consumption data tables indicates that food consumption was not recorded due to spillage during the interval.

The comment “CNTMD” in individual food consumption data tables indicates that food consumption was not recorded due to contamination of the diet with urine or feces in the food container.

The comment “NOT TAKEN” in individual food consumption data tables indicates that the animal died before the end of the food consumption interval.

The comment “TECH SPILL” in individual food (water) consumption data tables indicates that food consumption was not recorded due to food (water) spillage caused by technician error.

Differences in the population size (N) in the summary tables for clinical and anatomic pathology are explained in the individual data tables or the code sheets.

Results of clinical pathology samples collected for animals sacrificed at unscheduled intervals appear in the individual clinical pathology tables for the next scheduled interval. These results are not in the summary tables and are not included in the statistical analyses.

Statistical analyses were not done when there were two or fewer values for a parameter.

COMMENTS ON THE DATA (Continued)

The calculation for individual test material consumption is:

Test material consumption =

$$\frac{\text{Diet Concentration} \times \text{Food Consumption}}{\text{Food Consumption Interval} \times [\text{First Body Weight of Interval} + (\text{Daily Body Weight Gain} \times \text{Day Factor})]}$$

where: Daily Body Weight Gain =

$$\frac{\text{Last Body Weight of Interval} - \text{First Body Weight of Interval}}{\text{Day of Last Body Weight of Interval} - \text{Day of First Body Weight of Interval}}$$

and: Day Factor =

$$(\text{Food Consumption Start Day} - \text{Day of First Body Weight of Interval}) + \frac{\text{Food Consumption Interval}}{2}$$

and: Food Consumption Interval =

$$\text{Food Consumption End Day} - \text{Food Consumption Start Day}$$

CODES, ABBREVIATIONS, AND UNITS

General Codes and Abbreviations

Codes for Clinical Pathology

Abbreviations and Units for Clinical Hematology

Abbreviations and Units for Clinical Chemistry

Abbreviations and Units for Clinical Urinalysis

Abbreviations and Units for Urine Chemistry

Codes for Anatomic Pathology

Note: The following lists of codes, abbreviations, and units are used by Covance. Some, but not necessarily all, of this information may be needed for this report.

General Codes and Abbreviations

WK	Week
N	Number of measurements in a group
Mean; MEAN	Arithmetic mean
CAM	Covariate-adjusted mean
SD; S.D.; STAND DEV; STANDARD DEV; sd	Standard deviation
*	Group mean is significantly different from the mean of the control group (Group 1) at $p \leq 0.05$
-; NA	No value; not applicable; not present
P	Present
C	Comment found at the end of each group for each sex
UNSCHED	Unscheduled
DISPATCH	Observations transferred from the inlife module of the data collection system to the necropsy module for reference during necropsy. Observations are duplicates of the last inlife observations.
TBW	Terminal body weight
#	Number
CO	Clinical observation

Animal Death Codes

1	Interim sacrifice, Week 4
2	Interim sacrifice, Week 14
3	Interim sacrifice, Week 53
T	Terminal sacrifice
D	Found dead
M	Moribund
U	First postrecovery sacrifice

Codes for Clinical Pathology

GENERAL CODES

NS	No sample
QS/QNS	Quantity not sufficient
NR	No repeat (sample volume not sufficient for repeat analysis)
FS	Fibrin strands
SC	Sample clotted
SH	Slightly hemolyzed
H	Hemolyzed
SL	Slightly lipemic
L	Lipemic
SI	Slightly icteric
I	Icteric
NF	Animal not fasted
U	Unscheduled/moribund bleed
DT/DOT	Animal died on test
DB	Died during bleeding
TJ	Technician judgment to repeat test
TE	Technical error (instrument or technician error that results in unacceptable data, e.g., unacceptable instrument output, sample spilled, entry of invalid data)
RE	Recording error (recorded incorrect data, e.g., wrong number, spelling error, incorrect date)
EE	Entry error (incorrect keyboard entry)
SE	Sampling error
PC	Platelets clumped
PD	Platelets decreased
PI	Platelets increased
PL	Platelets large
PA	Platelets appear adequate
CO	Color interferes with test
HB	Heinz bodies observed
PLASMO	Plasmodium
NO AGG	No aggregation
FR	Fractionous
UTD	Unable to determine
NO COAG	No coagulation

Codes for Clinical Pathology (Continued)

RESULTS NOT INCLUDED IN STATISTICAL ANALYSES

Hemolyzed clinical chemistry or coagulation samples
 Samples from animals at unscheduled intervals
 Prothrombin times (PT) greater than 50 seconds
 Activated partial thromboplastin times (PTT) greater than 110 seconds
 Bleed times (BLETIME) greater than 30 minutes

CODES FOR BLOOD CELL MORPHOLOGY

The following scale was used to measure the degree of anisocytosis (ANISO), poikilocytosis (POIK), polychromasia (POLY), hypochromasia (HYPO), or basophilic stippling (BASTIP) or the presence of Howell-Jolly bodies (HJBODY), toxic neutrophils (TOXNEUT), or atypical lymphocytes (ATYPLYM).

Scale	Degree	Presence
-	Normal for the species	Not present
1	Slight	Rare
2	Moderate	Few
3	Marked	Moderate
4	Not applicable	Many

URINE APPEARANCE

Color						Clarity		Miscellaneous	
A	Pale	E	Amber	I	Black	J	Clear	M	Debris
B	Straw	F	Brown	P	Blue/green	K	Hazy	O	Feces
C	Yellow	G	Red	Q	Blue	L	Cloudy		
D	Dark yellow	H	Green	R	Orange				

Codes for Clinical Pathology (Continued)

URINE CHEMISTRY MULTISTIX® STRIP

Urine Glucose		Urine Ketone		Urine Blood	
-	Negative	-	Negative	-	Negative
+	100 mg/dL	+	5 mg/dL	+	Small
++	250 mg/dL	++	15 mg/dL	++	Moderate
+++	500 mg/dL	+++	40 mg/dL	+++	Large
++++	1,000 mg/dL	++++	80 mg/dL		
+++++	≥2,000 mg/dL	+++++	160 mg/dL		

Urine Urobilinogen		Urine Bilirubin	
-	0.2 mg/dL	-	Negative
+	1 mg/dL	+	Small
++	2 mg/dL	++	Moderate
+++	4 mg/dL	+++	Large
++++	8 mg/dL		

(1 mg = approximately 1 Ehrlich unit)

URINE SEDIMENT

Cells, Crystals, Casts, and Comments		Bacteria
A Amorphous urates	Q Sperm	0 Not present
B Amorphous phosphates	R Fecal contamination	1 Few
C Uric acid	S Pinworm ova found	2 Moderate
D Triple phosphates	T Pinworm larvae found	3 Many
E Calcium oxalate	U Parasite ova found	
F Calcium carbonate		
G Granular casts		
H Hyaline casts	0 Not present	
I Cellular casts	1 1 - 5 per field	
J Waxy casts	2 6 - 10 per field	
K Unknown crystal	3 11 - 20 per field	
P Mucous threads	4 >20 per field	

Abbreviations and Units for Clinical Hematology

Test	Abbreviation (Units)
Red blood cell count	RBC (E6/UL or $\times 10^6/\mu\text{L}$)
Hemoglobin	HGB (G/DL)
Hematocrit	HCT (%)
Mean corpuscular volume	MCV (FL)
Mean corpuscular hemoglobin	MCH (PG)
Mean corpuscular hemoglobin concentration	MCHC (%)
Platelet count	PLT (E3/UL or $\times 10^3/\mu\text{L}$)
Mean platelet volume	MPV (FL)
Reticulocyte count	RETIC (%)
Absolute reticulocyte count	RETIC (E3/UL or $\times 10^3/\mu\text{L}$)
Heinz body count	HEINZ (%)
Erythrocyte sedimentation rate	ESR (MM/HR)
Prothrombin time	PT (SEC)
Activated partial thromboplastin time	PTT (SEC)
Thrombin time	TT (SEC)
Activated coagulation time	ACT (SEC)
Fibrinogen	FBR (MG/DL)
Fibrin/fibrinogen degradation products	FDP (UG/ML)
Platelet aggregation	
Collagen	PAGG/COL (%)
Adenosine diphosphate	PAGG/ADP (%)
Alpha 2-antiplasmin	ANTIPLAS (%)
Bleeding time	BLE TIME (SEC)
Methemoglobin	METHGB (%)
Plasma hemoglobin	PLA HGB (MG/DL)
Myeloid/erythroid ratio	M/E RATIO
Estimated myeloid/erythroid ratio	EST M/E RATIO
White blood cell count	WBC (E3/UL or $\times 10^3/\mu\text{L}$)
Differential blood cell count	
Nucleated red blood cell count	NRBC (/100 WBC)
Corrected white blood cell count	COR WBC (E3/UL or $\times 10^3/\mu\text{L}$)
Segmented neutrophil count	N-SEG (E3/UL or $\times 10^3/\mu\text{L}$) and %
Band neutrophil count	N-BAND (E3/UL or $\times 10^3/\mu\text{L}$) and %
Lymphocyte count	LYMPH (E3/UL or $\times 10^3/\mu\text{L}$) and %
Monocyte count	MONO (E3/UL or $\times 10^3/\mu\text{L}$) and %
Eosinophil count	EOSIN (E3/UL or $\times 10^3/\mu\text{L}$) and %
Basophil count	BASO (E3/UL or $\times 10^3/\mu\text{L}$) and %
Anisocytosis	ANISO (-,1,2,3)
Polychromasia	POLY (-,1,2,3)

Abbreviations and Units for Clinical Hematology (Continued)

Test	Abbreviation (Units)
Poikilocytosis	POIK (-,1,2,3)
Hypochromasia	HYPO (-,1,2,3)
Howell-Jolly bodies	HJBODY (-,1,2,3,4)
Basophilic stippling	BASTIP (-,1,2,3)
Toxic neutrophils	TOXNEUT (-,1,2,3,4)
Atypical lymphocytes	ATYPLYM (-,1,2,3,4)
Aqueous white blood cell count (right eye)	R EYE (WBC/UL)
Aqueous white blood cell count (left eye)	L EYE (WBC/UL)

Abbreviations and Units for Clinical Chemistry

Test	Abbreviation (Units)
Glucose	GLU (MG/DL)
Urea nitrogen	UN (MG/DL)
Urea	UREA (MG/DL)
Creatinine	CREAT (MG/DL)
Total protein	T PRO (G/DL)
Albumin	ALB (G/DL)
Globulin	GLOB (G/DL)
Albumin/globulin ratio	A/G RATIO
Total bilirubin	T BILI (MG/DL)
Direct bilirubin	D BILI (MG/DL)
Indirect bilirubin	I BILI (MG/DL)
Cholesterol	CHOL (MG/DL)
Triglyceride	TRIG (MG/DL)
Urea nitrogen/creatinine ratio	UN/CREAT (RATIO)
Total lipids	T LIPIDS (MG/DL)
Phospholipids	P LIPIDS (MG/DL)
High-density lipoprotein cholesterol	HDL (MG/DL)
Low-density lipoprotein cholesterol	LDL (MG/DL)
Uric acid	UA (MG/DL)
Aspartate aminotransferase	AST/SGOT (IU/L)
Alanine aminotransferase	ALT/SGPT (IU/L)
Alkaline phosphatase	ALK PHOS (IU/L)
Gamma glutamyltransferase	GGT (IU/L)
Sorbitol dehydrogenase	SDH (IU/L)
Lactate dehydrogenase	LDH (IU/L)
Creatine kinase	CK (IU/L)
Amylase	AMYLASE (IU/L)
Lipase	LIPASE (IU/L)
Palmitoyl CoA oxidase	PCOAO (IU/G)
Calcium	CA (MG/DL)
Ionized calcium	ION CA (MG/DL)
Inorganic phosphorus	I PHOS (MG/DL)
Sodium	NA (MMOL/L)
Potassium	K (MMOL/L)
Chloride	CL (MMOL/L)
Magnesium	MG (MEQ/L or MG/DL)
Zinc	ZN (MG/L or PPM)
Strontium	SR (MG/L or PPM)
Iron	FE (UG/DL)

Abbreviations and Units for Clinical Chemistry (Continued)

Test	Abbreviation (Units)
Excess iron	EX FE (UG/DL)
Total iron binding capacity	TIBC (UG/DL)
Unbound iron binding capacity	UIBC (UG/DL)
Percent iron saturation	FE %SAT (%)
Plasma cholinesterase	CHEP (MU/ML)
Red blood cell cholinesterase	CHER (MU/ML)
Brain cholinesterase	CHEB (MU/ML)
Caudate putamen	CAUD PUT (UMOL/G)
Hippocampus	HIPPOCAM (UMOL/G)
Frontal cortex	F CORTEX (UMOL/G)
Cerebellum	CEREBELL (UMOL/G)
Bicarbonate	BICARB (MMOL/L)
Serum hemoglobin	SER HGB (MG/DL)
Serum bile acids	SBA (UMOL/L or MG/DL)
Fecal bile acids	FBA (UG/ML)
Average fecal weight	FCC WGT (G)
Fecal bile acids (calculation)	FBA (MG/Day)
Osmolality	OSMO (MOSM/KG)
Electrophoresis	
Albumin	E ALB (G/DL)
Alpha-1-globulin	E A-1 (G/DL)
Alpha-2-globulin	E A-2 (G/DL)
Beta globulin	E BETA (G/DL)
Gamma globulin	E GAMMA (G/DL)
High-density lipoprotein	E-HDL (%)
Low-density lipoprotein	E-LDL (%)
Very-low-density lipoprotein	E-VLDL (%)
Insulin	INSULIN (UU/ML)
Adrenocorticotrophic hormone	ACTH (PG/ML)
Cortisol	CORTISOL (UG/ML)
Glucagon	GLUCAGON (PG/ML)
Triiodothyronine	T3 (NG/DL)
Thyroxine	T4 (UG/DL)
Creatine kinase isoenzymes	
BB	CK-BB (U/L)
MB	CK-MB (U/L)
MM	CK-MM (U/L)

Abbreviations and Units for Clinical Urinalysis

Test	Abbreviation (Units)
Urine volume	U VOL (ML)
8-hour urine volume	8 HR VOL (ML)
Specific gravity	SP GR
Urine osmolality	U OSMO (MOSM/KG)
Quantitative urinary/cerebrospinal fluid protein	QUAN PRO (MG/DL)
Urine protein excretion	PRO EXC (MG)
Urine chemistry Multistix® strip	
Urine pH	U PH
Urine protein	U PRO (MG/DL)
Urine glucose	U GLU
Urine ketones	U KET
Urine bilirubin	U BILI
Urine blood	U BLOOD
Urine urobilinogen	UROBILI
Urine reducing substances	U RE SUB
Microscopic examination of urine sediment	
Red blood cells per high-power field	RBC (PER HPF)
White blood cells per high-power field	WBC (PER HPF)
Epithelial cells per high-power field	EPITH (PER HPF)
Bacteria per high-power field	BACT (PER HPF)
Casts per low-power field	CASTS (PER LPF)
Crystals per low-power field	CRYSTALS (PER LPF1 or PER LPF2)
Urine appearance	URINE APP1 or URINE APP2
Comments	COMMENTS

Abbreviations and Units for Urine Chemistry

Test	Abbreviation (Units)
Urine volume	U VOL (ML)
Urine osmolality	U OSMO (MOSM/KG)
Urine creatinine	U CREAT (MG/DL)
Urine calcium	U CA (MG/DL)
Urine calcium/creatinine ratio	CA/CREAT (RATIO)
Urine phosphorus	U PHOS (MG/DL)
Urine sodium	U NA (MMOL/L)
Urine potassium	U K (MMOL/L)
Urine chloride	U CL (MMOL/L)
Urine magnesium	U MG (MG/L or PPM)
Urine zinc	U ZN (MG/L or PPM)
Urine strontium	U SR (MG/L or PPM)
Urine hydroxyproline	U HYP (MG/L)
N-ACETYL- β -D-glucosaminidase	NAG (U/L)
Creatinine excretion	CREA EXC (MG)
Calcium excretion	CA EXC (MG)
Phosphorus excretion	P EXC (MG)
Sodium excretion	NA EXC (MMOL)
Potassium excretion	K EXC (MMOL)
Chloride excretion	CL EXC (MMOL)
Calcium fractional clearance	CA CLEAR (%)
Phosphorus fractional clearance	P CLEAR (%)
Sodium fractional clearance	NA CLEAR (%)
Potassium fractional clearance	K CLEAR (%)
Chloride fractional clearance	CL CLEAR (%)
Creatinine clearance	CREAT CL (ML/MIN)
Quantitative urinary/cerebrospinal fluid protein	QUAN PRO (MG/DL)
Protein to urinary creatinine ratio	PRO/CREA (RATIO)
Urine protein excretion	PRO EXC (MG)

Codes for Anatomic Pathology

Code	Definition
ANIMAL DEATH CODES	
1-6	Interim sacrifices 1 through 6
T	Terminal sacrifice
U	First postrecovery sacrifice
V	Second postrecovery sacrifice
A	Accidental death
B	Death or sacrifice postaccident
D	Found dead
M	Moribund
P	Returned to stock
R	Unscheduled recovery sacrifice
O	Other type of unscheduled death

MACROSCOPIC CODES

EX	Indicates that organ weight is excluded from calculations
NOT TAKEN	Organ weight not taken; explanation given in necropsy notes
MISSING	Organ missing or lost
UNSUITABLE	Organ technically unsuitable for weighing
AUTOLYTIC	Organ autolyzed and could not be weighed
EXCLUDE	Weight was taken, but was excluded from all calculations

MICROSCOPIC CODES

Codes Prefacing Neoplastic Findings

B-	Primary, benign neoplasm
M-	Primary, malignant neoplasm
N-	Metastatic neoplasm
I-	Locally invasive neoplasm
X-	Other neoplasm

Distribution of Findings

Focal
Diffuse
Multifocal

Codes for Anatomic Pathology (Continued)

Grades for Severity or Amount

1	Minimal - the least amount of change that can be observed with the light microscope
2	Slight - less than average amount of change, but readily discernible as abnormal
3	Moderate - the average amount of change that is expected for a lesion
4	Moderately severe (marked) - a marked amount of change with possible loss of function of the affected cells or organs
5	Severe - a great amount of change with probable loss of function of the affected cell or organs and frequently involves large areas of the organ

Other Microscopic Codes

TL	Total
P	Finding present
-	Finding not present
MN	Mean

TISSUE ABBREVIATIONS

Abbreviation	Definition
LN	Lymph node
GL	Gland
STOMACH, GL	Glandular stomach
STOMACH, NONGL	Nonglandular stomach
SALIV GL, MANDIB	Mandibular salivary gland
LN, ANT MES/PANC	Anterior mesenteric/pancreatic lymph node
AUDITORY SEB GL	Auditory sebaceous gland
LACRIMAL GLAND, EX	Exorbital lacrimal gland
HEMATO NEOPLASIA	Hematopoietic neoplasia
LACRIMAL GL, INT	Internal lacrimal gland
CAVITY, ABDOM	Abdominal cavity
SALIV GL, PAROTID	Parotid salivary gland
LN, TRACHEOBRON	Tracheobronchial lymph node
CATHETER EXIT	Catheterization site: exit site from the body
CATHETER ENTRANC	Catheterization site: entrance site into the vessel
CATHETER TIP	Catheterization site: tissues (vascular or extravascular) associated with the catheter near its tip

Figure 1
Survival Data - Males

Covance 6329-183
3M T-6295




Figure 2
Survival Data - Females

Covance 6329-183
3M T-6295




Figure 3
Mean Body Weight Data (g) - Males

Covance 6329-183
3M T-6295




Figure 4
Mean Body Weight Data (g) - Females

Covance 6329-183
 3MT-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
 PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS




Figure 5
Mean Food Consumption Data (g) - Males

Covance 6329-183
3M T-6295




Figure 6
Mean Food Consumption Data (g) - Females

Covance 6329-183
3M T-6295




Table 1

Results of Homogeneity Analyses (ppm)
Mixed 3/18/98

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane
Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Samples Location	Replicate	T-6295 (ppm)	
		0.5	20
Top	1	0.605	21.3
	2	0.588	21.4
	Mean	0.597 (119) ^a	21.4 (107)
Middle	1	0.657	23.6
	2	0.690	23.5
	Mean	0.674 (135)	23.6 (118)
Bottom	1	0.601	24.6
	2	0.631	20.4
	Mean	0.616 (123)	22.5 (113)

a Each value in parentheses is the percent of theoretical.

Table 1 (Continued)

Results of Homogeneity Analyses (ppm)
Mixed 4/16/98

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane
Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Sample Location	Replicate	T-6295 (ppm)			
		0.5	2	5	20
Top	1	0.743	2.22	5.36	18.1
	2	0.521	2.03	5.48	17.4
	3	0.406	2.12	4.04	18.4
	Mean	0.557 (111) ^a	2.12 (106)	4.96 (99.2)	18.0 (90.0)
Middle	1	0.478	2.28	4.90	19.7
	2	0.478	2.01	4.90	19.5
	3	0.486	2.09	5.28	21.3
	Mean	0.481 (96.2)	2.13 (107)	5.03 (101)	20.2 (101)
Bottom	1	0.955	2.04	4.70	17.6
	2	0.519	2.03	5.00	18.7
	3	0.359	1.84	4.94	18.4
	Mean	0.611 (122)	1.97 (98.5)	4.88 (97.6)	18.2 (91.0)

a Each value in parentheses is the percent of theoretical.

Table 1 (Continued)

Results of Homogeneity Analyses (ppm)
Mixed 04/22/98

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane
Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Sample Location	Replicate	T-6295 (ppm)
		20
Top	1	18.9
	2	18.4
	Mean	18.7 (93.5) ^a
Middle	1	20.1
	2	19.6
	Mean	19.9 (99.5)
Bottom	1	21.1
	2	20.1
	Mean	20.6 (103)

a Each value in parentheses is the percent of theoretical.

Table 1 (Continued)

Results of Homogeneity Analyses (ppm)
Mixed 6/18/98

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane
Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Sample Location	Replicate	T-6295 (ppm)			
		0.5	2	5	20
Top	1	0.566	2.38	4.87	20.3
	2	1.10	2.71	5.18	18.7
	3	0.955	2.23	4.90	18.6
	Mean	0.874 (175)	2.44 (122)	4.98 (99.6)	19.2 (96.0)
Top ^b	1	0.483	-	-	-
	2	0.480	-	-	-
	3	0.401	-	-	-
	Mean	0.455 (91.0)	-	-	-
Middle	1	0.617	2.50	5.15	18.3
	2	0.637	2.11	5.43	17.8
	3	0.635	2.05	4.70	18.2
	Mean	0.630 (126)	2.22 (111)	5.09 (102)	18.1 (90.5)
Bottom	1	0.640	3.08	5.08	19.4
	2	0.694	2.29	5.12	20.5
	3	0.532	2.41	5.15	18.2
	Mean	0.622 (124)	2.59 (130)	5.12 (102)	19.4 (97.0)

a Each value in parentheses is the percent of theoretical.

b Reassay.

Table 2

Results of Stability Analyses (ppm)
Mixed 3/18/98

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane
Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Storage Conditions	Replicate	T6295 (ppm)			
		0.5	1.0	2.0	20
Initial ^a	1	0.657	1.15	2.29	23.6
	2	0.690	1.51	2.67	23.5
	Mean	0.674 (135) ^b	1.33 (133)	2.48 (124)	23.6 (118)
28 days, room temperature	1	0.507	1.11	1.94	20.7
	2	0.554	0.937	2.01	20.8
	Mean	0.531 (106)	1.02 (102)	1.98 (99.0)	20.8 (104)

a Results for the 0.5- and 20- levels were derived from the sample collected from the middle of the dose preparations for homogeneity analysis.

b Each value in the parenthesis is the percent of theoretical.

Table 2 (Continued)

Results of Stability Analyses (ppm)
Mixed 4/16/98

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane
Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Storage Conditions	Replicate	T6295 (ppm)			
		0.5	2.0	5.0	20
Initial ^a	1	0.478	2.28	4.90	19.7
	2	0.478	2.01	4.90	19.5
	3	0.486	2.09	5.28	21.3
	Mean	0.481 (96.2) ^b	2.13 (107)	5.03 (101)	20.2 (101)
33 days, room temperature	1	0.527	2.57	5.64	28.4
	2	0.553	2.54	5.83	22.1
	Mean	0.540 (108)	2.56 (128)	5.74 (115)	25.6 (128)

a Results were derived from the sample collected from the middle of the dose
preparations for homogeneity analysis

b Each value in the parenthesis is the percent of theoretical.

Table 3

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)			
		0.5	1	2	20
3/18/98	1	0.657	1.15	2.29	23.6
	2	0.690	1.51	2.67	23.5
	Mean	0.674 (135) ^b	1.33 (133)	2.48 (124)	23.6 (118)

a Results for the 0.5- and 20- levels were derived from the sample collected from the middle of the dose preparations for homogeneity analysis.

b Each value in the parentheses is the percent of theoretical.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2	5	20
4/16/98 ^a	1	b	0.478	2.28	4.90	19.7
	2	b	0.478	2.01	4.90	19.5
	3	-	0.486	2.09	5.28	21.3
	Mean	-	0.481 (96.2) ^c	2.13 (107)	5.03 (101)	20.2 (101)
4/23/98	1	b	0.375	2.07	6.54	19.9
	2	b	0.379	1.76	4.92	21.3
	Mean	-	0.377 (75.4)	1.92 (96.0)	5.73 (115)	20.6 (103)
4/23/98 ^d	1	-	0.674	-	0.780	-
	2	-	0.535	-	4.78	-
	Mean	-	0.605 (121)	-	2.78 (55.6)	-
4/23/98 ^e	1	-	0.517	-	4.55	-
	2	-	0.406	-	6.12	-
	Mean	-	0.462 (92.4)	-	5.34 (107)	-
4/30/98	1	b	0.551	2.12	5.55	22.6
	2	b	0.478	2.11	6.03	22.1
	Mean	-	0.515 (103)	2.12 (106)	5.79 (116)	22.4 (112)
4/30/98 ^d	1	-	-	-	5.24	-
	2	-	-	-	5.24	-
	Mean	-	-	-	5.24(105)	-

a Results for the 0.5-, 2.0-, 5.0- and 20-ppm levels were derived from the sample collected from the middle of the dose preparations for homogeneity analysis.

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

e Retention.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2	5	20
5/7/98	1	0.962	0.406	1.73	4.37	18.2
	2	0.942	0.390	1.74	4.31	18.2
	Mean	0.952	0.398 (79.6) ^c	1.74 (87.0)	4.34 (86.8)	18.2 (91.0)
5/7/98 ^d	1	1.11	0.202	-	-	-
	2	1.12	0.557	-	-	-
	Mean	1.12	0.380 (76.0)	-	-	-
5/7/98 ^e	1	b	0.476	-	-	-
	2	b	0.347	-	-	-
	Mean	-	0.412 (82.4)	-	-	-
5/14/98	1	b	0.474	2.52	5.48	19.8
	2	b	0.402	2.54	5.06	21.5
	Mean	-	0.438 (87.6)	2.53 (127)	5.27 (105)	20.7 (104)
5/21/98 ^f	1	<0.75	0.157	1.60	4.98	19.6
	2	<0.75	0.349	1.86	6.27	20.9
	Mean	-	0.253 (50.6)	1.73 (86.5)	5.63 (113)	20.3 (102)
5/21/98 ^d	1	b	0.248	-	-	-
	2	b	0.326	-	-	-
	Mean	-	0.287 (57.4)	-	-	-
5/28/98	1	b	0.442	1.95	6.19	21.8
	2	b	0.453	2.29	6.49	22.3
	Mean	-	0.448 (89.6)	2.12 (106)	6.34 (127)	22.1 (111)

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

e Retention.

f The low standard (0.4 ppm) was not used for the calibration curve.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2	5	20
6/4/98 ^g	1	b	0.618	1.95	4.91	18.2
	2	b	0.610	1.66	5.39	20.3
	Mean	-	0.614 (123) ^c	1.81 (90.5)	5.15 (103)	19.3 (96.5)
6/11/98 ^g	1	b	0.446	2.25	5.22	19.0
	2	b	0.539	1.91	4.81	16.9
	Mean	-	0.493 (98.6)	2.08 (104)	5.02 (100)	18.0 (90.0)
6/18/98 ^a	1	b	0.617	2.50	5.15	18.3
	2	b	0.637	2.11	5.43	17.8
	3	-	0.635	2.05	4.70	18.2
	Mean	-	0.630 (126)	2.22 (111)	5.09 (102)	18.1 (90.5)
7/16/98	1	b	0.564	1.60	3.90	17.9
	2	b	0.519	1.90	4.13	17.4
	Mean	-	0.542 (108)	1.75 (87.5)	4.02 (80.4)	17.7 (88.5)
7/16/98 ^d	1	-	-	-	4.76	-
	2	-	-	-	5.41	-
	Mean	-	-	-	5.09 (102)	-
8/13/98	1	b	0.478	2.07	5.60	18.9
	2	b	0.569	2.04	4.95	19.9
	Mean	-	0.524 (105)	2.06 (103)	5.28 (106)	19.4 (97.0)

a Results for the 0.5-, 2.0-, 5.0- and 20-ppm levels were derived from the sample collected from the middle of the dose preparations for homogeneity analysis.

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

g Reassayed due to unacceptable calibration curve for original assays.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
9/10/98	1	b	0.477	2.23	4.58	17.1
	2	b	2.28	2.27	4.64	16.8
	Mean	-	1.38 (276) ^c	2.25 (113)	4.61 (92.2)	17.0 (85.0)
9/10/98 ^d	1	-	0.213	-	-	-
	2	-	0.231	-	-	-
	Mean	-	0.222 (44.4)	-	-	-
9/10/98 ^e	1	-	1.09	-	-	-
	2	-	1.27	-	-	-
	Mean	-	1.18 (236)	-	-	-
9/10/98 ^{d,e}	1	-	b	-	-	-
	2	-	b	-	-	-
	Mean	-	-	-	-	-
9/10/98 ^f	1	-	0.475	-	-	-
	2	-	0.386	-	-	-
	Mean	-	0.431 (86.2)	-	-	-
10/8/98	1	b	0.836	1.79	5.68	17.9
	2	b	0.482	1.83	4.90	17.2
	Mean	-	0.659 (132)	1.81 (90.5)	5.29 (106)	17.6 (88.0)

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

e Retention.

f Reassay of the retention.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
10/8/98 ^d	1	-	b	-	-	-
	2	-	0.649 (130) ^c	-	-	-
	Mean	-	-	-	-	-
10/8/98 ^e	1	-	0.473	-	-	-
	2	-	1.02	-	-	-
	Mean	-	0.747 (149)	-	-	-
10/8/98 ^f	1	-	0.474	-	-	-
	2	-	0.497	-	-	-
	Mean	-	0.486 (97.2)	-	-	-
11/5/98	1	b	0.546	1.84	4.33	16.3
	2	b	0.556	2.05	4.45	15.4
	Mean	-	0.551 (110)	1.95 (97.5)	4.39 (87.8)	15.9 (79.5)
12/3/98	1	b	b	1.65 ^g	3.86	14.6
	2	b	b	1.51	3.69	16.6
	Mean	-	-	1.58 (79.0)	3.78 (75.6)	15.6 (78.0)
12/3/98 ^d	1	-	0.607	1.98	-	-
	2	-	0.539	1.69	-	-
	Mean	-	0.573 (115)	1.84 (92.0)	-	-

b Below the limit of quantitation (<0.4 ppm).

d Reassay.

c Each value in the parentheses is the percent of theoretical.

e Retention.

f Reassay of the retention

g Group will reassayed due to unacceptable chromatography.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
12/31/98	1	b	0.339	1.89	4.42	19.0
	2	b	0.246	1.69	4.71	19.4
	Mean	-	0.293 (58.6) ^c	1.79 (89.5)	4.57 (91.4)	19.2 (96.0)
12/31/98 ^d	1	-	0.442	-	-	-
	2	-	0.422	-	-	-
	Mean	-	0.432 (86.4)	-	-	-
1/28/99	1	b	e	1.67	4.71	17.6
	2	b	e	2.05	4.92	17.1
	Mean	-	-	1.86 (93.0)	4.82 (96.4)	17.4 (87.0)
1/28/99 ^d	1	-	b	-	-	-
	2	-	b	-	-	-
	Mean	-	-	-	-	-
1/28/99 ^d	1	-	b	-	-	-
	2	-	b	-	-	-
	Mean	-	-	-	-	-
2/25/99	1	1.498	0.907	2.06	5.67	20.1
	2	b	0.852	6.79	7.48	20.1
	Mean	-	0.880 (176)	4.43 (222)	6.58 (132)	20.1 (101)
2/25/99 ^d	1	b	0.450	1.64	4.91	-
	2	b	0.526	2.06	4.56	-
	Mean	b	0.488 (97.6)	1.85 (92.5)	4.74 (94.8)	-

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

e This level was outside of the modified standard curve and will be retested.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
3/25/99	1	b	0.414 (82.8) ^c	1.91	5.44	18.5
	2	b	b	2.97	5.59	19.9
	Mean	-	-	2.44 (122)	5.52 (110)	19.2 (96.0)
3/25/99 ^d	1	-	1.63	2.18	-	-
	2	-	0.702	1.91	-	-
	Mean	-	1.17 (234)	2.05 (103)	-	-
4/22/99	1	b	b	1.97	4.73	17.7
	2	b	b	2.04	5.72	18.8
	Mean	-	-	2.01 (101)	5.23 (105)	18.3 (91.5)
4/22/99 ^d	1	-	0.431	-	5.06	-
	2	-	0.405	-	4.90	-
	Mean	-	0.418 (83.6)	-	4.98 (99.6)	-
5/20/99	1	b	0.582	1.76	4.65	17.8
	2	b	0.531	1.68	4.67	20.1
	Mean	-	0.557 (111)	1.72 (86.0)	4.66 (93.2)	19.0 (95.0)
6/17/99	1	b	0.402	1.73	4.46	19.0
	2	b	0.455	2.03	4.81	18.5
	Mean	-	0.429 (85.8)	1.88 (94.0)	4.64 (92.8)	18.8 (94.0)

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
7/15/99	1	b	0.498	1.75	5.74	18.2
	2	b	0.405	23.7	4.64	18.6
	Mean	-	0.452 (90.4) ^c	12.7 (635)	5.19 (104)	18.4 (92.0)
7/15/99 ^d	1	-	-	1.77	-	-
	2	-	-	1.91	-	-
	Mean	-	-	1.84 (92.0)	-	-
8/12/99	1	b	0.455	3.15	5.96	22.0
	2	b	0.544	2.16	5.80	20.8
	Mean	-	0.500 (100)	2.66 (133)	5.88 (118)	21.4 (107)
8/12/99 ^d	1	-	-	2.13	-	-
	2	-	-	2.12	-	-
	Mean	-	-	2.13 (107)	-	-
9/9/99 ^f	1	e	e	1.80	4.77	20.5
	2	e	e	2.33	5.25	21.0
	Mean	-	-	2.07 (104)	5.01 (100)	20.8 (104)
9/9/99 ^g	1	b	1.27	-	-	-
	2	b	0.607	-	-	-
	Mean	-	0.939 (188)	-	-	-

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

d Reassay.

e Samples to be re-analyzed.

f Two lowest standards dropped.

g Re-test.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
9/9/99 ^g	1	-	0.407	-	-	-
	2	-	0.406	-	-	-
	Mean	-	0.407 (81.4) ^c	-	-	-
10/7/99	1	b	0.515	2.22	5.90	22.1
	2	b	0.541	1.98	5.64	22.9
	Mean	-	0.528 (106)	2.10 (105)	5.77 (115)	22.5 (113)
11/4/99	1	b	0.701	1.80	4.31	21.7
	2	b	0.553	1.98	4.23	20.7
	Mean	-	0.627 (125)	1.89 (94.5)	4.27 (85.4)	21.2 (106)
12/2/99	1	b	0.479	2.15	5.93	22.8
	2	b	0.487	2.28	5.24	23.8
	Mean	-	0.483 (96.6)	2.22 (111)	5.59 (112)	23.3 (117)
12/30/99	1	b	0.453	1.74	4.67	h
	2	b	0.469	2.03	4.16	h
	Mean	-	0.461 (92.2)	1.89 (94.5)	4.42 (88.4)	-
12/30/99 ^g	1	-	-	-	-	23.9
	2	-	-	-	-	23.4
	Mean	-	-	-	-	23.7 (119)

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

g Re-test.

h Due to dropping high standard, this sample couldn't be quantitated. It will be retested.

Table 3 (Continued)

Results of Dose Preparation Analysis (ppm)

104-Week Dietary Chronic Toxicity And Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (Pfos; T-6295) In Rats

Mix Date	Replicate	T-6295 (ppm)				
		0	0.5	2.0	5.0	20
1/27/00	1	b	0.455	2.26	5.85	22.2
	2	b	0.424	1.87	5.21	21.2
	Mean	-	0.440 (88.0) ^c	2.07 (104)	5.53 (111)	21.7 (109)
2/24/00	1	b	0.390	2.66	8.05	23.3
	2	b	0.405	2.18	7.48	26.0
	Mean	-	0.398 (79.6)	2.42 (121)	7.77 (155)	24.7 (124)
2/24/00 ^g	1	-	-	2.35	6.18	21.4
	2	-	-	2.42	5.80	20.0
	Mean	-	-	2.39 (120)	5.99 (120)	20.7 (104)
3/23/00	1	-	0.240	2.38	8.05	25.0
	2	-	0.479	2.00	6.32	26.5
	Mean	-	0.360 (72.0)	2.19 (110)	7.19 (144)	25.8 (129)

Overall mean concentrations of each dose level ranged from 102.3 to 108.7.

b Below the limit of quantitation (<0.4 ppm).

c Each value in the parentheses is the percent of theoretical.

g Re-test

Overall Mean = $\frac{\text{Total of all means}}{\text{Number of means}}$

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

134

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND DOSE LEVEL (PPM)	WEEK:	48	49	50	51	52	53	54	55	56	57	58	59
	MALE												
10		58/60 97%	58/60 97%	58/60 97%	58/60 97%	58/60 97%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%
2500		48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	47/50 94%	47/50 94%	47/50 94%	47/50 94%	47/50 94%
32		50/50 100%	50/50 100%	50/50 100%	50/50 100%	50/50 100%	50/50 100%	50/50 100%	49/50 98%	48/50 96%	48/50 96%	48/50 96%	48/50 96%
45		50/50 100%	50/50 100%	50/50 100%	50/50 100%	49/50 98%	47/50 94%	47/50 94%	47/50 94%	47/50 94%	47/50 94%	47/50 94%	47/50 94%
520		58/60 97%	58/60 97%	58/60 97%	58/60 97%	57/60 95%	48/51 94%	48/51 94%	48/51 94%	48/51 94%	47/51 92%	46/51 90%	46/51 90%
620		40/40 100%	40/40 100%	40/40 100%	40/40 100%	40/40 100%	40/40 100%	40/40 100%	39/40 98%	39/40 98%	39/40 98%	39/40 98%	39/40 98%

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND DOSE LEVEL (PPM)	WEEK:	60	61	62	63	64	65	66	67	68	69	70	71
	MALE												
10		47/50 94%	47/50 94%	47/50 94%	44/50 88%	44/50 88%	44/50 88%	44/50 88%	44/50 88%	43/50 86%	43/50 86%	42/50 84%	42/50 84%
2500		46/50 92%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	45/50 90%	44/50 88%
32		48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%	48/50 96%
45		47/50 94%	46/50 92%	46/50 92%	46/50 92%	46/50 92%	46/50 92%	46/50 92%	45/50 90%	45/50 90%	45/50 90%	44/50 88%	44/50 88%
520		46/51 90%	46/51 90%	45/51 88%	45/51 88%	44/51 86%	44/51 86%	44/51 86%	44/51 86%	44/51 86%	44/51 86%	44/51 86%	44/51 86%
620		39/40 98%	39/40 98%	39/40 98%	39/40 98%	39/40 98%	37/40 93%	37/40 93%	37/40 93%	35/40 88%	34/40 85%	32/40 80%	32/40 80%

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND DOSE LEVEL (PPM)	WEEK:	72	73	74	75	76	77	78	79	80	81	82	83
	MALE												
10		41/50 82%	41/50 82%	40/50 80%	40/50 80%	40/50 80%	38/50 76%	37/50 74%	35/50 70%	31/50 62%	31/50 62%	31/50 62%	30/50 60%
2500		44/50 88%	42/50 84%	42/50 84%	42/50 84%	42/50 84%	42/50 84%	40/50 80%	37/50 74%	37/50 74%	36/50 72%	36/50 72%	35/50 70%
32		47/50 94%	47/50 94%	46/50 92%	46/50 92%	45/50 90%	45/50 90%	44/50 88%	41/50 82%	39/50 78%	38/50 76%	38/50 76%	38/50 76%
45		44/50 88%	44/50 88%	44/50 88%	44/50 88%	44/50 88%	44/50 88%	44/50 88%	41/50 82%	40/50 80%	40/50 80%	40/50 80%	38/50 76%
520		43/51 84%	43/51 84%	42/51 82%	42/51 82%	41/51 80%	40/51 78%	40/51 78%	39/51 76%	38/51 75%	37/51 73%	37/51 73%	37/51 73%
620		31/40 78%	31/40 78%	31/40 78%	30/40 75%	30/40 75%	29/40 73%	29/40 73%	29/40 73%	29/40 73%	28/40 70%	28/40 70%	25/40 63%

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND DOSE LEVEL (PPM)	WEEK:	84	85	86	87	88	89	90	91	92	93	94	95
	MALE												
10		27/50 54%	26/50 52%	26/50 52%	26/50 52%	25/50 50%	24/50 48%	24/50 48%	22/50 44%	22/50 44%	22/50 44%	21/50 42%	21/50 42%
2500		32/50 64%	32/50 64%	30/50 60%	30/50 60%	26/50 52%	26/50 52%	25/50 50%	23/50 46%	22/50 44%	22/50 44%	22/50 44%	22/50 44%
32		36/50 72%	35/50 70%	35/50 70%	32/50 64%	31/50 62%	31/50 62%	30/50 60%	29/50 58%	29/50 58%	28/50 56%	26/50 52%	23/50 46%
45		37/50 74%	37/50 74%	37/50 74%	36/50 72%	36/50 72%	35/50 70%	32/50 64%	29/50 58%	27/50 54%	27/50 54%	27/50 54%	27/50 54%
520		37/51 73%	37/51 73%	36/51 71%	36/51 71%	35/51 69%	35/51 69%	35/51 69%	35/51 69%	35/51 69%	35/51 69%	33/51 65%	32/51 63%
620		25/40 63%	24/40 60%	24/40 60%	24/40 60%	24/40 60%	23/40 58%	23/40 58%	21/40 53%	21/40 53%	21/40 53%	20/40 50%	18/40 45%

TABLE 4
Survival Data

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND
DOSE LEVEL
(PPM)

WEEK:	96	97	98	99	100	101	102	103	104
MALE									
1									
0	19/50 38%	19/50 38%	17/50 34%	16/50 32%	15/50 30%	14/50 28%	14/50 28%	13/50 26%	11/50 22%
2									
.500	19/50 38%	18/50 36%	18/50 36%	18/50 36%	17/50 34%	14/50 28%	14/50 28%	13/50 26%	11/50 22%
3									
2	23/50 46%	21/50 42%	20/50 40%	19/50 38%	19/50 38%	19/50 38%	18/50 36%	17/50 34%	17/50 34%
4									
5	27/50 54%	27/50 54%	26/50 52%	26/50 52%	26/50 52%	26/50 52%	26/50 52%	25/50 50%	25/50 50%
5									
20	32/51 63%	31/51 61%	30/51 59%	28/51 55%	27/51 53%	25/51 49%	25/51 49%	24/51 47%	23/51 45%
6									
20	18/40 45%	16/40 40%	15/40 38%	14/40 35%	14/40 35%	13/40 33%	13/40 33%	11/40 27%	11/40 27%

TABLE 4
Survival Data

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND
DOSE LEVEL
(PPM)

WEEK: START 1 2 3 4 5 6 7 8 9 10 11

FEMALE

1												
0	70/70	70/70	70/70	70/70	65/65	65/65	65/65	65/65	65/65	65/65	65/65	65/65
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
2												
.500	60/60	60/60	60/60	60/60	55/55	55/55	55/55	55/55	55/55	55/55	55/55	55/55
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
3												
2	60/60	60/60	60/60	60/60	55/55	55/55	55/55	55/55	55/55	54/55	54/55	54/55
	100%	100%	100%	100%	100%	100%	100%	100%	100%	98%	98%	98%
4												
5	60/60	60/60	60/60	60/60	55/55	55/55	55/55	55/55	55/55	55/55	55/55	55/55
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
5												
20	70/70	70/70	70/70	70/70	65/65	65/65	65/65	65/65	65/65	65/65	65/65	65/65
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
6												
20	40/40	40/40	40/40	40/40	40/40	40/40	40/40	40/40	40/40	40/40	40/40	40/40
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

GROUP AND DOSE LEVEL (PPM)	WEEK:	84	85	86	87	88	89	90	91	92	93	94	95
	FEMALE												
10		37/50 74%	35/50 70%	35/50 70%	34/50 68%	33/50 66%	31/50 62%	31/50 62%	31/50 62%	31/50 62%	28/50 56%	28/50 56%	28/50 56%
2500		37/50 74%	37/50 74%	37/50 74%	35/50 70%	34/50 68%	32/50 64%	31/50 62%	31/50 62%	29/50 58%	29/50 58%	26/50 52%	26/50 52%
32		26/50 52%	25/50 50%	23/50 46%	23/50 46%	23/50 46%	23/50 46%	22/50 44%	19/50 38%	16/50 32%	16/50 32%	16/50 32%	15/50 30%
45		37/50 74%	37/50 74%	37/50 74%	37/50 74%	37/50 74%	35/50 70%	33/50 66%	33/50 66%	33/50 66%	31/50 62%	29/50 58%	28/50 56%
520		40/50 80%	40/50 80%	39/50 78%	39/50 78%	38/50 76%	38/50 76%	38/50 76%	37/50 74%	33/50 66%	32/50 64%	31/50 62%	31/50 62%
620		32/40 80%	32/40 80%	31/40 78%	30/40 75%	29/40 73%	29/40 73%	27/40 68%	25/40 63%	23/40 58%	23/40 58%	23/40 58%	23/40 58%

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

[illegible]

Table 5

Summary of Clinical Observations

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
		SEX: -----MALE-----					
CATEGORY	GROUP:	1	2	3	4	5	6
KEYWORD	DOSE:	0	0.5	2	5	20	20
QUALIFIER	NUMBER:	70	60	60	60	70	40
*** TOP OF LIST ***							
APPEARANCE							
BENT TAIL		0	1	0	0	0	1
CONVULSIONS		0	0	0	1	0	1
HEAD TILT							
LEFT		0	1	0	1	0	1
RIGHT		4	0	1	0	0	2
HUNCHED		3	3	3	2	2	2
LIMITED USE							
LIMB-FRONT-LEFT		0	1	0	0	0	0
LIMB-HIND-LEFT		0	0	0	0	1	0
LIMB-HIND-RIGHT		2	0	0	0	1	0
LIMBS-ALL		1	0	0	0	1	1
LIMBS-HIND		0	4	0	1	2	2
PAW-HIND-LEFT		0	0	0	0	1	1
PAW-HIND-RIGHT		1	0	0	0	0	0
PAWS-ALL		0	0	0	0	1	0
PAWS-FRONT		0	1	0	0	0	0
PAWS-HIND		1	0	0	0	0	0
MALOCCLUSION		12	7	9	9	11	10
MISSING							
TAIL-DISTAL		0	0	0	0	0	0
TEETH		2	5	1	1	5	2
OBES		1	1	0	1	3	2
PARALYSIS							
LIMBS-HIND		0	1	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

CATEGORIES	NUMBER OF ANIMALS AFFECTED					
	-----MALE-----					
	SEX:	1	2	3	4	5
	GROUP:	0	0.5	2	5	20
KEYWORD	DOSE:	0	0.5	2	5	20
QUALIFIER	NUMBER:	70	60	60	60	70
DAYS 1-736						
APPEARANCE						
PROLAPSED						
VAGINA		0	0	0	0	0
SWOLLEN						
DORSAL		0	0	0	0	0
DIGIT(S)-HIND-LEFT		0	0	0	0	0
DIGIT(S)-HIND-RIGHT		1	0	0	0	0
LIMB-HIND-LEFT		0	0	2	0	1
LIMB-HIND-RIGHT		1	0	0	0	2
LIMBS-HIND		0	0	0	0	1
MOUTH		0	1	0	0	0
NOSE		1	0	0	0	1
PERI-ORAL		0	0	1	0	0
PAW-FRONT-RIGHT		0	0	0	1	0
PAW-HIND-LEFT		1	3	2	0	1
PAW-HIND-RIGHT		4	0	2	2	3
PAWS-HIND		1	0	0	0	1
TAIL		1	0	0	0	0
TAIL-DISTAL		0	0	0	0	0
TAIL-PROXIMAL		0	0	1	0	0
VENTRAL-ABDOMINAL		1	0	0	3	0
VENTRAL-ABDOMINAL-LEFT		0	0	0	0	1
VAGINA		0	0	0	0	0
TESTES		0	0	1	0	0
TESTIS-LEFT		0	0	0	0	1

Table 5

Summary of Clinical Observations

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

APPEARANCE							
THIN		15	21	17	10	12	11
TREMORS							
LIMBS-ALL		1	0	0	0	0	0
ENTIRE BODY		0	0	0	0	1	0
HEAD		0	1	0	0	0	0
BEHAVIOR							
AGGRESSIVE							
<UNSPECIFIED>		0	0	1	0	0	0
ATAXIC							
<UNSPECIFIED>		4	4	0	1	1	2
MODERATE		0	0	0	0	0	0
CIRCLING							
LEFT		0	0	0	0	0	0
RIGHT		0	0	0	0	0	0
HYPOACTIVE							
<UNSPECIFIED>		10	13	14	11	10	10
MILD		0	0	0	0	0	0
MODERATE		1	0	0	0	0	1
SEVERE		0	1	0	0	0	0
RECUMBENT							
DORSAL		0	0	0	0	0	1
LATERAL		4	3	2	2	0	2
STERNAL		1	1	0	0	1	2

Table 5

Summary of Clinical Observations

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

BEHAVIOR							
SENSITIVE TO TOUCH		0	1	0	2	0	0
COLD TO TOUCH							
LIMBS-ALL		0	0	0	0	1	1
LIMBS-HIND		0	1	0	0	0	0
TAIL		0	0	0	0	1	0
ENTIRE BODY		2	4	1	3	2	4
DISCHARGE							
GENITAL							
RED IN COLOR		6	1	2	2	4	1
CLEAR ORAL							
<UNSPECIFIED>		1	0	0	0	0	1
MILD		0	0	0	1	0	0
MODERATE		0	0	0	0	0	0
NASAL							
RED IN COLOR		2	0	1	2	0	2
UNKNOWN							
RED IN COLOR		0	0	2	0	0	0
EXCRETION							
DISCOLORED FECES							
RED IN COLOR		1	0	0	0	0	0
YELLOW IN COLOR		0	0	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
		SEX:	-----MALE-----				
CATEGORY	GROUP:	1	2	3	4	5	6
KEYWORD	DOSE:	0	0.5	2	5	20	20
QUALIFIER	NUMBER:	70	60	60	60	70	40

EXCRETION							
DISCOLORED URINE							
RED IN COLOR							
		0	0	1	0	0	0
FEW FECES							
		16	23	16	16	18	16
LIQUID FECES							
		0	0	0	1	0	1
NO FECES							
		6	2	3	5	3	4
NONFORMED FECES							
		2	3	2	3	2	4
EYES							
CLEAR DISCHARGE							
EYE-LEFT							
		1	2	1	0	0	0
EYE-RIGHT							
		0	1	0	1	0	0
EYES							
		0	2	0	0	0	0
DILATED PUPIL							
EYES							
		0	0	1	0	0	0
DISCOLORED/LIGHT RED							
EYE-LEFT							
		0	0	0	0	0	0
EYE-RIGHT							
		0	0	0	2	0	0
EYES							
		0	0	0	1	0	0
OPAQUE							
EYE-LEFT							
		0	0	1	0	0	0
PALE							
EYE-RIGHT							
		0	0	0	0	0	0
EYES							
		0	1	0	2	0	0
PROTRUDING							
EYE-LEFT							
		0	0	1	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DAYS 1-736		NUMBER OF ANIMALS AFFECTED					
CATEGORY KEYWORD QUALIFIER	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

EYES							
PROTRUDING							
EYE-RIGHT		0	0	0	0	0	0
EYES		0	0	0	0	1	0
RED DISCHARGE							
EYE-LEFT		2	2	5	1	1	2
EYE-RIGHT		1	2	2	6	3	3
EYES		5	5	3	5	2	3
SCAB							
EYE-LEFT		0	0	1	0	0	0
EYE-RIGHT		0	2	0	0	0	0
SQUINTED							
PERI-ORBITAL		7	0	3	2	2	2
PERI-ORBITAL-RIGHT		0	0	1	2	0	0
RESPIRATION							
AUDIBLE		5	3	1	1	1	3
IRREGULAR		6	2	1	1	1	3
LABORED		2	4	2	1	2	2
SKIN & PELAGE							
ALOPECIA		0	0	0	0	0	0
BROWN HAIR COAT							
PERINEAL AREA		1	0	0	2	1	0
SCROTUM		1	1	0	0	0	1

Table 5

Summary of Clinical Observations

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

SKIN & PELAGE							
BROWN HAIR COAT							
VENTRAL-ABDOMINAL		0	1	0	0	1	1
BLUE SKIN							
PAWS-ALL		0	0	0	0	0	0
TAIL		0	0	0	0	0	0
VENTRAL-ABDOMINAL		0	0	0	0	0	0
VENTRAL-ABDOMINAL-LEFT		0	0	0	0	0	0
VENTRAL-THORACIC-LEFT		0	0	0	0	0	0
BROWN SKIN							
VENTRAL-ABDOMINAL		0	0	0	0	0	0
BLACK SKIN							
DORSAL		0	0	0	1	1	0
TAIL		0	0	0	0	0	0
VENTRAL-ABDOMINAL		0	0	0	0	1	0
VENTRAL-ABDOMINAL-LEFT		0	1	0	0	0	0
VENTRAL-ABDOMINAL-RIGHT		0	0	0	0	0	0
VENTRAL-CERVICAL-RIGHT		0	0	0	0	0	0
VENTRAL-THORACIC		0	0	0	0	0	0
VENTRAL-THORACIC-LEFT		0	0	0	0	0	0
PALE							
ENTIRE BODY		0	5	5	3	1	2
RED HAIR COAT							
DORSAL-CERVICAL		0	0	0	0	0	0
HEAD-ENTIRE		5	4	3	3	3	3
HEAD-CRANIAL		0	0	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED							
DAYS 1-736									
		SEX:	-----MALE-----						
CATEGORY	KEYWORD QUALIFIER	GROUP:	1	2	3	4	5	6	
		DOSE:	0	0.5	2	5	20	20	
NUMBER:		70	60	60	60	70	40		

SKIN & PELAGE									
RED HAIR COAT									
	HEAD-MAXILLARY-LEFT		0	0	0	1	0	0	
	HEAD-MAXILLARY-RIGHT		0	0	0	1	0	0	
	LATERAL-ABDOMINAL-RIGHT		0	0	0	1	0	0	
	LATERAL-CERVICAL-RIGHT		0	0	0	0	0	0	
	LATERA-RIGHT		0	0	0	0	0	0	
	LATERAL-THORACIC-LEFT		0	0	0	0	0	0	
	PERINEAL AREA		0	0	0	0	0	0	
	SHOULDER-RIGHT		0	0	0	0	1	0	
	VENTRAL-ABDOMINAL		2	0	1	1	1	0	
	ROUGH HAIR COAT		7	6	6	4	3	4	
RED SKIN									
	EARS		0	0	0	0	0	0	
	HEAD-MAXILLARY-RIGHT		1	0	0	0	0	0	
	PAW-HIND-RIGHT		0	0	0	0	0	1	
SORE/SCAB									
	AXILLARY REGION-LEFT		0	0	0	1	2	0	
	AXILLARY REGION-RIGHT		0	0	0	0	0	1	
	DORSAL		3	7	0	4	4	2	
	DORSAL-CERVICAL		0	1	0	0	0	0	
	DORSAL-CERVICAL-LEFT		0	0	1	0	1	0	
	DORSAL-CERVICAL-RIGHT		0	0	0	0	0	0	
	DORSAL-THORACIC		0	1	1	1	0	0	
	DORSAL-THORACIC-LEFT		0	0	0	0	2	0	
	DORSAL-THORACIC-RIGHT		0	1	0	0	0	1	

Table 5

Summary of Clinical Observations

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED							
DAYS 1-736									
		SEX:	-----MALE-----						
CATEGORY	KEYWORD QUALIFIER	GROUP:	1	2	3	4	5	6	
		DOSE:	0	0.5	2	5	20	20	
NUMBER:		70	60	60	60	70	40		

SKIN & PELAGE									
SORE/SCAB									
EAR-LEFT		0	0	1	0	0	0		
EAR-RIGHT		0	0	0	0	0	1		
HEAD-ENTIRE		0	1	0	0	1	0		
HEAD-CRANIAL		0	0	1	0	0	0		
HEAD-MAXILLARY-LEFT		0	0	0	0	1	0		
HEAD-MAXILLARY-RIGHT		1	0	0	1	0	0		
LATERAL-ABDOMINAL-LEFT		0	0	1	0	1	0		
LATERAL-ABDOMINAL-RIGHT		0	0	1	0	0	0		
LATERAL-CERVICAL-RIGHT		0	0	1	0	0	0		
LIMB-FRONT-RIGHT		0	0	0	2	1	0		
LIMB-HIND-RIGHT		0	0	0	0	0	0		
LIMBS-HIND		0	0	0	0	0	0		
LATERAL-LEFT		0	0	0	1	0	0		
LATERAL-THORACIC-LEFT		0	0	0	0	0	0		
MOUTH		0	0	0	1	0	1		
PAW-HIND-LEFT		2	2	1	3	2	2		
PAW-HIND-RIGHT		1	0	2	3	1	2		
PAWS-HIND		1	0	0	2	0	1		
SHOULDER-LEFT		0	1	1	0	0	0		
SHOULDER-RIGHT		2	1	1	0	0	1		
TAIL		0	0	0	0	0	0		
TAIL-DISTAL		0	0	0	0	0	0		
TAIL-MID		0	0	1	0	0	0		
TAIL-PROXIMAL		2	0	0	0	0	0		

Table 5

Summary of Clinical Observations

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40
KEYWORD							
QUALIFIER							
SKIN & PELAGE							
SORE/SCAB							
VENTRAL-ABDOMINAL		2	1	4	2	6	5
VENTRAL-ABDOMINAL-LEFT		0	3	2	2	3	2
VENTRAL-ABDOMINAL-RIGHT		0	4	3	4	8	1
VENTRAL-CERVICAL		0	2	0	0	0	0
VENTRAL-CERVICAL-LEFT		0	0	0	0	0	0
VENTRAL-CERVICAL-RIGHT		0	0	0	0	0	0
VENTRAL-THORACIC		0	0	0	0	0	0
VENTRAL-THORACIC-LEFT		0	0	0	0	0	0
VENTRAL-THORACIC-RIGHT		0	0	0	0	0	0
WARM TO TOUCH							
LIMBS-HIND		0	0	0	0	0	0
YELLOW HAIR COAT		4	2	0	1	2	0
YELLOW SKIN							
PAWS-ALL		0	0	0	0	0	0
TAIL		0	0	0	0	0	0
BLACK HAIR COAT - PERINEAL		0	0	0	1	0	0
COLD TO TOUCH		0	0	0	0	0	1

Table 5

Summary of Clinical Observations

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40
*** TOP OF LIST ***							
APPEARANCE							
BENT TAIL		0	0	0	0	0	0
CONVULSIONS		1	0	1	0	1	2
HEAD TILT							
LEFT		5	4	7	6	2	3
RIGHT		2	3	5	5	2	1
HUNCHED		3	4	5	6	5	3
LIMITED USE							
LIMB-FRONT-LEFT		0	0	0	0	0	0
LIMB-HIND-LEFT		1	1	0	0	0	0
LIMB-HIND-RIGHT		0	0	0	0	0	0
LIMBS-ALL		0	0	0	0	0	0
LIMBS-HIND		0	0	0	0	0	0
PAW-HIND-LEFT		0	0	0	0	0	0
PAW-HIND-RIGHT		0	0	0	0	0	0
PAWS-ALL		0	0	0	0	0	0
PAWS-FRONT		0	0	0	0	0	0
PAWS-HIND		0	0	0	0	0	0
MALOCCLUSION		16	13	11	12	10	8
MISSING							
TAIL-DISTAL		1	0	1	1	0	0
TEETH		2	5	2	3	5	1
OBES		2	0	2	0	0	0
PARALYSIS							
LIMBS-HIND		0	0	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED						
DAYS 1-736								
		SEX:	-----FEMALE-----					
CATEGORY		GROUP:	1	2	3	4	5	6
KEYWORD		DOSE:	0	0.5	2	5	20	20
QUALIFIER		NUMBER:	70	60	60	60	70	40

APPEARANCE								
PROLAPSED								
VAGINA			0	1	1	0	0	0
SWOLLEN								
DORSAL			0	0	0	0	1	0
DIGIT(S)-HIND-LEFT			1	0	0	0	0	0
DIGIT(S)-HIND-RIGHT			0	0	0	0	0	0
LIMB-HIND-LEFT			1	0	0	0	1	0
LIMB-HIND-RIGHT			0	0	0	1	0	0
LIMBS-HIND			0	0	0	0	0	0
MOUTH			0	1	0	1	0	0
NOSE			0	0	0	2	0	0
PERI-ORAL			0	0	0	0	0	0
PAW-FRONT-RIGHT			0	0	0	0	0	0
PAW-HIND-LEFT			1	0	1	0	2	0
PAW-HIND-RIGHT			1	1	1	0	0	0
PAWS-HIND			0	0	0	0	0	0
TAIL			0	0	0	0	0	0
TAIL-DISTAL			0	0	1	0	0	0
TAIL-PROXIMAL			0	0	0	1	0	0
VENTRAL-ABDOMINAL			1	0	0	0	2	0
VENTRAL-ABDOMINAL-LEFT			0	0	0	0	0	0
VAGINA			0	0	1	0	0	0
TESTES			0	0	0	0	0	0
TESTIS-LEFT			0	0	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

APPEARANCE							
THIN		12	14	21	17	17	9
TREMORS							
LIMBS-ALL		0	0	0	0	0	0
ENTIRE BODY		0	0	1	0	2	3
HEAD		0	0	0	0	0	0
BEHAVIOR							
AGGRESSIVE							
<UNSPECIFIED>		0	0	0	0	0	0
ATAXIC							
<UNSPECIFIED>		6	4	9	6	3	3
MODERATE		0	0	1	0	0	0
CIRCLING							
LEFT		0	0	1	0	0	0
RIGHT		1	0	0	0	0	0
HYPOACTIVE							
<UNSPECIFIED>		8	7	16	15	7	10
MILD		0	0	1	0	0	0
MODERATE		0	1	2	0	1	0
SEVERE		0	0	1	0	0	0
RECUMBENT							
DORSAL		0	0	1	0	0	0
LATERAL		3	1	2	0	3	1
STERNAL		0	0	0	0	0	1

Table 5

Summary of Clinical Observations

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

BEHAVIOR							
SENSITIVE TO TOUCH		1	0	0	0	0	0
COLD TO TOUCH							
LIMBS-ALL		0	0	0	1	0	0
LIMBS-HIND		0	0	0	0	0	0
TAIL		0	0	0	0	0	0
ENTIRE BODY		0	2	1	2	3	1
DISCHARGE							
GENITAL							
RED IN COLOR		0	3	2	1	1	1
CLEAR ORAL							
<UNSPECIFIED>		0	0	1	0	1	0
MILD		0	0	0	0	0	0
MODERATE		0	0	1	0	0	0
NASAL							
RED IN COLOR		4	2	3	1	4	2
UNKNOWN							
RED IN COLOR		0	0	0	0	0	0
AXILLARY LEFT MASS BLEEDING		0	0	0	1	0	0
EXCRETION							
DISCOLORED FECES							
RED IN COLOR		0	0	0	0	0	0
YELLOW IN COLOR		0	0	0	0	1	0

Table 5

Summary of Clinical Observations

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED						
DAYS 1-736								
		SEX:	-----FEMALE-----					
CATEGORY		GROUP:	1	2	3	4	5	6
KEYWORD		DOSE:	0	0.5	2	5	20	20
QUALIFIER		NUMBER:	70	60	60	60	70	40

EXCRETION								
DISCOLORED URINE								
RED IN COLOR								
			0	0	0	0	0	0
FEW FECES			17	20	20	16	13	10
LIQUID FECES			0	0	0	0	0	0
NO FECES			6	7	7	2	3	2
NONFORMED FECES			2	1	1	1	0	1
EYES								
CLEAR DISCHARGE								
EYE-LEFT			2	0	1	1	1	0
EYE-RIGHT			2	1	1	0	2	0
EYES			0	0	1	0	1	0
DILATED PUPIL								
EYES			0	1	0	1	1	0
DISCOLORED/LIGHT RED								
EYE-LEFT			1	0	2	0	0	0
EYE-RIGHT			1	0	0	0	1	0
EYES			1	0	0	0	1	0
OPAQUE								
EYE-LEFT			0	0	0	0	0	1
PALE								
EYE-RIGHT			0	0	0	0	1	0
EYES			0	1	1	2	0	0
PROTRUDING								
EYE-LEFT			0	0	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DAYS 1-736		NUMBER OF ANIMALS AFFECTED					
CATEGORY	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
KEYWORD	DOSE:	0	0.5	2	5	20	20
QUALIFIER	NUMBER:	70	60	60	60	70	40

EYES							
PROTRUDING							
EYE-RIGHT		0	0	0	0	1	0
EYES		3	4	1	0	6	0
RED DISCHARGE							
EYE-LEFT		1	1	5	3	3	2
EYE-RIGHT		5	6	1	5	4	2
EYES		7	5	14	7	7	6
SCAB							
EYE-LEFT		0	0	1	0	0	0
EYE-RIGHT		0	0	0	0	2	0
SQUINTED							
PERI-ORBITAL		1	0	1	0	0	0
PERI-ORBITAL-RIGHT		0	0	3	0	3	0
SWOLLEN RIGHT EYELID		0	0	1	0	0	0
RESPIRATION							
AUDIBLE		1	0	5	2	1	2
IRREGULAR		1	1	3	0	1	1
LABORED		1	2	1	1	1	1
SKIN & PELAGE							
ALOPECIA		2	0	0	2	3	1
BROWN HAIR COAT							
PERINEAL AREA		2	0	1	0	1	0
SCROTUM		0	0	0	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

SKIN & PELAGE							
BROWN HAIR COAT							
VENTRAL-ABDOMINAL		0	2	0	1	0	0
BLUE SKIN							
PAWS-ALL		0	1	0	0	0	0
TAIL		0	1	0	0	0	0
VENTRAL-ABDOMINAL		1	0	0	0	0	0
VENTRAL-ABDOMINAL-LEFT		0	2	0	0	2	0
VENTRAL-THORACIC-LEFT		0	0	1	0	0	0
BROWN SKIN							
VENTRAL-ABDOMINAL		0	0	1	0	0	0
BLACK SKIN							
DORSAL		0	1	0	0	0	0
TAIL		1	0	0	0	0	0
VENTRAL-ABDOMINAL		1	0	0	0	0	0
VENTRAL-ABDOMINAL-LEFT		0	0	0	1	2	1
VENTRAL-ABDOMINAL-RIGHT		0	2	0	0	0	1
VENTRAL-CERVICAL-RIGHT		0	1	0	0	0	0
VENTRAL-THORACIC		1	0	0	0	0	0
VENTRAL-THORACIC-LEFT		0	0	1	1	0	0
PALE							
ENTIRE BODY		1	2	1	3	2	2
RED HAIR COAT							
DORSAL-CERVICAL		0	0	2	0	0	0
HEAD-ENTIRE		4	5	9	4	6	4
HEAD-CRANIAL		0	1	2	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DAYS 1-736		NUMBER OF ANIMALS AFFECTED						
		SEX:	-----FEMALE-----					
		GROUP:	1	2	3	4	5	6
CATEGORY	DOSE:		0	0.5	2	5	20	20
KEYWORD								
QUALIFIER	NUMBER:		70	60	60	60	70	40

SKIN & PELAGE								
RED HAIR COAT								
HEAD-MAXILLARY-LEFT			0	0	0	0	0	0
HEAD-MAXILLARY-RIGHT			0	0	0	0	0	0
LATERAL-ABDOMINAL-RIGHT			0	0	0	0	0	0
LATERAL-CERVICAL-RIGHT			0	0	0	1	0	0
LATERA-RIGHT			0	0	1	0	0	0
LATERAL-THORACIC-LEFT			0	0	1	0	0	0
PERINEAL AREA			0	0	0	0	1	0
SHOULDER-RIGHT			0	0	0	0	0	0
VENTRAL-ABDOMINAL			0	0	1	2	0	1
ROUGH HAIR COAT			4	6	5	2	5	4
RED SKIN								
EARS			0	0	1	0	0	0
HEAD-MAXILLARY-RIGHT			0	0	0	0	0	0
PAW-HIND-RIGHT			0	0	0	0	0	0
SORE/SCAB								
AXILLARY REGION-LEFT			2	1	3	1	1	2
AXILLARY REGION-RIGHT			1	1	1	1	0	0
DORSAL			1	1	0	0	1	0
DORSAL-CERVICAL			0	1	2	0	1	1
DORSAL-CERVICAL-LEFT			0	0	0	0	1	0
DORSAL-CERVICAL-RIGHT			0	0	1	0	1	0
DORSAL-THORACIC			1	0	0	0	0	0
DORSAL-THORACIC-LEFT			0	0	0	0	0	0
DORSAL-THORACIC-RIGHT			3	0	1	0	0	0

Table 5

Summary of Clinical Observations

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

SKIN & PELAGE							
SORE/SCAB							
EAR-LEFT		0	0	0	0	0	0
EAR-RIGHT		0	0	0	0	0	0
HEAD-ENTIRE		0	0	1	0	1	0
HEAD-CRANIAL		0	0	1	0	0	0
HEAD-MAXILLARY-LEFT		0	0	0	1	0	0
HEAD-MAXILLARY-RIGHT		0	0	1	0	1	0
LATERAL-ABDOMINAL-LEFT		0	0	0	1	0	0
LATERAL-ABDOMINAL-RIGHT		0	0	0	1	0	0
LATERAL-CERVICAL-RIGHT		0	1	0	0	0	0
LIMB-FRONT-RIGHT		0	0	0	0	0	0
LIMB-HIND-RIGHT		0	0	0	1	0	0
LIMBS-HIND		0	0	0	0	0	2
LATERAL-LEFT		0	0	0	0	0	0
LATERAL-THORACIC-LEFT		1	0	0	0	0	0
MOUTH		2	2	0	0	3	1
PAW-HIND-LEFT		1	1	2	2	5	4
PAW-HIND-RIGHT		1	4	2	2	2	1
PAWS-HIND		1	1	1	1	4	1
SHOULDER-LEFT		1	0	0	0	0	0
SHOULDER-RIGHT		0	1	0	0	1	0
TAIL		0	0	1	0	0	0
TAIL-DISTAL		0	0	0	1	0	0
TAIL-MID		0	0	0	0	0	0
TAIL-PROXIMAL		0	0	0	1	0	0

Table 5

Summary of Clinical Observations

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40
KEYWORD							
QUALIFIER							
SKIN & PELAGE							
SORE/SCAB							
VENTRAL-ABDOMINAL		3	0	0	1	3	0
VENTRAL-ABDOMINAL-LEFT		1	3	2	0	2	1
VENTRAL-ABDOMINAL-RIGHT		1	2	0	2	1	3
VENTRAL-CERVICAL		0	0	0	0	1	0
VENTRAL-CERVICAL-LEFT		1	1	1	0	0	0
VENTRAL-CERVICAL-RIGHT		0	0	0	1	1	0
VENTRAL-THORACIC		1	1	0	0	0	1
VENTRAL-THORACIC-LEFT		1	0	2	2	0	0
VENTRAL-THORACIC-RIGHT		0	0	0	0	0	1
WARM TO TOUCH							
LIMBS-HIND		0	0	0	0	0	1
YELLOW HAIR COAT		2	2	5	3	2	3
YELLOW SKIN							
PAWS-ALL		0	0	0	1	0	0
TAIL		0	0	0	1	0	0
*** END OF LIST ***							

Table 6

Summary of Mass Observations

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
CATEGORY KEYWORD QUALIFIER	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40
*** TOP OF LIST ***							
MASS(ES)							
AXILLARY REGION-LEFT		2	2	1	1	3	0
AXILLARY REGION-RIGHT		0	2	0	0	0	2
DORSAL		3	10	4	8	6	3
DORSAL-CERVICAL-LEFT		0	0	1	0	1	0
DORSAL-CERVICAL-RIGHT		0	0	0	0	0	1
EAR-LEFT		0	0	1	0	0	0
EAR-RIGHT		0	0	0	0	0	1
HEAD-MAXILLARY-LEFT		0	1	1	1	0	1
HEAD-MAXILLARY-RIGHT		1	0	2	1	0	0
INGUINAL REGION-LEFT		1	1	0	1	3	3
INGUINAL REGION-RIGHT		0	1	0	2	3	0
LIMB-FRONT-LEFT		1	0	0	0	0	0
LIMB-FRONT-RIGHT		0	0	0	2	0	0
LIMB-HIND-LEFT		0	0	0	0	0	0
LIMB-HIND-RIGHT		0	1	0	0	0	0
MOUTH		0	0	0	2	0	0
PAW-FRONT-LEFT		0	0	0	0	1	0
PAW-HIND-RIGHT		0	0	0	1	0	0
SHOULDER-LEFT		0	1	1	0	0	0
SHOULDER-RIGHT		1	2	0	0	0	1
TAIL		0	0	1	0	0	0
TAIL-MID		0	0	1	0	0	0
TAIL-PROXIMAL		6	0	1	0	0	0
VENTRAL-ABDOMINAL		3	3	2	4	6	2

Table 6

Summary of Mass Observations

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DAYS 1-736		NUMBER OF ANIMALS AFFECTED						
		SEX:	-----MALE-----					
CATEGORY	GROUP:	1	2	3	4	5	6	
KEYWORD	DOSE:	0	0.5	2	5	20	20	
QUALIFIER	NUMBER:	70	60	60	60	70	40	

MASS(ES)								
VENTRAL-ABDOMINAL-LEFT		2	6	3	4	7	2	
VENTRAL-ABDOMINAL-RIGHT		0	5	4	4	6	3	
VENTRAL-CERVICAL		0	1	0	0	0	0	
VENTRAL-CERVICAL-LEFT		1	0	1	0	0	0	
VENTRAL-CERVICAL-RIGHT		0	0	0	0	0	0	
VENTRAL-THORACIC		1	0	0	0	0	0	
VENTRAL-THORACIC-LEFT		0	0	0	1	0	0	
VENTRAL-THORACIC-RIGHT		0	0	1	0	0	0	
RECTUM		0	0	0	0	1	0	
WART LIKE LESION(S)								
AXILLARY REGION-LEFT		0	0	0	1	0	0	
AXILLARY REGION-RIGHT		0	0	0	0	0	1	
DORSAL		2	2	1	2	0	4	
DORSAL-CERVICAL		0	0	0	0	0	0	
DORSAL-CERVICAL-LEFT		0	0	0	1	0	0	
DORSAL-CERVICAL-RIGHT		1	0	0	0	0	0	
EAR-RIGHT		0	0	0	0	0	1	
HEAD-MAXILLARY-LEFT		0	2	2	0	0	0	
HEAD-MAXILLARY-RIGHT		1	0	0	0	0	0	
LIMB-FRONT-RIGHT		0	0	1	1	0	0	
MOUTH		0	0	0	0	1	0	
NOSE		1	1	0	0	0	0	
PAW-HIND-LEFT		1	0	0	0	0	0	

Table 6

Summary of Mass Observations

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

WART LIKE LESION(S)							
SHOULDER-LEFT		0	0	1	0	0	0
SHOULDER-RIGHT		0	0	0	0	0	1
TAIL		0	0	0	0	0	1
TAIL-MID		0	0	0	1	0	0
TAIL-PROXIMAL		0	0	0	0	0	0
VENTRAL-ABDOMINAL		0	0	0	1	0	1
VENTRAL-ABDOMINAL-LEFT		0	0	0	0	0	1
VENTRAL-ABDOMINAL-RIGHT		0	0	0	0	0	1
VENTRAL-THORACIC-LEFT		0	0	1	0	0	1

Table 6

Summary of Mass Observations

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40
*** TOP OF LIST ***							
MASS(ES)							
AXILLARY REGION-LEFT		15	11	15	15	8	6
AXILLARY REGION-RIGHT		11	7	11	13	7	5
DORSAL		0	2	2	0	2	0
DORSAL-CERVICAL-LEFT		0	0	0	0	0	0
DORSAL-CERVICAL-RIGHT		0	0	0	0	0	0
EAR-LEFT		0	0	0	0	0	0
EAR-RIGHT		0	0	0	0	0	1
HEAD-MAXILLARY-LEFT		0	1	1	1	2	0
HEAD-MAXILLARY-RIGHT		1	0	0	1	0	0
INGUINAL REGION-LEFT		8	10	10	12	8	7
INGUINAL REGION-RIGHT		9	7	10	4	9	3
LIMB-FRONT-LEFT		0	0	0	1	0	0
LIMB-FRONT-RIGHT		0	0	0	0	0	0
LIMB-HIND-LEFT		1	0	0	1	0	0
LIMB-HIND-RIGHT		0	1	0	1	0	0
MOUTH		0	0	0	0	0	0
PAW-FRONT-LEFT		0	0	0	0	0	0
PAW-HIND-RIGHT		0	0	0	0	0	0
SHOULDER-LEFT		0	0	0	1	2	0
SHOULDER-RIGHT		0	2	0	0	1	0
TAIL		0	0	0	0	0	0
TAIL-MID		0	0	0	0	0	0
TAIL-PROXIMAL		0	0	0	1	0	0
VENTRAL-ABDOMINAL		12	7	6	5	4	1

Table 6

Summary of Mass Observations

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DAYS 1-736		NUMBER OF ANIMALS AFFECTED						
		SEX:	-----FEMALE-----					
CATEGORY	GROUP:	1	2	3	4	5	6	
KEYWORD	DOSE:	0	0.5	2	5	20	20	
QUALIFIER	NUMBER:	70	60	60	60	70	40	

MASS(ES)								
VENTRAL-ABDOMINAL-LEFT		5	7	8	9	9	4	
VENTRAL-ABDOMINAL-RIGHT		11	10	8	6	8	5	
VENTRAL-CERVICAL		2	3	5	4	1	1	
VENTRAL-CERVICAL-LEFT		2	1	3	5	3	0	
VENTRAL-CERVICAL-RIGHT		0	4	1	5	0	0	
VENTRAL-THORACIC		2	0	1	0	2	0	
VENTRAL-THORACIC-LEFT		3	2	0	0	2	1	
VENTRAL-THORACIC-RIGHT		1	1	0	1	1	2	
RECTUM		3	0	0	0	0	0	
WART LIKE LESION(S)								
AXILLARY REGION-LEFT		0	0	0	0	0	0	
AXILLARY REGION-RIGHT		0	0	0	0	0	0	
DORSAL		0	0	0	0	0	0	
DORSAL-CERVICAL		0	0	1	0	0	0	
DORSAL-CERVICAL-LEFT		0	0	0	0	0	0	
DORSAL-CERVICAL-RIGHT		0	0	0	0	0	0	
EAR-RIGHT		0	0	0	0	0	0	
HEAD-MAXILLARY-LEFT		0	0	0	0	0	1	
HEAD-MAXILLARY-RIGHT		0	0	0	0	0	1	
LIMB-FRONT-RIGHT		0	0	0	0	0	0	
MOUTH		4	0	0	0	1	1	
NOSE		0	1	0	0	1	0	
PAW-HIND-LEFT		0	0	0	0	0	0	

Table 6

Summary of Mass Observations

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		NUMBER OF ANIMALS AFFECTED					
DAYS 1-736							
CATEGORY KEYWORD QUALIFIER	SEX:	-----FEMALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	NUMBER:	70	60	60	60	70	40

WART LIKE LESION(S)							
SHOULDER-LEFT		0	0	0	0	0	0
SHOULDER-RIGHT		0	0	0	0	0	0
TAIL		0	0	1	0	0	0
TAIL-MID		0	0	0	0	0	0
TAIL-PROXIMAL		0	0	0	0	0	1
VENTRAL-ABDOMINAL		0	0	1	0	0	0
VENTRAL-ABDOMINAL-LEFT		0	0	0	0	0	0
VENTRAL-ABDOMINAL-RIGHT		0	0	0	0	0	0
VENTRAL-THORACIC-LEFT		0	0	0	0	0	0
*** END OF LIST ***							

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 1

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1	N	70	60	60	60	70	40
	MEAN	179	178	179	179	178	178
	S.D.	18.6	18.7	19.0	19.2	18.7	19.0
2	N	70	60	60	60	70	40
	MEAN	237	237	237	236	234	231
	S.D.	21.8	20.2	21.5	20.5	20.2	22.0
3	N	70	60	60	60	70	40
	MEAN	287	290	286	290	285	286
	S.D.	25.0	21.4	23.0	22.8	23.2	25.2
4	N	70	60	60	60	70	40
	MEAN	334	333	328	333	323	326
	S.D.	27.6	23.9	25.4	24.3	25.0	28.0
5	N	65	55	55	55	65	40
	MEAN	367	370	367	367	361	363
	S.D.	31.4	27.1	28.4	27.9	28.1	31.4
6	N	65	55	55	55	65	40
	MEAN	399	402	397	399	390	394
	S.D.	34.3	30.8	30.3	30.4	30.2	34.6
7	N	65	55	55	55	65	40
	MEAN	419	428	418	425	413	415
	S.D.	35.1	33.3	31.8	32.2	32.7	36.8

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 2

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
8	N	65	55	55	55	65	40
	MEAN	448	450	443	448	432	436
	S.D.	37.8	35.7	35.9	35.1	34.2	40.8
9	N	65	55	55	55	65	40
	MEAN	464	463	450	466	446*	446
	S.D.	41.6	37.7	38.2	36.8	36.4	41.0
10	N	65	55	55	55	65	40
	MEAN	481	483	473	479	465	466
	S.D.	43.1	39.8	40.7	36.9	37.2	42.2
11	N	65	55	55	55	65	40
	MEAN	499	502	479*	494	474*	473*
	S.D.	45.2	42.1	42.6	38.5	38.5	45.2
12	N	65	55	55	55	65	40
	MEAN	509	512	494	507	485*	483*
	S.D.	46.8	43.9	44.3	40.4	41.5	46.4
13	N	65	55	55	55	65	40
	MEAN	517	518	508	514	493*	491*
	S.D.	48.0	45.6	47.5	42.5	43.2	49.1
14	N	65	55	55	55	65	40
	MEAN	528	534	517	527	504*	501*
	S.D.	51.1	47.3	49.4	44.4	46.1	50.4

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 3

-----SEX:-----MALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
15	N	60	50	50	50	60	40
	MEAN	535	542	531	535	513*	510*
	S.D.	51.9	48.2	49.0	45.5	47.5	51.2
16	N	60	50	50	50	60	40
	MEAN	549	553	542	550	523*	517*
	S.D.	53.5	49.9	50.0	46.5	49.3	52.3
17	N	60	50	50	50	60	40
	MEAN	556	559	551	557	526*	521*
	S.D.	55.4	50.5	51.0	47.8	49.8	52.9
21	N	60	49	50	50	60	40
	MEAN	580	594	582	581	546*	544*
	S.D.	62.1	57.5	57.5	53.2	57.2	59.2
25	N	59	49	50	50	60	40
	MEAN	609	621	611	604	567*	566*
	S.D.	67.8	63.0	61.0	56.7	62.9	65.8
29	N	59	49	50	50	60	40
	MEAN	644	654	640	632	595*	595*
	S.D.	76.0	66.6	67.4	62.5	69.0	69.8
33	N	59	49	50	50	60	40
	MEAN	669	683	666	653	619*	620*
	S.D.	79.5	71.0	70.4	68.8	76.6	75.1

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 4

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
37	N	59	49	50	50	59	40
	MEAN	691	700	687	676	644*	644*
	S.D.	83.5	77.8	73.8	73.6	84.7	81.8
41	N	59	48	50	50	59	40
	MEAN	699	716	702	690	663	657
	S.D.	87.9	81.8	78.2	77.6	92.5	89.6
45	N	59	48	50	50	59	40
	MEAN	715	735	721	709	676	674
	S.D.	95.8	87.8	80.4	82.3	100.7	97.6
49	N	58	48	50	50	58	40
	MEAN	736	759	740	726	699	697
	S.D.	97.2	89.5	83.5	88.9	108.3	104.3
53	N	58	48	50	48	57	40
	MEAN	749	770	753	742	713	712
	S.D.	103.5	91.7	86.2	97.1	115.0	109.2
57	N	48	47	48	47	47	39
	MEAN	757	781	761	753	722	734
	S.D.	109.7	95.6	88.0	100.2	116.0	118.5
61	N	47	46	48	47	46	39
	MEAN	764	790	777	768	742	742
	S.D.	122.9	97.0	91.3	106.4	127.6	123.0

Table 7
Summary of Body Weight Data (g)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
65	N	44	45	48	46	44	39
	MEAN	786	795	783	782	765	740
	S.D.	115.1	104.4	94.7	109.5	123.9	133.4
69	N	43	45	48	45	44	35
	MEAN	799	791	784	794	772	756
	S.D.	120.1	108.1	105.6	113.0	127.4	151.3
73	N	41	44	47	44	43	31
	MEAN	811	790	790	804	779	801
	S.D.	113.7	116.1	115.1	115.4	145.1	145.7
77	N	40	42	45	44	41	30
	MEAN	789	772	773	799	783	797
	S.D.	124.1	114.2	119.1	125.0	142.4	152.8
81	N	31	37	39	40	38	29
	MEAN	811	774	779	799	785	788
	S.D.	124.9	111.7	132.6	124.4	121.9	153.3
85	N	27	32	36	37	37	25
	MEAN	835	762	781	772	790	795
	S.D.	115.7	114.7	138.8	117.3	128.7	150.0
89	N	25	26	31	36	35	24
	MEAN	812	760	795	759	796	782
	S.D.	137.1	125.1	129.9	136.4	136.1	140.4

Table 7
Summary of Body Weight Data (g)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
93	N	22	22	29	27	35	21
	MEAN	825	786	809	821	799	767
	S.D.	128.2	109.6	123.8	112.4	129.9	133.1
97	N	19	19	23	27	32	18
	MEAN	772	761	789	814	769	737
	S.D.	132.2	105.3	157.6	116.2	140.8	155.9
101	N	15	17	19	26	27	14
	MEAN	755	717	814	802	765	754
	S.D.	159.1	123.5	138.3	124.6	122.3	127.6
105	N	11	11	17	25	23	11
	MEAN	746	734	809	768	755	719
	S.D.	164.5	154.1	129.6	130.4	136.1	151.1

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 7

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1	N	70	60	60	60	70	40
	MEAN	154	154	155	154	153	155
	S.D.	11.1	10.4	10.0	10.1	11.1	11.8
2	N	70	60	60	60	70	40
	MEAN	183	180	176	180	177	178
	S.D.	14.6	15.0	14.2	13.2	13.5	14.8
3	N	70	60	60	60	70	40
	MEAN	207	204	199*	204	199*	198*
	S.D.	18.6	17.4	15.7	15.5	16.2	15.8
4	N	70	60	60	60	70	40
	MEAN	224	222	217	218	215*	214
	S.D.	22.1	21.2	18.9	19.1	17.4	18.8
5	N	65	55	55	55	65	40
	MEAN	237	236	232	232	224*	227
	S.D.	23.6	22.9	20.1	20.0	17.4	19.4
6	N	65	55	55	55	65	40
	MEAN	248	250	245	244	233*	235*
	S.D.	25.3	25.0	21.6	21.1	19.6	19.8
7	N	65	55	55	55	65	40
	MEAN	254	257	251	250	236*	240*
	S.D.	27.7	27.1	20.0	21.7	20.1	18.8

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 8

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
8	N	65	55	55	55	65	40
	MEAN	266	269	262	263	247*	250*
	S.D.	30.0	28.1	23.0	24.4	20.2	21.0
9	N	65	55	55	55	65	40
	MEAN	268	273	263	264	245*	247*
	S.D.	31.4	30.2	21.7	25.3	22.0	22.1
10	N	65	55	54	55	65	40
	MEAN	279	283	271	275	253*	254*
	S.D.	33.5	31.7	23.7	27.2	22.4	22.0
11	N	65	55	54	55	65	40
	MEAN	281	291	277	277	258*	255*
	S.D.	33.8	33.1	23.8	25.8	22.6	22.6
12	N	65	55	54	55	65	40
	MEAN	290	292	278	279	257*	259*
	S.D.	37.0	34.5	23.6	27.5	21.1	23.0
13	N	65	55	54	55	65	40
	MEAN	295	296	284	285	261*	262*
	S.D.	38.9	35.3	24.4	29.1	22.7	23.2
14	N	65	55	54	55	65	40
	MEAN	300	303	292	292	265*	266*
	S.D.	40.1	37.6	24.5	31.7	23.3	23.6

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 9

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
15	N	60	50	49	50	60	40
	MEAN	302	304	294	298	266*	269*
	S.D.	42.2	36.7	26.4	33.3	22.0	23.7
16	N	60	50	49	50	60	40
	MEAN	307	310	298	303	268*	271*
	S.D.	43.9	39.1	28.2	33.8	23.1	24.3
17	N	60	50	49	50	60	40
	MEAN	307	311	303	305	272*	273*
	S.D.	43.9	38.3	26.5	34.9	23.6	25.0
21	N	60	50	49	50	60	40
	MEAN	316	322	314	313	280*	280*
	S.D.	44.8	40.2	29.9	38.2	24.1	26.5
25	N	60	50	49	50	60	40
	MEAN	331	335	324	328	290*	291*
	S.D.	50.9	45.6	30.7	42.2	27.8	29.6
29	N	60	50	49	50	60	40
	MEAN	342	347	338	342	298*	301*
	S.D.	52.8	50.0	36.1	47.2	30.2	32.5
33	N	60	50	49	49	60	40
	MEAN	358	362	356	353	310*	312*
	S.D.	58.0	55.0	40.7	46.8	32.8	36.8

Table 7
Summary of Body Weight Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 10

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
37	N	60	49	49	49	60	40
	MEAN	373	375	371	365	319*	321*
	S.D.	64.8	56.7	43.4	47.3	36.6	39.8
41	N	60	49	49	49	59	40
	MEAN	389	393	385	378	328*	329*
	S.D.	69.4	62.4	50.0	49.8	38.3	46.5
45	N	60	48	49	49	59	39
	MEAN	409	413	396	394	339*	346*
	S.D.	73.3	63.6	59.8	51.1	41.0	48.0
49	N	60	48	47	49	59	39
	MEAN	422	424	415	407	351*	356*
	S.D.	74.5	66.3	55.7	55.1	45.5	50.0
53	N	60	47	47	48	59	39
	MEAN	427	435	428	422	358*	366*
	S.D.	78.8	71.8	61.2	56.5	48.3	52.6
57	N	50	47	47	48	48	39
	MEAN	440	451	447	443	371*	393*
	S.D.	79.8	77.9	68.4	59.0	54.6	59.4
61	N	48	47	47	48	47	39
	MEAN	463	464	463	458	382*	419*
	S.D.	81.3	83.4	75.4	59.3	58.8	63.9

Table 7
Summary of Body Weight Data (g)

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
65	N	47	46	46	48	46	39
	MEAN	472	473	469	458	384*	433
	S.D.	86.7	93.5	85.5	63.6	67.7	73.3
69	N	47	43	42	47	44	38
	MEAN	486	496	492	475	397*	460
	S.D.	92.2	93.6	85.2	66.0	63.0	76.4
73	N	45	39	39	45	44	37
	MEAN	494	508	504	478	400*	479
	S.D.	98.0	89.0	93.6	78.0	68.3	76.9
77	N	44	39	37	44	42	35
	MEAN	499	519	509	477	403*	486
	S.D.	103.3	93.7	104.3	78.3	78.3	79.5
81	N	41	39	35	39	40	35
	MEAN	514	526	503	485	417*	490
	S.D.	100.3	100.9	118.8	79.8	70.3	84.4
85	N	37	37	26	37	40	32
	MEAN	512	537	525	493	423*	500
	S.D.	107.0	98.0	128.8	83.4	76.1	98.9
89	N	32	34	23	37	38	29
	MEAN	516	550	523	496	431*	524
	S.D.	89.6	110.6	120.9	81.3	74.5	96.4

Table 7

Summary of Body Weight Data (g)

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

SEX: -----		FEMALE-----					
GROUP:		1	2	3	4	5	6
DOSE:		0	0.5	2	5	20	20
UNITS:		PPM	PPM	PPM	PPM	PPM	PPM

WEEK							
93	N	31	29	16	33	33	23
	MEAN	504	550	565	509	438*	548
	S.D.	99.4	114.7	125.9	72.3	77.5	92.5
97	N	26	25	14	25	30	22
	MEAN	524	556	572	518	451*	555
	S.D.	93.1	103.8	139.3	77.9	85.9	97.9
101	N	26	19	12	19	27	21
	MEAN	528	541	566	529	452*	536
	S.D.	97.2	96.5	151.0	78.9	87.3	116.5
105	N	24	15	0	17	26	19
	MEAN	516	523		518	447	542
	S.D.	105.7	117.0		85.6	101.2	138.4

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 1

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1-2	N	70	60	60	60	70	40
	MEAN	58	59	58	57	57	53*
	S.D.	5.8	5.6	5.2	4.4	5.9	6.4
2-3	N	70	60	60	60	70	40
	MEAN	50	53*	48	55*	50	56*
	S.D.	6.5	6.2	6.2	7.5	6.2	7.2
3-4	N	70	60	60	60	70	40
	MEAN	47	42*	43*	43*	38*	40*
	S.D.	6.8	8.0	7.6	6.8	6.6	7.3
4-5	N	65	55	55	55	65	40
	MEAN	34	38*	38*	34	37	37
	S.D.	7.6	6.3	6.8	8.2	5.6	5.8
5-6	N	65	55	55	55	65	40
	MEAN	32	32	30	32	29	30
	S.D.	6.2	7.0	5.7	5.3	5.1	6.0
6-7	N	65	55	55	55	65	40
	MEAN	20	26*	21	26*	23	21
	S.D.	6.5	5.9	6.3	5.8	7.5	5.3
7-8	N	65	55	55	55	65	40
	MEAN	29	22*	25*	23*	20*	21*
	S.D.	5.8	6.7	7.2	6.7	5.5	10.4

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 2

SEX: -----		-----MALE-----					
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM

8-9	N	65	55	55	55	65	40
	MEAN	17	13	7*	18	13	9*
	S.D.	11.0	6.1	5.8	4.7	7.9	9.0
9-10	N	65	55	55	55	65	40
	MEAN	16	20*	23*	13*	20*	20*
	S.D.	5.7	4.7	6.5	4.0	5.3	5.0
10-11	N	65	55	55	55	65	40
	MEAN	18	19	6*	15*	9*	8*
	S.D.	5.3	5.1	6.9	6.8	6.5	5.8
11-12	N	65	55	55	55	65	40
	MEAN	10	10	15*	13*	10	10
	S.D.	8.2	4.2	9.3	6.0	5.6	4.3
12-13	N	65	55	55	55	65	40
	MEAN	9	6*	14*	7	8	8
	S.D.	5.8	5.5	6.8	5.1	4.7	5.4
13-14	N	65	55	55	55	65	40
	MEAN	11	16*	9	13	11	10
	S.D.	5.4	4.7	4.4	4.3	7.1	5.8
14-15	N	60	50	50	50	60	40
	MEAN	7	6	9	11*	8	9
	S.D.	5.8	6.5	4.7	5.7	4.5	5.1

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 3

-----SEX: -----MALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
15-16	N	60	50	50	50	60	40
	MEAN	14	11*	11*	14	10*	8*
	S.D.	4.7	5.6	4.7	3.9	4.6	4.6
16-17	N	60	50	50	50	60	40
	MEAN	7	7	9	8	3*	4*
	S.D.	5.3	4.6	4.6	4.2	5.5	4.7
17-21	N	60	49	50	50	60	40
	MEAN	25	34*	30*	23	20	22
	S.D.	12.0	10.5	11.3	11.6	11.4	10.4
21-25	N	59	49	50	50	60	40
	MEAN	28	27	30	23	21*	22*
	S.D.	9.9	12.9	10.5	9.9	9.9	12.1
25-29	N	59	49	50	50	60	40
	MEAN	35	34	29*	28*	28*	30
	S.D.	13.0	13.5	10.3	9.6	11.7	7.7
29-33	N	59	49	50	50	60	40
	MEAN	26	29	25	20*	24	25
	S.D.	10.2	10.7	8.9	12.1	12.4	9.7
33-37	N	59	49	50	50	59	40
	MEAN	21	17	21	23	26	24
	S.D.	10.3	23.1	13.0	9.8	11.9	11.8

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 4

SEX: -----		-----MALE-----					
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM

37-41	N	59	48	50	50	59	40
	MEAN	8	13	15*	15*	19*	13
	S.D.	12.5	11.9	10.6	14.2	11.7	11.4
41-45	N	59	48	50	50	59	40
	MEAN	16	19	19	19	13	16
	S.D.	19.8	10.2	8.6	12.4	14.1	10.9
45-49	N	58	48	50	50	58	40
	MEAN	20	24	19	17	21	24
	S.D.	15.6	8.9	9.7	12.9	13.8	9.6
49-53	N	58	48	50	48	57	40
	MEAN	13	11	13	12	14	15
	S.D.	15.9	15.0	8.9	28.3	13.2	10.3
53-57	N	48	47	48	47	47	39
	MEAN	10	12	9	7	13	22*
	S.D.	20.8	14.5	9.7	13.1	21.4	17.2
57-61	N	47	46	48	47	46	39
	MEAN	8	4	16	15	16	8
	S.D.	37.4	26.6	15.0	22.9	21.1	32.3
61-65	N	44	45	48	46	44	39
	MEAN	6	6	7	12	14	-2
	S.D.	25.5	18.3	18.7	23.9	9.3	60.5

Table 8
Summary of Body Weight Change Data (g)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

-----SEX:-----MALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
65-69	N	43	45	48	45	44	35
	MEAN	10	-4	1	10	7	3
	S.D.	21.8	41.6	37.2	19.4	25.4	43.2
69-73	N	41	44	47	44	43	31
	MEAN	6	-6	0	8	6*	19*
	S.D.	17.8	46.7	34.4	19.2	49.1	25.4
73-77	N	40	42	45	44	41	30
	MEAN	-14	-32*	-28*	-5	-7	-8
	S.D.	47.0	58.0	53.4	19.0	33.0	33.8
77-81	N	31	37	39	40	38	29
	MEAN	-8	-18	-10	-2	-8	-3
	S.D.	34.0	43.3	40.2	31.0	32.9	45.3
81-85	N	27	32	36	37	37	25
	MEAN	-1	-24	-14	-13	5	-15
	S.D.	30.9	62.6	52.7	45.0	32.6	36.3
85-89	N	25	26	31	36	35	24
	MEAN	-23	-14	-3*	-17*	3*	-21
	S.D.	46.0	48.6	29.5	59.8	23.6	39.0
89-93	N	22	22	29	27	35	21
	MEAN	-1	-1	-7	15	3	-2
	S.D.	26.4	30.2	43.7	13.3	48.7	52.7

Table 8
Summary of Body Weight Change Data (g)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

-----SEX:-----MALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM

93-97	N	19	19	23	27	32	18
	MEAN	-28	-33	-10	-6	-17	-31
	S.D.	58.1	51.8	42.4	31.1	55.1	71.1
97-101	N	15	17	19	26	27	14
	MEAN	-29	-55	-6	-10	-13	-32
	S.D.	47.9	85.0	41.4	32.7	52.5	42.4
101-105	N	11	11	17	25	23	11
	MEAN	-21	-30	-23	-33	-21	-39
	S.D.	44.8	68.4	44.5	64.6	41.4	64.3
1-15	N	60	50	50	50	60	40
	MEAN	356	364	352	356	334*	332*
	S.D.	45.5	46.3	44.0	42.0	44.0	47.7
15-29	N	59	49	50	50	60	40
	MEAN	109	112	109	97	82*	86*
	S.D.	31.4	25.5	24.8	23.5	30.8	23.9
29-57	N	48	47	48	47	47	39
	MEAN	114	128	120	119	131	138
	S.D.	53.7	42.5	32.0	57.5	62.9	55.2
57-105	N	11	11	17	25	23	11
	MEAN	13	2	70	39	70	9
	S.D.	123.1	170.9	80.5	100.6	106.5	116.3
1-105	N	11	11	17	25	23	11
	MEAN	562	560	631	588	580	546
	S.D.	157.0	160.7	128.1	128.3	137.6	147.3

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 7

-----SEX:-----FEMALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1-2	N	70	60	60	60	70	40
	MEAN	29	26*	21*	26*	25*	23*
	S.D.	6.7	7.5	6.9	6.3	7.2	6.1
2-3	N	70	60	60	60	70	40
	MEAN	24	24	23	24	22	20*
	S.D.	7.0	6.6	6.3	6.5	7.0	7.4
3-4	N	70	60	60	60	70	40
	MEAN	17	18	18	14	16	16
	S.D.	7.8	7.0	6.9	7.3	7.6	8.2
4-5	N	65	55	55	55	65	40
	MEAN	14	14	15	15	9*	13
	S.D.	7.2	7.9	8.2	7.8	7.4	7.2
5-6	N	65	55	55	55	65	40
	MEAN	11	14	13	12	9	8*
	S.D.	6.5	6.3	5.4	6.9	5.7	5.8
6-7	N	65	55	55	55	65	40
	MEAN	6	6	6	6	3*	5
	S.D.	5.8	7.4	5.9	7.3	5.0	6.0
7-8	N	65	55	55	55	65	40
	MEAN	13	12	11	13	11	10
	S.D.	6.8	5.0	7.4	6.0	4.9	5.1

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 8

SEX: -----		-----FEMALE-----					
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM

8-9	N	65	55	55	55	65	40
	MEAN	2	4	2	1	-2*	-3*
	S.D.	6.0	6.2	4.9	6.2	4.6	4.6
9-10	N	65	55	54	55	65	40
	MEAN	11	10	8*	11	8*	7*
	S.D.	6.3	6.8	5.8	6.8	6.6	5.5
10-11	N	65	55	54	55	65	40
	MEAN	2	8*	6*	2	5*	0
	S.D.	5.1	5.7	5.8	5.7	5.6	4.9
11-12	N	65	55	54	55	65	40
	MEAN	9	1*	1*	2*	-1*	4*
	S.D.	6.3	6.6	5.7	6.0	5.8	4.6
12-13	N	65	55	54	55	65	40
	MEAN	5	4	7	6	3	3
	S.D.	7.0	5.3	5.9	4.8	5.3	5.0
13-14	N	65	55	54	55	65	40
	MEAN	5	7	8*	7	4	5
	S.D.	7.0	5.3	5.1	5.5	5.1	4.3
14-15	N	60	50	49	50	60	40
	MEAN	4	3	2	4	1	2
	S.D.	5.8	6.5	6.0	6.4	5.4	3.8

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 9

SEX: -----		-----FEMALE-----					
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM

15-16	N	60	50	49	50	60	40
	MEAN	4	6	4	5	3	3
	S.D.	4.4	5.3	5.7	5.6	5.3	4.1
16-17	N	60	50	49	50	60	40
	MEAN	0	1	4*	3	4*	2
	S.D.	6.5	4.8	7.0	6.2	4.5	5.1
17-21	N	60	50	49	50	60	40
	MEAN	9	11	11	7	8	7
	S.D.	8.1	6.7	10.6	8.9	6.6	6.9
21-25	N	60	50	49	50	60	40
	MEAN	15	13	10*	16	9*	11
	S.D.	9.2	9.9	11.3	9.3	9.0	5.5
25-29	N	60	50	49	50	60	40
	MEAN	12	12	15	14	9	9
	S.D.	7.8	9.8	11.9	9.9	8.0	7.6
29-33	N	60	50	49	49	60	40
	MEAN	16	15	18	13	12	12
	S.D.	10.8	13.1	13.8	10.0	9.7	9.6
33-37	N	60	49	49	49	60	40
	MEAN	15	15	14	12	9*	9
	S.D.	12.9	12.2	9.9	9.9	8.2	10.5

Table 8
Summary of Body Weight Change Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 10

-----SEX:-----FEMALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
37-41	N	60	49	49	49	59	40
	MEAN	16	18	14	13	10*	8*
	S.D.	10.5	13.7	18.0	8.9	9.3	16.7
41-45	N	60	48	49	49	59	39
	MEAN	19	18	11	17	11*	14*
	S.D.	9.8	13.0	33.2	12.4	7.5	10.1
45-49	N	60	48	47	49	59	39
	MEAN	13	11	13	13	12	10
	S.D.	16.3	9.0	8.8	11.6	9.3	8.9
49-53	N	60	47	47	48	59	39
	MEAN	5	11*	13*	14*	7	10
	S.D.	20.8	10.6	11.1	10.4	10.5	7.3
53-57	N	50	47	47	48	48	39
	MEAN	18	16	19	21	14	27*
	S.D.	13.4	17.4	17.8	11.3	13.2	12.9
57-61	N	48	47	47	48	47	39
	MEAN	17	12	16	15	9*	26*
	S.D.	10.5	14.8	18.6	12.4	13.4	11.0
61-65	N	47	46	46	48	46	39
	MEAN	8	9	4	-1	5	14
	S.D.	9.6	25.2	26.2	21.3	19.5	19.3

Table 8
Summary of Body Weight Change Data (g)

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

-----SEX:-----FEMALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
65-69	N	47	43	42	47	44	38
	MEAN	14	14	13	15	14	24*
	S.D.	12.8	19.0	23.7	19.9	9.6	9.0
69-73	N	45	39	39	45	44	37
	MEAN	9	10	7	0	2	20*
	S.D.	20.2	14.3	30.1	27.8	27.0	10.0
73-77	N	44	39	37	44	42	35
	MEAN	3	11	1	-5	2	10
	S.D.	23.1	14.5	29.6	35.7	22.7	15.3
77-81	N	41	39	35	39	40	35
	MEAN	13	7	-10	2	5	4
	S.D.	41.8	33.6	37.5	25.8	21.2	24.7
81-85	N	37	37	26	37	40	32
	MEAN	3	3	-7	3	6	8
	S.D.	19.0	31.3	31.3	23.4	16.6	33.6
85-89	N	32	34	23	37	38	29
	MEAN	3	8	-8	3	4	9
	S.D.	31.4	40.5	39.0	27.6	17.1	22.5
89-93	N	31	29	16	33	33	23
	MEAN	-12	-12	-1	5	5	14*
	S.D.	41.6	35.3	30.5	27.5	23.5	19.4

Table 8
Summary of Body Weight Change Data (g)

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

-----SEX:-----FEMALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
93-97	N	26	25	14	25	30	22
	MEAN	-1	-14	0	2	10	4
	S.D.	21.1	45.6	26.6	38.8	23.9	37.5
97-101	N	26	19	12	19	27	21
	MEAN	4	-23	-6	-7	0	-15
	S.D.	30.5	48.2	20.9	19.8	22.4	47.9
101-105	N	24	15	0	17	26	19
	MEAN	-16	-26		-11	-4	-5
	S.D.	27.6	57.1		44.1	45.3	39.9
1-15	N	60	50	49	50	60	40
	MEAN	149	151	140	144	114*	114*
	S.D.	35.2	30.8	20.5	28.2	18.6	17.8
15-29	N	50	47	47	48	48	39
	MEAN	100	107	111	102	74	92
	S.D.	56.5	42.7	48.4	30.7	30.8	36.0
29-57	N	60	50	49	50	60	40
	MEAN	38	43	44	44	33*	32
	S.D.	16.2	20.3	18.6	20.2	13.7	16.5
57-105	N	24	15	0	17	26	19
	MEAN	84	81		98	83	162*
	S.D.	62.7	102.9		66.9	85.2	117.8
1-105	N	24	15	0	17	26	19
	MEAN	363	372		366	295	386
	S.D.	103.9	114.7		82.4	100.8	133.9

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 1

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1	N	69	56	60	59	69	39
	MEAN	167	165	165	164	158*	166
	S.D.	13.3	11.5	14.1	13.2	11.6	14.2
2	N	62	54	58	54	69	37
	MEAN	177	173	173	172	167*	172
	S.D.	13.9	12.9	13.9	13.4	13.8	17.2
3	N	68	52	56	57	70	38
	MEAN	184	183	181	182	178	181
	S.D.	12.9	13.0	14.1	13.4	15.2	16.0
4	N	60	47	49	48	62	38
	MEAN	191	188	184	177*	176*	184
	S.D.	16.5	13.7	19.3	15.0	14.7	17.4
5	N	62	50	50	49	64	40
	MEAN	191	193	186	185	183*	187
	S.D.	16.1	16.1	16.7	16.3	15.6	18.7
6	N	56	43	46	49	65	38
	MEAN	192	191	187	186	181*	185
	S.D.	15.1	17.3	15.9	16.4	15.9	17.6
7	N	59	42	47	45	60	37
	MEAN	193	195	183*	187	183*	184
	S.D.	15.6	18.3	18.8	17.2	15.4	19.9

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 2

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
8	N	54	45	47	43	60	34
	MEAN	189	193	188	185	178*	181
	S.D.	19.2	17.9	17.7	15.3	18.0	19.7
9	N	59	47	51	46	60	32
	MEAN	190	190	183	190	175*	182
	S.D.	18.0	16.9	17.4	15.5	17.0	17.8
10	N	59	48	46	48	59	38
	MEAN	188	189	188	183	177*	185
	S.D.	18.0	17.6	17.2	15.6	15.1	19.1
11	N	60	46	48	45	59	38
	MEAN	188	189	183	185	179*	182
	S.D.	16.8	18.3	17.7	15.7	17.8	18.9
12	N	57	51	52	49	61	39
	MEAN	189	189	184	185	180	178*
	S.D.	20.1	18.5	20.5	16.7	21.1	18.6
13	N	60	52	54	52	63	37
	MEAN	185	187	187	185	180	178
	S.D.	19.2	17.4	16.8	18.8	19.6	21.0
14	N	59	49	48	45	57	38
	MEAN	184	186	188	182	178	184
	S.D.	17.4	19.0	18.9	17.0	16.0	20.8

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 3

WEEK	SEX:	-----MALE-----					
	GROUP:	1	2	3	4	5	6
	DOSE:	0	0.5	2	5	20	20
	UNITS:	PPM	PPM	PPM	PPM	PPM	PPM

15	N	58	47	47	45	56	40
	MEAN	190	188	191	187	182	185
	S.D.	16.7	18.8	16.0	14.7	17.1	18.7
16	N	57	49	48	49	59	38
	MEAN	190	191	192	191	183	183
	S.D.	16.5	17.3	14.0	19.5	17.6	18.6
20	N	58	46	49	47	57	38
	MEAN	192	195	194	188	184	184
	S.D.	19.7	17.9	16.1	20.9	18.3	21.3
24	N	58	48	49	50	60	39
	MEAN	184	188	192	184	178	178
	S.D.	20.1	20.1	18.6	20.2	20.3	21.5
28	N	56	46	48	46	59	36
	MEAN	183	185	185	181	180	180
	S.D.	20.4	15.6	17.5	16.3	18.7	17.8
32	N	58	45	48	47	59	35
	MEAN	177	184	184	182	182	179
	S.D.	16.8	14.4	15.3	17.4	19.3	18.7
36	N	59	48	50	50	58	39
	MEAN	183	181	181	183	183	181
	S.D.	17.9	28.3	16.6	19.9	21.1	23.0

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 4

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
40	N	58	46	48	48	58	39
	MEAN	184	184	186	187	187	182
	S.D.	19.1	19.1	16.2	20.3	22.5	22.7
44	N	58	48	49	47	55	39
	MEAN	182	188	185	186	184	188
	S.D.	24.9	21.0	14.7	20.0	20.7	23.9
48	N	57	48	48	47	55	37
	MEAN	184	191	186	185	184	185
	S.D.	20.2	18.5	18.8	18.3	20.8	18.3
52	N	54	46	48	44	54	37
	MEAN	176	185	186	181	178	179
	S.D.	27.6	17.8	17.3	27.5	22.4	20.9
56	N	45	43	44	44	46	35
	MEAN	189	196	195	193	190	190
	S.D.	27.2	18.8	16.5	20.4	32.0	22.1
60	N	45	46	45	44	44	37
	MEAN	185	194	197	198	200	194
	S.D.	39.2	29.6	20.3	28.9	25.1	32.0
64	N	44	42	44	43	42	35
	MEAN	190	192	193	189	197	174
	S.D.	29.6	15.6	20.8	22.2	23.2	46.6

Table 9
Summary of Food Consumption Data (g)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
68	N	43	43	46	42	43	29
	MEAN	195	187	194	201	199	186
	S.D.	25.8	41.2	33.0	37.8	26.7	38.9
72	N	40	43	45	43	43	31
	MEAN	196	180	192	197	193	198
	S.D.	25.4	43.4	30.1	24.5	43.7	32.1
76	N	38	41	43	38	38	30
	MEAN	176	170	176	193	190	188
	S.D.	42.9	47.5	52.1	26.4	33.7	39.1
80	N	31	36	36	37	37	28
	MEAN	183	168	187	191	189	185
	S.D.	45.0	35.9	35.0	20.3	35.0	37.4
84	N	27	31	32	36	34	24
	MEAN	188	172	183	186	196	187
	S.D.	30.1	43.5	48.9	33.9	34.3	35.3
88	N	25	24	29	34	35	22
	MEAN	184	175	189	169	199	190
	S.D.	43.4	43.8	29.6	64.4	26.8	29.5
92	N	21	21	26	24	34	18
	MEAN	186	184	185	198	185	180
	S.D.	23.3	26.0	36.7	16.0	42.8	42.6

Table 9
Summary of Food Consumption Data (g)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

-----SEX: -----MALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM

96	N	17	19	21	25	30	15
	MEAN	177	167	186	194	183	158
	S.D.	51.1	35.7	47.0	20.1	46.0	48.7
100	N	14	14	17	24	27	11
	MEAN	175	166	197	188	188	170
	S.D.	53.4	46.8	34.1	29.7	37.0	43.4
104	N	10	10	14	23	22	10
	MEAN	167	158	185	169	173	155
	S.D.	30.1	59.5	45.0	53.6	50.1	53.1

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 7

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1	N	55	55	48	55	62	35
	MEAN	129	120*	123	130	124	125
	S.D.	11.9	12.0	14.3	13.5	11.2	12.4
2	N	62	48	51	47	62	34
	MEAN	140	133	131*	136	130*	126*
	S.D.	16.9	16.5	17.8	19.6	13.8	12.7
3	N	54	49	51	55	57	33
	MEAN	144	142	140	141	131*	129*
	S.D.	16.8	17.0	17.6	14.9	14.7	13.3
4	N	47	44	41	45	58	33
	MEAN	140	137	142	138	126*	128*
	S.D.	15.9	17.5	20.1	18.3	12.5	14.0
5	N	50	48	43	45	55	33
	MEAN	146	146	144	144	135*	130*
	S.D.	18.5	17.6	14.2	19.3	14.0	11.4
6	N	45	40	35	42	55	31
	MEAN	138	142	137	134	124*	124*
	S.D.	18.6	23.3	20.3	17.3	11.4	13.1
7	N	54	49	45	46	53	36
	MEAN	138	142	133	136	126*	123*
	S.D.	17.0	17.1	12.2	16.3	10.7	12.0

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 8

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
8	N	46	38	43	42	54	31
	MEAN	138	138	136	135	123*	121*
	S.D.	18.5	15.9	11.3	15.5	14.7	12.6
9	N	55	48	41	46	56	36
	MEAN	140	135	132	134	122*	125*
	S.D.	18.8	15.2	17.0	17.3	12.6	17.5
10	N	53	45	39	45	53	34
	MEAN	141	135	134	135	124*	125*
	S.D.	18.2	16.0	11.0	13.8	10.0	14.4
11	N	56	52	46	48	55	38
	MEAN	138	134	133	134	122*	125*
	S.D.	21.7	15.5	13.4	16.0	10.2	14.8
12	N	52	43	39	48	58	35
	MEAN	138	133	137	136	127*	123*
	S.D.	20.1	15.7	17.6	21.5	18.8	11.7
13	N	56	46	47	49	59	35
	MEAN	133	135	131	131	122*	125
	S.D.	17.7	17.7	13.1	20.1	18.4	16.8
14	N	53	40	37	40	54	32
	MEAN	131	129	133	125	119*	122*
	S.D.	20.4	18.0	13.4	11.3	11.3	8.5

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 9

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
15	N	53	49	43	45	57	39
	MEAN	133	134	135	133	124*	125
	S.D.	17.1	15.9	14.9	16.2	13.6	17.7
16	N	54	44	41	45	56	34
	MEAN	133	135	136	133	124*	124
	S.D.	19.4	18.1	15.3	15.6	12.2	15.0
20	N	50	46	42	44	49	28
	MEAN	139	134	136	138	128*	131
	S.D.	19.0	16.0	16.2	18.8	12.8	14.2
24	N	53	44	44	47	54	32
	MEAN	134	132	136	132	123*	122*
	S.D.	18.9	18.7	17.6	20.0	14.0	13.3
28	N	56	48	45	48	56	40
	MEAN	132	133	141	132	122*	121*
	S.D.	15.7	24.7	20.5	18.7	20.4	18.9
32	N	58	47	45	45	58	40
	MEAN	136	134	139	134	124*	127
	S.D.	18.4	26.5	15.5	17.9	17.4	17.7
36	N	55	49	46	47	58	39
	MEAN	135	135	137	133	124*	123*
	S.D.	17.9	20.9	15.3	17.8	16.1	14.9

Table 9
Summary of Food Consumption Data (g)

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 10

WEEK	SEX: GROUP: DOSE: UNITS:	-----FEMALE-----					
		1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
40	N	56	44	48	47	56	38
	MEAN	139	139	142	138	135	130
	S.D.	20.3	15.6	20.6	17.6	20.7	14.7
44	N	56	45	45	47	53	38
	MEAN	137	134	137	134	126*	128
	S.D.	17.8	19.3	18.6	20.7	17.1	15.9
48	N	58	48	47	47	57	38
	MEAN	134	133	142	141	133	130
	S.D.	23.6	19.5	16.6	17.8	20.0	13.3
52	N	57	45	46	45	57	38
	MEAN	133	134	141	139	133	133
	S.D.	24.0	20.5	19.8	22.2	21.9	14.0
56	N	47	47	46	47	47	35
	MEAN	147	143	145	146	133*	142
	S.D.	19.4	25.6	20.5	21.3	22.4	18.5
60	N	47	47	46	48	44	37
	MEAN	146	137	146	142	131*	145
	S.D.	19.1	23.2	28.2	22.3	19.2	16.3
64	N	46	44	44	44	40	37
	MEAN	146	145	139	141	143	144
	S.D.	19.4	22.5	34.3	23.3	39.1	22.5

Table 9
Summary of Food Consumption Data (g)

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX:	-FEMALE-					
	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
68	N	47	43	39	46	42	37
	MEAN	151	150	149	149	143	158
	S.D.	20.2	25.5	28.6	23.1	21.4	15.9
72	N	44	38	35	42	41	35
	MEAN	143	146	146	141	133	152
	S.D.	25.4	21.7	25.9	29.3	32.4	16.1
76	N	44	39	35	42	40	35
	MEAN	141	152	146	133	136	150
	S.D.	29.4	22.0	29.9	41.4	27.2	18.9
80	N	41	37	33	38	39	35
	MEAN	147	148	128	144	147	145
	S.D.	26.0	34.9	46.9	29.3	26.2	25.8
84	N	37	35	26	36	37	31
	MEAN	147	150	141	148	147	152
	S.D.	26.0	31.7	34.0	26.5	27.1	28.7
88	N	30	34	22	36	35	26
	MEAN	142	144	132	144	145	149
	S.D.	25.6	38.4	40.7	24.3	21.4	27.5
92	N	26	26	15	31	32	21
	MEAN	140	139	148	136	138	156
	S.D.	29.1	35.0	38.5	32.4	26.5	18.4

Table 9
Summary of Food Consumption Data (g)

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

-----SEX: -----FEMALE-----							
WEEK	GROUP: DOSE: UNITS:	1 0 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
96	N	26	22	13	23	28	17
	MEAN	143	131	145	135	141	141
	S.D.	24.3	40.9	36.7	43.8	29.6	40.2
100	N	24	17	12	16	25	20
	MEAN	137	115	148	141	139	135
	S.D.	30.1	48.8	33.9	28.5	32.5	41.4
104	N	24	10	0	17	23	18
	MEAN	128	118		145	133	141
	S.D.	37.6	40.5		48.4	39.9	40.5

Table 10

Summary of Test Material Consumption Data (mg/kg/day)

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-MALE-					-FEMALE-				
		2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
1	N	56	60	59	69	39	55	48	55	62	35
	MEAN	0.057	0.226	0.570	2.205	2.336	0.052	0.213	0.559	2.149	2.160
	S.D.	0.004	0.015	0.041	0.156	0.170	0.004	0.020	0.046	0.141	0.178
2	N	54	58	54	69	37	48	51	47	62	34
	MEAN	0.047	0.189	0.471	1.846	1.907	0.050	0.200	0.506	1.965	1.929
	S.D.	0.003	0.012	0.031	0.115	0.118	0.005	0.019	0.055	0.162	0.164
3	N	52	56	57	70	38	49	51	55	57	33
	MEAN	0.042	0.169	0.420	1.675	1.701	0.048	0.194	0.481	1.805	1.792
	S.D.	0.002	0.010	0.026	0.097	0.097	0.003	0.026	0.038	0.157	0.126
4	N	47	49	48	62	38	44	41	45	58	33
	MEAN	0.038	0.151	0.364	1.477	1.531	0.043	0.180	0.440	1.646	1.656
	S.D.	0.002	0.011	0.020	0.081	0.086	0.003	0.018	0.049	0.121	0.142
5	N	50	50	49	64	40	48	43	45	55	33
	MEAN	0.036	0.139	0.346	1.394	1.408	0.043	0.170	0.431	1.669	1.613
	S.D.	0.002	0.007	0.019	0.072	0.073	0.003	0.011	0.036	0.137	0.113
6	N	43	46	49	65	38	40	35	42	55	31
	MEAN	0.033	0.132	0.325	1.287	1.307	0.040	0.157	0.390	1.502	1.488
	S.D.	0.002	0.007	0.017	0.065	0.068	0.005	0.019	0.034	0.106	0.107
7	N	42	47	45	60	37	49	45	46	53	36
	MEAN	0.032	0.122	0.311	1.241	1.233	0.038	0.148	0.382	1.501	1.446
	S.D.	0.002	0.010	0.016	0.061	0.078	0.003	0.010	0.028	0.112	0.089

Table 10

Summary of Test Material Consumption Data (mg/kg/day)

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX:	-MALE-					-FEMALE-				
	GROUP:	2	3	4	5	6	2	3	4	5	6
	DOSE:	0.5	2	5	20	20	0.5	2	5	20	20
	UNITS:	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
8	N	45	47	43	60	34	38	43	42	54	31
	MEAN	0.030	0.121	0.293	1.161	1.178	0.036	0.148	0.368	1.438	1.392
	S.D.	0.002	0.007	0.012	0.093	0.106	0.002	0.011	0.030	0.133	0.099
9	N	47	51	46	60	32	48	41	46	56	36
	MEAN	0.029	0.113	0.288	1.108	1.135	0.035	0.143	0.355	1.407	1.422
	S.D.	0.001	0.006	0.016	0.076	0.063	0.002	0.023	0.027	0.120	0.202
10	N	48	46	48	59	38	45	39	45	53	34
	MEAN	0.028	0.113	0.270	1.074	1.130	0.033	0.138	0.355	1.393	1.407
	S.D.	0.002	0.006	0.017	0.060	0.080	0.002	0.010	0.033	0.101	0.111
11	N	46	48	45	59	38	52	46	48	55	38
	MEAN	0.027	0.108	0.266	1.056	1.086	0.033	0.136	0.346	1.361	1.393
	S.D.	0.002	0.007	0.014	0.060	0.071	0.003	0.011	0.029	0.101	0.120
12	N	51	52	49	61	39	43	39	48	58	35
	MEAN	0.026	0.106	0.262	1.055	1.050	0.032	0.137	0.344	1.406	1.363
	S.D.	0.002	0.009	0.016	0.101	0.075	0.003	0.015	0.040	0.193	0.126
13	N	52	54	52	63	37	46	47	49	59	35
	MEAN	0.025	0.105	0.256	1.029	1.024	0.032	0.129	0.324	1.330	1.355
	S.D.	0.002	0.006	0.017	0.093	0.080	0.003	0.011	0.026	0.194	0.130
14	N	49	48	45	57	38	40	37	40	54	32
	MEAN	0.025	0.102	0.248	1.007	1.043	0.030	0.130	0.310	1.289	1.313
	S.D.	0.002	0.007	0.018	0.073	0.104	0.004	0.012	0.031	0.118	0.101

Table 10

Summary of Test Material Consumption Data (mg/kg/day)

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-MALE-					-FEMALE-				
		2	3	4	5	6	2	3	4	5	6
		0.5 PPM	2 PPM	5 PPM	20 PPM	20 PPM	0.5 PPM	2 PPM	5 PPM	20 PPM	20 PPM
15	N	47	47	45	56	40	49	43	45	57	39
	MEAN	0.025	0.102	0.250	1.010	1.032	0.031	0.129	0.318	1.330	1.333
	S.D.	0.002	0.006	0.013	0.074	0.069	0.004	0.011	0.023	0.121	0.160
16	N	49	48	49	59	38	44	41	45	56	34
	MEAN	0.025	0.100	0.247	1.006	1.010	0.031	0.129	0.315	1.315	1.302
	S.D.	0.002	0.006	0.017	0.084	0.067	0.004	0.016	0.027	0.113	0.132
20	N	46	49	47	57	38	46	42	44	49	28
	MEAN	0.024	0.096	0.234	0.969	0.970	0.030	0.124	0.316	1.305	1.345
	S.D.	0.001	0.007	0.020	0.065	0.073	0.003	0.012	0.029	0.104	0.105
24	N	48	49	50	60	39	44	44	47	54	32
	MEAN	0.022	0.090	0.219	0.904	0.904	0.028	0.120	0.288	1.218	1.200
	S.D.	0.002	0.007	0.018	0.070	0.084	0.004	0.015	0.024	0.110	0.098
28	N	46	48	46	59	36	48	45	48	56	40
	MEAN	0.021	0.083	0.206	0.875	0.872	0.028	0.121	0.279	1.181	1.157
	S.D.	0.002	0.006	0.016	0.082	0.069	0.005	0.022	0.025	0.164	0.174
32	N	45	48	47	59	35	47	45	45	58	40
	MEAN	0.019	0.080	0.199	0.850	0.837	0.027	0.112	0.273	1.152	1.170
	S.D.	0.001	0.006	0.012	0.083	0.059	0.006	0.013	0.028	0.111	0.155
36	N	48	50	50	58	39	49	46	47	58	39
	MEAN	0.019	0.076	0.195	0.817	0.805	0.026	0.106	0.261	1.111	1.103
	S.D.	0.003	0.008	0.021	0.084	0.046	0.003	0.012	0.023	0.099	0.080

Table 10

Summary of Test Material Consumption Data (mg/kg/day)

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX:	-MALE-					-FEMALE-				
	GROUP:	2	3	4	5	6	2	3	4	5	6
	DOSE:	0.5	2	5	20	20	0.5	2	5	20	20
	UNITS:	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
40	N	46	48	48	58	39	44	48	47	56	38
	MEAN	0.018	0.076	0.196	0.812	0.794	0.025	0.106	0.263	1.179	1.122
	S.D.	0.002	0.005	0.020	0.090	0.052	0.003	0.014	0.025	0.132	0.092
44	N	48	49	47	55	39	45	45	47	53	38
	MEAN	0.018	0.074	0.188	0.786	0.801	0.024	0.098	0.244	1.069	1.065
	S.D.	0.002	0.006	0.017	0.069	0.055	0.003	0.012	0.027	0.112	0.128
48	N	48	48	47	55	37	48	47	47	57	38
	MEAN	0.018	0.072	0.184	0.765	0.780	0.023	0.099	0.247	1.100	1.054
	S.D.	0.002	0.007	0.017	0.080	0.049	0.003	0.013	0.020	0.137	0.119
52	N	46	48	44	54	37	45	46	45	57	38
	MEAN	0.017	0.071	0.174	0.714	0.732	0.022	0.095	0.237	1.070	1.047
	S.D.	0.002	0.006	0.025	0.082	0.053	0.003	0.012	0.028	0.125	0.097
56	N	43	44	44	46	35	47	46	47	47	35
	MEAN	0.018	0.073	0.183	0.750	0.000	0.023	0.095	0.238	1.036	0.000
	S.D.	0.001	0.007	0.016	0.099	0.000	0.004	0.014	0.029	0.127	0.000
60	N	46	45	44	44	37	47	46	48	44	37
	MEAN	0.018	0.073	0.183	0.783	0.000	0.021	0.090	0.223	0.994	0.000
	S.D.	0.003	0.008	0.025	0.076	0.000	0.003	0.017	0.026	0.123	0.000
64	N	42	44	43	42	35	44	44	44	40	37
	MEAN	0.017	0.071	0.173	0.740	0.000	0.022	0.085	0.222	1.094	0.000
	S.D.	0.002	0.010	0.017	0.071	0.000	0.003	0.018	0.031	0.403	0.000

Table 10

Summary of Test Material Consumption Data (mg/kg/day)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX:	-MALE-					-FEMALE-				
	GROUP:	2	3	4	5	6	2	3	4	5	6
	DOSE:	0.5	2	5	20	20	0.5	2	5	20	20
	UNITS:	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
68	N	43	46	42	43	29	43	39	46	42	37
	MEAN	0.017	0.071	0.186	0.755	0.000	0.022	0.087	0.227	1.054	0.000
	S.D.	0.004	0.012	0.056	0.113	0.000	0.003	0.015	0.030	0.142	0.000
72	N	43	45	43	43	31	38	35	42	41	35
	MEAN	0.016	0.070	0.175	0.708	0.000	0.021	0.084	0.209	0.957	0.000
	S.D.	0.004	0.010	0.019	0.146	0.000	0.002	0.014	0.027	0.205	0.000
76	N	41	43	38	38	30	39	35	42	40	35
	MEAN	0.015	0.064	0.173	0.700	0.000	0.021	0.082	0.197	0.971	0.000
	S.D.	0.004	0.017	0.018	0.120	0.000	0.003	0.013	0.052	0.148	0.000
80	N	36	36	37	37	28	37	33	38	39	35
	MEAN	0.016	0.068	0.171	0.700	0.000	0.020	0.073	0.212	1.019	0.000
	S.D.	0.003	0.011	0.021	0.139	0.000	0.004	0.023	0.034	0.187	0.000
84	N	31	32	36	34	24	35	26	36	37	31
	MEAN	0.016	0.065	0.171	0.711	0.000	0.020	0.078	0.216	1.001	0.000
	S.D.	0.004	0.017	0.027	0.109	0.000	0.004	0.016	0.029	0.132	0.000
88	N	24	29	34	35	22	34	22	36	35	26
	MEAN	0.016	0.068	0.154	0.724	0.000	0.019	0.073	0.208	0.984	0.000
	S.D.	0.003	0.007	0.055	0.099	0.000	0.004	0.022	0.032	0.165	0.000
92	N	21	26	24	34	18	26	15	31	32	21
	MEAN	0.017	0.065	0.171	0.676	0.000	0.018	0.075	0.191	0.912	0.000
	S.D.	0.002	0.011	0.018	0.174	0.000	0.004	0.015	0.041	0.148	0.000

Table 10

Summary of Test Material Consumption Data (mg/kg/day)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

WEEK	SEX: GROUP: DOSE: UNITS:	-----MALE-----					-----FEMALE-----				
		2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM	2 0.5 PPM	3 2 PPM	4 5 PPM	5 20 PPM	6 20 PPM
96	N	19	21	25	30	15	22	13	23	28	17
	MEAN	0.016	0.068	0.171	0.685	0.000	0.017	0.075	0.186	0.906	0.000
	S.D.	0.003	0.014	0.022	0.170	0.000	0.005	0.021	0.049	0.162	0.000
100	N	14	17	24	27	11	17	12	16	25	20
	MEAN	0.016	0.069	0.165	0.708	0.000	0.015	0.077	0.190	0.876	0.000
	S.D.	0.004	0.011	0.026	0.156	0.000	0.006	0.019	0.026	0.193	0.000
104	N	10	14	23	22	10	10	0	17	23	18
	MEAN	0.015	0.068	0.153	0.643	0.000	0.017		0.195	0.838	0.000
	S.D.	0.005	0.020	0.041	0.162	0.000	0.005		0.056	0.247	0.000

Table 11
Summary of Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL
0	MEAN	7.47	15.2	44.8	60.0	20.3	33.9	1048
	S.D.	.459	.81	2.35	1.56	.73	.59	107.7
	N	10	10	10	10	10	10	10
0.5	MEAN	7.22	14.7	43.4	60.2	20.4	33.9	1082
	S.D.	.414	.77	2.43	1.69	.67	.36	111.4
	N	10	10	10	10	10	10	10
2.0	MEAN	7.54	15.3	45.1	59.9	20.4	34.0	1028
	S.D.	.599	1.09	3.39	1.65	.85	.61	68.7
	N	10	10	10	10	10	10	10
5.0	MEAN	7.43	15.4	45.0	60.7	20.7	34.1	1013
	S.D.	.622	1.04	3.32	1.97	.68	.41	118.6
	N	10	10	10	10	10	10	10
20.0	MEAN	7.30	15.0	44.2	60.6	20.6	33.9	1051
	S.D.	.234	.44	1.56	1.40	.45	.37	118.1
	N	10	10	10	10	10	10	10

Table 11
Summary of Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	8.6	.7	7.2	.6	.1	.0	9	83	7	1	0
	S.D.	2.03	.30	1.92	.16	.06	.00	3.5	5.3	2.2	.5	.0
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	9.3	1.2	7.4	.6	.1	.0	12	82	6	1	0
	S.D.	2.54	1.32	1.29	.31	.06	.00	7.6	9.1	2.5	.3	.0
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	9.3	.7	8.0	.6	.1	.0	7	86	6	1	0
	S.D.	2.30	.23	1.94	.26	.06	.00	1.4	3.4	2.3	.5	.0
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	7.2	.6	6.1	.4	.1	.0	8	85	6	2	0
	S.D.	1.15	.21	.99	.24	.15	.00	2.3	6.5	2.9	2.0	.0
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	8.4	.8	6.8	.6	.1	.0	10	83	6	1	0
	S.D.	2.87	.46	2.19	.38	.07	.00	2.8	4.8	2.4	.4	.0
	N	10	10	10	10	10	10	10	10	10	10	10

Table 11
Summary of Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁹ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL
0	MEAN	7.28	15.2	45.1	62.0	20.8	33.7	1103
	S.D.	.276	.45	1.20	1.80	.63	.41	109.6
	N	10	10	10	10	10	10	10
0.5	MEAN	7.40	15.3	45.7	61.8	20.7	33.5	1126
	S.D.	.367	.62	1.46	1.36	.58	.57	181.3
	N	10	10	10	10	10	10	10
2.0	MEAN	7.49	15.1	45.2	60.4	20.2	33.5	1069
	S.D.	.367	.70	1.64	1.62	.64	.55	128.2
	N	10	10	10	10	10	10	10
5.0	MEAN	7.40	15.4	45.8	62.0	20.8	33.6	1104
	S.D.	.396	.42	1.00	2.25	.79	.52	116.6
	N	10	10	10	10	10	10	10
20.0	MEAN	7.38	15.3	45.6	61.9	20.8	33.6	1108
	S.D.	.238	.27	1.07	1.21	.64	.53	88.4
	N	10	10	10	10	10	10	10

Table 11
Summary of Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	7.4	.7	6.3	.3	.1	.0	9	84	5	2	0
	S.D.	2.27	.23	2.12	.20	.06	.00	3.5	4.0	2.2	1.4	.0
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	6.5	.7	5.5	.3	.0	.0	10	84	4	1	0
	S.D.	1.01	.78	1.01	.13	.05	.00	10.8	10.4	1.7	.6	.0
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	5.0	.4	4.3	.2	.0	.0	9	84	5	1	0
	S.D.	1.80	.15	1.83	.11	.05	.00	5.1	7.9	3.5	.6	.0
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	6.9	.5	6.0	.2	.1	.0	8	87	4	1	0
	S.D.	2.88	.23	2.62	.11	.04	.00	2.1	3.7	1.7	.6	.0
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	6.2	.5	5.4	.2	.1	.0	8	86	4	1	0
	S.D.	1.80	.17	1.72	.14	.04	.00	2.7	4.6	2.1	.7	.0
	N	10	10	10	10	10	10	10	10	10	10	10

Table 12
Summary of Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁶ /µL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /µL
0	MEAN	8.55	15.6	45.9	53.7	18.3	34.1	1142
	S.D.	.446	.69	1.83	1.52	.56	.55	164.6
	N	10	10	10	10	10	10	10
0.5	MEAN	8.77	15.8	46.7	53.3	18.0	33.9	1092
	S.D.	.441	.56	1.45	1.68	.48	.53	104.7
	N	10	10	10	10	10	10	10
2.0	MEAN	8.68	15.7	46.5	53.6	18.1	33.7	1168
	S.D.	.456	.60	1.65	2.19	.60	.47	189.6
	N	10	10	10	10	10	10	10
5.0	MEAN	8.57	15.2	45.2	52.8	17.8	33.7	1078
	S.D.	.478	.63	1.61	1.64	.48	.49	155.6
	N	10	10	10	10	10	10	10
20.0	MEAN	8.23	15.1	44.6	54.2	18.4	33.9	1139
	S.D.	.216	.51	1.30	1.42	.51	.38	124.3
	N	10	10	10	10	10	10	10

Table 12
Summary of Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	8.2	1.1	6.1	.8	.2	.0	14	74	10	2	0
	S.D.	1.95	.37	1.46	.27	.07	.03	3.1	3.2	2.1	.6	.0
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	8.5	1.3	6.2	.8	.2	.0	15	73	10	2	0
	S.D.	1.20	.28	1.04	.19	.10	.00	3.6	4.5	1.6	1.1	.0
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	7.8	1.2	5.7	.8	.2	.0	15	73	10	2	0
	S.D.	1.64	.33	1.20	.29	.07	.03	1.8	3.8	2.8	1.1	.3
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	7.8	1.2	5.7	.7	.2	.0	16	73	9	2	0
	S.D.	2.08	.37	1.97	.20	.05	.00	4.5	6.1	2.5	.6	.0
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	10.5	1.6 *	7.8	.9	.2	.0	16	73	8	2	0
	S.D.	3.65	.35	3.43	.39	.08	.03	5.4	7.3	4.2	.7	.0
	N	10	10	10	10	10	10	10	10	10	10	10

Table 12
Summary of Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁹ /µL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /µL
0	MEAN	8.00	15.3	45.2	56.6	19.1	33.8	1061
	S.D.	.535	.87	2.58	1.18	.25	.57	68.5
	N	10	10	10	10	10	10	10
0.5	MEAN	8.22	15.5	46.0	56.0	18.9	33.7	1143
	S.D.	.377	.59	1.80	1.93	.74	.91	67.8
	N	10	10	10	10	10	10	10
2.0	MEAN	8.06	15.2	45.2	56.1	18.8	33.6	1070
	S.D.	.253	.58	1.76	2.37	.72	.57	93.4
	N	10	10	10	10	10	10	10
5.0	MEAN	7.97	15.2	45.0	56.5	19.0	33.7	1082
	S.D.	.453	.70	2.17	1.32	.41	.65	64.7
	N	10	10	10	10	10	10	10
20.0	MEAN	7.87	15.1	44.2	56.2	19.2	34.1	1144
	S.D.	.247	.67	1.82	1.64	.59	1.08	122.9
	N	10	10	10	10	10	10	10

Table 12
Summary of Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	4.9	1.0	3.4	.4	.1	.0	20	69	8	2	0
	S.D.	1.51	.53	1.14	.17	.07	.00	8.8	9.7	2.9	.9	.0
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	6.4	1.0	4.8	.5	.1	.0	16	73	9	2	0
	S.D.	2.64	.45	2.18	.25	.03	.00	5.1	9.1	4.0	.8	.0
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	4.9	.7	3.9	.3	.1	.0	14	77	6	2	0
	S.D.	1.65	.17	1.50	.08	.03	.00	4.4	5.1	1.2	.9	.0
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	5.8	.9	4.4	.4	.1	.0	15	75	8	2	0
	S.D.	1.96	.55	1.54	.32	.05	.03	7.1	7.7	3.9	.8	.4
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	4.8	1.0	3.4	.3	.1	.0	19	72	7	2	0
	S.D.	1.68	.64	1.12	.17	.06	.00	6.3	6.7	2.5	1.3	.3
	N	10	10	10	10	10	10	10	10	10	10	10

Table 13
Summary of Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL
0	MEAN	8.78	15.7	46.1	52.6	17.9	34.0	1235
	S.D.	.471	.58	1.96	1.60	.56	.34	171.4
	N	10	10	10	10	10	10	10
0.5	MEAN	8.84	15.5	46.0	52.1	17.6	33.7	1270
	S.D.	.629	.84	2.34	1.63	.60	.31	138.4
	N	10	10	10	10	10	10	10
2.0	MEAN	8.82	15.5	45.6	51.8	17.5	33.9	1237
	S.D.	.301	.54	1.62	1.01	.45	.38	127.7
	N	10	10	10	10	10	10	10
5.0	MEAN	9.04	15.8	46.6	51.6	17.4	33.8	1217
	S.D.	.439	.60	1.84	1.40	.58	.36	116.4
	N	10	10	10	10	10	10	10
20.0	MEAN	8.67	15.1	44.7	51.6	17.4	33.8	1287
	S.D.	.252	.62	1.22	2.06	.83	.57	162.9
	N	10	10	10	10	10	10	10

Table 13
Summary of Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	7.5	1.3	5.0	1.0	.2	.0	18	67	13	2	1
	S.D.	1.43	.29	1.14	.23	.08	.05	4.1	3.9	2.1	1.0	.5
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	8.2	1.5	5.6	.9	.2	.0	19	67	11	2	1
	S.D.	1.42	.31	1.40	.19	.03	.05	5.6	6.2	2.3	.7	.5
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	8.7	1.7	5.7	1.0	.2	.0	19	66	12	2	0
	S.D.	1.53	.52	1.28	.26	.07	.04	6.1	7.8	2.2	.6	.5
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	8.6	1.6	5.7	1.2	.2	.0	19	65	14	2	1
	S.D.	1.88	.31	1.74	.32	.05	.05	4.5	6.7	3.0	.4	.5
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	8.7	1.6	5.9	1.0	.1	.0	18	68	12	2	0
	S.D.	1.88	.42	1.41	.28	.05	.04	3.2	4.9	2.6	.7	.5
	N	10	10	10	10	10	10	10	10	10	10	10

Table 13
Summary of Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL
0	MEAN	7.56	14.6	43.5	57.6	19.2	33.4	1051
	S.D.	.563	.97	3.16	1.06	.33	.63	121.7
	N	10	10	10	10	10	10	10
0.5	MEAN	7.93	14.9	44.8	56.8	18.9	33.3	1057
	S.D.	.639	.52	1.92	2.94	1.18	.35	127.0
	N	10	10	10	10	10	10	10
2.0	MEAN	8.00	15.1	45.2	56.5	18.9	33.4	1074
	S.D.	.312	.66	1.94	1.44	.53	.32	75.0
	N	10	10	10	10	10	10	10
5.0	MEAN	8.12	15.3 *	46.1 *	56.8	18.9	33.3	1095
	S.D.	.353	.61	1.61	1.20	.57	.44	131.4
	N	10	10	10	10	10	10	10
20.0	MEAN	7.73	14.5	43.3	56.1	18.8	33.5	1062
	S.D.	.398	.53	1.70	1.87	.66	.39	153.7
	N	10	10	10	10	10	10	10

Table 13
Summary of Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	5.5	.9	4.0	.6	.1	.0	16	72	10	2	0
	S.D.	.77	.54	.63	.26	.10	.03	9.1	9.9	3.3	1.3	.4
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	6.7	1.1	5.0	.5	.1	.0	14	77	7	2	0
	S.D.	4.82	1.22	3.24	.33	.05	.03	5.3	5.6	3.2	.6	.3
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	4.8	.7	3.6	.4	.1	.0	15	74	8	2	0
	S.D.	1.17	.21	.97	.18	.03	.00	3.1	6.0	3.4	1.1	.0
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	6.1	.8	4.7	.5	.1	.0	14	76	8	2	0
	S.D.	1.95	.23	1.74	.24	.05	.00	4.8	6.5	3.9	.6	.4
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	5.9	.9	4.4	.4	.1	.0	16	75	7	2	0
	S.D.	1.61	.55	1.41	.18	.04	.00	8.4	10.7	3.2	1.0	.5
	N	10	10	10	10	10	10	10	10	10	10	10

Table 14
Summary of Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL
0	MEAN	8.33	15.5	43.5	52.3	18.6	35.6	1112
	S.D.	.286	.70	2.02	1.70	.59	.38	155.9
	N	10	10	10	10	10	10	10
0.5	MEAN	8.33	15.2	43.4	52.1	18.3	35.1	1059
	S.D.	.266	.21	.77	1.23	.57	.49	172.9
	N	10	10	10	10	10	10	10
2.0	MEAN	8.11	14.9	42.5	52.4	18.4	35.1	931 *
	S.D.	.288	.64	1.63	1.79	.75	.36	108.6
	N	10	10	10	10	10	10	10
5.0	MEAN	8.43	15.2	43.7	52.0	18.0	34.7 *	1011
	S.D.	.536	.45	1.56	2.41	.94	.58	111.9
	N	10	10	10	10	10	10	10
20.0	MEAN	8.28	14.9	41.7	50.4	17.9	35.6	1241
	S.D.	.360	.71	1.74	1.58	.47	.49	124.3
	N	9	9	9	9	9	9	9

Table 14
Summary of Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	7.1	2.4	3.6	.9	.1	.0	34	51	13	2	0
	S.D.	1.33	.96	.96	.26	.05	.00	11.9	10.6	3.2	.6	.4
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	7.8	1.7	4.9 *	1.1	.1	.0	22 *	63 *	14	2	0
	S.D.	1.59	.31	1.10	.32	.06	.03	3.0	4.0	2.5	.7	.4
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	8.6	2.1	5.4 *	1.0	.1	.0	22 *	64 *	11	1	0
	S.D.	2.97	1.64	1.20	.65	.04	.03	7.6	10.2	4.5	.5	.0
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	8.5	2.0	5.4 *	.9	.1	.0	24	63 *	11	2	0
	S.D.	1.63	.74	1.28	.33	.04	.00	6.2	7.9	2.6	.5	.0
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	7.3	2.3	4.0	.8	.1	.0	30	56	12	2	0
	S.D.	1.78	1.58	1.29	.42	.03	.03	12.3	15.1	5.0	.5	.3
	N	9	9	9	9	9	9	9	9	9	9	9

Table 14
Summary of Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL
0	MEAN	7.39	14.5	40.5	54.9	19.6	35.7	1009
	S.D.	.485	.76	1.84	1.64	.60	.31	80.9
	N	10	10	10	10	10	10	10
0.5	MEAN	7.26	14.2	41.0	56.6	19.7	34.7 *	908
	S.D.	.695	1.04	3.11	2.40	.94	.42	99.0
	N	10	10	10	10	10	10	10
2.0	MEAN	7.31	14.3	41.1	56.3	19.7	34.9 *	851 *
	S.D.	.566	.61	1.91	2.32	.89	.45	101.9
	N	10	10	10	10	10	10	10
5.0	MEAN	7.32	14.2	41.1	56.2	19.5	34.7 *	837 *
	S.D.	.479	.56	1.73	1.96	.83	.40	85.9
	N	10	10	10	10	10	10	10
20.0	MEAN	7.05	13.5	38.1	54.0	19.2	35.5	1023
	S.D.	.881	1.66	4.56	1.25	.46	.29	113.7
	N	10	10	10	10	10	10	10

Table 14
Summary of Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
0	MEAN	4.2	1.6	1.9	.5	.1	.0	37	49	12	2	0
	S.D.	1.72	1.16	.57	.16	.00	.00	10.5	8.8	3.2	.8	.0
	N	10	10	10	10	10	10	10	10	10	10	10
0.5	MEAN	4.7	1.0	3.1 *	.5	.1	.0	22 *	64 *	12	2	0
	S.D.	1.53	.28	1.27	.20	.03	.00	4.7	7.2	4.6	.8	.3
	N	10	10	10	10	10	10	10	10	10	10	10
2.0	MEAN	5.2	1.5	3.1 *	.5	.1	.0	28	59	10	3	0
	S.D.	1.28	.54	.94	.16	.05	.00	7.4	8.6	2.5	.7	.0
	N	10	10	10	10	10	10	10	10	10	10	10
5.0	MEAN	4.2	1.2	2.5	.5	.1	.0	27	60	11	2	0
	S.D.	1.27	.58	.70	.19	.04	.00	8.2	8.2	3.9	.8	.3
	N	10	10	10	10	10	10	10	10	10	10	10
20.0	MEAN	5.4	2.1	2.6	.5	.1	.0	34	53	10	2	0
	S.D.	2.33	1.94	.90	.27	.04	.00	17.1	17.6	2.5	1.0	.4
	N	10	10	10	10	10	10	10	10	10	10	10

Table 15
Summary of Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	97	12	.6	6.2	4.4	1.8	.1	49
	S.D.	11.4	1.2	.18	.43	.26	.32	.09	6.6
	N	10	10	10	10	10	10	10	10
0.5	MEAN	97	12	.6	6.4	4.6	1.8	.1	49
	S.D.	5.2	1.8	.06	.33	.29	.31	.09	6.5
	N	10	10	10	10	10	10	10	10
2.0	MEAN	91	12	.6	6.0	4.5	1.6	.1	44
	S.D.	10.8	1.3	.14	.33	.29	.16	.08	8.6
	N	10	10	10	10	10	10	10	10
5.0	MEAN	94	12	.6	6.3	4.6	1.7	.0	48
	S.D.	8.9	2.1	.10	.29	.19	.15	.05	15.3
	N	10	10	10	10	10	10	10	10
20.0	MEAN	84 *	13	.6	6.3	4.6	1.7	.1	45
	S.D.	5.0	1.5	.12	.23	.18	.13	.09	13.7
	N	10	10	10	10	10	10	10	10

Table 15
Summary of Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	122	31	1	10.7	10.0	148	6.3	104
	S.D.	26.4	3.4	1.3	.41	.54	1.6	.69	1.5
	N	10	10	10	10	10	10	10	10
0.5	MEAN	146	32	0	10.7	9.5	147	6.3	104
	S.D.	28.9	4.2	.7	.31	.62	1.3	.42	1.1
	N	10	10	10	10	10	10	10	10
2.0	MEAN	104	28	1	10.6	10.1	148	6.2	105
	S.D.	22.6	5.2	1.6	.41	.39	1.4	.71	1.1
	N	10	10	10	10	10	10	10	10
5.0	MEAN	114	30	0	10.9	9.8	147	6.2	103
	S.D.	17.2	3.8	.7	.28	.62	1.4	.62	2.2
	N	10	10	10	10	10	10	10	10
20.0	MEAN	131	33	1	10.6	9.8	148	6.1	103
	S.D.	19.9	3.0	1.3	.31	.59	1.4	.58	.9
	N	10	10	10	10	10	10	10	10

Table 15
Summary of Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	114	14	.7	6.9	5.1	1.8	.1	72
	S.D.	7.1	1.7	.10	.14	.11	.16	.10	11.5
	N	10	10	10	10	10	10	10	10
0.5	MEAN	111	13	.8	6.8	5.0	1.8	.0	70
	S.D.	7.0	1.8	.09	.16	.18	.23	.07	25.8
	N	10	10	10	10	10	10	10	10
2.0	MEAN	113	14	.8	6.8	5.1	1.7	.0	61
	S.D.	17.9	1.8	.13	.39	.32	.19	.07	17.7
	N	10	10	10	10	10	10	10	10
5.0	MEAN	109	13	.7	7.1	5.3	1.8	.0	58
	S.D.	11.0	1.2	.08	.35	.31	.17	.04	14.8
	N	10	10	10	10	10	10	10	10
20.0	MEAN	107	14	.7	6.8	5.2	1.6	.0	54
	S.D.	7.7	1.8	.10	.35	.19	.18	.10	10.7
	N	10	10	10	10	10	10	10	10

Table 15
Summary of Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	123	32	0	10.8	8.5	145	5.9	104
	S.D.	28.2	4.8	.7	.34	.90	1.0	.43	1.3
	N	10	10	10	10	10	10	10	10
0.5	MEAN	120	31	1	10.6	8.4	145	6.1	104
	S.D.	37.2	5.6	1.4	.31	1.03	.8	.45	.9
	N	10	10	10	10	10	10	10	10
2.0	MEAN	101	29	2	10.7	8.5	147	6.2	106
	S.D.	12.2	5.6	2.0	.37	1.08	1.3	.51	1.2
	N	10	10	10	10	10	10	10	10
5.0	MEAN	112	32	2	10.7	7.9	147	6.1	105
	S.D.	23.9	5.1	1.3	.35	.83	2.2	.41	1.5
	N	10	10	10	10	10	10	10	10
20.0	MEAN	92 *	32	1	10.6	8.2	146	6.0	105
	S.D.	16.0	7.1	1.1	.24	1.47	1.8	.56	1.1
	N	10	10	10	10	10	10	10	10

Table 15
Summary of Clinical Chemistry Data
Males Week 4
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		PCOA0 IU/G
-----		-----
0	MEAN	9
	S.D.	2.2
	N	5
0.5	MEAN	9
	S.D.	2.3
	N	5
2.0	MEAN	7
	S.D.	4.0
	N	5
5.0	MEAN	8
	S.D.	.8
	N	5
20.0	MEAN	6
	S.D.	1.4
	N	5

Table 15
Summary of Clinical Chemistry Data
Females Week 4
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		PCOA0 IU/G
-----		-----
0	MEAN	5
	S.D.	1.5
	N	5
0.5	MEAN	6
	S.D.	1.1
	N	5
2.0	MEAN	3
	S.D.	1.7
	N	5
5.0	MEAN	2 *
	S.D.	1.1
	N	5
20.0	MEAN	4
	S.D.	1.1
	N	5

Table 16
Summary of Clinical Chemistry Data
Males Week 14 (PCOA0)
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		PCOA0 IU/G
-----		-----
0	MEAN	5
	S.D.	1.3
	N	5
0.5	MEAN	5
	S.D.	3.3
	N	5
2.0	MEAN	5
	S.D.	3.0
	N	5
5.0	MEAN	2
	S.D.	1.8
	N	5
20.0	MEAN	5
	S.D.	1.9
	N	5

Table 16
Summary of Clinical Chemistry Data
Females Week 14 (PCOA0)
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		PCOA0 IU/G
-----		-----
0	MEAN	2
	S.D.	1.6
	N	5
0.5	MEAN	3
	S.D.	2.4
	N	5
2.0	MEAN	1
	S.D.	.7
	N	5
5.0	MEAN	2
	S.D.	2.6
	N	5
20.0	MEAN	5
	S.D.	2.9
	N	5

Table 17
Summary of Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	102	13	.4	6.9	4.9	2.0	.2	63
	S.D.	6.5	1.8	.14	.41	.26	.30	.18	13.4
	N	10	10	10	10	10	10	10	10
0.5	MEAN	106	14	.6	7.0	5.0	2.0	.2	53
	S.D.	11.2	1.6	.14	.34	.20	.26	.15	16.6
	N	10	10	10	10	10	10	10	10
2.0	MEAN	91	13	.5	6.7	4.7	2.0	.1	51
	S.D.	13.7	2.0	.10	.34	.16	.25	.12	14.5
	N	10	10	10	10	10	10	10	10
5.0	MEAN	99	14	.6	7.0	4.9	2.1	.2	57
	S.D.	8.9	1.4	.12	.46	.29	.20	.15	6.9
	N	10	10	10	10	10	10	10	10
20.0	MEAN	95	16 *	.6	6.9	4.9	2.0	.1	37 *
	S.D.	10.3	1.6	.16	.34	.24	.18	.13	12.9
	N	10	10	10	10	10	10	10	10

Table 17
Summary of Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	111	36	1	10.5	7.5	146	6.2	105
	S.D.	23.1	7.0	1.5	.28	.57	.7	.37	1.2
	N	10	10	10	10	10	10	10	10
0.5	MEAN	112	41	1	10.5	7.8	147	6.5	105
	S.D.	18.8	6.3	.7	.29	.64	2.6	.32	2.0
	N	10	10	10	10	10	10	10	10
2.0	MEAN	127	41	1	10.4	7.8	147	6.4	105
	S.D.	20.5	4.7	1.3	.20	.64	1.8	.46	2.2
	N	10	10	10	10	10	10	10	10
5.0	MEAN	129	44	1	10.5	7.5	147	6.1	104
	S.D.	15.4	13.6	1.6	.31	.57	2.8	.37	2.0
	N	10	10	10	10	10	10	10	10
20.0	MEAN	128	65 *	1	10.5	7.8	146	6.4	104
	S.D.	60.7	52.9	1.6	.23	.58	1.3	.52	1.4
	N	10	10	10	10	10	10	10	10

Table 17
Summary of Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	106	15	.6	7.6	5.6	2.1	.1	75
	S.D.	12.0	1.7	.12	.34	.25	.22	.19	14.9
	N	10	10	10	10	10	10	10	10
0.5	MEAN	106	15	.6	8.2 *	6.2 *	2.0	.2	88
	S.D.	9.1	3.2	.13	.42	.44	.19	.14	27.1
	N	10	10	10	10	10	10	10	10
2.0	MEAN	108	15	.8 *	7.9	5.9	2.0	.1	87
	S.D.	5.9	2.3	.12	.30	.24	.22	.08	23.9
	N	10	10	10	10	10	10	10	10
5.0	MEAN	95 *	15	.6	8.0	5.9	2.1	.2	70
	S.D.	8.3	2.0	.14	.44	.43	.31	.14	13.4
	N	10	10	10	10	10	10	10	10
20.0	MEAN	99	18 *	.6	8.0	6.1 *	1.9	.2	66
	S.D.	6.7	2.5	.05	.45	.33	.19	.14	14.0
	N	10	10	10	10	10	10	10	10

Table 17
Summary of Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	103	34	1	10.7	6.3	148	6.0	107
	S.D.	16.3	2.4	1.2	.45	.95	2.0	.43	.9
	N	10	10	10	10	10	10	10	10
0.5	MEAN	107	36	1	11.1	6.4	148	6.4	106
	S.D.	17.8	9.1	1.7	.49	1.30	2.1	.76	1.6
	N	10	10	10	10	10	10	10	10
2.0	MEAN	103	37	1	10.9	6.5	148	6.2	105
	S.D.	26.9	17.9	1.4	.43	.87	3.0	.71	1.4
	N	10	10	10	10	10	10	10	10
5.0	MEAN	103	34	2	10.7	6.6	148	5.8	107
	S.D.	16.5	4.7	1.9	.51	1.14	2.8	.72	1.9
	N	10	10	10	10	10	10	10	10
20.0	MEAN	90	39	1	10.8	6.5	148	6.2	106
	S.D.	20.7	18.2	1.5	.30	.77	2.6	.57	3.0
	N	10	10	10	10	10	10	10	10

Table 18
Summary of Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	115	12	.7	7.3	4.9	2.4	.2	89
	S.D.	8.1	2.3	.10	.43	.28	.34	.12	24.7
	N	10	10	10	10	10	10	10	10
0.5	MEAN	117	13	.8	7.1	4.7	2.4	.3	84
	S.D.	14.7	1.7	.16	.48	.30	.33	.06	31.8
	N	10	10	10	10	10	10	10	10
2.0	MEAN	114	13	.8	7.2	4.8	2.4	.4	74
	S.D.	13.2	2.3	.08	.29	.23	.26	.16	15.5
	N	10	10	10	10	10	10	10	10
5.0	MEAN	113	14	.7	7.4	4.9	2.5	.3	72
	S.D.	11.7	2.5	.16	.45	.28	.24	.12	28.2
	N	10	10	10	10	10	10	10	10
20.0	MEAN	111	17 *	.8	7.5	5.1	2.4	.2	46 *
	S.D.	12.8	2.1	.15	.34	.25	.19	.10	11.6
	N	10	10	10	10	10	10	10	10

Table 18
Summary of Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	84	37	1	11.1	6.7	146	6.7	104
	S.D.	17.8	6.2	1.3	.36	.36	1.1	.23	2.0
	N	10	10	10	10	10	10	10	10
0.5	MEAN	81	36	2	11.1	6.9	147	7.0	104
	S.D.	13.0	6.1	1.8	.43	.59	1.8	.53	1.4
	N	10	10	10	10	10	10	10	10
2.0	MEAN	92	47	1	11.1	6.8	147	6.7	104
	S.D.	22.0	10.5	.6	.28	.30	1.9	.54	1.5
	N	10	10	10	10	10	10	10	10
5.0	MEAN	80	38	1	11.3	7.1	148	6.9	104
	S.D.	9.7	6.3	1.4	.57	.62	1.9	.46	1.4
	N	10	10	10	10	10	10	10	10
20.0	MEAN	103	65	1	11.2	7.3	147	6.9	104
	S.D.	53.6	48.7	1.9	.34	.92	2.5	.65	1.4
	N	10	10	10	10	10	10	10	10

Table 18
Summary of Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	104	14	.9	8.9	6.4	2.5	.4	115
	S.D.	7.3	1.3	.17	.37	.41	.20	.14	26.0
	N	10	10	10	10	10	10	10	10
0.5	MEAN	98	15	.9	8.4	6.2	2.3	.3	95
	S.D.	6.3	2.1	.21	.66	.59	.29	.10	29.0
	N	10	10	10	10	10	10	10	10
2.0	MEAN	99	15	1.0	8.4	6.0	2.4	.3	78 *
	S.D.	8.2	1.9	.16	.71	.65	.26	.13	16.3
	N	10	10	10	10	10	10	10	10
5.0	MEAN	98	15	.9	8.3	5.9	2.3	.3	79 *
	S.D.	10.0	3.2	.14	.39	.28	.29	.15	10.9
	N	10	10	10	10	10	10	10	10
20.0	MEAN	94	20 *	.9	8.7	6.4	2.3	.4	80 *
	S.D.	6.8	2.8	.13	.55	.37	.31	.14	24.4
	N	10	10	10	10	10	10	10	10

Table 18
Summary of Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	119	64	2	11.7	6.7	148	5.8	106
	S.D.	71.9	49.4	2.0	.34	.77	2.1	.71	2.3
	N	10	10	10	10	10	10	10	10
0.5	MEAN	102	34	2	11.7	6.5	147	5.9	106
	S.D.	18.6	8.4	1.5	.67	.74	2.2	.69	1.9
	N	10	10	10	10	10	10	10	10
2.0	MEAN	143	77	2	11.2 *	6.4	148	5.8	107
	S.D.	116.7	130.6	2.0	.38	.96	2.4	.57	1.8
	N	10	10	10	10	10	10	10	10
5.0	MEAN	117	47	4	11.2	6.7	148	6.0	108
	S.D.	39.6	25.8	1.7	.37	.75	1.9	.63	2.0
	N	10	10	10	10	10	10	10	10
20.0	MEAN	117	64	2	11.5	7.3	148	6.0	106
	S.D.	62.6	55.5	2.6	.44	1.20	2.9	.67	2.0
	N	10	10	10	10	10	10	10	10

Table 19
Summary of Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	129	10	.6	7.0	4.4	2.6	.0	120
	S.D.	13.2	1.4	.17	.46	.35	.33	.07	44.6
	N	10	10	10	10	10	10	10	10
0.5	MEAN	125	12	.7	7.4	4.8	2.6	.2	129
	S.D.	12.5	1.2	.09	.26	.26	.28	.16	53.1
	N	10	10	10	10	10	10	10	10
2.0	MEAN	121	12 *	.7	7.3	4.7	2.6	.1	89
	S.D.	13.8	1.5	.15	.38	.20	.32	.09	17.7
	N	10	10	10	10	10	10	10	10
5.0	MEAN	121	14 *	.7	7.6 *	4.8	2.7	.1	92
	S.D.	8.0	1.3	.16	.46	.28	.32	.12	15.2
	N	10	10	10	10	10	10	10	10
20.0	MEAN	110 *	13 *	.7	7.0	4.6	2.4	.0	50 *
	S.D.	10.2	2.3	.09	.61	.55	.23	.03	17.8
	N	9	9	9	9	9	9	9	9

Table 19
Summary of Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	106	54	0	10.5	6.3	147	5.9	106
	S.D.	27.0	65.8	.0	.39	.42	1.6	.44	1.8
	N	10	10	10	10	10	10	10	10
0.5	MEAN	118	62 *	0	11.4 *	7.1 *	148	6.5	106
	S.D.	38.8	51.8	.5	.41	.34	2.5	.55	1.9
	N	10	10	10	10	10	10	10	10
2.0	MEAN	111	40	0	11.0 *	7.2 *	149	6.6	107
	S.D.	16.6	7.5	.8	.43	.59	2.4	.56	1.7
	N	10	10	10	10	10	10	10	10
5.0	MEAN	130	44	0	11.1 *	7.7 *	149	6.8 *	107
	S.D.	21.9	8.3	1.3	.55	.64	3.5	.63	2.4
	N	10	10	10	10	10	10	10	10
20.0	MEAN	129	83 *	1	10.5	7.0 *	148	6.2	110 *
	S.D.	70.0	84.4	1.3	.41	.61	3.5	.89	2.1
	N	9	9	9	9	9	9	9	9

Table 19
Summary of Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
0	MEAN	111	11	.7	7.7	5.5	2.2	.0	116
	S.D.	10.1	2.5	.10	1.04	.81	.38	.07	19.8
	N	10	10	10	10	10	10	10	10
0.5	MEAN	102	13	.7	8.1	5.8	2.3	.2	108
	S.D.	8.4	2.3	.25	.44	.34	.19	.14	26.1
	N	10	10	10	10	10	10	10	10
2.0	MEAN	96 *	13	.8	8.0	5.5	2.5	.1	101
	S.D.	12.9	2.2	.15	.45	.44	.46	.11	17.2
	N	10	10	10	10	10	10	10	10
5.0	MEAN	97 *	14 *	.8	8.2	5.8	2.4	.1	110
	S.D.	6.3	2.9	.19	.31	.32	.30	.13	49.6
	N	10	10	10	10	10	10	10	10
20.0	MEAN	98 *	16 *	.8	7.9	5.7	2.2	.0	79
	S.D.	9.8	2.8	.14	.76	.81	.39	.10	25.5
	N	10	10	10	10	10	10	10	10

Table 19
Summary of Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
0	MEAN	119	50	0	10.6	5.8	146	5.1	106
	S.D.	61.0	30.2	.3	.54	.90	2.4	.47	2.6
	N	10	10	10	10	10	10	10	10
0.5	MEAN	115	43	0	11.1 *	5.8	147	5.8	106
	S.D.	15.3	7.1	.5	.48	.83	3.6	1.04	3.7
	N	10	10	10	10	10	10	10	10
2.0	MEAN	121	54	1	10.8	5.6	147	5.1	107
	S.D.	21.4	14.5	1.3	.24	.58	2.1	.45	2.5
	N	10	10	10	10	10	10	10	10
5.0	MEAN	108	46	1	11.0	5.5	147	5.4	108
	S.D.	25.1	19.5	1.7	.29	.74	1.8	.65	3.2
	N	10	10	10	10	10	10	10	10
20.0	MEAN	93	46	0	10.6	5.9	147	5.3	110
	S.D.	17.5	17.3	.3	.47	.65	3.1	1.00	2.7
	N	10	10	10	10	10	10	10	10

Table 20
Summary of Clinical Chemistry Data

Males Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		CHOL MG/DL	TRIG MG/DL
-----		-----	-----
0	MEAN	153	199
	S.D.	73.5	151.3
	N	11	11
0.5	MEAN	144	187
	S.D.	60.8	82.7
	N	10	10
2.0	MEAN	129	199
	S.D.	38.4	120.6
	N	17	17
5.0	MEAN	123	150
	S.D.	42.7	65.3
	N	25	25
20.0	MEAN	118	169
	S.D.	52.2	121.9
	N	22	22
20.0	MEAN	145	137
	S.D.	40.1	53.9
	N	10	10

Table 20
Summary of Clinical Chemistry Data

Females Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE		CHOL	TRIG
ppm T-6295		MG/DL	MG/DL
-----		-----	-----
0	MEAN	124	123
	S.D.	39.6	78.6
	N	24	24
0.5	MEAN	124	114
	S.D.	25.4	100.1
	N	15	15
5.0	MEAN	114	136
	S.D.	29.8	92.5
	N	15	15
20.0	MEAN	103	96
	S.D.	57.2	109.7
	N	25	25
20.0	MEAN	109	149
	S.D.	23.3	76.2
	N	17	17

Table 21
Summary of Clinical Chemistry Data

Females Day 719

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
2.0		
MEAN	124	169
S.D.	41.1	70.4
N	9	9

Table 22
Summary of Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U VOL ML	SP GR	U PH
-----		-----	-----	-----
0	MEAN	21.4	1.010	7.0
	S.D.	11.72	.0036	.16
	N	10	10	10
0.5	MEAN	22.6	1.014	7.0
	S.D.	14.76	.0080	.24
	N	10	10	10
2.0	MEAN	25.3	1.010	7.0
	S.D.	16.35	.0073	.33
	N	10	10	10
5.0	MEAN	31.8	1.009	7.2
	S.D.	14.52	.0055	.24
	N	10	10	10
20.0	MEAN	22.6	1.012	7.0
	S.D.	9.78	.0069	.00
	N	10	10	10

Table 22
Summary of Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U VOL ML	SP GR	U PH
-----		-----	-----	-----
0	MEAN	10.9	1.019	6.8
	S.D.	13.48	.0103	.26
	N	10	10	10
0.5	MEAN	15.2	1.015	6.8
	S.D.	16.13	.0106	.24
	N	10	10	10
2.0	MEAN	14.2	1.015	6.8
	S.D.	17.68	.0087	.26
	N	10	10	10
5.0	MEAN	13.2	1.014	6.8
	S.D.	7.12	.0060	.24
	N	10	10	10
20.0	MEAN	17.5	1.013	6.8
	S.D.	16.39	.0083	.26
	N	10	10	10

Table 23
Summary of Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U VOL ML	SP GR	U PH
-----		-----	-----	-----
0	MEAN	28.8	1.014	7.2
	S.D.	16.45	.0099	.34
	N	10	10	10
0.5	MEAN	23.5	1.018	7.1
	S.D.	16.23	.0140	.39
	N	10	10	10
2.0	MEAN	20.8	1.018	7.0
	S.D.	17.37	.0099	.37
	N	10	10	10
5.0	MEAN	25.4	1.014	7.0
	S.D.	14.27	.0067	.33
	N	10	10	10
20.0	MEAN	18.5	1.019	7.0
	S.D.	14.64	.0073	.28
	N	10	10	10

Table 23
Summary of Clinical Urinalysis Data
Females Week 14
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U VOL ML	SP GR	U PH
-----		-----	-----	-----
0	MEAN	17.5	1.020	6.8
	S.D.	21.04	.0166	.26
	N	10	10	10
0.5	MEAN	16.8	1.016	7.0
	S.D.	17.86	.0090	.50
	N	10	10	10
2.0	MEAN	7.8	1.021	6.8
	S.D.	6.43	.0082	.35
	N	10	10	10
5.0	MEAN	25.7	1.009	6.8
	S.D.	14.20	.0050	.35
	N	10	10	10
20.0	MEAN	19.5	1.015	6.9
	S.D.	17.83	.0119	.32
	N	10	10	10

Table 24
Summary of Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295	U VOL ML	SP GR	U PH
-----	-----	-----	-----
0			
MEAN	15.2	1.022	6.9
S.D.	7.12	.0105	.32
N	10	10	10
0.5			
MEAN	16.2	1.017	7.1
S.D.	8.42	.0056	.21
N	10	10	10
2.0			
MEAN	16.2	1.019	7.0
S.D.	6.79	.0053	.37
N	10	10	10
5.0			
MEAN	20.4	1.019	7.0
S.D.	15.70	.0107	.24
N	10	10	10
20.0			
MEAN	17.9	1.029	6.8
S.D.	16.42	.0231	.26
N	10	10	10

Table 24
Summary of Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295	U VOL ML	SP GR	U PH
-----	-----	-----	-----
0			
MEAN	17.6	1.016	6.6
S.D.	17.05	.0142	.21
N	10	10	10
0.5			
MEAN	15.9	1.016	6.6
S.D.	12.34	.0089	.34
N	10	10	10
2.0			
MEAN	15.6	1.016	6.8
S.D.	12.72	.0092	.24
N	10	10	10
5.0			
MEAN	21.6	1.014	6.9
S.D.	14.18	.0104	.32
N	10	10	10
20.0			
MEAN	13.7	1.022	6.6
S.D.	11.58	.0170	.37
N	10	10	10

Table 25
Summary of Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295	U VOL ML	SP GR	U PH
-----	-----	-----	-----
0			
MEAN	12.5	1.025	6.6
S.D.	7.75	.0110	.32
N	10	10	10
0.5			
MEAN	18.0	1.026	6.7
S.D.	13.20	.0123	.26
N	10	10	10
2.0			
MEAN	16.2	1.021	7.1 *
S.D.	7.90	.0063	.42
N	10	10	9
5.0			
MEAN	11.6	1.032	6.9
S.D.	7.53	.0182	.39
N	10	10	10
20.0			
MEAN	11.0	1.028	6.9
S.D.	4.55	.0074	.49
N	9	9	9

Table 25
Summary of Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295	U VOL ML	SP GR	U PH
-----	-----	-----	-----
0			
MEAN	9.1	1.022	6.5
S.D.	2.00	.0039	.33
N	10	10	10
0.5			
MEAN	7.7	1.025	6.6
S.D.	4.07	.0070	.52
N	10	10	10
2.0			
MEAN	9.0	1.025	6.5
S.D.	5.46	.0114	.33
N	10	10	10
5.0			
MEAN	8.3	1.030	6.6
S.D.	12.54	.0105	.41
N	10	10	10
20.0			
MEAN	10.1	1.028	6.2
S.D.	13.35	.0117	.26
N	10	10	10

Table 26
Summary of Urine Chemistry Data
Males Week 4
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	12	65	.22	1.18
	S.D.	3.5	20.2	.092	.258
	N	10	10	9	9
0.5	MEAN	19	86	.29	1.35
	S.D.	13.9	53.4	.096	.191
	N	10	10	9	9
2.0	MEAN	13	65	.24	1.18
	S.D.	9.5	42.5	.114	.211
	N	10	10	7	7
5.0	MEAN	14	54	.40	1.47
	S.D.	7.9	32.0	.186	.289
	N	10	10	7	7
20.0	MEAN	17	68	.28	1.23
	S.D.	16.4	39.1	.086	.175
	N	10	10	10	10

Table 26
Summary of Urine Chemistry Data
Females Week 4
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	22	103	.13	.56
	S.D.	10.6	59.9	.049	.198
	N	10	10	9	9
0.5	MEAN	23	86	.15	.59
	S.D.	18.0	74.1	.071	.152
	N	10	10	8	8
2.0	MEAN	28	80	.20	.57
	S.D.	16.7	43.9	.069	.198
	N	10	10	8	8
5.0	MEAN	22	70	.24 *	.75
	S.D.	12.2	34.1	.076	.222
	N	10	10	10	10
20.0	MEAN	20	67	.18	.66
	S.D.	12.3	40.2	.048	.130
	N	10	10	8	8

Table 27
Summary of Urine Chemistry Data
Males Week 14
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	20	60	.43	1.17
	S.D.	17.1	50.1	.255	.294
	N	10	10	7	7
0.5	MEAN	25	87	.38	1.13
	S.D.	16.5	80.7	.165	.314
	N	10	10	8	8
2.0	MEAN	23	82	.33	1.01
	S.D.	12.5	56.0	.180	.372
	N	10	10	8	8
5.0	MEAN	22	65	.44	1.33
	S.D.	11.7	34.8	.104	.226
	N	10	10	8	8
20.0	MEAN	26	89	.37	1.24
	S.D.	13.2	37.8	.182	.438
	N	10	10	10	10

Table 27
Summary of Urine Chemistry Data
Females Week 14
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	32	77	.22	.54
	S.D.	23.2	53.0	.058	.172
	N	9	9	6	6
0.5	MEAN	27	70	.20	.56
	S.D.	17.6	43.6	.065	.212
	N	10	10	8	8
2.0	MEAN	43	106	.26	.63
	S.D.	21.2	44.1	.146	.234
	N	10	10	10	10
5.0	MEAN	16	42	.31	.88
	S.D.	9.1	25.2	.085	.281
	N	10	10	8	8
20.0	MEAN	37	69	.35	.65
	S.D.	40.5	68.9	.197	.259
	N	10	10	8	8

Table 28
Summary of Urine Chemistry Data
Males Week 27
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	22	116	.29	1.43
	S.D.	14.5	67.1	.153	.422
	N	10	10	10	10
0.5	MEAN	16	77	.22	1.10
	S.D.	10.0	28.1	.098	.234
	N	10	10	10	10
2.0	MEAN	24	93	.35	1.27
	S.D.	9.9	25.3	.192	.333
	N	9	9	9	9
5.0	MEAN	21	89	.30	1.22
	S.D.	15.5	65.7	.122	.394
	N	10	10	8	8
20.0	MEAN	46	139	.41	1.31
	S.D.	42.4	114.5	.226	.532
	N	10	10	8	8

Table 28
Summary of Urine Chemistry Data
Females Week 27
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	18	71	.14	.58
	S.D.	18.0	68.2	.070	.241
	N	10	10	8	8
0.5	MEAN	14	74	.16	.79
	S.D.	9.9	50.2	.055	.212
	N	10	10	9	9
2.0	MEAN	21	70	.19	.66
	S.D.	18.1	49.9	.083	.158
	N	10	10	10	10
5.0	MEAN	18	67	.22	.84
	S.D.	17.2	56.7	.139	.280
	N	10	10	9	9
20.0	MEAN	32	96	.21	.73
	S.D.	37.4	85.7	.119	.270
	N	10	10	10	10

Table 29
Summary of Urine Chemistry Data
Males Week 53
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	32	133	.34	1.30
	S.D.	15.5	65.6	.141	.390
	N	10	10	10	10
0.5	MEAN	23	144	.27	1.65
	S.D.	18.2	103.4	.158	.354
	N	10	10	9	9
2.0	MEAN	21	96	.31	1.40
	S.D.	11.4	30.6	.168	.401
	N	10	10	10	10
5.0	MEAN	32	168	.27	1.41
	S.D.	21.5	105.3	.115	.228
	N	10	10	10	10
20.0	MEAN	46	145	.49	1.51
	S.D.	20.0	36.4	.215	.473
	N	9	9	9	9

Table 29
Summary of Urine Chemistry Data
Females Week 53
104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

DOSE ppm T-6295		U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----		-----	-----	-----	-----
0	MEAN	40	135	.36	1.19
	S.D.	14.8	42.4	.122	.337
	N	10	10	10	10
0.5	MEAN	28	132	.22	.87 *
	S.D.	13.6	51.3	.163	.278
	N	10	10	10	10
2.0	MEAN	23 *	140	.18	.99
	S.D.	8.8	69.9	.081	.307
	N	10	10	10	10
5.0	MEAN	37	172	.21	.76 *
	S.D.	14.5	80.9	.147	.239
	N	10	10	10	10
20.0	MEAN	42	164	.26	.93
	S.D.	22.7	85.4	.186	.226
	N	10	10	9	9

TABLE 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF ADRENAL

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1				
NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	0.0331	0.0068	0.0151
STANDARD DEV:		55.9	0.0016	0.0010	0.0011
M	2				
NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	0.0296	0.0061	0.0133
STANDARD DEV:		51.3	0.0071	0.0011	0.0032
M	3				
NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	0.0305	0.0071	0.0133
STANDARD DEV:		31.4	0.0082	0.0023	0.0032

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
F	1				
NUMBER IN GROUP:		5	5	5	5
MEAN:		284.0	0.0443	0.0159	0.0217
STANDARD DEV:		39.2	0.0073	0.0038	0.0042
F	2				
NUMBER IN GROUP:		5	5	5	5
MEAN:		298.9	0.0346	0.0115	0.0166
STANDARD DEV:		40.8	0.0062	0.0009	0.0034
F	3				
NUMBER IN GROUP:		5	5	5	5
MEAN:		265.7	0.0383	0.0146	0.0189
STANDARD DEV:		16.3	0.0060	0.0034	0.0028

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF ADRENAL

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	0.0330	0.0063	0.0146	MEAN:		246.7	0.0355	0.0144	0.0172
STANDARD DEV:		44.5	0.0063	0.0008	0.0034	STANDARD DEV:		17.5	0.0072	0.0026	0.0037
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	0.0250	0.0053	0.0114	MEAN:		249.1	0.0345	0.0140	0.0172
STANDARD DEV:		40.1	0.0032	0.0004	0.0005	STANDARD DEV:		26.1	0.0043	0.0024	0.0035

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT ADRENAL

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	0.0302	0.0062	0.0137	MEAN:		284.0	0.0417	0.0150	0.0204
STANDARD DEV:		55.9	0.0051	0.0013	0.0021	STANDARD DEV:		39.2	0.0093	0.0043	0.0050
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	0.0247	0.0051	0.0112	MEAN:		298.9	0.0322	0.0108	0.0154
STANDARD DEV:		51.3	0.0094	0.0016	0.0043	STANDARD DEV:		40.8	0.0056	0.0013	0.0028
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	0.0286	0.0066	0.0126	MEAN:		265.7	0.0373	0.0141	0.0184
STANDARD DEV:		31.4	0.0079	0.0019	0.0034	STANDARD DEV:		16.3	0.0052	0.0025	0.0022

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT ADRENAL

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	0.0318	0.0060	0.0140	MEAN:		246.7	0.0329	0.0133	0.0159
STANDARD DEV:		44.5	0.0072	0.0010	0.0032	STANDARD DEV:		17.5	0.0042	0.0013	0.0018
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	0.0253	0.0054	0.0115	MEAN:		249.1	0.0323	0.0131	0.0161
STANDARD DEV:		40.1	0.0044	0.0009	0.0012	STANDARD DEV:		26.1	0.0052	0.0028	0.0041

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

BRAIN

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	2.2027	0.4499	1.0000	MEAN:		284.0	2.0506	0.7302	1.0000
STANDARD DEV:		55.9	0.0998	0.0620	0.0000	STANDARD DEV:		39.2	0.0895	0.0796	0.0000
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	2.2216	0.4652	1.0000	MEAN:		298.9	2.0992	0.7123	1.0000
STANDARD DEV:		51.3	0.1022	0.0408	0.0000	STANDARD DEV:		40.8	0.1878	0.1139	0.0000
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	2.2768	0.5280	1.0000	MEAN:		265.7	2.0240	0.7647	1.0000
STANDARD DEV:		31.4	0.0980	0.0621	0.0000	STANDARD DEV:		16.3	0.0532	0.0623	0.0000

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

BRAIN

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	2.2740	0.4366	1.0000	MEAN:		246.7	2.0631	0.8388	1.0000
STANDARD DEV:		44.5	0.1332	0.0471	0.0000	STANDARD DEV:		17.5	0.0817	0.0509	0.0000
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	2.1876	0.4655	1.0000	MEAN:		249.1	2.0375	0.8187	1.0000
STANDARD DEV:		40.1	0.2136	0.0318	0.0000	STANDARD DEV:		26.1	0.2129	0.0414	0.0000

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF KIDNEY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	1.9158	0.3867	0.8733	MEAN:		284.0	1.1576	0.4123	0.5650
STANDARD DEV:		55.9	0.2630	0.0350	0.1428	STANDARD DEV:		39.2	0.1245	0.0616	0.0618
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	1.8856	0.3920	0.8470	MEAN:		298.9	1.1245	0.3787	0.5385
STANDARD DEV:		51.3	0.2315	0.0241	0.0779	STANDARD DEV:		40.8	0.1201	0.0384	0.0695
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	1.8856	0.4356	0.8295	MEAN:		265.7	1.1610	0.4377	0.5741
STANDARD DEV:		31.4	0.1583	0.0413	0.0808	STANDARD DEV:		16.3	0.0565	0.0231	0.0345

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF KIDNEY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	2.0510	0.3919	0.9034	MEAN:		246.7	1.1187	0.4531	0.5420
STANDARD DEV:		44.5	0.2638	0.0448	0.1208	STANDARD DEV:		17.5	0.1230	0.0345	0.0551
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	1.9496	0.4174	0.9001	MEAN:		249.1	1.1562	0.4675	0.5708
STANDARD DEV:		40.1	0.1517	0.0525	0.1341	STANDARD DEV:		26.1	0.0619	0.0456	0.0446

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT KIDNEY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	1.8989	0.3849	0.8647	MEAN:		284.0	1.1863	0.4224	0.5792
STANDARD DEV:		55.9	0.1660	0.0314	0.0988	STANDARD DEV:		39.2	0.1066	0.0567	0.0548
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	1.8373	0.3834	0.8262	MEAN:		298.9	1.1307	0.3796	0.5417
STANDARD DEV:		51.3	0.1452	0.0238	0.0350	STANDARD DEV:		40.8	0.1396	0.0294	0.0788
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	1.9428	0.4487	0.8551	MEAN:		265.7	1.1545	0.4347	0.5713
STANDARD DEV:		31.4	0.1201	0.0321	0.0730	STANDARD DEV:		16.3	0.0706	0.0131	0.0472

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT KIDNEY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	2.0560	0.3930	0.9070	MEAN:		246.7	1.1446	0.4626	0.5543
STANDARD DEV:		44.5	0.2362	0.0415	0.1245	STANDARD DEV:		17.5	0.1468	0.0307	0.0637
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	1.9357	0.4152	0.8945	MEAN:		249.1	1.1993	0.4844	0.5914
STANDARD DEV:		40.1	0.1823	0.0634	0.1506	STANDARD DEV:		26.1	0.0960	0.0497	0.0490

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LIVER

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	15.8246	3.2105	7.2089	MEAN:		284.0	9.2939	3.2663	4.5286
STANDARD DEV:		55.9	1.1470	0.2501	0.7794	STANDARD DEV:		39.2	1.5941	0.2219	0.6977
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	15.5356	3.2119	6.9828	MEAN:		298.9	9.1934	3.0785	4.3942
STANDARD DEV:		51.3	2.6697	0.2424	1.1308	STANDARD DEV:		40.8	1.2506	0.1365	0.5841
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	14.0264	3.2296	6.1829	MEAN:		265.7	8.4060	3.1686	4.1509
STANDARD DEV:		31.4	1.3506	0.1645	0.7912	STANDARD DEV:		16.3	0.6870	0.2526	0.2786

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL; GROUP=ALL; WEEKS=ALL
DEATH=2; SUBSET=ALL

LIVER

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	18.8254	3.5758	8.3121	MEAN:		246.7	8.7074	3.5252	4.2249
STANDARD DEV:		44.5	3.0304	0.3075	1.5632	STANDARD DEV:		17.5	1.0293	0.2630	0.5225
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	20.3339*	4.3329*	9.3597*	MEAN:		249.1	10.5929	4.2760*	5.2213
STANDARD DEV:		40.1	2.2244	0.4281	1.3157	STANDARD DEV:		26.1	0.6685	0.3527	0.3041

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LUNG

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1				
NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	1.9239	0.3910	0.8773
STANDARD DEV:		55.9	0.1514	0.0406	0.1103
M	2				
NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	1.7946	0.3760	0.8099
STANDARD DEV:		51.3	0.1266	0.0428	0.0776
M	3				
NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	1.8522	0.4291	0.8137
STANDARD DEV:		31.4	0.2526	0.0704	0.1089

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
F	1				
NUMBER IN GROUP:		5	5	5	5
MEAN:		284.0	1.4837	0.5274	0.7235
STANDARD DEV:		39.2	0.1221	0.0581	0.0500
F	2				
NUMBER IN GROUP:		5	5	5	5
MEAN:		298.9	1.4581	0.4954	0.6992
STANDARD DEV:		40.8	0.0258	0.0702	0.0644
F	3				
NUMBER IN GROUP:		5	5	5	5
MEAN:		265.7	1.2902*	0.4859	0.6369
STANDARD DEV:		16.3	0.1419	0.0476	0.0603

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL; GROUP=ALL; WEEKS=ALL
DEATH=2; SUBSET=ALL

LUNG

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	2.6655	0.5072	1.1500	MEAN:		246.7	1.3227*	0.5390	0.6420
STANDARD DEV:		44.5	1.5011	0.2769	0.5633	STANDARD DEV:		17.5	0.1112	0.0628	0.0599
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	1.7721	0.3767	0.8107	MEAN:		249.1	1.2912*	0.5210	0.6394
STANDARD DEV:		40.1	0.1713	0.0158	0.0351	STANDARD DEV:		26.1	0.1316	0.0596	0.0970

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF OVARY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5				MEAN:		284.0	0.0807	0.0292	0.0394
STANDARD DEV:		55.9				STANDARD DEV:		39.2	0.0147	0.0081	0.0069
M	2					F	2				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0				MEAN:		298.9	0.0707	0.0235	0.0339
STANDARD DEV:		51.3				STANDARD DEV:		40.8	0.0169	0.0027	0.0080
M	3					F	3				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1				MEAN:		265.7	0.0674	0.0254	0.0333
STANDARD DEV:		31.4				STANDARD DEV:		16.3	0.0094	0.0035	0.0049

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF OVARY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2				MEAN:		246.7	0.0768	0.0311	0.0371
STANDARD DEV:		44.5				STANDARD DEV:		17.5	0.0129	0.0047	0.0058
M	5					F	5				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3				MEAN:		249.1	0.0737	0.0296	0.0362
STANDARD DEV:		40.1				STANDARD DEV:		26.1	0.0164	0.0056	0.0068

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT OVARY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5				MEAN:		284.0	0.0731	0.0261	0.0358
STANDARD DEV:		55.9				STANDARD DEV:		39.2	0.0060	0.0043	0.0040
M	2					F	2				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0				MEAN:		298.9	0.0700	0.0233	0.0333
STANDARD DEV:		51.3				STANDARD DEV:		40.8	0.0180	0.0038	0.0073
M	3					F	3				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1				MEAN:		265.7	0.0707	0.0266	0.0349
STANDARD DEV:		31.4				STANDARD DEV:		16.3	0.0154	0.0053	0.0074

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT OVARY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2				MEAN:		246.7	0.0769	0.0310	0.0373
STANDARD DEV:		44.5				STANDARD DEV:		17.5	0.0191	0.0066	0.0094
M	5					F	5				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3				MEAN:		249.1	0.0699	0.0280	0.0343
STANDARD DEV:		40.1				STANDARD DEV:		26.1	0.0086	0.0012	0.0018

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

SPLEEN

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	0.7759	0.1575	0.3526	MEAN:		284.0	0.5129	0.1822	0.2501
STANDARD DEV:		55.9	0.0794	0.0174	0.0364	STANDARD DEV:		39.2	0.0444	0.0196	0.0174
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	0.7825	0.1612	0.3510	MEAN:		298.9	0.5494	0.1845	0.2617
STANDARD DEV:		51.3	0.1814	0.0229	0.0728	STANDARD DEV:		40.8	0.1033	0.0302	0.0415
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	0.7287	0.1686	0.3201	MEAN:		265.7	0.5110	0.1926	0.2529
STANDARD DEV:		31.4	0.0928	0.0250	0.0404	STANDARD DEV:		16.3	0.0445	0.0160	0.0275

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

SPLEEN

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	0.7046	0.1341	0.3120	MEAN:		246.7	0.4750	0.1930	0.2303
STANDARD DEV:		44.5	0.1067	0.0120	0.0619	STANDARD DEV:		17.5	0.0247	0.0099	0.0107
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	0.7754	0.1650	0.3543	MEAN:		249.1	0.4326*	0.1749	0.2141
STANDARD DEV:		40.1	0.0826	0.0135	0.0103	STANDARD DEV:		26.1	0.0310	0.0182	0.0255

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF TESTIS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		495.5	1.7498	0.3560	0.7964	MEAN:		284.0			
STANDARD DEV:		55.9	0.2466	0.0582	0.1237	STANDARD DEV:		39.2			
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		481.0	1.7146	0.3581	0.7711	MEAN:		298.9			
STANDARD DEV:		51.3	0.1818	0.0344	0.0617	STANDARD DEV:		40.8			
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		434.1	1.6809	0.3887	0.7394	MEAN:		265.7			
STANDARD DEV:		31.4	0.0700	0.0308	0.0461	STANDARD DEV:		16.3			

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF TESTIS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		524.2	1.6548	0.3177	0.7269	MEAN:		246.7			
STANDARD DEV:		44.5	0.1429	0.0390	0.0220	STANDARD DEV:		17.5			
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		470.3	1.6454	0.3504	0.7561	MEAN:		249.1			
STANDARD DEV:		40.1	0.1290	0.0163	0.0726	STANDARD DEV:		26.1			

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT TESTIS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		495.5	1.7446	0.3544	0.7945	MEAN:		284.0			
STANDARD DEV:		55.9	0.2362	0.0524	0.1246	STANDARD DEV:		39.2			
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		481.0	1.6989	0.3548	0.7642	MEAN:		298.9			
STANDARD DEV:		51.3	0.1610	0.0310	0.0531	STANDARD DEV:		40.8			
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		434.1	1.6716	0.3863	0.7356	MEAN:		265.7			
STANDARD DEV:		31.4	0.0876	0.0289	0.0557	STANDARD DEV:		16.3			

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT TESTIS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		524.2	1.6615	0.3190	0.7299	MEAN:		246.7			
STANDARD DEV:		44.5	0.1437	0.0402	0.0263	STANDARD DEV:		17.5			
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5			
MEAN:		470.3	1.6738	0.3567	0.7686	MEAN:		249.1			
STANDARD DEV:		40.1	0.0932	0.0134	0.0513	STANDARD DEV:		26.1			

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF THYROID/PARA

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	0.0162	0.0032	0.0074	MEAN:		284.0	0.0069	0.0024	0.0033
STANDARD DEV:		55.9	0.0098	0.0015	0.0046	STANDARD DEV:		39.2	0.0015	0.0004	0.0006
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	0.0121	0.0025	0.0054	MEAN:		298.9	0.0098	0.0033	0.0047
STANDARD DEV:		51.3	0.0025	0.0004	0.0009	STANDARD DEV:		40.8	0.0025	0.0006	0.0011
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	0.0140	0.0033	0.0060	MEAN:		265.7	0.0080	0.0030	0.0040
STANDARD DEV:		31.4	0.0091	0.0025	0.0036	STANDARD DEV:		16.3	0.0028	0.0011	0.0014

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

LF THYROID/PARA

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	0.0143	0.0028	0.0063	MEAN:		246.7	0.0091	0.0037*	0.0044
STANDARD DEV:		44.5	0.0045	0.0011	0.0020	STANDARD DEV:		17.5	0.0008	0.0005	0.0004
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	0.0114	0.0025	0.0053	MEAN:		249.1	0.0077	0.0031*	0.0038
STANDARD DEV:		40.1	0.0016	0.0005	0.0013	STANDARD DEV:		26.1	0.0012	0.0003	0.0005

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT THYROID/PARA

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO-BODY WT (%)	ORGAN-TO-BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5	0.0171	0.0034	0.0078	MEAN:		284.0	0.0097	0.0035	0.0047
STANDARD DEV:		55.9	0.0080	0.0012	0.0038	STANDARD DEV:		39.2	0.0033	0.0015	0.0015
M	2					F	2				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0	0.0132	0.0027	0.0059	MEAN:		298.9	0.0110	0.0037	0.0052
STANDARD DEV:		51.3	0.0038	0.0006	0.0016	STANDARD DEV:		40.8	0.0024	0.0008	0.0008
M	3					F	3				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1	0.0126	0.0029	0.0055	MEAN:		265.7	0.0116	0.0044	0.0057
STANDARD DEV:		31.4	0.0017	0.0005	0.0007	STANDARD DEV:		16.3	0.0062	0.0023	0.0029

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

RT THYROID/PARA

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2	0.0159	0.0031	0.0069	MEAN:		246.7	0.0097	0.0039	0.0047
STANDARD DEV:		44.5	0.0058	0.0013	0.0023	STANDARD DEV:		17.5	0.0013	0.0005	0.0005
M	5					F	5				
NUMBER IN GROUP:		5	5	5	5	NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3	0.0104	0.0022	0.0048	MEAN:		249.1	0.0095	0.0038	0.0047
STANDARD DEV:		40.1	0.0014	0.0004	0.0008	STANDARD DEV:		26.1	0.0011	0.0003	0.0004

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

UTERUS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		495.5				MEAN:		284.0	0.8644	0.3157	0.4244
STANDARD DEV:		55.9				STANDARD DEV:		39.2	0.3226	0.1459	0.1667
M	2					F	2				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		481.0				MEAN:		298.9	0.5986	0.2010	0.2906
STANDARD DEV:		51.3				STANDARD DEV:		40.8	0.1521	0.0486	0.0974
M	3					F	3				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		434.1				MEAN:		265.7	0.8368	0.3125	0.4173
STANDARD DEV:		31.4				STANDARD DEV:		16.3	0.3843	0.1335	0.2021

Table 30
Summary of Organ Weight Data
Week 14 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=2;SUBSET=ALL

UTERUS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	4					F	4				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		524.2				MEAN:		246.7	0.9249	0.3815	0.4478
STANDARD DEV:		44.5				STANDARD DEV:		17.5	0.3717	0.1685	0.1731
M	5					F	5				
NUMBER IN GROUP:		5				NUMBER IN GROUP:		5	5	5	5
MEAN:		470.3				MEAN:		249.1	0.7984	0.3306	0.3974
STANDARD DEV:		40.1				STANDARD DEV:		26.1	0.4389	0.1980	0.2223

TABLE 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LF ADRENAL

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	0.0313	0.0044	0.0135	MEAN:		414.5	0.0501	0.0129	0.0235
STANDARD DEV:		105.5	0.0076	0.0010	0.0036	STANDARD DEV:		101.9	0.0290	0.0091	0.0135
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	0.0263	0.0040	0.0112	MEAN:		331.9*	0.0311*	0.0095	0.0141*
STANDARD DEV:		142.5	0.0046	0.0008	0.0018	STANDARD DEV:		39.7	0.0053	0.0022	0.0024

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

RT ADRENAL

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	0.0275	0.0039	0.0119	MEAN:		414.5	0.0368	0.0093	0.0172
STANDARD DEV:		105.5	0.0060	0.0010	0.0028	STANDARD DEV:		101.9	0.0072	0.0027	0.0032
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	0.0262	0.0040	0.0111	MEAN:		331.9*	0.0318	0.0097	0.0144*
STANDARD DEV:		142.5	0.0031	0.0007	0.0011	STANDARD DEV:		39.7	0.0037	0.0016	0.0019

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

BRAIN

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	2.3308	0.3320	1.0000	MEAN:		414.5	2.1293	0.5376	1.0000
STANDARD DEV:		105.5	0.1344	0.0442	0.0000	STANDARD DEV:		101.9	0.0884	0.1129	0.0000
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	2.3485	0.3644	1.0000	MEAN:		331.9*	2.2148	0.6752*	1.0000
STANDARD DEV:		142.5	0.0730	0.0722	0.0000	STANDARD DEV:		39.7	0.1036	0.0817	0.0000

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LF KIDNEY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	2.3449	0.3327	1.0078	MEAN:		414.5	1.3621	0.3357	0.6391
STANDARD DEV:		105.5	0.1955	0.0397	0.0857	STANDARD DEV:		101.9	0.2284	0.0458	0.1000
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	2.4193	0.3712	1.0322	MEAN:		331.9*	1.3638	0.4149*	0.6171
STANDARD DEV:		142.5	0.2614	0.0597	0.1260	STANDARD DEV:		39.7	0.1321	0.0532	0.0668

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

RT KIDNEY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	2.3577	0.3340	1.0129	MEAN:		414.5	1.4200	0.3498	0.6665
STANDARD DEV:		105.5	0.2008	0.0348	0.0842	STANDARD DEV:		101.9	0.2361	0.0447	0.1046
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	2.4080	0.3690	1.0271	MEAN:		331.9*	1.3769	0.4193*	0.6224
STANDARD DEV:		142.5	0.2312	0.0529	0.1109	STANDARD DEV:		39.7	0.1375	0.0574	0.0631

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LIVER

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	20.0275	2.8113	8.6130	MEAN:		414.5	11.5769	2.8031	5.4312
STANDARD DEV:		105.5	3.0980	0.2044	1.4054	STANDARD DEV:		101.9	3.0344	0.3109	1.3763
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	26.6325*	4.0039*	11.3659*	MEAN:		331.9*	13.8907	4.2047*	6.2883
STANDARD DEV:		142.5	5.5590	0.5449	2.4751	STANDARD DEV:		39.7	1.8568	0.5156	0.8921

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LUNG

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	2.1599	0.3061	0.9293	MEAN:		414.5	1.6819	0.4215	0.7913
STANDARD DEV:		105.5	0.2545	0.0413	0.1174	STANDARD DEV:		101.9	0.2502	0.0901	0.1262
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	2.0477	0.3151	0.8719	MEAN:		331.9*	1.5740	0.4797	0.7114
STANDARD DEV:		142.5	0.1879	0.0524	0.0758	STANDARD DEV:		39.7	0.0922	0.0598	0.0433

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LF OVARY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9				NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4				MEAN:		414.5	0.0562	0.0138	0.0265
STANDARD DEV:		105.5				STANDARD DEV:		101.9	0.0192	0.0045	0.0092
M	5					F	5				
NUMBER IN GROUP:		9				NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6				MEAN:		331.9*	0.0557	0.0170	0.0253
STANDARD DEV:		142.5				STANDARD DEV:		39.7	0.0123	0.0040	0.0061

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

RT OVARY

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9				NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4				MEAN:		414.5	0.1357	0.0321	0.0630
STANDARD DEV:		105.5				STANDARD DEV:		101.9	0.2404	0.0549	0.1107
M	5					F	5				
NUMBER IN GROUP:		9				NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6				MEAN:		331.9*	0.0561	0.0171	0.0254
STANDARD DEV:		142.5				STANDARD DEV:		39.7	0.0129	0.0044	0.0062

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

SPLEEN

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	0.9792	0.1382	0.4208	MEAN:		414.5	0.5577	0.1368	0.2611
STANDARD DEV:		105.5	0.0975	0.0100	0.0427	STANDARD DEV:		101.9	0.1021	0.0178	0.0419
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	0.8287*	0.1252*	0.3529*	MEAN:		331.9*	0.5491	0.1650*	0.2468
STANDARD DEV:		142.5	0.1514	0.0133	0.0635	STANDARD DEV:		39.7	0.1344	0.0306	0.0537

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LF TESTIS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10			
MEAN:		713.4	1.8551	0.2641	0.7968	MEAN:		414.5			
STANDARD DEV:		105.5	0.3741	0.0658	0.1645	STANDARD DEV:		101.9			
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10			
MEAN:		668.6	1.6414	0.2531	0.6995	MEAN:		331.9*			
STANDARD DEV:		142.5	0.3094	0.0628	0.1325	STANDARD DEV:		39.7			

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

RT TESTIS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10			
MEAN:		713.4	1.8759	0.2683	0.8100	MEAN:		414.5			
STANDARD DEV:		105.5	0.1801	0.0491	0.1189	STANDARD DEV:		101.9			
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10			
MEAN:		668.6	1.6551	0.2560	0.7054	MEAN:		331.9*			
STANDARD DEV:		142.5	0.2786	0.0631	0.1203	STANDARD DEV:		39.7			

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

LF THYROID/PARA

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	0.0246	0.0035	0.0106	MEAN:		414.5	0.0136	0.0034	0.0065
STANDARD DEV:		105.5	0.0060	0.0008	0.0027	STANDARD DEV:		101.9	0.0062	0.0018	0.0034
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	0.0195*	0.0029	0.0083*	MEAN:		331.9*	0.0115	0.0034	0.0052
STANDARD DEV:		142.5	0.0041	0.0004	0.0018	STANDARD DEV:		39.7	0.0036	0.0010	0.0016

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

RT THYROID/PARA

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4	0.0249	0.0035	0.0107	MEAN:		414.5	0.0148	0.0037	0.0070
STANDARD DEV:		105.5	0.0048	0.0007	0.0018	STANDARD DEV:		101.9	0.0039	0.0011	0.0019
M	5					F	5				
NUMBER IN GROUP:		9	9	9	9	NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6	0.0240	0.0036	0.0102	MEAN:		331.9*	0.0124	0.0038	0.0056
STANDARD DEV:		142.5	0.0093	0.0013	0.0040	STANDARD DEV:		39.7	0.0046	0.0014	0.0021

Table 31
Summary of Organ Weight Data
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES:
SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=3;SUBSET=ALL

UTERUS

SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO	SEX	DOSE GROUP	TERMINAL BODY WT (g)	ORGAN WEIGHT (g)	ORGAN-TO- BODY WT (%)	ORGAN-TO- BRAIN WT RATIO
M	1					F	1				
NUMBER IN GROUP:		9				NUMBER IN GROUP:		10	10	10	10
MEAN:		713.4				MEAN:		414.5	1.0175	0.2557	0.4771
STANDARD DEV:		105.5				STANDARD DEV:		101.9	0.3207	0.0951	0.1461
M	5					F	5				
NUMBER IN GROUP:		9				NUMBER IN GROUP:		10	10	10	10
MEAN:		668.6				MEAN:		331.9*	1.0062	0.3111	0.4587
STANDARD DEV:		142.5				STANDARD DEV:		39.7	0.3090	0.1154	0.1545

TABLE 32
Incidence of Macroscopic Observations
Week 14 Sacrifice

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 1

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	5	5	5	5	5	5	5	5	5

** TOP OF LIST **										
GENERAL COMMENT (GC)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
NO MACROSCOPIC LESIONS		3	1	4	3	3	2	5	4	2
BONE MARROW SMEAR TAKEN		4	5	5	5	5	5	5	5	5
MALOCCLUSION		0	0	0	0	1	0	0	0	0
KIDNEY (KD)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	4	4	4	4	4	5	5	4
CYST(S)		0	0	0	0	0	1	0	0	0
LARGE PELVIS(ES)		0	1	1	1	1	0	0	0	1
GRANULAR MATERIAL		0	0	0	0	0	0	0	0	1
UTERUS (UT)	NUMBER EXAMINED:	0	0	0	0	0	5	5	5	5
	NOT REMARKABLE:	0	0	0	0	0	3	5	4	3
LUMEN FILLED WITH FLUID		0	0	0	0	0	2	0	1	2
THYMUS (TH)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	4	5	5	5	4	5	5	5	5
RED FOCUS(I)/AREA(S)		1	0	0	0	1	0	0	0	0

TABLE 32
Incidence of Macroscopic Observations
Week 14 Sacrifice

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

PAGE: 2

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	5	5	5	5	5	5	5	5	5

HARDERIAN GLAND (HG)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	4	5	5	5	5	5	5	5
MISSING/NOT IDENTIFIED		0	1	0	0	0	0	0	0	0
STOMACH, GL (ST)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	4	5	5	5	4	5	5	4
DARK FOCUS(I)/AREA(S)		0	1	0	0	0	1	0	0	1
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	4	2	5	4	5	5	5	5	5
** DIFFUSELY RED		1	3	0	1	0	0	0	0	0
** END OF LIST **										

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---				
SEX: --MALE-- -FEMALE-				
GROUP: -1- -5- -1- -5-				
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	10	9	10
--- -- -- -- --				
** TOP OF LIST **				
GENERAL COMMENT (GC)	NUMBER EXAMINED:	10	9	10
NO MACROSCOPIC LESIONS		5	3	1
BONE MARROW SMEAR TAKEN		10	9	10
MALOCCLUSION		1	1	2
ANIMAL OBESE		2	1	0
EYE (EY)	NUMBER EXAMINED:	10	9	10
	NOT REMARKABLE:	10	9	10
BRAIN (BR)	NUMBER EXAMINED:	10	9	10
	NOT REMARKABLE:	10	9	10
COMPRESSED (HYPOTHALAMUS)		0	0	1
LIVER (LI)	NUMBER EXAMINED:	10	9	10
	NOT REMARKABLE:	10	9	10
DIFFUSELY DARK		0	0	0
KIDNEY (KD)	NUMBER EXAMINED:	10	9	10
	NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;SUBSET=ALL		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	10	10
SPLEEN (SP)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
CYST(S)			0	0	1
PANCREAS (PA)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
MASS(ES)			0	0	1
ADRENAL, CORTEX (AC)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LARGE			0	0	1
CYST(S)			0	0	1
ADRENAL, MEDULLA (MA)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, MESENTERIC (MS)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;SUBSET=ALL		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10 9		10 10	
		==		==	
UTERUS (UT)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	9	9
LUMEN FILLED WITH FLUID		0	0	0	1
THICKENED WALL		0	0	1	0
TESTIS (TE)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	9	8	0	0
SMALL		1	1	0	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
MARROW, FEMUR (FM)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
MARROW, STERNUM (SE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
BONE, STERNUM (SB)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;SUBSET=ALL		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	10	10
SPINAL CORD (SC)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
THYMUS (TH)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	8	10
LARGE			0	1	0
GELATINOUS			0	1	0
LUNG (LU)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	9	9	10
LIGHT FOCUS(I)/AREA(S)			0	0	0
DARK FOCUS(I)/AREA(S)			1	0	0
HEART (HT)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
MUSCLE, SKELETAL (SM)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
NERVE, SCIATIC (SN)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;SUBSET=ALL		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10 10
			--	--	-- --
TRACHEA (TR)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
ESOPHAGUS (ES)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
THYROID (TY)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
PARATHYROID (PT)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
PITUITARY (PI)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	9	8	6	4
LARGE		0	0	2	3
DARK FOCUS(I)/AREA(S)		0	0	2	0
RED FOCUS(I)/AREA(S)		1	0	0	2
RAISED AREA(S)		0	0	0	1
CYST(S)		0	1	0	0
HARDERIAN GLAND (HG)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	10	10
SALIV GL, MANDIB (SG)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
STOMACH, GL (ST)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	7	10
RED FOCUS(I)/AREA(S)			0	1	0
THICKENED WALL			0	1	0
STOMACH, NONGL (SU)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	8	10
THICKENED WALL			0	1	0
DUODENUM (DU)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
JEJUNUM (JE)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
ILEUM (IL)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: --MALE--		-FEMALE-	
SEX=ALL;GROUP=1,5;WEEKS=ALL		GROUP: -1- -5-		-1- -5-	
DEATH=3;SUBSET=ALL		NUMBER: 10 9		10 10	
ORGAN AND KEYWORD(S) OR PHRASE		--- --		--- --	
CECUM (CE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
COLON (CO)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
RECTUM (RE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
SKIN (SK)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	8	10
CRUSTED AREA(S)		0	0	2	0
LIGHT AREA(S)/FOCUS(I)		0	0	1	0
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	6	10
MASS(ES)		0	0	1	0
THICKENED		0	0	1	0
CYST(S)		0	0	2	0
URINARY BLADDER (UB)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;SUBSET=ALL		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10 9		10 10	
		== ==		== ==	
CERVIX (CV)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	9	10
MASS(ES)		0	0	1	0
OVARY (OV)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	9	10
CYST(S)		0	0	1	0
VAGINA (VA)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	10	10
PROSTATE (PR)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	10	9	0	0
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	10	9	0	0
EPIDIDYMITES (EP)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	10	9	0	0

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	9	10
CAVITY, THORACIC (TA)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
TAIL (TI)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, MANDIBULAR (MN)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	9	9	8
DIFFUSELY RED			0	0	2
MOTTLED			1	0	0
LN, MEDIASTINAL (ML)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, AXILLARY (AX)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, INGUINAL (IN)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	9	10
LN, OTHER (LN)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, RENAL (RL)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
MAMMARY, MALE (MM)		NUMBER EXAMINED:	10	9	0
		NOT REMARKABLE:	10	9	0
COAGULATING GL (CG)		NUMBER EXAMINED:	10	9	0
		NOT REMARKABLE:	10	9	0
LN, ANT MES/PANC (AP)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
PREPUTIAL GLAND (PG)		NUMBER EXAMINED:	10	9	0
		NOT REMARKABLE:	10	9	0
CAVITY, ABDOM (PC)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		--FEMALE--	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	9	10
AORTA (AO)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
FOOT/FOOTPAD (FP)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
AUDITORY SEB GL (AS)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
CALVARIUM/SKULL (CA)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, LUMBAR/ILIAC (LM)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
URETER (UE)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
JOINT, OTHER (JT)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10
			10	10	10
ADIPOSE TISSUE (AT)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
VAS DEFERENS (VS)		NUMBER EXAMINED:	10	9	0
		NOT REMARKABLE:	10	9	0
DIAPHRAGM (DP)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
LN, POPLITEAL (PP)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
PERICARDIAL SAC (PD)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
ARTERY, OTHER (AU)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10
AORTIC ARCH (AA)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	10	9	10

TABLE 33
Incidence of Macroscopic Observations
Week 53 Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---				
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;SUBSET=ALL		SEX: --MALE--		-FEMALE-		
		GROUP: -1- -5-		-1- -5-		
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	10	9	10	10
-----		==	==	==	==	==
LN, ILEOCECAL (IC)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
MUSCLE, OTHER (MO)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
PINNA (PN)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
BILE DUCT (BD)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
TRIGEMINAL NERVE (TG)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
CLITORAL GLAND (CL)	NUMBER EXAMINED:	0	0	10	10	
	NOT REMARKABLE:	0	0	10	10	
** END OF LIST **						

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
ORGAN AND KEYWORD(S) OR PHRASE	SEX: -----MALE-----						-----FEMALE-----					
	GROUP: -1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
	NUMBER: 70	60	60	60	70	40	70	60	60	60	70	40

TABLE INCLUDES:												
SEX=ALL;GROUP=ALL;WEEKS=ALL												
DEATH=ALL;SUBSET=ALL												
** TOP OF LIST **												
GENERAL COMMENT (GC)	NUMBER EXAMINED: 70	60	60	60	70	40	70	60	60	60	70	40
NO MACROSCOPIC LESIONS	19	6	9	9	11	0	8	10	9	8	10	0
BLOOD FILM TAKEN	34	39	39	38	38	29	47	46	44	40	45	33
TAIL - BENT/MISSING	0	0	0	0	0	1	1	0	1	1	0	0
BONE MARROW SMEAR TAKEN	25	15	22	30	35	10	39	20	14	20	40	17
MALOCCLUSION	3	6	5	3	5	4	12	11	5	10	5	6
TEETH MISSING/BROKEN/WORN	2	5	2	1	3	4	2	3	1	3	5	0
DISCHARGE-OCULAR	11	15	8	16	9	10	11	13	22	9	14	7
ANIMAL THIN	5	12	10	5	3	5	12	12	15	13	16	8
STAINS-PERINEUM/PERIANAL	3	4	2	2	4	6	1	4	7	2	3	1
FLUID-THORACIC CAVITY	0	1	0	0	1	1	0	0	0	1	0	0
GI TRACT-LARGE LUMEN	1	0	0	1	2	0	0	0	1	0	1	1
DISCHARGE-NASAL	3	3	0	6	1	1	2	3	3	1	6	0
URINARY BLADDER-LARGE LUMEN	2	1	0	2	3	0	1	1	0	0	0	0
ANIMAL OBESE	9	3	6	7	7	4	2	1	2	1	1	4
DISCHARGE-ORAL	1	4	0	1	0	1	0	1	1	0	0	0
AUTOLYSIS-SEVERE	0	0	0	0	0	0	0	0	0	0	1	0
FLUID-ABDOMINAL CAVITY	0	0	0	0	2	1	0	0	0	0	0	0
PALE MUCOUS MEMBRANES	0	0	0	0	1	0	0	0	0	0	0	0
STAINS - SKIN/HAIRCOAT	3	0	1	4	3	1	3	3	1	3	0	2
GI TRACT-DARK FLUID CONTENT	1	0	1	0	1	1	1	0	1	0	2	0
GI TRACT-DARK DRY CONTENT	0	0	0	0	0	0	0	0	0	1	0	0
YELLOWISH MUCOUS MEMBRANES	0	0	0	0	0	0	0	0	0	1	0	0
TRACHEA-CONTENT FOAMY MATTER	0	1	0	0	0	0	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
		SEX:	-----MALE-----						-----FEMALE-----					
		GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
			==	==	==	==	==	==	==	==	==	==	==	==
EYE (EY)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	59	59	60	70	40	70	60	59	60	69	39	
OPAQUE CORNEA			0	0	1	0	0	0	0	0	0	0	0	1
PROTRUDING			0	0	1	0	0	0	0	0	0	0	1	0
LARGE			0	0	1	0	0	0	0	0	0	0	0	0
WHITE INTRAOCULAR MATERIAL			0	1	0	0	0	0	0	0	0	0	0	0
ROUGHENED CORNEA			0	0	0	0	0	0	0	0	1	0	0	0
BRAIN (BR)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	45	38	27	36	51	19	32	24	18	22	39	17	
COMPRESSED (HYPOTHALAMUS)		25	20	33	24	19	21	38	36	42	37	31	23	
MASS(ES)		0	1	0	0	0	0	0	0	0	0	0	0	
RED FOCUS(I)/AREA(S)		0	0	0	0	0	0	0	0	0	1	0	0	
DEPRESSED AREA(S)		0	1	0	0	0	0	0	0	0	0	0	0	
LIVER (LI)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	59	49	42	47	46	22	57	47	49	43	50	27	
LARGE		1	2	2	0	6	0	0	1	1	3	2	2	
MOTTLED		2	1	2	3	8	4	0	5	1	5	2	1	
DIFFUSELY DARK		0	1	0	0	1	0	0	0	1	0	5	1	
HEPATIC ANOMALY (LOBULE)		0	0	1	0	0	0	0	0	0	0	0	1	
LIGHT FOCUS(I)/AREA(S)		0	6	6	4	10	1	3	0	1	5	6	1	
MASS(ES)		0	0	2	1	2	1	0	1	0	2	3	0	
ROUGH SURFACE, DIFFUSE		1	0	0	0	1	1	0	0	0	3	1	0	

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40	

** FROM PREVIOUS PAGE **													
LIVER (LI)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	59	49	42	47	46	22	57	47	49	43	50	27
DIFFUSELY LIGHT		1	2	3	1	1	5	1	1	1	4	1	2
RED FOCUS(I)/AREA(S)		5	2	6	5	2	8	12	6	7	4	4	7
CYST(S)		0	0	0	0	1	1	1	1	1	1	1	1
DARK FOCUS(I)/AREA(S)		3	0	0	0	0	0	0	0	0	2	0	0
RAISED FOCUS(I)/AREA(S)		0	0	0	0	0	0	0	0	0	0	3	0
ADHESION(S)		0	0	0	0	0	1	0	0	0	0	0	0
KIDNEY (KD)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	63	48	51	49	54	27	62	54	53	53	66	35
CYST(S)		1	2	4	2	0	3	3	1	1	1	0	0
LARGE PELVIS(ES)		2	4	3	5	8	6	3	2	3	1	2	2
GRANULAR MATERIAL		0	0	1	2	0	3	0	2	3	2	0	1
ROUGH SURFACE, DIFFUSE		3	10	5	6	5	3	0	0	0	2	1	0
DIFFUSELY DARK		0	0	0	0	1	0	1	1	0	2	1	1
MASS(ES)		0	0	0	0	1	1	1	0	1	0	0	1
MOTTLED		0	1	1	0	3	0	0	0	0	2	0	0
LARGE		2	2	0	1	3	1	0	0	0	1	0	0
DEPRESSED FOCUS(I)/AREA(S)		0	0	0	0	0	1	0	0	0	0	0	0
DIFFUSELY LIGHT		0	4	4	3	2	4	2	1	1	1	0	1
LIGHT FOCUS(I)/AREA(S)		1	0	0	1	0	0	0	0	0	0	0	0
SEMIFLUID MATERIAL-PELVIS		0	0	0	0	0	1	0	0	0	0	0	0
SMALL		0	0	0	0	0	1	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SPLEEN (SP)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	67	59	59	60	66	34	66	55	59	56	62	38
LARGE			1	1	0	0	2	1	3	4	1	4	2	1
SMALL			0	0	0	0	2	1	0	0	0	0	4	1
CYST(S)			0	0	0	0	0	0	0	0	0	0	2	0
DIFFUSELY LIGHT			0	0	1	0	0	1	0	1	0	0	0	0
IRREGULAR SHAPE			0	0	0	0	0	0	1	0	0	0	0	0
LIGHT FOCUS(I)/AREA(S)			1	0	0	0	0	0	1	1	0	0	0	0
ADHESION(S)			2	0	0	0	0	1	1	1	0	1	0	0
MASS(ES)			0	0	0	0	0	2	0	0	0	0	0	0
MASS #2			0	0	0	0	0	1	0	0	0	0	0	0
MOTTLED			0	0	0	0	0	0	0	1	0	0	0	0
PANCREAS (PA)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	68	58	56	57	67	36	69	60	58	60	69	40
MASS(ES)			1	2	2	1	3	2	1	0	2	0	0	0
DIFFUSELY RED			0	0	0	1	0	0	0	0	0	0	0	0
LARGE VESSELS			1	0	2	1	0	2	0	0	0	0	0	0
GELATINOUS			0	0	0	0	0	0	0	0	0	0	1	0
LIGHT FOCUS(I)/AREA(S)			0	0	0	0	0	0	0	0	0	0	1	0
ADRENAL, CORTEX (AC)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	68	52	57	58	65	37	52	41	49	43	56	32
LARGE			2	6	3	2	3	0	15	17	7	14	9	6

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX:	-----MALE-----						-----FEMALE-----					
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		----	----	----	----	----	----	----	----	----	----	----	----	----
** FROM PREVIOUS PAGE **														
ADRENAL, CORTEX (AC)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	68	52	57	58	65	37	52	41	49	43	56	32
MASS(ES)			0	0	0	0	1	1	1	2	0	1	0	0
CYST(S)			0	1	0	0	0	0	1	0	0	1	0	0
DIFFUSELY RED			0	0	0	0	0	1	1	0	2	1	1	0
SMALL			0	1	0	0	0	0	1	0	1	0	2	2
DARK FOCUS(I)/AREA(S)			0	0	0	0	0	0	1	0	1	1	0	1
RED FOCUS(I)/AREAS(I)			0	0	0	0	0	0	0	1	1	2	3	0
MOTTLED			1	0	0	0	0	0	1	3	1	1	2	0
IRREGULAR SHAPE			0	0	0	0	0	0	0	1	0	0	0	0
MISSING/NOT IDENTIFIED			0	0	0	0	0	1	0	0	0	0	0	0
DIFFUSELY DARK			0	0	0	0	1	0	1	0	0	0	2	0
ADRENAL, MEDULLA (MA)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	60	70	40	70	60	60	60	70	40
LN, MESENTERIC (MS)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	58	58	58	68	40	68	56	59	56	67	39
LARGE			0	1	0	2	1	0	0	1	0	1	2	0
DIFFUSELY RED			0	1	0	1	1	0	0	1	0	2	2	0
MOTTLED			0	0	1	0	0	0	0	0	0	1	0	0
DIFFUSELY DARK			0	0	0	0	0	0	2	2	1	1	0	1
SMALL			0	0	1	0	0	0	0	0	0	0	0	0
MASS(ES)			0	0	0	0	1	0	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX:	-----MALE-----						-----FEMALE-----					
		GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		----	----	----	----	----	----	----	----	----	----	----	----	----
UTERUS (UT)	NUMBER EXAMINED:		0	0	0	0	0	0	70	60	60	60	70	40
	NOT REMARKABLE:		0	0	0	0	0	0	57	47	45	41	57	30
	LUMEN FILLED WITH FLUID		0	0	0	0	0	0	2	1	3	2	3	1
	THICKENED WALL		0	0	0	0	0	0	2	3	2	2	2	5
	CYST(S)		0	0	0	0	0	0	9	8	9	11	6	4
	DIFFUSELY RED		0	0	0	0	0	0	0	0	1	0	0	0
	MASS(ES)		0	0	0	0	0	0	1	2	2	5	2	2
LARGE, DIFFUSE		0	0	0	0	0	0	0	1	0	0	0	1	
TESTIS (TE)	NUMBER EXAMINED:		70	60	60	60	70	40	0	0	0	0	0	0
	NOT REMARKABLE:		61	51	52	50	59	35	0	0	0	0	0	0
	SMALL		8	5	5	9	8	3	0	0	0	0	0	0
	CONTAINS FLUID		1	4	3	0	1	1	0	0	0	0	0	0
	MASS(ES)		0	0	0	0	0	1	0	0	0	0	0	0
	RED/YELLOW FOCUS(I)/AREA(S)		1	1	0	1	1	0	0	0	0	0	0	0
	DIFFUSELY RED		0	0	0	0	1	0	0	0	0	0	0	0
LARGE		0	2	1	0	2	0	0	0	0	0	0	0	
MOTTLED		0	0	0	0	1	0	0	0	0	0	0	0	
BONE, FEMUR (FE)	NUMBER EXAMINED:		70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:		70	60	60	60	70	40	70	60	60	60	70	40
MARROW, FEMUR (FM)	NUMBER EXAMINED:		70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:		70	60	60	60	70	40	70	60	60	60	70	40

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

MARROW, STERNUM (SE)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	70	60	60	60	70	40	70	60	60	60	70	40
BONE, STERNUM (SB)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	70	60	60	60	70	40	70	60	60	60	70	40
SPINAL CORD (SC)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	70	59	60	60	70	40	70	60	60	60	70	40
FRACTURE(S)		0	1	0	0	0	0	0	0	0	0	0	0
THYMUS (TH)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	66	58	57	59	68	37	68	59	56	58	69	37
RED FOCUS(I)/AREA(S)		1	0	0	0	1	1	0	0	2	0	0	1
LARGE		0	0	0	0	1	0	0	0	0	0	0	0
MASS(ES)		1	1	0	0	0	0	1	0	0	0	0	1
GELATINOUS		0	0	1	0	1	0	1	0	0	0	0	0
MISSING/NOT IDENTIFIED		2	1	2	1	0	2	0	1	2	2	1	1
LUNG (LU)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	66	57	58	57	67	34	68	56	56	55	55	35
MASS(ES)		1	0	0	1	0	2	0	0	1	2	0	1
RED FOCUS(I)/AREA(S)		0	0	0	1	0	0	0	1	0	1	0	1

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40	

** FROM PREVIOUS PAGE **													
LUNG (LU)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	66	57	58	57	67	34	68	56	56	55	55	35
LIGHT FOCUS(I)/AREA(S)		0	1	1	0	2	1	1	1	1	2	14	2
DARK FOCUS(I)/AREA(S)		1	0	0	0	1	0	0	0	0	0	0	0
DIFFUSELY RED		1	0	0	0	0	0	1	0	0	0	0	0
MOTTLED		1	1	0	1	0	2	0	0	1	0	0	0
UNCOLLAPSED		0	1	0	0	0	3	0	2	1	0	0	0
DIFFUSELY LIGHT		0	0	1	0	0	0	0	0	0	0	0	0
RAISED FOCUS(I)/AREA(S)		0	0	0	0	0	0	0	0	0	0	0	1
ADHESION(S)		0	0	0	0	0	0	0	0	0	1	1	0
HEART (HT)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	70	57	58	60	70	37	70	60	60	59	70	40
LARGE		0	0	0	0	0	1	0	0	0	1	0	0
DIFFUSELY LIGHT		0	1	0	0	0	0	0	0	0	1	0	0
MASS(ES)		0	1	0	0	0	0	0	0	0	0	0	0
LIGHT FOCUS(I)/AREA(S)		0	1	2	0	0	2	0	0	0	0	0	0
MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
	NOT REMARKABLE:	68	60	59	59	69	40	70	60	60	59	69	40
MASS(ES)		2	0	1	1	1	0	0	0	0	0	0	0
ATROPHY-DIFFUSE		0	0	0	0	0	0	0	0	0	0	1	0
ATROPHY-FOCAL		0	0	0	0	0	0	0	0	0	1	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL							--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE-----FEMALE-----																			
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-																			
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40																			

NERVE, SCIATIC (SN)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	70	60	60	60	70	40	70	60	60	60	70	40
TRACHEA (TR)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	70	60	60	60	70	40	70	60	60	60	70	40
ESOPHAGUS (ES)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	69	60	60	60	70	40	70	60	60	60	69	40
LARGE MASS(ES)								1	0	0	0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0	0	1	0
THYROID (TY)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	66	58	58	56	66	36	70	57	59	57	69	39
LARGE DIFFUSELY LIGHT MASS(ES)								4	2	2	4	4	2	0	2	1	3	1	1
								0	0	0	0	0	0	0	1	0	1	0	0
SMALL DIFFUSELY DARK								0	0	0	0	0	2	0	1	0	0	0	0
								1	0	0	0	0	0	0	0	0	0	0	0
DIFFUSELY RED								1	0	0	0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0	0	0	1

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX:	-----MALE-----						-----FEMALE-----					
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		---	---	---	---	---	---	---	---	---	---	---	---	---
PARATHYROID (PT)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	59	58	60	68	39	70	59	60	60	70	39	
LARGE		0	1	2	0	2	1	0	1	0	0	0	1	
PITUITARY (PI)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	38	30	18	29	38	10	20	14	14	17	23	8	
LARGE		1	2	2	1	2	1	7	5	3	3	12	3	
DARK FOCUS(I)/AREA(S)		0	0	2	0	0	1	2	3	1	1	5	2	
MASS(ES)		25	21	32	25	21	21	38	37	41	37	27	24	
RED FOCUS(I)/AREA(S)		4	4	4	4	5	4	4	3	1	5	7	2	
RAISED AREA(S)		1	2	2	1	1	0	0	0	0	0	1	1	
CYST(S)		0	0	1	0	3	2	0	0	1	0	0	3	
DIFFUSELY RED		1	0	0	0	0	1	0	0	0	0	0	0	
MOTTLED		0	0	0	0	0	0	0	1	1	0	0	0	
LIGHT FOCUS(I)/AREA(S)		1	1	0	0	0	0	0	0	0	0	0	1	
HARDERIAN GLAND (HG)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	59	58	60	70	40	70	60	60	60	69	40	
MISSING/NOT IDENTIFIED		0	1	1	0	0	0	0	0	0	0	0	0	
MASS(ES)		0	0	0	0	0	0	0	0	0	0	1	0	
MOTTLED		0	0	1	0	0	0	0	0	0	0	0	0	

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		---	---	---	---	---	---	---	---	---	---	---	---	---
SALIV GL, MANDIB (SG)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	59	60	70	40	70	59	60	60	69	40
SMALL			0	0	0	0	0	0	0	0	0	0	1	0
MISSING/NOT IDENTIFIED			0	0	0	0	0	0	0	1	0	0	0	0
MASS(ES)			0	0	1	0	0	0	0	0	0	0	0	0
DIFFUSELY LIGHT			0	0	1	0	0	0	0	0	0	0	0	0
STOMACH, GL (ST)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	57	41	44	47	50	23	62	54	56	57	61	33
DARK FOCUS(I)/AREA(S)			4	5	3	3	8	11	4	2	2	3	8	5
EROSION/ULCERATION			2	1	3	1	2	1	2	1	0	0	0	1
RED FOCUS(I)/AREA(S)			0	3	1	2	2	0	0	1	0	0	1	0
THICKENED WALL			7	13	11	8	12	5	1	1	1	0	0	0
LIGHT FOCUS(I)/AREA(S)			0	0	1	1	1	0	1	1	1	0	0	0
RAISED AREA(S)			0	0	0	0	0	0	0	0	0	0	0	1
STOMACH, NONGL (SU)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	62	56	57	53	65	35	68	55	56	58	67	39
EROSION/ULCERATION			7	4	1	6	4	5	2	5	2	1	3	1
THICKENED WALL			2	1	2	5	3	3	0	0	2	1	0	0
RED FOCUS(I)/AREA(S)			0	0	0	0	0	1	0	0	1	0	0	0
LIGHT FOCUS(I)/AREA(S)			0	0	2	0	0	0	0	0	0	1	0	0
DARK FOCUS(I)/AREA(S)			0	0	0	1	0	0	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		==	==	==	==	==	==	==	==	==	==	==	==	==
DUODENUM (DU)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	40
	NOT REMARKABLE:	70	60	60	60	70	39	70	60	60	60	70	40	40
RED FOCUS(I)/AREA(S)		0	0	0	0	0	1	0	0	0	0	0	0	0
JEJUNUM (JE)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	40
	NOT REMARKABLE:	69	60	60	60	70	40	70	60	60	60	69	39	39
MASS(ES)		0	0	0	0	0	0	0	0	0	0	1	1	1
THICKENED WALL		1	0	0	0	0	0	0	0	0	0	0	0	0
ILEUM (IL)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	40
	NOT REMARKABLE:	68	60	60	60	70	40	70	60	60	59	70	40	40
DIFFUSELY RED		1	0	0	0	0	0	0	0	0	0	0	0	0
DIVERTICULUM(A)		0	0	0	0	0	0	0	0	0	1	0	0	0
THICKENED WALL		1	0	0	0	0	0	0	0	0	0	0	0	0
CECUM (CE)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	40
	NOT REMARKABLE:	69	59	60	60	68	38	70	60	60	60	69	40	40
RED FOCUS(I)/AREA(S)		0	0	0	0	1	1	0	0	0	0	0	0	0
DIFFUSELY RED		1	1	0	0	0	0	0	0	0	0	0	0	0
THICKENED WALL		0	1	0	0	0	1	0	0	0	0	0	0	0
LARGE		0	0	0	0	0	0	0	0	0	0	1	0	0
MASS(ES)		0	0	0	0	1	0	0	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

COLON (CO)	70	60	60	60	70	40	70	60	60	60	70	40
NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
NOT REMARKABLE:	70	60	60	60	70	40	69	59	60	60	70	40
MASS(ES)	0	0	0	0	0	0	0	1	0	0	0	0
DIVERTICULUM(A)	0	0	0	0	0	0	1	0	0	0	0	0
RECTUM (RE)	70	60	60	60	70	40	70	60	60	60	70	40
NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
NOT REMARKABLE:	69	60	60	60	70	40	70	60	59	60	70	40
MASS(ES)	0	0	0	0	0	0	0	0	1	0	0	0
DIFFUSELY RED	1	0	0	0	0	0	0	0	0	0	0	0
SKIN (SK)	70	60	60	60	70	40	70	60	60	60	70	40
NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
NOT REMARKABLE:	64	49	52	52	57	33	63	59	57	58	66	37
ABRASION(S)/ULCERATION(S)	0	1	0	0	2	0	1	0	0	0	1	0
CRUSTED AREA(S)	3	5	2	4	5	6	3	1	1	1	3	2
LIGHT AREA(S)/FOCUS(I)	0	0	0	0	0	0	1	0	0	0	0	0
MASS(ES)	3	7	4	3	7	1	1	0	1	0	1	0
RED FOCUS(I)/AREA(S)	1	0	0	0	0	0	0	0	0	0	0	0
RAISED FOCUS(I)/AREA(S)	1	0	2	2	1	0	1	0	0	0	0	1
ALOPECIA-DIFFUSE	0	0	0	0	0	0	1	0	0	1	0	1
THICKENED	0	0	0	0	0	0	0	0	1	0	0	0
MASS #2	0	2	0	0	0	0	0	0	0	0	0	0
SUBCUTANEOUS EDEMA	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE-----FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	0	0	0	70	60	60	60	70	40
	NOT REMARKABLE:	0	0	0	0	0	29	23	22	24	39	20
MASS(ES)		0	0	0	0	0	28	35	29	28	24	17
THICKENED		0	0	0	0	0	15	10	16	13	9	5
MASS #2		0	0	0	0	0	14	13	11	14	10	7
CYST(S)		0	0	0	0	0	13	5	9	4	5	3
MASS #3		0	0	0	0	0	6	5	3	6	2	2
MASS #4		0	0	0	0	0	2	1	2	1	2	2
MASS #5		0	0	0	0	0	0	1	2	1	1	0
MASS #6		0	0	0	0	0	0	0	0	0	1	0
MASS #7		0	0	0	0	0	0	0	0	0	1	0
MASS #8		0	0	0	0	0	0	0	0	0	1	0
URINARY BLADDER (UB)	NUMBER EXAMINED:	70	60	60	60	70	70	60	60	60	70	40
	NOT REMARKABLE:	67	58	59	57	68	70	60	60	60	70	40
CALCULUS(I)		2	0	0	1	1	0	0	0	0	0	0
DIFFUSELY RED		1	0	0	2	0	0	0	0	0	0	0
SEMIFLUID MATERIAL		0	2	1	0	0	0	0	0	0	0	0
THICKENED WALL		0	1	0	2	0	0	0	0	0	0	0
RED FOCUS(I)/AREA(S)		0	0	0	0	1	0	0	0	0	0	0
CERVIX (CV)	NUMBER EXAMINED:	0	0	0	0	0	70	60	60	60	70	40
	NOT REMARKABLE:	0	0	0	0	0	68	57	56	58	66	39
MASS(ES)		0	0	0	0	0	1	2	0	0	2	1

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
CERVIX (CV)	NUMBER EXAMINED:	0	0	0	0	0	0	70	60	60	60	70	40
	NOT REMARKABLE:	0	0	0	0	0	0	68	57	56	58	66	39
FIRM		0	0	0	0	0	0	1	0	0	0	0	0
LARGE		0	0	0	0	0	0	1	1	4	1	2	0
CYST(S)		0	0	0	0	0	0	0	0	0	1	0	0
OVARY (OV)	NUMBER EXAMINED:	0	0	0	0	0	0	70	60	60	60	70	40
	NOT REMARKABLE:	0	0	0	0	0	0	58	55	51	47	56	29
CYST(S)		0	0	0	0	0	0	12	5	9	13	12	11
MASS(ES)		0	0	0	0	0	0	0	0	0	0	1	0
LARGE		0	0	0	0	0	0	0	0	0	0	1	0
VAGINA (VA)	NUMBER EXAMINED:	0	0	0	0	0	0	70	60	60	60	70	40
	NOT REMARKABLE:	0	0	0	0	0	0	65	54	53	54	66	35
SEMIFLUID MATERIAL		0	0	0	0	0	0	5	6	4	5	4	5
MASS(ES)		0	0	0	0	0	0	0	0	3	1	0	0
PROSTATE (PR)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0	0
	NOT REMARKABLE:	56	51	44	51	58	33	0	0	0	0	0	0
NODULAR		11	7	12	6	10	6	0	0	0	0	0	0
SMALL		2	1	1	1	1	0	0	0	0	0	0	0
MASS(ES)		1	0	1	1	0	0	0	0	0	0	0	0
LARGE		0	1	4	0	0	3	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- --FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL												
** FROM PREVIOUS PAGE **												
PROSTATE (PR)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0
	NOT REMARKABLE:	56	51	44	51	58	33	0	0	0	0	0
GELATINOUS		0	0	2	1	1	1	0	0	0	0	0
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0
	NOT REMARKABLE:	64	49	49	52	62	33	0	0	0	0	0
SMALL		5	6	3	5	5	1	0	0	0	0	0
LARGE		1	3	6	3	1	4	0	0	0	0	0
GELATINOUS		0	2	3	1	2	4	0	0	0	0	0
THICKENED		0	1	0	0	0	0	0	0	0	0	0
MOTTLED		0	0	0	1	0	0	0	0	0	0	0
EPIDIDYMITES (EP)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0
	NOT REMARKABLE:	70	60	60	60	68	40	0	0	0	0	0
SMALL		0	0	0	0	2	0	0	0	0	0	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70
	NOT REMARKABLE:	70	60	60	60	70	40	69	60	60	60	70
MASS(ES)		0	0	0	0	0	0	1	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
		---	---	---	---	---	---	---	---	---	---	---	---	---
TAIL (TI)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	65	60	56	58	70	38	69	59	59	59	70	40	
ABRASION(S)/ULCERATION(S)		0	0	0	0	0	0	0	0	1	0	0	0	
CRUSTED AREA(S)		1	0	1	1	0	2	0	1	0	0	0	0	
LARGE		1	0	1	0	0	0	0	0	0	0	0	0	
DIFFUSELY RED		0	0	0	0	0	0	1	0	0	0	0	0	
RAISED AREA(S)		2	0	1	1	0	0	0	0	0	0	0	0	
MASS(ES)		1	0	1	0	0	0	0	0	0	1	0	0	
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	65	55	55	58	67	36	58	56	53	56	64	33	
DIFFUSELY RED		1	4	4	2	2	4	8	1	1	2	4	6	
LARGE		1	1	1	0	1	0	3	3	4	1	3	2	
MOTTLED		3	0	0	0	0	0	2	0	3	1	0	0	
LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	58	58	58	67	37	68	60	58	59	67	39	
LARGE		0	1	2	1	3	3	0	0	1	0	3	0	
DIFFUSELY RED		0	1	1	0	2	2	2	0	2	1	1	1	
MOTTLED		0	0	1	0	0	0	0	0	0	0	0	0	
CYST(S)		0	0	0	1	0	0	0	0	0	0	0	0	

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX:	-----MALE-----						-----FEMALE-----					
		GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
			==	==	==	==	==	==	==	==	==	==	==	==
LN, AXILLARY (AX)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	69	57	58	58	67	39	66	53	56	54	68	34	
LARGE		0	1	1	1	0	0	2	3	3	4	2	5	
MOTTLED		1	1	0	0	1	0	0	4	1	2	0	2	
DIFFUSELY RED		0	1	2	2	2	1	1	0	0	1	1	2	
DIFFUSELY DARK		0	0	0	0	0	0	1	0	0	0	0	0	
LN, INGUINAL (IN)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	59	60	60	70	40	70	58	57	59	69	40	
LARGE		0	1	0	0	0	0	0	2	3	1	0	0	
DIFFUSELY RED		0	0	0	0	0	0	0	0	0	0	1	0	
LN, OTHER (LN)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	69	59	59	59	70	40	70	60	60	60	70	40	
LARGE		1	1	0	1	0	0	0	0	0	0	0	0	
DIFFUSELY RED		0	0	1	0	0	0	0	0	0	0	0	0	
LN, RENAL (RL)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	56	57	57	66	37	69	60	60	59	69	40	
LARGE		0	2	2	3	2	3	0	0	0	1	1	0	
DIFFUSELY RED		0	3	2	1	3	0	0	0	0	1	1	0	
CYST(S)		0	0	0	0	0	1	0	0	0	0	0	0	
MOTTLED		0	0	0	0	0	1	1	0	0	0	0	0	

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

MAMMARY, MALE (MM)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0
	NOT REMARKABLE:	64	51	54	54	65	37	0	0	0	0	0
THICKENED		0	1	0	1	0	0	0	0	0	0	0
CYST(S)		1	4	4	0	1	2	0	0	0	0	0
MASS(ES)		5	4	2	5	5	2	0	0	0	0	0
MASS #2		2	0	0	0	2	1	0	0	0	0	0
COAGULATING GL (CG)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0
	NOT REMARKABLE:	70	60	60	59	70	40	0	0	0	0	0
LARGE		0	0	0	1	0	0	0	0	0	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70
	NOT REMARKABLE:	70	59	58	59	70	37	69	59	58	60	68
LARGE		0	0	1	0	0	2	0	1	1	0	1
DIFFUSELY RED		0	0	1	1	0	3	1	1	1	0	2
MOTTLED		0	1	0	0	0	0	0	0	0	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0
	NOT REMARKABLE:	70	59	58	60	69	38	0	0	0	0	0
LARGE		0	1	2	0	1	2	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
		----	----	----	----	----	----	----	----	----	----	----	----	----
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	69	60	60	57	68	36	68	60	60	60	67	39	
MASS(ES) LARGE VESSELS		1	0	0	2	2	2	2	0	0	0	3	1	
		0	0	0	1	0	2	0	0	0	0	0	0	
AORTA (AO)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	59	57	58	68	39	70	60	60	59	70	40	
MASS(ES) LARGE FIRM		0	0	0	0	1	0	0	0	0	0	0	0	
		0	1	3	1	1	1	0	0	0	1	0	0	
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	68	58	57	54	66	38	68	57	58	58	65	38	
CRUSTED AREA(S) ABRASION(S)/ULCERATION(S) LARGE		0	0	1	4	3	2	1	2	1	1	2	1	
		1	2	2	2	1	0	1	1	1	1	3	1	
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40	
	NOT REMARKABLE:	70	59	59	60	70	40	70	60	60	60	70	40	
MASS(ES)		0	1	1	0	0	0	0	0	0	0	0	0	

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES: SEX=ALL; GROUP=ALL; WEEKS=ALL DEATH=ALL; SUBSET=ALL							--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX:							-----MALE-----				-----FEMALE-----								
GROUP:							-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE							NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----							---	---	---	---	---	---	---	---	---	---	---	---	---
CALVARIUM/SKULL (CA)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	70	59	59	60	70	40	70	60	59	60	70	40
MASS(ES)								0	1	1	0	0	0	0	0	1	0	0	0
LN, LUMBAR/ILIAC (LM)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	68	59	57	54	68	34	69	60	56	58	69	38
CYST(S)								0	1	0	1	0	1	0	0	1	0	0	1
LARGE								1	0	3	4	1	3	0	0	1	1	0	2
DIFFUSELY RED								1	0	1	0	0	1	0	0	2	1	1	0
MASS(ES)								0	0	0	0	0	0	0	0	1	0	0	0
MOTTLED								0	0	0	1	1	1	1	0	1	1	0	0
URETER (UE)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	70	60	60	60	70	39	69	60	60	59	70	40
LARGE								0	0	0	0	0	1	1	0	0	1	0	0
JOINT, OTHER (JT)							NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
							NOT REMARKABLE:	69	59	57	59	69	37	70	60	60	60	69	40
LARGE								1	1	3	1	1	3	0	0	0	0	1	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		---	---	---	---	---	---	---	---	---	---	---	---	---
ADIPOSE TISSUE (AT)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	69	60	58	60	70	40	69	58	60	60	70	40
MASS(ES)			1	0	1	0	0	0	0	0	0	0	0	0
CYST(S)			0	0	0	0	0	0	1	0	0	0	0	0
THICKENED			0	0	1	0	0	0	0	1	0	0	0	0
GELATINOUS			0	0	0	0	0	0	0	1	0	0	0	0
VAS DEFERENS (VS)		NUMBER EXAMINED:	70	60	60	60	70	40	0	0	0	0	0	0
		NOT REMARKABLE:	70	60	59	60	70	39	0	0	0	0	0	0
LARGE			0	0	1	0	0	1	0	0	0	0	0	0
DIAPHRAGM (DP)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	60	70	40	69	60	60	60	70	40
MASS(ES)			0	0	0	0	0	0	1	0	0	0	0	0
LN, POPLITEAL (PP)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	60	70	39	70	60	59	60	70	39
LARGE			0	0	0	0	0	1	0	0	1	0	0	1
DIFFUSELY RED			0	0	0	0	0	0	0	0	1	0	0	1

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		==	==	==	==	==	==	==	==	==	==	==	==	==
PERICARDIAL SAC (PD)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	59	60	70	39	70	60	60	60	70	40
MASS(ES)			0	0	1	0	0	1	0	0	0	0	0	0
ARTERY, OTHER (AU)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	59	60	70	40	70	60	60	60	70	40
LARGE			0	0	1	0	0	0	0	0	0	0	0	0
AORTIC ARCH (AA)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	59	60	70	40	70	60	60	60	70	40
LARGE			0	0	1	0	0	0	0	0	0	0	0	0
LN, ILEOCECAL (IC)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	60	70	40	70	60	60	59	70	40
LARGE			0	0	0	0	0	0	0	0	0	1	0	0
DIFFUSELY RED			0	0	0	0	0	0	0	0	0	1	0	0
LN, TRACHEOBRON (TB)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	60	70	39	70	60	60	60	70	40
LARGE			0	0	0	0	0	1	0	0	0	0	0	0
DIFFUSELY RED			0	0	0	0	0	1	0	0	0	0	0	0

TABLE 34
Incidence of Macroscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		---	---	---	---	---	---	---	---	---	---	---	---	---
MUSCLE, OTHER (MO)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	59	60	70	40	70	60	60	60	70	40
THICKENED			0	0	1	0	0	0	0	0	0	0	0	0
DIFFUSELY RED			0	0	1	0	0	0	0	0	0	0	0	0
PINNA (PN)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	60	70	39	70	60	60	60	70	39
MASS(ES)			0	0	0	0	0	1	0	0	0	0	0	1
BILE DUCT (BD)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	59	60	70	40	70	60	60	60	70	40
LARGE			0	0	1	0	0	0	0	0	0	0	0	0
TRIGEMINAL NERVE (TG)		NUMBER EXAMINED:	70	60	60	60	70	40	70	60	60	60	70	40
		NOT REMARKABLE:	70	60	60	59	70	40	70	60	60	60	70	40
LARGE			0	0	0	1	0	0	0	0	0	0	0	0
CLITORAL GLAND (CL)		NUMBER EXAMINED:	0	0	0	0	0	0	70	60	60	60	70	40
		NOT REMARKABLE:	0	0	0	0	0	0	69	60	60	60	70	40
MASS(ES)			0	0	0	0	0	0	1	0	0	0	0	0
** END OF LIST **														

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;SUBSET=ALL			
ORGAN AND KEYWORD(S) OR PHRASE		GROUP: -6-	-6-
		NUMBER: 10	17
***** TOP OF LIST *****		==	==
GENERAL COMMENT (GC)		NUMBER EXAMINED: 10	17
BLOOD FILM TAKEN		10	17
TAIL - BENT/MISSING		1	0
BONE MARROW SMEAR TAKEN		10	17
MALOCCLUSION		2	3
TEETH MISSING/BROKEN/WORN		2	0
DISCHARGE-OCULAR		1	1
ANIMAL THIN		1	1
ANIMAL OBESE		1	2
GI TRACT-DARK FLUID CONTENT		1	0
EYE (EY)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 10	16
OPAQUE CORNEA		0	1
BRAIN (BR)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 6	10
COMPRESSED (HYPOTHALAMUS)		4	7
LIVER (LI)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 6	10
LIGHT FOCUS(I)/AREA(S)		0	1
** CONTINUED ON NEXT PAGE **			

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL		GROUP: -6- -6-	
DEATH=U;SUBSET=ALL		NUMBER: 10 17	
ORGAN AND KEYWORD(S) OR PHRASE		---	
** FROM PREVIOUS PAGE **		---	
LIVER (LI)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	6	10
RED FOCUS(I)/AREA(S)		4	6
CYST(S)		0	1
KIDNEY (KD)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	7	16
CYST(S)		2	0
LARGE PELVIS(ES)		1	1
ROUGH SURFACE, DIFFUSE		1	0
DIFFUSELY LIGHT		1	0
SPLEEN (SP)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	17
ADHESION(S)		1	0
PANCREAS (PA)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	8	17
MASS(ES)		1	0
LARGE VESSELS		1	0

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL		GROUP: -6- -6-	
DEATH=U;SUBSET=ALL		NUMBER: 10 17	
ORGAN AND KEYWORD(S) OR PHRASE		--- --	
ADRENAL, CORTEX (AC)		NUMBER EXAMINED:	10 17
		NOT REMARKABLE:	10 13
LARGE			0 4
ADRENAL, MEDULLA (MA)		NUMBER EXAMINED:	10 17
		NOT REMARKABLE:	10 17
LN, MESENTERIC (MS)		NUMBER EXAMINED:	10 17
		NOT REMARKABLE:	10 16
DIFFUSELY DARK			0 1
UTERUS (UT)		NUMBER EXAMINED:	0 17
		NOT REMARKABLE:	0 11
THICKENED WALL			0 3
CYST(S)			0 3
MASS(ES)			0 2
TESTIS (TE)		NUMBER EXAMINED:	10 0
		NOT REMARKABLE:	9 0
SMALL			1 0

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;SUBSET=ALL		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10 17	
		== ==	
BONE, FEMUR (FE)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
MARROW, FEMUR (FM)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
MARROW, STERNUM (SE)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
BONE, STERNUM (SB)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
SPINAL CORD (SC)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
THYMUS (TH)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	15
MASS(ES)		0	1
MISSING/NOT IDENTIFIED		1	1

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;SUBSET=ALL	SEX: MALE FEMALE		
	GROUP: -6-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	10	17

LUNG (LU)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	8	15
RED FOCUS(I)/AREA(S)		0	1
LIGHT FOCUS(I)/AREA(S)		1	1
MOTTLED		1	0
HEART (HT)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
NERVE, SCIATIC (SN)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
TRACHEA (TR)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
ESOPHAGUS (ES)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;SUBSET=ALL			
		GROUP: -6-	-6-
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	10	17

THYROID (TY)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	8	16
LARGE		1	1
MASS(ES)		1	0
DIFFUSELY RED		0	1
PARATHYROID (PT)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	16
LARGE		0	1
PITUITARY (PI)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	2	6
LARGE		0	2
DARK FOCUS(I)/AREA(S)		1	2
MASS(ES)		4	7
RED FOCUS(I)/AREA(S)		2	1
CYST(S)		1	1
LIGHT FOCUS(I)/AREA(S)		0	1
HARDERIAN GLAND (HG)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;SUBSET=ALL	SEX: MALE FEMALE		
	GROUP: -6-	-6-	
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER: 10	17	

SALIV GL, MANDIB (SG)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	17	
STOMACH, GL (ST)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 6	13	
DARK FOCUS(I)/AREA(S)		1	3
EROSION/ULCERATION		1	1
THICKENED WALL		2	0
STOMACH, NONGL (SU)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	17	
DUODENUM (DU)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	17	
JEJUNUM (JE)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	16	
MASS(ES)		0	1
ILEUM (IL)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	17	

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;SUBSET=ALL			
		GROUP: -6-	-6-
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	10	17

CECUM (CE)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	17
THICKENED WALL		1	0
COLON (CO)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
RECTUM (RE)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
SKIN (SK)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	7	15
CRUSTED AREA(S)		2	1
MASS(ES)		1	0
RAISED FOCUS(I)/AREA(S)		0	1
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	17
	NOT REMARKABLE:	0	9
MASS(ES)		0	8
THICKENED		0	3
MASS #2		0	4
MASS #3		0	1
** CONTINUED ON NEXT PAGE **			

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;SUBSET=ALL		SEX: MALE FEMALE	
		GROUP: -6-	-6-
ORGAN AND KEYWORD(S) OR PHRASE	NUMBER:	10	17

** FROM PREVIOUS PAGE **			
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	17
	NOT REMARKABLE:	0	9
MASS #4		0	1
URINARY BLADDER (UB)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
CERVIX (CV)	NUMBER EXAMINED:	0	17
	NOT REMARKABLE:	0	16
MASS(ES)		0	1
OVARY (OV)	NUMBER EXAMINED:	0	17
	NOT REMARKABLE:	0	10
CYST(S)		0	7
VAGINA (VA)	NUMBER EXAMINED:	0	17
	NOT REMARKABLE:	0	17
PROSTATE (PR)	NUMBER EXAMINED:	10	0
	NOT REMARKABLE:	9	0
NODULAR		1	0

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;SUBSET=ALL			
SEX: MALE FEMALE			
GROUP: -6- -6-			
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10	17
		==	==
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	10	0
	NOT REMARKABLE:	9	0
SMALL GELATINOUS		1	0
		1	0
EPIDIDYMIDES (EP)	NUMBER EXAMINED:	10	0
	NOT REMARKABLE:	10	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
TAIL (TI)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	8	17
CRUSTED AREA(S)		2	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	12
DIFFUSELY RED LARGE		1	4
		0	1

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
ORGAN AND KEYWORD(S) OR PHRASE	SEX: MALE FEMALE		
	GROUP: -6- -6-		
	NUMBER: 10	17	
LN, MEDIASTINAL (ML)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 9	16	
LARGE		1	0
DIFFUSELY RED		0	1
LN, AXILLARY (AX)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	16	
LARGE		0	1
LN, INGUINAL (IN)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	17	
LN, OTHER (LN)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 10	17	
LN, RENAL (RL)	NUMBER EXAMINED: 10	17	
	NOT REMARKABLE: 9	17	
LARGE		1	0
MOTTLED		1	0
MAMMARY, MALE (MM)	NUMBER EXAMINED: 10	0	
	NOT REMARKABLE: 10	0	

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;SUBSET=ALL		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10 17	
		== ==	
COAGULATING GL (CG)	NUMBER EXAMINED:	10	0
	NOT REMARKABLE:	10	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	10	0
	NOT REMARKABLE:	8	0
LARGE		2	0
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	17
LARGE VESSELS		1	0
AORTA (AO)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	16
CRUSTED AREA(S)		1	0
ABRASION(S)/ULCERATION(S)		0	1

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;SUBSET=ALL		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10 17	
		== ==	
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	8	16
CYST(S) LARGE		0	1
		2	1
URETER (UE)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
JOINT, OTHER (JT)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	7	17
LARGE		3	0
ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10 17	
		== ==	
VAS DEFERENS (VS)	NUMBER EXAMINED:	10	0
	NOT REMARKABLE:	10	0
DIAPHRAGM (DP)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
LN, POPLITEAL (PP)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	9	17
LARGE		1	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
ARTERY, OTHER (AU)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
AORTIC ARCH (AA)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17
LN, ILEOCECAL (IC)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	10	17

TABLE 35
Incidence of Macroscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;SUBSET=ALL			
SEX: MALE FEMALE			
GROUP: -6- -6-			
ORGAN AND KEYWORD(S) OR PHRASE		NUMBER: 10	17
		==	==
LN, TRACHEOBRON (TB)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 10	17
MUSCLE, OTHER (MO)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 10	17
PINNA (PN)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 10	16
MASS(ES)		0	1
BILE DUCT (BD)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 10	17
TRIGEMINAL NERVE (TG)		NUMBER EXAMINED: 10	17
		NOT REMARKABLE: 10	17
CLITORAL GLAND (CL)		NUMBER EXAMINED: 0	17
		NOT REMARKABLE: 0	17
** END OF LIST **			

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

** TOP OF LIST **										
EYE (EY)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	5	5	5	5	5	5	5	5
BRAIN (BR)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	5	5	5	5	5	5	5	5
LIVER (LI)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	0	0	0	0	0	2	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		5	5	5	5	5	3	5	5	5
--HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR		0	0	0	5	5	0	0	0	4
POLYKARYOCYTOSIS OCCASIONALLY NOTED										
--NECROSIS, INDIVIDUAL HEPATOCYTE		2	2	0	1	2	1	2	2	3
--VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR		0	0	0	3	4	0	1	0	2
--VACUOLATION, HEPATOCELLULAR, PERIportal		2	3	2	0	0	1	0	3	2
--FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL		0	0	0	0	0	0	0	1	0
--NECROSIS, COAGULATIVE		0	0	0	0	0	0	0	1	0
LIVER-OIL RED O (LIO)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
KIDNEY (KD)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	0	1	1	2	1	2	5	2	3
--INFILTRATE, LYMPHOHISTIOCYTIC		4	2	2	3	2	3	0	3	1
** CONTINUED ON NEXT PAGE **										

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

** FROM PREVIOUS PAGE **										
KIDNEY (KD)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	0	1	1	2	1	2	5	2	3
--DILATATION, PELVIC		0	2	1	1	2	0	0	1	0
--MINERALIZATION, PELVIC		0	0	0	0	1	0	0	0	1
--REGENERATION, TUBULAR EPITHELIUM		1	0	1	3	1	1	0	0	0
--MINERALIZATION, TUBULAR		0	0	0	0	0	0	0	1	0
SPLEEN (SP)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	3	3	4	5	4	0	0	1	0
--PIGMENT, INCREASED		2	2	1	0	1	5	5	4	5
PANCREAS (PA)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	4	2	5	3	4	4	5	5	3
--ZYMOGEN GRANULES, DECREASED		0	0	0	2	1	0	0	0	1
--INFILTRATE, LYMPHOHISTIOCYTIC		0	2	0	2	1	1	0	0	1
--INFILTRATE, MACROPHAGE, PIGMENTED		1	1	0	0	0	0	0	0	0
--HYPERPLASIA, ISLET CELLS		0	0	0	1	0	0	0	0	0
ADRENAL, CORTEX (AC)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	3	5	5	5	4	5	5	4
--VACUOLATION, FOCAL		0	1	0	0	0	0	0	0	0
--UNILATERALLY EXAMINED		0	1	0	0	0	1	0	0	1

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

ADRENAL, MEDULLA (MA)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	5	4	5	5	5	4	5	5	4
--UNILATERALLY EXAMINED		0	1	0	0	0	1	0	0	1
LN, MESENTERIC (MS)	NUMBER EXAMINED:	5	5	5	4	5	5	5	5	5
	NOT REMARKABLE:	5	5	5	4	4	5	5	5	5
--HEMORRHAGE		0	0	0	0	1	0	0	0	0
OVARY (OV)	NUMBER EXAMINED:	0	0	0	0	0	5	5	5	5
	NOT REMARKABLE:	0	0	0	0	0	5	5	5	5
TESTIS (TE)	NUMBER EXAMINED:	5	5	5	5	5	0	0	0	0
	NOT REMARKABLE:	4	5	5	5	5	0	0	0	0
--ATROPHY/DEGENERATION		1	0	0	0	0	0	0	0	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
MARROW, FEMUR (FM)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
NUMBER: 5 5 5 5 5 5 5 5 5 5 5										

ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

MARROW, STERNUM (SE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
BONE, STERNUM (SB)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
SPINAL CORD (SC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
THYMUS (TH)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
LUNG (LU)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
HEART (HT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
NUMBER: 5 5 5 5 5 5 5 5 5 5 5										

ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

NERVE, SCIATIC (SN)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
TRACHEA (TR)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
ESOPHAGUS (ES)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
THYROID (TY)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
PARATHYROID (PT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
PITUITARY (PI)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
HARDERIAN GLAND (HG)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

SALIV GL, MANDIB (SG)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
STOMACH, GL (ST)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
STOMACH, NONGL (SU)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
DUODENUM (DU)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
JEJUNUM (JE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
ILEUM (IL)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CECUM (CE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
NUMBER: 5 5 5 5 5 5 5 5 5 5 5										

ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

COLON (CO)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
RECTUM (RE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
SKIN (SK)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
URINARY BLADDER (UB)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
UTERUS (UT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CERVIX (CV)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

VAGINA (VA)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
PROSTATE (PR)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
EPIDIDYMITIDES (EP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
HEMATO NEOPLASIA (HN)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CAUSE OF DEATH (CD)	NUMBER EXAMINED:	5	5	5	5	5	5	5	5	5
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
--SCHEDULED SACRIFICE		5	5	5	5	5	5	5	5	5
LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=2;FIND=ALL;SUBSET=ALL		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
		SEX: -----MALE-----					-----FEMALE-----					
		GROUP:	-1-	-2-	-3-	-4-	-5-	-1-	-2-	-3-	-4-	-5-
ORGAN AND FINDING DESCRIPTION		NUMBER:	5	5	5	5	5	5	5	5	5	5
			--	--	--	--	--	--	--	--	--	--
LN, AXILLARY (AX)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0
LN, INGUINAL (IN)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0
LN, OTHER (LN)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0
LN, RENAL (RL)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0
VERTEBRA/MARROW (VT)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0
MAMMARY, MALE (MM)	NUMBER EXAMINED:		0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:		0	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
NUMBER: 5 5 5 5 5 5 5 5 5 5 5										

ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

COAGULATING GL (CG)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
TAIL (TI)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
NUMBER: 5 5 5 5 5 5 5 5 5 5 5										

ORGAN AND FINDING DESCRIPTION										

AORTA (AO)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
HEAD, CORONAL (HC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
JOINT, OTHER (JT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CLITORAL GLAND (CL)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
URETER (UE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
NUMBER: 5 5 5 5 5 5 5 5 5 5 5										

ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
DIAPHRAGM (DP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
LN, POPLITEAL (PP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
MUSCLE, OTHER (MO)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0

TABLE 36
Incidence of Microscopic Observations
Week 14 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION	NUMBER:	5	5	5	5	5	5	5	5	5

PINNA (PN)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
ARTERY, OTHER (AU)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
AORTIC ARCH (AA)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
LN, ILEOCECAL (IC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
VAS DEFERENS (VS)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
BILE DUCT (BD)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
TRIGEMINAL NERVE (TG)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
** END OF LIST **										

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES:		SEX: --MALE--		-FEMALE-	
SEX=ALL;GROUP=1,5;WEEKS=ALL		GROUP: -1-		-5-	
DEATH=3;FIND=ALL;SUBSET=ALL		NUMBER: 10		9	
ORGAN AND FINDING DESCRIPTION		10		10	
--- TOP OF LIST ---		10		10	
EYE (EY)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
BRAIN (BR)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	9	10
--COMPRESSION, VENTRAL		0	0	1	0
LIVER (LI)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	0	0	2	0
--INFILTRATE, LYMPHOHISTIOCYTIC		9	5	6	9
--HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR		0	8	0	9
POLYKARYOCYTOSIS OCCASIONALLY NOTED					
--PIGMENT, HEPATOCELLULAR, CENTRIOBULAR		0	0	0	6
--NECROSIS, INDIVIDUAL HEPATOCYTE		0	2	3	3
--VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR		1	5	0	0
--VACUOLATION, HEPATOCELLULAR, PERIportal		3	2	2	1
--FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL		7	0	0	0
--FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC		0	1	0	0
--HYPERPLASIA, BILE DUCT		1	0	2	3
--HYPERTROPHY, HEPATOCELLULAR, PERIportal		1	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		2	1	0	3
--VACUOLATION, HEPATOCELLULAR		3	3	3	1
--HYPERTROPHY, HEPATOCELLULAR		0	1	0	0
--CYST, BILIARY		0	0	0	1
--INFLAMMATION, SUBACUTE		0	0	2	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---						
TABLE INCLUDES:		SEX: --MALE--		-FEMALE-		
SEX=ALL;GROUP=1,5;WEEKS=ALL		GROUP: -1-		-5-		
DEATH=3;FIND=ALL;SUBSET=ALL						
ORGAN AND FINDING DESCRIPTION		NUMBER:	10	9	10	10
-----		==	==	==	==	
LIVER-OIL RED O (LI0)		NUMBER EXAMINED:	0	0	0	0
		NOT REMARKABLE:	0	0	0	0
KIDNEY (KD)		NUMBER EXAMINED:	10	9	10	10
		NOT REMARKABLE:	0	1	1	2
--NEPHROPATHY, CHRONIC PROGRESSIVE			9	6	3	1
--INFILTRATE, LYMPHOHISTIOCYTIC			0	1	0	1
--DILATATION, PELVIC			0	0	0	1
--MINERALIZATION, PELVIC			1	0	6	4
--REGENERATION, TUBULAR EPITHELIUM			1	0	0	0
--MINERALIZATION, TUBULAR			0	1	4	6
--PIGMENT, TUBULAR			0	2	1	1
--HYALINE DROPLETS, TUBULAR EPITHELIUM			0	1	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED			0	0	1	0
SPLEEN (SP)		NUMBER EXAMINED:	10	9	10	10
		NOT REMARKABLE:	0	2	0	0
--PIGMENT, INCREASED			10	7	10	10
--HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED			6	2	5	2
--FIBROSIS, CAPSULAR			0	0	0	1
PANCREAS (PA)		NUMBER EXAMINED:	10	9	10	10
		NOT REMARKABLE:	3	2	9	7
--ZYMOGEN GRANULES, DECREASED			1	0	0	0
** CONTINUED ON NEXT PAGE **						

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;FIND=ALL;SUBSET=ALL		SEX: --MALE--		--FEMALE--	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	9	10	10
-----		--	--	--	--
** FROM PREVIOUS PAGE **					
PANCREAS (PA)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	3	2	9	7
--INFILTRATE, LYMPHOHISTIOCYTIC		1	0	1	2
--INFILTRATE, MACROPHAGE, PIGMENTED		5	7	0	1
--HYPERPLASIA, ISLET CELLS		2	0	0	0
--ATROPHY, ACINAR		1	1	0	1
--NECROSIS / INFLAMMATION, ADIPOSE TISSUE		0	0	1	0
ADRENAL, CORTEX (AC)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	2	2	1	0
--UNILATERALLY EXAMINED		0	0	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED		6	4	5	8
--HEMORRHAGE		0	0	1	0
--HYPERTROPHY, CORTICAL CELL		2	3	0	3
--VACUOLATION, DIFFUSE		0	1	0	0
--DEGENERATION, CYSTIC / HEMORRHAGIC		0	0	4	1
--HYPERPLASIA, CORTICAL		0	0	0	1
ADRENAL, MEDULLA (MA)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	9	9
--UNILATERALLY EXAMINED		0	0	1	1

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES:		SEX: --MALE-- -FEMALE-			
SEX=ALL;GROUP=1,5;WEEKS=ALL					
DEATH=3;FIND=ALL;SUBSET=ALL					
		GROUP: -1- -5- -1- -5-			
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9 10 10			
		--- --			
LN, MESENTERIC (MS)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	8	10	10
--HEMORRHAGE		0	1	0	0
OVARY (OV)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	9	10
--CYST		0	0	1	0
TESTIS (TE)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	8	9	0	0
--ATROPHY/DEGENERATION		2	0	0	0
--GRANULOMA, SPERM		1	0	0	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
MARROW, FEMUR (FM)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	5	6	10	8
--HYPOCELLULAR, MARROW		5	3	0	1
--HYPERPLASIA, MYELOID, MARROW		0	0	0	1

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES:		SEX: --MALE-- -FEMALE-			
SEX=ALL;GROUP=1,5;WEEKS=ALL					
DEATH=3;FIND=ALL;SUBSET=ALL					
		GROUP: -1- -5- -1- -5-			
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9 10 10			
		--- -- -- --			
MARROW, STERNUM (SE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	9	9	10	9
--HYPERPLASIA, MYELOID, MARROW		0	0	0	1
--HYPOCELLULAR, MARROW		1	0	0	0
BONE, STERNUM (SB)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
SPINAL CORD (SC)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
THYMUS (TH)	NUMBER EXAMINED:	7	8	10	9
	NOT REMARKABLE:	5	2	7	6
--HEMORRHAGE		2	3	2	2
--DEPLETION, LYMPHOCYTIC		2	3	1	0
(GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY)					
--M-THYMIC CARCINOMA		0	1	0	0
--CYST		0	0	0	1
LUNG (LU)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	6	5	5	4
--CONGESTION		1	0	0	0
--MINERALIZATION, VASCULAR		1	3	1	0
** CONTINUED ON NEXT PAGE **					

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---				
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;FIND=ALL;SUBSET=ALL		SEX: --MALE--		--FEMALE--		
		GROUP: -1- -5-		-1- -5-		
ORGAN AND FINDING DESCRIPTION		NUMBER:	10	9	10	10
-----		--	--	--	--	--
** FROM PREVIOUS PAGE **						
LUNG (LU)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	6	5	5	4	
--HEMORRHAGE		1	1	2	1	
--INFILTRATE, MACROPHAGE, ALVEOLAR		0	1	2	4	
--INFILTRATE, LYMPHOHISTIOCYTIC		1	1	3	2	
HEART (HT)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	7	5	8	10	
--CARDIOMYOPATHY		3	4	2	0	
--HEMORRHAGE		0	1	0	0	
MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
NERVE, SCIATIC (SN)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
TRACHEA (TR)	NUMBER EXAMINED:	10	9	10	10	
	NOT REMARKABLE:	10	9	10	10	
ESOPHAGUS (ES)	NUMBER EXAMINED:	10	9	9	10	
	NOT REMARKABLE:	10	9	9	10	

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;FIND=ALL;SUBSET=ALL		SEX: --MALE--		--FEMALE--	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9		10 10	
		== ==		== ==	
THYROID (TY)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	8	9	10	10
	--HYPERPLASIA, C-CELL	1	0	0	0
	--M-CARCINOMA, FOLLICULAR CELL	1	0	0	0
PARATHYROID (PT)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
PITUITARY (PI)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	4	8	5	5
	--B-ADENOMA	4	1	4	2
	--HYPERPLASIA	2	1	1	4
	--ANGIECTASIS	1	0	3	3
HARDERIAN GLAND (HG)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	8	9	9
	--INFILTRATE, LYMPHOHISTIOCYTIC	0	1	1	1
SALIV GL, MANDIB (SG)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: --MALE--		-FEMALE-	
SEX=ALL;GROUP=1,5;WEEKS=ALL					
DEATH=3;FIND=ALL;SUBSET=ALL					
		GROUP: -1- -5-		-1- -5-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9		10 10	
		== ==		== ==	
STOMACH, GL (ST)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	9	7	8	10
--EDEMA		0	0	1	0
--INFLAMMATION, ACUTE		1	0	2	0
--CONGESTION		0	1	0	0
--EROSION		0	1	0	0
STOMACH, NONGL (SU)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	9	9	10	10
--ACANTHOSIS / HYPERKERATOSIS		1	0	0	0
DUODENUM (DU)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
JEJUNUM (JE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
ILEUM (IL)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
CECUM (CE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: --MALE--		-FEMALE-	
SEX=ALL;GROUP=1,5;WEEKS=ALL		GROUP: -1- -5-		-1- -5-	
DEATH=3;FIND=ALL;SUBSET=ALL		NUMBER: 10 9		10 10	
ORGAN AND FINDING DESCRIPTION		==		==	
COLON (CO)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
RECTUM (RE)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	7	10	10
--PARASITISM		0	2	0	0
SKIN (SK)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	8	10
--ACANTHOSIS/HYPERKERATOSIS		0	0	2	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	2	0
--ULCERATION		0	0	2	0
--HEMORRHAGE		0	0	1	0
--DEGENERATION, MUSCLE, SUBCUTANEOUS		0	0	1	0
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	10	10
	NOT REMARKABLE:	0	0	3	2
--CYST / GALACTOCELE		0	0	3	2
--HYPERPLASIA, GLANDULAR		0	0	4	4
--SECRETORY MATERIAL		0	0	6	5
--M-FIBROSARCOMA		0	0	1	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		--FEMALE--	
		GROUP: -1-	-5-	-1-	-5-
ORGAN AND FINDING DESCRIPTION		NUMBER:	10	9	10
			10	10	10
URINARY BLADDER (UB)		NUMBER EXAMINED:	10	9	10
		NOT REMARKABLE:	7	7	10
--INFILTRATE, LYMPHOHISTIOCYTIC			3	0	0
--PROTEINACEOUS MATERIAL, LUMINAL			0	2	0
UTERUS (UT)		NUMBER EXAMINED:	0	0	10
		NOT REMARKABLE:	0	0	10
--DILATATION			0	0	0
CERVIX (CV)		NUMBER EXAMINED:	0	0	10
		NOT REMARKABLE:	0	0	9
--CYST, SQUAMOUS			0	0	1
VAGINA (VA)		NUMBER EXAMINED:	0	0	10
		NOT REMARKABLE:	0	0	10
PROSTATE (PR)		NUMBER EXAMINED:	10	9	0
		NOT REMARKABLE:	4	6	0
--INFLAMMATION, CHRONIC-ACTIVE			5	3	0
--INFILTRATE, LYMPHOHISTIOCYTIC			1	0	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
		SEX: --MALE--		--FEMALE--	
		GROUP: -1-	-5-	-1-	-5-
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	9	10	10
-----		==	==	==	==
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	10	9	0	0
EPIDIDYMITIDES (EP)	NUMBER EXAMINED:	10	9	0	0
	NOT REMARKABLE:	9	7	0	0
--IMMATURE SPERM FORMS		0	1	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		1	1	0	0
HEMATO NEOPLASIA (HN)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	10	9	10	10
CAUSE OF DEATH (CD)	NUMBER EXAMINED:	10	9	10	10
	NOT REMARKABLE:	0	0	0	0
--SCHEDULED SACRIFICE		10	9	10	10
LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, AXILLARY (AX)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES:		SEX: --MALE--		-FEMALE-	
SEX=ALL;GROUP=1,5;WEEKS=ALL		GROUP: -1- -5-		-1- -5-	
DEATH=3;FIND=ALL;SUBSET=ALL		NUMBER: 10 9 10 10			
ORGAN AND FINDING DESCRIPTION		==		==	
LN, INGUINAL (IN)	NUMBER EXAMINED:	0	0	1	0
	NOT REMARKABLE:	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	0
--HEMORRHAGE		0	0	1	0
LN, OTHER (LN)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, RENAL (RL)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	1	0	2	1
	NOT REMARKABLE:	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	2	0
--HEMORRHAGE		1	0	2	1
VERTEBRA/MARROW (VT)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
MAMMARY, MALE (MM)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;FIND=ALL;SUBSET=ALL					
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9		10 10	
		== ==		== ==	
COAGULATING GL (CG)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
TAIL (TI)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
SEX: --MALE-- -FEMALE-					
GROUP: -1- -5- -1- -5-					
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	9	10	10
		--	--	--	--
AORTA (AO)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
HEAD, CORONAL (HC)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
JOINT, OTHER (JT)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
CLITORAL GLAND (CL)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
URETER (UE)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;FIND=ALL;SUBSET=ALL					
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9		10 10	
		== ==		== ==	
ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
DIAPHRAGM (DP)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, POPLITEAL (PP)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
MUSCLE, OTHER (MO)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0

TABLE 37
Incidence of Microscopic Observations
Week 53 Interim Sacrifice

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---					
TABLE INCLUDES: SEX=ALL;GROUP=1,5;WEEKS=ALL DEATH=3;FIND=ALL;SUBSET=ALL					
		SEX: --MALE--		-FEMALE-	
		GROUP: -1- -5-		-1- -5-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 9		10 10	
		== ==		== ==	
PINNA (PN)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
ARTERY, OTHER (AU)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
AORTIC ARCH (AA)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
LN, ILEOCECAL (IC)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
VAS DEFERENS (VS)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
BILE DUCT (BD)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
TRIGEMINAL NERVE (TG)	NUMBER EXAMINED:	0	0	0	0
	NOT REMARKABLE:	0	0	0	0
** END OF LIST **					

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

** TOP OF LIST **											
EYE (EY)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	9	0	0	0	20	22	0	0	0	23
--DYSTROPHY, CORNEAL		2	0	0	0	2	1	0	0	0	2
IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION											
--DEGENERATION, RETINAL		0	0	0	0	0	1	0	0	0	0
BRAIN (BR)	NUMBER EXAMINED:	11	0	7	5	22	24	8	5	8	25
	NOT REMARKABLE:	9	0	3	0	14	11	1	2	1	14
--DILATATION, VENTRICULAR		0	0	0	0	1	2	2	1	0	1
--COMPRESSION, VENTRAL		2	0	4	5	6	10	7	3	5	11
--HEMORRHAGE		0	0	0	0	0	1	0	0	0	0
--MINERALIZATION		0	0	1	0	1	1	0	0	1	1
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0
--I-CARCINOMA		0	0	0	0	0	1	0	0	1	0
LIVER (LI)	NUMBER EXAMINED:	11	10	17	25	22	24	15	9	15	25
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		11	10	13	23	20	17	14	6	12	23
--HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR		0	1	3	13	18	1	0	1	7	20
POLYKARYOCYTOSIS OCCASIONALLY NOTED											
--GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR		0	0	0	0	9	0	0	0	6	20
--PIGMENT, HEPATOCELLULAR, CENTRIOBULAR		0	0	0	0	3	0	0	0	1	17
--NECROSIS, INDIVIDUAL HEPATOCYTE		1	1	4	2	7	1	2	2	2	4
--VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR		0	0	5	7	8	0	0	0	0	2
--VACUOLATION, HEPATOCELLULAR, PERIportal		0	0	5	4	3	7	5	6	4	11

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
ORGAN AND FINDING DESCRIPTION	SEX: -----MALE-----					-----FEMALE-----				
	GROUP: -1-	-2-	-3-	-4-	-5-	-1-	-2-	-3-	-4-	-5-
	NUMBER: 11	10	17	25	22	24	15	9	15	25

TABLE INCLUDES:										
SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL										
DEATH=T;FIND=ALL;SUBSET=ALL										
** FROM PREVIOUS PAGE **										
LIVER (LI)	NUMBER EXAMINED: 11	10	17	25	22	24	15	9	15	25
	NOT REMARKABLE: 0	0	0	0	0	0	0	0	0	0
--FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL	7	7	10	20	17	18	6	6	8	15
--FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC	9	3	12	16	10	11	11	5	10	15
--DEGENERATION, CYSTIC	3	4	8	13	14	0	0	1	0	1
--NECROSIS, COAGULATIVE	0	1	0	0	1	0	0	1	1	2
--CONGESTION	0	0	0	0	0	1	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)	0	0	0	0	1	0	0	0	0	0
--HEMATOPOIESIS, EXTRAMEDULLARY	1	0	2	1	3	2	2	4	4	6
--HYPERPLASIA, BILE DUCT	8	5	8	13	15	14	10	3	7	14
--FIBROSIS, PERIBILIARY	4	2	4	4	8	7	7	2	3	5
--HYPERTROPHY, HEPATOCELLULAR, PERIportal	0	0	2	0	0	9	1	1	2	2
--INFILTRATE, MACROPHAGE, PIGMENTED	0	0	0	0	1	1	0	0	1	11
--VACUOLATION, HEPATOCELLULAR	2	1	0	0	0	0	0	0	0	1
--DEGENERATION / NECROSIS, CENTRILOBULAR	0	0	0	1	0	0	0	0	0	0
--CYST, BILIARY	0	0	0	0	0	1	0	0	0	2
--ANGIECTASIS	0	0	1	0	1	4	1	2	1	0
--B-ADENOMA, HEPATOCELLULAR	0	1	1	0	6	0	1	0	1	4
--LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS)	0	0	2	1	0	1	0	0	2	0
--N-CARCINOMA	0	0	0	1	0	0	0	0	0	0
LIVER-OIL RED O (LIO)	NUMBER EXAMINED: 5	0	0	0	5	5	0	0	0	5
	NOT REMARKABLE: 0	0	0	0	0	0	0	0	0	0
--VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR	5	0	0	0	5	5	0	0	0	5

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION											
NUMBER: 11 10 17 25 22 24 15 9 15 25											
----- -- -- -- -- -- -- -- -- -- --											
KIDNEY (KD)	NUMBER EXAMINED:	11	10	17	25	22	24	15	9	15	25
	NOT REMARKABLE:	1	0	1	0	0	0	2	1	2	0
--NEPHROPATHY, CHRONIC PROGRESSIVE		10	10	16	24	22	21	11	8	10	22
--DILATATION, PELVIC		0	0	0	0	2	2	0	0	0	1
--MINERALIZATION, PELVIC		2	0	3	5	1	18	11	6	12	18
--MINERALIZATION, TUBULAR		0	0	0	1	0	3	2	1	0	4
--VACUOLATION, TUBULAR EPITHELIUM		0	0	0	0	0	1	0	0	0	0
--HYALINE DROPLETS, TUBULAR EPITHELIUM		0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, TRANSITIONAL CELL		1	0	1	3	0	3	2	1	1	3
--INFLAMMATION, SUPPURATIVE, PELVIC		1	0	0	1	0	1	1	1	1	0
--INFLAMMATION, CHRONIC-ACTIVE, PELVIC		0	1	1	0	0	0	0	0	0	0
--ECTASIA, TUBULAR		0	0	0	1	0	0	0	0	0	0
--CYST		0	2	0	2	0	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	1	1	0	0	0	0
--M-CARCINOMA, TUBULAR CELL		0	0	0	0	0	1	0	0	0	0
--THROMBUS		0	0	0	2	1	0	0	0	0	0
--B-LIPOMA		0	0	0	0	1	1	0	0	0	0
--M-RENAL MESENCHYMAL TUMOR		0	0	1	0	0	0	0	0	0	0
--DEGENERATION TUBULAR		0	0	0	0	0	1	0	0	0	0
--INFARCT		0	0	0	0	0	1	0	0	0	0
SPLEEN (SP)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	1	25
	NOT REMARKABLE:	1	0	0	0	6	0	0	0	0	1
--PIGMENT, INCREASED		4	0	0	0	6	15	0	0	0	18
--HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED		8	0	0	0	13	21	0	0	1	17
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION										
NUMBER: 11 10 17 25 22 24 15 9 15 25										

** FROM PREVIOUS PAGE **										
SPLEEN (SP)										
NUMBER EXAMINED: 11 0 0 0 22 24 0 0 1 25										
NOT REMARKABLE: 1 0 0 0 6 0 0 0 0 1										
--HYPERPLASIA, LYMPHORETICULAR										
0 0 0 0 0 0 0 0 1 0										
PANCREAS (PA)										
NUMBER EXAMINED: 11 10 17 25 22 24 15 9 15 25										
NOT REMARKABLE: 3 1 1 3 3 14 10 6 5 13										
--ZYMOTEN GRANULES, DECREASED										
1 1 3 4 7 1 2 1 1 4										
--INFILTRATE, LYMPHOHISTIOCYTIC										
0 0 1 2 0 0 0 0 0 0										
--INFILTRATE, MACROPHAGE, PIGMENTED										
2 1 4 3 1 1 0 0 0 0										
--HYPERPLASIA, ISLET CELLS										
0 1 1 0 1 0 0 0 0 0										
--ATROPHY, ACINAR										
2 3 3 4 4 0 2 1 1 2										
--HYPERTROPHY / BASOPHILIA, ACINAR CELL										
1 1 0 0 2 1 1 0 1 0										
--M-CARCINOMA, ISLET CELL										
0 0 1 5 4 0 0 0 0 0										
--B-ADENOMA, ISLET CELL										
0 1 2 2 2 2 1 1 0 2										
--INFILTRATION, FAT, INTERSTITIAL										
6 6 13 10 6 6 2 2 7 5										
--INFLAMMATION, VASCULAR										
1 0 0 3 1 0 0 0 0 0										
--FIBROSIS										
0 0 0 0 0 0 0 0 0 1										
--ECTOPIC HEPATOCYTES										
0 0 0 1 0 0 0 0 0 0										
--B-FIBROMA										
0 0 0 0 0 0 0 0 0 1										
--INFLAMMATION, CHRONIC-ACTIVE										
0 0 0 0 0 0 0 1 0 1										
ADRENAL, CORTEX (AC)										
NUMBER EXAMINED: 11 2 0 1 22 24 5 1 5 25										
NOT REMARKABLE: 1 0 0 0 2 0 0 0 0 2										
--VACUOLATION, FOCAL										
2 0 0 0 8 4 0 0 0 1										
--ANGIECTASIS										
1 1 0 0 0 14 1 0 1 6										

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL										
SEX: -----MALE----- -----FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION										
NUMBER: 11 10 17 25 22 24 15 9 15 25										

** FROM PREVIOUS PAGE **										
ADRENAL, CORTEX (AC)										
NUMBER EXAMINED: 11 2 0 1 22 24 5 1 5 25										
NOT REMARKABLE: 1 0 0 0 2 0 0 0 0 2										
--HEMATOPOIESIS, EXTRAMEDULLARY										
--HYPERTROPHY, CORTICAL CELL										
--DEGENERATION, CYSTIC / HEMORRHAGIC										
--HYPERPLASIA, CORTICAL										
--PIGMENT										
--B-ADENOMA										
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)										
--CORTICAL TISSUE, EXTRACAPSULAR										
ADRENAL, MEDULLA (MA)										
NUMBER EXAMINED: 11 2 0 1 22 24 5 1 5 25										
NOT REMARKABLE: 8 1 0 0 15 18 3 0 2 19										
--UNILATERALLY EXAMINED										
--HYPERPLASIA, MEDULLARY										
--B-PHEOCHROMOCYTOMA										
--M-MALIGNANT PHEOCHROMOCYTOMA										
LN, MESENTERIC (MS)										
NUMBER EXAMINED: 11 0 0 1 22 24 3 0 0 25										
NOT REMARKABLE: 10 0 0 0 20 23 1 0 0 23										
--HEMORRHAGE										
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)										
--HYPERPLASIA, LYMPHOPLASMACYTIC										
--INFILTRATE, MACROPHAGE, PIGMENTED										
--INFLAMMATION, VASCULAR										

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL											
** FROM PREVIOUS PAGE **											
LN, MESENTERIC (MS)	NUMBER EXAMINED:	11	0	0	1	22	24	3	0	0	25
	NOT REMARKABLE:	10	0	0	0	20	23	1	0	0	23
--LYMPHANGIECTASIS		0	0	0	0	0	0	0	0	0	1
OVARY (OV)	NUMBER EXAMINED:	0	0	0	0	0	24	2	2	6	25
	NOT REMARKABLE:	0	0	0	0	0	15	0	1	0	12
--CYST		0	0	0	0	0	8	2	0	6	10
--HYPERPLASIA, GRANULOSA CELL		0	0	0	0	0	2	0	0	0	5
--UNILATERALLY EXAMINED		0	0	0	0	0	0	0	1	0	2
TESTIS (TE)	NUMBER EXAMINED:	11	10	17	25	22	0	0	0	0	0
	NOT REMARKABLE:	9	4	10	17	15	0	0	0	0	0
--ATROPHY/DEGENERATION		2	4	5	4	5	0	0	0	0	0
--INFLAMMATION, VASCULAR		0	2	1	3	0	0	0	0	0	0
--MINERALIZATION, VASCULAR		0	1	0	1	1	0	0	0	0	0
--HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL)		0	0	1	0	1	0	0	0	0	0
--B-INTERSTITIAL CELL TUMOR		0	1	2	2	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	1	0	1	0	0	0	0	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	22	24	0	0	0	25

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

MARROW, FEMUR (FM)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	21	14	0	0	0	18
--HYPOCELLULAR, MARROW		0	0	0	0	1	5	0	0	0	2
--HYPERPLASIA, MYELOID, MARROW		0	0	0	0	0	5	0	0	0	4
--HYPERPLASIA, ERYTHROID, MARROW		0	0	0	0	0	0	0	0	0	1
MARROW, STERNUM (SE)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	22	19	0	0	0	21
--HYPERPLASIA, MYELOID, MARROW		0	0	0	0	0	5	0	0	0	3
--HYPERPLASIA, ERYTHROID, MARROW		0	0	0	0	0	0	0	0	0	1
BONE, STERNUM (SB)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	21	23	0	0	0	24
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)		0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, CARTILAGINOUS		0	0	0	0	0	1	0	0	0	1
SPINAL CORD (SC)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	22	23	0	0	0	25
--DEGENERATION, AXONAL		0	0	0	0	0	1	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	0	0	0	1	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

THYMUS (TH)	NUMBER EXAMINED:	9	0	0	1	19	22	0	0	0	25
	NOT REMARKABLE:	2	0	0	0	1	4	0	0	0	5
--DEPLETION, LYMPHOCYTIC		7	0	0	1	18	17	0	0	0	20
(GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY)											
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	1	0	0	0	0
LUNG (LU)	NUMBER EXAMINED:	11	10	17	24	22	24	15	9	15	25
	NOT REMARKABLE:	2	7	10	11	10	14	8	4	8	8
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0
--MINERALIZATION, VASCULAR		6	1	5	10	7	3	1	1	5	7
--N-CARCINOMA		0	0	0	1	0	1	1	0	0	1
--HEMORRHAGE		0	0	0	0	1	0	0	0	0	0
--INFILTRATE, MACROPHAGE, ALVEOLAR		4	2	1	1	6	6	4	5	4	12
--INFILTRATE, LYMPHOHISTIOCYTIC		2	0	2	0	1	2	1	0	2	5
--HYPERPLASIA, TYPE II PNEUMOCYTE		1	0	2	0	2	0	1	0	1	1
--N-SARCOMA		0	0	0	1	0	0	0	0	0	0
--FIBROSIS, PLEURAL/SUBPLEURAL		0	0	0	0	0	0	0	0	0	1
HEART (HT)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	0	0	0	0	1	12	0	0	0	11
--CARDIOMYOPATHY		11	0	0	0	21	12	0	0	0	13
--MINERALIZATION, VASCULAR		0	0	0	0	1	0	0	0	0	0
--M-ENDOCARDIAL SCHWANNOMA		0	0	0	0	0	0	0	0	0	1

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE-----FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	1	25
	NOT REMARKABLE:	10	0	0	0	20	24	0	0	1	25
--DEGENERATION		0	0	0	0	1	0	0	0	0	0
--ATROPHY		0	0	0	0	1	0	0	0	0	0
--M-SARCOMA, UNDIFFERENTIATED		1	0	0	0	0	0	0	0	0	0
NERVE, SCIATIC (SN)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	21	24	0	0	0	25
--DEGENERATION		0	0	0	0	1	0	0	0	0	0
TRACHEA (TR)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	21	24	0	0	0	25
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0
ESOPHAGUS (ES)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	21	24	0	0	0	25
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0
THYROID (TY)	NUMBER EXAMINED:	11	10	17	24	22	24	15	9	15	25
	NOT REMARKABLE:	4	3	5	5	6	10	4	0	4	9
--HYPERPLASIA, C-CELL		3	3	6	5	7	10	8	6	9	13
--M-CARCINOMA, FOLLICULAR CELL		1	0	1	2	0	0	0	0	1	0
--DILATATION / CYST, FOLLICULAR		2	1	2	6	4	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- -----FEMALE-----											
GROUP:	-1-	-2-	-3-	-4-	-5-	-1-	-2-	-3-	-4-	-5-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

** FROM PREVIOUS PAGE **											
THYROID (TY)	NUMBER EXAMINED:	11	10	17	24	22	24	15	9	15	25
	NOT REMARKABLE:	4	3	5	5	6	10	4	0	4	9
--B-ADENOMA, C-CELL		1	2	3	9	3	6	3	2	1	4
--B-ADENOMA, FOLLICULAR CELL		0	2	2	2	4	0	0	0	1	1
--HYPERTROPHY, FOLLICULAR CELL		0	0	1	0	0	0	0	0	0	0
--M-CARCINOMA, C-CELL		0	0	1	0	0	0	1	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0
--B-HIBERNOMA		0	0	0	0	0	0	0	0	0	1
--COLLOID, DECREASED		0	0	0	0	0	0	0	1	0	0
PARATHYROID (PT)	NUMBER EXAMINED:	11	10	17	24	22	24	14	9	15	24
	NOT REMARKABLE:	9	9	16	19	20	24	14	9	14	23
--HYPERPLASIA		1	1	0	4	2	0	0	0	1	0
--B-ADENOMA		1	0	1	1	0	0	0	0	0	1
PITUITARY (PI)	NUMBER EXAMINED:	11	5	13	11	22	24	15	6	11	25
	NOT REMARKABLE:	2	0	0	0	2	1	0	0	0	4
--B-ADENOMA		7	2	11	11	17	16	10	4	7	17
--HYPERPLASIA		3	3	4	2	6	10	6	2	4	6
--ANGIECTASIS		0	0	0	0	0	0	1	1	0	2
--CYST		0	0	1	1	0	0	0	0	1	2
--M-CARCINOMA		0	0	0	0	0	0	0	0	1	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

HARDERIAN GLAND (HG)	NUMBER EXAMINED:	11	0	1	0	22	24	0	0	0	25
	NOT REMARKABLE:	9	0	1	0	20	21	0	0	0	22
--INFILTRATE, LYMPHOHISTIOCYTIC		2	0	0	0	2	3	0	0	0	3
SALIV GL, MANDIB (SG)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	22	24	0	0	0	25
STOMACH, GL (ST)	NUMBER EXAMINED:	11	6	6	5	22	24	2	1	0	25
	NOT REMARKABLE:	7	1	0	3	14	23	2	0	0	23
--EDEMA		0	1	0	0	0	0	0	0	0	0
--INFLAMMATION, ACUTE		0	1	1	0	0	1	0	1	0	1
--EROSION		0	0	0	2	2	0	0	1	0	1
--INFLAMMATION, CHRONIC-ACTIVE		2	0	1	1	1	0	0	0	0	1
--ULCERATION		0	0	1	0	0	0	0	0	0	1
--HYPERPLASIA, EPITHELIAL, GLANDULAR		4	4	6	0	6	0	0	0	0	0
--MINERALIZATION, GLANDULAR MUCOSA		0	0	0	0	1	0	0	0	0	0
--FIBROSIS		0	0	0	0	1	0	0	0	0	0
STOMACH, NONGL (SU)	NUMBER EXAMINED:	11	0	0	0	22	24	1	0	0	25
	NOT REMARKABLE:	11	0	0	0	22	24	0	0	0	24
--ACANTHOSIS / HYPERKERATOSIS		0	0	0	0	0	0	1	0	0	1
--ULCERATION		0	0	0	0	0	0	0	0	0	1
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	1	0	0	1

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- -----FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

DUODENUM (DU)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	10	0	0	0	22	24	0	0	0	25
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0
JEJUNUM (JE)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	22	24	0	0	0	25
ILEUM (IL)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	10	0	0	0	22	23	0	0	0	23
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	1
--HYPERPLASIA, GALT (GUT ASSOCIATED LYMPHOID TISSUE)		0	0	0	0	0	1	0	0	0	1
CECUM (CE)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	10	0	0	0	22	24	0	0	0	24
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	1
COLON (CO)	NUMBER EXAMINED:	11	0	0	0	22	24	1	0	0	25
	NOT REMARKABLE:	8	0	0	0	22	23	0	0	0	24
--PARASITISM		2	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	1
--DIVERTICULUM		0	0	0	0	0	1	0	0	0	0
--B-LEIOMYOMA		0	0	0	0	0	0	1	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

RECTUM (RE)	NUMBER EXAMINED:	11	0	0	0	22	23	0	0	0	25
	NOT REMARKABLE:	9	0	0	0	21	23	0	0	0	20
--PARASITISM		1	0	0	0	1	0	0	0	0	4
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	1
SKIN (SK)	NUMBER EXAMINED:	11	3	4	6	22	24	1	0	0	25
	NOT REMARKABLE:	10	0	0	0	15	23	0	0	0	21
--ACANTHOSIS/HYPERKERATOSIS		1	0	0	1	0	0	0	0	0	1
--INFLAMMATION, CHRONIC-ACTIVE		1	1	0	1	2	0	1	0	0	1
--ULCERATION		0	0	0	1	0	0	0	0	0	1
--HEMORRHAGE		0	0	0	0	0	0	1	0	0	0
--CYST, EPIDERMAL INCLUSION		1	0	0	0	2	0	0	0	0	1
--SUPERFICIAL CRUSTING		1	0	0	0	1	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0
--B-KERATOACANTHOMA		0	2	1	3	3	0	0	0	0	0
--M-FIBROSARCOMA		0	0	0	1	0	0	0	0	0	0
--B-FIBROMA		0	1	2	1	0	0	0	0	0	1
--FIBROSIS		0	1	0	1	1	0	0	0	0	0
--B-ADENOMA, BASAL CELL/SQUAMOUS/SEBACEOUS		0	0	1	0	0	1	0	0	0	0
--B-LIPOMA		0	0	0	0	1	0	1	0	0	1
--M-CARCINOMA, SQUAMOUS CELL		0	1	0	0	0	0	0	0	0	0
--EDEMA		0	0	0	0	1	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	0	0	0	24	15	9	15	25
	NOT REMARKABLE:	0	0	0	0	0	0	1	1	0	1
--M-CARCINOMA		0	0	0	0	0	5	1	1	1	6
--CYST / GALACTOCELE		0	0	0	0	0	13	9	3	6	11
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	2	0	0	0	0
--B-FIBROADENOMA		0	0	0	0	0	12	9	5	6	7
--HYPERPLASIA, GLANDULAR		0	0	0	0	0	19	10	6	12	21
--M-FIBROSARCOMA		0	0	0	0	0	0	0	0	1	1
--B-ADENOMA		0	0	0	0	0	3	2	1	2	1
--FIBROSIS		0	0	0	0	0	1	0	0	0	0
URINARY BLADDER (UB)	NUMBER EXAMINED:	11	10	17	25	22	24	15	9	15	25
	NOT REMARKABLE:	10	5	13	17	17	23	11	9	15	23
--INFILTRATE, LYMPHOHISTIOCYTIC		0	3	1	4	0	0	4	0	0	2
--PROTEINACEOUS MATERIAL, LUMINAL		1	2	3	4	4	0	0	0	0	0
--HYPERPLASIA, TRANSITIONAL CELL		0	0	1	3	1	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	1	0	0	0	0	0	0
--DIVERTICULUM		0	0	0	0	0	1	0	0	0	0
UTERUS (UT)	NUMBER EXAMINED:	0	0	0	0	0	24	4	3	6	25
	NOT REMARKABLE:	0	0	0	0	0	14	0	1	0	13
--DILATATION		0	0	0	0	0	4	1	0	2	2
--B-POLYP, ENDOMETRIAL, STROMAL		0	0	0	0	0	0	1	0	0	3
--HYPERPLASIA, CYSTIC, ENDOMETRIAL		0	0	0	0	0	6	2	2	3	8
--HEMORRHAGE		0	0	0	0	0	0	0	0	1	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

** FROM PREVIOUS PAGE **											
UTERUS (UT)	NUMBER EXAMINED:	0	0	0	0	0	24	4	3	6	25
	NOT REMARKABLE:	0	0	0	0	0	14	0	1	0	13
--B-ADENOMA		0	0	0	0	0	0	0	0	1	0
CERVIX (CV)	NUMBER EXAMINED:	0	0	0	0	0	24	0	2	2	25
	NOT REMARKABLE:	0	0	0	0	0	21	0	0	0	21
--HYPERPLASIA, MUCINOUS		0	0	0	0	0	3	0	1	1	2
--HYPERPLASIA, STROMAL		0	0	0	0	0	0	0	1	0	0
--M-SARCOMA, STROMAL		0	0	0	0	0	0	0	0	0	2
--HYPERPLASIA, CYSTIC		0	0	0	0	0	0	0	0	1	0
--HEMORRHAGE		0	0	0	0	0	0	0	0	0	1
VAGINA (VA)	NUMBER EXAMINED:	0	0	0	0	0	24	0	1	1	25
	NOT REMARKABLE:	0	0	0	0	0	9	0	0	0	13
--LUMEN, EXUDATE		0	0	0	0	0	4	0	0	0	4
--HYPERPLASIA, MUCINOUS		0	0	0	0	0	11	0	1	1	8
--I-CARCINOMA		0	0	0	0	0	1	0	0	0	0
PROSTATE (PR)	NUMBER EXAMINED:	11	1	5	4	22	0	0	0	0	0
	NOT REMARKABLE:	2	0	0	0	5	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		9	1	5	4	17	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		0	0	0	1	0	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- -----FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

SEMINAL VESICLES (SV)	NUMBER EXAMINED:	11	0	1	1	22	0	0	0	0	0
	NOT REMARKABLE:	8	0	1	0	18	0	0	0	0	0
--SECRETION, DECREASED		2	0	0	0	0	0	0	0	0	0
--SECRETION, INCREASED		1	0	0	0	1	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	1	3	0	0	0	0	0
EPIDIDYMITIS (EP)	NUMBER EXAMINED:	11	0	0	0	22	0	0	0	0	0
	NOT REMARKABLE:	9	0	0	0	19	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		2	0	0	0	0	0	0	0	0	0
--HYPOSERMIA		0	0	0	0	3	0	0	0	0	0
--VACUOLATION, TUBULAR EPITHELIUM		0	0	0	0	1	0	0	0	0	0
HEMATO NEOPLASIA (HN)	NUMBER EXAMINED:	11	0	0	0	22	24	0	0	0	25
	NOT REMARKABLE:	11	0	0	0	20	24	0	0	0	25
--M-LYMPHOMA		0	0	0	0	1	0	0	0	0	0
--M-SARCOMA, HISTIOCYTIC		0	0	0	0	1	0	0	0	0	0
CAUSE OF DEATH (CD)	NUMBER EXAMINED:	11	10	17	25	22	24	15	9	15	25
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--SCHEDULED SACRIFICE		11	10	17	25	22	24	15	9	15	25

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL										
SEX: -----MALE----- FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION										
NUMBER: 11 10 17 25 22 24 15 9 15 25										

LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	0	0	0	2	0	1	0	0	2
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	0	0	0	0	1
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	1	0	1	0	0	1
--LYMPHANGIECTASIS		0	0	0	2	0	0	0	0	1
LN, AXILLARY (AX)	NUMBER EXAMINED:	4	2	2	3	6	7	4	2	6
	NOT REMARKABLE:	3	0	0	2	4	3	0	1	2
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0
--HEMORRHAGE		0	0	1	1	1	2	0	0	1
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	2	2	1	1	2	4	1	4
--INFILTRATE, MACROPHAGE, PIGMENTED		1	0	0	1	0	1	2	0	0
LN, INGUINAL (IN)	NUMBER EXAMINED:	0	1	0	0	0	3	1	0	1
	NOT REMARKABLE:	0	1	0	0	0	2	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	0	1	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	0	1
--HEMORRHAGE		0	0	0	0	0	0	0	0	1
--N-CARCINOMA		0	0	0	0	0	1	0	0	0
LN, OTHER (LN)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	0	0	0	0	1
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	0	1

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

LN, RENAL (RL)	NUMBER EXAMINED:	0	1	0	1	2	2	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	1	0	1	0	0	0	0
--HEMORRHAGE		0	1	0	0	2	1	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	1	0	0	0	0
--DILATATION, SINUSOIDAL		0	0	0	0	2	0	0	0	0	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	2	1	1	2	2	5	2	0	3	3
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	2
--HYPERPLASIA, LYMPHOPLASMACYTIC		2	1	1	1	2	3	1	0	2	1
--HEMORRHAGE		1	0	0	1	2	5	1	0	1	0
--LYMPHANGIECTASIS		1	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	1	0	0	0	0	0
VERTEBRA/MARROW (VT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
MAMMARY, MALE (MM)	NUMBER EXAMINED:	2	1	1	1	2	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--GALACTOCELE		1	1	1	0	1	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	0	0	0	0	0	0	0	0	0
--B-FIBROADENOMA		0	0	0	1	1	0	0	0	0	0
--M-CARCINOMA		1	0	0	0	0	0	0	0	0	0
--B-ADENOMA		0	0	0	0	1	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---										
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL										
SEX: -----MALE----- FEMALE-----										
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-										
ORGAN AND FINDING DESCRIPTION										
NUMBER: 11 10 17 25 22 24 15 9 15 25										

COAGULATING GL (CG)	NUMBER EXAMINED:	1	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0
TAIL (TI)	NUMBER EXAMINED:	3	0	0	1	0	0	0	1	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	1	0
--CYST, EPIDERMAL INCLUSION		2	0	0	0	0	0	0	0	0
--ACANTHOSIS / HYPERKERATOSIS		1	0	0	0	0	0	0	0	0
--B-KERATOACANTHOMA		0	0	0	1	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	0	0	1	0
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	2	0	1	4	0	1	1	2	4
	NOT REMARKABLE:	0	0	0	0	0	0	0	2	1
--LYMPHANGIECTASIS		1	0	1	3	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	1	3	0	0	1	2	5
--HEMORRHAGE		1	0	0	0	0	0	0	0	2
--INFILTRATE, MACROPHAGE, PIGMENTED		1	0	0	0	0	0	0	1	0
--N-CARCINOMA		0	0	0	0	0	1	0	0	0
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	1	0	0	1	0	1	1	0	3
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0
--INFLAMMATION / NECROSIS, FAT		1	0	0	0	0	0	1	0	3
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
TABLE INCLUDES: SEX=ALL;GROUP=1,2,3,4,5;WEEKS=ALL DEATH=T;FIND=ALL;SUBSET=ALL											
SEX: -----MALE----- -----FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

** FROM PREVIOUS PAGE **											
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	1	0	0	1	0	1	1	0	0	3
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	1	0	0	0	0	0	0
--THROMBUS		0	0	0	1	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	1	0	0	0	0
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	1	0	0	0	0	0	0	0
--ECTASIA, DUCTAL		0	0	1	0	0	0	0	0	0	0
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	0	2	3	3	0	0	2	1	0	4
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	2	3	3	0	0	2	1	0	4
--ULCERATION		0	2	3	2	0	0	1	1	0	2
--ACANTHOSIS / HYPERKERATOSIS		0	1	3	3	0	0	2	1	0	3
--FIBROSIS		0	0	0	0	0	0	1	0	0	1
--BACTERIA		0	1	0	1	0	0	0	0	0	1
--HYPERPLASIA, BONE		0	0	0	0	0	0	0	0	0	1

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

AORTA (AO)	NUMBER EXAMINED:	0	0	0	0	1	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION		0	0	0	0	1	0	0	0	0	0
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	0	0	1	0	1	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	1	0	0	0	0	0
--HEMORRHAGE		0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	1	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	0	0	0	0	0	0	0
HEAD, CORONAL (HC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
JOINT, OTHER (JT)	NUMBER EXAMINED:	1	1	1	1	0	0	0	0	0	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	1	1	1	0	0	0	0	0	1
--FIBROSIS		1	0	0	0	0	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- -----FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER:	11	10	17	25	22	24	15	9	15	25

CLITORAL GLAND (CL)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
URETER (UE)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
DIAPHRAGM (DP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--B-AORTIC BODY TUMOR		1	0	0	0	0	0	0	0	0	0
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
LN, POPLITEAL (PP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION	NUMBER	11	10	17	25	22	24	15	9	15	25

MUSCLE, OTHER (M0)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
PINNA (PN)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
ARTERY, OTHER (AU)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
AORTIC ARCH (AA)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
LN, ILEOCECAL (IC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
VAS DEFERENS (VS)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0

TABLE 38
Incidence of Microscopic Observations
Terminal Sacrifice

Covance 6329-183
3M T-6295

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
SEX: -----MALE----- FEMALE-----											
GROUP: -1- -2- -3- -4- -5- -1- -2- -3- -4- -5-											
NUMBER: 11 10 17 25 22 24 15 9 15 25											

ORGAN AND FINDING DESCRIPTION											

BILE DUCT (BD)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
TRIGEMINAL NERVE (TG)	NUMBER EXAMINED:	0	0	0	1	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0
--GANGLION											
** END OF LIST **											
		0	0	0	1	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** TOP OF LIST **													
EYE (EY)	NUMBER EXAMINED:	39	39	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	34	36	28	24	26	28	23	30	37	30	21	22
--DYSTROPHY, CORNEAL		4	1	3	1	2	2	3	1	2	3	1	0
IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION													
--INFLAMMATION, ACUTE		1	0	0	0	1	0	2	3	1	2	3	1
--I-NEUROFIBROSARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
--ATROPHY, RETINAL		0	0	1	0	0	0	0	0	0	1	0	0
--DEGENERATION, LENTICULAR		0	1	0	0	0	0	0	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	1	0	0	0	0	0	0	1	0	1	0
--UNILATERALLY EXAMINED		0	0	0	0	0	0	0	0	1	0	0	0
--ULCERATION, CORNEAL		0	0	0	0	0	0	0	0	1	0	1	0
BRAIN (BR)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	18	19	6	5	15	16	7	9	6	9	8	8
--DILATATION, VENTRICULAR		13	12	14	10	7	6	14	12	19	11	13	10
--M-OLIGODENDROGLIOMA		1	0	0	0	0	0	0	0	0	0	0	0
--COMPRESSION, VENTRAL		18	15	22	18	12	13	19	26	35	23	16	15
--HEMORRHAGE		2	0	1	1	1	0	3	1	1	1	0	1
--M-ASTROCYTOMA		2	0	0	1	0	0	0	0	0	1	0	0
--DEGENERATION, FOCAL		0	0	1	0	0	0	0	0	0	0	0	0
--MINERALIZATION		0	1	3	1	1	0	0	0	1	1	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		1	2	0	0	0	0	1	1	0	2	0	1
--THROMBUS		0	0	0	0	0	0	0	1	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	0	0	0	0	0	0	0	0	0	0	0
--M-GRANULAR CELL TUMOR		0	1	0	0	0	0	0	0	0	0	0	0
--I-CARCINOMA		0	0	0	0	0	0	0	0	1	1	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL												
ORGAN AND FINDING DESCRIPTION												

** FROM PREVIOUS PAGE **												
BRAIN (BR)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	23
	NOT REMARKABLE:	18	19	6	5	15	16	7	9	6	9	8
--M-MENINGEAL SARCOMA		0	1	0	0	0	0	0	0	0	0	0
--M-NEUROFIBROSARCOMA		0	0	1	0	0	0	0	0	0	0	0
LIVER (LI)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	23
	NOT REMARKABLE:	2	0	0	0	0	1	2	1	1	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		26	28	26	17	15	22	16	23	27	24	16
--HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR		0	1	1	4	11	3	1	1	3	8	2
POLYKARYOCYTOSIS OCCASIONALLY NOTED												
--GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR		0	0	0	0	5	0	0	0	0	1	1
--PIGMENT, HEPATOCELLULAR, CENTRIOBULAR		0	0	0	0	3	0	0	0	0	0	0
--NECROSIS, INDIVIDUAL HEPATOCYTE		2	1	2	2	3	3	2	2	2	3	1
--VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR		2	3	1	3	2	3	1	0	0	1	1
--VACUOLATION, HEPATOCELLULAR, PERIportal		10	11	7	12	10	7	5	10	13	10	9
--FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL		6	14	13	4	7	11	9	15	11	8	5
--FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC		1	4	4	1	2	3	5	9	8	11	4
--DEGENERATION, CYSTIC		2	11	11	4	8	12	0	1	0	2	0
--NECROSIS, COAGULATIVE		1	3	1	6	1	3	3	2	2	1	1
--CONGESTION		1	1	1	1	1	0	1	2	1	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		2	2	0	0	2	1	0	0	1	1	1
--HEMATOPOIESIS, EXTRAMEDULLARY		3	3	6	2	4	5	8	15	11	4	4
--HYPERPLASIA, BILE DUCT		11	15	17	11	10	13	7	15	16	10	8
--FIBROSIS, PERIBILIARY		4	5	7	3	6	1	2	6	2	6	1
--HYPERTROPHY, HEPATOCELLULAR, PERIportal		3	1	5	2	2	3	3	9	8	2	3
--INFILTRATE, MACROPHAGE, PIGMENTED		4	5	3	4	3	2	1	3	5	5	6

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- -----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
LIVER (LI)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	2	0	0	0	0	1	2	1	1	1	0	0
--VACUOLATION, HEPATOCELLULAR		1	1	3	1	4	1	0	2	0	3	1	1
--DEGENERATION / NECROSIS, MIDZONAL		0	0	0	0	1	0	0	0	0	0	0	0
--DEGENERATION / NECROSIS, CENTRILOBULAR		1	0	0	0	5	1	0	1	0	2	2	1
--HEMORRHAGE		0	0	1	0	0	0	0	1	0	1	0	0
--CYST, BILIARY		0	1	0	1	0	1	2	1	1	1	1	0
--INFLAMMATION, SUBACUTE		0	1	0	0	0	0	0	0	0	0	1	0
--GLYCOGEN, HEPATOCELLULAR, INCREASED		1	3	0	0	1	0	0	0	0	0	0	0
--ANOMALY, SECONDARY TO DIAPHRAGMATIC HERNIA		0	0	1	0	0	0	0	0	0	0	0	1
--ANGIECTASIS		1	1	1	0	1	0	2	0	0	0	1	0
--LEUKOCYTOSIS, SINUSOIDAL		0	0	0	0	1	0	0	1	0	0	0	0
--B-ADENOMA, HEPATOCELLULAR		0	2	2	1	1	0	0	0	1	0	1	1
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	1	1	1	0	0	0	1	1	0
--ECTASIA, BILE DUCT		0	0	0	0	0	0	0	0	0	0	1	0
--STASIS, BILE		0	0	0	0	0	0	0	0	0	0	1	0
--MITOSIS, HEPATOCELLULAR, INCREASED		0	0	0	0	1	0	0	1	1	0	0	0
--LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS)		0	0	1	0	0	0	0	1	0	0	1	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--B-CHOLANGIOMA		0	0	0	0	0	0	0	0	0	1	0	0
--N-CARCINOMA		0	0	0	0	1	0	0	0	0	0	0	0
--KARYOMEGALY		0	1	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA, HEPATOCELLULAR		0	0	0	0	0	0	0	0	0	0	1	0
LIVER-OIL RED 0 (LI0)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

ORGAN AND FINDING DESCRIPTION	39	40	33	25	29	30	26	35	41	35	25	23

KIDNEY (KD)	39	40	33	25	29	30	26	35	41	35	25	23
NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
NOT REMARKABLE:	1	3	0	2	0	3	1	5	4	0	1	0
--NEPHROPATHY, CHRONIC PROGRESSIVE	30	33	33	21	22	27	11	18	18	18	17	13
--INFILTRATE, LYMPHOHISTIOCYTIC	1	0	0	0	1	0	0	1	1	1	1	0
--DILATATION, PELVIC	3	3	3	1	6	7	0	2	3	0	1	1
--MINERALIZATION, PELVIC	9	7	7	5	5	4	23	23	30	29	14	18
--REGENERATION, TUBULAR EPITHELIUM	1	2	0	1	1	1	0	1	0	0	0	0
--MINERALIZATION, TUBULAR	2	0	0	0	3	1	7	6	9	7	9	5
--HEMATOPOIESIS, EXTRAMEDULLARY	0	1	0	0	0	0	0	1	1	1	0	0
--ATROPHY, TUBULAR	0	0	0	0	0	0	0	0	1	0	0	0
--VACUOLATION, TUBULAR EPITHELIUM	0	0	0	0	2	0	0	1	0	2	1	0
--N-CARCINOMA	0	0	0	0	0	0	0	0	0	0	0	1
--PIGMENT, TUBULAR	3	1	0	0	1	0	0	0	2	1	3	1
--KARYOMEGALY, TUBULAR CELL	0	0	0	0	0	0	0	1	0	0	0	0
--HYALINE DROPLETS, TUBULAR EPITHELIUM	5	1	0	1	2	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED	2	0	1	0	0	0	0	0	0	0	1	0
--HYPERPLASIA, TRANSITIONAL CELL	0	2	2	2	1	3	3	8	7	6	2	2
--INFLAMMATION, SUPPURATIVE, PELVIC	0	2	3	2	0	2	0	2	4	1	2	1
--INFLAMMATION, CHRONIC-ACTIVE, PELVIC	1	2	2	1	1	1	0	1	0	0	2	1
--NECROSIS, PAPILLARY	0	0	0	0	2	0	0	0	0	0	0	0
--ECTASIA, TUBULAR	1	1	0	0	0	0	0	0	0	0	1	0
--CAST, PROTEINACEOUS	0	0	0	0	0	0	0	0	0	0	1	0
--CYST	0	1	0	0	0	1	0	1	1	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE	1	0	0	1	0	0	0	0	0	0	0	0
--FIBROSIS, CORTICAL	1	0	0	0	0	0	0	0	0	0	0	0
--ANGIECTASIS	0	0	0	0	0	1	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- -----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
KIDNEY (KD)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	1	3	0	2	0	3	1	5	4	0	1	0
--BACTERIAL COLONIES		0	0	0	1	0	0	0	0	0	0	0	0
--DEGENERATION, CYSTIC, UNILATERAL		0	0	0	0	0	0	0	0	0	1	0	0
--INFILTRATE, FAT, INTERSTITIAL		0	0	0	0	0	0	0	0	1	0	0	0
--N-SARCOMA		1	0	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA, TUBULAR CELL		1	0	0	0	0	0	0	0	0	0	0	0
--ULCERATION, TRANSITIONAL EPITHELIUM, PELVIC		0	0	0	0	0	1	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--THROMBUS		0	0	1	0	0	0	0	0	0	1	0	0
--B-LIPOMA		0	0	0	0	0	0	0	0	1	0	0	0
--THROMBUS, GLOMERULAR		0	0	0	0	1	0	0	0	0	0	0	0
--B-PAPILLOMA, TRANSITIONAL CELL		0	0	0	0	0	1	0	0	0	0	0	0
--DEGENERATION TUBULAR		0	0	0	0	1	0	0	0	0	0	0	0

SPLEEN (SP)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	5	4	2	3	2	6	2	0	0	0	3	0
--PIGMENT, INCREASED		23	27	22	16	16	14	18	18	31	23	18	14
--HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED		10	16	15	9	12	12	13	23	16	15	4	15
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	1	0	0	0	0	1	0	0
--DEPLETION, LYMPHOCYTIC		0	0	0	0	1	0	0	0	1	0	0	1
--FIBROSIS, CAPSULAR		1	0	0	0	0	0	1	0	1	0	0	0
--CYST, SEROSAL		0	0	0	0	0	0	0	0	0	0	1	0
--M-OSTEOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	0	0	0	0	0	0	1
--M-HEMANGIOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23	

TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
ORGAN AND FINDING DESCRIPTION													

** FROM PREVIOUS PAGE **													
SPLEEN (SP)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	5	4	2	3	2	6	2	0	0	0	3	0
--HEMORRHAGE		0	0	0	0	0	0	0	1	0	0	0	0
--NECROSIS		0	0	0	0	0	0	0	1	0	0	0	0
PANCREAS (PA)	NUMBER EXAMINED:	39	39	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	11	11	6	6	8	7	16	17	21	23	15	10
--ZMOGEN GRANULES, DECREASED		9	14	8	8	8	7	2	9	13	7	8	8
--INFILTRATE, LYMPHOHISTIOCYTIC		1	0	0	0	0	1	1	0	2	2	1	1
--INFILTRATE, MACROPHAGE, PIGMENTED		16	15	14	10	11	13	0	2	1	1	0	0
--HYPERPLASIA, ISLET CELLS		1	1	2	1	1	1	2	1	0	0	0	0
--ATROPHY, ACINAR		4	4	5	5	2	2	2	1	4	1	1	3
--HYPERTROPHY / BASOPHILIA, ACINAR CELL		1	2	0	1	1	1	0	4	2	0	0	1
--M-CARCINOMA, ISLET CELL		1	2	1	0	1	2	1	0	1	0	1	0
--B-ADENOMA, ISLET CELL		4	2	2	2	2	0	0	1	0	0	0	0
--B-ADENOMA, ACINAR CELL		0	1	0	0	0	0	0	0	0	0	0	0
--VACUOLATION, FOCAL		0	0	0	0	0	0	0	1	0	0	0	0
--INFILTRATION, FAT, INTERSTITIAL		5	10	7	4	6	3	4	5	2	2	1	3
--INFLAMMATION, VASCULAR		1	1	4	1	0	3	0	1	1	0	0	1
--THROMBUS		1	0	0	0	0	2	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	1	0	0	1	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS		0	0	1	0	0	0	0	0	0	1	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--NECROSIS		0	0	0	0	1	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

ORGAN AND FINDING DESCRIPTION	39	40	33	25	29	30	26	35	41	35	25	23

ADRENAL, CORTEX (AC)	39	40	33	25	29	30	26	35	41	35	25	23
NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
NOT REMARKABLE:	10	5	8	7	9	8	1	2	3	2	1	1
--VACUOLATION, FOCAL	7	14	10	3	7	7	4	0	5	3	2	3
--UNILATERALLY EXAMINED	1	0	0	0	0	1	0	1	0	1	0	0
--CONGESTION	1	0	0	0	0	0	1	0	0	1	0	0
--ANGIECTASIS	2	2	3	1	1	2	7	15	24	14	7	9
--HEMATOPOIESIS, EXTRAMEDULLARY	1	0	1	0	0	3	1	5	3	5	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED	0	0	0	0	0	0	0	0	1	0	3	0
--HEMORRHAGE	0	0	0	0	0	0	0	1	0	2	0	0
--HYPERTROPHY, CORTICAL CELL	5	5	3	2	5	7	10	13	10	13	8	11
--VACUOLATION, DIFFUSE	1	2	1	1	0	0	0	0	0	0	0	0
--DEGENERATION, CYSTIC / HEMORRHAGIC	1	3	2	0	1	0	10	13	8	14	6	8
--HYPERPLASIA, CORTICAL	2	2	2	2	1	1	0	4	3	4	3	2
--PIGMENT	14	26	16	14	13	14	14	23	27	21	17	13
--MINERALIZATION	1	0	0	0	0	1	0	0	0	0	0	0
--ATROPHY, CORTICAL	0	1	1	1	1	0	0	1	0	1	0	0
--B-ADENOMA	2	0	1	2	0	0	1	1	1	1	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)	1	0	0	0	0	0	0	0	0	0	0	0
--DEGENERATION / NECROSIS, UNILATERAL	0	0	1	0	1	0	0	1	1	0	1	0
--NECROSIS, FOCAL	0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS	0	0	1	0	0	1	0	0	0	0	1	0
--N-SARCOMA	0	0	0	0	0	1	0	0	0	0	0	0
--M-CARCINOMA	0	0	0	0	1	0	0	1	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

ADRENAL, MEDULLA (MA)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	34	28	22	21	23	26	23	25	37	27	21	21
--UNILATERALLY EXAMINED		2	2	1	1	1	1	1	3	2	4	2	0
--HYPERPLASIA, MEDULLARY		1	5	8	1	3	2	0	2	0	2	0	2
--B-PHEOCHROMOCYTOMA		2	5	5	2	3	1	2	4	2	2	2	0
--M-MALIGNANT PHEOCHROMOCYTOMA		1	2	0	0	0	0	0	1	0	0	0	0
LN, MESENTERIC (MS)	NUMBER EXAMINED:	38	38	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	35	33	31	22	26	29	26	33	39	31	24	22
--HEMORRHAGE		2	1	0	1	0	0	0	0	0	1	1	1
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	1	0	0	0	0	1	0	0
--M-HEMANGIOSARCOMA		0	0	0	1	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	1	0	1	0	1	1	0
--MINERALIZATION, VASCULAR		1	3	1	1	1	0	0	0	0	0	0	0
--HYPERPLASIA, RETICULOENDOTHELIAL		0	0	0	0	0	0	0	0	1	0	0	0
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	0	0	0	1	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	1	0	0	0	0
--B-HEMANGIOMA		0	0	0	0	0	0	0	0	0	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	1	0	0	0	0	0	0	0
--FIBROSIS		0	0	0	0	1	0	0	0	0	0	0	0
--ANGIECTASIS		0	0	0	0	1	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION													
NUMBER: 39 40 33 25 29 30 26 35 41 35 25 23													

OVARY (OV)	NUMBER EXAMINED:	0	0	0	0	0	0	26	35	41	35	25	23
	NOT REMARKABLE:	0	0	0	0	0	0	22	31	34	29	20	17
--CYST		0	0	0	0	0	0	3	4	7	6	3	4
--HEMATOMA		0	0	0	0	0	0	0	0	0	0	1	0
--B-GRANULOSA/THECA CELL TUMOR		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, GRANULOSA CELL		0	0	0	0	0	0	0	0	0	0	1	1
--CORPORA LUTEA, PERSISTENT		0	0	0	0	0	0	0	0	0	0	0	1
TESTIS (TE)	NUMBER EXAMINED:	39	40	33	25	29	30	0	0	0	0	0	0
	NOT REMARKABLE:	28	23	23	19	20	19	0	0	0	0	0	0
--ATROPHY/DEGENERATION		10	12	7	5	6	6	0	0	0	0	0	0
--GRANULOMA, SPERM		1	0	1	0	0	0	0	0	0	0	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	1	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		1	6	4	1	2	3	0	0	0	0	0	0
--M-HEMANGIOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--MINERALIZATION, VASCULAR		2	2	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL)		0	2	1	0	1	0	0	0	0	0	0	0
--B-INTERSTITIAL CELL TUMOR		1	0	0	0	1	1	0	0	0	0	0	0
--M-MALIGNANT INTERSTITIAL CELL TUMOR		0	0	0	1	0	0	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		1	0	0	0	0	0	0	0	0	0	0	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	33	25	23
	NOT REMARKABLE:	39	35	32	24	28	29	26	34	41	33	24	23
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)		0	0	0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, BONE		0	1	0	1	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL	SEX:	-----MALE-----						-----FEMALE-----					
	GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
BONE, FEMUR (FE)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	33	25	23
	NOT REMARKABLE:	39	35	32	24	28	29	26	34	41	33	24	23
--OSTEODYSTROPHY, FIBROUS		0	4	1	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, CARTILAGE		0	0	0	0	0	0	0	1	0	0	1	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
MARROW, FEMUR (FM)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	33	25	23
	NOT REMARKABLE:	32	29	22	17	21	23	18	16	29	23	14	16
--HYPOCELLULAR, MARROW		2	4	2	3	1	1	0	3	2	1	4	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		3	2	0	0	1	0	0	0	0	0	0	1
--HYPERPLASIA, MYELOID, MARROW		4	4	6	4	5	4	7	12	8	7	5	5
--HYPERPLASIA, ERYTHROID, MARROW		0	2	3	1	1	3	1	4	1	2	2	2
--CONGESTION		0	0	0	0	0	0	0	0	1	0	1	0
--N-FIBROSARCOMA		1	0	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, MEGAKARYOCYTIC, MARROW		0	1	0	0	0	0	0	0	0	0	0	1
MARROW, STERNUM (SE)	NUMBER EXAMINED:	39	40	33	24	29	30	26	35	41	35	24	23
	NOT REMARKABLE:	30	29	20	19	18	23	17	21	27	24	14	16
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		2	2	0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, MYELOID, MARROW		7	5	8	4	6	5	8	10	12	9	5	5
--HYPOCELLULAR, MARROW		1	2	1	0	1	0	0	0	1	0	3	0
--CONGESTION		0	0	0	0	0	0	0	0	1	0	1	0
--HYPERPLASIA, ERYTHROID, MARROW		0	2	4	1	2	3	1	4	0	3	2	2
--HYPERPLASIA, MEGAKARYOCYTIC, MARROW		0	1	0	0	0	0	0	0	0	0	0	1
--N-CARCINOMA		0	0	0	0	1	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
MARROW, STERNUM (SE)	NUMBER EXAMINED:	39	40	33	24	29	30	26	35	41	35	24	23
	NOT REMARKABLE:	30	29	20	19	18	23	17	21	27	24	14	16
--MYELOFIBROSIS		0	0	0	0	0	1	0	0	0	0	0	0
BONE, STERNUM (SB)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	24	23
	NOT REMARKABLE:	37	37	32	24	28	29	26	35	41	35	24	23
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)		0	0	0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, CARTILAGINOUS		1	0	0	1	0	0	0	0	0	0	0	0
--HYPERPLASIA, BONE		1	0	0	1	0	0	0	0	0	0	0	0
--OSTEODYSTROPHY, FIBROUS		0	3	1	0	0	0	0	0	0	0	0	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
SPINAL CORD (SC)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	38	39	33	25	27	29	25	35	40	34	25	22
--HEMORRHAGE		0	0	0	0	1	0	1	0	0	0	0	1
--AXONAL SWELLING		0	0	0	0	0	0	0	0	1	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	0	0	0	0	0	0	0	0	0	0	0
--NECROSIS / HEMORRHAGE, WHITE MATTER		0	1	0	0	0	1	0	0	0	0	0	0
--DEMYELINATION		0	0	0	0	0	0	0	0	0	1	0	0
--MINERALIZATION, DURA		0	0	0	0	1	0	0	0	0	0	0	0
THYMUS (TH)	NUMBER EXAMINED:	39	35	30	23	27	27	25	34	39	31	23	23
	NOT REMARKABLE:	6	3	1	2	2	1	5	5	4	5	1	4
--HEMORRHAGE		2	0	1	2	3	2	1	1	2	1	2	2

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- -----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
THYMUS (TH)	NUMBER EXAMINED:	39	35	30	23	27	27	25	34	39	31	23	23
	NOT REMARKABLE:	6	3	1	2	2	1	5	5	4	5	1	4
--DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY)		33	31	29	21	25	26	17	29	31	24	20	18
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	2	0	0	0	0	0	0	0	1	0	0
--M-THYMIC CARCINOMA		0	0	0	0	0	0	0	0	1	0	0	0
--CYST		0	0	0	0	1	0	2	0	2	0	3	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	1	0	0	0	0	0	0
--EDEMA		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	0	0	0	1	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		0	0	0	0	0	0	0	0	0	1	0	0
LUNG (LU)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	25	26	21	16	10	11	15	17	27	20	5	10
--CONGESTION		2	0	0	3	1	0	1	2	0	2	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		2	3	0	0	1	1	0	0	1	1	0	1
--MINERALIZATION, VASCULAR		8	7	4	2	8	7	0	4	7	6	4	5
--N-CARCINOMA		0	0	0	0	1	0	0	2	0	2	1	1
--HEMORRHAGE		1	0	0	2	1	1	0	1	0	1	0	0
--INFILTRATE, MACROPHAGE, ALVEOLAR		2	3	7	1	9	9	9	8	6	6	16	8
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	2	2	0	1	2	2	0	1	1	3
--INFLAMMATION, GRANULOMATOUS		1	0	1	0	0	2	0	0	1	1	0	0
--HYALINE MATERIAL, ALVEOLAR SEPTA		0	0	1	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, TYPE II PNEUMOCYTE		0	0	1	0	0	0	0	1	0	1	0	0
--LEUKOCYTES, INCREASED, INTRAVASCULAR		0	1	0	0	0	1	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
LUNG (LU)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	25	26	21	16	10	11	15	17	27	20	5	10
--MINERALIZATION, SEPTAL		0	2	2	1	0	0	0	1	0	0	1	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	0	1	0	0	1	0
--EDEMA, ALVEOLAR		1	0	0	0	0	0	0	0	0	0	1	0
--FIBROSIS		0	0	0	1	0	0	0	0	0	0	0	0
--MINERALIZATION, ALVEOLAR LUMINA		0	0	0	1	0	0	0	0	0	0	0	0
--INFLAMMATION, SUBACUTE		0	1	0	0	0	0	0	0	0	0	0	0
--B-ADENOMA, BRONCHIOLAR-ALVEOLAR		0	0	0	0	1	0	0	0	0	0	0	0
--N-SARCOMA		1	0	1	0	0	3	0	0	0	0	0	0
--EMBOLISM, ADIPOSE TISSUE		0	0	0	0	0	0	0	1	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	0	0	1	0	0
HEART (HT)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	18	11	8	6	13	11	17	21	27	21	13	16
--CARDIOMYOPATHY		16	27	25	18	16	19	8	14	13	12	12	7
--INFILTRATE, LYMPHOHISTIOCYTIC		2	0	0	1	0	0	0	0	0	0	0	0
--FIBROSIS		1	0	0	1	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION, VASCULAR		1	4	2	2	1	1	0	0	0	2	2	0
--INFILTRATE, MACROPHAGE, PIGMENTED		2	1	0	0	1	0	0	0	0	0	1	0
--MINERALIZATION		1	3	0	0	1	1	0	0	0	0	2	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	1	0	0	0	0	0	1
--M-ATRIOCAVAL MESOTHELIOMA		0	1	0	0	0	0	0	0	0	0	0	0
--METAPLASIA, OSSEOUS / CARTILAGINOUS		1	0	0	0	1	0	1	0	1	0	0	0
--N-SARCOMA		1	0	1	0	0	1	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **														
HEART (HT)		NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
		NOT REMARKABLE:	18	11	8	6	13	11	17	21	27	21	13	16
--INFLAMMATION, CHRONIC-ACTIVE			0	0	0	0	0	0	0	0	0	1	0	0
MUSCLE, SKELETAL (SM)		NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
		NOT REMARKABLE:	37	35	31	23	21	27	26	33	40	34	24	23
--M-FIBROSARCOMA			0	0	0	1	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE			0	0	0	1	0	0	0	0	0	0	0	0
--BACTERIAL COLONIES			0	0	0	1	0	0	0	0	0	0	0	0
--ATROPHY			1	4	1	1	6	3	0	1	0	1	1	0
--INFILTRATE, LYMPHOHISTIOCYTIC			0	1	1	0	2	0	0	1	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	0	0	0	0	0	0	0	1	0	0	0
--M-SARCOMA, UNDIFFERENTIATED			1	0	0	0	0	0	0	0	0	0	0	0
NERVE, SCIATIC (SN)		NUMBER EXAMINED:	39	39	33	25	28	30	25	35	41	35	25	23
		NOT REMARKABLE:	38	37	33	24	26	29	25	35	41	34	25	23
--DEGENERATION			1	2	0	1	2	1	0	0	0	1	0	0
TRACHEA (TR)		NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
		NOT REMARKABLE:	39	40	33	24	29	30	26	34	41	35	25	23
--EXUDATE, LUMINAL			0	0	0	1	0	0	0	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE			0	0	0	0	0	0	0	1	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23
-----		---	---	---	---	---	---	---	---	---	---	---	---	---
ESOPHAGUS (ES)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23	
	NOT REMARKABLE:	38	39	33	22	29	30	25	35	41	35	24	23	
	--HYPERKERATOSIS	0	0	0	1	0	0	1	0	0	0	1	0	
	--EXUDATE, LUMINAL	0	0	0	2	0	0	0	0	0	0	0	0	
	--DILATATION, LUMINAL	1	0	0	0	0	0	0	0	0	0	0	0	
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0	
THYROID (TY)	NUMBER EXAMINED:	39	39	33	25	28	29	26	35	41	35	25	23	
	NOT REMARKABLE:	23	23	23	17	18	20	10	22	24	23	18	10	
	--HYPERPLASIA, C-CELL	5	5	4	2	2	2	10	11	13	6	6	11	
	--M-CARCINOMA, FOLLICULAR CELL	1	1	0	0	1	0	0	0	0	0	0	0	
	--DILATATION / CYST, FOLLICULAR	4	2	1	3	4	1	0	0	0	0	0	0	
	--B-ADENOMA, C-CELL	4	4	3	0	4	2	6	3	4	7	1	2	
	--B-ADENOMA, FOLLICULAR CELL	3	3	2	2	0	4	0	0	0	1	0	0	
	--HYPERTROPHY, FOLLICULAR CELL	0	0	0	1	1	0	0	0	0	0	0	0	
	--INFLAMMATION, VASCULAR	0	0	0	0	0	0	1	0	0	0	0	0	
	--M-CARCINOMA, C-CELL	0	0	0	0	0	1	0	0	0	0	0	0	
	--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)	0	1	0	0	0	0	0	0	0	0	0	0	
	PARATHYROID (PT)	NUMBER EXAMINED:	38	38	33	23	28	27	26	35	40	34	25	23
		NOT REMARKABLE:	33	32	28	21	26	26	26	33	40	34	25	23
		--HYPERPLASIA	5	6	5	2	2	1	0	1	0	0	0	0
--B-ADENOMA		0	0	0	0	0	0	0	1	0	0	0	0	

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL												
SEX: -----MALE----- FEMALE-----												
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-												
NUMBER: 39 40 33 25 29 30 26 35 41 35 25 23												
----- -- -- -- -- -- -- -- -- -- -- -- --												
PITUITARY (PI) NUMBER EXAMINED: 39 40 33 25 28 30 26 35 41 35 25 23												
NOT REMARKABLE: 7 6 1 4 6 3 0 2 1 3 2 1												
--B-ADENOMA 26 27 31 20 19 21 26 31 38 30 21 21												
--HYPERPLASIA 5 6 2 1 3 4 0 2 1 1 2 1												
--ANGIECTASIS 1 0 0 0 0 2 0 1 1 0 0 0												
--CYST 0 1 1 0 1 3 0 2 0 0 0 0												
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE) 0 0 0 0 0 0 0 0 1 0 0 0												
--INFLAMMATION, CHRONIC-ACTIVE 1 0 0 0 0 0 0 0 0 0 0 0												
--NECROSIS 1 0 0 0 0 0 0 0 0 0 0 0												
--M-CARCINOMA 0 0 0 0 0 0 0 0 1 1 0 0												
--I-SARCOMA 0 1 0 0 0 0 0 0 0 0 0 0												
HARDERIAN GLAND (HG) NUMBER EXAMINED: 39 40 32 25 29 30 26 35 41 35 25 23												
NOT REMARKABLE: 36 32 24 20 26 24 18 29 33 29 20 19												
--INFILTRATE, LYMPHOHISTIOCYTIC 3 7 6 5 2 6 8 6 8 6 4 3												
--ATROPHY 0 0 2 0 1 0 0 0 0 0 1 1												
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE) 0 0 0 0 0 0 0 0 0 0 1 0												
--DYSPLASIA, EPITHELIAL, GLANDULAR 0 0 0 0 1 0 0 0 0 0 0 0												
--INFLAMMATION, VASCULAR 0 0 0 0 0 0 0 0 1 0 0 0												
--I-SARCOMA 0 1 0 0 0 0 0 0 0 0 0 0												
SALIV GL, MANDIB (SG) NUMBER EXAMINED: 39 40 33 25 29 30 26 35 41 35 25 23												
NOT REMARKABLE: 39 39 32 24 28 30 26 34 41 34 24 23												
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE) 0 1 0 0 0 0 0 0 0 0 1 0												
--HYPERPLASIA, GLANDULAR 0 0 0 1 0 0 0 0 0 0 0 0												

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
SALIV GL, MANDIB (SG)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	39	39	32	24	28	30	26	34	41	34	24	23
--ATROPHY		0	0	0	0	1	0	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	0	0	0	0	0	0	0	1	0	0
--M-SCHWANNOMA		0	0	0	0	0	0	0	1	0	0	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	0	0	1	0	0	0	0
--I-SARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
STOMACH, GL (ST)	NUMBER EXAMINED:	39	39	33	25	28	30	26	35	41	35	25	23
	NOT REMARKABLE:	32	28	24	15	22	22	25	32	38	32	20	22
--EDEMA		1	1	0	1	1	1	1	2	0	1	2	0
--INFLAMMATION, ACUTE		1	1	2	4	1	1	1	2	0	1	2	0
--HEMORRHAGE		0	0	0	1	0	0	0	0	0	0	0	0
--EROSION		2	0	2	1	4	2	0	0	0	1	3	1
--INFLAMMATION, CHRONIC-ACTIVE		3	7	0	1	1	2	0	1	1	0	1	0
--ULCERATION		0	0	0	0	0	2	0	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL, GLANDULAR		4	5	5	3	2	3	0	0	1	0	1	0
--MINERALIZATION, GLANDULAR MUCOSA		0	5	3	2	2	2	0	1	0	1	1	0
--FIBROSIS		0	1	0	1	1	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0
--MINERALIZATION, VASCULAR		0	1	0	0	1	0	0	0	0	0	0	0
STOMACH, NONGL (SU)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	29	34	28	19	24	21	24	31	35	32	22	20
--ACANTHOSIS / HYPERKERATOSIS		10	6	5	6	5	9	2	4	6	3	3	2

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
STOMACH, NONGL (SU)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	29	34	28	19	24	21	24	31	35	32	22	20
--EDEMA		0	0	0	0	1	0	0	0	2	1	0	1
--INFLAMMATION, SUBACUTE		1	0	0	0	0	0	0	0	2	0	1	0
--ULCERATION		4	5	3	3	2	4	1	4	1	2	2	0
--INFLAMMATION, CHRONIC-ACTIVE		9	6	5	6	5	5	2	4	3	3	1	1
--FIBROSIS		0	0	0	0	0	0	0	0	0	1	0	0
DUODENUM (DU)	NUMBER EXAMINED:	36	39	32	24	26	30	26	35	39	33	24	23
	NOT REMARKABLE:	34	39	32	24	26	28	26	34	39	32	24	23
--INFLAMMATION, VASCULAR		1	0	0	0	0	1	0	0	0	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	1	0	0	0	0	0	0
--ULCERATION		0	0	0	0	0	1	0	0	0	0	0	0
--EROSION		1	0	0	0	0	0	0	0	0	0	0	0
--B-LEIOMYOMA		0	0	0	0	0	0	0	1	0	0	0	0
JEJUNUM (JE)	NUMBER EXAMINED:	31	36	27	19	21	26	25	33	35	32	22	21
	NOT REMARKABLE:	31	36	27	19	21	26	25	33	35	32	22	21
ILEUM (IL)	NUMBER EXAMINED:	30	35	27	21	21	24	26	32	37	29	21	21
	NOT REMARKABLE:	29	34	26	21	21	24	26	32	37	28	21	21
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	1	0	0
--HEMORRHAGE		1	0	0	0	0	0	0	0	0	0	0	0
--NECROSIS		1	0	0	0	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE-----												
-----FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23
ORGAN AND FINDING DESCRIPTION	---	---	---	---	---	---	---	---	---	---	---	---
** FROM PREVIOUS PAGE **												
ILEUM (IL)	NUMBER EXAMINED:	30	35	27	21	21	24	26	32	37	29	21
	NOT REMARKABLE:	29	34	26	21	21	24	26	32	37	28	21
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0
CECUM (CE)	NUMBER EXAMINED:	27	33	26	20	22	23	25	33	37	31	22
	NOT REMARKABLE:	27	31	26	20	20	23	24	33	36	30	21
--EROSION		0	2	0	0	1	0	0	0	0	0	0
--HEMORRHAGE		0	1	0	0	2	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	2	0	0	1	0	1	0	1	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	0	1	0
--BACTERIA		0	0	0	0	1	0	0	0	0	0	0
--ULCERATION		0	0	0	0	1	0	0	0	0	0	0
--B-LIPOMA		0	0	0	0	1	0	0	0	0	0	0
COLON (CO)	NUMBER EXAMINED:	34	37	29	23	22	27	26	34	40	33	23
	NOT REMARKABLE:	34	36	29	23	22	25	26	34	40	31	23
--PARASITISM		0	1	0	0	0	2	0	0	0	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	0	1	0
RECTUM (RE)	NUMBER EXAMINED:	37	40	31	25	26	29	26	35	41	35	25
	NOT REMARKABLE:	35	39	31	25	26	27	24	35	38	35	22
--PARASITISM		1	1	0	0	0	2	1	0	2	0	2
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	0	1

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
RECTUM (RE)	NUMBER EXAMINED:	37	40	31	25	26	29	26	35	41	35	25	23
	NOT REMARKABLE:	35	39	31	25	26	27	24	35	38	35	22	22
--ULCERATION		0	0	0	0	0	0	0	0	0	0	1	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0
--NECROSIS		1	0	0	0	0	0	0	0	0	0	0	0
SKIN (SK)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	32	28	25	20	20	24	22	34	37	32	22	21
--ACANTHOSIS/HYPERKERATOSIS		3	2	1	1	5	0	1	1	1	1	1	1
--INFLAMMATION, CHRONIC-ACTIVE		3	5	0	0	4	2	1	0	1	1	1	1
--ULCERATION		0	3	0	0	2	0	1	0	0	1	0	1
--HEMORRHAGE		1	0	0	0	0	0	0	0	0	0	0	0
--CYST, EPIDERMAL INCLUSION		1	4	1	0	0	0	0	0	0	0	0	0
--BACTERIAL COLONIES		1	0	0	0	2	0	0	0	0	0	0	0
--SUPERFICIAL CRUSTING		1	0	0	0	1	0	0	0	1	0	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	0	1	0	0	1	0	0	1
--B-KERATOACANTHOMA		1	2	3	3	2	4	0	0	0	0	0	0
--M-FIBROSARCOMA		2	1	2	1	1	0	1	0	1	0	1	0
--B-FIBROMA		0	2	1	0	1	0	0	0	1	0	0	0
--FIBROSIS		0	1	0	0	0	0	1	0	0	0	0	0
--B-ADENOMA, BASAL CELL/SQUAMOUS/SEBACEOUS		0	1	0	0	0	0	0	0	0	0	0	0
--B-LIPOMA		0	1	0	0	0	0	0	0	0	2	0	0
--M-CARCINOMA, SQUAMOUS CELL		1	0	0	0	0	0	1	0	0	0	0	0
--B-RHABDOMYOMA		0	0	0	0	0	1	0	0	0	0	0	0
--B-PAPILLOMA, SQUAMOUS CELL		0	1	0	0	0	0	2	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- -----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
SKIN (SK)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	32	28	25	20	20	24	22	34	37	32	22	21
--INFLAMMATION, CHRONIC		0	0	0	0	0	0	0	1	0	0	1	0
--ANGIECTASIS WITH THROMBOSIS AND ENDOTHELIAL PROLIFERATION		0	0	0	0	1	0	0	0	0	0	0	0
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	0	0	0	0	26	35	40	35	25	23
	NOT REMARKABLE:	0	0	0	0	0	0	2	3	1	3	5	3
--M-CARCINOMA		0	0	0	0	0	0	6	11	14	10	8	3
--CYST / GALACTOCELE		0	0	0	0	0	0	19	19	29	22	15	15
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	4	4	2	2	0	0
--B-FIBROADENOMA		0	0	0	0	0	0	8	18	14	18	4	8
--HYPERPLASIA, GLANDULAR		0	0	0	0	0	0	11	12	29	16	5	9
--B-ADENOMA		0	0	0	0	0	0	4	4	4	5	3	2
--INFLAMMATION, CHRONIC		0	0	0	0	0	0	0	0	2	0	1	0
--FIBROSIS		0	0	0	0	0	0	0	1	0	0	0	0
URINARY BLADDER (UB)	NUMBER EXAMINED:	38	38	32	23	26	30	26	35	41	35	25	23
	NOT REMARKABLE:	34	33	23	16	21	27	24	33	40	35	24	22
--HEMORRHAGE		0	1	1	1	1	0	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		1	0	5	1	0	0	1	1	1	0	0	0
--PROTEINACEOUS MATERIAL, LUMINAL		2	2	1	3	2	1	0	0	0	0	0	0
--HYPERPLASIA, TRANSITIONAL CELL		1	1	2	2	3	2	0	2	0	0	1	0
--MINERALIZED MATERIAL, LUMEN		1	0	0	0	0	0	0	0	0	0	0	1
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	2	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	3	3	2	1	2	0	0	0	0	1	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE-----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
URINARY BLADDER (UB)	NUMBER EXAMINED:	38	38	32	23	26	30	26	35	41	35	25	23
	NOT REMARKABLE:	34	33	23	16	21	27	24	33	40	35	24	22
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0	0
UTERUS (UT)	NUMBER EXAMINED:	0	0	0	0	0	0	26	35	41	35	25	23
	NOT REMARKABLE:	0	0	0	0	0	0	19	25	27	19	21	18
--DILATATION		0	0	0	0	0	0	4	4	6	7	2	2
--B-POLYP, ENDOMETRIAL, STROMAL		0	0	0	0	0	0	2	1	1	3	0	0
--CYST		0	0	0	0	0	0	0	0	2	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	1	2	2	0	0	1
--HYPERTROPHY, ENDOMETRIUM		0	0	0	0	0	0	0	0	0	0	0	1
--B-LEIOMYOMA		0	0	0	0	0	0	0	1	0	0	0	0
--HYPERPLASIA, CYSTIC, ENDOMETRIAL		0	0	0	0	0	0	2	6	4	7	2	2
CERVIX (CV)	NUMBER EXAMINED:	0	0	0	0	0	0	26	34	41	35	25	23
	NOT REMARKABLE:	0	0	0	0	0	0	24	27	33	31	22	17
--HYPERPLASIA, MUCINOUS		0	0	0	0	0	0	1	5	4	4	2	5
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, STROMAL		0	0	0	0	0	0	0	0	2	0	1	1
--M-SARCOMA, STROMAL		0	0	0	0	0	0	0	1	0	0	0	0
--B-POLYP, STROMAL		0	0	0	0	0	0	0	1	1	0	0	0
--EXUDATE, LUMINAL		0	0	0	0	0	0	0	1	1	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

VAGINA (VA)	NUMBER EXAMINED:	0	0	0	0	0	26	34	41	35	25	23
	NOT REMARKABLE:	0	0	0	0	0	16	19	19	15	14	11
--LUMEN, EXUDATE		0	0	0	0	0	6	13	10	12	9	4
--HYPERPLASIA, MUCINOUS		0	0	0	0	0	4	9	14	12	5	8
--INFLAMMATION, CHRONIC		0	0	0	0	0	0	0	0	1	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	1	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	2	0	0	0
--B-POLYP, STROMAL		0	0	0	0	0	0	0	1	0	0	0
PROSTATE (PR)	NUMBER EXAMINED:	39	40	33	25	29	30	0	0	0	0	0
	NOT REMARKABLE:	13	4	2	6	5	6	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		25	35	30	19	24	23	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		1	1	1	0	0	1	0	0	0	0	0
--ATROPHY		0	0	0	0	1	0	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		1	0	0	0	0	0	0	0	0	0	0
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	38	40	33	25	29	30	0	0	0	0	0
	NOT REMARKABLE:	32	28	20	15	22	22	0	0	0	0	0
--SECRETION, DECREASED		3	2	4	1	2	2	0	0	0	0	0
--SECRETION, INCREASED		0	4	7	2	1	2	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	2	2	1	1	1	0	0	0	0	0
--ATROPHY		2	4	2	6	3	2	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	0	1	0	0	0	0	0	0	0
--EDEMA		0	0	0	0	0	1	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL												
SEX: -----MALE----- FEMALE-----												
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-												
ORGAN AND FINDING DESCRIPTION												
NUMBER: 39 40 33 25 29 30 26 35 41 35 25 23												

EPIDIDYMITIDES (EP)												
NUMBER EXAMINED: 39 40 33 25 29 30 0 0 0 0 0 0												
NOT REMARKABLE: 32 36 23 18 19 20 0 0 0 0 0 0												
--IMMATURE SPERM FORMS												
1 2 2 1 6 2 0 0 0 0 0 0												
--INFILTRATE, LYMPHOHISTIOCYTIC												
1 0 3 1 3 2 0 0 0 0 0 0												
--HYPOSPERMIA												
2 1 2 2 0 2 0 0 0 0 0 0												
--ATROPHY/DEGENERATION												
0 0 0 1 2 0 0 0 0 0 0 0												
--UNILATERALLY EXAMINED												
0 0 0 0 0 2 0 0 0 0 0 0												
--VACUOLATION, TUBULAR EPITHELIUM												
1 2 2 3 0 1 0 0 0 0 0 0												
--GRANULOMA, SPERM												
1 0 0 0 0 0 0 0 0 0 0 0												
--INFLAMMATION, CHRONIC-ACTIVE												
1 0 0 0 0 0 0 0 0 0 0 0												
--INFILTRATE, EOSINOPHILIC												
0 0 1 0 0 0 0 0 0 0 0 0												
--INFLAMMATION, VASCULAR												
1 0 0 0 0 0 0 0 0 0 0 0												
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)												
0 0 0 0 0 1 0 0 0 0 0 0												
HEMATO NEOPLASIA (HN)												
NUMBER EXAMINED: 39 40 33 25 29 30 26 35 41 35 25 23												
NOT REMARKABLE: 36 37 33 25 27 29 25 35 39 34 24 22												
--M-LYMPHOMA												
1 2 0 0 1 0 0 0 1 0 0 0												
--M-SARCOMA, HISTIOCYTIC												
2 1 0 0 1 1 1 0 1 1 1 1												
CAUSE OF DEATH (CD)												
NUMBER EXAMINED: 39 40 33 25 29 30 26 35 41 35 25 23												
NOT REMARKABLE: 0 0 0 0 0 0 0 0 0 0 0 0												
--UNDETERMINED MICROSCOPICALLY												
8 2 3 3 3 2 0 0 0 1 1 2												
--NEOPLASM, BRAIN												
2 2 1 1 0 0 0 0 0 1 0 0												
--NEOPLASM, HEMATOPOIETIC												
2 3 0 0 2 1 0 0 1 1 0 1												
--NEOPLASM, PITUITARY												
18 21 20 14 12 15 18 24 33 24 15 16												

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23
----- -- -- -- -- -- -- -- -- -- -- -- -- -- --													
** FROM PREVIOUS PAGE **													
CAUSE OF DEATH (CD)	NUMBER EXAMINED:	39	40	33	25	29	30	26	35	41	35	25	23
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--NEOPLASM, SKIN/MUSCLE/SUBCUTIS		3	2	3	2	1	1	1	0	1	0	1	0
--INFLAMMATION / INFECTION		2	1	1	1	4	2	0	0	1	0	1	1
--NEOPLASM, MAMMARY GLAND		0	0	0	0	1	0	5	8	5	5	4	3
--NEOPLASM, ABDOMINAL CAVITY		0	0	0	1	2	0	0	0	0	0	0	0
--HEMORRRHAGE		0	0	0	0	0	0	0	0	0	1	0	0
--NEPHROPATHY		1	6	3	2	1	2	0	0	0	2	1	0
--GI TRACT, EROSION/ULCERATION/HEMORRHAGE/INFLAMMATION		1	0	0	0	0	1	0	0	0	0	0	0
--POSSIBLE TRAUMATIC INJURY		1	0	1	0	0	0	0	0	0	0	0	0
--INFECTION / NECROSIS / CALCULUS, URINARY TRACT		1	0	0	1	1	1	0	0	0	0	0	0
--NEOPLASM, PANCREAS		0	1	0	0	0	0	1	0	0	0	1	0
--NEOPLASM, THORACIC CAVITY		0	0	0	0	1	1	0	0	0	0	0	0
--HEPATIC ANOMALY / OBSTRUCTIVE HEPATOPATHY		0	0	0	0	0	0	0	0	0	0	1	0
--HEMANGIOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--NEOPLASM, HEART		0	1	0	0	0	0	0	0	0	0	0	0
--DEGENERATION/NECROSIS/HEMORRHAGE, SPINAL CORD/BRAIN		0	1	0	0	0	0	0	0	0	0	0	0
--NEOPLASM, LIVER		0	0	1	0	0	0	0	0	0	0	0	0
--VASCULITIS, SYSTEMIC		0	0	0	0	0	0	1	0	0	0	0	0
--NEOPLASM, UT/CV/VA/OV		0	0	0	0	0	0	0	1	0	0	0	0
--NEOPLASM, KIDNEY		0	0	0	0	0	1	0	0	0	0	0	0
--NEOPLASM, SPLEEN		0	0	0	0	0	2	0	0	0	0	0	0
--EMBOLISM, PULMONARY		0	0	0	0	0	0	0	1	0	0	0	0
--NEOPLASM, ADRENAL		0	0	0	0	1	0	0	1	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----					
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23
-----		==	==	==	==	==	==	==	==	==	==	==	==
LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	0	2	2	0	3	2	2	0	2	1	1	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	1	0	0	0	1	0	0	0
--HEMORRHAGE		0	1	2	0	2	2	2	0	0	1	1	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	0	0	0	1	0	1	0
--INFILTRATE, MAST CELL		0	1	0	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	2	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS		0	0	1	0	0	0	0	0	0	0	0	0
--LYMPHANGIECTASIS		0	0	0	0	0	1	0	0	0	0	0	0
LN, AXILLARY (AX)	NUMBER EXAMINED:	1	4	4	1	3	2	7	14	11	13	3	7
	NOT REMARKABLE:	1	0	2	0	1	1	2	4	0	4	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	1	1	1	2	0	1	2	1	1	0	2
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	3	1	1	1	0	5	8	10	8	2	5
--INFILTRATE, MACROPHAGE, PIGMENTED		0	1	0	0	0	1	1	0	1	3	1	3
--HYPERPLASIA, RETICULOENDOTHELIAL		0	0	0	0	0	0	0	1	1	0	0	0
--CONGESTION		0	0	1	0	0	1	0	0	0	0	0	0
--FIBROPLASIA, PERIPHERAL		0	0	0	0	0	0	0	0	0	0	0	1
LN, INGUINAL (IN)	NUMBER EXAMINED:	0	1	0	0	0	0	1	6	1	2	1	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	3	1	0	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
LN, INGUINAL (IN)	NUMBER EXAMINED:	0	1	0	0	0	0	1	6	1	2	1	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	3	1	0	1	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	0	1	3	0	2	0	1
LN, OTHER (LN)	NUMBER EXAMINED:	1	1	2	0	1	0	0	0	0	0	1	0
	NOT REMARKABLE:	0	0	1	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	0	1	0	0	0	0	0	1	0
LN, RENAL (RL)	NUMBER EXAMINED:	0	3	3	2	1	2	0	1	0	1	1	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	2	2	2	0	1	0	0	0	0	1	0
--HEMORRHAGE		0	1	2	1	1	1	0	0	0	1	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	1	0	0	0	1	0	1	0	0
--DILATATION, SINUSOIDAL		0	0	1	1	0	0	0	0	0	0	0	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--LYMPHANGIECTASIS		0	0	0	0	0	1	0	0	0	0	0	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	2	3	6	0	2	4	6	4	10	7	5	2
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		1	1	6	0	1	0	6	4	9	7	5	2

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	2	3	6	0	2	4	6	4	10	7	5	2
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	1	2	1	0	2	1	1	1
--LYMPHANGIECTASIS		0	0	1	0	0	1	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	0	1	0	0	1
--CONGESTION		0	1	2	0	0	2	0	0	0	0	0	1
--I-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--ABSCESS		0	0	0	0	0	0	0	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	0	0	1
VERTEBRA/MARROW (VT)	NUMBER EXAMINED:	0	1	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)		0	1	0	0	0	0	0	0	0	0	0	0
MAMMARY, MALE (MM)	NUMBER EXAMINED:	1	3	4	3	3	2	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	1	0	0	0	0	0	0	0	0
--HYPERPLASIA, CYSTIC		0	0	1	1	0	0	0	0	0	0	0	0
--SECRETORY MATERIAL IN LUMINA		0	0	0	1	0	0	0	0	0	0	0	0
--GALACTOCELE		1	3	4	0	2	1	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	1	0	0	0	0	0	0	0	0	0	0
--B-FIBROADENOMA		0	0	1	1	1	0	0	0	0	0	0	0
--M-CARCINOMA		0	0	0	0	0	2	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23
-----	---	---	---	---	---	---	---	---	---	---	---	---
COAGULATING GL (CG)	NUMBER EXAMINED:	1	0	0	1	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0
--SECRETORY MATERIAL, INCREASED		1	0	0	1	0	0	0	0	0	0	0
TAIL (TI)	NUMBER EXAMINED:	2	0	4	1	0	0	1	1	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	0	4	1	0	0	0	1	1	0	0
--ULCERATION		0	0	1	0	0	0	0	0	1	0	0
--CYST, EPIDERMAL INCLUSION		1	0	0	0	0	0	0	0	0	0	0
--ACANTHOSIS / HYPERKERATOSIS		1	0	2	1	0	0	0	1	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0
--M-NEUROFIBROSARCOMA		0	0	1	0	0	0	0	0	0	0	0
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	2	1	4	2	2	4	1	3	7	4	0
	NOT REMARKABLE:	0	0	0	0	1	1	0	0	0	3	0
--LYMPHANGIECTASIS		0	0	2	1	1	2	0	0	1	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		2	1	3	1	1	2	1	3	5	0	0
--HEMORRHAGE		0	1	1	1	1	1	0	0	2	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0
--INFLAMMATION, SUBACUTE		0	0	1	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	0	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	0	1

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION													
NUMBER: 39 40 33 25 29 30 26 35 41 35 25 23													

CAVITY, ABDOM (PC)	NUMBER EXAMINED:	0	0	1	2	2	3	0	0	0	0	1	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION / NECROSIS, FAT		0	0	1	2	0	2	0	0	0	0	0	1
--M-FIBROSARCOMA		0	0	0	0	1	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	0	1	0
--HEMATOMA		0	0	0	0	1	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	1	0	0	0	0	0	0
--THROMBUS		0	0	0	0	0	1	0	0	0	0	0	0
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	0	1	2	0	0	0	0	0	1	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA		0	1	1	0	0	0	0	0	1	0	0	0
--I-SARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	0	1	1	0	1	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	1	1	0	1	0	0	0	0	0	0	0
--ECTASIA, DUCTAL		0	0	1	0	0	0	0	0	0	0	0	0
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	2	0	0	3	4	1	2	1	1	2	1	1
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	3	4	1	2	1	1	2	1	1
--ULCERATION		1	0	0	2	2	1	1	1	1	2	0	0
--ACANTHOSIS / HYPERKERATOSIS		0	0	0	1	3	1	1	1	1	2	1	1

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----					
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	2	0	0	3	4	1	2	1	1	2	1	1
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	0	0
--B-FIBROMA		0	0	0	0	0	0	1	0	0	0	0	0
--FIBROSIS		0	0	0	0	1	0	0	0	1	0	0	0
--BACTERIA		0	0	0	0	1	0	0	1	0	0	0	0
AORTA (AO)	NUMBER EXAMINED:	0	1	3	2	1	1	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	1	0	0	1	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	1	0	0	0	0	0	0	0
--MINERALIZATION		0	1	2	2	0	0	0	0	0	1	0	0
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	0	1	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--I-SARCOMA		0	1	1	0	0	0	0	0	0	0	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	0	1	1	0	0	1	1	1	1	0	1	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	1	0	0	0	0	1	1	1	0	1	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	1	0	0	0	1	1	0	0	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	0	0	1	0	1	1	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----					
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23
-----		==	==	==	==	==	==	==	==	==	==	==	==
HEAD, CORONAL (HC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, ACUTE, EAR		0	0	0	0	0	0	0	0	0	1	0	0
JOINT, OTHER (JT)	NUMBER EXAMINED:	0	0	2	0	1	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	2	0	1	0	0	0	0	0	0	0
--PROBABLE FRACTURE		0	0	1	0	0	0	0	0	0	0	0	0
CLITORAL GLAND (CL)	NUMBER EXAMINED:	0	0	0	0	0	0	1	1	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--ECTASIA, DUCTAL		0	0	0	0	0	0	1	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	1	0	0	0	0
--HYPERKERATOSIS		0	0	0	0	0	0	0	1	0	0	0	0
URETER (UE)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	1	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	1	0	0	0	0	0	0
ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	0	0	1	0	0	0	1	1	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	1	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	0	1	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

** FROM PREVIOUS PAGE **													
ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	0	0	1	0	0	0	1	1	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	1	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
DIAPHRAGM (DP)	NUMBER EXAMINED:	0	0	0	0	0	0	1	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--I-LIPOSARCOMA		0	0	0	0	0	0	1	0	0	0	0	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	0	0	0	0	0	0	1	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--B-HIBERNOMA		0	0	0	0	0	0	1	0	0	0	0	0
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	1	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	0	0	0	1	0	0	0
--DILATATION, SINUSOIDAL		0	0	0	0	0	1	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	0	1	0	0	0	0	0	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
LN, POPLITEAL (PP)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	1	0	0	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0
--HYPERPLASIA, PLASMACYTIC		0	0	0	0	0	0	0	0	0	0	0	1

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---											
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=D,M;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----					
		GROUP: -1- -2- -3- -4- -5- -6-						-1- -2- -3- -4- -5- -6-					
ORGAN AND FINDING DESCRIPTION		NUMBER: -39 -40 -33 -25 -29 -30						-26 -35 -41 -35 -25 -23					
		---						---					
MUSCLE, OTHER (M0)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	0	0	1	0	0	1	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--M-SARCOMA, UNDIFFERENTIATED		0	0	0	0	0	1	0	0	0	0	0	0
--N-SARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
PINNA (PN)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--M-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
ARTERY, OTHER (AU)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION		0	0	1	0	0	0	0	0	0	0	0	0
AORTIC ARCH (AA)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION		0	0	1	0	0	0	0	0	0	0	0	0

TABLE 39
Incidence of Microscopic Observations
Unscheduled Deaths and Sacrifices

Covance 6329-183
3M T-6295

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	39	40	33	25	29	30	26	35	41	35	25	23

LN, ILEOCECAL (IC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	0	1	0	0
VAS DEFERENS (VS)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	1	0	0	0	0	0	0
BILE DUCT (BD)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--CYST		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC		0	0	1	0	0	0	0	0	0	0	0	0
--THROMBUS		0	0	1	0	0	0	0	0	0	0	0	0
TRIGEMINAL NERVE (TG)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
** END OF LIST **													

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** TOP OF LIST **													
EYE (EY)	NUMBER EXAMINED:	65	44	38	30	65	30	65	40	46	40	65	24
	NOT REMARKABLE:	58	41	33	29	60	28	60	35	42	35	59	22
--DYSTROPHY, CORNEAL		6	1	3	1	4	2	4	1	2	3	3	1
IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION													
--INFLAMMATION, ACUTE		1	0	0	0	1	0	2	3	1	2	3	1
--I-NEUROFIBROSARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
--ATROPHY, RETINAL		0	0	1	0	0	0	0	0	0	1	0	0
--DEGENERATION, LENTICULAR		0	1	0	0	0	0	0	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	1	0	0	0	0	0	0	1	0	1	0
--UNILATERALLY EXAMINED		0	0	0	0	0	0	0	0	1	0	0	0
--ULCERATION, CORNEAL		0	0	0	0	0	0	0	0	1	0	1	0
--DEGENERATION, RETINAL		0	0	0	0	0	0	1	0	0	0	0	0
BRAIN (BR)	NUMBER EXAMINED:	65	45	45	35	65	34	65	48	51	48	65	30
	NOT REMARKABLE:	42	24	14	10	43	17	32	15	13	15	37	10
--DILATATION, VENTRICULAR		13	12	14	10	8	7	16	14	20	11	14	11
--M-OLIGODENDROGLIOMA		1	0	0	0	0	0	0	0	0	0	0	0
--COMPRESSION, VENTRAL		20	15	26	23	18	16	30	33	38	28	27	19
--HEMORRHAGE		2	0	1	1	1	0	4	1	1	1	0	1
--M-ASTROCYTOMA		2	0	0	1	0	0	0	0	0	1	0	0
--DEGENERATION, FOCAL		0	0	1	0	0	0	0	0	0	0	0	0
--MINERALIZATION		0	1	4	1	2	0	1	0	1	2	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED		1	2	0	0	0	0	1	1	0	2	0	1
--THROMBUS		0	0	0	0	0	0	0	1	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	0	0	0	1	0	0	0	0	0	0	0
--M-GRANULAR CELL TUMOR		0	1	0	0	0	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
BRAIN (BR)	NUMBER EXAMINED:	65	45	45	35	65	34	65	48	51	48	65	30
	NOT REMARKABLE:	42	24	14	10	43	17	32	15	13	15	37	10
--I-CARCINOMA		0	0	0	0	0	0	1	0	1	2	0	1
--M-MENINGEAL SARCOMA		0	1	0	0	0	0	0	0	0	0	0	0
--M-NEUROFIBROSARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
LIVER (LI)	NUMBER EXAMINED:	65	55	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	2	0	0	0	0	1	6	1	1	1	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		51	43	44	45	45	31	42	42	38	41	56	32
--HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR		0	2	4	22	42	3	2	1	4	16	52	2
POLYKARYOCYTOSIS OCCASIONALLY NOTED													
--GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR		0	0	0	0	14	0	0	0	0	7	36	1
--PIGMENT, HEPATOCELLULAR, CENTRIOBULAR		0	0	0	0	6	0	0	0	0	1	36	0
--NECROSIS, INDIVIDUAL HEPATOCYTE		5	4	6	5	14	4	7	6	6	6	15	3
--VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR		3	3	6	13	19	3	1	1	0	1	4	1
--VACUOLATION, HEPATOCELLULAR, PERIportal		15	14	14	16	15	9	15	15	22	16	22	11
--FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL		20	21	23	24	24	16	27	21	18	17	21	13
--FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC		10	7	16	17	13	8	16	20	13	21	20	11
--DEGENERATION, CYSTIC		5	15	19	17	22	15	0	1	1	2	4	1
--NECROSIS, COAGULATIVE		1	4	1	6	2	4	3	2	4	2	2	2
--CONGESTION		1	1	1	1	1	0	2	2	1	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		2	2	0	0	3	1	0	0	1	1	0	1
--HEMATOPOIESIS, EXTRAMEDULLARY		4	3	8	3	7	5	10	17	15	8	7	5
--HYPERPLASIA, BILE DUCT		20	20	25	24	25	21	23	25	19	17	30	17
--FIBROSIS, PERIBILIARY		8	7	11	7	14	4	9	13	4	9	10	4
--HYPERTROPHY, HEPATOCELLULAR, PERIportal		4	1	7	2	2	5	12	10	9	4	3	7

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

TABLE INCLUDES:

SEX=ALL;GROUP=ALL;WEEKS=ALL
DEATH=ALL;FIND=ALL;SUBSET=ALL

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
SEX: -----MALE----- FEMALE-----												
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----	---	---	---	---	---	---	---	---	---	---	---	---
** FROM PREVIOUS PAGE **												
LIVER (LI)	NUMBER EXAMINED: 65	55	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE: 2	0	0	0	0	1	6	1	1	1	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED	6	5	3	4	5	2	2	3	5	6	23	7
--VACUOLATION, HEPATOCELLULAR	6	2	3	1	7	3	3	2	0	3	3	2
--DEGENERATION / NECROSIS, MIDZONAL	0	0	0	0	1	0	0	0	0	0	0	0
--DEGENERATION / NECROSIS, CENTRIOLOBULAR	1	0	0	1	5	1	0	1	0	2	2	1
--HYPERTROPHY, HEPATOCELLULAR	0	0	0	0	1	0	0	0	0	0	0	0
--HEMORRHAGE	0	0	1	0	0	0	0	1	0	1	0	0
--CYST, BILIARY	0	1	0	1	0	1	3	1	1	1	4	2
--INFLAMMATION, SUBACUTE	0	1	0	0	0	0	2	0	0	0	1	0
--GLYCOGEN, HEPATOCELLULAR, INCREASED	1	3	0	0	1	0	0	0	0	0	0	0
--ANOMALY, SECONDARY TO DIAPHRAGMATIC HERNIA	0	0	1	0	0	0	0	0	0	0	0	1
--ANGIECTASIS	1	1	2	0	2	0	6	1	2	1	1	2
--LEUKOCYTOSIS, SINUSOIDAL	0	0	0	0	1	0	0	1	0	0	0	0
--B-ADENOMA, HEPATOCELLULAR	0	3	3	1	7	0	0	1	1	1	5	2
--INFLAMMATION, CHRONIC-ACTIVE	0	0	0	1	1	1	0	0	0	1	1	0
--ECTASIA, BILE DUCT	0	0	0	0	0	0	0	0	0	0	1	0
--STASIS, BILE	0	0	0	0	0	0	0	0	0	0	1	0
--MITOSIS, HEPATOCELLULAR, INCREASED	0	0	0	0	1	0	0	1	1	0	0	0
--LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS)	0	0	3	1	0	0	1	1	0	2	1	0
--N-SARCOMA	0	0	0	0	0	1	0	0	0	0	0	0
--B-CHOLANGIOMA	0	0	0	0	0	0	0	0	0	1	0	0
--N-CARCINOMA	0	0	0	1	1	0	0	0	0	0	0	0
--KARYOMEGALY	0	1	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA, HEPATOCELLULAR	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

LIVER-OIL RED O (LI0)	NUMBER EXAMINED:	5	0	0	0	5	0	5	0	0	0	5	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR		5	0	0	0	5	0	5	0	0	0	5	0
KIDNEY (KD)	NUMBER EXAMINED:	65	55	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	2	4	2	4	2	3	4	12	7	5	8	1
--NEPHROPATHY, CHRONIC PROGRESSIVE		49	43	49	45	50	36	35	29	26	28	40	21
--INFILTRATE, LYMPHOHISTIOCYTIC		5	2	2	3	4	0	3	1	4	2	2	0
--DILATATION, PELVIC		3	5	4	2	10	8	2	2	4	1	3	2
--MINERALIZATION, PELVIC		12	7	10	10	7	5	47	34	36	42	36	31
--REGENERATION, TUBULAR EPITHELIUM		3	2	1	4	2	1	1	1	0	0	0	0
--MINERALIZATION, TUBULAR		2	0	0	1	4	1	14	8	11	7	19	6
--HEMATOPOIESIS, EXTRAMEDULLARY		0	1	0	0	0	0	0	1	1	1	0	0
--ATROPHY, TUBULAR		0	0	0	0	0	0	0	0	1	0	0	0
--VACUOLATION, TUBULAR EPITHELIUM		0	0	0	0	2	0	1	1	0	2	1	0
--N-CARCINOMA		0	0	0	0	0	0	0	0	0	0	0	1
--PIGMENT, TUBULAR		3	1	0	0	3	0	1	0	2	1	4	1
--KARYOMEGALY, TUBULAR CELL		0	0	0	0	0	0	0	1	0	0	0	0
--HYALINE DROPLETS, TUBULAR EPITHELIUM		5	1	0	1	4	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		2	0	1	0	0	0	1	0	0	0	1	0
--HYPERPLASIA, TRANSITIONAL CELL		1	2	3	5	1	3	6	10	8	7	5	5
--INFLAMMATION, SUPPURATIVE, PELVIC		1	2	3	3	0	2	1	3	5	2	2	2
--INFLAMMATION, CHRONIC-ACTIVE, PELVIC		1	3	3	1	1	1	0	1	0	0	2	1
--NECROSIS, PAPILLARY		0	0	0	0	2	0	0	0	0	0	0	0
--ECTASIA, TUBULAR		1	1	0	1	0	0	0	0	0	0	1	0
--CAST, PROTEINACEOUS		0	0	0	0	0	0	0	0	0	0	1	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL	SEX:	-----MALE-----						-----FEMALE-----					
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
KIDNEY (KD)	NUMBER EXAMINED:	65	55	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	2	4	2	4	2	3	4	12	7	5	8	1
--CYST		0	3	0	2	0	2	1	1	1	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	1	1	0	1	0	0	0	0	0
--FIBROSIS, CORTICAL		1	0	0	0	0	0	0	0	0	0	0	0
--ANGIECTASIS		0	0	0	0	0	1	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	0	0	0	0	0	0	0	0	0	0	0
--BACTERIAL COLONIES		0	0	0	1	0	0	0	0	0	0	0	0
--DEGENERATION, CYSTIC, UNILATERAL		0	0	0	0	0	0	0	0	0	1	0	0
--INFILTRATE, FAT, INTERSTITIAL		0	0	0	0	0	0	0	0	1	0	0	0
--N-SARCOMA		1	0	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA, TUBULAR CELL		1	0	0	0	0	0	1	0	0	0	0	0
--ULCERATION, TRANSITIONAL EPITHELIUM, PELVIC		0	0	0	0	0	1	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--THROMBUS		0	0	1	2	1	0	0	0	0	1	0	0
--B-LIPOMA		0	0	0	0	1	0	1	0	1	0	0	0
--THROMBUS, GLOMERULAR		0	0	0	0	1	0	0	0	0	0	0	0
--B-PAPILLOMA, TRANSITIONAL CELL		0	0	0	0	0	1	0	0	0	0	0	0
--M-RENAL MESENCHYMAL TUMOR		0	0	1	0	0	0	0	0	0	0	0	0
--DEGENERATION TUBULAR		0	0	0	0	1	0	1	0	0	0	0	0
--INFARCT		0	0	0	0	0	0	1	0	0	0	0	0

SPLEEN (SP)	NUMBER EXAMINED:	65	45	38	30	65	31	65	40	46	41	65	23
	NOT REMARKABLE:	9	7	6	8	14	6	2	0	1	0	4	0
--PIGMENT, INCREASED		39	29	23	16	30	14	48	23	35	28	51	14
--HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED		24	16	15	9	27	13	39	23	16	16	23	15

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- -----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
SPLEEN (SP)	NUMBER EXAMINED:	65	45	38	30	65	31	65	40	46	41	65	23
	NOT REMARKABLE:	9	7	6	8	14	6	2	0	1	0	4	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	2	0	0	0	0	1	0	0
--DEPLETION, LYMPHOCYTIC		0	0	0	0	1	0	0	0	1	0	0	1
--FIBROSIS, CAPSULAR		1	0	0	0	0	1	1	0	1	0	1	0
--CYST, SEROSAL		0	0	0	0	0	0	0	0	0	0	1	0
--M-OSTEOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	0	0	0	0	1	0	1
--M-HEMANGIOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	0	0	0	1	0	0	0	0
--NECROSIS		0	0	0	0	0	0	0	1	0	0	0	0
PANCREAS (PA)	NUMBER EXAMINED:	65	54	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	21	14	12	12	17	8	43	32	32	31	40	21
--ZYMOGEN GRANULES, DECREASED		11	15	11	14	16	8	3	11	14	9	12	10
--INFILTRATE, LYMPHOHISTIOCYTIC		2	2	1	4	1	1	3	0	2	3	3	1
--INFILTRATE, MACROPHAGE, PIGMENTED		24	17	18	13	19	13	1	2	1	1	1	1
--HYPERPLASIA, ISLET CELLS		3	2	3	2	2	2	2	1	0	0	0	0
--ATROPHY, ACINAR		7	7	8	9	7	3	2	3	5	2	4	3
--NECROSIS / INFLAMMATION, ADIPOSE TISSUE		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERTROPHY / BASOPHILIA, ACINAR CELL		2	3	0	1	3	3	1	5	2	1	0	1
--M-CARCINOMA, ISLET CELL		1	2	2	5	5	3	1	0	1	0	1	0
--B-ADENOMA, ISLET CELL		4	3	4	4	4	1	2	2	1	0	2	0
--B-ADENOMA, ACINAR CELL		0	1	0	0	0	0	0	0	0	0	0	0
--VACUOLATION, FOCAL		0	0	0	0	0	0	0	1	0	0	0	0
--INFILTRATION, FAT, INTERSTITIAL		11	16	20	14	12	6	10	7	4	9	6	7

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
PANCREAS (PA)	NUMBER EXAMINED:	65	54	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	21	14	12	12	17	8	43	32	32	31	40	21
--INFLAMMATION, VASCULAR		2	1	4	4	1	4	0	1	1	0	0	1
--THROMBUS		1	0	0	0	0	2	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	1	0	0	1	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS		0	0	1	0	0	0	0	0	0	1	1	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--NECROSIS		0	0	0	0	1	0	0	0	0	0	0	0
--ECTOPIC HEPATOCYTES		0	0	0	1	0	0	0	0	0	0	0	0
--B-FIBROMA		0	0	0	0	0	0	0	0	0	0	1	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	1	0	1	0
ADRENAL, CORTEX (AC)	NUMBER EXAMINED:	65	47	38	31	65	30	65	45	47	45	65	26
	NOT REMARKABLE:	18	8	13	12	18	8	6	7	8	6	8	1
--VACUOLATION, FOCAL		9	15	10	3	15	7	8	0	5	3	3	3
--UNILATERALLY EXAMINED		1	1	0	0	0	1	2	1	0	2	0	0
--CONGESTION		1	0	0	0	0	0	1	0	0	1	0	0
--ANGIECTASIS		3	3	3	1	1	2	21	16	24	15	13	9
--HEMATOPOIESIS, EXTRAMEDULLARY		1	0	1	0	0	3	2	5	4	5	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED		6	0	0	0	4	0	5	0	1	0	11	0
--HEMORRHAGE		0	0	0	0	0	0	1	1	0	2	0	0
--HYPERTROPHY, CORTICAL CELL		10	5	3	2	16	7	26	17	11	16	27	12
--VACUOLATION, DIFFUSE		1	2	1	1	1	0	0	0	0	0	0	0
--DEGENERATION, CYSTIC / HEMORRHAGIC		2	3	2	0	2	0	25	16	9	17	20	10
--HYPERPLASIA, CORTICAL		4	2	2	2	4	1	4	4	3	5	5	2

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40	
-----	---	---	---	---	---	---	---	---	---	---	---	---	---
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
ORGAN AND FINDING DESCRIPTION													
** FROM PREVIOUS PAGE **													
ADRENAL, CORTEX (AC)	NUMBER EXAMINED:	65	47	38	31	65	30	65	45	47	45	65	26
	NOT REMARKABLE:	18	8	13	12	18	8	6	7	8	6	8	1
--PIGMENT		23	26	16	15	26	14	36	28	28	25	40	16
--MINERALIZATION		1	0	0	0	0	1	0	0	0	0	0	0
--ATROPHY, CORTICAL		0	1	1	1	1	0	0	1	0	1	0	0
--B-ADENOMA		3	0	1	2	1	0	1	1	1	2	2	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	0	0	0	1	0	0	0	0	0	0	0
--DEGENERATION / NECROSIS, UNILATERAL		0	0	1	0	1	0	0	1	1	0	1	1
--NECROSIS, FOCAL		0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS		0	0	1	0	0	1	0	0	0	0	1	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--M-CARCINOMA		0	0	0	0	1	0	0	1	0	0	0	1
--CORTICAL TISSUE, EXTRACAPSULAR		0	1	0	0	0	0	0	0	0	0	0	0
ADRENAL, MEDULLA (MA)	NUMBER EXAMINED:	65	47	38	31	65	30	65	45	47	45	65	24
	NOT REMARKABLE:	57	33	27	26	52	26	54	33	42	33	54	22
--UNILATERALLY EXAMINED		3	3	1	1	2	1	6	4	3	7	6	0
--HYPERPLASIA, MEDULLARY		3	5	8	1	6	2	1	2	0	2	1	2
--B-PHEOCHROMOCYTOMA		3	6	5	3	5	1	5	5	2	3	5	0
--M-MALIGNANT PHEOCHROMOCYTOMA		1	2	0	0	1	0	0	1	0	0	0	0
LN, MESENTERIC (MS)	NUMBER EXAMINED:	64	43	38	30	65	30	65	43	46	40	65	24
	NOT REMARKABLE:	60	38	36	26	58	29	64	39	44	36	62	22
--HEMORRHAGE		3	1	0	1	2	0	1	1	0	1	2	1
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	2	0	0	0	0	1	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40	
-----	---	---	---	---	---	---	---	---	---	---	---	---	---
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
ORGAN AND FINDING DESCRIPTION													
** FROM PREVIOUS PAGE **													
LN, MESENTERIC (MS)	NUMBER EXAMINED:	64	43	38	30	65	30	65	43	46	40	65	24
	NOT REMARKABLE:	60	38	36	26	58	29	64	39	44	36	62	22
--M-HEMANGIOSARCOMA		0	0	0	1	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	1	1	0	1	0	1	1	1	0
--MINERALIZATION, VASCULAR		1	3	1	1	1	0	0	0	0	0	0	0
--HYPERPLASIA, RETICULOENDOTHELIAL		0	0	0	0	0	0	0	0	1	0	0	0
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	0	0	0	1	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	1	2	0	0	0	1
--B-HEMANGIOMA		0	0	0	0	0	0	0	0	0	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	1	0	0	0	0	0	0	0
--FIBROSIS		0	0	0	0	1	0	0	0	0	0	0	0
--ANGIECTASIS		0	0	0	0	1	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	1	0	0	0	0	0	0	0	0
--LYMPHANGIECTASIS		0	0	0	0	0	0	0	0	0	1	0	0
OVARY (OV)	NUMBER EXAMINED:	0	0	0	0	0	0	65	42	48	46	65	31
	NOT REMARKABLE:	0	0	0	0	0	0	51	36	40	34	47	19
--CYST		0	0	0	0	0	0	12	6	7	12	13	8
--HEMATOMA		0	0	0	0	0	0	0	0	0	0	1	0
--B-GRANULOSA/THECA CELL TUMOR		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, GRANULOSA CELL		0	0	0	0	0	0	2	0	0	0	6	3
--CORPORA LUTEA, PERSISTENT		0	0	0	0	0	0	0	0	0	0	0	1
--UNILATERALLY EXAMINED		0	0	0	0	0	0	0	0	1	0	2	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

TESTIS (TE)	NUMBER EXAMINED:	65	55	55	55	65	39	0	0	0	0	0	0
	NOT REMARKABLE:	49	32	38	41	49	27	0	0	0	0	0	0
--ATROPHY/DEGENERATION		15	16	12	9	11	6	0	0	0	0	0	0
--GRANULOMA, SPERM		2	0	1	0	0	0	0	0	0	0	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	1	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		1	8	5	4	2	3	0	0	0	0	0	0
--M-HEMANGIOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--MINERALIZATION, VASCULAR		2	3	0	1	1	0	0	0	0	0	0	0
--HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL)		0	2	2	0	2	1	0	0	0	0	0	0
--B-INTERSTITIAL CELL TUMOR		1	1	2	2	1	1	0	0	0	0	0	0
--M-MALIGNANT INTERSTITIAL CELL TUMOR		0	0	0	1	0	0	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		1	0	1	0	1	0	0	0	0	0	0	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	33	60	23
	NOT REMARKABLE:	60	35	32	24	59	29	60	34	41	33	59	23
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)		0	0	0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, BONE		0	1	0	1	0	0	0	0	0	0	0	0
--OSTEODYSTROPHY, FIBROUS		0	4	1	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, CARTILAGE		0	0	0	0	0	0	0	1	0	0	1	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
MARROW, FEMUR (FM)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	33	60	23
	NOT REMARKABLE:	48	29	22	17	48	23	42	16	29	23	40	16
--HYPOCELLULAR, MARROW		7	4	2	3	5	1	5	3	2	1	7	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		3	2	0	0	1	0	0	0	0	0	0	1

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES:		SEX: -----MALE-----						-----FEMALE-----						
SEX=ALL;GROUP=ALL;WEEKS=ALL														
DEATH=ALL;FIND=ALL;SUBSET=ALL														
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		----	----	----	----	----	----	----	----	----	----	----	----	----
** FROM PREVIOUS PAGE **														
MARROW, FEMUR (FM)		NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	33	60	23
		NOT REMARKABLE:	48	29	22	17	48	23	42	16	29	23	40	16
--HYPERPLASIA, MYELOID, MARROW			4	4	6	4	5	4	12	12	8	7	10	5
--HYPERPLASIA, ERYTHROID, MARROW			0	2	3	1	1	3	1	4	1	2	3	2
--CONGESTION			0	0	0	0	0	0	0	0	1	0	1	0
--N-FIBROSARCOMA			1	0	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, MEGAKARYOCYTIC, MARROW			0	1	0	0	0	0	0	0	0	0	0	1
MARROW, STERNUM (SE)		NUMBER EXAMINED:	60	40	33	24	60	30	60	35	41	35	59	23
		NOT REMARKABLE:	50	29	20	19	49	23	46	21	27	24	44	16
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			2	2	0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, MYELOID, MARROW			7	5	8	4	6	5	13	10	12	9	9	5
--HYPOCELLULAR, MARROW			2	2	1	0	1	0	0	0	1	0	3	0
--CONGESTION			0	0	0	0	0	0	0	0	1	0	1	0
--HYPERPLASIA, ERYTHROID, MARROW			0	2	4	1	2	3	1	4	0	3	3	2
--HYPERPLASIA, MEGAKARYOCYTIC, MARROW			0	1	0	0	0	0	0	0	0	0	0	1
--N-CARCINOMA			0	0	0	0	1	0	0	0	0	0	0	0
--MYELOFIBROSIS			0	0	0	0	0	1	0	0	0	0	0	0
BONE, STERNUM (SB)		NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	59	23
		NOT REMARKABLE:	58	37	32	24	58	29	59	35	41	35	58	23
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)			0	0	0	0	2	0	0	0	0	0	0	0
--HYPERPLASIA, CARTILAGINOUS			1	0	0	1	0	0	1	0	0	0	1	0
--HYPERPLASIA, BONE			1	0	0	1	0	0	0	0	0	0	0	0
--OSTEODYSTROPHY, FIBROUS			0	3	1	0	0	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES:		SEX: -----MALE-----						-----FEMALE-----						
SEX=ALL;GROUP=ALL;WEEKS=ALL														
DEATH=ALL;FIND=ALL;SUBSET=ALL														
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		----	----	----	----	----	----	----	----	----	----	----	----	----
** FROM PREVIOUS PAGE **														
BONE, STERNUM (SB)		NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	59	23
		NOT REMARKABLE:	58	37	32	24	58	29	59	35	41	35	58	23
--N-SARCOMA			0	0	0	0	0	1	0	0	0	0	0	0
SPINAL CORD (SC)		NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23
		NOT REMARKABLE:	59	39	33	25	58	29	58	35	40	34	60	22
--HEMORRHAGE			0	0	0	0	1	0	1	0	0	0	0	1
--AXONAL SWELLING			0	0	0	0	0	0	0	0	1	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			1	0	0	0	0	0	0	0	0	0	0	0
--NECROSIS / HEMORRHAGE, WHITE MATTER			0	1	0	0	0	1	0	0	0	0	0	0
--DEMYELINATION			0	0	0	0	0	0	0	0	0	1	0	0
--MINERALIZATION, DURA			0	0	0	0	1	0	0	0	0	0	0	0
--DEGENERATION, AXONAL			0	0	0	0	0	0	1	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC			0	0	0	0	0	0	1	0	0	0	0	0
THYMUS (TH)		NUMBER EXAMINED:	55	35	30	24	54	27	57	34	39	31	57	25
		NOT REMARKABLE:	13	3	1	2	5	1	16	5	4	5	12	4
--HEMORRHAGE			4	0	1	2	6	2	3	1	2	1	4	2
--DEPLETION, LYMPHOCYTIC			42	31	29	22	46	26	35	29	31	24	40	18
(GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY)														
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	2	0	0	0	0	0	0	0	1	0	0
--M-THYMIC CARCINOMA			0	0	0	0	1	0	0	0	1	0	0	0
--CYST			0	0	0	0	1	0	2	0	2	0	4	1
--INFLAMMATION, CHRONIC-ACTIVE			0	0	0	0	0	1	0	0	0	0	0	0
--EDEMA			0	0	0	0	0	0	1	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
THYMUS (TH)	NUMBER EXAMINED:	55	35	30	24	54	27	57	34	39	31	57	25
	NOT REMARKABLE:	13	3	1	2	5	1	16	5	4	5	12	4
--HYPERPLASIA, LYMPHORETICULAR		0	0	0	0	0	0	1	0	1	0	0	1
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		0	0	0	0	0	0	0	0	0	1	0	1
LUNG (LU)	NUMBER EXAMINED:	60	50	50	49	60	40	60	50	50	50	60	40
	NOT REMARKABLE:	33	33	31	27	25	14	34	25	31	28	17	19
--CONGESTION		3	0	0	3	1	0	1	2	0	2	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		2	3	0	0	2	1	0	0	1	1	0	1
--MINERALIZATION, VASCULAR		15	8	9	12	18	10	4	5	8	11	11	7
--N-CARCINOMA		0	0	0	1	1	0	1	3	0	2	2	2
--HEMORRHAGE		2	0	0	2	3	1	2	1	0	1	1	0
--INFILTRATE, MACROPHAGE, ALVEOLAR		6	5	8	2	16	14	17	12	11	10	32	11
--INFILTRATE, LYMPHOHISTIOCYTIC		3	0	4	2	2	2	7	3	0	3	8	4
--INFLAMMATION, GRANULOMATOUS		1	0	1	0	0	2	0	0	1	1	0	0
--HYALINE MATERIAL, ALVEOLAR SEPTA		0	0	1	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, TYPE II PNEUMOCYTE		1	0	3	0	2	0	0	2	0	2	1	0
--LEUKOCYTES, INCREASED, INTRAVASCULAR		0	1	0	0	0	1	0	0	0	0	0	0
--MINERALIZATION, SEPTAL		0	2	2	1	0	0	0	1	0	0	1	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	0	1	0	0	1	0
--EDEMA, ALVEOLAR		1	0	0	0	0	0	0	0	0	0	1	0
--FIBROSIS		0	0	0	1	0	0	0	0	0	0	0	0
--MINERALIZATION, ALVEOLAR LUMINA		0	0	0	1	0	0	0	0	0	0	0	1
--INFLAMMATION, SUBACUTE		0	1	0	0	0	0	0	0	0	0	0	0
--B-ADENOMA, BRONCHIOLAR-ALVEOLAR		0	0	0	0	1	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
LUNG (LU)	NUMBER EXAMINED:	60	50	50	49	60	40	60	50	50	50	60	40
	NOT REMARKABLE:	33	33	31	27	25	14	34	25	31	28	17	19
--N-SARCOMA		1	0	1	1	0	3	0	0	0	0	0	0
--EMBOLISM, ADIPOSE TISSUE		0	0	0	0	0	0	0	1	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	0	0	0	1	0	1
--FIBROSIS, PLEURAL/SUBPLEURAL		0	0	0	0	0	0	0	0	0	0	1	0
HEART (HT)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23
	NOT REMARKABLE:	25	11	8	6	19	11	37	21	27	21	34	16
--CARDIOMYOPATHY		30	27	25	18	41	19	22	14	13	12	25	7
--INFILTRATE, LYMPHOHISTIOCYTIC		2	0	0	1	0	0	0	0	0	0	0	0
--FIBROSIS		1	0	0	1	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION, VASCULAR		1	4	2	2	2	1	0	0	0	2	2	0
--HEMORRHAGE		0	0	0	0	1	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		2	1	0	0	1	0	0	0	0	0	1	0
--MINERALIZATION		1	3	0	0	1	1	0	0	0	0	2	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	1	0	0	0	0	0	1
--M-ATRIOCAVAL MESOTHELIOMA		0	1	0	0	0	0	0	0	0	0	0	0
--METAPLASIA, OSSEOUS / CARTILAGINOUS		1	0	0	0	1	0	1	0	1	0	0	0
--N-SARCOMA		1	0	1	0	0	1	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	1	0	0
--M-ENDOCARDIAL SCHWANNOMA		0	0	0	0	0	0	0	0	0	0	1	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		---	---	---	---	---	---	---	---	---	---	---	---	---
MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	36	60	23	
	NOT REMARKABLE:	57	35	31	23	50	27	60	33	40	35	59	23	
--M-FIBROSARCOMA		0	0	0	1	0	0	0	0	0	0	0	0	
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	1	0	0	0	0	0	0	0	0	
--BACTERIAL COLONIES		0	0	0	1	0	0	0	0	0	0	0	0	
--DEGENERATION		0	0	0	0	1	0	0	0	0	0	0	0	
--ATROPHY		1	4	1	1	7	3	0	1	0	1	1	0	
--INFILTRATE, LYMPHOHISTIOCYTIC		0	1	1	0	2	0	0	1	0	0	0	0	
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0	
--M-SARCOMA, UNDIFFERENTIATED		2	0	0	0	0	0	0	0	0	0	0	0	
NERVE, SCIATIC (SN)	NUMBER EXAMINED:	60	39	33	25	59	30	59	35	41	35	60	23	
	NOT REMARKABLE:	59	37	33	24	56	29	59	35	41	34	60	23	
--DEGENERATION		1	2	0	1	3	1	0	0	0	1	0	0	
TRACHEA (TR)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23	
	NOT REMARKABLE:	60	40	33	24	59	30	60	34	41	35	60	23	
--EXUDATE, LUMINAL		0	0	0	1	0	0	0	1	0	0	0	0	
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	1	0	0	0	0	
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	1	0	0	0	0	0	0	0	
ESOPHAGUS (ES)	NUMBER EXAMINED:	60	40	33	25	60	30	59	35	41	35	60	23	
	NOT REMARKABLE:	59	39	33	22	59	30	58	35	41	35	59	23	
--HYPERKERATOSIS		0	0	0	1	0	0	1	0	0	0	1	0	

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
ESOPHAGUS (ES)	NUMBER EXAMINED:	60	40	33	25	60	30	59	35	41	35	60	23
	NOT REMARKABLE:	59	39	33	22	59	30	58	35	41	35	59	23
--EXUDATE, LUMINAL		0	0	0	2	0	0	0	0	0	0	0	0
--DILATATION, LUMINAL		1	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	1	0	0	0	0	0	0	0
THYROID (TY)	NUMBER EXAMINED:	60	49	50	49	59	39	60	50	50	50	60	40
	NOT REMARKABLE:	35	26	28	22	33	22	30	26	24	27	37	17
--HYPERPLASIA, C-CELL		9	8	10	7	9	4	20	19	19	15	19	16
--M-CARCINOMA, FOLLICULAR CELL		3	1	1	2	1	1	0	0	0	1	0	0
--DILATATION / CYST, FOLLICULAR		6	3	3	9	8	2	0	0	0	0	0	0
--B-ADENOMA, C-CELL		5	6	6	9	7	4	12	6	6	8	5	6
--B-ADENOMA, FOLLICULAR CELL		3	5	4	4	4	9	0	0	0	2	1	1
--HYPERTROPHY, FOLLICULAR CELL		0	0	1	1	1	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0	0
--M-CARCINOMA, C-CELL		0	0	1	0	0	1	0	1	0	0	0	1
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	1	0	0	0	0	0	0	0
--B-HIBERNOMA		0	0	0	0	0	0	0	0	0	0	1	0
--COLLOID, DECREASED		0	0	0	0	0	0	0	0	1	0	0	0
PARATHYROID (PT)	NUMBER EXAMINED:	59	48	50	47	59	37	60	49	49	49	59	39
	NOT REMARKABLE:	52	41	44	40	55	34	60	47	49	48	58	39
--HYPERPLASIA		6	7	5	6	4	3	0	1	0	1	0	0
--B-ADENOMA		1	0	1	1	0	0	0	1	0	0	1	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL		SEX: -----MALE-----						-----FEMALE-----						
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
-----		----	----	----	----	----	----	----	----	----	----	----	----	----
PITUITARY (PI)		NUMBER EXAMINED:	60	45	46	36	59	38	60	50	47	46	60	34
		NOT REMARKABLE:	13	6	1	4	16	3	6	2	1	3	11	1
--B-ADENOMA			37	29	42	31	37	28	46	41	42	37	40	30
--HYPERPLASIA			10	9	6	3	10	5	11	8	3	5	12	4
--ANGIECTASIS			2	0	0	0	0	2	3	2	2	0	5	0
--CYST			0	1	2	1	1	3	0	2	0	1	2	1
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	0	0	0	0	0	0	0	1	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE			1	0	0	0	0	0	0	0	0	0	0	0
--NECROSIS			1	0	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA			0	0	0	0	0	0	0	0	1	2	0	1
--I-SARCOMA			0	1	0	0	0	0	0	0	0	0	0	0
HARDERIAN GLAND (HG)		NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23
		NOT REMARKABLE:	55	32	25	20	54	24	48	29	33	29	51	19
--INFILTRATE, LYMPHOHISTIOCYTIC			5	7	6	5	5	6	12	6	8	6	8	3
--ATROPHY			0	0	2	0	1	0	0	0	0	0	1	1
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	0	0	0	0	0	0	0	0	0	1	0
--DYSPLASIA, EPITHELIAL, GLANDULAR			0	0	0	0	1	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR			0	0	0	0	0	0	0	0	1	0	0	0
--I-SARCOMA			0	1	0	0	0	0	0	0	0	0	0	0
SALIV GL, MANDIB (SG)		NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23
		NOT REMARKABLE:	60	39	32	24	59	30	60	34	41	34	59	23
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	1	0	0	0	0	0	0	0	0	1	0
--HYPERPLASIA, GLANDULAR			0	0	0	1	0	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40	
-----	---	---	---	---	---	---	---	---	---	---	---	---	
** FROM PREVIOUS PAGE **													
SALIV GL, MANDIB (SG)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23
	NOT REMARKABLE:	60	39	32	24	59	30	60	34	41	34	59	23
--ATROPHY		0	0	0	0	1	0	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	0	0	0	0	0	0	0	1	0	0
--M-SCHWANNOMA		0	0	0	0	0	0	0	1	0	0	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	0	0	1	0	0	0	0
--I-SARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
STOMACH, GL (ST)	NUMBER EXAMINED:	60	45	39	30	59	34	60	37	42	35	60	27
	NOT REMARKABLE:	48	29	24	18	43	23	56	34	38	32	53	24
--EDEMA		1	2	0	1	1	1	2	2	0	1	2	0
--INFLAMMATION, ACUTE		2	2	3	4	1	1	4	2	1	1	3	0
--HEMORRHAGE		0	0	0	1	0	0	0	0	0	0	0	0
--CONGESTION		0	0	0	0	1	0	0	0	0	0	0	0
--EROSION		2	0	2	3	7	2	0	0	1	1	4	2
--INFLAMMATION, CHRONIC-ACTIVE		5	7	1	2	2	3	0	1	1	0	2	1
--ULCERATION		0	0	1	0	0	3	0	0	0	0	1	0
--HYPERPLASIA, EPITHELIAL, GLANDULAR		8	9	11	3	8	6	0	0	1	0	1	0
--MINERALIZATION, GLANDULAR MUCOSA		0	5	3	2	3	2	0	1	0	1	1	0
--FIBROSIS		0	1	0	1	2	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0
--MINERALIZATION, VASCULAR		0	1	0	0	1	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL														
SEX: -----MALE----- FEMALE-----														
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-														
ORGAN AND FINDING DESCRIPTION														
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40														
----- -- -- -- -- -- -- -- -- -- -- -- --														
STOMACH, NONGL (SU)		NUMBER EXAMINED:	60	40	33	25	60	30	60	36	41	35	60	23
		NOT REMARKABLE:	49	34	28	19	55	21	58	31	35	32	56	20
--ACANTHOSIS / HYPERKERATOSIS			11	6	5	6	5	9	2	5	6	3	4	2
--EDEMA			0	0	0	0	1	0	0	0	2	1	0	1
--INFLAMMATION, SUBACUTE			1	0	0	0	0	0	0	0	2	0	1	0
--ULCERATION			4	5	3	3	2	4	1	4	1	2	3	0
--INFLAMMATION, CHRONIC-ACTIVE			9	6	5	6	5	5	2	5	3	3	2	1
--FIBROSIS			0	0	0	0	0	0	0	0	0	1	0	0
DUODENUM (DU)		NUMBER EXAMINED:	57	39	32	24	57	30	60	35	39	33	59	23
		NOT REMARKABLE:	54	39	32	24	57	28	60	34	39	32	59	23
--INFLAMMATION, VASCULAR			1	0	0	0	0	1	0	0	0	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE			2	0	0	0	0	1	0	0	0	0	0	0
--ULCERATION			0	0	0	0	0	1	0	0	0	0	0	0
--EROSION			1	0	0	0	0	0	0	0	0	0	0	0
--B-LEIOMYOMA			0	0	0	0	0	0	0	1	0	0	0	0
JEJUNUM (JE)		NUMBER EXAMINED:	52	36	27	19	52	26	59	33	35	32	57	22
		NOT REMARKABLE:	52	36	27	19	52	26	59	33	35	32	57	21
--M-CARCINOMA			0	0	0	0	0	0	0	0	0	0	0	1
ILEUM (IL)		NUMBER EXAMINED:	51	35	27	21	52	24	60	32	37	29	56	21
		NOT REMARKABLE:	49	34	26	21	52	24	59	32	37	28	54	21
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	1	0	0	0	0	0	0	0	1	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
ILEUM (IL)	NUMBER EXAMINED:	51	35	27	21	52	24	60	32	37	29	56	21
	NOT REMARKABLE:	49	34	26	21	52	24	59	32	37	28	54	21
--HEMORRHAGE		1	0	0	0	0	0	0	0	0	0	0	0
--NECROSIS		1	0	0	0	0	0	0	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0	1	0
--HYPERPLASIA, GALT (GUT ASSOCIATED LYMPHOID TISSUE)		0	0	0	0	0	0	1	0	0	0	1	0
CECUM (CE)	NUMBER EXAMINED:	48	33	26	20	53	24	59	33	37	31	57	21
	NOT REMARKABLE:	47	31	26	20	51	24	58	33	36	30	56	21
--EROSION		0	2	0	0	1	0	0	0	0	0	0	0
--HEMORRHAGE		0	1	0	0	2	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	2	0	0	1	0	1	0	1	0	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	0	1	0	0
--BACTERIA		0	0	0	0	1	0	0	0	0	0	0	0
--ULCERATION		0	0	0	0	1	0	0	0	0	0	0	0
--B-LIPOMA		0	0	0	0	1	0	0	0	0	0	0	0
COLON (CO)	NUMBER EXAMINED:	55	37	29	23	53	27	60	35	40	33	58	23
	NOT REMARKABLE:	52	36	29	23	53	25	59	34	40	31	57	23
--PARASITISM		2	1	0	0	0	2	0	0	0	1	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	0	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0	1	0
--DIVERTICULUM		0	0	0	0	0	0	1	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
COLON (CO)	NUMBER EXAMINED:	55	37	29	23	53	27	60	35	40	33	58	23
	NOT REMARKABLE:	52	36	29	23	53	25	59	34	40	31	57	23
--B-LEIOMYOMA		0	0	0	0	0	0	0	1	0	0	0	0
RECTUM (RE)	NUMBER EXAMINED:	58	40	31	25	57	29	59	35	41	35	60	23
	NOT REMARKABLE:	54	39	31	25	54	27	57	35	38	35	52	22
--PARASITISM		2	1	0	0	3	2	1	0	2	0	6	1
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0	2	0
--ULCERATION		0	0	0	0	0	0	0	0	0	0	1	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0
--NECROSIS		1	0	0	0	0	0	0	0	0	0	0	0
SKIN (SK)	NUMBER EXAMINED:	60	43	37	31	60	33	60	36	41	35	60	25
	NOT REMARKABLE:	52	28	25	20	44	24	53	34	37	32	53	21
--ACANTHOSIS/HYPERKERATOSIS		4	2	1	2	5	0	3	1	1	1	2	1
--INFLAMMATION, CHRONIC-ACTIVE		4	6	0	1	6	3	3	1	1	1	2	2
--ULCERATION		0	3	0	1	2	0	3	0	0	1	1	1
--HEMORRHAGE		1	0	0	0	0	0	1	1	0	0	0	0
--DEGENERATION, MUSCLE, SUBCUTANEOUS		0	0	0	0	0	0	1	0	0	0	0	0
--CYST, EPIDERMAL INCLUSION		2	4	1	0	2	0	0	0	0	0	1	0
--BACTERIAL COLONIES		1	0	0	0	2	0	0	0	0	0	0	0
--SUPERFICIAL CRUSTING		2	0	0	0	2	0	0	0	1	0	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	1	1	0	0	1	0	0	1
--B-KERATOACANTHOMA		1	4	4	6	5	6	0	0	0	0	0	1

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40	

TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
ORGAN AND FINDING DESCRIPTION													

** FROM PREVIOUS PAGE **													
SKIN (SK)	NUMBER EXAMINED:	60	43	37	31	60	33	60	36	41	35	60	25
	NOT REMARKABLE:	52	28	25	20	44	24	53	34	37	32	53	21
--M-FIBROSARCOMA		2	1	2	2	1	0	1	0	1	0	1	0
--B-FIBROMA		0	3	3	1	1	0	0	0	1	0	1	0
--FIBROSIS		0	2	0	1	1	0	1	0	0	0	0	0
--B-ADENOMA, BASAL CELL/SQUAMOUS/SEBACEOUS		0	1	1	0	0	0	1	0	0	0	0	0
--B-LIPOMA		0	1	0	0	1	0	0	1	0	2	1	0
--M-CARCINOMA, SQUAMOUS CELL		1	1	0	0	0	0	1	0	0	0	0	0
--B-RHABOMYOMA		0	0	0	0	0	1	0	0	0	0	0	0
--B-PAPILLOMA, SQUAMOUS CELL		0	1	0	0	0	1	2	0	0	0	0	1
--INFLAMMATION, CHRONIC		0	0	0	0	0	0	0	1	0	0	1	0
--ANGIECTASIS WITH THROMBOSIS AND ENDOTHELIAL PROLIFERATION		0	0	0	0	1	0	0	0	0	0	0	0
--EDEMA		0	0	0	0	1	0	0	0	0	0	0	0
MAMMARY, FEMALE (MF)	NUMBER EXAMINED:	0	0	0	0	0	0	60	50	49	50	60	40
	NOT REMARKABLE:	0	0	0	0	0	0	5	4	2	3	8	3
--M-CARCINOMA		0	0	0	0	0	0	11	12	15	11	14	4
--CYST / GALACTOCELE		0	0	0	0	0	0	35	28	32	28	28	22
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	6	4	2	2	0	2
--B-FIBROADENOMA		0	0	0	0	0	0	20	27	19	24	11	15
--HYPERPLASIA, GLANDULAR		0	0	0	0	0	0	34	22	35	28	30	20
--SECRETORY MATERIAL		0	0	0	0	0	0	6	0	0	0	5	0
--M-FIBROSARCOMA		0	0	0	0	0	0	1	0	0	1	1	0
--B-ADENOMA		0	0	0	0	0	0	7	6	5	7	4	4
--INFLAMMATION, CHRONIC		0	0	0	0	0	0	0	0	2	0	1	0
--FIBROSIS		0	0	0	0	0	0	1	1	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

URINARY BLADDER (UB)	NUMBER EXAMINED:	59	48	49	48	57	40	60	50	50	50	59	40
	NOT REMARKABLE:	51	38	36	33	45	36	57	44	49	50	55	37
--HEMORRHAGE		0	1	1	1	1	0	0	0	0	0	0	1
--INFILTRATE, LYMPHOHISTIOCYTIC		4	3	6	5	0	1	1	5	1	0	3	2
--PROTEINACEOUS MATERIAL, LUMINAL		3	4	4	7	8	1	0	0	0	0	0	0
--HYPERPLASIA, TRANSITIONAL CELL		1	1	3	5	4	2	0	2	0	0	1	1
--MINERALIZED MATERIAL, LUMEN		1	0	0	0	0	0	0	0	0	0	0	1
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	2	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	3	3	3	1	2	0	0	0	0	1	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0	0
--DIVERTICULUM		0	0	0	0	0	0	1	0	0	0	0	0
UTERUS (UT)	NUMBER EXAMINED:	0	0	0	0	0	0	60	39	44	41	60	29
	NOT REMARKABLE:	0	0	0	0	0	0	43	25	28	19	41	19
--DILATATION		0	0	0	0	0	0	8	5	6	9	7	4
--B-POLYP, ENDOMETRIAL, STROMAL		0	0	0	0	0	0	2	2	1	3	3	1
--CYST		0	0	0	0	0	0	0	0	2	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	1	2	2	0	0	1
--HYPERTROPHY, ENDOMETRIUM		0	0	0	0	0	0	0	0	0	0	0	1
--B-LEIOMYOMA		0	0	0	0	0	0	0	1	0	0	0	0
--HYPERPLASIA, CYSTIC, ENDOMETRIAL		0	0	0	0	0	0	8	8	6	10	10	5
--M-LEIOMYOSARCOMA		0	0	0	0	0	0	0	0	0	0	0	1
--HEMORRHAGE		0	0	0	0	0	0	0	0	0	1	0	0
--B-ADENOMA		0	0	0	0	0	0	0	0	0	1	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40													

ORGAN AND FINDING DESCRIPTION	NUMBER EXAMINED:	0	0	0	0	0	0	60	34	43	37	60	24
	NOT REMARKABLE:	0	0	0	0	0	0	54	27	33	31	53	17
CERVIX (CV)													
--CYST, SQUAMOUS		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, MUCINOUS		0	0	0	0	0	0	4	5	5	5	4	5
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	1	0	0	0	0	0
--HYPERPLASIA, STROMAL		0	0	0	0	0	0	0	0	3	0	1	1
--M-SARCOMA, STROMAL		0	0	0	0	0	0	0	1	0	0	2	0
--B-POLYP, STROMAL		0	0	0	0	0	0	0	1	1	0	0	1
--EXUDATE, LUMINAL		0	0	0	0	0	0	0	1	1	0	0	0
--HYPERPLASIA, CYSTIC		0	0	0	0	0	0	0	0	0	1	0	0
--HEMORRHAGE		0	0	0	0	0	0	0	0	0	0	1	0
VAGINA (VA)													
	NUMBER EXAMINED:	0	0	0	0	0	0	60	34	42	36	59	23
	NOT REMARKABLE:	0	0	0	0	0	0	35	19	19	15	36	11
--LUMEN, EXUDATE		0	0	0	0	0	0	10	13	10	12	13	4
--HYPERPLASIA, MUCINOUS		0	0	0	0	0	0	15	9	15	13	13	8
--INFLAMMATION, CHRONIC		0	0	0	0	0	0	0	0	0	1	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	1	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	2	0	0	0
--B-POLYP, STROMAL		0	0	0	0	0	0	0	0	1	0	0	0
--I-CARCINOMA		0	0	0	0	0	0	1	0	0	0	0	0
PROSTATE (PR)													
	NUMBER EXAMINED:	60	41	38	29	60	31	0	0	0	0	0	0
	NOT REMARKABLE:	19	4	2	6	16	6	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		39	36	35	23	44	24	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
PROSTATE (PR)	NUMBER EXAMINED:	60	41	38	29	60	31	0	0	0	0	0	0
	NOT REMARKABLE:	19	4	2	6	16	6	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		2	1	1	0	0	1	0	0	0	0	0	0
--ATROPHY		0	0	0	0	1	0	0	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		1	0	0	1	0	0	0	0	0	0	0	0
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	59	40	34	26	60	31	0	0	0	0	0	0
	NOT REMARKABLE:	50	28	21	15	49	22	0	0	0	0	0	0
--SECRETION, DECREASED		5	2	4	1	2	3	0	0	0	0	0	0
--SECRETION, INCREASED		1	4	7	2	2	2	0	0	0	0	0	0
--HYPERPLASIA, EPITHELIAL		0	1	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	2	2	2	4	1	0	0	0	0	0	0
--ATROPHY		2	4	2	6	3	2	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		0	0	0	1	0	0	0	0	0	0	0	0
--EDEMA		0	0	0	0	0	1	0	0	0	0	0	0
EPIDIDYIMIDES (EP)	NUMBER EXAMINED:	60	40	33	25	60	30	0	0	0	0	0	0
	NOT REMARKABLE:	50	36	23	18	45	20	0	0	0	0	0	0
--IMMATURE SPERM FORMS		1	2	2	1	7	2	0	0	0	0	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		4	0	3	1	4	2	0	0	0	0	0	0
--HYPOSPERMIA		2	1	2	2	3	2	0	0	0	0	0	0
--ATROPHY/DEGENERATION		0	0	0	1	2	0	0	0	0	0	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	2	0	0	0	0	0	0
--VACUOLATION, TUBULAR EPITHELIUM		1	2	2	3	1	1	0	0	0	0	0	0
--GRANULOMA, SPERM		1	0	0	0	0	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
EPIDIDYMIDES (EP)	NUMBER EXAMINED:	60	40	33	25	60	30	0	0	0	0	0	0
	NOT REMARKABLE:	50	36	23	18	45	20	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		1	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	1	0	0	0	0	0	0
HEMATO NEOPLASIA (HN)	NUMBER EXAMINED:	60	40	33	25	60	30	60	35	41	35	60	23
	NOT REMARKABLE:	57	37	33	25	56	29	59	35	39	34	59	22
--M-LYMPHOMA		1	2	0	0	2	0	0	0	1	0	0	0
--M-SARCOMA, HISTIOCYTIC		2	1	0	0	2	1	1	0	1	1	1	1
CAUSE OF DEATH (CD)	NUMBER EXAMINED:	65	55	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--SCHEDULED SACRIFICE		26	15	22	30	36	10	39	20	14	20	40	17
--UNDETERMINED MICROSCOPICALLY		8	2	3	3	3	2	0	0	0	1	1	2
--NEOPLASM, BRAIN		2	2	1	1	0	0	0	0	0	1	0	0
--NEOPLASM, HEMATOPOIETIC		2	3	0	0	2	1	0	0	1	1	0	1
--NEOPLASM, PITUITARY		18	21	20	14	12	15	18	24	33	24	15	16
--NEOPLASM, SKIN/MUSCLE/SUBCUTIS		3	2	3	2	1	1	1	0	1	0	1	0
--INFLAMMATION / INFECTION		2	1	1	1	4	2	0	0	1	0	1	1
--NEOPLASM, MAMMARY GLAND		0	0	0	0	1	0	5	8	5	5	4	3
--NEOPLASM, ABDOMINAL CAVITY		0	0	0	1	2	0	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	0	0	0	0	0	1	0	0
--NEPHROPATHY		1	6	3	2	1	2	0	0	0	2	1	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL	SEX:	-----MALE-----						-----FEMALE-----					
	GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
CAUSE OF DEATH (CD)	NUMBER EXAMINED:	65	55	55	55	65	40	65	55	55	55	65	40
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--GI TRACT, EROSION/ULCERATION/HEMORRHAGE/INFLAMMATION		1	0	0	0	0	1	0	0	0	0	0	0
--POSSIBLE TRAUMATIC INJURY		1	0	1	0	0	0	0	0	0	0	0	0
--INFECTION / NECROSIS / CALCULUS, URINARY TRACT		1	0	0	1	1	1	0	0	0	0	0	0
--NEOPLASM, PANCREAS		0	1	0	0	0	0	1	0	0	0	1	0
--NEOPLASM, THORACIC CAVITY		0	0	0	0	1	1	0	0	0	0	0	0
--HEPATIC ANOMALY / OBSTRUCTIVE HEPATOPATHY		0	0	0	0	0	0	0	0	0	0	1	0
--HEMANGIOSARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--NEOPLASM, HEART		0	1	0	0	0	0	0	0	0	0	0	0
--DEGENERATION/NECROSIS/HEMORRHAGE, SPINAL CORD/BRAIN		0	1	0	0	0	0	0	0	0	0	0	0
--NEOPLASM, LIVER		0	0	1	0	0	0	0	0	0	0	0	0
--VASCULITIS, SYSTEMIC		0	0	0	0	0	0	1	0	0	0	0	0
--NEOPLASM, UT/CV/VA/OV		0	0	0	0	0	0	0	1	0	0	0	0
--NEOPLASM, KIDNEY		0	0	0	0	0	1	0	0	0	0	0	0
--NEOPLASM, SPLEEN		0	0	0	0	0	2	0	0	0	0	0	0
--EMBOLISM, PULMONARY		0	0	0	0	0	0	0	1	0	0	0	0
--NEOPLASM, ADRENAL		0	0	0	0	1	0	0	1	0	0	0	0
LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	0	2	2	2	3	4	3	0	2	1	3	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	1	0	0	0	1	0	0	0
--HEMORRHAGE		0	1	2	0	2	2	2	0	0	1	2	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	1	0	1	1	0	1	0	2	1
--INFILTRATE, MAST CELL		0	1	0	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	2	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL													
** FROM PREVIOUS PAGE **													
LN, MEDIASTINAL (ML)	NUMBER EXAMINED:	0	2	2	2	3	4	3	0	2	1	3	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS		0	0	1	0	0	0	0	0	0	0	0	0
--LYMPHANGIECTASIS		0	0	0	2	0	2	0	0	0	0	1	0
LN, AXILLARY (AX)	NUMBER EXAMINED:	5	6	6	4	9	3	14	18	13	18	9	11
	NOT REMARKABLE:	4	0	2	2	5	2	5	4	1	5	2	2
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	1	0	0	0	0	0	0	0
--HEMORRHAGE		0	1	2	2	3	0	3	2	1	2	1	2
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	5	3	2	2	0	7	12	11	12	6	7
--INFILTRATE, MACROPHAGE, PIGMENTED		1	1	0	1	0	1	2	2	1	4	1	3
--HYPERPLASIA, RETICULOENDOTHELIAL		0	0	0	0	0	0	0	1	1	0	0	0
--CONGESTION		0	0	1	0	0	1	0	0	0	0	0	0
--FIBROPLASIA, PERIPHERAL		0	0	0	0	0	0	0	0	0	0	0	1
LN, INGUINAL (IN)	NUMBER EXAMINED:	0	2	0	0	0	0	5	7	1	2	2	1
	NOT REMARKABLE:	0	1	0	0	0	0	2	3	1	0	1	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	0	1	4	0	2	0	1
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	0	0	1	0	0	0	1	0
--HEMORRHAGE		0	0	0	0	0	0	1	0	0	0	1	0
--N-CARCINOMA		0	0	0	0	0	0	1	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40													

ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

LN, OTHER (LN)	NUMBER EXAMINED:	1	1	2	0	1	0	0	0	0	0	2	0
	NOT REMARKABLE:	0	0	1	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		1	1	0	0	0	0	0	0	0	0	0	0
--HEMORRHAGE		0	0	1	0	0	0	0	0	0	0	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	0	1	0	0	0	0	0	2	0
LN, RENAL (RL)	NUMBER EXAMINED:	0	4	3	3	3	3	2	1	0	1	1	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	2	2	3	0	1	1	0	0	0	1	0
--HEMORRHAGE		0	2	2	1	3	1	1	0	0	1	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	1	1	0	1	1	1	0	1	0	0
--DILATATION, SINUSOIDAL		0	0	1	1	2	0	0	0	0	0	0	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0
--LYMPHANGIECTASIS		0	0	0	0	0	2	0	0	0	0	0	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	5	4	7	2	4	5	13	6	10	10	9	7
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	2	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	1	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		3	2	7	1	3	1	11	5	9	9	6	5
--HEMORRHAGE		2	0	0	1	3	3	8	1	2	2	2	5
--LYMPHANGIECTASIS		1	0	1	0	0	2	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	0	0	1	0	0	0	1	0	0	1
--CONGESTION		0	1	2	0	0	2	0	0	0	0	0	1
--I-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---														
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL		SEX:	-----MALE-----						-----FEMALE-----					
GROUP:		-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-	
ORGAN AND FINDING DESCRIPTION		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **														
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	5	4	7	2	4	5	13	6	10	10	9	7	
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	2	0	
--ABSCESS		0	0	0	0	0	0	0	1	0	0	0	0	
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	0	0	1	
VERTEBRA/MARROW (VT)	NUMBER EXAMINED:	0	1	0	0	0	0	0	0	0	0	0	0	
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	
--X-HEMATOPOIETIC NEOPLASIA (SEE HN)		0	1	0	0	0	0	0	0	0	0	0	0	
MAMMARY, MALE (MM)	NUMBER EXAMINED:	3	4	5	4	5	2	0	0	0	0	0	0	
	NOT REMARKABLE:	0	0	0	1	0	0	0	0	0	0	0	0	
--HYPERPLASIA, CYSTIC		0	0	1	1	0	0	0	0	0	0	0	0	
--SECRETORY MATERIAL IN LUMINA		0	0	0	1	0	0	0	0	0	0	0	0	
--GALACTOCELE		2	4	5	0	3	1	0	0	0	0	0	0	
--INFLAMMATION, CHRONIC-ACTIVE		3	1	0	0	0	0	0	0	0	0	0	0	
--B-FIBROADENOMA		0	0	1	2	2	0	0	0	0	0	0	0	
--M-CARCINOMA		1	0	0	0	0	2	0	0	0	0	0	0	
--B-ADENOMA		0	0	0	0	1	0	0	0	0	0	0	0	
COAGULATING GL (CG)	NUMBER EXAMINED:	2	0	0	1	0	0	0	0	0	0	0	0	
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	
--SECRETORY MATERIAL, INCREASED		1	0	0	1	0	0	0	0	0	0	0	0	
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0	0	0	

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE----- FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

TAIL (TI)	NUMBER EXAMINED:	5	0	4	2	0	2	1	1	1	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	0	4	1	0	2	0	1	1	1	0	0
--ULCERATION		0	0	1	0	0	0	0	0	1	0	0	0
--CYST, EPIDERMAL INCLUSION		3	0	0	0	0	0	0	0	0	0	0	0
--ACANTHOSIS / HYPERKERATOSIS		2	0	2	1	0	2	0	1	0	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	0	0	0	1	0	0	0	0	0
--M-NEUROFIBROSARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
--SUPERFICIAL CRUSTING		0	0	0	0	0	1	0	0	0	0	0	0
--B-KERATOACANTHOMA		0	0	0	1	0	0	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	0	0	0	0	1	0	0
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	4	1	5	6	2	6	2	4	9	8	7	6
	NOT REMARKABLE:	0	0	0	0	1	1	0	0	0	5	1	1
--LYMPHANGIECTASIS		1	0	3	4	1	4	0	0	1	0	0	1
--HYPERPLASIA, LYMPHOPLASMACYTIC		2	1	4	4	1	2	1	4	7	2	5	4
--HEMORRHAGE		1	1	1	1	1	1	0	0	2	1	2	2
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	1	0	0	0
--INFLAMMATION, SUBACUTE		0	0	1	0	0	0	0	0	0	0	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		1	0	0	0	0	0	0	0	1	1	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	0	0	0	0	1
--N-CARCINOMA		0	0	0	0	0	0	1	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

CAVITY, ABDOM (PC)	NUMBER EXAMINED:	1	0	1	3	2	4	1	1	0	0	4	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION / NECROSIS, FAT		1	0	1	2	0	2	0	1	0	0	3	1
--M-FIBROSARCOMA		0	0	0	0	1	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0	0	0	0	0	0	0	0	0	1	0
--HEMATOMA		0	0	0	0	1	0	0	0	0	0	0	0
--INFLAMMATION, VASCULAR		0	0	0	1	0	2	0	0	0	0	0	0
--THROMBUS		0	0	0	1	0	1	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	0	1	0	0	0	0	0
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	0	1	2	0	0	0	0	0	1	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--M-CARCINOMA		0	1	1	0	0	0	0	0	1	0	0	0
--I-SARCOMA		0	0	1	0	0	0	0	0	0	0	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	0	1	2	0	1	2	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	1	2	0	1	2	0	0	0	0	0	0
--ECTASIA, DUCTAL		0	0	2	0	0	1	0	0	0	0	0	0
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	2	2	3	6	4	2	2	3	2	2	5	2
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	2	3	6	4	2	2	3	2	2	5	2
--ULCERATION		1	2	3	4	2	1	1	2	2	2	2	1

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40													

ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

** FROM PREVIOUS PAGE **													
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	2	2	3	6	4	2	2	3	2	2	5	2
	NOT REMARKABLE:	1	0	0	0	0	0	0	0	0	0	0	0
--ACANTHOSIS / HYPERKERATOSIS		0	1	3	4	3	1	1	3	2	2	4	2
--B-FIBROMA		0	0	0	0	0	0	1	0	0	0	0	0
--FIBROSIS		0	0	0	0	1	1	0	1	1	0	1	1
--BACTERIA		0	1	0	1	1	0	0	1	0	0	1	0
--HYPERPLASIA, BONE		0	0	0	0	0	1	0	0	0	0	1	0
AORTA (AO)	NUMBER EXAMINED:	0	1	3	2	2	1	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	1	0	0	1	0	0	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	1	0	0	0	0	0	0	0
--MINERALIZATION		0	1	2	2	1	0	0	0	0	1	0	0
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	0	1	1	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--I-SARCOMA		0	1	1	0	0	0	0	0	0	0	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	0	1	2	0	1	2	1	1	1	0	1	0
	NOT REMARKABLE:	0	0	0	0	1	1	0	0	0	0	0	0
--HEMORRHAGE		0	1	1	0	0	0	1	1	1	0	1	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	2	0	0	0	1	1	0	0	1	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	0	2	0	0	1	0	1	1	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40													

ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

HEAD, CORONAL (HC)	NUMBER EXAMINED:	0	0	0	0	0	0	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, ACUTE, EAR		0	0	0	0	0	0	0	0	0	1	0	0
JOINT, OTHER (JT)	NUMBER EXAMINED:	1	1	3	1	1	3	0	0	0	0	1	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	1	3	1	1	3	0	0	0	0	1	0
--PROBABLE FRACTURE		0	0	1	0	0	0	0	0	0	0	0	0
--FIBROSIS		1	0	0	0	0	1	0	0	0	0	0	0
--HYPERPLASIA, BONE		0	0	0	0	0	1	0	0	0	0	0	0
CLITORAL GLAND (CL)	NUMBER EXAMINED:	0	0	0	0	0	0	1	1	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--ECTASIA, DUCTAL		0	0	0	0	0	0	1	1	0	0	0	0
--INFLAMMATION, CHRONIC-ACTIVE		0	0	0	0	0	0	0	1	0	0	0	0
--HYPERKERATOSIS		0	0	0	0	0	0	0	1	0	0	0	0
URETER (UE)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	1	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	1	0	0
--UNILATERALLY EXAMINED		0	0	0	0	0	1	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
ORGAN AND FINDING DESCRIPTION	NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40

ADIPOSE TISSUE (AT)	NUMBER EXAMINED:	0	0	1	0	0	0	1	1	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	1	0	0	0	0
--M-LIPOSARCOMA		0	0	0	0	0	0	1	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0
DIAPHRAGM (DP)	NUMBER EXAMINED:	0	0	0	0	0	0	1	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--I-LIPOSARCOMA		0	0	0	0	0	0	1	0	0	0	0	0
CAVITY, THORACIC (TA)	NUMBER EXAMINED:	1	0	0	0	0	0	1	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--B-HIBERNOMA		0	0	0	0	0	0	1	0	0	0	0	0
--B-AORTIC BODY TUMOR		1	0	0	0	0	0	0	0	0	0	0	0
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	1	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	0	0	0	0	0	0	0	1	0	0	0
--DILATATION, SINUSOIDAL		0	0	0	0	0	1	0	0	0	0	0	0
--HEMORRHAGE		0	0	0	0	0	1	0	0	0	0	0	0
--N-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 36

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

		--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---												
TABLE INCLUDES: SEX=ALL;GROUP=ALL;WEEKS=ALL DEATH=ALL;FIND=ALL;SUBSET=ALL		SEX:	-----MALE-----						-----FEMALE-----					
		GROUP:	-1-	-2-	-3-	-4-	-5-	-6-	-1-	-2-	-3-	-4-	-5-	-6-
ORGAN AND FINDING DESCRIPTION		NUMBER:	70	60	60	60	70	40	70	60	60	60	70	40
			--	--	--	--	--	--	--	--	--	--	--	--
LN, POPLITEAL (PP)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	1	0	0	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)		0	0	0	0	0	0	0	0	0	1	0	0	0
--HYPERPLASIA, PLASMACYTIC		0	0	0	0	0	1	0	0	0	0	0	0	1
MUSCLE, OTHER (MO)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	0
--INFLAMMATION, GRANULOMATOUS		0	0	1	0	0	0	0	0	0	0	0	0	0
--INFILTRATE, EOSINOPHILIC		0	0	1	0	0	0	0	0	0	0	0	0	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	0	0	1	0	0	1	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	0
--M-SARCOMA, UNDIFFERENTIATED		0	0	0	0	0	1	0	0	0	0	0	0	0
--N-SARCOMA		0	0	1	0	0	0	0	0	0	0	0	0	0
PINNA (PN)	NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	0	0	0	1
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	0
--M-SARCOMA		0	0	0	0	0	1	0	0	0	0	0	0	0
--B-PAPILLOMA, SQUAMOUS CELL		0	0	0	0	0	0	0	0	0	0	0	0	1
ARTERY, OTHER (AU)	NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0	0	0
	NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION		0	0	1	0	0	0	0	0	0	0	0	0	0

TABLE 40
Incidence of Microscopic Observations
All Animals

Covance 6329-183
3M T-6295

PAGE: 37

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---													
SEX: -----MALE-----FEMALE-----													
GROUP: -1- -2- -3- -4- -5- -6- -1- -2- -3- -4- -5- -6-													
NUMBER: 70 60 60 60 70 40 70 60 60 60 70 40													
ORGAN AND FINDING DESCRIPTION													
AORTIC ARCH (AA)		NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0
		NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0
--MINERALIZATION			0	0	1	0	0	0	0	0	0	0	0
LN, ILEOCECAL (IC)		NUMBER EXAMINED:	0	0	0	0	0	0	0	0	1	0	0
		NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0
--X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE)			0	0	0	0	0	0	0	0	1	0	0
VAS DEFERENS (VS)		NUMBER EXAMINED:	0	0	0	0	0	1	0	0	0	0	0
		NOT REMARKABLE:	0	0	0	0	0	1	0	0	0	0	0
BILE DUCT (BD)		NUMBER EXAMINED:	0	0	1	0	0	0	0	0	0	0	0
		NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0
--CYST			0	0	1	0	0	0	0	0	0	0	0
--INFLAMMATION, CHRONIC			0	0	1	0	0	0	0	0	0	0	0
--THROMBUS			0	0	1	0	0	0	0	0	0	0	0
TRIGEMINAL NERVE (TG)		NUMBER EXAMINED:	0	0	0	1	0	0	0	0	0	0	0
		NOT REMARKABLE:	0	0	0	0	0	0	0	0	0	0	0
--GANGLION			0	0	0	1	0	0	0	0	0	0	0
** END OF LIST **													

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10	17
-----		==	==
** TOP OF LIST **			
EYE (EY)	NUMBER EXAMINED:	0	1
	NOT REMARKABLE:	0	0
--DYSTROPHY, CORNEAL		0	1
IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION			
BRAIN (BR)	NUMBER EXAMINED:	4	7
	NOT REMARKABLE:	1	2
--DILATATION, VENTRICULAR		1	1
--COMPRESSION, VENTRAL		3	4
--I-CARCINOMA		0	1
LIVER (LI)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	0	0
--INFILTRATE, LYMPHOHISTIOCYTIC		9	16
--NECROSIS, INDIVIDUAL HEPATOCYTE		1	2
--VACUOLATION, HEPATOCELLULAR, PERIportal		2	6
--FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL		5	8
--FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC		5	7
--DEGENERATION, CYSTIC		3	1
--NECROSIS, COAGULATIVE		1	1
--HEMATOPOIESIS, EXTRAMEDULLARY		0	1
--HYPERPLASIA, BILE DUCT		8	9
--FIBROSIS, PERIBILIARY		3	3
--HYPERTROPHY, HEPATOCELLULAR, PERIportal		2	4
--INFILTRATE, MACROPHAGE, PIGMENTED		0	1

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
ORGAN AND FINDING DESCRIPTION		GROUP: -6-	-6-
		NUMBER: 10	17
-----		==	==
** FROM PREVIOUS PAGE **			
LIVER (LI)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	0	0
--VACUOLATION, HEPATOCELLULAR		2	1
--CYST, BILIARY		0	2
--ANGIECTASIS		0	2
--B-ADENOMA, HEPATOCELLULAR		0	1
LIVER-OIL RED O (LI0)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
KIDNEY (KD)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	0	1
--NEPHROPATHY, CHRONIC PROGRESSIVE		9	8
--DILATATION, PELVIC		1	1
--MINERALIZATION, PELVIC		1	13
--MINERALIZATION, TUBULAR		0	1
--HYPERPLASIA, TRANSITIONAL CELL		0	3
--INFLAMMATION, SUPPURATIVE, PELVIC		0	1
--CYST		1	0
SPLEEN (SP)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	0	0
--HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED		1	0
--FIBROSIS, CAPSULAR		1	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;FIND=ALL;SUBSET=ALL	SEX: MALE FEMALE		
	GROUP: -6-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	17

PANCREAS (PA)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	1	11
--ZYMOGEN GRANULES, DECREASED		1	2
--INFILTRATE, MACROPHAGE, PIGMENTED		0	1
--HYPERPLASIA, ISLET CELLS		1	0
--ATROPHY, ACINAR		1	0
--HYPERTROPHY / BASOPHILIA, ACINAR CELL		2	0
--M-CARCINOMA, ISLET CELL		1	0
--B-ADENOMA, ISLET CELL		1	0
--INFILTRATION, FAT, INTERSTITIAL		3	4
--INFLAMMATION, VASCULAR		1	0
ADRENAL, CORTEX (AC)	NUMBER EXAMINED:	0	3
	NOT REMARKABLE:	0	0
--HYPERTROPHY, CORTICAL CELL		0	1
--DEGENERATION, CYSTIC / HEMORRHAGIC		0	2
--PIGMENT		0	3
--DEGENERATION / NECROSIS, UNILATERAL		0	1
--M-CARCINOMA		0	1
ADRENAL, MEDULLA (MA)	NUMBER EXAMINED:	0	1
	NOT REMARKABLE:	0	1

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL		GROUP: -6- -6-	
DEATH=U;FIND=ALL;SUBSET=ALL			
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	17

LN, MESENTERIC (MS)	NUMBER EXAMINED:	0	1
	NOT REMARKABLE:	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		0	1
OVARY (OV)	NUMBER EXAMINED:	0	8
	NOT REMARKABLE:	0	2
--CYST		0	4
--HYPERPLASIA, GRANULOSA CELL		0	2
TESTIS (TE)	NUMBER EXAMINED:	9	0
	NOT REMARKABLE:	8	0
--HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL)		1	0
BONE, FEMUR (FE)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
MARROW, FEMUR (FM)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
MARROW, STERNUM (SE)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
SEX: MALE FEMALE			
GROUP: -6- -6-			
ORGAN AND FINDING DESCRIPTION			
NUMBER: 10 17			

BONE, STERNUM (SB)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
SPINAL CORD (SC)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
THYMUS (TH)	NUMBER EXAMINED:	0	2
	NOT REMARKABLE:	0	0
--CYST		0	1
--HYPERPLASIA, LYMPHORETICULAR		0	1
--HYPERPLASIA, EPITHELIAL		0	1
LUNG (LU)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	3	9
--MINERALIZATION, VASCULAR		3	2
--N-CARCINOMA		0	1
--INFILTRATE, MACROPHAGE, ALVEOLAR		5	3
--INFILTRATE, LYMPHOHISTIOCYTIC		1	1
--MINERALIZATION, ALVEOLAR LUMINA		0	1
--INFILTRATE, MACROPHAGE, PIGMENTED		0	1
HEART (HT)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 17	
		== ==	
MUSCLE, SKELETAL (SM)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
NERVE, SCIATIC (SN)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
TRACHEA (TR)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
ESOPHAGUS (ES)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
THYROID (TY)	NUMBER EXAMINED:	10	17
	NOT REMARKABLE:	2	7
--HYPERPLASIA, C-CELL		2	5
--M-CARCINOMA, FOLLICULAR CELL		1	0
--DILATATION / CYST, FOLLICULAR		1	0
--B-ADENOMA, C-CELL		2	4
--B-ADENOMA, FOLLICULAR CELL		5	1
--M-CARCINOMA, C-CELL		0	1

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL		GROUP: -6- -6-	
DEATH=U;FIND=ALL;SUBSET=ALL			
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	17

PARATHYROID (PT)	NUMBER EXAMINED:	10	16
	NOT REMARKABLE:	8	16
--HYPERPLASIA		2	0
PITUITARY (PI)	NUMBER EXAMINED:	8	11
	NOT REMARKABLE:	0	0
--B-ADENOMA		7	9
--HYPERPLASIA		1	3
--CYST		0	1
--M-CARCINOMA		0	1
HARDERIAN GLAND (HG)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
SALIV GL, MANDIB (SG)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
STOMACH, GL (ST)	NUMBER EXAMINED:	4	4
	NOT REMARKABLE:	1	2
--EROSION		0	1
--INFLAMMATION, CHRONIC-ACTIVE		1	1
--ULCERATION		1	0
--HYPERPLASIA, EPITHELIAL, GLANDULAR		3	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;FIND=ALL;SUBSET=ALL	SEX: MALE FEMALE		
	GROUP: -6-	-6-	
ORGAN AND FINDING DESCRIPTION	NUMBER: 10	17	
	==	==	
STOMACH, NONGL (SU)	NUMBER EXAMINED: 0	0	
	NOT REMARKABLE: 0	0	
DUODENUM (DU)	NUMBER EXAMINED: 0	0	
	NOT REMARKABLE: 0	0	
JEJUNUM (JE)	NUMBER EXAMINED: 0	1	
	NOT REMARKABLE: 0	0	
--M-CARCINOMA		0	1
ILEUM (IL)	NUMBER EXAMINED: 0	0	
	NOT REMARKABLE: 0	0	
CECUM (CE)	NUMBER EXAMINED: 1	0	
	NOT REMARKABLE: 1	0	
COLON (CO)	NUMBER EXAMINED: 0	0	
	NOT REMARKABLE: 0	0	
RECTUM (RE)	NUMBER EXAMINED: 0	0	
	NOT REMARKABLE: 0	0	

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 17	
		== ==	
SKIN (SK)		NUMBER EXAMINED:	3 2
		NOT REMARKABLE:	0 0
--INFLAMMATION, CHRONIC-ACTIVE			1 1
--B-KERATOACANTHOMA			2 1
--B-PAPILLOMA, SQUAMOUS CELL			1 1
MAMMARY, FEMALE (MF)		NUMBER EXAMINED:	0 17
		NOT REMARKABLE:	0 0
--M-CARCINOMA			0 1
--CYST / GALACTOCELE			0 7
--INFLAMMATION, CHRONIC-ACTIVE			0 2
--B-FIBROADENOMA			0 7
--HYPERPLASIA, GLANDULAR			0 11
--B-ADENOMA			0 2
URINARY BLADDER (UB)		NUMBER EXAMINED:	10 17
		NOT REMARKABLE:	9 15
--HEMORRHAGE			0 1
--INFILTRATE, LYMPHOHISTIOCYTIC			1 2
--HYPERPLASIA, TRANSITIONAL CELL			0 1
UTERUS (UT)		NUMBER EXAMINED:	0 6
		NOT REMARKABLE:	0 1
--DILATATION			0 2

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
SEX:		MALE	FEMALE
GROUP:		-6-	-6-
NUMBER:		10	17
-----		-=-	-=-
** FROM PREVIOUS PAGE **			
UTERUS (UT)	NUMBER EXAMINED:	0	6
	NOT REMARKABLE:	0	1
--B-POLYP, ENDOMETRIAL, STROMAL		0	1
--HYPERPLASIA, CYSTIC, ENDOMETRIAL		0	3
--M-LEIOMYOSARCOMA		0	1
CERVIX (CV)	NUMBER EXAMINED:	0	1
	NOT REMARKABLE:	0	0
--B-POLYP, STROMAL		0	1
VAGINA (VA)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
PROSTATE (PR)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	0
SEMINAL VESICLES (SV)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	0	0
--SECRETION, DECREASED		1	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 17	
		== ==	
EPIDIDYMITIS (EP)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0
HEMATO NEOPLASIA (HN)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0
CAUSE OF DEATH (CD)		NUMBER EXAMINED:	10 17
		NOT REMARKABLE:	0 0
--SCHEDULED SACRIFICE			10 17
LN, MEDIASTINAL (ML)		NUMBER EXAMINED:	2 1
		NOT REMARKABLE:	0 0
--HYPERPLASIA, LYMPHOPLASMACYTIC			1 1
--LYMPHANGIECTASIS			1 0
LN, AXILLARY (AX)		NUMBER EXAMINED:	1 4
		NOT REMARKABLE:	1 2
--HYPERPLASIA, LYMPHOPLASMACYTIC			0 2
LN, INGUINAL (IN)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:		SEX: MALE FEMALE	
SEX=ALL;GROUP=6;WEEKS=ALL		GROUP: -6- -6-	
DEATH=U;FIND=ALL;SUBSET=ALL			
ORGAN AND FINDING DESCRIPTION	NUMBER:	10	17

LN, OTHER (LN)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
LN, RENAL (RL)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	0	0
--INFILTRATE, MACROPHAGE, PIGMENTED		1	0
--LYMPHANGIECTASIS		1	0
LN, MANDIBULAR (MN)	NUMBER EXAMINED:	1	5
	NOT REMARKABLE:	0	0
--HYPERPLASIA, LYMPHOPLASMACYTIC		1	3
--HEMORRHAGE		1	4
--LYMPHANGIECTASIS		1	0
VERTEBRA/MARROW (VT)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
MAMMARY, MALE (MM)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
COAGULATING GL (CG)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 17	
		== ==	
TAIL (TI)	NUMBER EXAMINED:	2	0
	NOT REMARKABLE:	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	0
--ACANTHOSIS / HYPERKERATOSIS		2	0
--SUPERFICIAL CRUSTING		1	0
LN, LUMBAR/ILIAC (LM)	NUMBER EXAMINED:	2	4
	NOT REMARKABLE:	0	1
--LYMPHANGIECTASIS		2	1
--HYPERPLASIA, LYMPHOPLASMACYTIC		0	2
--HEMORRHAGE		0	1
CAVITY, ABDOM (PC)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	0	0
--INFLAMMATION, VASCULAR		1	0
AUDITORY SEB GL (AS)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
PREPUTIAL GLAND (PG)	NUMBER EXAMINED:	2	0
	NOT REMARKABLE:	0	0
--INFLAMMATION, CHRONIC-ACTIVE		2	0
--ECTASIA, DUCTAL		1	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
ORGAN AND FINDING DESCRIPTION	NUMBER:	SEX: MALE FEMALE	
		GROUP: -6-	-6-
		10	17
		==	==
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;FIND=ALL;SUBSET=ALL			
FOOT/FOOTPAD (FP)	NUMBER EXAMINED:	1	1
	NOT REMARKABLE:	0	0
--INFLAMMATION, CHRONIC-ACTIVE		1	1
--ULCERATION		0	1
--ACANTHOSIS / HYPERKERATOSIS		0	1
--FIBROSIS		1	1
--HYPERPLASIA, BONE		1	0
AORTA (AO)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
CALVARIUM/SKULL (CA)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
LN, ANT MES/PANC (AP)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	1	0
HEAD, CORONAL (HC)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES:			
SEX=ALL;GROUP=6;WEEKS=ALL			
DEATH=U;FIND=ALL;SUBSET=ALL			
		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 17	
		== ==	
JOINT, OTHER (JT)		NUMBER EXAMINED:	3 0
		NOT REMARKABLE:	0 0
--INFLAMMATION, CHRONIC-ACTIVE			3 0
--FIBROSIS			1 0
--HYPERPLASIA, BONE			1 0
CLITORAL GLAND (CL)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0
URETER (UE)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0
ADIPOSE TISSUE (AT)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0
DIAPHRAGM (DP)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0
CAVITY, THORACIC (TA)		NUMBER EXAMINED:	0 0
		NOT REMARKABLE:	0 0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
ORGAN AND FINDING DESCRIPTION	NUMBER:	SEX: MALE FEMALE	
		GROUP: -6-	-6-
		10	17
		==	==
LN, TRACHEOBRON (TB)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
LN, POPLITEAL (PP)	NUMBER EXAMINED:	1	0
	NOT REMARKABLE:	0	0
--HYPERPLASIA, PLASMACYTIC		1	0
MUSCLE, OTHER (MO)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
PERICARDIAL SAC (PD)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
PINNA (PN)	NUMBER EXAMINED:	0	1
	NOT REMARKABLE:	0	0
--B-PAPILLOMA, SQUAMOUS CELL		0	1
ARTERY, OTHER (AU)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0

TABLE 41
Incidence of Microscopic Observations
Recovery Sacrifice

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

--- N U M B E R - O F - A N I M A L S - A F F E C T E D ---			
TABLE INCLUDES: SEX=ALL;GROUP=6;WEEKS=ALL DEATH=U;FIND=ALL;SUBSET=ALL		SEX: MALE FEMALE	
		GROUP: -6- -6-	
ORGAN AND FINDING DESCRIPTION		NUMBER: 10 17	
		== ==	
AORTIC ARCH (AA)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
LN, ILEOCECAL (IC)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
VAS DEFERENS (VS)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
BILE DUCT (BD)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
TRIGEMINAL NERVE (TG)	NUMBER EXAMINED:	0	0
	NOT REMARKABLE:	0	0
** END OF LIST **			

APPENDIX 1

Protocol Deviations

Protocol Deviations

Protocol. Husbandry. Diet. “Certified Rodent Diet #5002, meal (PMI Nutrition International) *ad libitum*.”

Actual Procedure. During the course of the study, for a total of 29 incidences, 24 animals were found without access to food. Food was provided when the limited access was noted. Comments regarding limited access to food are recorded in the data.

During single housing on April 13, 1998 (acclimation), temporary Animal No. 593 was not fed in.

Protocol. Husbandry. Water. “*Ad libitum*.”

Actual Procedure. On April 29, 1998, during the a.m. room check it was noticed that Animal Nos. C92671 through C92690 (Group 3 males), and C92691 through C92725 (Group 4 males) did not have access to water due to a kinked water hose.

Protocol. Husbandry. Housing. “Individual (may be group-housed during acclimation).”

Actual Procedure. On May 10, 1998, Animal No. C92989 (Group 2 female) was found out of its cage during the a.m. check.

Protocol. Termination. Unscheduled Sacrifices and Deaths. “Animals to be sacrificed will be anesthetized with carbon dioxide, weighed, and exsanguinated.”

Actual Procedure. At necropsy, Animal Nos. C92918 (Group 1 female), C92939 (Group 2 female), and C93038 (Group 3 female) were anesthetized with sodium pentobarbital instead of carbon dioxide. At necropsy, Animal No. C92621 received approximately 1.0mL of sodium pentobarbital prior to administration of carbon dioxide anesthesia.

A body weight was not taken for Animal Nos. C92566 (Group 1 male), C92687 (Group 3 male) and C92966 (Group 2 female) prior to necropsy.

Protocol Deviations (Continued)

Protocol. Postmortem Procedures. Tissue Preservation. “At the terminal sacrifice, sections of the heart and liver will be collected from 10 animals/sex/group in Groups 1, 4, 5, and 6 and preserved in 2.0% paraformaldehyde/2.5% glutaraldehyde in 0.1 M phosphate buffer. These tissues will be processed and embedded in epoxy blocks for possible future examination by electron microscopy.

Actual Procedure. At the terminal sacrifice, tissues were collected from 11 animals in Group 4 (females) for possible electron microscopy instead of 10 animals.

Protocol. Postmortem Procedures. Histopathology. “Lesions, liver, lungs, kidneys, pancreas, thyroid, testes, and mammary glands (females) from each animal in Groups 2, 3, 4, and 6 sacrificed at the terminal and recovery sacrifices will be embedded in paraffin, sectioned, stained with hematoxylin and eosin, and examined microscopically.”

Actual Procedure. At the terminal sacrifice, one mammary gland mass was not collected for Animal Nos. C92927 (Group 1 female) and C93078 (Group 4 female).

At necropsy, the mass located in the inguinal region for Animal No. C92729 was not commented on or collected.

On July 13, 1999, a macroscopic lesion for Animal No. C92838 was not collected at the time of necropsy.

At the terminal and recovery sacrifices, parathyroid glands were examined microscopically from animals in Groups 2, 3, 4.

Protocol. Postmortem Procedures. Histopathology. “Slides of the pancreas from males found dead, sacrificed at an unscheduled interval, or sacrificed at the Week 14 and 53 interim sacrifices, terminal, and recovery sacrifices will be sent to Tox Path Inc. for peer-review and results will be provided to Covance for inclusion in the final report.”

Actual Procedure. Results of the peer-review are not included in the final report. The results are on file with Covance.

Protocol Deviations (Continued)

Protocol. Experimental Design. Postmortem Procedures. “The following tissues (when present) or representative samples will be collected from each animal and preserved in 10% neutral-buffered formalin, unless otherwise specified.”

Actual Procedure. Some tissues, required by the protocol, were not available for histopathologic examination. Missing tissues are listed with appropriate comments in the pathology data sheets for individual animals. Summary tables do not include them as having been examined.

These deviations are not expected to have affected the results of the study.



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume II of IX

Page 518 of 4068

CONTENTS

VOLUME II OF IX

Page

APPENDIX 2.....	520
Individual Animal Fate Data.....	521
Individual Clinical Observations.....	543

APPENDIX 2

Individual Animal Fate Data
Individual Clinical Observations

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92501	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92502	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/04/99	533	77
C92503	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92504	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92505	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92506	1	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92507	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92508	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/08/99	537	77
C92509	1	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92510	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92511	1	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92512	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92513	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92514	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92515	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/12/00	693	99
C92516	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/11/99	326	47
C92517	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92518	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92519	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/28/99	557	80
C92520	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/18/99	578	83
C92521	1	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92522	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/29/00	681	98
C92523	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92524	1	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92525	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/30/99	498	72
C92526	1	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92527	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/24/99	584	84
C92528	1	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92529	1	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92530	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/18/99	547	79
C92531	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/03/99	471	68
C92532	1	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92533	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/29/99	589	85
C92534	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92535	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/14/00	666	96
C92536	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/17/99	546	78
C92537	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/14/00	666	96
C92538	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	09/14/99	513	74
C92539	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/28/00	680	98
C92540	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92541	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92542	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92543	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/14/00	695	100
C92544	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92545	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/31/00	652	94
C92546	1	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92547	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/21/99	611	88
C92548	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/22/99	582	84
C92549	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/31/99	560	80
C92550	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/15/00	727	104
C92551	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92552	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/14/00	726	104
C92553	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/28/99	435	63
C92554	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/07/00	719	103
C92555	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/08/99	415	60
C92556	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/28/99	435	63
C92557	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/27/99	617	89
C92558	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/28/99	557	80
C92559	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/22/99	551	79
C92560	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/31/99	560	80
C92561	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/29/99	436	63
C92562	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92563	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/24/99	584	84
C92564	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/19/99	487	70
C92565	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/16/00	637	91
C92566	1	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/21/98	155	23
C92567	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/12/00	633	91
C92568	1	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/20/00	701	101

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92569	1	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92570	1	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92571	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/21/00	702	101
C92572	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/21/00	702	101
C92573	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/24/99	584	84
C92574	2	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92575	2	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92576	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/21/00	673	97
C92577	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92578	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/08/99	598	86
C92579	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/12/99	602	86
C92580	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/20/99	549	79
C92581	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/17/00	729	105
C92582	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/21/00	702	101
C92583	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92584	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/11/99	418	60
C92585	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/12/99	268	39
C92586	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/07/99	506	73
C92587	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/20/99	610	88
C92588	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/03/00	715	103
C92589	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/13/00	694	100
C92590	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92591	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/18/00	670	96
C92592	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/20/99	610	88
C92593	2	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92594	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/15/00	667	96
C92595	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/23/99	583	84
C92596	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/23/99	491	71
C92597	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92598	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92599	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	05/09/99	385	55
C92600	2	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92601	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92602	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92603	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/24/98	127	19
C92604	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91
C92605	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/11/00	723	104
C92606	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/13/99	542	78
C92607	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91
C92608	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/19/99	548	79
C92609	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/12/00	724	104
C92610	2	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92611	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/20/99	610	88
C92612	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/18/99	547	79
C92613	2	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92614	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/19/00	640	92
C92615	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/03/00	624	90
C92616	2	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92617	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/05/99	565	81
C92618	2	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92619	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92620	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/15/00	667	96
C92621	2	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92622	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/18/99	578	83
C92623	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92624	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	06/18/99	425	61
C92625	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/28/99	588	84
C92626	2	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92627	2	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92628	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/07/99	506	73
C92629	2	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/17/99	546	78
C92630	2	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/26/99	616	88
C92631	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92632	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/03/00	715	103
C92633	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92634	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/13/99	603	87
C92635	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/20/99	549	79
C92636	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/01/00	682	98

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92637	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92638	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91
C92639	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/29/99	589	85
C92640	3	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92641	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92642	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92643	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92644	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92645	3	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92646	3	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92647	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/28/99	557	80
C92648	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/15/99	605	87
C92649	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92650	3	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92651	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/01/99	561	81
C92652	3	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92653	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92654	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/20/99	549	79
C92655	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C92656	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/21/00	673	97
C92657	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92658	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C92659	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92660	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92661	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/03/00	624	90
C92662	3	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92663	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/08/00	660	95
C92664	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/11/99	540	78
C92665	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/24/99	614	88
C92666	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/01/99	530	76
C92667	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/20/99	549	79
C92668	3	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92669	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92670	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/13/99	512	74

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92671	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/29/00	650	93
C92672	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/13/00	665	95
C92673	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/07/00	659	95
C92674	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92675	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/31/00	712	102
C92676	3	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92677	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/09/00	690	99
C92678	3	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92679	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	05/07/99	383	55
C92680	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/23/99	583	84
C92681	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/16/99	606	87
C92682	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92683	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92684	3	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92685	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/25/99	554	80
C92686	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/22/99	582	84
C92687	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/03/99	502	72
C92688	3	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/25/00	677	97
C92689	3	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	05/14/99	390	56
C92690	3	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92691	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92692	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/19/99	365	53
C92693	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92694	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92695	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92696	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92697	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/28/99	465	67
C92698	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92699	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92700	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92701	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/19/99	365	53
C92702	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92703	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	06/16/99	423	61
C92704	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92705	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92706	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/28/00	680	98
C92707	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/06/00	627	90
C92708	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92709	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/12/00	633	91
C92710	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/18/99	486	70
C92711	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/19/00	640	92
C92712	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/13/99	603	87
C92713	4	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92714	4	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92715	4	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92716	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92717	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92718	4	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92719	4	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92720	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/16/99	576	83
C92721	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/28/99	557	80
C92722	4	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92723	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/23/99	552	79
C92724	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92725	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/17/99	363	52
C92726	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92727	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/09/00	630	90
C92728	4	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92729	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/20/99	549	79
C92730	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92731	4	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92732	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/18/99	578	83
C92733	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/27/99	617	89
C92734	4	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92735	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92736	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92737	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/16/00	637	91
C92738	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/20/00	641	92

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92739	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92740	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92741	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/12/00	633	91
C92742	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92743	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/27/99	587	84
C92744	4	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92745	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/03/00	624	90
C92746	4	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/22/99	551	79
C92747	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92748	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92749	4	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/06/00	718	103
C92750	4	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92751	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92752	5	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92753	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92754	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92755	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92756	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/24/99	614	88
C92757	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92758	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/21/99	428	62
C92759	5	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92760	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/13/99	512	74
C92761	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92762	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92763	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C92764	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/01/99	530	76
C92765	5	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92766	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/24/00	705	101
C92767	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99
C92768	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/08/00	660	95
C92769	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/09/00	721	103
C92770	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/21/00	702	101
C92771	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/07/99	567	81
C92772	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/14/99	360	52

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92773	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/19/00	731	105
C92774	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92775	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92776	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92777	5	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92778	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92779	5	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92780	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92781	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/06/99	535	77
C92782	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92783	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/18/99	547	79
C92784	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/27/99	556	80
C92785	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/05/00	686	98
C92786	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92787	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/13/99	328	47
C92788	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92789	5	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92790	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92791	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92792	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92793	5	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92794	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	05/26/99	402	58
C92795	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92796	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92797	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C92798	5	MALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92799	5	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92800	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92801	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	05/17/99	393	57
C92802	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92803	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92804	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92805	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/01/99	500	72
C92806	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92807	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/07/99	597	86
C92808	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92809	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92810	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/21/00	673	97
C92811	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/25/98	250	36
C92812	5	MALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92813	5	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/13/00	694	100
C92814	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92815	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92816	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	07/09/99	446	64
C92817	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92818	5	MALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92819	5	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/15/00	727	104
C92820	5	MALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92821	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92822	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/06/99	566	81
C92823	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92824	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/11/00	663	95
C92825	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C92826	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	05/09/99	385	55
C92827	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92828	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/18/99	578	83
C92829	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92830	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/09/00	690	99
C92831	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/29/99	589	85
C92832	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/12/99	480	69
C92833	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92834	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92835	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/23/99	522	75
C92836	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91
C92837	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/12/99	449	65
C92838	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/13/99	450	65
C92839	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/02/00	623	89
C92840	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/03/00	715	103

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92841	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/08/99	476	68
C92842	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/12/00	633	91
C92843	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/08/99	537	77
C92844	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/19/99	579	83
C92845	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/12/00	664	95
C92846	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/09/00	721	103
C92847	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/28/00	680	98
C92848	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92849	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/16/99	484	70
C92850	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/18/00	730	105
C92851	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92852	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/07/99	475	68
C92853	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92854	6	MALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/24/00	705	101
C92855	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/16/99	484	70
C92856	6	MALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C92857	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/16/99	576	83
C92858	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/21/00	673	97
C92859	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/01/99	500	72
C92860	6	MALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/26/00	678	97
C92861	1	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92862	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92863	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/15/99	575	83
C92864	1	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92865	1	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	07/12/99	449	65
C92866	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92867	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92868	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92869	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92870	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/17/00	729	105
C92871	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92872	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/28/99	618	89
C92873	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92874	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92875	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/24/99	553	79
C92876	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92877	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92878	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/02/99	562	81
C92879	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/24/00	645	93
C92880	1	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92881	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92882	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92883	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/14/99	604	87
C92884	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/14/00	666	96
C92885	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92886	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/01/99	561	81
C92887	1	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92888	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/24/99	553	79
C92889	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92890	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92891	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/01/99	591	85
C92892	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92893	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/20/99	610	88
C92894	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92895	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92896	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92897	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92898	1	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92899	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92900	1	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	09/05/99	504	72
C92901	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/22/99	551	79
C92902	1	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/27/99	617	89
C92903	1	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92904	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/21/00	702	101
C92905	1	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92906	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92907	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92908	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/25/00	646	93

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92909	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92910	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92911	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92912	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92913	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92914	1	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92915	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/18/00	670	96
C92916	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/28/00	649	93
C92917	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92918	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/09/99	508	73
C92919	1	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92920	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/30/99	498	72
C92921	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	05/17/99	393	57
C92922	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92923	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92924	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/29/99	589	85
C92925	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92926	1	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92927	1	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92928	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/15/99	575	83
C92929	1	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/08/99	415	60
C92930	1	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C92931	2	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/22/99	490	70
C92932	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/29/99	285	41
C92933	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/21/00	642	92
C92934	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/13/99	603	87
C92935	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/22/99	612	88
C92936	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92937	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/13/99	450	65
C92938	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92939	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/23/99	491	71
C92940	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/13/99	603	87
C92941	2	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92942	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/02/99	348	50

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92943	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/25/00	677	97
C92944	2	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92945	2	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92946	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92947	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/04/00	656	94
C92948	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99
C92949	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/04/98	229	33
C92950	2	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92951	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/03/00	715	103
C92952	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/19/99	456	66
C92953	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92954	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/23/00	704	101
C92955	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/17/00	638	92
C92956	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/28/00	709	102
C92957	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92958	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/29/99	619	89
C92959	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/28/00	680	98
C92960	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92961	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99
C92962	2	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92963	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/04/00	656	94
C92964	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92965	2	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/13/99	573	82
C92966	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/03/99	502	72
C92967	2	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92968	2	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/09/99	477	69
C92969	2	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92970	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92971	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/03/00	624	90
C92972	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/18/00	670	96
C92973	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92974	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92975	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92976	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/31/00	712	102

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C92977	2	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/05/00	686	98
C92978	2	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92979	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/01/00	622	89
C92980	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/28/99	435	63
C92981	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/03/99	502	72
C92982	2	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92983	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92984	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C92985	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/28/00	680	98
C92986	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C92987	2	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92988	2	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C92989	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/22/99	582	84
C92990	2	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C92991	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C92992	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/23/99	583	84
C92993	3	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C92994	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/12/99	572	82
C92995	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/17/98	59	9
C92996	3	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C92997	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/15/99	575	83
C92998	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/01/99	316	46
C92999	3	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/22/00	643	92
C93000	3	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93001	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/24/99	584	84
C93002	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/01/99	561	81
C93003	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93004	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/21/99	520	75
C93005	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/09/00	630	90
C93006	3	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93007	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93008	3	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93009	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/21/00	642	92
C93010	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93011	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93012	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/01/99	561	81
C93013	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/06/99	596	86
C93014	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/01/99	530	76
C93015	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/31/00	712	102
C93016	3	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/11/99	571	82
C93017	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91
C93018	3	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93019	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/22/99	309	45
C93020	3	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	07/24/99	461	66
C93021	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/28/99	435	63
C93022	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93023	3	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93024	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/08/99	598	86
C93025	3	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/23/00	704	101
C93026	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/03/00	715	103
C93027	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/10/00	631	91
C93028	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/17/00	638	92
C93029	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/01/99	500	72
C93030	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/18/00	670	96
C93031	3	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93032	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/27/99	556	80
C93033	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/19/99	456	66
C93034	3	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/15/99	575	83
C93035	3	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93036	3	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/02/99	592	85
C93037	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/22/99	459	66
C93038	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/23/99	491	71
C93039	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93040	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93041	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/15/99	575	83
C93042	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/13/00	665	95
C93043	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/21/00	673	97
C93044	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/19/99	456	66

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93045	3	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93046	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/25/99	554	80
C93047	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93048	3	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/07/00	719	103
C93049	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	08/16/99	484	70
C93050	3	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/02/00	683	98
C93051	4	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93052	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/01/99	500	72
C93053	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/22/99	459	66
C93054	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/05/99	504	72
C93055	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/04/99	533	77
C93056	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99
C93057	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99
C93058	4	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93059	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93060	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93061	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/29/99	558	80
C93062	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93063	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93064	4	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93065	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/24/00	645	93
C93066	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/24/00	645	93
C93067	4	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93068	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/06/00	718	103
C93069	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/21/00	702	101
C93070	4	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93071	4	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93072	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93073	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	09/23/99	522	75
C93074	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/15/99	575	83
C93075	4	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93076	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C93077	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93078	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93079	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93080	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93081	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93082	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	02/25/00	677	97
C93083	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/17/00	729	105
C93084	4	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93085	4	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93086	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/09/00	630	90
C93087	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/16/00	697	100
C93088	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	10/15/99	544	78
C93089	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/04/00	656	94
C93090	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93091	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/06/99	535	77
C93092	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/06/99	535	77
C93093	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/18/00	670	96
C93094	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/18/00	670	96
C93095	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/17/00	729	105
C93096	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/22/98	217	31
C93097	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/28/00	680	98
C93098	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93099	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/19/00	671	96
C93100	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/28/99	618	89
C93101	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93102	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93103	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/10/00	691	99
C93104	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/23/99	583	84
C93105	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	12/28/99	618	89
C93106	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/09/00	661	95
C93107	4	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93108	4	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/18/99	364	52
C93109	4	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93110	4	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/09/00	630	90
C93111	5	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93112	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93113	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93114	5	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93115	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93116	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93117	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93118	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/24/00	645	93
C93119	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/17/00	638	92
C93120	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93121	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/20/99	549	79
C93122	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/21/00	642	92
C93123	5	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93124	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93125	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93126	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	05/30/99	406	58
C93127	5	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93128	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/13/00	694	100
C93129	5	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/13/00	694	100
C93130	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93131	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/14/00	666	96
C93132	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/17/00	729	105
C93133	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93134	5	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/05/99	473	68
C93135	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93136	5	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	05/09/99	385	55
C93137	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93138	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93139	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93140	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93141	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/17/00	698	100
C93142	5	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93143	5	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93144	5	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93145	5	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	09/24/99	523	75
C93146	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93147	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93148	5	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/15/00	636	91
C93149	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93150	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/19/00	640	92
C93151	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93152	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/19/99	456	66
C93153	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93154	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93155	5	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93156	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/06/99	596	86
C93157	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93158	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93159	5	FEMALE	1	SCHEDULED	FIRST INTERIM SACRIFICE	05/15/98	26	4
C93160	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/27/99	526	76
C93161	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93162	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93163	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93164	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93165	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93166	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93167	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/12/99	268	39
C93168	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/20/00	732	105
C93169	5	FEMALE	2	SCHEDULED	SECOND INTERIM SACRIFICE	07/21/98	93	14
C93170	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/01/00	653	94
C93171	5	FEMALE	3	SCHEDULED	THIRD INTERIM SACRIFICE	04/20/99	366	53
C93172	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/17/99	546	78
C93173	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	03/28/00	709	102
C93174	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/19/00	731	105
C93175	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/20/00	641	92
C93176	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/23/99	613	88
C93177	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93178	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93179	5	FEMALE	T	SCHEDULED	TERMINAL SACRIFICE	04/21/00	733	105
C93180	5	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	06/28/99	435	63

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93181	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93182	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93183	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93184	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93185	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93186	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	09/21/99	520	75
C93187	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/13/00	725	104
C93188	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	04/22/00	734	105
C93189	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/15/99	605	87
C93190	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93191	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/12/00	633	91
C93192	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93193	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	10/01/99	530	76
C93194	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/17/00	638	92
C93195	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	08/23/99	491	71
C93196	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/24/99	614	88
C93197	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93198	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93199	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	07/13/99	450	65
C93200	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	02/19/00	671	96
C93201	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93202	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93203	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/03/00	624	90
C93204	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/21/00	642	92
C93205	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93206	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/15/00	727	104
C93207	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/25/99	281	41
C93208	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/16/99	576	83
C93209	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93210	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	04/22/00	734	105
C93211	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93212	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	11/24/99	584	84
C93213	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	11/26/99	586	84
C93214	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	03/03/00	684	98

APPENDIX 2
Individual Animal Fate Data

Covance 6329-183
3M T-6295

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DOSE GROUP	SEX	DEATH CODE	TYPE OF DEATH	DESCRIPTION OF DEATH	DATE OF DEATH	DAY OF STUDY	WEEK OF STUDY
C93215	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	12/06/99	596	86
C93216	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93217	6	FEMALE	D	UNSCHEDULED	UNSCHEDULED DEATH	01/14/00	635	91
C93218	6	FEMALE	M	UNSCHEDULED	UNSCHEDULED DEATH	01/03/00	624	90
C93219	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106
C93220	6	FEMALE	U	SCHEDULED	FIRST POST-RECOV SAC	04/24/00	736	106

Appendix 2

Individual Clinical Observations

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92501	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C92502	M	77	APPEARANCE THIN			533
			BEHAVIOR ATAXIC <UNSPECIFIED>			533
			HYPOACTIVE <UNSPECIFIED>			533
			DISCHARGE GENITAL RED IN COLOR			274, 281, 337
			EYES RED DISCHARGE EYE-LEFT			533
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 288, 295, 302 309, 316, 323, 330, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526

Appendix 2

Individual Clinical Observations

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92503	T	105	APPEARANCE THIN			715, 722, 729, 733
			RESPIRATION AUDIBLE			575, 582, 589, 596
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
			MASS(ES) TAIL-PROXIMAL WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 733C
			WEEK 105			729C, 733C
C92504	3	53	APPEARANCE MALOCCLUSION			78, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365-366
			MISSING TEETH			78
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71

Appendix 2

Individual Clinical Observations

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92504	3	53	SURGERY PERFORMED BY KATHY EWERS			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92505	T	105	APPEARANCE MALOCCLUSION			673, 680, 687, 694, 701, 708, 715
			EYES SQUINTED PERI-ORBITAL			512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 617, 624, 631, 638, 645, 652, 659, 666 722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92506	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92507	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C92508	D	77	SKIN & PELAGE ROUGH HAIR COAT			533, 537
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526
C92509	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92510	T	105	APPEARANCE MALOCCLUSION			470, 477, 484, 512, 519, 526, 533, 561, 610, 617, 645, 652
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 491

Appendix 2

Individual Clinical Observations

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92510	T	105	NORMAL NO REMARKABLE OBSERVATIONS			498, 505, 540, 547, 554, 568, 575, 582, 589, 596, 603, 624, 631 638, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92511	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92512	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY KATHY EWERS			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92513	T	105	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			428, 435, 442
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582

Appendix 2

Individual Clinical Observations

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92513	T	105	NORMAL			589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673
			NO REMARKABLE OBSERVATIONS			680, 687, 694, 701, 708, 715, 722, 729, 732
C92514	T	105	APPEARANCE			414, 421
			MALOCCLUSION			
			SWOLLEN			
			PAW-HIND-RIGHT			617, 624, 631, 638, 645, 652
			SKIN & PELAGE			
			SORE/SCAB			708
			PAW-HIND-RIGHT			
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379
						386, 393, 400, 407, 428, 435, 442, 449, 456, 463, 470, 477, 484
						491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575
						582, 589, 596, 603, 610, 659, 666, 673, 680, 687, 694, 701, 729
						733
			MASS(ES)			
			TAIL-PROXIMAL			
			WEEK 102			708, 715, 722

Appendix 2

Individual Clinical Observations

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92515	D	99	APPEARANCE MALOCCLUSION			512, 519, 526, 533, 540, 547, 554, 561
			EYES SQUINTED PERI-ORBITAL			603, 610
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 568, 575, 582, 589, 596, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 693
C92516	D	47	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 326
C92517	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366

Appendix 2

Individual Clinical Observations

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92518	T	105	APPEARANCE SWOLLEN PAW-HIND-LEFT			651-652, 659, 666, 673, 680, 687
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 694 701, 708, 715, 722, 729, 731
C92519	D	80	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 557
C92520	D	83	APPEARANCE LIMITED USE LIMB-HIND-RIGHT PAW-HIND-RIGHT SWOLLEN DIGIT(S)-HIND-RIGHT LIMB-HIND-RIGHT PAW-HIND-RIGHT			491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 578 470, 477 533, 540, 547, 554, 561, 568, 575, 578 554, 561, 568 554, 561, 568

Appendix 2

Individual Clinical Observations

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92520	D	83	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 484
C92521	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92522	M	98	BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL			681 681
			EXCRETION FEW FECES			681
			EYES RED DISCHARGE EYES SQUINTED PERI-ORBITAL			681 681
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT PAWS-HIND VENTRAL-ABDOMINAL			624, 631 638, 645, 652, 659, 666, 673, 680-681 330, 337, 344, 351, 449, 456, 463, 519, 526, 533, 631, 680-681

Appendix 2

Individual Clinical Observations

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92522	M	98	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 470 477, 484, 491, 498, 505, 512, 540, 547, 554, 561, 568, 575, 582 589, 596
			MASS(ES)			
			VENTRAL-ABDOMINAL			
			WEEK 63			435C, 442C
			WEEK 87			603C, 610C, 617C, 624C
			WEEK 97			673
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 44			302C, 309C, 316C, 323C
C92523	3	53	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			NO REMARKABLE OBSERVATIONS			
C92524	1	4	NORMAL			1, 8, 15, 22
			NO REMARKABLE OBSERVATIONS			

Appendix 2

Individual Clinical Observations

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92525	M	72	APPEARANCE THIN			428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498
			BEHAVIOR HYPOACTIVE MODERATE			498
			EXCRETION FEW FECES NO FECES			428, 435, 470 498
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE ROUGH HAIR COAT			421, 428, 435, 442, 449, 456, 463 449, 456, 463, 470, 477, 484, 491, 498
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 393, 400, 407, 414
			MASS(ES) VENTRAL-ABDOMINAL WEEK 56 WEEK 61			386 421, 428, 435, 442, 449, 456, 463, 470, 477C, 484C, 491C, 498C

Appendix 2

Individual Clinical Observations

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92526	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92527	M	84	APPEARANCE HEAD TILT RIGHT LIMITED USE LIMB-HIND-RIGHT THIN BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED> EXCRETION FEW FECES SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE SORE/SCAB PAW-HIND-LEFT NORMAL NO REMARKABLE OBSERVATIONS			575, 582, 584 584 582, 584 584 584 584 561, 568, 575, 582 372, 379, 386, 393, 400, 407, 414 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 421, 428 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554

Appendix 2

Individual Clinical Observations

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92528	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92529	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92530	M	79	BEHAVIOR RECUMBENT LATERAL			547
			EXCRETION FEW FECES			547
			RESPIRATION AUDIBLE IRREGULAR LABORED			547 547 547
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			547
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540

Appendix 2

Individual Clinical Observations

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92531	M	68	BEHAVIOR RECUMBENT LATERAL			471
			EXCRETION FEW FECES NO FECES			469-470 471
			EYES RED DISCHARGE EYES			471
			SQUINTED PERI-ORBITAL			471
			RESPIRATION IRREGULAR			471
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
C92532	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92533	M	85	SKIN & PELAGE RED SKIN HEAD-MAXILLARY-RIGHT SORE/SCAB HEAD-MAXILLARY-RIGHT			456 561, 568, 575, 582, 589
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 463, 470
			MASS(ES) HEAD-MAXILLARY-RIGHT WEEK 71			491, 498, 505, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C 568C, 575C, 582C, 589C
			INGUINAL REGION-LEFT WEEK 69			477, 484, 491, 498, 505, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C
C92534	3	53	APPEARANCE MALOCCLUSION			365-366
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358

Appendix 2

Individual Clinical Observations

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92534	3	53	SURGERY PERFORMED BY JOHN VAN BERKUM			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92535	M	96	APPEARANCE MALOCCLUSION			561
			TREMORS			666
			LIMBS-ALL			666
			BEHAVIOR HYPOACTIVE			666
			<UNSPECIFIED>			666
			COLD TO TOUCH			666
			ENTIRE BODY			666
			DISCHARGE GENITAL			43
			RED IN COLOR			43
			EXCRETION DISCOLORED FECES			666
			RED IN COLOR			589, 666
			NONFORMED FECES			589, 666
			EYES RED DISCHARGE			302
			EYES			302

Appendix 2

Individual Clinical Observations

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92535	M	96	EYES SQUINTED PERI-ORBITAL			666
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 568, 575, 582 596, 603, 610, 617, 624, 631, 638, 645, 652, 659
			SACRIFICE SACRIFICE APPROVED BY TOXICOLOGIST			666
C92536	M	78	APPEARANCE SWOLLEN NOSE			546
			BEHAVIOR COLD TO TOUCH ENTIRE BODY			546
			DISCHARGE GENITAL RED IN COLOR			337
			RESPIRATION AUDIBLE IRREGULAR			546 546

Appendix 2

Individual Clinical Observations

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92536	M	78	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540
C92537	D	96	EXCRETION FEW FECES			662, 666
			SKIN & PELAGE SORE/SCAB DORSAL			645, 652, 659, 662, 666
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
			NO REMARKABLE OBSERVATIONS			
			MASS(ES) DORSAL WEEK 93 VENTRAL-CERVICAL-LEFT WEEK 91			645C, 652C, 659C, 662C, 666C 631C, 638C, 645C, 652C, 659C, 662C, 666C

Appendix 2

Individual Clinical Observations

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92538	D	74	APPEARANCE OBES			470, 477, 484, 491, 498, 505, 512-513
			DISCHARGE GENITAL RED IN COLOR			477
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
C92539	M	98	APPEARANCE THIN			673, 680
			EXCRETION FEW FECES			673, 680
			EYES RED DISCHARGE EYE-LEFT EYES			617, 624, 631, 638, 645, 652, 659 666, 673, 680
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561

Appendix 2

Individual Clinical Observations

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92539	M	98	NORMAL NO REMARKABLE OBSERVATIONS			568, 575, 582, 589, 596
			MASS(ES) TAIL-PROXIMAL WEEK 87			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680
C92540	3	53	APPEARANCE MALOCCLUSION			197, 204
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 211 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C92541	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 680 687, 694, 701, 708, 715, 722, 729, 732
			MASS(ES) DORSAL WEEK 68			470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C

Appendix 2

Individual Clinical Observations

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92541	T	105	WART LIKE LESION(S) NOSE WEEK 69			477, 484
C92542	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449
			MASS(ES) AXILLARY REGION-LEFT WEEK 100			694, 701, 708
			DORSAL WEEK 103			715C, 722C, 729C, 733C
			TAIL-PROXIMAL WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 733C
			WART LIKE LESION(S) DORSAL-CERVICAL-RIGHT WEEK 69			477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
			HEAD-MAXILLARY-RIGHT WEEK 66			456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92543	D	100	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694-695
C92544	T	105	APPEARANCE MALOCCLUSION			43, 50, 57, 59, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 732
			MISSING TEETH			708, 715, 722, 729, 732
			SWOLLEN			
			PAW-HIND-RIGHT			666, 673
			PAWS-HIND			680, 687, 694, 701, 708, 715, 722, 729, 732
			TAIL			729, 732
			THIN			59, 435
			EXCRETION			
			FEW FECES			59, 435
			SKIN & PELAGE			
			ROUGH HAIR COAT			59

Appendix 2

Individual Clinical Observations

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92544	T	105	SKIN & PELAGE SORE/SCAB TAIL-PROXIMAL			589, 596, 603, 610, 617, 624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36
			MASS(ES) LIMB-FRONT-LEFT WEEK 102			708C, 715C, 722C, 729C, 732C
			WART LIKE LESION(S) PAW-HIND-LEFT WEEK 95			659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92545	D	94	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 631, 638, 645, 652
			WART LIKE LESION(S) DORSAL WEEK 69			477, 484, 491, 498, 505, 512, 519, 526, 533

Appendix 2

Individual Clinical Observations

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92546	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92547	M	88	APPEARANCE HEAD TILT RIGHT THIN			611 610-611
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			611 611
			DISCHARGE GENITAL RED IN COLOR			449
			EXCRETION NO FECES			611
			EYES CLEAR DISCHARGE EYE-LEFT			15
			SKIN & PELAGE ROUGH HAIR COAT SORE/SCAB DORSAL YELLOW HAIR COAT			610-611 554, 561, 568, 575, 582, 589, 596, 603, 610 611

Appendix 2

Individual Clinical Observations

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92547	M	88	NORMAL			1, 8, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547
C92548	D	84	SKIN & PELAGE SORE/SCAB SHOULDER-RIGHT			29, 36, 43, 50, 57
			NORMAL			1, 8, 15, 22, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582
C92549	D	80	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 560

Appendix 2

Individual Clinical Observations

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92550	D	104	APPEARANCE SWOLLEN PAW-HIND-RIGHT			708, 715, 722, 727
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701
C92551	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			379
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 54			372C

Appendix 2

Individual Clinical Observations

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92552	M	104	APPEARANCE HEAD TILT RIGHT THIN			722, 726 694, 701, 708, 715, 722, 726
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			726
			EXCRETION FEW FECES			694, 701, 708, 715, 726
			SKIN & PELAGE SORE/SCAB SHOULDER-RIGHT			575, 582, 589, 596, 603, 610
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687
			MASS(ES) SHOULDER-RIGHT WEEK 83			575, 582, 589, 596, 603, 610

Appendix 2

Individual Clinical Observations

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92553	M	63	APPEARANCE MALOCCLUSION SWOLLEN VENTRAL-ABDOMINAL THIN			295, 302, 309, 344, 365, 372, 379, 400, 407, 414, 421, 428, 435 435 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 428 435
			DISCHARGE CLEAR ORAL <UNSPECIFIED> NASAL RED IN COLOR			386 190, 267, 274
			RESPIRATION AUDIBLE IRREGULAR			211, 330, 365 197, 204, 211
			SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA SCROTUM ROUGH HAIR COAT			407, 414, 421, 428, 435 330 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435
			YELLOW HAIR COAT			204, 211, 218, 225, 232, 239, 246, 267, 274, 281, 288, 295, 302 309, 365, 372, 379, 386, 393, 400

Appendix 2

Individual Clinical Observations

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92553	M	63	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92554	M	103	BEHAVIOR RECUMBENT STERNAL			719
			DISCHARGE GENITAL RED IN COLOR			232
			EXCRETION FEW FECES NO FECES			708, 715 719
			EYES SQUINTED PERI-ORBITAL			719
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE VENTRAL-ABDOMINAL			715, 719 719
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659

Appendix 2

Individual Clinical Observations

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92554	M	103	NORMAL NO REMARKABLE OBSERVATIONS			666, 673, 680, 687, 694, 701
C92555	M	60	APPEARANCE HUNCHED			409, 414-415
			EXCRETION NO FECES			409, 414-415
			EYES RED DISCHARGE EYE-RIGHT EYES			409, 414-415 407
			SKIN & PELAGE ROUGH HAIR COAT YELLOW HAIR COAT			409, 414-415 407, 409, 414-415
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 379, 386 393, 400
			MASS(ES) VENTRAL-ABDOMINAL WEEK 54			372

Appendix 2

Individual Clinical Observations

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92556	M	63	APPEARANCE MALOCCLUSION THIN			407, 410, 414, 421, 428, 435 410, 414, 421, 428, 435
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			428, 435
			EXCRETION FEW FECES			410, 414, 421, 428, 435
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400
C92557	M	89	APPEARANCE HUNCHED THIN			617 589, 596, 603, 610, 617
			EXCRETION FEW FECES			617
			SKIN & PELAGE RED HAIR COAT VENTRAL-ABDOMINAL ROUGH HAIR COAT			617 603, 610, 617
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92557	M	89	NORMAL			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582
NO REMARKABLE OBSERVATIONS						
C92558	M	80	APPEARANCE HUNCHED THIN			557 554, 557
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			557
			EXCRETION FEW FECES			551, 554, 557
			EYES SQUINTED PERI-ORBITAL			547, 551, 554, 557
			NORMAL			
NO REMARKABLE OBSERVATIONS						
1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540						

Appendix 2

Individual Clinical Observations

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92559	D	79	SKIN & PELAGE SORE/SCAB TAIL-PROXIMAL			477, 498, 505, 512, 519, 526, 533, 540, 547, 551
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 484, 491
			MASS(ES) TAIL-PROXIMAL WEEK 72 VENTRAL-THORACIC WEEK 79			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 551C 547C, 551C
C92560	M	80	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			560
			RESPIRATION IRREGULAR			560
			SKIN & PELAGE YELLOW HAIR COAT			560
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92560	M	80	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540
			MASS(ES) TAIL-PROXIMAL WEEK 79			547, 554, 560
C92561	M	63	BEHAVIOR RECUMBENT LATERAL			436
			EXCRETION FEW FECES			436
			RESPIRATION AUDIBLE IRREGULAR			436 436
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435

Appendix 2

Individual Clinical Observations

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92562	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92563	M	84	APPEARANCE THIN			582, 584
			EXCRETION FEW FECES NO FECES			581-582 584
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575

Appendix 2

Individual Clinical Observations

PAGE: 36

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92564	M	70	APPEARANCE HEAD TILT RIGHT THIN			487 487
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			487
			EXCRETION FEW FECES NONFORMED FECES			487 487
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484
C92565	D	91	APPEARANCE LIMITED USE PAWS-HIND			631, 637
			DISCHARGE NASAL RED IN COLOR			627, 631, 637
			RESPIRATION LABORED			627, 631, 637

Appendix 2

Individual Clinical Observations

PAGE: 37

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92565	D	91	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
C92566	M	23	APPEARANCE LIMITED USE LIMBS-ALL MALOCCLUSION			155 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155
			BEHAVIOR ATAXIC <UNSPECIFIED>			155
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78
C92567	D	91	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 633

Appendix 2

Individual Clinical Observations

PAGE: 38

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92568	D	101	SKIN & PELAGE SORE/SCAB DORSAL			694, 701
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652
			WART LIKE LESION(S) DORSAL WEEK 95			659, 666, 673, 680, 687, 694, 701
C92569	T	105	APPEARANCE THIN			589, 596, 603
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 610, 617, 624, 631, 638
			MASS(ES) AXILLARY REGION-LEFT WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C

Appendix 2

Individual Clinical Observations

PAGE: 39

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92569	T	105	MASS(ES) AXILLARY REGION-LEFT WEEK 93			722C, 729C, 731C
C92570	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY KATHY EWERS			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360

Appendix 2

Individual Clinical Observations

PAGE: 40

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92503	M1	498 72	MASS(ES)	10 X 10MM
		TO 505 73	TAIL-PROXIMAL WEEK 72	
		512 74	MASS(ES)	15 X 10MM
			TAIL-PROXIMAL WEEK 72	
		519 75	MASS(ES)	20 X 15MM
		TO 561 81	TAIL-PROXIMAL WEEK 72	
		568 82	MASS(ES)	15 X 10MM
		TO 733 105	TAIL-PROXIMAL WEEK 72	
		729 105	MASS(ES)	15 X 10MM
		TO 733 105	TAIL-PROXIMAL WEEK 105	BOTTOM
C92522	M1	435 63	MASS(ES)	10 X 10MM
		TO 442 64	VENTRAL-ABDOMINAL WEEK 63	
		603 87	MASS(ES)	10 X 10MM
		TO 610 88	VENTRAL-ABDOMINAL WEEK 87	
		617 89	MASS(ES)	15 X 15MM
		TO 624 90	VENTRAL-ABDOMINAL WEEK 87	

Appendix 2

Individual Clinical Observations

PAGE: 41

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92522	M1	302 44	MASS(ES)	10 X 10MM
	TO	316 46	VENTRAL-ABDOMINAL-LEFT WEEK 44	
		323 47	MASS(ES)	20 X 15MM
			VENTRAL-ABDOMINAL-LEFT WEEK 44	
C92525	M1	477 69	MASS(ES)	10 X 10MM
	TO	498 72	VENTRAL-ABDOMINAL WEEK 61	
C92533	M1	512 74	MASS(ES)	10 X 10MM
	TO	526 76	HEAD-MAXILLARY-RIGHT WEEK 71	
		533 77	MASS(ES)	20 X 15MM
	TO	554 80	HEAD-MAXILLARY-RIGHT WEEK 71	
		561 81	MASS(ES)	20 X 20MM
	TO	568 82	HEAD-MAXILLARY-RIGHT WEEK 71	
		575 83	MASS(ES)	25 X 25MM
			HEAD-MAXILLARY-RIGHT WEEK 71	
		582 84	MASS(ES)	30 X 40MM
	TO	589 85	HEAD-MAXILLARY-RIGHT WEEK 71	

Appendix 2

Individual Clinical Observations

PAGE: 42

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92533	M1	512 74	MASS(ES)	10 X 10MM
		TO 519 75	INGUINAL REGION-LEFT WEEK 69	
		526 76	MASS(ES)	15 X 10MM
		TO 540 78	INGUINAL REGION-LEFT WEEK 69	
		547 79	MASS(ES)	20 X 15MM
			INGUINAL REGION-LEFT WEEK 69	
		554 80	MASS(ES)	20 X 20MM
C92537	M1		INGUINAL REGION-LEFT WEEK 69	
		561 81	MASS(ES)	30 X 25MM
		TO 568 82	INGUINAL REGION-LEFT WEEK 69	
		575 83	MASS(ES)	30 X 30MM
		TO 582 84	INGUINAL REGION-LEFT WEEK 69	
C92537	M1	589 85	MASS(ES)	35 X 40MM
		TO 589 85	INGUINAL REGION-LEFT WEEK 69	
C92537	M1	645 93	MASS(ES)	15 X 15MM
		TO 666 96	DORSAL WEEK 93	

Appendix 2

Individual Clinical Observations

PAGE: 43

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92537	M1	631 91 TO 638 92	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 91	30 X 30MM
		645 93	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 91	40 X 35MM
		652 94 TO 666 96	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 91	45 X 50MM
C92541	M1	470 68 TO 673 97	MASS(ES) DORSAL WEEK 68	10 X 10MM
C92542	M1	715 103 TO 733 105	MASS(ES) DORSAL WEEK 103	10 X 10MM
		645 93 TO 733 105	MASS(ES) TAIL-PROXIMAL WEEK 93	15 X 10MM
C92544	M1	708 102	MASS(ES) LIMB-FRONT-LEFT WEEK 102	20 X 20MM
		715 103 TO 732 105	MASS(ES) LIMB-FRONT-LEFT WEEK 102	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 44

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92551	M1	372 54	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 54	10 X 10MM
C92559	M1	498 72	MASS(ES)	10 X 10MM
	TO	505 73	TAIL-PROXIMAL WEEK 72	
		512 74	MASS(ES)	10 X 15MM
	TO	526 76	TAIL-PROXIMAL WEEK 72	
		533 77	MASS(ES)	25 X 20MM
	TO	551 79	TAIL-PROXIMAL WEEK 72	
		547 79	MASS(ES)	20 X 20MM
	TO	551 79	VENTRAL-THORACIC WEEK 79	
C92569	M1	645 93	MASS(ES)	10 X 10MM
	TO	731 105	AXILLARY REGION-LEFT WEEK 93	

Appendix 2

Individual Clinical Observations

PAGE: 45

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92571	M	101	APPEARANCE HEAD TILT LEFT MALOCCLUSION			694, 701-702 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680-681, 687 694, 701-702
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			687, 701-702 702
			EXCRETION FEW FECES			681, 687, 694, 701-702
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148
C92572	D	101	APPEARANCE BENT TAIL			120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610
			THIN			701-702

Appendix 2

Individual Clinical Observations

PAGE: 46

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92572	D	101	EXCRETION FEW FECES			701-702
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694
C92573	M	84	APPEARANCE MALOCCLUSION			407, 414, 421, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 584
			MISSING TEETH			449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533 540, 547, 554, 561, 568, 575, 582, 584
			SWOLLEN PAW-HIND-LEFT THIN			463, 470, 477 582, 584
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			584
			EXCRETION FEW FECES			584
			EYES RED DISCHARGE EYES			584
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 47

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92573	M	84	NORMAL NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 428, 435, 442
C92574	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92575	1	4	SKIN & PELAGE SORE/SCAB VENTRAL-CERVICAL			15, 22
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8
C92576	M	97	APPEARANCE LIMITED USE LIMBS-HIND			673
			SKIN & PELAGE SORE/SCAB DORSAL			512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498

Appendix 2

Individual Clinical Observations

PAGE: 48

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92576	M	97	MASS(ES) DORSAL WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659C, 666C, 673C
C92577	T	105	SKIN & PELAGE SORE/SCAB DORSAL			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456
			MASS(ES) AXILLARY REGION-LEFT WEEK 101 DORSAL WEEK 69			701C, 708C, 715C, 722C, 729C, 733C 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 733C
			HEAD-MAXILLARY-LEFT WEEK 67 WEEK 105			463, 470, 477, 484 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 49

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92578	M	86	APPEARANCE THIN			589-590, 596, 598
			BEHAVIOR ATAXIC <UNSPECIFIED>			598
			EXCRETION FEW FECES			590, 596, 598
			EYES RED DISCHARGE EYE-LEFT			598
			SKIN & PELAGE PALE ENTIRE BODY			598
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582

Appendix 2

Individual Clinical Observations

PAGE: 50

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92579	D	86	APPEARANCE THIN			589, 596, 602
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY			602 602
			EXCRETION FEW FECES			602
			RESPIRATION LABORED			602
			SKIN & PELAGE PALE ENTIRE BODY			582, 589, 596, 602
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575
			MASS(ES) VENTRAL-ABDOMINAL WEEK 86			596, 602

Appendix 2

Individual Clinical Observations

PAGE: 51

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92580	M	79	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			549
			EXCRETION FEW FECES NONFORMED FECES			540, 547, 549 549
			EYES RED DISCHARGE EYE-LEFT			549
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			449, 456, 463
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 470, 477, 484, 491, 498, 505, 512, 519 526, 533
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 61			421, 428, 435C, 442C

Appendix 2

Individual Clinical Observations

PAGE: 52

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92581	M	105	APPEARANCE HUNCHED OBES THIN			729 596 681, 687, 694, 701, 708, 715, 722, 729
			EXCRETION FEW FECES NO FECES NONFORMED FECES			722 681, 687, 729 596
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE SORE/SCAB SHOULDER-RIGHT			722, 729 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 631, 638
			MASS(ES) DORSAL WEEK 85 LIMB-HIND-RIGHT WEEK 93			589C, 596C, 603C, 610C, 617C 645C, 652C, 659C, 666C, 673C, 680-681C, 687C, 694C, 701C, 708C 715C, 722C, 729C
			SHOULDER-RIGHT WEEK 50			344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C

Appendix 2

Individual Clinical Observations

PAGE: 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92581	M	105	MASS(ES) SHOULDER-RIGHT WEEK 50			421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C
			WART LIKE LESION(S) DORSAL WEEK 95			659, 666, 673, 680-681, 687, 694, 701, 708, 715, 722, 729
C92582	M	101	APPEARANCE LIMITED USE LIMB-FRONT-LEFT			701-702
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			701-702
			EXCRETION FEW FECES			694, 701-702
			SKIN & PELAGE SORE/SCAB SHOULDER-LEFT			694, 701-702
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652

Appendix 2

Individual Clinical Observations

PAGE: 54

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92582	M	101	NORMAL NO REMARKABLE OBSERVATIONS			659, 666, 673
			MASS(ES) SHOULDER-LEFT WEEK 98			680C, 687C, 694C, 701-702C
C92583	T	105	SKIN & PELAGE SORE/SCAB DORSAL			694, 701, 708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505
			MASS(ES) DORSAL WEEK 74			512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C

Appendix 2

Individual Clinical Observations

PAGE: 55

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92584	M	60	APPEARANCE THIN			418
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			418
			EXCRETION FEW FECES			414, 418
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407
C92585	M	39	APPEARANCE MALOCCLUSION			22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 260, 267-268
			MISSING TEETH			78, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260 267-268
			EXCRETION FEW FECES			253, 260, 267-268
			RESPIRATION AUDIBLE LABORED			239 239, 246, 253, 260, 267-268

Appendix 2

Individual Clinical Observations

PAGE: 56

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92585	M	39	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15
			MASS(ES)			
			AXILLARY REGION-LEFT WEEK 39			267-268C
			AXILLARY REGION-RIGHT WEEK 37			253, 260C, 267-268C
			VENTRAL-CERVICAL WEEK 37			253C, 260C, 267-268C
C92586	M	73	APPEARANCE THIN			503-506
			EXCRETION FEW FECES			498, 503-506
			SKIN & PELAGE YELLOW HAIR COAT			504-506
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491

Appendix 2

Individual Clinical Observations

PAGE: 57

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92587	M	88	APPEARANCE THIN			589-590, 596, 603, 610
			EXCRETION FEW FECES			590, 596, 603, 610
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			610
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582
C92588	M	103	APPEARANCE MALOCCLUSION			29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715
			MISSING TEETH			589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715
			THIN			708, 715

Appendix 2

Individual Clinical Observations

PAGE: 58

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92588	M	103	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			708, 715
			EXCRETION FEW FECES			708, 715
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92589	M	100	APPEARANCE THIN			687, 694
			BEHAVIOR ATAXIC <UNSPECIFIED>			694
			HYPOACTIVE <UNSPECIFIED>			694
			EXCRETION FEW FECES			694
			EYES RED DISCHARGE EYES			694
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 59

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92589	M	100	NORMAL NO REMARKABLE OBSERVATIONS			477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680
C92590	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92591	D	96	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT VENTRAL-ABDOMINAL-RIGHT			617, 624, 631, 638, 645 519, 526
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 533, 540
			MASS(ES) INGUINAL REGION-LEFT WEEK 87			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 670

Appendix 2

Individual Clinical Observations

PAGE: 60

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92591	D	96	MASS(ES) VENTRAL-ABDOMINAL WEEK 79 VENTRAL-ABDOMINAL-LEFT WEEK 95 VENTRAL-ABDOMINAL-RIGHT WEEK 72			547, 554, 561, 568, 575, 582C, 589C, 596C, 603C, 610C 659C, 666C, 670C 498C, 505C, 512C
C92592	M	88	APPEARANCE LIMITED USE LIMBS-HIND NORMAL NO REMARKABLE OBSERVATIONS			610 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610
C92593	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92594	D	96	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652

Appendix 2

Individual Clinical Observations

PAGE: 61

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92594	D	96	NORMAL NO REMARKABLE OBSERVATIONS			659, 666-667
C92595	M	84	APPEARANCE THIN			582-583
			EXCRETION FEW FECES			581-583
			EYES RED DISCHARGE EYES			581-583
			SKIN & PELAGE PALE			582-583
			ENTIRE BODY SORE/SCAB			581-583
			DORSAL-THORACIC			491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575
			DORSAL-THORACIC-RIGHT			393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 470, 477, 484
			MASS(ES) DORSAL WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 581-583C

Appendix 2

Individual Clinical Observations

PAGE: 62

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92596	M	71	APPEARANCE THIN			477, 484, 491
			EXCRETION FEW FECES			477, 484, 491
			SKIN & PELAGE BROWN HAIR COAT			
			SCROTUM			491
			SORE/SCAB			
			VENTRAL-CERVICAL			15
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
C92597	T	105	APPEARANCE SWOLLEN			
			PAW-HIND-LEFT			645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729 731
			SKIN & PELAGE SORE/SCAB			
			PAW-HIND-LEFT			617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197

Appendix 2

Individual Clinical Observations

PAGE: 63

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS															
(CONTINUED FROM PREVIOUS PAGE)																					
C92597	T	105	NORMAL																		
			NO REMARKABLE OBSERVATIONS			204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288			
						295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379			
						386,	393,	400,	407,	414,	421,	428,	435,	442,	449,	456,	463,	470			
						477,	484,	491,	498,	505,	512,	519,	526,	533,	540,	547,	554,	561			
						568,	575,	582,	589,	596,	603,	610									
C92598	T	105	DISCHARGE																		
			GENITAL																		
			RED IN COLOR			512															
			NORMAL																		
			NO REMARKABLE OBSERVATIONS			1,	8,	15,	22,	29,	36,	43,	50,	57,	64,	71,	78,	85,	92,	99,	106
						113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197			
						204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288			
						295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379			
						386,	393,	400,	407,	414,	421,	428,	435,	442,	449,	456,	463,	470			
						477,	484,	491,	498,	505,	519,	526,	533,	540,	547,	554,	561,	568			
						575,	582,	589,	596,	603,	610,	617,	624,	631,	638,	645,	652,	659			
						666,	673,	680,	687,	694,	701,	708,	722,	729,	731						
			MASS(ES)																		
			AXILLARY REGION-RIGHT																		
			WEEK 103			715C															

Appendix 2

Individual Clinical Observations

PAGE: 64

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92599	D	55	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 385
C92600	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92601	T	105	EXCRETION NONFORMED FECES			400
			SKIN & PELAGE SORE/SCAB DORSAL			568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477
			MASS(ES) DORSAL WEEK 70			484, 491, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C

Appendix 2

Individual Clinical Observations

PAGE: 65

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92601	T	105	WART LIKE LESION(S) DORSAL WEEK 104			722, 729, 733
C92602	T	105	SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL-LEFT			512
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 733
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 73			505C, 512C, 519C, 526C
C92603	M	19	APPEARANCE PARALYSIS LIMBS-HIND			127
			BEHAVIOR COLD TO TOUCH LIMBS-HIND			127
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 66

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92603	M	19	NORMAL NO REMARKABLE OBSERVATIONS			113, 120
C92604	M	91	APPEARANCE THIN			589, 596, 603, 610, 617, 624, 631
			EXCRETION FEW FECES			624, 631
			SKIN & PELAGE BROWN HAIR COAT			617, 624, 631
			VENTRAL-ABDOMINAL ROUGH HAIR COAT			610, 617, 624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582
C92605	D	104	BEHAVIOR COLD TO TOUCH ENTIRE BODY			722-723
			RESPIRATION AUDIBLE			722-723

Appendix 2

Individual Clinical Observations

PAGE: 67

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92605	D	104	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE SORE/SCAB DORSAL			722-723 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 722-723
			VENTRAL-ABDOMINAL-RIGHT			610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694 701, 708, 715, 722-723
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512
			MASS(ES) DORSAL WEEK 79			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 722-723
			VENTRAL-ABDOMINAL-LEFT WEEK 83 WEEK 87			575C, 582C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722-723C
			VENTRAL-ABDOMINAL-RIGHT WEEK 75			519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596

Appendix 2

Individual Clinical Observations

PAGE: 68

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92606	M	78	APPEARANCE			
			LIMITED USE			
			LIMBS-HIND			542
			PAWS-FRONT			540
			SWOLLEN			
			MOUTH			141
			BEHAVIOR			
			RECUMBENT			
			STERNAL			542
			SKIN & PELAGE			
			SORE/SCAB			
			HEAD-ENTIRE			491, 498, 505
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 148, 155, 162, 169, 176, 183, 190, 197, 204 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449
			MASS(ES)			
			SHOULDER-RIGHT			
			WEEK 66			456, 463, 470, 477, 484, 491, 498, 505, 512C, 519C, 526C, 533C 540C, 542C
			WART LIKE LESION(S)			
			HEAD-MAXILLARY-LEFT			
			WEEK 31			211, 218, 225, 232, 239, 246, 253, 260
			NOSE			
			WEEK 75			519, 526, 533, 540, 542

Appendix 2

Individual Clinical Observations

PAGE: 69

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92607	M	91	APPEARANCE THIN			589, 596, 603, 610, 617, 624, 631
			SKIN & PELAGE			
			ROUGH HAIR COAT			617, 624, 631
			SORE/SCAB			
			VENTRAL-ABDOMINAL-RIGHT			204, 211, 218
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 225, 232 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582
			MASS(ES)			
			INGUINAL REGION-RIGHT			
			WEEK 28			190C, 197C
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 30			204, 211
C92608	M	79	APPEARANCE HUNCHED MALOCCLUSION			540, 547-548 99, 101, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547-548
			THIN			533, 540, 547-548

Appendix 2

Individual Clinical Observations

PAGE: 70

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92608	M	79	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			548
			EXCRETION FEW FECES			512, 540, 547-548
			RESPIRATION AUDIBLE LABORED			101, 106 99
			SKIN & PELAGE ROUGH HAIR COAT			491, 498, 505, 512, 519, 526, 533, 540, 547-548
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92
C92609	M	104	APPEARANCE LIMITED USE LIMBS-HIND			724
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			724
			EYES CLEAR DISCHARGE EYE-LEFT EYES			589, 596, 603, 610, 724 659, 666, 673, 680, 687, 694, 701, 708
			RESPIRATION LABORED			724

Appendix 2

Individual Clinical Observations

PAGE: 71

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92609	M	104	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 617, 624, 631, 638, 645, 652
			MASS(ES) DORSAL WEEK 102			708C, 715C, 722C, 724C
			WART LIKE LESION(S) HEAD-MAXILLARY-LEFT WEEK 98			680C, 687C, 694C, 701C, 708C, 715C, 722C, 724C
C92610	1	4	NORMAL			1, 8, 15, 22
C92611	M	88	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 449, 456, 463, 470, 477, 484, 491
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62 WEEK 72			428, 435, 442 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C

Appendix 2

Individual Clinical Observations

PAGE: 72

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92611	M	88	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 85			589C, 596C, 603C, 610C
C92612	M	79	APPEARANCE THIN			533, 540, 547
			BEHAVIOR			
			HYPOACTIVE			
			SEVERE			547
			RECUMBENT			
			LATERAL			547
			COLD TO TOUCH			
			ENTIRE BODY			547
			RESPIRATION			
			IRREGULAR			547
			SKIN & PELAGE			
			RED HAIR COAT			
			HEAD-ENTIRE			169
			ROUGH HAIR COAT			533, 540, 547
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526

Appendix 2

Individual Clinical Observations

PAGE: 73

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92613	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92614	D	92	SKIN & PELAGE SORE/SCAB DORSAL DORSAL-CERVICAL VENTRAL-ABDOMINAL-LEFT NORMAL NO REMARKABLE OBSERVATIONS			631, 638, 640 617, 624 323, 330 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610
			MASS(ES) DORSAL WEEK 89 VENTRAL-ABDOMINAL WEEK 45			617C, 624C, 631C, 638C, 640C 309, 316
C92615	M	90	BEHAVIOR RECUMBENT LATERAL EXCRETION FEW FECES			624 624

Appendix 2

Individual Clinical Observations

PAGE: 74

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92615	M	90	SKIN & PELAGE ROUGH HAIR COAT			617, 624
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610
C92616	2	14	EYES CLEAR DISCHARGE EYE-LEFT			50
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 57, 64, 71, 78, 85, 92-93
C92617	M	81	APPEARANCE THIN			561, 565
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			565
			RECUMBENT			565
			LATERAL			561
			SENSITIVE TO TOUCH			
			EXCRETION NO FECES			565

Appendix 2

Individual Clinical Observations

PAGE: 75

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92617	M	81	EYES PALE EYES RED DISCHARGE EYES			533, 540, 547, 554, 561, 565 565
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526
C92618	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92619	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 64			442C

Appendix 2

Individual Clinical Observations

PAGE: 76

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92620	D	96	APPEARANCE MALOCCLUSION			64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666-667
			MISSING TEETH			589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666-667
			EXCRETION FEW FECES			666-667
			EYES RED DISCHARGE EYE-RIGHT			561, 568
			SCAB EYE-RIGHT			316
			SKIN & PELAGE PALE ENTIRE BODY			561, 568
			SORE/SCAB VENTRAL-ABDOMINAL-LEFT			505, 512, 519
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 71			491C, 498C

Appendix 2

Individual Clinical Observations

PAGE: 77

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92621	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92622	D	83	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 533, 540, 547, 554, 561, 568, 575, 578
			MASS(ES) DORSAL WEEK 72			498, 505, 512, 519, 526
C92623	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			659, 666
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 673, 680, 687, 694, 701, 708, 715, 722, 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 78

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92624	D	61	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 425
C92625	M	84	APPEARANCE HUNCHED THIN TREMORS HEAD BEHAVIOR HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY EXCRETION FEW FECES RESPIRATION IRREGULAR SKIN & PELAGE PALE ENTIRE BODY SORE/SCAB DORSAL			588 581-582, 588 588 588 581-582, 588 588 588 561, 568

Appendix 2

Individual Clinical Observations

PAGE: 79

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92625	M	84	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 575
C92626	T	105	APPEARANCE MALOCCLUSION			106, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			MISSING TEETH			351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708 715, 722, 729, 732
			SWOLLEN PAW-HIND-LEFT			568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			EYES			
			CLEAR DISCHARGE EYE-RIGHT			526
			RED DISCHARGE EYE-RIGHT			533

Appendix 2

Individual Clinical Observations

PAGE: 80

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92626	T	105	EYES SCAB EYE-RIGHT			316
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99
C92627	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92628	M	73	APPEARANCE THIN			428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505-506
			EXCRETION FEW FECES			372, 428, 435, 442
			SKIN & PELAGE ROUGH HAIR COAT YELLOW HAIR COAT			456, 463, 470, 477, 484, 491, 498, 505-506 372
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 379, 386 393, 400, 407, 414, 421

Appendix 2

Individual Clinical Observations

PAGE: 81

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92629	D	78	APPEARANCE THIN			540, 546
			EXCRETION FEW FECES			540, 546
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533
C92630	M	88	APPEARANCE THIN			589, 596, 603, 610, 616
			BEHAVIOR ATAXIC <UNSPECIFIED>			616
			HYPOACTIVE <UNSPECIFIED>			616
			EYES CLEAR DISCHARGE EYES			603, 610
			RED DISCHARGE EYES			616
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197

Appendix 2

Individual Clinical Observations

PAGE: 82

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92630	M	88	NORMAL			204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 73			505, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 610C, 616C

Appendix 2

Individual Clinical Observations

PAGE: 83

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92576	M2	505 73	MASS(ES)	10 X 10MM
	TO	512 74	DORSAL WEEK 73	
		519 75	MASS(ES)	15 X 15MM
	TO	540 78	DORSAL WEEK 73	
		547 79	MASS(ES)	20 X 15MM
			DORSAL WEEK 73	
		554 80	MASS(ES)	20 X 20MM
	TO	561 81	DORSAL WEEK 73	
		568 82	MASS(ES)	20 X 25MM
	TO	582 84	DORSAL WEEK 73	
		589 85	MASS(ES)	20 X 30MM
	TO	596 86	DORSAL WEEK 73	
		603 87	MASS(ES)	25 X 30MM
	TO	617 89	DORSAL WEEK 73	
		624 90	MASS(ES)	30 X 40MM
	TO	673 97	DORSAL WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 84

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92577	M2	701 101	MASS(ES) AXILLARY REGION-LEFT WEEK 101	30 X 30MM
		708 102 TO 733 105	MASS(ES) AXILLARY REGION-LEFT WEEK 101	30 X 40MM
		477 69 TO 505 73	MASS(ES) DORSAL WEEK 69	10 X 10MM
		512 74 TO 526 76	MASS(ES) DORSAL WEEK 69	15 X 15MM
		533 77 TO 561 81	MASS(ES) DORSAL WEEK 69	20 X 20MM
		568 82 TO 673 97	MASS(ES) DORSAL WEEK 69	20 X 25MM
		680 98 TO 722 104	MASS(ES) DORSAL WEEK 69	25 X 25MM
		729 105 TO 733 105	MASS(ES) DORSAL WEEK 69	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 85

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92580	M2	435 63	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 61	10 X 10MM
		442 64	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 61	15 X 15MM
C92581	M2	589 85	MASS(ES)	10 X 15MM
	TO	617 89	DORSAL WEEK 85	
		645 93	MASS(ES)	10 X 10MM
	TO	729 105	LIMB-HIND-RIGHT WEEK 93	
		344 50	MASS(ES)	10 X 10MM
	TO	372 54	SHOULDER-RIGHT WEEK 50	
		379 55	MASS(ES)	15 X 15MM
	TO	386 56	SHOULDER-RIGHT WEEK 50	
		393 57	MASS(ES)	20 X 20MM
	TO	505 73	SHOULDER-RIGHT WEEK 50	
		512 74	MASS(ES)	15 X 15MM
	TO	547 79	SHOULDER-RIGHT WEEK 50	

Appendix 2

Individual Clinical Observations

PAGE: 86

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92582	M2	680 98 TO 687 99	MASS(ES) SHOULDER-LEFT WEEK 98	40 X 40MM
		694 100 TO 702 101	MASS(ES) SHOULDER-LEFT WEEK 98	60 X 40MM
C92583	M2	512 74 TO 673 97	MASS(ES) DORSAL WEEK 74	10 X 10MM
		680 98 TO 731 105	MASS(ES) DORSAL WEEK 74	15 X 15MM
C92585	M2	267 39 TO 268 39	MASS(ES) AXILLARY REGION-LEFT WEEK 39	10 X 10MM
		260 38 TO 268 39	MASS(ES) AXILLARY REGION-RIGHT WEEK 37	20 X 20MM
		253 37 TO 268 39	MASS(ES) VENTRAL-CERVICAL WEEK 37	30 X 20MM
C92591	M2	582 84 TO 610 88	MASS(ES) VENTRAL-ABDOMINAL WEEK 79	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 87

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92591	M2	659 95 TO 670 96	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 95	10 X 10MM
		498 72 TO 512 74	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	25 X 25MM
C92595	M2	505 73	MASS(ES) DORSAL WEEK 73	10 X 10MM
		512 74 TO 526 76	MASS(ES) DORSAL WEEK 73	15 X 15MM
		533 77 TO 561 81	MASS(ES) DORSAL WEEK 73	25 X 25MM
		568 82 TO 583 84	MASS(ES) DORSAL WEEK 73	25 X 30MM
C92598	M2	715 103	MASS(ES) AXILLARY REGION-RIGHT WEEK 103	10 X 10MM
C92601	M2	498 72 TO 715 103	MASS(ES) DORSAL WEEK 70	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 88

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92602	M2	505 73 TO 526 76	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 73	10 X 10MM
C92605	M2	575 83 TO 582 84	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83	30 X 30MM
		603 87 TO 723 104	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 87	40 X 50MM
C92606	M2	512 74 TO 542 78	MASS(ES) SHOULDER-RIGHT WEEK 66	10 X 10MM
C92607	M2	190 28 TO 197 29	MASS(ES) INGUINAL REGION-RIGHT WEEK 28	10 X 10MM
C92609	M2	708 102 TO 724 104	MASS(ES) DORSAL WEEK 102	10 X 10MM
		680 98 TO 724 104	WART LIKE LESION(S) HEAD-MAXILLARY-LEFT WEEK 98	CORNER OF LEFT EYE
C92611	M2	498 72 TO 505 73	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	15 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 89

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92611	M2	512 74	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	20 X 20MM
		519 75 TO 533 77	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	25 X 25MM
		540 78 TO 547 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	45 X 40MM
		554 80 TO 561 81	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	50 X 50MM
		568 82 TO 575 83	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	60 X 60MM
		582 84	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72	75 X 80MM
		589 85 TO 596 86	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 85	80 X 80MM
		603 87	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 85	100 X 100MM

Appendix 2

Individual Clinical Observations

PAGE: 90

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92611	M2	610 88	MASS(ES)	120 X 120MM
	TO	610 88	VENTRAL-ABDOMINAL-RIGHT WEEK 85	
C92614	M2	617 89	MASS(ES)	10 X 10MM
	TO	631 91	DORSAL WEEK 89	
		638 92	MASS(ES)	15 X 15MM
	TO	640 92	DORSAL WEEK 89	
C92619	M2	442 64	MASS(ES)	30 X 10MM
			VENTRAL-ABDOMINAL-LEFT WEEK 64	
C92620	M2	491 71	MASS(ES)	20 X 20MM
	TO	498 72	VENTRAL-ABDOMINAL-LEFT WEEK 71	
C92630	M2	512 74	MASS(ES)	10 X 10MM
	TO	616 88	VENTRAL-ABDOMINAL-RIGHT WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 91

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD QUALIFIER			
C92631	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92632	M	103	APPEARANCE THIN			715
			BEHAVIOR COLD TO TOUCH ENTIRE BODY			715
			EXCRETION FEW FECES			715
			RESPIRATION LABORED			715
			SKIN & PELAGE SORE/SCAB EAR-LEFT			393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 92

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92632	M	103	NORMAL			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323
			MASS(ES)			
			EAR-LEFT			
			WEEK 48			330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C
			VENTRAL-CERVICAL-LEFT			
			WEEK 103			715C
C92633	T	105	APPEARANCE			
			MALOCCLUSION			330, 337, 344, 351, 365, 372, 379, 386, 393, 400, 407, 428, 435 442, 449, 456, 463, 470, 477, 484, 540, 547, 554, 561, 568, 575 582, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 732
			DISCHARGE			
			NASAL			
			RED IN COLOR			22
			UNKNOWN			
			RED IN COLOR			21
			RESPIRATION			
			AUDIBLE			21

Appendix 2

Individual Clinical Observations

PAGE: 93

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92633	T	105	SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 358, 414, 421, 491, 498, 505, 512, 519, 526 533, 589, 596, 603, 610, 617
C92634	D	87	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603
C92635	M	79	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			549
			EXCRETION FEW FECES NONFORMED FECES			547, 549 549
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 428, 435, 442, 449, 456, 463, 470, 519, 526, 533, 540, 547, 549

Appendix 2

Individual Clinical Observations

PAGE: 94

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92635	M	79	SKIN & PELAGE ROUGH HAIR COAT			533, 540
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 477, 484, 491, 498, 505, 512
			MASS(ES) HEAD-MAXILLARY-RIGHT WEEK 76			526C, 533C, 540C, 547C, 549C
C92636	D	98	APPEARANCE SWOLLEN TESTES			309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 682
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL VENTRAL-ABDOMINAL-LEFT			400 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 682
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302

Appendix 2

Individual Clinical Observations

PAGE: 95

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92636	D	98	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 88			610
C92637	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92638	M	91	APPEARANCE THIN			589, 596, 603, 610, 617, 624, 631
			SKIN & PELAGE PALE ENTIRE BODY			610, 617, 624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 526, 533, 540, 547, 554, 561, 568, 575, 582
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 73			505, 512, 519

Appendix 2

Individual Clinical Observations

PAGE: 96

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92639	M	85	APPEARANCE HUNCHED THIN			589 512, 519, 526, 533, 540, 547, 582, 589
			EXCRETION FEW FECES			512, 589
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			512, 519, 526, 533, 540, 547
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 554, 561, 568, 575
			MASS(ES) TAIL WEEK 49			337
C92640	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 97

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92641	T	105	APPEARANCE MALOCCLUSION			176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			MISSING TEETH			687, 694, 701, 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 358, 365, 372, 379
C92642	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92643	T	105	APPEARANCE MALOCCLUSION			554, 666, 673
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			372, 379

Appendix 2

Individual Clinical Observations

PAGE: 98

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92643	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 526, 533, 540, 547, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 659, 680, 687, 694
			MASS(ES)			
			HEAD-MAXILLARY-LEFT			
			WEEK 73			505, 512, 519
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 101			701C
			VENTRAL-THORACIC-RIGHT			
			WEEK 101			708C, 715C, 722C, 729C, 733C
C92644	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715
			MASS(ES)			
			DORSAL			
			WEEK 104			722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 99

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92645	2	14	EYES RED DISCHARGE EYE-LEFT			64
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 71, 78, 85, 92-93
C92646	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92647	M	80	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			557
			EXCRETION FEW FECES NO FECES			551 557
			EYES SQUINTED PERI-ORBITAL			557
			SKIN & PELAGE ROUGH HAIR COAT			554, 557
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547

Appendix 2

Individual Clinical Observations

PAGE: 100

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92648	M	87	APPEARANCE THIN			589, 596, 599, 603, 605
			BEHAVIOR AGGRESSIVE <UNSPECIFIED>			589, 596
			HYPOACTIVE <UNSPECIFIED>			605
			EXCRETION FEW FECES			605
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			463, 470
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 62			428, 435, 442C, 449C, 456C

Appendix 2

Individual Clinical Observations

PAGE: 101

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92649	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL VENTRAL-ABDOMINAL-RIGHT NORMAL NO REMARKABLE OBSERVATIONS			722 428, 435, 442, 624, 631, 638 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 645, 652, 659, 666, 673, 680, 687, 694 701, 708, 715, 729, 732
C92650	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92651	M	81	APPEARANCE SWOLLEN PAW-HIND-RIGHT TAIL-PROXIMAL THIN BEHAVIOR HYPOACTIVE <UNSPECIFIED> EXCRETION FEW FECES			533, 540, 547, 554, 561 540, 547, 554, 561 547, 554, 561 561 561

Appendix 2

Individual Clinical Observations

PAGE: 102

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92651	M	81	EYES SQUINTED PERI-ORBITAL			561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526
C92652	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92653	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			610, 617, 624, 631, 638, 645
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 652, 659, 666, 673, 680, 687, 694 701, 708, 715, 722, 729, 733
			MASS(ES) VENTRAL-ABDOMINAL WEEK 88			610C, 617C

Appendix 2

Individual Clinical Observations

PAGE: 103

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92654	M	79	EXCRETION NO FECES			549
			EYES			
			CLEAR DISCHARGE			
			EYE-LEFT			519
			OPAQUE			
			EYE-LEFT			526, 533, 540, 547, 549
			PROTRUDING			
			EYE-LEFT			549
			SCAB			
			EYE-LEFT			533, 540, 547, 549
			SKIN & PELAGE			
			SORE/SCAB			
			HEAD-CRANIAL			526
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512

Appendix 2

Individual Clinical Observations

PAGE: 104

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92655	M	94	SKIN & PELAGE SORE/SCAB TAIL-MID			624, 631, 638, 645, 652-653
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582
			MASS(ES) TAIL-MID WEEK 85			589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652-653C
C92656	M	97	APPEARANCE THIN			659, 666, 673
			EXCRETION FEW FECES			645, 652, 673
			SKIN & PELAGE PALE ENTIRE BODY SORE/SCAB DORSAL-THORACIC			673 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673

Appendix 2

Individual Clinical Observations

PAGE: 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92656	M	97	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330
			NO REMARKABLE OBSERVATIONS			
			MASS(ES) DORSAL WEEK 49			337, 344, 351, 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C 568C, 575C, 582C
C92657	T	105	SKIN & PELAGE SORE/SCAB DORSAL-CERVICAL-LEFT			596
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 561, 568, 575, 582, 589, 603, 610 617
			MASS(ES) DORSAL WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C
			HEAD-MAXILLARY-RIGHT WEEK 91			631, 638, 645

Appendix 2

Individual Clinical Observations

PAGE: 106

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92657	T	105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 75			519, 526, 533, 540, 547, 554
			WART LIKE LESION(S) SHOULDER-LEFT WEEK 90			624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708 715, 722, 729, 733
C92658	D	94	EYES RED DISCHARGE EYE-RIGHT			211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 603, 610, 617 624, 631, 638, 645, 652-653
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 554, 561, 568, 575, 582, 589, 596
C92659	T	105	APPEARANCE MALOCCLUSION			407, 456, 463, 554, 561, 568, 575, 582, 589, 596, 603, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			SWOLLEN PERI-ORAL PAW-HIND-LEFT			652, 659, 666 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 107

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS																
(CONTINUED FROM PREVIOUS PAGE)																						
C92659	T	105	NORMAL																			
			NO REMARKABLE	OBSERVATIONS			113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197			
							204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288			
							295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379			
							386,	393,	400,	414,	421,	428,	435,	442,	449,	470,	477,	484,	491			
							498,	505,	512,	519,	526,	533,	540,	547								
C92660	T	105	APPEARANCE																			
			MALOCCLUSION				463,	470,	477,	484,	533,	561,	568,	575,	582,	589,	596,	603,	610			
							659,	666,	673,	680,	708											
			NORMAL																			
			NO REMARKABLE	OBSERVATIONS			1,	8,	15,	22,	29,	36,	43,	50,	57,	64,	71,	78,	85,	92,	99,	106
							113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197			
							204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288			
							295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379			
							386,	393,	400,	407,	414,	421,	428,	435,	442,	449,	456,	491,	498			
							505,	512,	519,	526,	540,	547,	554,	617,	624,	631,	638,	645,	652			
							687,	694,	701,	715,	722,	729,	732									
C92661	M	90	APPEARANCE																			
			THIN				589,	596,	603,	610,	617,	624										
			EXCRETION																			
			NO FECES				589															
			SKIN & PELAGE																			
			PALE																			
			ENTIRE BODY				624															
			NORMAL																			
			NO REMARKABLE	OBSERVATIONS			1,	8,	15,	22,	29,	36,	43,	50,	57,	64,	71,	78,	85,	92,	99,	106

Appendix 2

Individual Clinical Observations

PAGE: 108

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92661	M	90	NORMAL			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309
			WART LIKE LESION(S) VENTRAL-THORACIC-LEFT WEEK 46			316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582
C92662	2	14	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92663	D	95	DISCHARGE GENITAL RED IN COLOR			379
			EXCRETION DISCOLORED URINE RED IN COLOR			400, 498, 504
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 386 393, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610

Appendix 2

Individual Clinical Observations

PAGE: 109

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92663	D	95	MASS(ES) SHOULDER-LEFT WEEK 89			617C, 624C, 631C, 638C, 645C, 652C, 659-660C
C92664	D	78	APPEARANCE THIN			533, 540
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			540
			RECUMBENT LATERAL			540
			RESPIRATION LABORED			540
			SKIN & PELAGE ROUGH HAIR COAT			533, 540
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526

Appendix 2

Individual Clinical Observations

PAGE: 110

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92665	D	88	APPEARANCE SWOLLEN PAW-HIND-RIGHT			575, 582, 589, 596, 603, 610, 614
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568
C92666	M	76	APPEARANCE HEAD TILT RIGHT THIN			526, 530 512, 519, 526, 530
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			530
			EXCRETION FEW FECES			512, 530
			SKIN & PELAGE ROUGH HAIR COAT			526, 530
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 111

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92666	M	76	NORMAL			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505
			NO REMARKABLE OBSERVATIONS			
C92667	M	79	APPEARANCE THIN			547, 549
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			549
			EXCRETION FEW FECES			526, 528, 533, 540, 547, 549
			EYES RED DISCHARGE EYE-LEFT EYE-RIGHT EYES			43 512, 519 526, 528, 533, 540
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			528, 533, 540, 547, 549
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 112

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92667	M	79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 528C, 533C, 540C 547C, 549C
C92668	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92669	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92670	M	74	APPEARANCE HUNCHED THIN			512 498, 505, 512
			EXCRETION NONFORMED FECES			456
			SKIN & PELAGE PALE			512
			ENTIRE BODY			449, 456, 463, 470, 477, 484, 491, 498, 505, 512
			ROUGH HAIR COAT			
			SORE/SCAB			449, 456, 463, 470, 477
			LATERAL-ABDOMINAL-LEFT			449, 456, 463, 470, 477, 484
			LATERAL-ABDOMINAL-RIGHT			

Appendix 2

Individual Clinical Observations

PAGE: 113

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92670	M	74	SKIN & PELAGE SORE/SCAB			
			LATERAL-CERVICAL-RIGHT			484, 491, 498, 505
			SHOULDER-LEFT			449, 456
			SHOULDER-RIGHT			449, 456
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442
C92671	D	93	APPEARANCE MALOCCLUSION			
						141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 650
			DISCHARGE UNKNOWN			
			RED IN COLOR			45
			EYES			
			RED DISCHARGE			
			EYE-LEFT			50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134
			SKIN & PELAGE			
			SORE/SCAB			
			VENTRAL-ABDOMINAL			218, 225

Appendix 2

Individual Clinical Observations

PAGE: 114

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92671	D	93	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43
			MASS(ES) VENTRAL-ABDOMINAL WEEK 29			197C, 204C, 211C
C92672	M	95	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			665
			EXCRETION FEW FECES			656, 659, 665
			EYES RED DISCHARGE EYE-LEFT			665
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652
			MASS(ES) DORSAL-CERVICAL-LEFT WEEK 95			659, 665

Appendix 2

Individual Clinical Observations

PAGE: 115

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92673	D	95	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554
			MASS(ES) AXILLARY REGION-LEFT WEEK 81			561, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C
			WART LIKE LESION(S) LIMB-FRONT-RIGHT WEEK 65			449, 456, 463, 470
C92674	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			400, 407
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 116

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92674	T	105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 56			386C, 393C
C92675	M	102	APPEARANCE THIN			708, 712
			EYES RED DISCHARGE EYE-LEFT			680, 687, 694, 701, 708, 712
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617
			MASS(ES) DORSAL WEEK 90			624, 631, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C 701C, 708C, 712C

Appendix 2

Individual Clinical Observations

PAGE: 117

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD QUALIFIER			
C92676	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92677	D	99	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547
			WART LIKE LESION(S) DORSAL WEEK 80			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 659, 666, 673, 680, 687, 690
C92678	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92679	M	55	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			383
			EXCRETION FEW FECES			383
			EYES RED DISCHARGE EYES			383
			RESPIRATION IRREGULAR			383

Appendix 2

Individual Clinical Observations

PAGE: 118

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92679	M	55	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379
C92680	M	84	APPEARANCE HUNCHED THIN			582-583 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582-583
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			491, 498
			EXCRETION FEW FECES			469-470, 477, 498, 547, 575, 582-583
			EYES SQUINTED PERI-ORBITAL			561, 568, 575, 582-583
			SKIN & PELAGE PALE ENTIRE BODY			484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582-583
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 119

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92680	M	84	NORMAL NO REMARKABLE OBSERVATIONS			386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
			WART LIKE LESION(S) HEAD-MAXILLARY-LEFT WEEK 76			526, 533, 540, 547
C92681	M	87	APPEARANCE THIN			596, 603, 606
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			606
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421
			MASS(ES) TAIL-PROXIMAL WEEK 62			428, 435, 442, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 606C

Appendix 2

Individual Clinical Observations

PAGE: 120

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			QUALIFIER			
C92682	T	105	SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715
C92683	T	105	APPEARANCE SWOLLEN LIMB-HIND-LEFT			715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708

Appendix 2

Individual Clinical Observations

PAGE: 121

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92684	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92685	M	80	APPEARANCE MALOCCLUSION THIN			71, 78, 232, 239 547, 554
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			554
			RECUMBENT LATERAL			554
			DISCHARGE GENITAL RED IN COLOR			113
			EXCRETION FEW FECES			547, 554
			EYES RED DISCHARGE EYES			554
			SQUINTED PERI-ORBITAL-RIGHT			554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 85, 92, 99, 106, 120, 127 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505

Appendix 2

Individual Clinical Observations

PAGE: 122

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92685	M	80	NORMAL NO REMARKABLE OBSERVATIONS			512, 519, 526, 533, 540
			SACRIFICE SACRIFICE APPROVED BY TOXICOLOGIST			554
C92686	M	84	APPEARANCE MALOCCLUSION			554, 561, 568, 575, 582
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			582
			EXCRETION FEW FECES			575, 582
			SKIN & PELAGE RED HAIR COAT VENTRAL-ABDOMINAL			582
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547

Appendix 2

Individual Clinical Observations

PAGE: 123

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92687	M	72	APPEARANCE THIN			477, 484, 491, 498, 502
			EXCRETION FEW FECES			469-470, 477, 484, 491, 498, 502
			EYES DILATED PUPIL EYES			470, 502
			SKIN & PELAGE ROUGH HAIR COAT			470, 477, 484, 491, 498, 502
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344 351, 358, 365, 372, 379, 386
			WART LIKE LESION(S) HEAD-MAXILLARY-LEFT WEEK 19 WEEK 57			127, 134, 141, 148, 155, 162, 169, 176 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 469-470 477, 484, 491, 498, 502

Appendix 2

Individual Clinical Observations

PAGE: 124

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92688	M	97	APPEARANCE SWOLLEN LIMB-HIND-LEFT PAW-HIND-LEFT			498, 505, 512, 519 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 677
			THIN			652, 659, 666, 673, 677
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			677
			EXCRETION FEW FECES			677
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
C92689	D	56	APPEARANCE MALOCCLUSION			386, 390
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 125

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92690	T	105	SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638

Appendix 2

Individual Clinical Observations

PAGE: 126

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92632	M3	421 61	MASS(ES)	10 X 10MM
		TO 428 62	EAR-LEFT WEEK 48	
		435 63	MASS(ES)	15 X 10MM
		TO 442 64	EAR-LEFT WEEK 48	
		449 65	MASS(ES)	15 X 15MM
		TO 484 70	EAR-LEFT WEEK 48	
		491 71	MASS(ES)	25 X 20MM
			EAR-LEFT WEEK 48	
C92632	M3	498 72	MASS(ES)	10 X 10MM
		TO 512 74	EAR-LEFT WEEK 48	
		519 75	MASS(ES)	15 X 15MM
		TO 610 88	EAR-LEFT WEEK 48	
		617 89	MASS(ES)	20 X 20MM
		TO 708 102	EAR-LEFT WEEK 48	
		715 103	MASS(ES)	30 X 30MM
		TO 715 103	EAR-LEFT WEEK 48	

Appendix 2

Individual Clinical Observations

PAGE: 127

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92632	M3	715 103 TO 715 103	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 103	25 X 45MM
C92635	M3	526 76	MASS(ES) HEAD-MAXILLARY-RIGHT WEEK 76	15 X 15MM
		533 77 TO 549 79	MASS(ES) HEAD-MAXILLARY-RIGHT WEEK 76	20 X 15MM
C92643	M3	701 101	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 101	40 X 40MM
		708 102	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 101	40 X 50MM
		715 103 TO 733 105	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 101	60 X 60MM
C92648	M3	442 64 TO 456 66	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 62	10 X 10MM
C92653	M3	610 88	MASS(ES) VENTRAL-ABDOMINAL WEEK 88	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 128

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92653	M3	617 89	MASS(ES) VENTRAL-ABDOMINAL WEEK 88	20 X 20MM
C92655	M3	589 85 TO 596 86	MASS(ES) TAIL-MID WEEK 85	10 X 10MM
		603 87 TO 631 91	MASS(ES) TAIL-MID WEEK 85	20 X 15
		638 92 TO 645 93	MASS(ES) TAIL-MID WEEK 85	20 X 20MM
		652 94 TO 653 94	MASS(ES) TAIL-MID WEEK 85	20 X 25MM
C92656	M3	358 52 TO 365 53	MASS(ES) DORSAL WEEK 49	10 X 10MM
		372 54 TO 407 59	MASS(ES) DORSAL WEEK 49	15 X 15MM
		414 60	MASS(ES) DORSAL WEEK 49	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 129

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92656	M3	421 61 TO 484 70	MASS(ES) DORSAL WEEK 49	20 X 20MM
		491 71 TO 554 80	MASS(ES) DORSAL WEEK 49	30 X 30MM
		561 81	MASS(ES) DORSAL WEEK 49	30 X 20MM
		568 82 TO 582 84	MASS(ES) DORSAL WEEK 49	10 X 15MM
C92657	M3	645 93 TO 722 104	MASS(ES) DORSAL WEEK 93	10 X 10MM
C92663	M3	617 89 TO 624 90	MASS(ES) SHOULDER-LEFT WEEK 89	25 X 30MM
		631 91	MASS(ES) SHOULDER-LEFT WEEK 89	35 X 40MM
		638 92	MASS(ES) SHOULDER-LEFT WEEK 89	50 X 60MM

Appendix 2

Individual Clinical Observations

PAGE: 130

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92663	M3	645 93	MASS(ES) SHOULDER-LEFT WEEK 89	70 X 70MM
		652 94 TO 660 95	MASS(ES) SHOULDER-LEFT WEEK 89	70 X 80MM
C92667	M3	477 69 TO 498 72	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		505 73	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		512 74	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		519 75	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		526 76	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		528 76	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 131

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92667	M3	528 76	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		533 77	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		540 78	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		547 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		549 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
		549 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	30 X 30MM
C92671	M3	197 29 TO 211 31	MASS(ES) VENTRAL-ABDOMINAL WEEK 29	10 X 10MM
C92673	M3	568 82 TO 575 83	MASS(ES) AXILLARY REGION-LEFT WEEK 81	15 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 132

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92673	M3	582 84 TO 596 86	MASS(ES) AXILLARY REGION-LEFT WEEK 81	20 X 25MM
		603 87 TO 610 88	MASS(ES) AXILLARY REGION-LEFT WEEK 81	30 X 40MM
		617 89 TO 624 90	MASS(ES) AXILLARY REGION-LEFT WEEK 81	40 X 40MM
		631 91	MASS(ES) AXILLARY REGION-LEFT WEEK 81	40 X 50MM
		638 92	MASS(ES) AXILLARY REGION-LEFT WEEK 81	50 X 50MM
		645 93 TO 659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 81	50 X 60MM
C92674	M3	386 56 TO 393 57	MASS(ES) VENTRAL - ABDOMINAL - RIGHT WEEK 56	10 X 10MM
C92675	M3	638 92 TO 652 94	MASS(ES) DORSAL WEEK 90	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 133

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY		CATEGORY		FREE-TEXT COMMENT
		DAY	WK	KEYWORD	QUALIFIER	
C92675	M3	659	95	MASS(ES)		15 X 15MM
		TO 712	102	DORSAL		
				WEEK 90		
C92681	M3	449	65	MASS(ES)		20 X 10MM
		TO 606	87	TAIL-PROXIMAL		
				WEEK 62		

Appendix 2

Individual Clinical Observations

PAGE: 134

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92691	T	105	APPEARANCE MALOCCLUSION			589, 659, 666, 673, 708, 715
			EYES DISCOLORED/LIGHT RED EYE-RIGHT			617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 596, 603, 610
C92692	D	53	APPEARANCE MALOCCLUSION THIN			148, 155, 309, 316, 323, 330, 337, 344, 351, 358, 365 358, 365
			EXCRETION FEW FECES			358, 365
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 162, 169, 176, 183, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302

Appendix 2

Individual Clinical Observations

PAGE: 135

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92693	T	105	EYES RED DISCHARGE EYE-LEFT EYE-RIGHT			302, 400, 596 533
			SKIN & PELAGE BLACK SKIN DORSAL SORE/SCAB DORSAL			687, 694, 701, 708, 715, 722, 729, 733 680, 687, 694, 701, 708, 715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 295, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 512, 519 526, 540, 547, 554, 561, 568, 575, 582, 589, 603, 610, 617, 624 631, 638, 645, 652, 659, 666, 673
			MASS(ES) DORSAL WEEK 98 VENTRAL-ABDOMINAL WEEK 72			680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C 498C, 505C
			WART LIKE LESION(S) VENTRAL-ABDOMINAL WEEK 40			274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 136

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92694	T	105	APPEARANCE MALOCCLUSION			463, 526, 554, 561, 568, 575, 582, 589, 659, 708, 715
			EYES RED DISCHARGE EYE-RIGHT			652
			SKIN & PELAGE SORE/SCAB MOUTH PAW-HIND-RIGHT			463, 470, 477, 603, 610, 617 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 484, 491, 498, 505, 512 519, 533, 540, 547, 596, 624, 631, 638, 645, 694, 701
			MASS(ES) MOUTH WEEK 64 VENTRAL-ABDOMINAL-RIGHT WEEK 95			442C, 449C, 456C 659C, 666C, 673C, 680C, 687C

Appendix 2

Individual Clinical Observations

PAGE: 137

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92695	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92696	T	105	SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT NORMAL NO REMARKABLE OBSERVATIONS			722, 729, 731 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715
C92697	M	67	APPEARANCE THIN BEHAVIOR RECUMBENT LATERAL			463, 465 465

Appendix 2

Individual Clinical Observations

PAGE: 138

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92697	M	67	EXCRETION NO FECES			465
			EYES RED DISCHARGE EYES			465
			SKIN & PELAGE SORE/SCAB DORSAL - THORACIC			414, 421, 428, 435, 442, 449, 456, 463, 465
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393
			MASS(ES) DORSAL WEEK 58			400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 465C
C92698	T	105	EXCRETION FEW FECES LIQUID FECES			729, 732 729, 732
			EYES PALE EYES			729, 732

Appendix 2

Individual Clinical Observations

PAGE: 139

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92698	T	105	SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA SORE/SCAB AXILLARY REGION-LEFT OTHER			729, 732 687, 694, 701, 708, 715, 722, 729, 732 729C, 732C
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561
			WART LIKE LESION(S) AXILLARY REGION-LEFT WEEK 82			568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92699	T	105	APPEARANCE MALOCCLUSION			99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92

Appendix 2

Individual Clinical Observations

PAGE: 140

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92700	T	105	APPEARANCE MALOCCLUSION SWOLLEN VENTRAL-ABDOMINAL			554, 561, 568, 575 323, 330, 414, 421, 428, 435, 442, 449, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 733
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			722
			EXCRETION NONFORMED FECES			288
			SKIN & PELAGE ROUGH HAIR COAT			78, 85, 92, 99, 106, 120, 127, 134, 141, 148, 155, 162, 169, 176 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659, 666, 673, 680, 687
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 113, 274, 281
			MASS(ES) AXILLARY REGION-LEFT WEEK 98 VENTRAL-ABDOMINAL-LEFT WEEK 58			680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C 400C

Appendix 2

Individual Clinical Observations

PAGE: 141

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92701	M	53	APPEARANCE HUNCHED THIN			365 365
			BEHAVIOR COLD TO TOUCH ENTIRE BODY			365
			EXCRETION FEW FECES			365
			EYES RED DISCHARGE EYE-RIGHT			365
			SKIN & PELAGE PALE ENTIRE BODY SORE/SCAB LIMB-FRONT-RIGHT			365 351, 358, 365
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316
			MASS(ES) LIMB-FRONT-RIGHT WEEK 47			323C, 330C, 337C, 344C, 351C, 358C, 365C

Appendix 2

Individual Clinical Observations

PAGE: 142

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92702	T	105	APPEARANCE HEAD TILT LEFT			722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715
C92703	D	61	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 423
C92704	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617

Appendix 2

Individual Clinical Observations

PAGE: 143

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92704	T	105	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 90			624, 631, 638, 645, 652, 659C, 666C, 673C, 680C, 687C, 694C 701C, 708C, 715C, 722C, 729C, 732C
C92705	T	105	EYES DISCOLORED/LIGHT RED EYE-RIGHT			715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708
C92706	M	98	APPEARANCE LIMITED USE LIMBS-HIND			680
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			680
			EYES RED DISCHARGE EYES			680

Appendix 2

Individual Clinical Observations

PAGE: 144

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92706	M	98	SKIN & PELAGE SORE/SCAB			
			VENTRAL-ABDOMINAL-LEFT			575, 582
			VENTRAL-ABDOMINAL-RIGHT			596, 603, 610
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 617, 624, 631, 638, 645, 652, 659, 666, 673
			MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 82			568C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 82			568C, 575C, 582C, 589C, 596C
C92707	M	90	APPEARANCE THIN			617, 624, 627
			BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			624, 627
			DISCHARGE			
			NASAL			
			RED IN COLOR			624, 627

Appendix 2

Individual Clinical Observations

PAGE: 145

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92707	M	90	EXCRETION FEW FECES			624
			EYES SQUINTED PERI-ORBITAL			624, 627
			SKIN & PELAGE ROUGH HAIR COAT			617, 624, 627
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610
C92708	T	105	APPEARANCE MALOCCLUSION			36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 731
			EYES CLEAR DISCHARGE EYE-RIGHT			540

Appendix 2

Individual Clinical Observations

PAGE: 146

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92708	T	105	EYES RED DISCHARGE EYE-RIGHT			456
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29
C92709	D	91	APPEARANCE MALOCCLUSION			274, 281, 288, 330, 337, 344, 442, 463, 484, 491, 498, 505, 512 519, 575, 582, 589
			THIN			617, 624, 631, 633
			DISCHARGE NASAL RED IN COLOR			596
			SKIN & PELAGE PALE ENTIRE BODY			631, 633
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 295, 302, 309 316, 323, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 428, 435, 449, 456, 470, 477, 526, 554, 561, 568, 603, 610
			MASS(ES) PAW-HIND-RIGHT WEEK 77			533, 540, 547

Appendix 2

Individual Clinical Observations

PAGE: 147

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92710	D	70	SKIN & PELAGE SORE/SCAB LATERAL-LEFT			442
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 449, 456 463, 470, 477, 484, 486
			MASS(ES) DORSAL WEEK 54			372, 379, 386, 393, 400, 407, 414, 421, 428C, 435C
C92711	D	92	DISCHARGE GENITAL RED IN COLOR			456
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 631, 638, 640
			WART LIKE LESION(S) DORSAL-CERVICAL-LEFT WEEK 90			624

Appendix 2

Individual Clinical Observations

PAGE: 148

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92712	M	87	APPEARANCE THIN			596, 603
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			603
			EXCRETION FEW FECES			581-582, 589, 596, 603
			EYES SQUINTED PERI-ORBITAL			603
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575
C92713	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 149

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92714	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92715	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92716	T	105	APPEARANCE THIN			411, 414, 421, 428, 435, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			EXCRETION FEW FECES NONFORMED FECES			411, 414 519, 729, 732
			EYES DISCOLORED/LIGHT RED EYES			386, 393, 400, 407, 411, 414, 421, 428, 435, 442, 449, 456, 463 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA ROUGH HAIR COAT			414 414, 421
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 150

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92716	T	105	MASS(ES) MOUTH WEEK 83 WEEK 95			575C, 582C 659, 666
C92717	T	105	SKIN & PELAGE SORE/SCAB DORSAL			729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589
			MASS(ES) DORSAL WEEK 98 VENTRAL-THORACIC-LEFT WEEK 86			680C, 687C, 694C, 701C, 708C, 715C, 722C, 729, 733 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C

Appendix 2

Individual Clinical Observations

PAGE: 151

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92718	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92719	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92720	D	83	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			575-576
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519
			MASS(ES) VENTRAL-ABDOMINAL WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575-576C
C92721	M	80	APPEARANCE MALOCCLUSION			29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554-555, 557
			MISSING TEETH			218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393

Appendix 2

Individual Clinical Observations

PAGE: 152

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92721	M	80	APPEARANCE MISSING TEETH			400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554-555, 557
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> SENSITIVE TO TOUCH			557 557
			EXCRETION FEW FECES NONFORMED FECES			555, 557 557
			EYES SQUINTED PERI-ORBITAL-RIGHT			557
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			557
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22

Appendix 2

Individual Clinical Observations

PAGE: 153

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92722	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92723	M	79	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			552
			EXCRETION FEW FECES			551-552
			EYES RED DISCHARGE EYES			552
			SQUINTED PERI-ORBITAL-RIGHT			552
			SKIN & PELAGE RED HAIR COAT VENTRAL-ABDOMINAL			552
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547

Appendix 2

Individual Clinical Observations

PAGE: 154

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92724	T	105	SKIN & PELAGE SORE/SCAB DORSAL VENTRAL-ABDOMINAL			596, 603, 610, 617, 624, 631, 638, 645, 652, 659 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694 701, 708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498
			MASS(ES) DORSAL WEEK 74			512, 519, 526, 533, 540, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C
			INGUINAL REGION-RIGHT WEEK 86			596C, 603C, 610C, 617C, 624C
			VENTRAL-ABDOMINAL WEEK 73			505, 512, 519, 526, 533, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C 731C
			WART LIKE LESION(S) DORSAL WEEK 96			666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 155

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92725	D	52	BEHAVIOR HYPOACTIVE <UNSPECIFIED> SENSITIVE TO TOUCH			363 363
			EXCRETION FEW FECES			363
			EYES RED DISCHARGE EYES			363
			RESPIRATION AUDIBLE LABORED			363 363
			SKIN & PELAGE RED HAIR COAT HEAD-MAXILLARY-LEFT HEAD-MAXILLARY-RIGHT			363 363
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358

Appendix 2

Individual Clinical Observations

PAGE: 156

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92726	T	105	APPEARANCE SWOLLEN PAW-HIND-RIGHT			659, 666, 673, 680
			EXCRETION FEW FECES			624
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			624
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 631, 638, 645, 652, 687 694, 701, 708, 715, 722, 729, 733
C92727	D	90	DISCHARGE GENITAL RED IN COLOR			64
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 630
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 71, 78, 85, 92, 99, 106, 113

Appendix 2

Individual Clinical Observations

PAGE: 157

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92727	D	90	NORMAL NO REMARKABLE OBSERVATIONS			120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533
C92728	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92729	M	79	APPEARANCE THIN			547, 549
			EXCRETION FEW FECES NO FECES			540, 547 549
			EYES RED DISCHARGE EYE-RIGHT EYES			540, 547 549
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			505, 512, 519, 526, 533, 540, 547, 549
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 158

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92729	M	79	NORMAL NO REMARKABLE OBSERVATIONS			477, 484, 491, 498
			MASS(ES) INGUINAL REGION-LEFT WEEK 77			533C, 540C, 547C, 549C
C92730	T	105	BEHAVIOR ATAXIC <UNSPECIFIED>			729, 732
			EXCRETION FEW FECES			715, 722
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708
			MASS(ES) HEAD-MAXILLARY-LEFT WEEK 105			729, 732

Appendix 2

Individual Clinical Observations

PAGE: 159

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92731	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92732	D	83	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 578
C92733	M	89	APPEARANCE THIN EXCRETION FEW FECES NO FECES SKIN & PELAGE RED HAIR COAT LATERAL-ABDOMINAL-RIGHT ROUGH HAIR COAT NORMAL NO REMARKABLE OBSERVATIONS			589-590, 596, 603, 610, 614, 617 590, 596 614, 617 617 617 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582

Appendix 2

Individual Clinical Observations

PAGE: 160

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92734	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92735	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL NORMAL NO REMARKABLE OBSERVATIONS			197 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 731
			MASS(ES) VENTRAL-ABDOMINAL WEEK 27			183C, 190C
C92736	T	105	DISCHARGE CLEAR ORAL MILD NORMAL NO REMARKABLE OBSERVATIONS			15 1, 8, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568

Appendix 2

Individual Clinical Observations

PAGE: 161

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92736	T	105	NORMAL NO REMARKABLE OBSERVATIONS			575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
C92737	M	91	APPEARANCE CONVULSIONS			637
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			637
			EXCRETION FEW FECES NO FECES			624, 631 637
			RESPIRATION IRREGULAR			637
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533
			MASS(ES) DORSAL WEEK 78			540, 547, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C, 631C, 637C

Appendix 2

Individual Clinical Observations

PAGE: 162

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92738	D	92	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 641
C92739	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
C92740	T	105	APPEARANCE MALOCCLUSION			225, 232, 239, 246, 253, 575, 582, 589, 596, 603, 610, 617, 624 631, 638, 645, 652, 659
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			666, 673, 680, 687, 694
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414

Appendix 2

Individual Clinical Observations

PAGE: 163

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92740	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 701, 708, 715, 722 729, 733
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 93			645C, 652C, 659C
C92741	M	91	APPEARANCE HUNCHED THIN			633 617, 624, 631, 633
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL COLD TO TOUCH ENTIRE BODY			624, 631, 633 633 633
			EXCRETION FEW FECES			624
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT PAWS-HIND YELLOW HAIR COAT			540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 633 617
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 164

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92741	M	91	NORMAL			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533
C92742	T	105	SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			610, 680, 687, 694, 701, 708, 715, 722, 729, 732
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 414, 421, 428, 435, 442 449
			MASS(ES) DORSAL WEEK 51			351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C
			WART LIKE LESION(S) DORSAL WEEK 66			456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722 729, 732

Appendix 2

Individual Clinical Observations

PAGE: 165

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92743	D	84	APPEARANCE OBES SWOLLEN VENTRAL-ABDOMINAL			582, 587 456
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575
C92744	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92745	M	90	APPEARANCE SWOLLEN VENTRAL-ABDOMINAL			456
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			624
			EXCRETION FEW FECES			596
			EYES PALE EYES			596, 603

Appendix 2

Individual Clinical Observations

PAGE: 166

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92745	M	90	SKIN & PELAGE			
			PALE			
			ENTIRE BODY			610, 617, 624
			SORE/SCAB			
			DORSAL			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624
			PAWS-HIND			596, 603, 610, 617, 624
			VENTRAL-ABDOMINAL-LEFT			344
			VENTRAL-ABDOMINAL-RIGHT			561, 568
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 463, 470, 477
			MASS(ES)			
			DORSAL			
			WEEK 74			512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C
			INGUINAL REGION-RIGHT			
			WEEK 84			582, 589, 596C, 603C, 610C, 617C, 624C
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 46			316C, 323C, 330C, 337C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 70			484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C

Appendix 2

Individual Clinical Observations

PAGE: 167

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92746	M	79	BEHAVIOR HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY			551 551
			EXCRETION NO FECES			551
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547
C92747	T	105	APPEARANCE SWOLLEN PAW-FRONT-RIGHT PAW-HIND-RIGHT			659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715, 722, 729, 732
			EYES RED DISCHARGE EYE-RIGHT			134, 141, 148, 155, 162, 169, 232, 239, 267, 274, 281, 288, 309 316, 323, 330, 337, 344, 358, 365, 372, 379, 386, 393, 400, 407 414, 435, 442, 449, 456, 463, 470, 519, 526, 533, 554, 561, 582 645, 652, 659, 680, 687, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 168

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92747	T	105	NORMAL NO REMARKABLE OBSERVATIONS			113, 120, 127, 176, 183, 190, 197, 204, 211, 218, 225, 246, 253 260, 295, 302, 351, 421, 428, 477, 484, 491, 498, 505, 512, 540 547, 568, 575, 589, 596
C92748	T	105	SKIN & PELAGE SORE/SCAB LIMB-FRONT-RIGHT			372, 379, 386, 393, 400, 407, 414
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 732
			MASS(ES) LIMB-FRONT-RIGHT WEEK 51			351, 358, 365
			WART LIKE LESION(S) LIMB-FRONT-RIGHT WEEK 61			421, 428, 435, 442, 449, 456, 463, 470, 477, 484

Appendix 2

Individual Clinical Observations

PAGE: 169

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92749	D	103	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			435, 442
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 449, 456, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715, 718
			WART LIKE LESION(S) TAIL-MID WEEK 67			463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568
C92750	T	105	SKIN & PELAGE SORE/SCAB HEAD-MAXILLARY-RIGHT			624
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 732

Appendix 2

Individual Clinical Observations

PAGE: 170

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92750	T	105	MASS(ES) HEAD-MAXILLARY-RIGHT WEEK 88			610, 617

Appendix 2

Individual Clinical Observations

PAGE: 171

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92693	M4	680 98	MASS(ES)	15 X 15MM
		TO 687 99	DORSAL WEEK 98	
		694 100	MASS(ES)	
		TO 708 102	DORSAL WEEK 98	
		715 103	MASS(ES)	
			DORSAL WEEK 98	
C92693	M4	722 104	MASS(ES)	30 X30MM
			DORSAL WEEK 98	
		729 105	MASS(ES)	
		TO 733 105	DORSAL WEEK 98	
		498 72	MASS(ES)	
		TO 505 73	VENTRAL-ABDOMINAL WEEK 72	
C92694	M4	442 64	MASS(ES)	10 X 10MM
		TO 456 66	MOUTH WEEK 64	
C92694	M4	659 95	MASS(ES)	10 X 10MM
		TO 687 99	VENTRAL-ABDOMINAL-RIGHT WEEK 95	

Appendix 2

Individual Clinical Observations

PAGE: 172

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92697	M4	400 58 TO 465 67	MASS(ES) DORSAL WEEK 58	15 X 15MM
C92698	M4	729 105 TO 732 105	SKIN & PELAGE OTHER	BLACK HAIR COAT - PERINEAL
C92700	M4	680 98 TO 722 104	MASS(ES) AXILLARY REGION-LEFT WEEK 98	10 X 10MM
		729 105 TO 733 105	MASS(ES) AXILLARY REGION-LEFT WEEK 98	15 X 15MM
		400 58	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 58	30 X 20MM
C92701	M4	323 47	MASS(ES) LIMB-FRONT-RIGHT WEEK 47	25 X 25MM
		330 48	MASS(ES) LIMB-FRONT-RIGHT WEEK 47	35 X 40MM
		337 49	MASS(ES) LIMB-FRONT-RIGHT WEEK 47	45 X 40 MM

Appendix 2

Individual Clinical Observations

PAGE: 173

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92701	M4	344 50	MASS(ES)	65 X 60 MM
		TO 351 51	LIMB-FRONT-RIGHT WEEK 47	
		358 52	MASS(ES) LIMB-FRONT-RIGHT WEEK 47	
C92704	M4	365 53	MASS(ES)	70 X 80MM
		TO 365 53	LIMB-FRONT-RIGHT WEEK 47	
		659 95	MASS(ES)	10 X 10MM
		TO 673 97	VENTRAL-ABDOMINAL-LEFT WEEK 90	
		680 98	MASS(ES)	15 X 15MM
		TO 722 104	VENTRAL-ABDOMINAL-LEFT WEEK 90	
		729 105	MASS(ES)	20 X 20MM
		TO 732 105	VENTRAL-ABDOMINAL-LEFT WEEK 90	
C92706	M4	568 82	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL-LEFT WEEK 82	
C92706	M4	568 82	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 82	

Appendix 2

Individual Clinical Observations

PAGE: 174

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92706	M4	575 83 TO 596 86	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 82	20 X 20MM
C92710	M4	428 62 TO 435 63	MASS(ES) DORSAL WEEK 54	10 X 10MM
C92716	M4	575 83 TO 582 84	MASS(ES) MOUTH WEEK 83	10 X 10MM
C92717	M4	680 98 TO 722 104	MASS(ES) DORSAL WEEK 98	10 X 10MM
		596 86 TO 617 89	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 86	10 X 10MM
		624 90 TO 666 96	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 86	15 X 15MM
		673 97	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 86	20 X 20MM
		680 98 TO 694 100	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 86	25 X 25MM

Appendix 2

Individual Clinical Observations

PAGE: 175

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92717	M4	701 101 TO 733 105	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 86	30 X 30MM
C92720	M4	526 76	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	10 X 10MM
		533 77	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	30 X 30MM
		540 78	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	40 X 40MM
		547 79	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	60 X 60MM
		554 80	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	80 X 60MM
		561 81	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	110 X 110MM
		568 82	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	120 X 110MM

Appendix 2

Individual Clinical Observations

PAGE: 176

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92720	M4	575 83 TO 576 83	MASS(ES) VENTRAL-ABDOMINAL WEEK 76	140 X 130MM
C92724	M4	547 79 TO 554 80	MASS(ES) DORSAL WEEK 74	10 X 10MM
		561 81 TO 603 87	MASS(ES) DORSAL WEEK 74	20 X 20MM
		610 88 TO 624 90	MASS(ES) DORSAL WEEK 74	10 X 10MM
		596 86 TO 603 87	MASS(ES) INGUINAL REGION-RIGHT WEEK 86	10 X 10MM
		610 88 TO 624 90	MASS(ES) INGUINAL REGION-RIGHT WEEK 86	15 X 15MM
		540 78 TO 568 82	MASS(ES) VENTRAL-ABDOMINAL WEEK 73	10 X 10MM
		575 83 TO 589 85	MASS(ES) VENTRAL-ABDOMINAL WEEK 73	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 177

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92724	M4	596 86 TO 603 87	MASS(ES) VENTRAL-ABDOMINAL WEEK 73	30 X 30MM
		610 88 TO 659 95	MASS(ES) VENTRAL-ABDOMINAL WEEK 73	15 X 15MM
		666 96 TO 694 100	MASS(ES) VENTRAL-ABDOMINAL WEEK 73	20 X 20MM
		701 101 TO 731 105	MASS(ES) VENTRAL-ABDOMINAL WEEK 73	10 X 10MM
C92729	M4	533 77	MASS(ES) INGUINAL REGION-LEFT WEEK 77	15 X 15MM
		540 78 TO 549 79	MASS(ES) INGUINAL REGION-LEFT WEEK 77	20 X 20MM
C92735	M4	183 27 TO 190 28	MASS(ES) VENTRAL-ABDOMINAL WEEK 27	10 X 10MM
C92737	M4	554 80 TO 637 91	MASS(ES) DORSAL WEEK 78	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 178

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92740	M4	645 93 TO 659 95	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 93	15 X 15MM
C92742	M4	351 51 TO 379 55	MASS(ES) DORSAL WEEK 51	10 X 10MM
		386 56 TO 407 59	MASS(ES) DORSAL WEEK 51	15 X 15MM
C92745	M4	512 74 TO 533 77	MASS(ES) DORSAL WEEK 74	15 X 15MM
		540 78 TO 547 79	MASS(ES) DORSAL WEEK 74	20 X 20MM
		554 80 TO 582 84	MASS(ES) DORSAL WEEK 74	25 X 20MM
		596 86 TO 624 90	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	10 X 10MM
		316 46 TO 323 47	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 46	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 179

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92745	M4	330 48	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 46	15 X 15MM
		337 49	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 46	10 X 10MM
		484 70	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 70	10 X 10MM
		491 71 TO 533 77	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 70	20 X 20MM
		540 78	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 70	25 X 25MM
		547 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 70	30 X 30MM
		554 80	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 70	20 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 180

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92751	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C92752	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92753	T	105	APPEARANCE MALOCCLUSION			43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141 148, 155, 162, 169, 173, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 733
			MISSING TEETH			589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 733
			THIN			173, 176, 183
			DISCHARGE GENITAL RED IN COLOR			666, 680, 687
			EXCRETION FEW FECES			173

Appendix 2

Individual Clinical Observations

PAGE: 181

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92753	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			631, 638, 645, 652
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36
			MASS(ES) INGUINAL REGION-RIGHT WEEK 90			624C
C92754	3	53	APPEARANCE MALOCCLUSION			57, 64, 71, 78, 85, 92, 99, 106
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 113, 120, 127, 134, 141, 148, 155 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337 344, 351, 358, 365-366
C92755	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366

Appendix 2

Individual Clinical Observations

PAGE: 182

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92756	M	88	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			614
			EXCRETION FEW FECES			590, 596, 610, 614
			SKIN & PELAGE SORE/SCAB DORSAL			582, 589-590, 596, 603, 610, 614
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575
			MASS(ES) DORSAL WEEK 84			582, 589-590, 596, 603, 610, 614
C92757	T	105	APPEARANCE MALOCCLUSION			309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 183

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92757	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 449, 456
			MASS(ES) DORSAL WEEK 98			680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C
C92758	M	62	APPEARANCE THIN			400, 407, 414, 421, 428
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			428
			EXCRETION FEW FECES			393, 414, 421, 428
			SKIN & PELAGE ROUGH HAIR COAT			414, 421, 428
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386

Appendix 2

Individual Clinical Observations

PAGE: 184

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92759	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92760	M	74	APPEARANCE THIN			512
			EXCRETION FEW FECES			503, 505, 512
			EYES RED DISCHARGE EYES			512
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498
C92761	T	105	APPEARANCE MALOCCLUSION			596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708
			EXCRETION FEW FECES			596
			EYES PROTRUDING EYES			603, 610

Appendix 2

Individual Clinical Observations

PAGE: 185

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92761	T	105	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 715, 722, 729, 732
C92762	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			491, 498, 505
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694 701, 708, 715, 722, 729, 731
			MASS(ES) VENTRAL-ABDOMINAL WEEK 68			470, 477, 484C, 491C, 498C, 505

Appendix 2

Individual Clinical Observations

PAGE: 186

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD QUALIFIER			
C92763	M	94	APPEARANCE			
			OBES			596, 603, 610
			SWOLLEN			
			PAW-HIND-RIGHT			631
			PAWS-HIND			638, 645, 652-653
			EXCRETION			
			FEW FECES			652-653
			SKIN & PELAGE			
			BROWN HAIR COAT			
			PERINEAL AREA			653
			YELLOW HAIR COAT			638, 645, 652-653
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379
						386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
						477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561
						568, 575, 582, 589, 617, 624
C92764	M	76	APPEARANCE			
			HUNCHED			530
			THIN			505, 512, 519, 526, 530
			BEHAVIOR			
			ATAXIC			
			<UNSPECIFIED>			526, 530
			HYPOACTIVE			
			<UNSPECIFIED>			530

Appendix 2

Individual Clinical Observations

PAGE: 187

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92764	M	76	BEHAVIOR COLD TO TOUCH LIMBS-ALL TAIL			530 530
			EXCRETION FEW FECES			512, 519, 526, 530
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498
C92765	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92766	D	101	EYES RED DISCHARGE EYE-RIGHT			666
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			358
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 365, 372, 379, 386, 393, 400

Appendix 2

Individual Clinical Observations

PAGE: 188

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92766	D	101	NORMAL			
			NO REMARKABLE OBSERVATIONS			407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 673, 680
			MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 50			344, 351
			RECTUM			
			WEEK 99			687, 694, 701, 705
C92767	D	99	APPEARANCE			
			OBES			463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568, 575, 582, 589, 596, 603, 610, 638, 645, 652, 659 666, 673, 680, 687, 691
			EXCRETION			
			FEW FECES			673
			SKIN & PELAGE			
			SORE/SCAB			
			LATERAL-ABDOMINAL-LEFT			519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 691
			VENTRAL-ABDOMINAL-RIGHT			659, 666, 673, 680, 687, 691
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456

Appendix 2

Individual Clinical Observations

PAGE: 189

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92768	M	95	SKIN & PELAGE BLACK SKIN DORSAL SORE/SCAB VENTRAL-ABDOMINAL VENTRAL-ABDOMINAL-RIGHT			660 540, 547 631, 638, 645, 652, 659-660
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 554, 561, 568, 575, 582
			MASS(ES) DORSAL WEEK 85			589, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659-660C
			INGUINAL REGION-RIGHT WEEK 90			624
			VENTRAL-ABDOMINAL WEEK 77			533C
C92769	D	103	APPEARANCE LIMITED USE PAWS-ALL			715, 721
			SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL			624

Appendix 2

Individual Clinical Observations

PAGE: 190

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92769	D	103	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			631, 638
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 645, 652, 659, 666, 673, 680, 687, 694, 701 708
			MASS(ES) INGUINAL REGION-LEFT WEEK 86			596C, 603C, 610C
			INGUINAL REGION-RIGHT WEEK 86			596C, 603C, 610C
			VENTRAL-ABDOMINAL WEEK 89			617C, 624C
C92770	D	101	APPEARANCE LIMITED USE LIMBS-ALL PAW-HIND-LEFT SWOLLEN LIMBS-HIND PAW-HIND-LEFT			694, 701-702 539-540, 547, 554, 561, 568, 575, 582 694, 701-702 539-540, 547, 554, 561, 568, 575, 582

Appendix 2

Individual Clinical Observations

PAGE: 191

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92770	D	101	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			701-702
			SKIN & PELAGE YELLOW HAIR COAT			701-702
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666
			MASS(ES) PAW-FRONT-LEFT WEEK 97			673, 680, 687, 694, 701-702
C92771	M	81	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			567
			EXCRETION NO FECES			567
			EYES RED DISCHARGE EYES			561, 567

Appendix 2

Individual Clinical Observations

PAGE: 192

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92771	M	81	SKIN & PELAGE			
			RED HAIR COAT			
			HEAD-ENTIRE			561, 567
			VENTRAL-ABDOMINAL			561, 567
			ROUGH HAIR COAT			561, 567
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554
C92772	M	52	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 360
			SURGERY			
			PERFORMED BY			
			KATHY EWERS			359
			ANTIBIOTIC			
			ADMINISTERED			
			0.5 ML			359

Appendix 2

Individual Clinical Observations

PAGE: 193

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92773	D	105	APPEARANCE SWOLLEN PAW-HIND-RIGHT VENTRAL-ABDOMINAL-LEFT THIN NORMAL NO REMARKABLE OBSERVATIONS			428, 435, 442, 449, 456, 463 715, 722, 729, 731 589, 596, 603, 610 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708
C92774	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL NORMAL NO REMARKABLE OBSERVATIONS			617 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 733
			MASS(ES) VENTRAL-ABDOMINAL WEEK 83			575, 582, 589, 596, 603, 610

Appendix 2

Individual Clinical Observations

PAGE: 194

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92775	T	105	APPEARANCE MISSING TEETH			344, 351
			EXCRETION FEW FECES			729, 732
			SKIN & PELAGE SORE/SCAB DORSAL			722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491
			MASS(ES) DORSAL WEEK 72			498, 505, 512, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 732C

Appendix 2

Individual Clinical Observations

PAGE: 195

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92776	T	105	DISCHARGE GENITAL RED IN COLOR			78
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701
			WART LIKE LESION(S) MOUTH WEEK 102			708, 715, 722, 729, 732
C92777	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92778	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY JOHN VAN BERKUM			359

Appendix 2

Individual Clinical Observations

PAGE: 196

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92778	3	53	ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92779	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92780	T	105	APPEARANCE HUNCHED			729, 733
			EXCRETION FEW FECES			722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715
C92781	M	77	APPEARANCE THIN TREMORS ENTIRE BODY			498, 503, 505, 507, 512, 519, 526, 533, 535 535
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			535

Appendix 2

Individual Clinical Observations

PAGE: 197

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92781	M	77	BEHAVIOR COLD TO TOUCH ENTIRE BODY			533, 535
			EXCRETION FEW FECES			503, 505, 507, 512, 519, 526, 533, 535
			SKIN & PELAGE PALE ENTIRE BODY			519, 526, 533, 535
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
C92782	T	105	APPEARANCE OBES			596, 603, 610
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 198

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92782	T	105	NORMAL NO REMARKABLE OBSERVATIONS			477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 103			715C, 722C, 729, 732
C92783	M	79	APPEARANCE THIN			547
			BEHAVIOR RECUMBENT STERNAL COLD TO TOUCH ENTIRE BODY			547 547 547
			EXCRETION NO FECES			547
			EYES RED DISCHARGE EYE-RIGHT			512, 519, 526, 533, 540, 547
			RESPIRATION AUDIBLE LABORED			547 547
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197

Appendix 2

Individual Clinical Observations

PAGE: 199

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92783	M	79	NORMAL NO REMARKABLE OBSERVATIONS			204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505
C92784	M	80	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			556
			EXCRETION FEW FECES NONFORMED FECES			555-556 555-556
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554
C92785	D	98	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 686

Appendix 2

Individual Clinical Observations

PAGE: 200

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92786	T	105	EXCRETION NONFORMED FECES			729
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 731
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 44			302C, 309C, 316C
C92787	D	47	APPEARANCE LIMITED USE LIMB-HIND-LEFT LIMBS-HIND SWOLLEN LIMB-HIND-LEFT			302, 309, 316 323, 328 309
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295

Appendix 2

Individual Clinical Observations

PAGE: 201

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY		GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD	QUALIFIER			
C92788	T	105	APPEARANCE	MALOCCLUSION			106, 113
			NORMAL	NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 120 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
C92789	2	14	APPEARANCE	MALOCCLUSION			92-93
			NORMAL	NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85
C92790	3	53	NORMAL	NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366

Appendix 2

Individual Clinical Observations

PAGE: 202

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			QUALIFIER			
C92791	T	105	SKIN & PELAGE SORE/SCAB DORSAL			722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			MASS(ES) DORSAL WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 731C
C92792	T	105	SKIN & PELAGE SORE/SCAB AXILLARY REGION-LEFT			729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694

Appendix 2

Individual Clinical Observations

PAGE: 203

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92792	T	105	MASS(ES) AXILLARY REGION-LEFT WEEK 101 VENTRAL-ABDOMINAL WEEK 104			701C, 708C, 715C, 722C, 729C, 732C 722, 729, 732
C92793	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92794	D	58	APPEARANCE THIN EXCRETION FEW FECES EYES RED DISCHARGE EYE-RIGHT SKIN & PELAGE BROWN HAIR COAT VENTRAL-ABDOMINAL NORMAL NO REMARKABLE OBSERVATIONS			400, 402 393, 400, 402 204, 211, 225, 232, 365, 372, 379, 386, 393, 400, 402 400, 402 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 218, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358

Appendix 2

Individual Clinical Observations

PAGE: 204

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92795	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY KATHY EWERS			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92796	3	53	SKIN & PELAGE ROUGH HAIR COAT SORE/SCAB LIMB-FRONT-RIGHT			239, 323, 330, 337, 344, 351, 358 92
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 365-366
			SURGERY PERFORMED BY JOHN VAN BERKUM			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360

Appendix 2

Individual Clinical Observations

PAGE: 205

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92797	M	94	APPEARANCE LIMITED USE LIMB-HIND-RIGHT MALOCCLUSION MISSING TEETH			653 596, 603, 610 596
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81			561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652-653C
C92798	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92799	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 206

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			QUALIFIER			
C92800	T	105	DISCHARGE GENITAL RED IN COLOR			50
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92801	D	57	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 56			386C, 393C
			VENTRAL-ABDOMINAL-RIGHT WEEK 53			365C, 372C, 379C, 386C, 393C

Appendix 2

Individual Clinical Observations

PAGE: 207

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			QUALIFIER			
C92802	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92803	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
C92804	T	105	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673

Appendix 2

Individual Clinical Observations

PAGE: 208

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92804	T	105	NORMAL NO REMARKABLE OBSERVATIONS			680, 687, 694, 701, 708, 715, 722, 729, 731
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 56			386C, 393C
C92805	M	72	APPEARANCE THIN			498, 500
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			498, 500
			EYES RED DISCHARGE EYE-LEFT			500
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			484, 491, 498
			SORE/SCAB PAW-HIND-LEFT VENTRAL-ABDOMINAL-LEFT			463, 470, 477, 484, 491, 498, 500 456, 463
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442

Appendix 2

Individual Clinical Observations

PAGE: 209

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92805	M	72	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 65			449
C92806	M	99	APPEARANCE MALOCCLUSION			57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 691
			MISSING TEETH			267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 631, 638, 645, 652, 659, 666, 673, 680, 687, 691
			THIN			687, 691
			EXCRETION FEW FECES NO FECES			680, 687 691
			RESPIRATION IRREGULAR LABORED			687, 691 680, 687, 691
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			596, 680, 687, 691

Appendix 2

Individual Clinical Observations

PAGE: 210

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92806	M	99	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50
C92807	D	86	EXCRETION FEW FECES			596-597
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			295
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589
			MASS(ES) VENTRAL-ABDOMINAL WEEK 39			267C, 274C, 281C, 288C
C92808	T	105	SKIN & PELAGE SORE/SCAB AXILLARY REGION-LEFT			729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 211

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92808	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			477, 484, 491, 498, 505, 512, 519
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 76			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610
			WEEK 103			617, 624, 631, 638, 645, 652, 659, 666, 673, 680
			INGUINAL REGION-LEFT			715, 722, 729C, 731C
			WEEK 98			680, 687, 694, 701, 708, 715, 722, 729C, 731C
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 98			680, 687, 694, 701, 708, 715, 722, 729, 731
C92809	T	105	SKIN & PELAGE			
			SORE/SCAB			
			VENTRAL-ABDOMINAL-RIGHT			484, 491, 498, 505, 610, 617
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379
						386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
						512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 85			589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C
			INGUINAL REGION-LEFT			666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C
			WEEK 86			596C, 603C

Appendix 2

Individual Clinical Observations

PAGE: 212

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92809	T	105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69			477C, 484C, 491C, 498C
C92810	M	97	APPEARANCE THIN			659, 666, 673
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			673
			EXCRETION FEW FECES			656, 659, 666, 673
			EYES SQUINTED PERI-ORBITAL			673
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652

Appendix 2

Individual Clinical Observations

PAGE: 213

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92811	M	36	APPEARANCE LIMITED USE LIMBS-HIND			250
			EXCRETION FEW FECES			250
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246
C92812	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92813	M	100	APPEARANCE THIN			694
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			694
			EXCRETION FEW FECES			694
			EYES SQUINTED PERI-ORBITAL			694
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			576

Appendix 2

Individual Clinical Observations

PAGE: 214

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92813	M	100	SKIN & PELAGE RED HAIR COAT SHOULDER-RIGHT SORE/SCAB DORSAL DORSAL-THORACIC-LEFT HEAD-ENTIRE PAW-HIND-RIGHT			576 638, 645, 652, 659, 666, 673, 680, 687, 694 631 561, 568, 575-576 638, 645, 652, 659, 666, 673, 680, 687, 694
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 582 589, 596
			MASS(ES) DORSAL WEEK 87 WEEK 99			603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C 687C
C92814	T	105	APPEARANCE MALOCCLUSION SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			519, 526, 533, 540, 547, 554, 610, 638, 645, 652, 659, 715, 722 729, 733 344

Appendix 2

Individual Clinical Observations

PAGE: 215

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92814	T	105	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 561, 568, 575, 582, 589, 596, 603, 617, 624, 631 666, 673, 680, 687, 694, 701, 708
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 48			330, 337C
C92815	T	105	APPEARANCE MALOCCLUSION			43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715, 722, 729, 732
			MISSING TEETH			610, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 722, 729, 732
			SKIN & PELAGE SORE/SCAB HEAD-MAXILLARY-LEFT			64, 71, 78, 85, 92, 99, 106, 113
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36

Appendix 2

Individual Clinical Observations

PAGE: 216

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92816	D	64	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 446
C92817	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92818	T	105	APPEARANCE SWOLLEN PAW-HIND-RIGHT			680, 687, 694, 701, 708, 715, 722, 729, 732
			DISCHARGE GENITAL RED IN COLOR			176
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 183, 190, 197, 204

Appendix 2

Individual Clinical Observations

PAGE: 217

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92818	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673
			MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 54			372, 379, 386, 393
C92819	D	104	SKIN & PELAGE			
			SORE/SCAB			
			DORSAL-CERVICAL-LEFT			267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449, 456, 463, 680, 687, 694, 701, 708, 715, 722, 727
			DORSAL-THORACIC-LEFT			239, 246, 253, 260
			PAW-HIND-LEFT			666, 673, 680, 687, 694, 701, 708, 715, 722, 727
			VENTRAL-ABDOMINAL-LEFT			281, 288, 295
			VENTRAL-ABDOMINAL-RIGHT			141
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 148, 155, 162
			MASS(ES)			
			DORSAL-CERVICAL-LEFT			
			WEEK 25			169, 176, 183, 190C, 197C, 204C, 211C, 218C, 225C, 232C, 239C 246C, 253C, 260C, 267C, 274C, 281C, 288C, 295C, 302C, 309C, 316C 323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C

Appendix 2

Individual Clinical Observations

PAGE: 218

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92819	D	104	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25			554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 727C
			VENTRAL-ABDOMINAL-LEFT WEEK 40			274C, 281C, 288C
C92820	3	53	APPEARANCE MALOCCLUSION			71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344 351, 358, 365-366
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64

Appendix 2

Individual Clinical Observations

PAGE: 219

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92753	M5	624 90	MASS(ES) INGUINAL REGION-RIGHT WEEK 90	10 X 10MM
C92757	M5 TO	680 98 731 105	MASS(ES) DORSAL WEEK 98	10 X 10MM
C92762	M5 TO	484 70 498 72	MASS(ES) VENTRAL-ABDOMINAL WEEK 68	10 X 10MM
C92768	M5	596 86	MASS(ES) DORSAL WEEK 85	10 X 10MM
		603 87	MASS(ES) DORSAL WEEK 85	15 X 15MM
		610 88	MASS(ES) DORSAL WEEK 85	30 X 30MM
		617 89	MASS(ES) DORSAL WEEK 85	40 X 40MM
		624 90	MASS(ES) DORSAL WEEK 85	60 X 60MM

Appendix 2

Individual Clinical Observations

PAGE: 220

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92768	M5	631 91	MASS(ES) DORSAL WEEK 85	80 X 70MM
		638 92 TO 652 94	MASS(ES) DORSAL WEEK 85	70 X 60MM
		659 95 TO 660 95	MASS(ES) DORSAL WEEK 85	80 X 100MM
		533 77	MASS(ES) VENTRAL-ABDOMINAL WEEK 77	10 X 10MM
C92769	M5	596 86 TO 610 88	MASS(ES) INGUINAL REGION-LEFT WEEK 86	10 X 10MM
		596 86 TO 610 88	MASS(ES) INGUINAL REGION-RIGHT WEEK 86	10 X 10MM
		617 89 TO 624 90	MASS(ES) VENTRAL-ABDOMINAL WEEK 89	20 X 20MM
C92775	M5	519 75 TO 554 80	MASS(ES) DORSAL WEEK 72	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 221

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92775	M5	561 81 TO 582 84	MASS(ES) DORSAL WEEK 72	20 X 20MM
		589 85 TO 673 97	MASS(ES) DORSAL WEEK 72	15 X 15MM
		680 98 TO 715 103	MASS(ES) DORSAL WEEK 72	20 X 20MM
		722 104 TO 732 105	MASS(ES) DORSAL WEEK 72	10 X 10MM
C92782	M5	715 103 TO 722 104	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 103	10 X 10MM
C92786	M5	302 44 TO 316 46	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 44	10 X 15MM
C92791	M5	645 93 TO 673 97	MASS(ES) DORSAL WEEK 93	10 X 10MM
		680 98 TO 715 103	MASS(ES) DORSAL WEEK 93	15 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 222

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92791	M5	722 104 TO 731 105	MASS(ES) DORSAL WEEK 93	20 X 20MM
C92792	M5	701 101 TO 708 102	MASS(ES) AXILLARY REGION-LEFT WEEK 101	20 X 20MM
		715 103 TO 722 104	MASS(ES) AXILLARY REGION-LEFT WEEK 101	30 X 30MM
		729 105 TO 732 105	MASS(ES) AXILLARY REGION-LEFT WEEK 101	50 X 60 MM
C92797	M5	561 81 TO 582 84	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	40 X 40MM
		589 85	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	40 X 50MM
		596 86 TO 603 87	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	60 X 60MM
		610 88	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	70 X 60MM

Appendix 2

Individual Clinical Observations

PAGE: 223

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92797	M5	617 89	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	80 X 70MM
		624 90	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	100 X 80MM
		631 91 TO 638 92	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	110 X 100MM
		645 93 TO 653 94	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	120 X 110MM
C92801	M5	386 56 TO 393 57	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 56	70 X 80MM
		365 53 TO 393 57	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 53	15 X 15MM
C92804	M5	386 56 TO 393 57	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 56	10 X 10MM
C92807	M5	267 39 TO 274 40	MASS(ES) VENTRAL-ABDOMINAL WEEK 39	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 224

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92807	M5	281 41 TO 288 42	MASS(ES) VENTRAL-ABDOMINAL WEEK 39	15 X 15MM
C92808	M5	729 105 TO 731 105	MASS(ES) AXILLARY REGION-LEFT WEEK 103	10 X 10 MM
		729 105 TO 731 105	MASS(ES) INGUINAL REGION-LEFT WEEK 98	10 X 10 MM
C92809	M5	589 85 TO 603 87	MASS(ES) AXILLARY REGION-LEFT WEEK 85	25 X 20MM
		610 88 TO 631 91	MASS(ES) AXILLARY REGION-LEFT WEEK 85	30 X 30MM
		638 92 TO 659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 85	30 X 40MM
		666 96 TO 673 97	MASS(ES) AXILLARY REGION-LEFT WEEK 85	35 X 40MM
		680 98 TO 701 101	MASS(ES) AXILLARY REGION-LEFT WEEK 85	50 X 45MM

Appendix 2

Individual Clinical Observations

PAGE: 225

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92809	M5	708 102	MASS(ES) AXILLARY REGION-LEFT WEEK 85	50 X 50MM
		715 103	MASS(ES) AXILLARY REGION-LEFT WEEK 85	60 X 70MM
		722 104	MASS(ES) AXILLARY REGION-LEFT WEEK 85	70 X 60MM
		729 105 TO 733 105	MASS(ES) AXILLARY REGION-LEFT WEEK 85	70 X 80 MM
		596 86 TO 603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 86	15 X 15MM
		477 69 TO 498 72	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69	10 X 10MM
C92813	M5	603 87 TO 694 100	MASS(ES) DORSAL WEEK 87	10 X 10MM
		687 99	MASS(ES) DORSAL WEEK 99	15 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 226

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92814	M5	337 49	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 48	10 X 10MM
C92819	M5	190 28 TO 204 30	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	10 X 10MM
		211 31 TO 295 43	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	20 X 20MM
		302 44 TO 323 47	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	25 X 25MM
		330 48 TO 365 53	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	25 X 20MM
		372 54 TO 407 59	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	30 X 20MM
		414 60 TO 442 64	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	30 X 30MM
		449 65	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	40 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 227

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92819	M5	456 66	MASS(ES)	30 X 30MM
		TO 470 68	DORSAL-CERVICAL-LEFT WEEK 25	
		477 69	MASS(ES)	
		TO 505 73	DORSAL-CERVICAL-LEFT WEEK 25	
		512 74	MASS(ES)	
		TO 533 77	DORSAL-CERVICAL-LEFT WEEK 25	
		540 78	MASS(ES)	
		TO 582 84	DORSAL-CERVICAL-LEFT WEEK 25	
C92819	M5	589 85	MASS(ES)	70 X 60MM
		TO 610 88	DORSAL-CERVICAL-LEFT WEEK 25	
		617 89	MASS(ES)	
		TO 624 90	DORSAL-CERVICAL-LEFT WEEK 25	
		631 91	MASS(ES)	
		TO 638 92	DORSAL-CERVICAL-LEFT WEEK 25	
		645 93	MASS(ES)	
		TO 666 96	DORSAL-CERVICAL-LEFT WEEK 25	

Appendix 2

Individual Clinical Observations

PAGE: 228

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92819	M5	673 97 TO 708 102	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	80 X 60MM
		715 103 TO 727 104	MASS(ES) DORSAL-CERVICAL-LEFT WEEK 25	60 X 50MM
		274 40 TO 288 42	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 40	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 229

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS	
C92821	U	106	APPEARANCE MALOCCLUSION			162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 736	
			MISSING TEETH			344, 351, 358, 365, 372, 379, 386, 393, 400, 617, 624, 631, 638 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729 736	
			SWOLLEN PAW-HIND-LEFT			729, 736	
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722 729, 736	
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155	

Appendix 2

Individual Clinical Observations

PAGE: 230

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92822	M	81	APPEARANCE HEAD TILT LEFT THIN			566 554, 561, 566
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			561, 566 554, 561, 566
			EXCRETION FEW FECES			566
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			456, 463, 470
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547
			SACRIFICE SACRIFICE APPROVED BY CERTIFIED TECHNICIAN			566

Appendix 2

Individual Clinical Observations

PAGE: 231

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS	
C92823	U	106	APPEARANCE MALOCCLUSION			36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134	
						141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225	
						232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316	
						323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407	
						414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498	
						505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589	
						596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680	
						687, 694, 701, 708, 715, 722, 729, 736	
C92824	D	95	MISSING TEETH			736	
C92824	D	95	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			435, 442, 533	
C92824	D	95	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29	
C92824	D	95	MASS(ES) VENTRAL-ABDOMINAL WEEK 74			512C, 519C, 526C	
C92824	D	95	APPEARANCE THIN			535	
C92824	D	95	EXCRETION FEW FECES LIQUID FECES NO FECES			535	
						535	
						582	

Appendix 2

Individual Clinical Observations

PAGE: 232

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92824	D	95	RESPIRATION AUDIBLE			582, 589, 596
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE SORE/SCAB PAW-HIND-LEFT			535 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407
			PAW-HIND-RIGHT PAWS-HIND			456, 463 470, 477, 484, 491, 498, 505
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 414, 421, 428, 435, 442, 449
			MASS(ES) AXILLARY REGION-RIGHT WEEK 66			456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C 533C, 535C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 663C
C92825	D	94	APPEARANCE SWOLLEN LIMB-HIND-LEFT PAW-HIND-LEFT			428, 435, 442, 449, 456, 463 428, 435, 442, 449, 456, 463
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			540, 547, 554

Appendix 2

Individual Clinical Observations

PAGE: 233

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92825	D	94	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 470, 477, 484, 491, 498, 505, 512 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652-653
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 75			519C, 526C, 533C, 540C, 547C
C92826	D	55	DISCHARGE CLEAR ORAL <UNSPECIFIED>			385
			RESPIRATION AUDIBLE			385
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 45			309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 385

Appendix 2

Individual Clinical Observations

PAGE: 234

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92827	U	106	SKIN & PELAGE SORE/SCAB AXILLARY REGION-RIGHT DORSAL			645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722 729, 736
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596
			MASS(ES) DORSAL WEEK 92			638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C, 722C, 729C, 736C
			VENTRAL-ABDOMINAL-RIGHT WEEK 97			673C, 680C, 687C, 694C, 701C, 708C
			WART LIKE LESION(S) AXILLARY REGION-RIGHT WEEK 87			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715

Appendix 2

Individual Clinical Observations

PAGE: 235

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92828	D	83	APPEARANCE MALOCCLUSION SWOLLEN TESTIS-LEFT DISCHARGE NASAL RED IN COLOR NORMAL NO REMARKABLE OBSERVATIONS			470, 512 533, 540, 547, 554, 561, 568, 575, 578 197 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 477, 484 491, 498, 505, 519, 526
C92829	U	106	APPEARANCE SWOLLEN PAW-HIND-LEFT PAW-HIND-RIGHT SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL NORMAL NO REMARKABLE OBSERVATIONS			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736 736 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400

Appendix 2

Individual Clinical Observations

PAGE: 236

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92829	U	106	NORMAL NO REMARKABLE OBSERVATIONS			407, 414, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568
			MASS(ES) VENTRAL-ABDOMINAL WEEK 41			281C, 288C, 295C
			WART LIKE LESION(S) TAIL WEEK 61			421, 428, 435
C92830	M	99	APPEARANCE MALOCCLUSION			134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 690
			THIN			666, 673, 680, 687, 690
			BEHAVIOR COLD TO TOUCH ENTIRE BODY			690
			EXCRETION FEW FECES			687, 690
			RESPIRATION IRREGULAR			687, 690

Appendix 2

Individual Clinical Observations

PAGE: 237

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92830	M	99	SKIN & PELAGE SORE/SCAB EAR-RIGHT			358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 631, 638, 645, 652, 659, 666, 673, 680, 687, 690
			OTHER			690C
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127
			MASS(ES)			
			EAR-RIGHT			
			WEEK 47			323, 330, 337, 344, 351, 358, 365, 372C, 379C, 386C, 393C, 400C 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 690C
			WART LIKE LESION(S)			
			EAR-RIGHT			
			WEEK 41			281, 288
C92831	M	85	APPEARANCE			
			LIMITED USE			
			LIMBS-ALL			585, 589
			LIMBS-HIND			582
			MALOCCLUSION			211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568

Appendix 2

Individual Clinical Observations

PAGE: 238

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92831	M	85	APPEARANCE			
			MALOCCLUSION			575, 582, 585, 589
			SWOLLEN			
			NOSE			92
			BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			589
			RECUMBENT			
			STERNAL			589
			COLD TO TOUCH			
			ENTIRE BODY			589
			EYES			
			RED DISCHARGE			
			EYE-RIGHT			92, 589
			SKIN & PELAGE			
			SORE/SCAB			
			MOUTH			92
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204

Appendix 2

Individual Clinical Observations

PAGE: 239

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY		GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD	QUALIFIER			
C92832	D	69	NORMAL				
			NO REMARKABLE OBSERVATIONS				1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 480
C92833	U	106	APPEARANCE				
			OBES				477
			SWOLLEN				
			LIMB-HIND-RIGHT				622, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 736
			PAW-HIND-RIGHT				680, 687, 694, 701, 708, 715, 722, 729, 736
			SKIN & PELAGE				
			RED SKIN				
			PAW-HIND-RIGHT				622
			NORMAL				
			NO REMARKABLE OBSERVATIONS				1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617

Appendix 2

Individual Clinical Observations

PAGE: 240

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92834	U	106	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE SORE/SCAB SHOULDER-RIGHT			379 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372
			MASS(ES) SHOULDER-RIGHT WEEK 55			379, 386, 393, 400, 407C, 414C, 421C, 428C, 435C, 442C, 449C 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C
			WART LIKE LESION(S) SHOULDER-RIGHT WEEK 95			659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736
C92835	M	75	BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT DORSAL COLD TO TOUCH ENTIRE BODY			522 522 522

Appendix 2

Individual Clinical Observations

PAGE: 241

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92835	M	75	EXCRETION FEW FECES			522
			EYES RED DISCHARGE EYE-RIGHT EYES			246, 281 522
			RESPIRATION LABORED			522
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 253, 260, 267, 274, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519
C92836	D	91	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			631
			RESPIRATION LABORED			631
			SKIN & PELAGE PALE ENTIRE BODY			631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 242

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS															
(CONTINUED FROM PREVIOUS PAGE)																					
C92836	D	91	NORMAL			113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197			
			NO REMARKABLE OBSERVATIONS			204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288			
						295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379			
						386,	393,	400,	407,	414,	421,	428,	435,	442,	449,	456,	463,	470			
						477,	484,	491,	498,	505,	512,	519,	526,	533,	540,	547,	554,	561			
						568,	575,	582,	589,	596,	603,	610,	617,	624							
C92837	M	65	APPEARANCE THIN			449															
			EXCRETION FEW FECES			445,	449														
			SKIN & PELAGE ROUGH HAIR COAT			445,	449														
			NORMAL																		
			NO REMARKABLE OBSERVATIONS			1,	8,	15,	22,	29,	36,	43,	50,	57,	64,	71,	78,	85,	92,	99,	106
						113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197			
						204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288			
						295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379			
						386,	393,	400,	407,	414,	421,	428,	435,	442							
C92838	M	65	EXCRETION FEW FECES NONFORMED FECES			449-450 450															
			SKIN & PELAGE BROWN HAIR COAT SCROTUM			450															

Appendix 2

Individual Clinical Observations

PAGE: 243

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92838	M	65	SKIN & PELAGE SORE/SCAB DORSAL			365, 372, 379, 386
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 393, 400, 407 414, 421, 428, 435
			MASS(ES) DORSAL WEEK 53			365, 372, 379
			WART LIKE LESION(S) DORSAL WEEK 64			442, 449-450
C92839	D	89	APPEARANCE OBES			477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610
			EYES RED DISCHARGE EYE-LEFT			575, 617, 623
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 244

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92839	D	89	NORMAL NO REMARKABLE OBSERVATIONS			386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
C92840	M	103	APPEARANCE THIN			715
			DISCHARGE NASAL RED IN COLOR			708
			EXCRETION FEW FECES			701, 708, 715
			SKIN & PELAGE BROWN HAIR COAT VENTRAL-ABDOMINAL			715
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694

Appendix 2

Individual Clinical Observations

PAGE: 245

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92841	D	68	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 476
C92842	M	91	APPEARANCE CONVULSIONS			633
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			633
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			633
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526
			MASS(ES) HEAD-MAXILLARY-LEFT WEEK 88			610, 617, 624

Appendix 2

Individual Clinical Observations

PAGE: 246

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92842	M	91	WART LIKE LESION(S) DORSAL WEEK 77			533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617 624, 631, 633
C92843	D	77	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 537
C92844	M	83	APPEARANCE MALOCCLUSION THIN			295, 428, 435, 442, 463, 470, 477 579
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			579
			EXCRETION FEW FECES			579
			EYES RED DISCHARGE EYE-RIGHT			579
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 247

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92844	M	83	NORMAL NO REMARKABLE OBSERVATIONS			302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 449, 456, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575
C92845	M	95	APPEARANCE HEAD TILT RIGHT			663-664
			BEHAVIOR RECUMBENT LATERAL			664
			EXCRETION FEW FECES NO FECES			663 664
			RESPIRATION IRREGULAR			664
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659

Appendix 2

Individual Clinical Observations

PAGE: 248

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92846	D	103	APPEARANCE MALOCCLUSION			99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 721
			EXCRETION FEW FECES			603
			SKIN & PELAGE SORE/SCAB DORSAL-THORACIC-RIGHT			456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547
			VENTRAL-ABDOMINAL VENTRAL-ABDOMINAL-LEFT			393 659, 666, 673
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92
			MASS(ES) DORSAL WEEK 55			379, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C
			DORSAL-CERVICAL-RIGHT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C
			INGUINAL REGION-LEFT WEEK 91			631C, 638C, 645C, 652C

Appendix 2

Individual Clinical Observations

PAGE: 249

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92846	D	103	WART LIKE LESION(S) DORSAL WEEK 80			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 721
C92847	M	98	APPEARANCE THIN			680
			EXCRETION FEW FECES			673, 680
			EYES RED DISCHARGE EYE-LEFT			680
			SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540

Appendix 2

Individual Clinical Observations

PAGE: 250

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92848	U	106	APPEARANCE			
			LIMITED USE			
			PAW-HIND-LEFT			617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 736
			SWOLLEN			
			LIMB-HIND-LEFT			585, 589, 596, 603, 610
			PAW-HIND-LEFT			585, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 736
			THIN			729, 736
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582
C92849	M	70	APPEARANCE			
			MALOCCLUSION			484
			BEHAVIOR			
			HYPOACTIVE			
			MODERATE			484
			COLD TO TOUCH			
			LIMBS-ALL			470, 477, 484
			ENTIRE BODY			484
			EXCRETION			
			FEW FECES			470, 477, 484
			NO FECES			484

Appendix 2

Individual Clinical Observations

PAGE: 251

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92849	M	70	EYES SQUINTED PERI-ORBITAL			477, 484
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
C92850	M	105	APPEARANCE MALOCCLUSION SWOLLEN LIMB-HIND-RIGHT PAW-HIND-RIGHT THIN			379, 386, 393, 400, 407, 414, 421, 428, 435, 442 659, 666, 673 659, 666, 673 722, 729-730
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL			730 730
			EXCRETION NONFORMED FECES			344
			SKIN & PELAGE PALE ENTIRE BODY			722, 729-730

Appendix 2

Individual Clinical Observations

PAGE: 252

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92850	M	105	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 351, 358, 365, 372, 449, 456 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 680, 687, 694, 701, 708, 715
C92851	U	106	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 69			477
			WART LIKE LESION(S) VENTRAL-ABDOMINAL WEEK 102			708, 715, 722, 729, 736

Appendix 2

Individual Clinical Observations

PAGE: 253

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS	
C92852	M	68	APPEARANCE				
			HUNCHED			475	
			THIN			474-475	
			BEHAVIOR				
			HYPOACTIVE				
			<UNSPECIFIED>			475	
			EXCRETION				
			FEW FECES			474-475	
			RESPIRATION				
			IRREGULAR			475	
			NORMAL				
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470	
C92853	U	106	NORMAL				
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736	

Appendix 2

Individual Clinical Observations

PAGE: 254

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92854	D	101	EXCRETION NONFORMED FECES			113
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			617, 624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 596, 638, 645, 652, 659, 666, 673, 680, 694, 701, 705
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 84 WEEK 87			582, 589 603, 610
			WART LIKE LESION(S) VENTRAL-ABDOMINAL-RIGHT WEEK 99			687

Appendix 2

Individual Clinical Observations

PAGE: 255

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92855	M	70	APPEARANCE HUNCHED MALOCCLUSION			484 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			484
			DISCHARGE GENITAL RED IN COLOR			176, 183
			SKIN & PELAGE ROUGH HAIR COAT			463, 470, 477, 484
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43
			WART LIKE LESION(S) VENTRAL-ABDOMINAL-LEFT WEEK 69			477, 484

Appendix 2

Individual Clinical Observations

PAGE: 256

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD QUALIFIER			
C92856	U	106	APPEARANCE			43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141
			BENT TAIL			148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232
						239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323
						330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414
						421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505
						512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589
						595-596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673
						680, 687, 694, 701, 708, 715, 722, 729, 736
			SWOLLEN			
			PAW-HIND-RIGHT			595-596, 603, 610
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36
			MASS(ES)			
			INGUINAL REGION-LEFT			
			WEEK 99			687, 694, 701, 708, 715, 722, 729, 736
C92857	M	83	APPEARANCE			
			SWOLLEN			
			PAW-HIND-LEFT			400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
			BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			576
			RECUMBENT			
			STERNAL			576
			EXCRETION			
			FEW FECES			575
			NO FECES			576

Appendix 2

Individual Clinical Observations

PAGE: 257

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92857	M	83	EYES RED DISCHARGE EYES SQUINTED PERI-ORBITAL			576 576
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568
C92858	M	97	APPEARANCE THIN EXCRETION FEW FECES RESPIRATION AUDIBLE NORMAL NO REMARKABLE OBSERVATIONS			673 659, 666, 673 673 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 540, 547, 554, 561, 568, 575, 582, 589, 596

Appendix 2

Individual Clinical Observations

PAGE: 258

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92858	M	97	MASS(ES)			
			AXILLARY REGION-RIGHT			631C, 638C, 645C, 652C, 659C, 666C, 673C
			WEEK 91			
			INGUINAL REGION-LEFT			477, 484, 491, 498, 505, 512, 519, 526, 533
			WEEK 69			
			WART LIKE LESION(S)			
			DORSAL			526, 533
			WEEK 76			
			WEEK 87			603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673
C92859	M	72	APPEARANCE			
			HEAD TILT			
			RIGHT			498, 500
			EXCRETION			
			NONFORMED FECES			393
			SKIN & PELAGE			
			ROUGH HAIR COAT			491, 498, 500
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484

Appendix 2

Individual Clinical Observations

PAGE: 259

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: M6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92860	M	97	APPEARANCE LIMITED USE LIMBS-HIND			673, 678
			BEHAVIOR ATAXIC <UNSPECIFIED>			678
			EXCRETION FEW FECES			673, 678
			EYES RED DISCHARGE EYES			678
			SKIN & PELAGE ROUGH HAIR COAT			678
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659
			WART LIKE LESION(S) VENTRAL-THORACIC-LEFT WEEK 96			666, 673, 678

Appendix 2

Individual Clinical Observations

PAGE: 260

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92823	M6	512 74 TO 526 76	MASS(ES) VENTRAL-ABDOMINAL WEEK 74	15 X 15MM
C92824	M6	456 66	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	15 X 15MM
		463 67 TO 470 68	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	25 X 15MM
		477 69 TO 491 71	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	30 X 25MM
		498 72 TO 519 75	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	35 X 30MM
		526 76 TO 535 77	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	40 X 35MM
		540 78 TO 547 79	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	50 X 50MM
		554 80 TO 582 84	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	45 X 40MM

Appendix 2

Individual Clinical Observations

PAGE: 261

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92824	M6	589 85 TO 624 90	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	45 X 60MM
		631 91 TO 652 94	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	50 X 60MM
		659 95 TO 663 95	MASS(ES) AXILLARY REGION-RIGHT WEEK 66	50 X 70MM
C92825	M6	519 75	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 75	10 X 10MM
		526 76 TO 547 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 75	15 X 15MM
C92827	M6	638 92 TO 673 97	MASS(ES) DORSAL WEEK 92	10 X 10MM
		680 98 TO 715 103	MASS(ES) DORSAL WEEK 92	15 X 10MM
		722 104 TO 736 106	MASS(ES) DORSAL WEEK 92	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 262

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92827	M6	673 97 TO 708 102	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 97	10 X 10MM
C92829	M6	281 41	MASS(ES) VENTRAL-ABDOMINAL WEEK 41	20 X 20MM
		288 42 TO 295 43	MASS(ES) VENTRAL-ABDOMINAL WEEK 41	10 X 10MM
C92830	M6	690 99	SKIN & PELAGE OTHER	COLD TO TOUCH
		372 54 TO 379 55	MASS(ES) EAR-RIGHT WEEK 47	10 X 10MM
		386 56 TO 610 88	MASS(ES) EAR-RIGHT WEEK 47	10 X 15MM
		617 89 TO 659 95	MASS(ES) EAR-RIGHT WEEK 47	20 X 20MM
		666 96 TO 690 99	MASS(ES) EAR-RIGHT WEEK 47	30 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 263

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92834	M6	407 59 TO 491 71	MASS(ES) SHOULDER-RIGHT WEEK 55	10 X 10MM
		498 72 TO 568 82	MASS(ES) SHOULDER-RIGHT WEEK 55	15 X 10MM
		575 83 TO 582 84	MASS(ES) SHOULDER-RIGHT WEEK 55	20 X 10MM
C92846	M6	386 56 TO 449 65	MASS(ES) DORSAL WEEK 55	15 X 10MM
		477 69 TO 505 73	MASS(ES) DORSAL-CERVICAL-RIGHT WEEK 69	10 X 10MM
		512 74 TO 533 77	MASS(ES) DORSAL-CERVICAL-RIGHT WEEK 69	15 X 15MM
		631 91 TO 638 92	MASS(ES) INGUINAL REGION-LEFT WEEK 91	15 X 15MM
		645 93 TO 652 94	MASS(ES) INGUINAL REGION-LEFT WEEK 91	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 264

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92858	M6	631 91	MASS(ES)	10 X 10MM
		TO 645 93	AXILLARY REGION-RIGHT WEEK 91	
		652 94	MASS(ES)	15 X 15MM
		TO 666 96	AXILLARY REGION-RIGHT WEEK 91	
		673 97	MASS(ES)	15 X 20MM
		TO 673 97	AXILLARY REGION-RIGHT WEEK 91	



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume III of IX

Page 807 of 4068

CONTENTS

VOLUME III OF IX

Page

APPENDIX 2 (Continued)	809
Individual Clinical Observations.....	810

APPENDIX 2 (Continued)

Individual Clinical Observations

Appendix 2

Individual Clinical Observations

PAGE: 265

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92861	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92862	3	53	APPEARANCE MALOCCLUSION			134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 316, 330, 337, 344, 351 358, 365-366
			EXCRETION NONFORMED FECES			274
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 281, 288, 295, 302, 309, 323
C92863	M	83	APPEARANCE MISSING TAIL-DISTAL			575
			SKIN & PELAGE BLACK SKIN TAIL			575
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568

Appendix 2

Individual Clinical Observations

PAGE: 266

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92864	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92865	D	65	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 337, 344 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449
			MASS(ES) AXILLARY REGION-LEFT WEEK 46			316, 323, 330
			VENTRAL-ABDOMINAL WEEK 41			281C, 288C, 295C, 302C, 309C, 316C, 323C
			VENTRAL-CERVICAL-LEFT WEEK 47			323, 330
C92866	T	105	APPEARANCE LIMITED USE LIMB-HIND-LEFT SWOLLEN PAW-HIND-LEFT			239, 246 239, 246
			EXCRETION FEW FECES NO FECES			715, 717, 722, 729, 733 691
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			715, 717, 722

Appendix 2

Individual Clinical Observations

PAGE: 267

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92866	T	105	SKIN & PELAGE SORE/SCAB MOUTH			8
			NORMAL NO REMARKABLE OBSERVATIONS			1, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708
C92867	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715
			MASS(ES) VENTRAL-ABDOMINAL WEEK 104			722C, 729C, 732C

Appendix 2

Individual Clinical Observations

PAGE: 268

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92868	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92869	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92870	M	105	APPEARANCE HEAD TILT LEFT MALOCCLUSION SWOLLEN LIMB-HIND-LEFT PAW-HIND-RIGHT THIN BEHAVIOR ATAXIC <UNSPECIFIED>			729 246, 253, 260, 267, 645, 652, 722, 729 645 673 729 729

Appendix 2

Individual Clinical Observations

PAGE: 269

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92870	M	105	BEHAVIOR			
			HYPOACTIVE			729
			<UNSPECIFIED>			
			RECUMBENT			729
			LATERAL			
			EXCRETION			
			FEW FECES			717, 722, 729
			EYES			
			RED DISCHARGE			
			EYE-RIGHT			717
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 659, 666, 680
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 99			687, 694, 701, 708, 715, 717, 722, 729
			INGUINAL REGION-LEFT			
			WEEK 105			729

Appendix 2

Individual Clinical Observations

PAGE: 270

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92871	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES) INGUINAL REGION-LEFT WEEK 94			652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 731C
			VENTRAL-ABDOMINAL WEEK 84			582
			VENTRAL-THORACIC-LEFT WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C
C92872	M	89	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			617-618
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274
			MASS(ES) INGUINAL REGION-LEFT WEEK 83			575, 582, 589, 596C, 603C, 610C, 617-618C

Appendix 2

Individual Clinical Observations

PAGE: 271

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92872	M	89	MASS(ES) VENTRAL-ABDOMINAL WEEK 41			281, 288, 295, 302, 309, 316, 323C, 330C, 337C, 344C, 351C, 358C 365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617-618C
C92873	T	105	SKIN & PELAGE ALOPECIA			330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 554, 561, 568, 575, 582 589, 596, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 477, 484, 491, 498, 505, 512, 519, 533 540, 603
			MASS(ES) AXILLARY REGION-LEFT WEEK 76 WEEK 79			526 547C, 554C, 561C, 568C

Appendix 2

Individual Clinical Observations

PAGE: 272

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92874	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			MASS(ES) VENTRAL-ABDOMINAL WEEK 93			645, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 731C
C92875	M	79	APPEARANCE MALOCCLUSION			421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 553
			THIN			553
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			553
			DISCHARGE NASAL RED IN COLOR			553
			EXCRETION FEW FECES			547, 553

Appendix 2

Individual Clinical Observations

PAGE: 273

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92875	M	79	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE YELLOW HAIR COAT			505, 519, 526, 533, 540, 547, 553 553
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414
C92876	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 53			365-366C
			SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360

Appendix 2

Individual Clinical Observations

PAGE: 274

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92877	T	105	APPEARANCE MALOCCLUSION			99
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C92878	M	81	APPEARANCE MALOCCLUSION			169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526 533, 540, 547, 554, 561-562
			THIN			519, 526, 562
			EYES DISCOLORED/LIGHT RED EYE-LEFT			526
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60			414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C

Appendix 2

Individual Clinical Observations

PAGE: 275

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92878	M	81	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60 VENTRAL-THORACIC WEEK 45			491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561-562C 309C, 316C, 323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 540C, 547C, 554C, 561-562C
C92879	M	93	APPEARANCE HEAD TILT LEFT HUNCHED THIN BEHAVIOR ATAXIC <UNSPECIFIED> EYES RED DISCHARGE EYES NORMAL NO REMARKABLE OBSERVATIONS			645 603, 610 596, 603, 610, 617, 624, 631, 638, 645 638, 645 610 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442

Appendix 2

Individual Clinical Observations

PAGE: 276

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92879	M	93	MASS(ES) AXILLARY REGION-LEFT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C
			INGUINAL REGION-LEFT WEEK 65			449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C 526C, 533C, 540C, 547C, 554C, 561, 568
			INGUINAL REGION-RIGHT WEEK 50			344C
			VENTRAL-ABDOMINAL-RIGHT WEEK 65			449, 456, 463, 470, 477C, 484C, 491C
			RECTUM WEEK 92			638C, 645C
C92880	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92881	T	105	APPEARANCE MALOCCLUSION			134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 733
			MISSING TEETH			596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 733
			SWOLLEN DIGIT(S)-HIND-LEFT			722

Appendix 2

Individual Clinical Observations

PAGE: 277

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92881	T	105	EXCRETION FEW FECES			526
			EYES DISCOLORED/LIGHT RED EYE-RIGHT			414
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127
			MASS(ES) AXILLARY REGION-RIGHT WEEK 96			666, 673, 680, 687, 694, 701
			INGUINAL REGION-LEFT WEEK 99			687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C
C92882	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
			MASS(ES) AXILLARY REGION-LEFT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 733C
			AXILLARY REGION-RIGHT WEEK 100			694C, 701C, 708C, 715C, 722C, 729C, 733C

Appendix 2

Individual Clinical Observations

PAGE: 278

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92883	M	87	APPEARANCE MALOCCLUSION			64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603-604
			BEHAVIOR ATAXIC <UNSPECIFIED>			603-604
			DISCHARGE NASAL RED IN COLOR			64
			EXCRETION NO FECES			604
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57
			MASS(ES) AXILLARY REGION-RIGHT WEEK 81			561, 568
			INGUINAL REGION-RIGHT WEEK 75			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603-604C

Appendix 2

Individual Clinical Observations

PAGE: 279

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92884	M	96	APPEARANCE CONVULSIONS THIN			652 624, 631, 638, 645, 652, 659, 666
			EXCRETION FEW FECES			624, 631
			EYES PROTRUDING EYES			519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 652, 659, 666
			SKIN & PELAGE PALE ENTIRE BODY SORE/SCAB AXILLARY REGION-RIGHT			666 666
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442
			MASS(ES) AXILLARY REGION-LEFT WEEK 73 WEEK 89 AXILLARY REGION-RIGHT WEEK 85 VENTRAL-ABDOMINAL-LEFT WEEK 79			505C 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 589C, 596C 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617C, 624C

Appendix 2

Individual Clinical Observations

PAGE: 280

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92884	M	96	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 79 VENTRAL-ABDOMINAL-RIGHT WEEK 65 WEEK 74			631C, 638C, 645C, 652C, 659C, 666C 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C 666C
C92885	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 120, 127 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680
			MASS(ES) INGUINAL REGION-LEFT WEEK 99 VENTRAL-ABDOMINAL WEEK 15			687, 694, 701, 708C, 715C, 722C, 729C, 733C 99, 106, 113

Appendix 2

Individual Clinical Observations

PAGE: 281

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92886	M	81	APPEARANCE SWOLLEN VENTRAL-ABDOMINAL THIN			554, 561 561
			EYES DISCOLORED/LIGHT RED EYES RED DISCHARGE EYE-RIGHT			554, 561 526
			SKIN & PELAGE BLUE SKIN VENTRAL-ABDOMINAL SORE/SCAB AXILLARY REGION-LEFT			561 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400
			MASS(ES) AXILLARY REGION-LEFT WEEK 59 INGUINAL REGION-RIGHT WEEK 59			407, 414, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C

Appendix 2

Individual Clinical Observations

PAGE: 282

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92887	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92888	M	79	APPEARANCE HEAD TILT RIGHT			551, 553
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			553
			EXCRETION FEW FECES			553
			EYES RED DISCHARGE EYE-RIGHT			519, 526, 533, 540, 547, 551, 553
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512

Appendix 2

Individual Clinical Observations

PAGE: 283

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92889	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92890	T	105	APPEARANCE MALOCCLUSION			638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631

Appendix 2

Individual Clinical Observations

PAGE: 284

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92891	M	85	APPEARANCE HEAD TILT LEFT THIN			582, 589, 591 591
			BEHAVIOR RECUMBENT LATERAL			591
			EXCRETION FEW FECES			591
			RESPIRATION AUDIBLE IRREGULAR			591 591
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575

Appendix 2

Individual Clinical Observations

PAGE: 285

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92892	T	105	APPEARANCE OBES			680, 687, 694, 701, 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673
C92893	M	88	APPEARANCE HUNCHED MALOCCLUSION			610 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610
			THIN			337, 344, 351, 358
			BEHAVIOR SENSITIVE TO TOUCH			337
			SKIN & PELAGE ALOPECIA			365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456, 463
			ROUGH HAIR COAT SORE/SCAB			393, 400, 407, 470, 477, 484, 491, 498, 505, 512, 519, 526, 554
			VENTRAL-THORACIC-LEFT			603, 610

Appendix 2

Individual Clinical Observations

PAGE: 286

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92893	M	88	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267
			MASS(ES)			
			AXILLARY REGION-RIGHT			
			WEEK 74			512, 519C, 526C, 533C, 540C, 547, 554, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C
			INGUINAL REGION-RIGHT			
			WEEK 76			526C, 533C, 540C, 547C, 554C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C
			VENTRAL-THORACIC-LEFT			
			WEEK 74			512, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C
			RECTUM			
			WEEK 61			421C, 428C, 435C, 442C, 449C, 456C, 463C
C92894	3	53	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366

Appendix 2

Individual Clinical Observations

PAGE: 287

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92895	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596
			MASS(ES) AXILLARY REGION-LEFT WEEK 87			603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
C92896	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519
			MASS(ES) INGUINAL REGION-RIGHT WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C
			VENTRAL-ABDOMINAL-RIGHT WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 715C
			VENTRAL-THORACIC WEEK 104			722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 288

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92896	T	105	WART LIKE LESION(S) MOUTH WEEK 46			316
C92897	T	105	APPEARANCE THIN			722, 729-731
			EXCRETION FEW FECES			730-731
			EYES SQUINTED PERI-ORBITAL			687, 730-731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 694, 701, 708, 715
C92898	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 289

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92899	3	53	SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			365-366
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			SURGERY PERFORMED BY JOHN VAN BERKUM			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92900	D	72	APPEARANCE MALOCCLUSION			85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498, 504
			MISSING TEETH			176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 449 456, 463, 470, 477, 484, 491, 498, 504
			EXCRETION NONFORMED FECES			225

Appendix 2

Individual Clinical Observations

PAGE: 290

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92900	D	72	EYES CLEAR DISCHARGE EYE-LEFT			393
			SKIN & PELAGE YELLOW HAIR COAT			85
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78
C92901	M	79	APPEARANCE HEAD TILT LEFT			533, 540, 547, 551
			BEHAVIOR ATAXIC <UNSPECIFIED>			551
			DISCHARGE NASAL RED IN COLOR			551
			EXCRETION FEW FECES			526, 533, 540, 547, 551
			EYES RED DISCHARGE EYE-LEFT			547, 551
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			519, 526, 533, 540

Appendix 2

Individual Clinical Observations

PAGE: 291

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92901	M	79	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 414, 470, 477, 484, 491, 498, 505, 512
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 48			330
			AXILLARY REGION-RIGHT			
			WEEK 48			330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407
			VENTRAL-ABDOMINAL			
			WEEK 61			421, 428, 435, 442, 449, 456, 463
			RECTUM			
			WEEK 76			526C, 533C, 540C, 547C, 551C
C92902	D	89	APPEARANCE			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603
			OBES			
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 610, 617

Appendix 2

Individual Clinical Observations

PAGE: 292

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92903	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92904	M	101	SKIN & PELAGE SORE/SCAB VENTRAL-CERVICAL-LEFT VENTRAL-THORACIC			610 638
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428
			MASS(ES) AXILLARY REGION-LEFT WEEK 69			477, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C 701-702C
			INGUINAL REGION-RIGHT WEEK 70			484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701-702C
			VENTRAL-ABDOMINAL-LEFT WEEK 97			673C, 680C, 687C, 694C, 701-702C
			VENTRAL-CERVICAL-LEFT WEEK 63			435, 442, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603, 610, 617, 624, 631, 638, 645

Appendix 2

Individual Clinical Observations

PAGE: 293

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92904	M	101	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659C, 666C, 673C, 680C, 687C, 694C, 701-702C
			WART LIKE LESION(S) MOUTH WEEK 89			617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694 701-702
C92905	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92906	T	105	APPEARANCE MALOCCLUSION			631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 722, 729, 731
			EYES CLEAR DISCHARGE EYE-RIGHT RED DISCHARGE EYES			519, 526 610, 617
			SKIN & PELAGE SORE/SCAB MOUTH			631, 638, 645
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 294

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92906	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 498, 505, 512, 533 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 624
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C 731C
			AXILLARY REGION-RIGHT			
			WEEK 70			484, 491
			WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C 731C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 65			449, 456, 463, 470, 477, 484, 491
C92907	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92908	M	93	BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL			631, 646 631, 646 646
			EXCRETION FEW FECES NO FECES			638, 645-646 624, 631
			EYES RED DISCHARGE EYES			624, 631
			SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA			624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533
			MASS(ES) VENTRAL-CERVICAL WEEK 78			540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C, 631C, 638C, 645-646C

Appendix 2

Individual Clinical Observations

PAGE: 296

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92909	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 98			680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
C92910	3	53	APPEARANCE MALOCCLUSION			108, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			DISCHARGE NASAL RED IN COLOR			108, 113
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 297

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92911	T	105	APPEARANCE MALOCCLUSION			582, 589, 596, 603, 631, 638, 645, 652, 673, 680, 687, 694, 715 722, 729, 732
			EYES CLEAR DISCHARGE EYE-LEFT			526
			SKIN & PELAGE ROUGH HAIR COAT			239
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 421, 428, 435, 442, 470, 547, 554, 561, 568, 575 610, 617, 624, 659, 666, 701, 708
			MASS(ES) AXILLARY REGION-LEFT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533, 540
			AXILLARY REGION-RIGHT WEEK 91			631, 638, 645
			VENTRAL-ABDOMINAL WEEK 65			449, 456, 463
			VENTRAL-ABDOMINAL-RIGHT WEEK 60			414

Appendix 2

Individual Clinical Observations

PAGE: 298

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92912	T	105	SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA SORE/SCAB VENTRAL-ABDOMINAL			645 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 80			554, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 732C
C92913	T	105	SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL SORE/SCAB VENTRAL-ABDOMINAL			715, 722 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 299

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92913	T	105	NORMAL NO REMARKABLE OBSERVATIONS			477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
			MASS(ES) VENTRAL-ABDOMINAL WEEK 91			631, 638, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 731C
C92914	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92915	M	96	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			670
			EXCRETION FEW FECES NO FECES			645, 659 670
			EYES RED DISCHARGE EYES			670
			SKIN & PELAGE SORE/SCAB PAWS-HIND			652, 659, 666, 670
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 300

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92915	M	96	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 575, 582 589, 596, 603, 610, 617, 624, 631, 638
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 80			554, 561, 568
C92916	M	93	APPEARANCE			
			HEAD TILT			
			RIGHT			617, 624, 631, 638, 645, 649
			MALOCCLUSION			22
			EXCRETION			
			FEW FECES			624, 631, 638
			EYES			
			PROTRUDING			
			EYES			519, 526, 533
			SKIN & PELAGE			
			SORE/SCAB			
			DORSAL-THORACIC-RIGHT			519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624
			LATERAL-THORACIC-LEFT			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596
			PAW-HIND-RIGHT			589, 596, 603, 610, 617, 624, 631, 638, 645, 649
			SHOULDER-LEFT			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113

Appendix 2

Individual Clinical Observations

PAGE: 301

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92916	M	93	NORMAL			
			NO REMARKABLE OBSERVATIONS			120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 48			330
			WEEK 70			484, 491, 498, 505, 512, 519, 526C, 533C, 540C, 547C, 554C, 561C 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 645C, 649C
			AXILLARY REGION-RIGHT			
			WEEK 46			316C, 323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 649C
			INGUINAL REGION-LEFT			
			WEEK 84			582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 649C
			INGUINAL REGION-RIGHT			
			WEEK 75			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 649C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 38			260, 267, 274, 281, 288, 295, 302, 309, 316
			WART LIKE LESION(S)			
			MOUTH			
			WEEK 75			519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 649

Appendix 2

Individual Clinical Observations

PAGE: 302

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92917	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C92918	M	73	APPEARANCE THIN			508
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			508
			EXCRETION FEW FECES			504-505, 508
			EYES RED DISCHARGE EYES			504-505, 508
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			379
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498

Appendix 2

Individual Clinical Observations

PAGE: 303

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92918	M	73	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 25			169, 176, 183, 190
C92919	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92920	M	72	APPEARANCE HUNCHED			498
			EXCRETION FEW FECES NO FECES			489, 491 498
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 288, 295, 302, 309, 316, 323, 330, 337, 344 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484
			MASS(ES) VENTRAL-ABDOMINAL WEEK 36 VENTRAL-ABDOMINAL-LEFT WEEK 34			246C, 253C, 260C, 267, 274, 281 232C, 239C, 246C, 253C, 260C, 267C, 274C, 281C

Appendix 2

Individual Clinical Observations

PAGE: 304

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92921	M	57	APPEARANCE THIN			372, 379, 386, 393
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			379, 386, 393
			EXCRETION FEW FECES			337, 344, 351, 358, 365, 372, 379, 386, 393
			EYES RED DISCHARGE EYES			372, 379, 386, 393
			RESPIRATION LABORED			393
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			365, 372, 379, 386, 393
			ROUGH HAIR COAT SORE/SCAB			365, 372, 379, 386, 393
			AXILLARY REGION-LEFT			379, 386, 393
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 323

Appendix 2

Individual Clinical Observations

PAGE: 305

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92921	M	57	MASS(ES) AXILLARY REGION-LEFT WEEK 48 HEAD-MAXILLARY-RIGHT WEEK 43			330, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C 295, 302, 309, 316
			WART LIKE LESION(S) MOUTH WEEK 46			316
C92922	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C92923	3	53	SKIN & PELAGE SORE/SCAB DORSAL-THORACIC-RIGHT			365-366
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 351, 358
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 48			330, 337, 344

Appendix 2

Individual Clinical Observations

PAGE: 306

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92923	3	53	SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C92924	M	85	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568
			MASS(ES) LIMB-HIND-LEFT WEEK 83 VENTRAL-ABDOMINAL WEEK 30			575C, 582C, 589C 204, 211, 218, 225
C92925	T	105	EYES CLEAR DISCHARGE EYE-RIGHT RED DISCHARGE EYE-RIGHT			526 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617 624, 631, 638, 645, 652, 659, 666, 673, 680, 687
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			722, 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 307

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92925	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES)			
			AXILLARY REGION-RIGHT			
			WEEK 96			666
			WEEK 99			687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C
			INGUINAL REGION-RIGHT			
			WEEK 84			582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C 733C
			VENTRAL-ABDOMINAL			
			WEEK 92			638, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C, 722C, 729C, 733C
C92926	1	4	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92927	T	105	EYES			
			PROTRUDING			
			EYES			519, 526, 533
			SKIN & PELAGE			
			BLACK SKIN			
			VENTRAL-THORACIC			729, 731
			ROUGH HAIR COAT			554

Appendix 2

Individual Clinical Observations

PAGE: 308

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92927	T	105	SKIN & PELAGE SORE/SCAB DORSAL DORSAL-THORACIC			631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708 596
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 470, 477, 484, 491, 498, 505 512, 540, 547, 561
			MASS(ES) AXILLARY REGION-RIGHT WEEK 88			610, 617, 624, 631, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C
			INGUINAL REGION-LEFT WEEK 105			729C, 731C
			INGUINAL REGION-RIGHT WEEK 94			652, 659, 666, 673, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 731C
			VENTRAL-CERVICAL WEEK 63 WEEK 82			435C, 442C, 449C, 456C, 463C 568, 575, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C
			VENTRAL-THORACIC-RIGHT WEEK 91			631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 731C

Appendix 2

Individual Clinical Observations

PAGE: 309

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92928	M	83	BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			575 575
			EXCRETION FEW FECES NO FECES			575 572
			EYES RED DISCHARGE EYE-RIGHT EYES			505, 512, 519, 533, 540, 547, 554, 561 526, 568, 572, 575
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498
C92929	M	60	APPEARANCE HEAD TILT LEFT MALOCCLUSION THIN			344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414-415 351, 358, 365, 372, 379, 386, 393, 400, 407, 414-415 372, 379, 386, 393, 400, 407, 414-415
			BEHAVIOR CIRCLING RIGHT			358

Appendix 2

Individual Clinical Observations

PAGE: 310

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F1	DOSE: 0 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92929	M	60	EXCRETION FEW FECES			337
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330
C92930	3	53	APPEARANCE MALOCCLUSION			176, 183
			SKIN & PELAGE SORE/SCAB DORSAL-THORACIC-RIGHT			365-366
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358
			SURGERY PERFORMED BY JOHN VAN BERKUM			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360

Appendix 2

Individual Clinical Observations

PAGE: 311

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92865	F1	281 41 TO 323 47	MASS(ES) VENTRAL-ABDOMINAL WEEK 41	15 X 15MM
C92867	F1	722 104	MASS(ES) VENTRAL-ABDOMINAL WEEK 104	10 X 10MM
		729 105 TO 732 105	MASS(ES) VENTRAL-ABDOMINAL WEEK 104	15 X 15MM
C92871	F1	652 94 TO 680 98	MASS(ES) INGUINAL REGION-LEFT WEEK 94	40 X 40MM
		687 99 TO 694 100	MASS(ES) INGUINAL REGION-LEFT WEEK 94	50 X 40MM
		701 101 TO 715 103	MASS(ES) INGUINAL REGION-LEFT WEEK 94	40 X 40MM
		722 104 TO 731 105	MASS(ES) INGUINAL REGION-LEFT WEEK 94	50 X 50MM
		526 76 TO 540 78	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 76	25 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 312

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92871	F1	547 79	MASS(ES)	30 X 40MM
		TO 582 84	VENTRAL-THORACIC-LEFT WEEK 76	
		589 85	MASS(ES)	
			VENTRAL-THORACIC-LEFT WEEK 76	
		596 86	MASS(ES)	
		TO 659 95	VENTRAL-THORACIC-LEFT WEEK 76	
		666 96	MASS(ES)	
C92872	F1		VENTRAL-THORACIC-LEFT WEEK 76	40 X 50MM
		673 97	MASS(ES)	
			VENTRAL-THORACIC-LEFT WEEK 76	
		680 98	MASS(ES)	
		TO 694 100	VENTRAL-THORACIC-LEFT WEEK 76	
		701 101	MASS(ES)	
		TO 731 105	VENTRAL-THORACIC-LEFT WEEK 76	
C92872	F1	596 86	MASS(ES)	10 X 10MM
		TO 610 88	INGUINAL REGION-LEFT WEEK 83	

Appendix 2

Individual Clinical Observations

PAGE: 313

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92872	F1	617 89	MASS(ES)	30 X 20MM
	TO	618 89	INGUINAL REGION-LEFT WEEK 83	
		323 47	MASS(ES)	25 X 20MM
	TO	330 48	VENTRAL-ABDOMINAL WEEK 41	
		337 49	MASS(ES)	30 X 25MM
			VENTRAL-ABDOMINAL WEEK 41	
		344 50	MASS(ES)	30 X 25MM
			VENTRAL-ABDOMINAL WEEK 41	
		351 51	MASS(ES)	30 X 30MM
			VENTRAL-ABDOMINAL WEEK 41	
		358 52	MASS(ES)	35 X 30MM
			VENTRAL-ABDOMINAL WEEK 41	
		365 53	MASS(ES)	40 X 35MM
	TO	393 57	VENTRAL-ABDOMINAL WEEK 41	
		400 58	MASS(ES)	55 X 45MM
	TO	414 60	VENTRAL-ABDOMINAL WEEK 41	

Appendix 2

Individual Clinical Observations

PAGE: 314

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92872	F1	421 61	MASS(ES)	55 X 50MM
		TO 435 63	VENTRAL-ABDOMINAL WEEK 41	
		442 64	MASS(ES)	55 X 60MM
			VENTRAL-ABDOMINAL WEEK 41	
		449 65	MASS(ES)	70 X 65MM
		TO 470 68	VENTRAL-ABDOMINAL WEEK 41	
		477 69	MASS(ES)	60 X 65MM
		TO 505 73	VENTRAL-ABDOMINAL WEEK 41	
		512 74	MASS(ES)	80 X 70MM
		TO 540 78	VENTRAL-ABDOMINAL WEEK 41	
		547 79	MASS(ES)	70 X 70MM
		TO 554 80	VENTRAL-ABDOMINAL WEEK 41	
		561 81	MASS(ES)	80 X 70MM
		TO 618 89	VENTRAL-ABDOMINAL WEEK 41	
C92873	F1	547 79	MASS(ES)	10 X 10MM
		TO 568 82	AXILLARY REGION-LEFT WEEK 79	

Appendix 2

Individual Clinical Observations

PAGE: 315

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92874	F1	652 94	MASS(ES)	10 X 10MM
		TO 659 95	VENTRAL-ABDOMINAL WEEK 93	
		666 96	MASS(ES)	15 X 15MM
		TO 673 97	VENTRAL-ABDOMINAL WEEK 93	
		680 98	MASS(ES)	20 X 20MM
		TO 701 101	VENTRAL-ABDOMINAL WEEK 93	
		708 102	MASS(ES)	25 X 25MM
		TO 715 103	VENTRAL-ABDOMINAL WEEK 93	
		722 104	MASS(ES)	40 X 30MM
		TO 731 105	VENTRAL-ABDOMINAL WEEK 93	
C92876	F1	365 53	MASS(ES)	10 X 10MM
		TO 366 53	VENTRAL-ABDOMINAL-RIGHT WEEK 53	
C92878	F1	414 60	MASS(ES)	10 X 10MM
		TO 421 61	VENTRAL-ABDOMINAL-LEFT WEEK 60	
		428 62	MASS(ES)	15 X 15MM
		TO 463 67	VENTRAL-ABDOMINAL-LEFT WEEK 60	

Appendix 2

Individual Clinical Observations

PAGE: 316

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92878	F1	470 68	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60	30 X 30MM
		477 69 TO 491 71	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60	20 X 20MM
		498 72 TO 505 73	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60	30 X 20MM
		512 74 TO 519 75	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60	35 X 30MM
		526 76 TO 554 80	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60	35 X 35MM
		561 81 TO 562 81	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 60	35 X 35MM
		309 45	MASS(ES) VENTRAL-THORACIC WEEK 45	20 X 20MM
		316 46 TO 330 48	MASS(ES) VENTRAL-THORACIC WEEK 45	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 317

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92878	F1	337 49	MASS(ES)	35 X 30MM
	TO	351 51	VENTRAL-THORACIC WEEK 45	
		358 52	MASS(ES)	45 X 40MM
	TO	393 57	VENTRAL-THORACIC WEEK 45	
		400 58	MASS(ES)	55 X 60MM
	TO	421 61	VENTRAL-THORACIC WEEK 45	
		428 62	MASS(ES)	60 X 60MM
	TO	442 64	VENTRAL-THORACIC WEEK 45	
		449 65	MASS(ES)	75 X 70MM
	TO	505 73	VENTRAL-THORACIC WEEK 45	
		512 74	MASS(ES)	90 X 80MM
	TO	519 75	VENTRAL-THORACIC WEEK 45	
		526 76	MASS(ES)	100 X 85MM
	TO	533 77	VENTRAL-THORACIC WEEK 45	
		540 78	MASS(ES)	90 X 80MM
	TO	554 80	VENTRAL-THORACIC WEEK 45	

Appendix 2

Individual Clinical Observations

PAGE: 318

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92878	F1	561 81	MASS(ES)	100 X 100MM
	TO	562 81	VENTRAL-THORACIC WEEK 45	
C92879	F1	477 69	MASS(ES)	10 X 10MM
	TO	505 73	AXILLARY REGION-LEFT WEEK 69	
		512 74	MASS(ES)	15 X 15MM
	TO	596 86	AXILLARY REGION-LEFT WEEK 69	
		603 87	MASS(ES)	10 X 10MM
	TO	645 93	AXILLARY REGION-LEFT WEEK 69	
		449 65	MASS(ES)	10 X 10MM
	TO	505 73	INGUINAL REGION-LEFT WEEK 65	
		512 74	MASS(ES)	15 X 15MM
	TO	554 80	INGUINAL REGION-LEFT WEEK 65	
		344 50	MASS(ES)	10 X 10MM
			INGUINAL REGION-RIGHT WEEK 50	
		477 69	MASS(ES)	10 X 10MM
	TO	491 71	VENTRAL-ABDOMINAL-RIGHT WEEK 65	

Appendix 2

Individual Clinical Observations

PAGE: 319

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92879	F1	638 92 TO 645 93	MASS(ES) RECTUM WEEK 92	15 X 15MM
C92881	F1	687 99 TO 722 104	MASS(ES) INGUINAL REGION-LEFT WEEK 99	10 X 10MM
		729 105 TO 733 105	MASS(ES) INGUINAL REGION-LEFT WEEK 99	20 X 20MM
C92882	F1	477 69	MASS(ES) AXILLARY REGION-LEFT WEEK 69	20 X 20MM
		484 70 TO 491 71	MASS(ES) AXILLARY REGION-LEFT WEEK 69	20 X 25MM
		498 72 TO 505 73	MASS(ES) AXILLARY REGION-LEFT WEEK 69	30 X 30MM
		512 74	MASS(ES) AXILLARY REGION-LEFT WEEK 69	30 X 40MM
		519 75	MASS(ES) AXILLARY REGION-LEFT WEEK 69	45 X 40MM

Appendix 2

Individual Clinical Observations

PAGE: 320

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92882	F1	526 76	MASS(ES)	50 X 40MM
	TO	547 79	AXILLARY REGION-LEFT WEEK 69	
		554 80	MASS(ES)	50 X 50MM
			AXILLARY REGION-LEFT WEEK 69	
		561 81	MASS(ES)	50 X 60MM
	TO	589 85	AXILLARY REGION-LEFT WEEK 69	
		596 86	MASS(ES)	60 X 65MM
			AXILLARY REGION-LEFT WEEK 69	
		603 87	MASS(ES)	60 X 50MM
	TO	610 88	AXILLARY REGION-LEFT WEEK 69	
		617 89	MASS(ES)	75 X 60MM
			AXILLARY REGION-LEFT WEEK 69	
		624 90	MASS(ES)	75 X 60MM
			AXILLARY REGION-LEFT WEEK 69	
		631 91	MASS(ES)	75 X 60MM
			AXILLARY REGION-LEFT WEEK 69	

Appendix 2

Individual Clinical Observations

PAGE: 321

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92882	F1	638 92	MASS(ES) AXILLARY REGION-LEFT WEEK 69	75 X 60MM
		645 93 TO 659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 69	70 X 65MM
		666 96 TO 733 105	MASS(ES) AXILLARY REGION-LEFT WEEK 69	80 X 65MM
		694 100 TO 733 105	MASS(ES) AXILLARY REGION-RIGHT WEEK 100	10 X 10MM
C92883	F1	519 75 TO 575 83	MASS(ES) INGUINAL REGION-RIGHT WEEK 75	10 X 10MM
		582 84	MASS(ES) INGUINAL REGION-RIGHT WEEK 75	15 X 15MM
		589 85 TO 604 87	MASS(ES) INGUINAL REGION-RIGHT WEEK 75	20 X 20MM
C92884	F1	505 73	MASS(ES) AXILLARY REGION-LEFT WEEK 73	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 322

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92884	F1	617 89	MASS(ES)	15 X 15MM
	TO	645 93	AXILLARY REGION-LEFT WEEK 89	
		652 94	MASS(ES)	25 X 20MM
			AXILLARY REGION-LEFT WEEK 89	
		659 95	MASS(ES)	15 X 15MM
			AXILLARY REGION-LEFT WEEK 89	
		666 96	MASS(ES)	20 X 15MM
	TO	666 96	AXILLARY REGION-LEFT WEEK 89	
		589 85	MASS(ES)	10 X 10MM
	TO	596 86	AXILLARY REGION-RIGHT WEEK 85	
		617 89	MASS(ES)	15 X 15MM
	TO	624 90	VENTRAL-ABDOMINAL-LEFT WEEK 79	
		631 91	MASS(ES)	20 X 20MM
	TO	659 95	VENTRAL-ABDOMINAL-LEFT WEEK 79	
		666 96	MASS(ES)	30 X 20MM
	TO	666 96	VENTRAL-ABDOMINAL-LEFT WEEK 79	

Appendix 2

Individual Clinical Observations

PAGE: 323

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92884	F1	449 65	MASS(ES)	10 X10MM
	TO	498 72	VENTRAL-ABDOMINAL-RIGHT WEEK 65	
		505 73	MASS(ES)	15 X 15MM
	TO	519 75	VENTRAL-ABDOMINAL-RIGHT WEEK 65	
		526 76	MASS(ES)	15 X 20MM
	TO	547 79	VENTRAL-ABDOMINAL-RIGHT WEEK 65	
		554 80	MASS(ES)	20 X 25MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 65	
		561 81	MASS(ES)	25 X 30MM
	TO	666 96	VENTRAL-ABDOMINAL-RIGHT WEEK 65	
		512 74	MASS(ES)	30 X 20MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR
		519 75	MASS(ES)	20 X 15MM
	TO	540 78	VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR
		547 79	MASS(ES)	20 X 20MM
	TO	582 84	VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR

Appendix 2

Individual Clinical Observations

PAGE: 324

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92884	F1	589 85	MASS(ES)	30 X 30MM
		TO 596 86	VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR
		603 87	MASS(ES)	20 X 20MM
		TO 610 88	VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR
		617 89	MASS(ES)	25 X 25MM
		TO 659 95	VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR
		666 96	MASS(ES)	30 X 25MM
		TO 666 96	VENTRAL-ABDOMINAL-RIGHT WEEK 74	POSTERIOR
C92885	F1	708 102	MASS(ES)	10 X 10MM
		TO 715 103	INGUINAL REGION-LEFT WEEK 99	
		722 104	MASS(ES)	15 X 15MM
		TO 733 105	INGUINAL REGION-LEFT WEEK 99	
C92886	F1	421 61	MASS(ES)	15 X 15MM
		TO 428 62	AXILLARY REGION-LEFT WEEK 59	
		435 63	MASS(ES)	20 X 15MM
		TO 442 64	AXILLARY REGION-LEFT WEEK 59	

Appendix 2

Individual Clinical Observations

PAGE: 325

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92886	F1	449 65	MASS(ES)	25 X 20MM
		TO 470 68	AXILLARY REGION-LEFT WEEK 59	
		477 69	MASS(ES)	10 X 10MM
		TO 533 77	AXILLARY REGION-LEFT WEEK 59	
		407 59	MASS(ES)	15 X 15MM
		TO 463 67	INGUINAL REGION-RIGHT WEEK 59	
C92893	F1	519 75	MASS(ES)	10 X 10MM
		TO 540 78	AXILLARY REGION-RIGHT WEEK 74	
		561 81	MASS(ES)	10 X 10MM
		TO 610 88	AXILLARY REGION-RIGHT WEEK 74	
		526 76	MASS(ES)	10 X 10MM
		TO 554 80	INGUINAL REGION-RIGHT WEEK 76	
		526 76	MASS(ES)	10 X 10MM
		TO 568 82	VENTRAL - ABDOMINAL - RIGHT WEEK 76	
		519 75	MASS(ES)	10 X 10MM
			VENTRAL - THORACIC - LEFT WEEK 74	

Appendix 2

Individual Clinical Observations

PAGE: 326

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92893	F1	526 76	MASS(ES)	15 X 15MM
	TO	540 78	VENTRAL-THORACIC-LEFT WEEK 74	
		547 79	MASS(ES)	10 X 10MM
			VENTRAL-THORACIC-LEFT WEEK 74	
		554 80	MASS(ES)	15 X 15MM
			VENTRAL-THORACIC-LEFT WEEK 74	
		561 81	MASS(ES)	25 X 25MM
	TO	575 83	VENTRAL-THORACIC-LEFT WEEK 74	
		582 84	MASS(ES)	30 X 30MM
			VENTRAL-THORACIC-LEFT WEEK 74	
		589 85	MASS(ES)	40 X 40MM
			VENTRAL-THORACIC-LEFT WEEK 74	
		596 86	MASS(ES)	40 X 45MM
			VENTRAL-THORACIC-LEFT WEEK 74	
		603 87	MASS(ES)	40 X 40MM
	TO	610 88	VENTRAL-THORACIC-LEFT WEEK 74	

Appendix 2

Individual Clinical Observations

PAGE: 327

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92893	F1	421 61	MASS(ES) RECTUM WEEK 61	15 X 20MM
		428 62	MASS(ES) RECTUM WEEK 61	15 X 20MM
		435 63	MASS(ES) RECTUM WEEK 61	15 X 20MM
	TO	463 67	MASS(ES) RECTUM WEEK 61	
C92895	F1	603 87	MASS(ES) AXILLARY REGION-LEFT WEEK 87	10 X 10MM
	TO	631 91	MASS(ES) AXILLARY REGION-LEFT WEEK 87	15 X 15MM
		638 92	MASS(ES) AXILLARY REGION-LEFT WEEK 87	20 X 15MM
		645 93	MASS(ES) AXILLARY REGION-LEFT WEEK 87	25 X 25MM
		652 94	MASS(ES) AXILLARY REGION-LEFT WEEK 87	30 X 25MM
		659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 87	
		666 96	MASS(ES) AXILLARY REGION-LEFT WEEK 87	
	TO	673 97	MASS(ES) AXILLARY REGION-LEFT WEEK 87	

Appendix 2

Individual Clinical Observations

PAGE: 328

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92895	F1	680 98	MASS(ES)	40 X 30MM
	TO	701 101	AXILLARY REGION-LEFT WEEK 87	
		708 102	MASS(ES)	45 X 40MM
	TO	732 105	AXILLARY REGION-LEFT WEEK 87	
C92896	F1	526 76	MASS(ES)	20 X 15MM
	TO	554 80	INGUINAL REGION-RIGHT WEEK 76	
		561 81	MASS(ES)	25 X 20MM
	TO	589 85	INGUINAL REGION-RIGHT WEEK 76	
		596 86	MASS(ES)	30 X 25MM
	TO	610 88	INGUINAL REGION-RIGHT WEEK 76	
		617 89	MASS(ES)	35 X 30MM
	TO	624 90	INGUINAL REGION-RIGHT WEEK 76	
		631 91	MASS(ES)	50 X 35MM
	TO	715 103	INGUINAL REGION-RIGHT WEEK 76	
		722 104	MASS(ES)	60 X 40MM
	TO	731 105	INGUINAL REGION-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 329

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92896	F1	673 97	MASS(ES)	20 X 15MM
	TO	701 101	VENTRAL-ABDOMINAL-RIGHT WEEK 97	
		708 102	MASS(ES)	30 X 30MM
	TO	715 103	VENTRAL-ABDOMINAL-RIGHT WEEK 97	
C92901	F1	526 76	MASS(ES)	10 X 10MM
	TO	551 79	RECTUM WEEK 76	
C92904	F1	484 70	MASS(ES)	10 X 10MM
	TO	498 72	AXILLARY REGION-LEFT WEEK 69	
		505 73	MASS(ES)	15 X 15MM
			AXILLARY REGION-LEFT WEEK 69	
		512 74	MASS(ES)	30 X 25MM
	TO	540 78	AXILLARY REGION-LEFT WEEK 69	
		547 79	MASS(ES)	30 X 30MM
	TO	554 80	AXILLARY REGION-LEFT WEEK 69	
		561 81	MASS(ES)	35 X 35MM
	TO	582 84	AXILLARY REGION-LEFT WEEK 69	

Appendix 2

Individual Clinical Observations

PAGE: 330

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	589 85	MASS(ES) AXILLARY REGION-LEFT WEEK 69	40 X 40MM
		596 86 TO 603 87	MASS(ES) AXILLARY REGION-LEFT WEEK 69	35 X 45MM
		610 88	MASS(ES) AXILLARY REGION-LEFT WEEK 69	40 X 45MM
		617 89 TO 638 92	MASS(ES) AXILLARY REGION-LEFT WEEK 69	50 X 50MM
		645 93 TO 659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 69	50 X 55MM
		666 96 TO 673 97	MASS(ES) AXILLARY REGION-LEFT WEEK 69	50 X 60MM
		680 98 TO 702 101	MASS(ES) AXILLARY REGION-LEFT WEEK 69	55 X 65MM
		484 70 TO 512 74	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 331

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	519 75	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	15 X 10MM
		526 76	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 10MM
		533 77	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 10MM
		540 78	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 10MM
		547 79	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 15MM
		554 80	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 15MM
		561 81	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 20MM
		568 82	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 332

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	575 83	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 20MM
		582 84	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 20MM
		589 85	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 20MM
		596 86	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	20 X 20MM
		603 87	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	35 X 30MM
		610 88	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	35 X 30MM
		617 89	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		624 90	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM

Appendix 2

Individual Clinical Observations

PAGE: 333

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	631 91	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		638 92	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		645 93	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		652 94	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		659 95	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		666 96	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		673 97	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		680 98	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM

Appendix 2

Individual Clinical Observations

PAGE: 334

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	687 99	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		694 100	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		701 101	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		702 101	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		702 101	MASS(ES) INGUINAL REGION-RIGHT WEEK 70	40 X 35MM
		673 97	MASS(ES)	30 X 20MM
TO		702 101	VENTRAL-ABDOMINAL-LEFT WEEK 97	
		449 65	MASS(ES)	10 X 10MM
TO		463 67	VENTRAL-CERVICAL-LEFT WEEK 63	
		470 68	MASS(ES)	15 X 15MM
TO		498 72	VENTRAL-CERVICAL-LEFT WEEK 63	

Appendix 2

Individual Clinical Observations

PAGE: 335

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	505 73	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 63	20 X 20MM
		512 74	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 63	30 X 30MM
		519 75	MASS(ES)	25 X 25MM
	TO	533 77	VENTRAL-CERVICAL-LEFT WEEK 63	
		540 78	MASS(ES)	10 X 10MM
	TO	596 86	VENTRAL-CERVICAL-LEFT WEEK 63	
		505 73	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 73	10 X 10MM
		512 74	MASS(ES)	20 X 20MM
	TO	540 78	VENTRAL-THORACIC-LEFT WEEK 73	
		547 79	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 73	20 X 30MM
		554 80	MASS(ES)	30 X 35MM
	TO	575 83	VENTRAL-THORACIC-LEFT WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 336

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92904	F1	582 84	MASS(ES)	40 X 40MM
		TO 589 85	VENTRAL-THORACIC-LEFT WEEK 73	
		596 86	MASS(ES)	
		TO 624 90	VENTRAL-THORACIC-LEFT WEEK 73	30 X 25MM
		631 91	MASS(ES)	30 X 35MM
		TO 702 101	VENTRAL-THORACIC-LEFT WEEK 73	
C92906	F1	659 95	MASS(ES)	15 X 15MM
		TO 715 103	AXILLARY REGION-LEFT WEEK 95	
		722 104	MASS(ES)	20 X 20MM
		TO 731 105	AXILLARY REGION-LEFT WEEK 95	
		659 95	MASS(ES)	20 X 20MM
		TO 680 98	AXILLARY REGION-RIGHT WEEK 95	
		687 99	MASS(ES)	30 X 25MM
		TO 708 102	AXILLARY REGION-RIGHT WEEK 95	
		715 103	MASS(ES)	40 X 30MM
		TO 731 105	AXILLARY REGION-RIGHT WEEK 95	

Appendix 2

Individual Clinical Observations

PAGE: 337

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92908	F1	540 78	MASS(ES)	10 X 10MM
	TO	554 80	VENTRAL-CERVICAL WEEK 78	
		561 81	MASS(ES)	15 X 15MM
	TO	582 84	VENTRAL-CERVICAL WEEK 78	
		589 85	MASS(ES)	20 X 20MM
	TO	646 93	VENTRAL-CERVICAL WEEK 78	
C92909	F1	680 98	MASS(ES)	20 X 20MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 98	
		687 99	MASS(ES)	30 X 20MM
	TO	701 101	VENTRAL-ABDOMINAL-RIGHT WEEK 98	
		708 102	MASS(ES)	45 X 30MM
	TO	715 103	VENTRAL-ABDOMINAL-RIGHT WEEK 98	
		722 104	MASS(ES)	80 X 45MM
	TO	732 105	VENTRAL-ABDOMINAL-RIGHT WEEK 98	
C92911	F1	477 69	MASS(ES)	10 X 10MM
			AXILLARY REGION-LEFT WEEK 69	

Appendix 2

Individual Clinical Observations

PAGE: 338

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92911	F1	484 70	MASS(ES)	15 X 15MM
		TO 498 72	AXILLARY REGION-LEFT WEEK 69	
		505 73	MASS(ES)	10 X 10MM
			AXILLARY REGION-LEFT WEEK 69	
		512 74	MASS(ES)	20 X 20MM
		TO 519 75	AXILLARY REGION-LEFT WEEK 69	
		526 76	MASS(ES)	15 X 15MM
			AXILLARY REGION-LEFT WEEK 69	
C92912	F1	561 81	MASS(ES)	10 X 10MM
		TO 568 82	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		575 83	MASS(ES)	30 X 20MM
		TO 589 85	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		596 86	MASS(ES)	30 X 30MM
		TO 610 88	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		617 89	MASS(ES)	40 X 45MM
		TO 624 90	VENTRAL-ABDOMINAL-LEFT WEEK 80	

Appendix 2

Individual Clinical Observations

PAGE: 339

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92912	F1	631 91	MASS(ES)	70 X 50MM
		TO 638 92	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		645 93	MASS(ES)	60 X 50MM
			VENTRAL-ABDOMINAL-LEFT WEEK 80	
		652 94	MASS(ES)	60 X 60MM
		TO 659 95	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		666 96	MASS(ES)	70 X 60MM
		TO 680 98	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		687 99	MASS(ES)	70 X 70MM
		TO 701 101	VENTRAL-ABDOMINAL-LEFT WEEK 80	
		708 102	MASS(ES)	70 X 90MM
			VENTRAL-ABDOMINAL-LEFT WEEK 80	
		715 103	MASS(ES)	90 X 70MM
			VENTRAL-ABDOMINAL-LEFT WEEK 80	
		722 104	MASS(ES)	90 X 100MM
		TO 732 105	VENTRAL-ABDOMINAL-LEFT WEEK 80	

Appendix 2

Individual Clinical Observations

PAGE: 340

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92913	F1	645 93	MASS(ES)	10 X 10MM
		TO 652 94	VENTRAL-ABDOMINAL WEEK 91	
		659 95	MASS(ES)	15 X 15MM
			VENTRAL-ABDOMINAL WEEK 91	
		666 96	MASS(ES)	25 X 20MM
		TO 694 100	VENTRAL-ABDOMINAL WEEK 91	
C92913	F1	701 101	MASS(ES)	30 X 30MM
			VENTRAL-ABDOMINAL WEEK 91	
		708 102	MASS(ES)	40 X 40MM
		TO 715 103	VENTRAL-ABDOMINAL WEEK 91	
		722 104	MASS(ES)	50 X 45MM
		TO 731 105	VENTRAL-ABDOMINAL WEEK 91	
C92916	F1	526 76	MASS(ES)	10 X 10MM
		TO 649 93	AXILLARY REGION-LEFT WEEK 70	
		316 46	MASS(ES)	20 X 20MM
			AXILLARY REGION-RIGHT WEEK 46	

Appendix 2

Individual Clinical Observations

PAGE: 341

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92916	F1	323 47	MASS(ES)	25 X 20MM
		TO 330 48	AXILLARY REGION-RIGHT WEEK 46	
		337 49	MASS(ES)	20 X 20MM
		TO 407 59	AXILLARY REGION-RIGHT WEEK 46	
		414 60	MASS(ES)	25 X 20MM
		TO 442 64	AXILLARY REGION-RIGHT WEEK 46	
		449 65	MASS(ES)	60 X 45MM
		TO 512 74	AXILLARY REGION-RIGHT WEEK 46	
		519 75	MASS(ES)	25 X 25MM
		TO 547 79	AXILLARY REGION-RIGHT WEEK 46	
		554 80	MASS(ES)	35 X 35MM
			AXILLARY REGION-RIGHT WEEK 46	
		561 81	MASS(ES)	60 X 50MM
		TO 603 87	AXILLARY REGION-RIGHT WEEK 46	
		610 88	MASS(ES)	50 X 40MM
		TO 624 90	AXILLARY REGION-RIGHT WEEK 46	

Appendix 2

Individual Clinical Observations

PAGE: 342

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92916	F1	631 91	MASS(ES)	30 X 20MM
	TO	638 92	AXILLARY REGION-RIGHT WEEK 46	
		645 93	MASS(ES)	15 X 15MM
	TO	649 93	AXILLARY REGION-RIGHT WEEK 46	
		582 84	MASS(ES)	15 X 15MM
	TO	589 85	INGUINAL REGION-LEFT WEEK 84	
		596 86	MASS(ES)	20 X 20MM
			INGUINAL REGION-LEFT WEEK 84	
		603 87	MASS(ES)	15 X 15MM
			INGUINAL REGION-LEFT WEEK 84	
		610 88	MASS(ES)	20 X 20MM
	TO	624 90	INGUINAL REGION-LEFT WEEK 84	
		631 91	MASS(ES)	10 X 10MM
			INGUINAL REGION-LEFT WEEK 84	
		638 92	MASS(ES)	20 X 20MM
	TO	649 93	INGUINAL REGION-LEFT WEEK 84	

Appendix 2

Individual Clinical Observations

PAGE: 343

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92916	F1	519 75	MASS(ES)	10 X 10MM
	TO	575 83	INGUINAL REGION-RIGHT WEEK 75	
		582 84	MASS(ES)	15 X 15MM
	TO	596 86	INGUINAL REGION-RIGHT WEEK 75	
		603 87	MASS(ES)	20 X 20MM
	TO	610 88	INGUINAL REGION-RIGHT WEEK 75	
		617 89	MASS(ES)	50 X 40MM
	TO	649 93	INGUINAL REGION-RIGHT WEEK 75	
C92920	F1	246 36	MASS(ES)	10 X 10MM
	TO	260 38	VENTRAL-ABDOMINAL WEEK 36	
		232 34	MASS(ES)	25 X 20MM
			VENTRAL-ABDOMINAL-LEFT WEEK 34	
		239 35	MASS(ES)	30 X 35MM
	TO	281 41	VENTRAL-ABDOMINAL-LEFT WEEK 34	
C92921	F1	337 49	MASS(ES)	10 X 10MM
	TO	358 52	AXILLARY REGION-LEFT WEEK 48	

Appendix 2

Individual Clinical Observations

PAGE: 344

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92921	F1	365 53 TO 393 57	MASS(ES) AXILLARY REGION-LEFT WEEK 48	15 X 15MM
C92924	F1	575 83	MASS(ES) LIMB-HIND-LEFT WEEK 83	45 X 40MM
		582 84	MASS(ES) LIMB-HIND-LEFT WEEK 83	60 X 50MM
		589 85 TO 589 85	MASS(ES) LIMB-HIND-LEFT WEEK 83	80 X 60MM
C92925	F1	687 99	MASS(ES) AXILLARY REGION-RIGHT WEEK 99	10 X 10MM
		694 100 TO 715 103	MASS(ES) AXILLARY REGION-RIGHT WEEK 99	15 X 15MM
		722 104 TO 733 105	MASS(ES) AXILLARY REGION-RIGHT WEEK 99	20 X 20MM
		582 84 TO 603 87	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	40 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 345

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92925	F1	610 88	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	40 X 35MM
		617 89 TO 624 90	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	60 X 40MM
		631 91 TO 659 95	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	60 X 50MM
		666 96 TO 680 98	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	65 X 50MM
		687 99 TO 715 103	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	70 X 60MM
		722 104 TO 733 105	MASS(ES) INGUINAL REGION-RIGHT WEEK 84	80 X 80MM
		645 93 TO 680 98	MASS(ES) VENTRAL-ABDOMINAL WEEK 92	10 X 10MM
		687 99 TO 733 105	MASS(ES) VENTRAL-ABDOMINAL WEEK 92	15 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 346

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92927	F1	638 92	MASS(ES)	10 X 10MM
	TO	666 96	AXILLARY REGION-RIGHT WEEK 88	
		673 97	MASS(ES)	20 X 20MM
	TO	715 103	AXILLARY REGION-RIGHT WEEK 88	
		722 104	MASS(ES)	40 X 40MM
	TO	731 105	AXILLARY REGION-RIGHT WEEK 88	
		729 105	MASS(ES)	15 X 15MM
	TO	731 105	INGUINAL REGION-LEFT WEEK 105	
		680 98	MASS(ES)	15 X 10MM
	TO	715 103	INGUINAL REGION-RIGHT WEEK 94	
		722 104	MASS(ES)	25 X 20MM
	TO	731 105	INGUINAL REGION-RIGHT WEEK 94	
		435 63	MASS(ES)	10 X 10MM
	TO	463 67	VENTRAL-CERVICAL WEEK 63	
		582 84	MASS(ES)	10 X 10MM
			VENTRAL-CERVICAL WEEK 82	

Appendix 2

Individual Clinical Observations

PAGE: 347

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92927	F1	589 85	MASS(ES)	20 X 20MM
	TO	659 95	VENTRAL-CERVICAL WEEK 82	
		666 96	MASS(ES)	25 X 25MM
	TO	673 97	VENTRAL-CERVICAL WEEK 82	
		680 98	MASS(ES)	30 X 30MM
	TO	715 103	VENTRAL-CERVICAL WEEK 82	
		631 91	MASS(ES)	20 X 20MM
	TO	645 93	VENTRAL-THORACIC-RIGHT WEEK 91	
		652 94	MASS(ES)	30 X 30MM
	TO	673 97	VENTRAL-THORACIC-RIGHT WEEK 91	
		680 98	MASS(ES)	40 X 35MM
	TO	715 103	VENTRAL-THORACIC-RIGHT WEEK 91	
		722 104	MASS(ES)	80 X 50MM
	TO	731 105	VENTRAL-THORACIC-RIGHT WEEK 91	MASSES APPEAR TO HAVE GROWN TOGETHER

Appendix 2

Individual Clinical Observations

PAGE: 348

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			QUALIFIER			
C92931	D	70	EXCRETION			489-490
			FEW FECES			
			NORMAL			
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
			AXILLARY REGION-RIGHT			
			WEEK 69			
C92932	M	41	APPEARANCE			281, 285
			THIN			
			EXCRETION			
			FEW FECES			
			SKIN & PELAGE			281, 285
			PALE			
			ENTIRE BODY			
			SORE/SCAB			
			VENTRAL-ABDOMINAL-LEFT			285
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113
			NO REMARKABLE OBSERVATIONS			

Appendix 2

Individual Clinical Observations

PAGE: 349

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92932	M	41	MASS(ES) DORSAL WEEK 29			197C, 204C, 211C, 218C, 225C, 232C, 239C, 246C, 253C, 260C, 267C 274C
			VENTRAL-ABDOMINAL-LEFT WEEK 18			120C, 127C, 134C, 141C, 148C, 155C, 162C, 169C, 176C, 183C, 190C 197C, 204C, 211C, 218C, 225C, 232C, 239C, 246C, 253C, 260C, 267C 274C, 281C, 285C
			VENTRAL-ABDOMINAL-RIGHT WEEK 25			169C, 176C, 183C, 190C, 197C, 204C, 211C, 218C, 225C, 232C, 239C 246C, 253C, 260C, 267C, 274C, 281C, 285C
			VENTRAL-THORACIC-LEFT WEEK 25			169C, 176C, 183C, 190C
C92933	M	92	APPEARANCE MALOCCLUSION			281, 316, 344, 358, 407, 414, 435, 442, 449, 456, 463, 470, 477 505, 512, 519, 540, 547, 554, 561, 568, 575, 582, 589, 631, 638 642
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY			642 642
			EXCRETION FEW FECES NO FECES			642 642
			EYES PALE EYES			642

Appendix 2

Individual Clinical Observations

PAGE: 350

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92933	M	92	EYES PROTRUDING EYES			519
			RESPIRATION LABORED			642
			SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL-RIGHT SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			642 638, 642
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 288, 295 302, 309, 323, 330, 337, 351, 421, 428
			MASS(ES) AXILLARY REGION-LEFT WEEK 64			442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 642C
			INGUINAL REGION-RIGHT WEEK 74			512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 642C

Appendix 2

Individual Clinical Observations

PAGE: 351

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92934	M	87	APPEARANCE HEAD TILT RIGHT MALOCCLUSION			596, 603 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603
			MISSING TEETH THIN			575, 582, 589, 596, 603 596, 603
			BEHAVIOR ATAXIC <UNSPECIFIED>			603
			EYES PROTRUDING EYES			519
			RESPIRATION LABORED			603
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407

Appendix 2

Individual Clinical Observations

PAGE: 352

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92935	M	88	APPEARANCE HUNCHED			603, 610, 612
			BEHAVIOR ATAXIC <UNSPECIFIED>			610, 612
			EXCRETION FEW FECES			575, 582, 610, 612
			EYES RED DISCHARGE EYE-RIGHT			603, 610, 612
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE ROUGH HAIR COAT			505 603
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 470, 477, 484, 491 498, 512, 519, 526, 533, 540, 547, 554
			MASS(ES) AXILLARY REGION-RIGHT WEEK 81 SHOULDER-RIGHT WEEK 65			561C, 568C, 575C, 582C, 589C, 596C, 603C 449C, 456C, 463C

Appendix 2

Individual Clinical Observations

PAGE: 353

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92936	T	105	EXCRETION FEW FECES			722, 729, 732
			EYES RED DISCHARGE EYES			722
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428
			MASS(ES) AXILLARY REGION-LEFT WEEK 63			435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
C92937	M	65	APPEARANCE HUNCHED MALOCCLUSION THIN			449-450 400, 407, 414, 421, 428, 435, 442, 449-450 449-450
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			450
			EXCRETION FEW FECES			393

Appendix 2

Individual Clinical Observations

PAGE: 354

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92937	M	65	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 323, 330, 337, 344, 351, 358, 365, 372, 379, 386
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 64			442, 449-450
			VENTRAL-ABDOMINAL			
			WEEK 61			421, 428C, 435C, 442C, 449-450C
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 43			295C, 302C, 309C, 316C
C92938	T	105	APPEARANCE			
			SWOLLEN			
			PAW-HIND-RIGHT			722, 729, 732
			SKIN & PELAGE			
			SORE/SCAB			
			PAW-HIND-RIGHT			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 659, 666
			PAWS-HIND			673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547

Appendix 2

Individual Clinical Observations

PAGE: 355

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92939	M	71	SKIN & PELAGE BLACK SKIN VENTRAL-CERVICAL-RIGHT SORE/SCAB VENTRAL-THORACIC			484 491
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316
			MASS(ES) AXILLARY REGION-LEFT WEEK 58			400, 407, 414, 421, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C
			VENTRAL-ABDOMINAL-RIGHT WEEK 63			435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C
			VENTRAL-CERVICAL-RIGHT WEEK 47			323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C
C92940	M	87	APPEARANCE THIN			526
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337

Appendix 2

Individual Clinical Observations

PAGE: 356

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92940	M	87	MASS(ES) AXILLARY REGION-LEFT WEEK 50			344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C
			INGUINAL REGION-LEFT WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C
			VENTRAL-THORACIC-RIGHT WEEK 76			526C
C92941	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92942	M	50	SKIN & PELAGE BLACK SKIN DORSAL SORE/SCAB DORSAL			323 330, 337, 344, 348
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64
			MASS(ES) DORSAL WEEK 11			71C, 78C, 85C, 92C, 99C, 106C, 113C, 120C, 127C, 134C, 141C 148C, 155C, 162C, 169C, 176C, 183C, 190C, 197C, 204C, 211C, 218C 225C, 232C, 239C, 246C, 253C, 260C, 267C, 274C, 281C, 288C, 295C 302C, 309C, 316C, 323C, 330C, 337C, 344C, 348C
			VENTRAL-ABDOMINAL-RIGHT WEEK 50			348C

Appendix 2

Individual Clinical Observations

PAGE: 357

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92943	M	97	APPEARANCE HEAD TILT LEFT THIN			631, 638, 645, 652, 659, 666, 673, 677 673, 677
			EXCRETION FEW FECES			645, 677
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
			MASS(ES) INGUINAL REGION-RIGHT WEEK 92			638C, 645C, 652C, 659C, 666C, 673C, 677C
C92944	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92945	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22

Appendix 2

Individual Clinical Observations

PAGE: 358

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY		GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD	QUALIFIER			
C92946	T	105	APPEARANCE				
			PROLAPSED				
			VAGINA				393, 400, 407, 421, 428
			NORMAL				
			NO REMARKABLE OBSERVATIONS				1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 414, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694 701, 708, 715, 722
			MASS(ES)				
			AXILLARY REGION-RIGHT				
			WEEK 105				729, 732
			VENTRAL-ABDOMINAL				
			WEEK 78				540
C92947	M	94	APPEARANCE				
			MALOCCLUSION				99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 656
			THIN				656
			EXCRETION				
			FEW FECES				656

Appendix 2

Individual Clinical Observations

PAGE: 359

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92947	M	94	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92
C92948	M	99	APPEARANCE THIN			673, 691
			EXCRETION FEW FECES			669, 673, 680, 691
			RESPIRATION IRREGULAR			669
			SKIN & PELAGE BLUE SKIN			
			PAWS-ALL			669, 673
			TAIL			669, 673
			ROUGH HAIR COAT			687, 691
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659
			MASS(ES) VENTRAL-CERVICAL WEEK 96			666, 669C, 673C, 680C, 687C, 691C

Appendix 2

Individual Clinical Observations

PAGE: 360

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92949	M	33	SKIN & PELAGE SORE/SCAB LATERAL-CERVICAL-RIGHT VENTRAL-CERVICAL-LEFT NORMAL NO REMARKABLE OBSERVATIONS MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 3 WEEK 21			8 229 1, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134 190C, 197C, 204C, 211C, 218C, 225C, 229C 141C, 148C, 155C, 162C, 169C, 176C, 183C
C92950	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92951	M	103	APPEARANCE MALOCCLUSION MISSING TEETH DISCHARGE GENITAL RED IN COLOR			148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232 239, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358 365, 372, 379, 386 491, 519

Appendix 2

Individual Clinical Observations

PAGE: 361

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92951	M	103	SKIN & PELAGE SORE/SCAB AXILLARY REGION-RIGHT			498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141
			MASS(ES) AXILLARY REGION-RIGHT WEEK 64			442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 673C, 680C, 687C, 694C, 701C, 708C, 715C
			INGUINAL REGION-LEFT WEEK 64			442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C
			VENTRAL-ABDOMINAL-RIGHT WEEK 80			554, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C
C92952	M	66	BEHAVIOR HYPOACTIVE <UNSPECIFIED> MODERATE			456 456
			EXCRETION FEW FECES			456

Appendix 2

Individual Clinical Observations

PAGE: 362

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92952	M	66	EYES RED DISCHARGE EYES			456
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 351, 358, 365, 372, 379, 386 421, 428
			MASS(ES) AXILLARY REGION-LEFT WEEK 50 WEEK 57 WEEK 63			344 393, 400, 407, 414 435C, 442C, 449C, 456C
C92953	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 363

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92954	M	101	EXCRETION NO FECES			701, 704
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE HEAD-CRANIAL YELLOW HAIR COAT			505, 512, 519, 526, 533, 540, 547, 701, 704 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 704
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 428, 435, 442, 449 456, 463, 470, 477, 484, 491, 498
			MASS(ES) INGUINAL REGION-LEFT WEEK 76 VENTRAL-CERVICAL-RIGHT WEEK 77			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C, 704C
C92955	M	92	APPEARANCE THIN			633, 638
			BEHAVIOR ATAXIC <UNSPECIFIED>			638

Appendix 2

Individual Clinical Observations

PAGE: 364

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92955	M	92	EXCRETION FEW FECES			633
			SKIN & PELAGE ROUGH HAIR COAT			512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603
			SORE/SCAB DORSAL-CERVICAL			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 633, 638
			SHOULDER-RIGHT YELLOW HAIR COAT			463, 470, 477, 484, 491, 498 633, 638
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 435, 442, 449, 456, 505
			MASS(ES) INGUINAL REGION-LEFT WEEK 75			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 633C, 638C
			INGUINAL REGION-RIGHT WEEK 76			526
			WEEK 83			575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 633C, 638C
			VENTRAL-ABDOMINAL WEEK 62			428C
			VENTRAL-ABDOMINAL-RIGHT WEEK 84			582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 633C, 638C

Appendix 2

Individual Clinical Observations

PAGE: 365

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92956	M	102	SKIN & PELAGE BLUE SKIN VENTRAL-ABDOMINAL-LEFT SORE/SCAB MOUTH VENTRAL-ABDOMINAL-LEFT NORMAL NO REMARKABLE OBSERVATIONS MASS(ES) HEAD-MAXILLARY-LEFT WEEK 90 INGUINAL REGION-LEFT WEEK 82			673, 680, 687, 694, 701, 708-709 638, 645 701, 708-709 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 624C, 631 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708-709C
C92957	T	105	NORMAL NO REMARKABLE OBSERVATIONS MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C

Appendix 2

Individual Clinical Observations

PAGE: 366

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92957	T	105	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63			589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C
			WART LIKE LESION(S) NOSE WEEK 46			316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498
C92958	M	89	APPEARANCE HEAD TILT RIGHT HUNCHED			610, 617, 619 603, 610, 617, 619
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL			619 619
			EXCRETION FEW FECES			575, 582, 619
			SKIN & PELAGE ROUGH HAIR COAT			603, 610, 617, 619
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 367

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92958	M	89	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 589, 596
C92959	M	98	APPEARANCE			
			MALOCCLUSION			407, 413-414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680
			MISSING TEETH			470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659, 666, 673, 680
			EXCRETION			
			FEW FECES			673
			NO FECES			680
			EYES			
			RED DISCHARGE			
			EYE-RIGHT			680
			SKIN & PELAGE			
			BROWN HAIR COAT			
			VENTRAL-ABDOMINAL			680
			SORE/SCAB			
			MOUTH			413-414, 421
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 368

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92959	M	98	NORMAL			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400
C92960	T	105	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
			MASS(ES) INGUINAL REGION-LEFT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 733C
C92961	M	99	APPEARANCE HEAD TILT LEFT LIMITED USE LIMB-HIND-LEFT THIN			687, 691 687, 691 687, 691
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			687, 691

Appendix 2

Individual Clinical Observations

PAGE: 369

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92961	M	99	EXCRETION FEW FECES			691
			SKIN & PELAGE BLUE SKIN VENTRAL-ABDOMINAL-LEFT SORE/SCAB PAW-HIND-RIGHT			687, 691 526, 533, 540
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 260, 267, 274, 281, 288, 295, 302 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519
			MASS(ES) AXILLARY REGION-LEFT WEEK 45 AXILLARY REGION-RIGHT WEEK 36 WEEK 58 INGUINAL REGION-LEFT WEEK 76			309, 316, 323 246, 253 400, 407, 414, 421 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 691C

Appendix 2

Individual Clinical Observations

PAGE: 370

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92962	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92963	M	94	APPEARANCE MALOCCLUSION			365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 656
			EYES PROTRUDING EYES			519
			SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL-RIGHT PALE ENTIRE BODY SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			652, 656 656 656
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			MASS(ES) AXILLARY REGION-LEFT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 656C

Appendix 2

Individual Clinical Observations

PAGE: 371

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92963	M	94	MASS(ES) INGUINAL REGION-RIGHT WEEK 75			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C
			VENTRAL-ABDOMINAL-LEFT WEEK 83			575, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 656C
			VENTRAL-ABDOMINAL-RIGHT WEEK 68			470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 656C
C92964	T	105	APPEARANCE MALOCCLUSION			512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715, 722, 729, 731
			EXCRETION FEW FECES NONFORMED FECES			540 400
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505
			MASS(ES) VENTRAL-CERVICAL WEEK 83			575, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C

Appendix 2

Individual Clinical Observations

PAGE: 372

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92964	T	105	MASS(ES) VENTRAL-CERVICAL WEEK 83			652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 731C
C92965	D	82	APPEARANCE HUNCHED THIN			570, 573 561, 568, 570, 573
			EXCRETION NO FECES			570, 573
			EYES RED DISCHARGE EYES			547, 554, 561, 568, 570, 573
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407
			MASS(ES) VENTRAL-ABDOMINAL WEEK 60			414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C 568C, 570C, 573C

Appendix 2

Individual Clinical Observations

PAGE: 373

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92966	M	72	APPEARANCE HEAD TILT RIGHT THIN			502 498, 502
			BEHAVIOR ATAXIC <UNSPECIFIED>			502
			EYES RED DISCHARGE EYE-RIGHT			316
			SKIN & PELAGE ROUGH HAIR COAT			498, 502
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491
C92967	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 374

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92968	D	69	EXCRETION FEW FECES			470, 477
			EYES DILATED PUPIL EYES			470, 477
			RED DISCHARGE EYES			470, 477
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
C92969	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92970	T	105	APPEARANCE MALOCCLUSION THIN			78 715, 722, 729, 731
			DISCHARGE NASAL RED IN COLOR			722
			EXCRETION FEW FECES			715, 722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 375

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92970	T	105	EYES PROTRUDING EYES			519
			SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645
C92971	M	90	APPEARANCE MALOCCLUSION			155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624
			MISSING TEETH THIN			554, 561, 568, 575, 582, 589, 596, 603 624
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			617, 624

Appendix 2

Individual Clinical Observations

PAGE: 376

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92971	M	90	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			INGUINAL REGION-LEFT			
			WEEK 67			463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C
C92972	M	96	APPEARANCE			
			THIN			666, 670
			BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			670
			EXCRETION			
			FEW FECES			670
			EYES			
			RED DISCHARGE			
			EYE-RIGHT			435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666
			EYES			670
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 365, 372, 379, 386, 393, 400, 407, 414

Appendix 2

Individual Clinical Observations

PAGE: 377

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92972	M	96	NORMAL NO REMARKABLE OBSERVATIONS			421, 428
			MASS(ES) SHOULDER-RIGHT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 670C
			VENTRAL-ABDOMINAL-RIGHT WEEK 48			330, 337, 344, 351, 358
C92973	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92974	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715

Appendix 2

Individual Clinical Observations

PAGE: 378

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92974	T	105	MASS(ES) VENTRAL-CERVICAL-RIGHT WEEK 104			722, 729, 732
C92975	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610
			MASS(ES) VENTRAL-ABDOMINAL WEEK 89			617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C 694C, 701C, 708C, 715C, 722C, 729C, 733C
			VENTRAL-ABDOMINAL-RIGHT WEEK 47			323C
C92976	M	102	APPEARANCE HEAD TILT LEFT			712
			EXCRETION FEW FECES			712
			EYES CLEAR DISCHARGE EYE-RIGHT RED DISCHARGE EYE-LEFT			680, 687 712

Appendix 2

Individual Clinical Observations

PAGE: 379

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92976	M	102	EYES RED DISCHARGE EYE-RIGHT			694, 701, 708
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83			575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 712C
			WEEK 88			610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C
C92977	D	98	SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			673, 680, 686
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652

Appendix 2

Individual Clinical Observations

PAGE: 380

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92977	D	98	NORMAL NO REMARKABLE OBSERVATIONS			659, 666
C92978	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92979	M	89	BEHAVIOR COLD TO TOUCH ENTIRE BODY			622
			DISCHARGE GENITAL RED IN COLOR			622
			EXCRETION NO FECES			617, 622
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547
			MASS(ES) AXILLARY REGION-RIGHT WEEK 80			554, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 622C

Appendix 2

Individual Clinical Observations

PAGE: 381

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92980	M	63	APPEARANCE MALOCCLUSION			204, 211, 218, 260, 281, 288, 316, 337, 344, 351, 358, 365, 400 407, 414, 421, 428, 435
			SKIN & PELAGE SORE/SCAB AXILLARY REGION-LEFT			316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 225, 232, 239, 246, 253
			MASS(ES) AXILLARY REGION-LEFT WEEK 38			260, 267, 274, 281C, 288C, 295C, 302C, 309C, 316C, 323C, 330C 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C 414C, 421C, 428C, 435C
			LIMB-HIND-RIGHT WEEK 55			379, 386, 393C, 400C, 407C, 414C, 421C, 428C, 435C
C92981	M	72	APPEARANCE HEAD TILT LEFT			502
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			502
			EXCRETION NO FECES			502

Appendix 2

Individual Clinical Observations

PAGE: 382

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92981	M	72	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE ROUGH HAIR COAT			477, 484, 502 498, 502
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 491
C92982	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92983	T	105	EXCRETION FEW FECES			729, 731
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			722
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645

Appendix 2

Individual Clinical Observations

PAGE: 383

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92983	T	105	MASS(ES) INGUINAL REGION-LEFT WEEK 94			652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 731C
			VENTRAL-CERVICAL WEEK 96			666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92984	T	105	SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 463, 470, 477, 484, 491, 498, 505, 512
			MASS(ES) AXILLARY REGION-LEFT WEEK 75 WEEK 93			519, 526 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 732C
			INGUINAL REGION-RIGHT WEEK 75			519, 526, 533, 540, 547, 554, 561, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
			VENTRAL-ABDOMINAL WEEK 60 WEEK 104			414C, 421C, 428C, 435C, 442C, 449C, 456C 722C, 729C, 732C
			VENTRAL-ABDOMINAL-LEFT WEEK 75			519, 526

Appendix 2

Individual Clinical Observations

PAGE: 384

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92984	T	105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 75			519, 526, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
C92985	M	98	APPEARANCE MALOCCLUSION			155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 351, 358 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680
			MISSING TEETH			204, 211, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 323, 330, 337, 344
			MASS(ES) AXILLARY REGION-RIGHT WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C
			INGUINAL REGION-RIGHT WEEK 96			666C, 673C, 680C
			VENTRAL-ABDOMINAL-LEFT WEEK 82			568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 645C, 652C, 659C, 666C, 673C, 680C

Appendix 2

Individual Clinical Observations

PAGE: 385

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92985	M	98	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 95 VENTRAL-THORACIC-LEFT WEEK 95			659C, 666C, 673C, 680C 659C, 666C, 673C, 680C
C92986	T	105	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			519, 526, 533, 540, 547
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 561, 568, 575, 582
			MASS(ES) INGUINAL REGION-LEFT WEEK 85 INGUINAL REGION-RIGHT WEEK 76 WEEK 100			589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C 526C, 533C, 540C, 547C, 554C 694C, 701C, 708C, 715C

Appendix 2

Individual Clinical Observations

PAGE: 386

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92987	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92988	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C92989	M	84	APPEARANCE MALOCCLUSION			64, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 540, 547 554, 561, 568, 575, 582
			SWOLLEN MOUTH			358, 365
			DISCHARGE GENITAL RED IN COLOR			547
			NASAL RED IN COLOR			358
			EXCRETION NO FECES			582
			EYES RED DISCHARGE EYE-RIGHT			519, 526, 533

Appendix 2

Individual Clinical Observations

PAGE: 387

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F2	DOSE: 0.5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92989	M	84	SKIN & PELAGE BROWN HAIR COAT VENTRAL-ABDOMINAL			582
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 21-22, 29, 36, 43, 50, 57, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351
C92990	M	94	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 463, 470, 477, 484, 491, 498
			MASS(ES) AXILLARY REGION-LEFT WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652-653C
			VENTRAL-ABDOMINAL WEEK 63			435C, 442C, 449C, 456C
			VENTRAL-CERVICAL-RIGHT WEEK 89			617C, 624C, 631C, 638C, 645C, 652-653C

Appendix 2

Individual Clinical Observations

PAGE: 388

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92931	F2	477 69 TO 490 70	MASS(ES) AXILLARY REGION-RIGHT WEEK 69	15 X 15MM
C92932	F2	197 29 TO 260 38	MASS(ES) DORSAL WEEK 29	20 X 20MM
		267 39 TO 274 40	MASS(ES) DORSAL WEEK 29	35 X 30MM
		120 18	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 18	MASS 30 X 25MM
		127 19	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 18	25 X 20MM
		134 20 TO 141 21	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 18	30 X 15MM
		148 22 TO 190 28	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 18	50 X 15MM
		197 29	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 18	35 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 389

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92932	F2	204 30	MASS(ES)	35 X 15MM
	TO	211 31	VENTRAL-ABDOMINAL-LEFT WEEK 18	
		218 32	MASS(ES)	35 X 20MM
			VENTRAL-ABDOMINAL-LEFT WEEK 18	
		225 33	MASS(ES)	45 X 45MM
	TO	232 34	VENTRAL-ABDOMINAL-LEFT WEEK 18	
		239 35	MASS(ES)	35 X 40MM
	TO	260 38	VENTRAL-ABDOMINAL-LEFT WEEK 18	
		267 39	MASS(ES)	45 X 35MM
	TO	285 41	VENTRAL-ABDOMINAL-LEFT WEEK 18	
		169 25	MASS(ES)	25 X 20MM
	TO	197 29	VENTRAL-ABDOMINAL-RIGHT WEEK 25	
		204 30	MASS(ES)	30 X 25MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 25	
		211 31	MASS(ES)	30 X 30MM
	TO	218 32	VENTRAL-ABDOMINAL-RIGHT WEEK 25	

Appendix 2

Individual Clinical Observations

PAGE: 390

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92932	F2	225 33	MASS(ES)	35 X 30MM
		TO 253 37	VENTRAL-ABDOMINAL-RIGHT WEEK 25	
		260 38	MASS(ES)	40 X 35MM
		TO 274 40	VENTRAL-ABDOMINAL-RIGHT WEEK 25	
C92932	F2	281 41	MASS(ES)	50 X 50MM
		TO 285 41	VENTRAL-ABDOMINAL-RIGHT WEEK 25	
		169 25	MASS(ES)	10 X 10MM
		TO 190 28	VENTRAL-THORACIC-LEFT WEEK 25	
C92933	F2	442 64	MASS(ES)	20 X 10MM
			AXILLARY REGION-LEFT WEEK 64	
		449 65	MASS(ES)	20 X 20MM
		TO 463 67	AXILLARY REGION-LEFT WEEK 64	
C92933	F2	470 68	MASS(ES)	40 X 40MM
		TO 554 80	AXILLARY REGION-LEFT WEEK 64	
C92933	F2	561 81	MASS(ES)	45 X 45MM
			AXILLARY REGION-LEFT WEEK 64	

Appendix 2

Individual Clinical Observations

PAGE: 391

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92933	F2	568 82	MASS(ES)	55 X 45MM
		TO 610 88	AXILLARY REGION-LEFT WEEK 64	
		617 89	MASS(ES)	60 X 50MM
		TO 624 90	AXILLARY REGION-LEFT WEEK 64	
		631 91	MASS(ES)	50 X 50MM
		TO 642 92	AXILLARY REGION-LEFT WEEK 64	
		512 74	MASS(ES)	15 X 15MM
		TO 519 75	INGUINAL REGION-RIGHT WEEK 74	
		526 76	MASS(ES)	20 X 15MM
			INGUINAL REGION-RIGHT WEEK 74	
		533 77	MASS(ES)	20 X 20MM
		TO 554 80	INGUINAL REGION-RIGHT WEEK 74	
		561 81	MASS(ES)	40 X 35MM
		TO 589 85	INGUINAL REGION-RIGHT WEEK 74	
		596 86	MASS(ES)	55 X 35MM
			INGUINAL REGION-RIGHT WEEK 74	

Appendix 2

Individual Clinical Observations

PAGE: 392

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92933	F2	603 87 TO 610 88	MASS(ES) INGUINAL REGION-RIGHT WEEK 74	65 X 50MM
		617 89 TO 624 90	MASS(ES) INGUINAL REGION-RIGHT WEEK 74	75 X 75MM
		631 91 TO 642 92	MASS(ES) INGUINAL REGION-RIGHT WEEK 74	70 X 70MM
C92935	F2	561 81 TO 568 82	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	65 X 60MM
		575 83 TO 582 84	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	30 X 30MM
		589 85 TO 603 87	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	50 X 50MM
		449 65 TO 463 67	MASS(ES) SHOULDER-RIGHT WEEK 65	60 X 60MM
C92936	F2	435 63	MASS(ES) AXILLARY REGION-LEFT WEEK 63	10 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 393

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92936	F2	442 64	MASS(ES)	20 X 20MM
	TO	456 66	AXILLARY REGION-LEFT WEEK 63	
		463 67	MASS(ES)	25 X 25MM
			AXILLARY REGION-LEFT WEEK 63	
		470 68	MASS(ES)	30 X 40MM
	TO	484 70	AXILLARY REGION-LEFT WEEK 63	
		491 71	MASS(ES)	30 X 20MM
			AXILLARY REGION-LEFT WEEK 63	
		498 72	MASS(ES)	40 X 30MM
	TO	505 73	AXILLARY REGION-LEFT WEEK 63	
		512 74	MASS(ES)	30 X 50MM
			AXILLARY REGION-LEFT WEEK 63	
		519 75	MASS(ES)	40 X 40MM
			AXILLARY REGION-LEFT WEEK 63	
		526 76	MASS(ES)	50 X 35MM
	TO	540 78	AXILLARY REGION-LEFT WEEK 63	

Appendix 2

Individual Clinical Observations

PAGE: 394

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92936	F2	547 79	MASS(ES)	40 X 45MM
	TO	554 80	AXILLARY REGION-LEFT WEEK 63	
		561 81	MASS(ES)	40 X 60MM
	TO	568 82	AXILLARY REGION-LEFT WEEK 63	
		575 83	MASS(ES)	40 X 50MM
	TO	589 85	AXILLARY REGION-LEFT WEEK 63	
		596 86	MASS(ES)	35 X 50MM
			AXILLARY REGION-LEFT WEEK 63	
		603 87	MASS(ES)	50 X 50MM
	TO	610 88	AXILLARY REGION-LEFT WEEK 63	
		617 89	MASS(ES)	60 X 50MM
	TO	631 91	AXILLARY REGION-LEFT WEEK 63	
		638 92	MASS(ES)	60 X 35MM
			AXILLARY REGION-LEFT WEEK 63	
		645 93	MASS(ES)	60 X 40MM
	TO	666 96	AXILLARY REGION-LEFT WEEK 63	

Appendix 2

Individual Clinical Observations

PAGE: 395

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92936	F2	673 97	MASS(ES) AXILLARY REGION-LEFT WEEK 63	40 X 40MM
		680 98	MASS(ES) AXILLARY REGION-LEFT WEEK 63	50 X 40
		687 99	MASS(ES) AXILLARY REGION-LEFT WEEK 63	50 X 40MM
		694 100	MASS(ES) AXILLARY REGION-LEFT WEEK 63	50 X 40MM
		701 101	MASS(ES) AXILLARY REGION-LEFT WEEK 63	50 X 40MM
		708 102 TO 732 105	MASS(ES) AXILLARY REGION-LEFT WEEK 63	50 X 40MM
C92937	F2	428 62 TO 450 65	MASS(ES) VENTRAL-ABDOMINAL WEEK 61	15 X 15MM
		295 43 TO 316 46	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 43	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 396

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92939	F2	428 62	MASS(ES)	15 X 15MM
	TO	435 63	AXILLARY REGION-LEFT WEEK 58	
		442 64	MASS(ES)	20 X 20MM
	TO	477 69	AXILLARY REGION-LEFT WEEK 58	
		484 70	MASS(ES)	20 X 35MM
			AXILLARY REGION-LEFT WEEK 58	
		491 71	MASS(ES)	30 X 30MM
	TO	491 71	AXILLARY REGION-LEFT WEEK 58	
		435 63	MASS(ES)	10 X 10MM
	TO	449 65	VENTRAL-ABDOMINAL-RIGHT WEEK 63	
		456 66	MASS(ES)	15 X 15MM
	TO	463 67	VENTRAL-ABDOMINAL-RIGHT WEEK 63	
		470 68	MASS(ES)	30 X 25MM
	TO	477 69	VENTRAL-ABDOMINAL-RIGHT WEEK 63	
		484 70	MASS(ES)	15 X 15MM
	TO	491 71	VENTRAL-ABDOMINAL-RIGHT WEEK 63	

Appendix 2

Individual Clinical Observations

PAGE: 397

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92939	F2	323 47	MASS(ES)	20 X 25MM
	TO	372 54	VENTRAL-CERVICAL-RIGHT WEEK 47	
		379 55	MASS(ES)	30 X 25MM
	TO	393 57	VENTRAL-CERVICAL-RIGHT WEEK 47	
		400 58	MASS(ES)	30 X 40MM
	TO	407 59	VENTRAL-CERVICAL-RIGHT WEEK 47	
		414 60	MASS(ES)	35 X 35MM
	TO	421 61	VENTRAL-CERVICAL-RIGHT WEEK 47	
		428 62	MASS(ES)	40 X 40MM
	TO	463 67	VENTRAL-CERVICAL-RIGHT WEEK 47	
		470 68	MASS(ES)	60 X 50MM
	TO	477 69	VENTRAL-CERVICAL-RIGHT WEEK 47	
		484 70	MASS(ES)	50 X 50MM
			VENTRAL-CERVICAL-RIGHT WEEK 47	
		491 71	MASS(ES)	30 X 60MM
	TO	491 71	VENTRAL-CERVICAL-RIGHT WEEK 47	

Appendix 2

Individual Clinical Observations

PAGE: 398

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92940	F2	344 50	MASS(ES) AXILLARY REGION-LEFT WEEK 50	15 X 15MM
		351 51	MASS(ES) AXILLARY REGION-LEFT WEEK 50	20 X 20MM
		358 52 TO 379 55	MASS(ES) AXILLARY REGION-LEFT WEEK 50	30 X 30MM
		386 56 TO 393 57	MASS(ES) AXILLARY REGION-LEFT WEEK 50	40 X 40MM
		400 58 TO 414 60	MASS(ES) AXILLARY REGION-LEFT WEEK 50	40 X 50MM
		421 61 TO 442 64	MASS(ES) AXILLARY REGION-LEFT WEEK 50	60 X 50MM
		449 65 TO 463 67	MASS(ES) AXILLARY REGION-LEFT WEEK 50	65 X 85MM
		470 68 TO 505 73	MASS(ES) AXILLARY REGION-LEFT WEEK 50	85 X 85MM

Appendix 2

Individual Clinical Observations

PAGE: 399

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92940	F2	512 74	MASS(ES)	90 X 90MM
		TO 519 75	AXILLARY REGION-LEFT WEEK 50	
		526 76	MASS(ES)	100 X 90MM
		TO 568 82	AXILLARY REGION-LEFT WEEK 50	
		575 83	MASS(ES)	110 X 90MM
			AXILLARY REGION-LEFT WEEK 50	
		582 84	MASS(ES)	100 X 90MM
		TO 603 87	AXILLARY REGION-LEFT WEEK 50	
		505 73	MASS(ES)	20 X 20MM
		TO 512 74	INGUINAL REGION-LEFT WEEK 73	
		519 75	MASS(ES)	30 X 30MM
			INGUINAL REGION-LEFT WEEK 73	
		526 76	MASS(ES)	40 X 30MM
		TO 540 78	INGUINAL REGION-LEFT WEEK 73	
		547 79	MASS(ES)	40 X 40MM
		TO 561 81	INGUINAL REGION-LEFT WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 400

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92940	F2	568 82	MASS(ES) INGUINAL REGION-LEFT WEEK 73	50 X 40MM
		575 83 TO 589 85	MASS(ES) INGUINAL REGION-LEFT WEEK 73	50 X 60MM
		596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 73	50 X 70MM
		603 87 TO 603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 73	60 X 70MM
		526 76	MASS(ES) VENTRAL - THORACIC-RIGHT WEEK 76	10 X 10MM
C92942	F2	71 11	MASS(ES) DORSAL WEEK 11	30 X 30MM
		78 12 TO 92 14	MASS(ES) DORSAL WEEK 11	30 X 30MM
		99 15 TO 204 30	MASS(ES) DORSAL WEEK 11	40 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 401

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92942	F2	211 31	MASS(ES)	30 X 30MM
		TO 218 32	DORSAL WEEK 11	
		225 33	MASS(ES)	35 X 35MM
		TO 253 37	DORSAL WEEK 11	
		260 38	MASS(ES)	40 X 35MM
			DORSAL WEEK 11	
		267 39	MASS(ES)	45 X 45MM
		TO 274 40	DORSAL WEEK 11	
		281 41	MASS(ES)	50 X 50MM
		TO 288 42	DORSAL WEEK 11	
		295 43	MASS(ES)	60 X 50MM
		TO 309 45	DORSAL WEEK 11	
		316 46	MASS(ES)	80 X 60MM
			DORSAL WEEK 11	
		323 47	MASS(ES)	85 X 80MM
		TO 348 50	DORSAL WEEK 11	

Appendix 2

Individual Clinical Observations

PAGE: 402

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92942	F2	348 50	MASS(ES)	35 X 25MM
	TO	348 50	VENTRAL-ABDOMINAL-RIGHT WEEK 50	
C92943	F2	638 92	MASS(ES)	15 X 10MM
	TO	659 95	INGUINAL REGION-RIGHT WEEK 92	
		666 96	MASS(ES)	20 X 20MM
	TO	677 97	INGUINAL REGION-RIGHT WEEK 92	
C92948	F2	669 96	MASS(ES)	10 X 10MM
	TO	691 99	VENTRAL-CERVICAL WEEK 96	
C92949	F2	190 28	MASS(ES)	50 X 35MM
	TO	197 29	VENTRAL-CERVICAL-LEFT WEEK 3	
		204 30	MASS(ES)	60 X 35MM
			VENTRAL-CERVICAL-LEFT WEEK 3	
		211 31	MASS(ES)	70 X 50MM
	TO	218 32	VENTRAL-CERVICAL-LEFT WEEK 3	
		225 33	MASS(ES)	80 X 60MM
	TO	229 33	VENTRAL-CERVICAL-LEFT WEEK 3	

Appendix 2

Individual Clinical Observations

PAGE: 403

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92949	F2	141 21	MASS(ES)	15 X 15MM
	TO	162 24	VENTRAL-CERVICAL-LEFT WEEK 21	
		169 25	MASS(ES)	25 X 25MM
			VENTRAL-CERVICAL-LEFT WEEK 21	
		176 26	MASS(ES)	35 X 25MM
			VENTRAL-CERVICAL-LEFT WEEK 21	
		183 27	MASS(ES)	40 X 25MM
			VENTRAL-CERVICAL-LEFT WEEK 21	
C92951	F2	442 64	MASS(ES)	10 X 10MM
	TO	463 67	AXILLARY REGION-RIGHT WEEK 64	
		470 68	MASS(ES)	15 X 15MM
	TO	477 69	AXILLARY REGION-RIGHT WEEK 64	
		484 70	MASS(ES)	25 X 25MM
			AXILLARY REGION-RIGHT WEEK 64	
		491 71	MASS(ES)	20 X 15MM
	TO	512 74	AXILLARY REGION-RIGHT WEEK 64	

Appendix 2

Individual Clinical Observations

PAGE: 404

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92951	F2	519 75	MASS(ES)	20 X 20MM
	TO	596 86	AXILLARY REGION-RIGHT WEEK 64	
		603 87	MASS(ES)	30 X 30MM
	TO	638 92	AXILLARY REGION-RIGHT WEEK 64	
		645 93	MASS(ES)	40 X 30MM
	TO	659 95	AXILLARY REGION-RIGHT WEEK 64	
		666 96	MASS(ES)	50 X 35MM
	TO	708 102	AXILLARY REGION-RIGHT WEEK 64	
		715 103	MASS(ES)	50 X 50MM
	TO	715 103	AXILLARY REGION-RIGHT WEEK 64	
		442 64	MASS(ES)	25 X 20MM
			INGUINAL REGION-LEFT WEEK 64	
		449 65	MASS(ES)	15 X15MM
	TO	456 66	INGUINAL REGION-LEFT WEEK 64	
		463 67	MASS(ES)	10 X 10MM
	TO	484 70	INGUINAL REGION-LEFT WEEK 64	

Appendix 2

Individual Clinical Observations

PAGE: 405

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92951	F2	491 71	MASS(ES)	20 X 20MM
	TO	498 72	INGUINAL REGION-LEFT WEEK 64	
		505 73	MASS(ES)	10 X 10
	TO	512 74	INGUINAL REGION-LEFT WEEK 64	
		519 75	MASS(ES)	20 X 20MM
			INGUINAL REGION-LEFT WEEK 64	
		561 81	MASS(ES)	10 X 10MM
	TO	568 82	VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		575 83	MASS(ES)	20 X 15MM
	TO	582 84	VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		589 85	MASS(ES)	30 X 30MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		596 86	MASS(ES)	25 X 35MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		603 87	MASS(ES)	35 X 35MM
	TO	631 91	VENTRAL-ABDOMINAL-RIGHT WEEK 80	

Appendix 2

Individual Clinical Observations

PAGE: 406

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92951	F2	638 92	MASS(ES)	45 X 40MM
	TO	659 95	VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		666 96	MASS(ES)	50 X 40MM
	TO	680 98	VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		687 99	MASS(ES)	69 X 45MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 80	
		694 100	MASS(ES)	60 X 45MM
	TO	715 103	VENTRAL-ABDOMINAL-RIGHT WEEK 80	
C92952	F2	435 63	MASS(ES)	10 X 10MM
			AXILLARY REGION-LEFT WEEK 63	
		442 64	MASS(ES)	20 X 20MM
	TO	456 66	AXILLARY REGION-LEFT WEEK 63	
C92954	F2	526 76	MASS(ES)	10 X 10MM
	TO	575 83	INGUINAL REGION-LEFT WEEK 76	
		533 77	MASS(ES)	30 X 25MM
	TO	554 80	VENTRAL-CERVICAL-RIGHT WEEK 77	

Appendix 2

Individual Clinical Observations

PAGE: 407

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92954	F2	561 81	MASS(ES)	35 X 30MM
		TO 589 85	VENTRAL-CERVICAL-RIGHT WEEK 77	
		596 86	MASS(ES)	
		TO 645 93	VENTRAL-CERVICAL-RIGHT WEEK 77	35 X 40MM
		652 94	MASS(ES)	40 X 50MM
		TO 704 101	VENTRAL-CERVICAL-RIGHT WEEK 77	
C92955	F2	519 75	MASS(ES)	25 X 10MM
		TO 540 78	INGUINAL REGION-LEFT WEEK 75	
		547 79	MASS(ES)	25 X 20MM
			INGUINAL REGION-LEFT WEEK 75	
		554 80	MASS(ES)	30 X 25MM
		TO 575 83	INGUINAL REGION-LEFT WEEK 75	
		582 84	MASS(ES)	45 X 35MM
		TO 596 86	INGUINAL REGION-LEFT WEEK 75	
		603 87	MASS(ES)	60 X 40MM
			INGUINAL REGION-LEFT WEEK 75	

Appendix 2

Individual Clinical Observations

PAGE: 408

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92955	F2	610 88	MASS(ES)	40 X 40MM
	TO	638 92	INGUINAL REGION-LEFT WEEK 75	
		575 83	MASS(ES)	10 X 10MM
			INGUINAL REGION-RIGHT WEEK 83	
		582 84	MASS(ES)	15 X 15MM
			INGUINAL REGION-RIGHT WEEK 83	
		589 85	MASS(ES)	20 X 20MM
	TO	638 92	INGUINAL REGION-RIGHT WEEK 83	
		428 62	MASS(ES)	25 X 25MM
			VENTRAL-ABDOMINAL WEEK 62	
		582 84	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 84	
		589 85	MASS(ES)	15 X 15MM
	TO	603 87	VENTRAL-ABDOMINAL-RIGHT WEEK 84	
		610 88	MASS(ES)	25 X 25MM
	TO	638 92	VENTRAL-ABDOMINAL-RIGHT WEEK 84	

Appendix 2

Individual Clinical Observations

PAGE: 409

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92956	F2	624 90	MASS(ES) HEAD-MAXILLARY-LEFT WEEK 90	10 X 10MM
		568 82	MASS(ES) INGUINAL REGION-LEFT WEEK 82	10 X 10MM
		575 83 TO 589 85	MASS(ES) INGUINAL REGION-LEFT WEEK 82	15 X 15MM
		596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 82	25 X 15MM
		603 87 TO 631 91	MASS(ES) INGUINAL REGION-LEFT WEEK 82	25 X 25MM
		638 92 TO 645 93	MASS(ES) INGUINAL REGION-LEFT WEEK 82	35 X 35MM
		652 94 TO 659 95	MASS(ES) INGUINAL REGION-LEFT WEEK 82	40 X 40MM
		666 96 TO 673 97	MASS(ES) INGUINAL REGION-LEFT WEEK 82	40 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 410

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92956	F2	680 98 TO 694 100	MASS(ES) INGUINAL REGION-LEFT WEEK 82	50 X 60MM
		701 101 TO 709 102	MASS(ES) INGUINAL REGION-LEFT WEEK 82	40 X 50MM
C92957	F2	435 63	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63	10 X 10MM
		442 64	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63	15 X 15MM
		449 65 TO 463 67	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63	20 X 20MM
		470 68 TO 477 69	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63	35 X 30MM
		484 70 TO 505 73	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63	40 X 35MM
		512 74 TO 554 80	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 63	60 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 411

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92957	F2	561 81	MASS(ES)	80 X 65MM
		TO 589 85	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		596 86	MASS(ES)	
			VENTRAL-ABDOMINAL-LEFT WEEK 63	
		603 87	MASS(ES)	
C92960	F2		VENTRAL-ABDOMINAL-LEFT WEEK 63	95 X 65MM
		610 88	MASS(ES)	
			VENTRAL-ABDOMINAL-LEFT WEEK 63	
		617 89	MASS(ES)	
		TO 733 105	VENTRAL-ABDOMINAL-LEFT WEEK 63	
C92960	F2	498 72	MASS(ES)	25 X 25MM
		TO 505 73	INGUINAL REGION-LEFT WEEK 72	
		512 74	MASS(ES)	
		TO 519 75	INGUINAL REGION-LEFT WEEK 72	
		526 76	MASS(ES)	
		TO 540 78	INGUINAL REGION-LEFT WEEK 72	50 X 40MM

Appendix 2

Individual Clinical Observations

PAGE: 412

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92960	F2	547 79	MASS(ES)	50 X 50MM
	TO	554 80	INGUINAL REGION-LEFT WEEK 72	
		561 81	MASS(ES)	70 X 60MM
	TO	575 83	INGUINAL REGION-LEFT WEEK 72	
		582 84	MASS(ES)	80 X 60MM
	TO	596 86	INGUINAL REGION-LEFT WEEK 72	
		603 87	MASS(ES)	120 X 80MM
			INGUINAL REGION-LEFT WEEK 72	
		610 88	MASS(ES)	105 X 70MM
			INGUINAL REGION-LEFT WEEK 72	
		617 89	MASS(ES)	110 X 80MM
	TO	624 90	INGUINAL REGION-LEFT WEEK 72	
		631 91	MASS(ES)	100 X 70MM
	TO	659 95	INGUINAL REGION-LEFT WEEK 72	
		666 96	MASS(ES)	110 X 70MM
	TO	701 101	INGUINAL REGION-LEFT WEEK 72	

Appendix 2

Individual Clinical Observations

PAGE: 413

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92960	F2	708 102 TO 715 103	MASS(ES) INGUINAL REGION-LEFT WEEK 72	120 X 70MM
		722 104 TO 733 105	MASS(ES) INGUINAL REGION-LEFT WEEK 72	120 X 80MM
C92961	F2	526 76	MASS(ES) INGUINAL REGION-LEFT WEEK 76	10 X 10MM
		533 77 TO 554 80	MASS(ES) INGUINAL REGION-LEFT WEEK 76	20 X 20MM
		561 81 TO 582 84	MASS(ES) INGUINAL REGION-LEFT WEEK 76	35 X 35MM
		589 85 TO 596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 76	50 X 40MM
		603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 76	80 X 60MM
		610 88	MASS(ES) INGUINAL REGION-LEFT WEEK 76	70 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 414

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92961	F2	617 89	MASS(ES)	70 X 70MM
		TO 645 93	INGUINAL REGION-LEFT WEEK 76	
		652 94	MASS(ES)	90 X 70MM
		TO 659 95	INGUINAL REGION-LEFT WEEK 76	
		666 96	MASS(ES)	100 X 70MM
		TO 673 97	INGUINAL REGION-LEFT WEEK 76	
		680 98	MASS(ES)	110 X 70MM
			INGUINAL REGION-LEFT WEEK 76	
		687 99	MASS(ES)	120 X 70MM
		TO 691 99	INGUINAL REGION-LEFT WEEK 76	
C92963	F2	498 72	MASS(ES)	10 X 10MM
			AXILLARY REGION-LEFT WEEK 72	
		505 73	MASS(ES)	10 X 15MM
		TO 512 74	AXILLARY REGION-LEFT WEEK 72	
		519 75	MASS(ES)	15 X 15MM
			AXILLARY REGION-LEFT WEEK 72	

Appendix 2

Individual Clinical Observations

PAGE: 415

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92963	F2	526 76	MASS(ES) AXILLARY REGION-LEFT WEEK 72	30 X 30MM
		533 77 TO 540 78	MASS(ES) AXILLARY REGION-LEFT WEEK 72	20 X 20MM
		547 79 TO 554 80	MASS(ES) AXILLARY REGION-LEFT WEEK 72	20 X 25MM
		561 81 TO 596 86	MASS(ES) AXILLARY REGION-LEFT WEEK 72	30 X 30MM
		603 87 TO 656 94	MASS(ES) AXILLARY REGION-LEFT WEEK 72	30 X 30MM
		519 75 TO 540 78	MASS(ES) INGUINAL REGION-RIGHT WEEK 75	10 X 10MM
		547 79 TO 582 84	MASS(ES) INGUINAL REGION-RIGHT WEEK 75	15 X 15MM
		589 85 TO 652 94	MASS(ES) INGUINAL REGION-RIGHT WEEK 75	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 416

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92963	F2	582 84	MASS(ES)	15 X 15MM
		TO 596 86	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		603 87	MASS(ES)	10 X 10MM
		TO 645 93	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		652 94	MASS(ES)	15 X 15MM
		TO 656 94	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		470 68	MASS(ES)	20 X 20MM
		TO 491 71	VENTRAL-ABDOMINAL-RIGHT WEEK 68	
		498 72	MASS(ES)	30 X 30MM
		TO 505 73	VENTRAL-ABDOMINAL-RIGHT WEEK 68	
		512 74	MASS(ES)	40 X 35MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 68	
		519 75	MASS(ES)	25 X 30MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 68	
		526 76	MASS(ES)	30 X 30MM
		TO 540 78	VENTRAL-ABDOMINAL-RIGHT WEEK 68	

Appendix 2

Individual Clinical Observations

PAGE: 417

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92963	F2	547 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 68	30 X 40MM
		554 80 TO 575 83	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 68	40 X 40MM
		582 84 TO 596 86	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 68	50 X 50MM
		603 87 TO 624 90	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 68	65 X 75MM
		631 91 TO 645 93	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 68	50 X 50MM
		652 94 TO 656 94	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 68	60 X 50MM
C92964	F2	582 84	MASS(ES) VENTRAL-CERVICAL WEEK 83	10 X 10MM
		589 85 TO 603 87	MASS(ES) VENTRAL-CERVICAL WEEK 83	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 418

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92964	F2	610 88	MASS(ES)	10 X 10MM
		TO 631 91	VENTRAL-CERVICAL WEEK 83	
		638 92	MASS(ES)	15 X 15MM
		TO 701 101	VENTRAL-CERVICAL WEEK 83	
		708 102	MASS(ES)	20 X 20MM
C92965	F2	715 103	MASS(ES)	30 X 30MM
		TO 731 105	VENTRAL-CERVICAL WEEK 83	
		414 60	MASS(ES)	20 X 20MM
		TO 442 64	VENTRAL-ABDOMINAL WEEK 60	
		449 65	MASS(ES)	30 X 30MM
		TO 463 67	VENTRAL-ABDOMINAL WEEK 60	
		470 68	MASS(ES)	45 X 45MM
		TO 505 73	VENTRAL-ABDOMINAL WEEK 60	
		512 74	MASS(ES)	65 X 60MM
			VENTRAL-ABDOMINAL WEEK 60	

Appendix 2

Individual Clinical Observations

PAGE: 419

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92965	F2	519 75	MASS(ES) VENTRAL-ABDOMINAL WEEK 60	45 X 50MM
		526 76 TO 573 82	MASS(ES) VENTRAL-ABDOMINAL WEEK 60	45 X 60MM
C92971	F2	463 67	MASS(ES) INGUINAL REGION-LEFT WEEK 67	35 X 35MM
		470 68 TO 505 73	MASS(ES) INGUINAL REGION-LEFT WEEK 67	50 X 50MM
		512 74 TO 554 80	MASS(ES) INGUINAL REGION-LEFT WEEK 67	70 X 60MM
		561 81 TO 589 85	MASS(ES) INGUINAL REGION-LEFT WEEK 67	95 X 80MM
		596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 67	100 X 90MM
		603 87 TO 624 90	MASS(ES) INGUINAL REGION-LEFT WEEK 67	110 X 110MM

Appendix 2

Individual Clinical Observations

PAGE: 420

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92972	F2	498 72	MASS(ES)	15 X 15MM
		TO 512 74	SHOULDER-RIGHT WEEK 72	
		519 75	MASS(ES)	25 X 25MM
			SHOULDER-RIGHT WEEK 72	
		526 76	MASS(ES)	30 X 25MM
		TO 540 78	SHOULDER-RIGHT WEEK 72	
		547 79	MASS(ES)	30 X 30MM
		TO 554 80	SHOULDER-RIGHT WEEK 72	
		561 81	MASS(ES)	45 X 50MM
		TO 610 88	SHOULDER-RIGHT WEEK 72	
		617 89	MASS(ES)	55 X 60MM
		TO 631 91	SHOULDER-RIGHT WEEK 72	
		638 92	MASS(ES)	55 X 40MM
		TO 670 96	SHOULDER-RIGHT WEEK 72	
C92975	F2	617 89	MASS(ES)	10 X 10MM
		TO 659 95	VENTRAL-ABDOMINAL WEEK 89	

Appendix 2

Individual Clinical Observations

PAGE: 421

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92975	F2	666 96	MASS(ES) VENTRAL-ABDOMINAL WEEK 89	30 X 30MM
		673 97	MASS(ES) VENTRAL-ABDOMINAL WEEK 89	40 X 35MM
		680 98 TO 701 101	MASS(ES) VENTRAL-ABDOMINAL WEEK 89	60 X 40MM
		708 102 TO 715 103	MASS(ES) VENTRAL-ABDOMINAL WEEK 89	60 X 50MM
		722 104 TO 733 105	MASS(ES) VENTRAL-ABDOMINAL WEEK 89	70 X 70MM
		323 47	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 47	15 X 10MM
C92976	F2	575 83 TO 596 86	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83	10 X 10MM
		603 87	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83	35 X 25MM

Appendix 2

Individual Clinical Observations

PAGE: 422

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92976	F2	610 88	MASS(ES)	20 X 25MM POSTERIOR
		TO 631 91	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		638 92	MASS(ES)	35 X 20MM POSTERIOR
		TO 645 93	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		652 94	MASS(ES)	40 X 20MM POSTERIOR
		TO 666 96	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		673 97	MASS(ES)	40 X 30MM POSTERIOR
C92979	F2	TO 701 101	VENTRAL-ABDOMINAL-LEFT WEEK 83	
		708 102	MASS(ES)	50 X 50MM
		TO 712 102	VENTRAL-ABDOMINAL-LEFT WEEK 83	TWO MASSES APPEAR TO HAVE GROWN TOGETHER
		610 88	MASS(ES)	20 X 20MM
		TO 631 91	VENTRAL-ABDOMINAL-LEFT WEEK 88	
C92979	F2	638 92	MASS(ES)	25 X 20MM
		TO 701 101	VENTRAL-ABDOMINAL-LEFT WEEK 88	
C92979	F2	561 81	MASS(ES)	10 X 10MM
			AXILLARY REGION-RIGHT WEEK 80	

Appendix 2

Individual Clinical Observations

PAGE: 423

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92979	F2	568 82	MASS(ES)	20 X 20MM
		TO 575 83	AXILLARY REGION-RIGHT WEEK 80	
		582 84	MASS(ES)	25 X 30MM
		TO 589 85	AXILLARY REGION-RIGHT WEEK 80	
		596 86	MASS(ES)	25 X 35MM
C92980	F2	603 87	AXILLARY REGION-RIGHT WEEK 80	30 X 30MM
		610 88	MASS(ES)	40 X 35MM
		TO 622 89	AXILLARY REGION-RIGHT WEEK 80	
		281 41	MASS(ES)	10 X 10MM
		288 42	AXILLARY REGION-LEFT WEEK 38	15 X 20MM
C92980	F2	295 43	MASS(ES)	20 X 20MM
		TO 316 46	AXILLARY REGION-LEFT WEEK 38	

Appendix 2

Individual Clinical Observations

PAGE: 424

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92980	F2	323 47	MASS(ES)	20 X 25MM
	TO	344 50	AXILLARY REGION-LEFT WEEK 38	
		351 51	MASS(ES)	20 X 30MM
			AXILLARY REGION-LEFT WEEK 38	
		358 52	MASS(ES)	30 X 30MM
			AXILLARY REGION-LEFT WEEK 38	
		365 53	MASS(ES)	35 X 40MM
	TO	379 55	AXILLARY REGION-LEFT WEEK 38	
		386 56	MASS(ES)	25 X 30MM
	TO	393 57	AXILLARY REGION-LEFT WEEK 38	
		400 58	MASS(ES)	20 X 25MM
	TO	421 61	AXILLARY REGION-LEFT WEEK 38	
		428 62	MASS(ES)	30 X 25MM
	TO	435 63	AXILLARY REGION-LEFT WEEK 38	
		393 57	MASS(ES)	40 X 40MM
	TO	407 59	LIMB-HIND-RIGHT WEEK 55	

Appendix 2

Individual Clinical Observations

PAGE: 425

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92980	F2	414 60	MASS(ES)	50 X 45MM
	TO	421 61	LIMB-HIND-RIGHT WEEK 55	
		428 62	MASS(ES)	60 X 55MM
	TO	435 63	LIMB-HIND-RIGHT WEEK 55	
C92983	F2	652 94	MASS(ES)	30 X 20MM
	TO	680 98	INGUINAL REGION-LEFT WEEK 94	
		687 99	MASS(ES)	40 X 30MM
			INGUINAL REGION-LEFT WEEK 94	
		694 100	MASS(ES)	40 X 45MM
			INGUINAL REGION-LEFT WEEK 94	
		701 101	MASS(ES)	45 X 30MM
			INGUINAL REGION-LEFT WEEK 94	
		708 102	MASS(ES)	45 X 50MM
	TO	731 105	INGUINAL REGION-LEFT WEEK 94	
C92984	F2	645 93	MASS(ES)	10 X 10MM
	TO	673 97	AXILLARY REGION-LEFT WEEK 93	

Appendix 2

Individual Clinical Observations

PAGE: 426

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92984	F2	680 98	MASS(ES)	20 X 15MM
	TO	694 100	AXILLARY REGION-LEFT WEEK 93	
		701 101	MASS(ES)	15 X 10MM
	TO	732 105	AXILLARY REGION-LEFT WEEK 93	
		568 82	MASS(ES)	10 X 10MM
	TO	575 83	INGUINAL REGION-RIGHT WEEK 75	
		582 84	MASS(ES)	15 X 15MM
			INGUINAL REGION-RIGHT WEEK 75	
		589 85	MASS(ES)	20 X 20MM
	TO	603 87	INGUINAL REGION-RIGHT WEEK 75	
		610 88	MASS(ES)	25 X 25MM
			INGUINAL REGION-RIGHT WEEK 75	
		617 89	MASS(ES)	45 X 25MM
	TO	645 93	INGUINAL REGION-RIGHT WEEK 75	
		652 94	MASS(ES)	50 X 30MM
	TO	687 99	INGUINAL REGION-RIGHT WEEK 75	

Appendix 2

Individual Clinical Observations

PAGE: 427

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92984	F2	694 100	MASS(ES)	50 X 40MM
	TO	732 105	INGUINAL REGION-RIGHT WEEK 75	
		414 60	MASS(ES)	10 X 10MM
	TO	456 66	VENTRAL-ABDOMINAL WEEK 60	
		722 104	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL WEEK 104	
		729 105	MASS(ES)	15 X 15MM
	TO	732 105	VENTRAL-ABDOMINAL WEEK 104	
		533 77	MASS(ES)	15 X 15MM
	TO	575 83	VENTRAL-ABDOMINAL-RIGHT WEEK 75	
		582 84	MASS(ES)	20 X 25MM
	TO	603 87	VENTRAL-ABDOMINAL-RIGHT WEEK 75	
		610 88	MASS(ES)	25 X 30MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 75	
		617 89	MASS(ES)	45 X 30MM
	TO	680 98	VENTRAL-ABDOMINAL-RIGHT WEEK 75	

Appendix 2

Individual Clinical Observations

PAGE: 428

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92984	F2	687 99	MASS(ES)	50 X 40MM
	TO	732 105	VENTRAL-ABDOMINAL-RIGHT WEEK 75	
C92985	F2	526 76	MASS(ES)	15 X 15MM
	TO	540 78	AXILLARY REGION-RIGHT WEEK 76	
		547 79	MASS(ES)	20 X 20MM
			AXILLARY REGION-RIGHT WEEK 76	
		554 80	MASS(ES)	25 X 25MM
			AXILLARY REGION-RIGHT WEEK 76	
		561 81	MASS(ES)	45 X 35MM
	TO	582 84	AXILLARY REGION-RIGHT WEEK 76	
		589 85	MASS(ES)	50 X 50MM
	TO	596 86	AXILLARY REGION-RIGHT WEEK 76	
		603 87	MASS(ES)	65 X 65MM
	TO	638 92	AXILLARY REGION-RIGHT WEEK 76	
		645 93	MASS(ES)	80 X 65MM
	TO	659 95	AXILLARY REGION-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 429

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92985	F2	666 96	MASS(ES)	80 X 80MM
	TO	680 98	AXILLARY REGION-RIGHT WEEK 76	
		666 96	MASS(ES)	25 X 25MM
	TO	680 98	INGUINAL REGION-RIGHT WEEK 96	
		568 82	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL-LEFT WEEK 82	
		575 83	MASS(ES)	15 X 15MM
	TO	582 84	VENTRAL-ABDOMINAL-LEFT WEEK 82	
		589 85	MASS(ES)	20 X 20MM
	TO	603 87	VENTRAL-ABDOMINAL-LEFT WEEK 82	
		610 88	MASS(ES)	25 X 25MM
			VENTRAL-ABDOMINAL-LEFT WEEK 82	
		617 89	MASS(ES)	30 X 30MM
	TO	624 90	VENTRAL-ABDOMINAL-LEFT WEEK 82	
		631 91	MASS(ES)	20 X 20MM
	TO	680 98	VENTRAL-ABDOMINAL-LEFT WEEK 82	

Appendix 2

Individual Clinical Observations

PAGE: 430

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92985	F2	659 95	MASS(ES)	15 X 15MM
		TO 673 97	VENTRAL-ABDOMINAL-RIGHT WEEK 95	
		680 98	MASS(ES)	20 X 20MM
		TO 680 98	VENTRAL-ABDOMINAL-RIGHT WEEK 95	
		659 95	MASS(ES)	10 X 10MM
		TO 680 98	VENTRAL-THORACIC-LEFT WEEK 95	
C92986	F2	589 85	MASS(ES)	40 X 25MM
		TO 610 88	INGUINAL REGION-LEFT WEEK 85	
		617 89	MASS(ES)	50 X 40MM
		TO 638 92	INGUINAL REGION-LEFT WEEK 85	
		645 93	MASS(ES)	55 X 45MM
			INGUINAL REGION-LEFT WEEK 85	
		652 94	MASS(ES)	60 X 50MM
		TO 673 97	INGUINAL REGION-LEFT WEEK 85	
		680 98	MASS(ES)	70 X 60MM
		TO 733 105	INGUINAL REGION-LEFT WEEK 85	

Appendix 2

Individual Clinical Observations

PAGE: 431

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92986	F2	526 76	MASS(ES)	10 X 10MM
	TO	554 80	INGUINAL REGION-RIGHT WEEK 76	
		694 100	MASS(ES)	20 X 20MM
	TO	715 103	INGUINAL REGION-RIGHT WEEK 100	
C92990	F2	505 73	MASS(ES)	10 X 10MM
	TO	512 74	AXILLARY REGION-LEFT WEEK 73	
		519 75	MASS(ES)	20 X 10MM
			AXILLARY REGION-LEFT WEEK 73	
		526 76	MASS(ES)	20 X 15MM
			AXILLARY REGION-LEFT WEEK 73	
		533 77	MASS(ES)	30 X 25MM
	TO	547 79	AXILLARY REGION-LEFT WEEK 73	
		554 80	MASS(ES)	35 X 30MM
			AXILLARY REGION-LEFT WEEK 73	
		561 81	MASS(ES)	40 X 40MM
	TO	568 82	AXILLARY REGION-LEFT WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 432

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92990	F2	575 83	MASS(ES) AXILLARY REGION-LEFT WEEK 73	50 X 30MM
		582 84 TO 596 86	MASS(ES) AXILLARY REGION-LEFT WEEK 73	50 X 35MM
		603 87	MASS(ES) AXILLARY REGION-LEFT WEEK 73	65 X 50MM
		610 88	MASS(ES) AXILLARY REGION-LEFT WEEK 73	50 X 45MM
		617 89 TO 653 94	MASS(ES) AXILLARY REGION-LEFT WEEK 73	65 X 55MM
		435 63 TO 456 66	MASS(ES) VENTRAL-ABDOMINAL WEEK 63	10 X 10MM
		617 89 TO 624 90	MASS(ES) VENTRAL-CERVICAL-RIGHT WEEK 89	35 X 35MM
		631 91	MASS(ES) VENTRAL-CERVICAL-RIGHT WEEK 89	35 X 60MM

Appendix 2

Individual Clinical Observations

PAGE: 433

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY		CATEGORY	FREE-TEXT COMMENT
		DAY	WK	KEYWORD QUALIFIER	
C92990	F2	638	92	MASS(ES)	50 X 60MM
		TO 645	93	VENTRAL-CERVICAL-RIGHT WEEK 89	
		652	94	MASS(ES)	50 X 90MM
		TO 653	94	VENTRAL-CERVICAL-RIGHT WEEK 89	

Appendix 2

Individual Clinical Observations

PAGE: 434

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS	
C92991	T	103	APPEARANCE				
			MALOCCLUSION			407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491	
						498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582	
						589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673	
						680, 687, 694, 701, 708, 715, 719	
			SKIN & PELAGE				
			SORE/SCAB				
			PAW-HIND-RIGHT			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631	
						638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 719	
			NORMAL				
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106	
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197	
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288	
						295, 337, 344, 351, 358	
			MASS(ES)				
			AXILLARY REGION-LEFT				
			WEEK 44			302C, 309C, 316C, 323C, 330C	
			AXILLARY REGION-RIGHT				
			WEEK 53			365, 372, 379, 386, 393, 400, 407	
C92992	M	84	EXCRETION				
			FEW FECES			578	
			EYES				
			SQUINTED				
			PERI-ORBITAL-RIGHT			578, 582-583	

Appendix 2

Individual Clinical Observations

PAGE: 435

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92992	M	84	SKIN & PELAGE SORE/SCAB			
			DORSAL-CERVICAL			547, 554, 561, 568, 575, 578
			DORSAL-THORACIC-RIGHT			505
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 78			540C, 547C, 554C, 561C, 568C, 575C, 578C, 582-583C
			DORSAL			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 578C, 582-583C
			INGUINAL REGION-LEFT			
			WEEK 46			316C, 323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C 393C, 400C, 407C, 414C, 421C
			WEEK 81			561C, 568C, 575C, 578C, 582-583C
			INGUINAL REGION-RIGHT			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 578C, 582-583C
			VENTRAL-CERVICAL			
			WEEK 79			547C, 554C, 561C, 568C, 575C, 578C, 582-583C
			VENTRAL-THORACIC			
			WEEK 62			428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 578C, 582-583C

Appendix 2

Individual Clinical Observations

PAGE: 436

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92993	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C92994	M	82	APPEARANCE MALOCCLUSION MISSING TEETH THIN			141 134 568, 572
			EXCRETION NO FECES			572
			EYES DISCOLORED/LIGHT RED EYE-LEFT RED DISCHARGE EYE-LEFT			519, 526, 547, 554, 561, 568, 572 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 572
			RESPIRATION AUDIBLE			260
			SKIN & PELAGE YELLOW HAIR COAT			572
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491

Appendix 2

Individual Clinical Observations

PAGE: 437

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C92995	M	9	APPEARANCE MISSING TAIL-DISTAL SWOLLEN TAIL-DISTAL			32, 36, 43, 50, 57, 59 32, 36, 43, 50, 57, 59
			SKIN & PELAGE PALE ENTIRE BODY SORE/SCAB TAIL			57, 59 29, 32, 36, 43, 50, 57, 59
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92996	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C92997	M	83	BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL			575 575
			EYES RED DISCHARGE EYES			575
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			519, 526, 533, 540, 547, 554, 561, 568

Appendix 2

Individual Clinical Observations

PAGE: 438

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C92997	M	83	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484, 491, 498
			MASS(ES)			
			INGUINAL REGION-LEFT			
			WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 50			344, 351, 358, 365, 372, 379, 386, 393
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 74			512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C
			VENTRAL-CERVICAL			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C
C92998	M	46	APPEARANCE			
			THIN			288, 295, 302, 309, 316
			BEHAVIOR			
			ATAXIC			
			<UNSPECIFIED>			316
			HYPOACTIVE			
			<UNSPECIFIED>			295, 302, 309, 316
			MILD			274
			EYES			
			SQUINTED			
			PERI-ORBITAL			316

Appendix 2

Individual Clinical Observations

PAGE: 439

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C92998	M	46	RESPIRATION AUDIBLE			274
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE YELLOW HAIR COAT			274, 281, 288 316
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267
C92999	D	92	APPEARANCE HEAD TILT LEFT MALOCCLUSION THIN			561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 643 631 596, 603, 610, 617, 624, 631, 638, 643
			EYES CLEAR DISCHARGE EYE-RIGHT PROTRUDING EYES OTHER			547, 554 505, 512, 519 400C, 407C, 414C
			SKIN & PELAGE RED SKIN EARS			547, 554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 440

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS												
(CONTINUED FROM PREVIOUS PAGE)																		
C92999	D	92	NORMAL															
			NO REMARKABLE OBSERVATIONS			113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197
						204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288
						295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379
			MASS(ES)															
			AXILLARY REGION-LEFT															
			WEEK 79			547,	554,	561										
			AXILLARY REGION-RIGHT															
			WEEK 56			386,	393,	400,	407,	414,	421							
			VENTRAL-ABDOMINAL															
			WEEK 59			407C,	414C,	421C,	428C,	435C,	442C,	449C,	456C,	463C,	470C,	477C		
						484C,	491C,	498C,	505C,	512C,	519C,	526C,	533C,	540C,	547C,	554C		
						561C,	568C,	575C,	582C,	589C,	596C,	603C,	610C,	617C,	624C,	631C		
						638C,	643C											
			VENTRAL-ABDOMINAL-RIGHT															
			WEEK 76			526C,	533C,	540C,	547C,	554C,	561C,	568C						
			VENTRAL-CERVICAL															
			WEEK 79			547C,	554C,	561C,	568C									
C93000	2	14	NORMAL															
			NO REMARKABLE OBSERVATIONS			1,	8,	15,	22,	29,	36,	43,	50,	57,	64,	71,	78,	85, 92-93
C93001	M	84	APPEARANCE															
			HEAD TILT															
			RIGHT			575,	582,	584										
			BEHAVIOR															
			ATAXIC															
			<UNSPECIFIED>			584												

Appendix 2

Individual Clinical Observations

PAGE: 441

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93001	M	84	EXCRETION FEW FECES			584
			EYES RED DISCHARGE EYES			584
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			575
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES) INGUINAL REGION-LEFT WEEK 82			568C, 575C, 582C, 584C
			VENTRAL-ABDOMINAL-LEFT WEEK 76			526, 533, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 584C

Appendix 2

Individual Clinical Observations

PAGE: 442

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93002	M	81	APPEARANCE THIN			561
			DISCHARGE NASAL RED IN COLOR			547
			EYES RED DISCHARGE EYES			526, 533, 561
			RESPIRATION IRREGULAR LABORED			561 561
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323
			MASS(ES) AXILLARY REGION-LEFT WEEK 70			484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C
			AXILLARY REGION-RIGHT WEEK 58			400, 407, 414, 421

Appendix 2

Individual Clinical Observations

PAGE: 443

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93002	M	81	MASS(ES)			
			INGUINAL REGION-LEFT			
			WEEK 48			330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C
			INGUINAL REGION-RIGHT			
			WEEK 56			386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 540C, 547C, 554C, 561C
			VENTRAL-ABDOMINAL			
			WEEK 54			372C, 379C, 386C, 393C
C93003	T	103	APPEARANCE			
			MALOCCLUSION			85, 92, 99, 106, 113, 120, 127, 129, 134, 141, 148, 155, 162 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708 715, 719
			EXCRETION			
			FEW FECES			129
			SKIN & PELAGE			
			SORE/SCAB			
			AXILLARY REGION-LEFT			687, 694, 701, 708, 715, 719
			YELLOW HAIR COAT			715, 719
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78

Appendix 2

Individual Clinical Observations

PAGE: 444

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93003	T	103	MASS(ES) AXILLARY REGION-LEFT WEEK 56			386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C 694C, 701C, 708C, 715C, 719C
C93004	M	75	BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			520 520
			EXCRETION FEW FECES			507, 512
			EYES SQUINTED PERI-ORBITAL-RIGHT			505, 507, 512, 519-520
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498

Appendix 2

Individual Clinical Observations

PAGE: 445

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93005	M	90	APPEARANCE THIN			575, 582, 589, 596, 603, 610, 617, 624, 630
			BEHAVIOR ATAXIC <UNSPECIFIED>			630
			HYPOACTIVE <UNSPECIFIED>			630
			EXCRETION FEW FECES			575, 630
			EYES RED DISCHARGE EYE-LEFT EYES			540, 547, 554, 561, 568, 575 630
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE HEAD-CRANIAL			470, 477, 484, 547, 554, 561, 568 393, 400, 407
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344
			MASS(ES) AXILLARY REGION-LEFT WEEK 51			351, 358, 365, 372, 379, 386, 393, 400C, 407C, 414C, 421C, 428C 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C

Appendix 2

Individual Clinical Observations

PAGE: 446

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93005	M	90	MASS(ES) AXILLARY REGION-LEFT WEEK 51			512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C, 630C
			INGUINAL REGION-RIGHT WEEK 79			547C, 554C, 561C, 568C
C93006	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93007	T	103	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701, 708, 715, 719
			WART LIKE LESION(S) TAIL WEEK 80			554
C93008	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22

Appendix 2

Individual Clinical Observations

PAGE: 447

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93009	M	92	APPEARANCE MALOCCLUSION			631, 638, 642
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			642
			EYES DISCOLORED/LIGHT RED EYE-LEFT			642
			SCAB EYE-LEFT			642
			SQUINTED PERI-ORBITAL-RIGHT			642
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 533, 540
			MASS(ES) HEAD-MAXILLARY-LEFT WEEK 91			631C, 638C, 642C
			VENTRAL-ABDOMINAL-RIGHT WEEK 76 WEEK 79			526 547, 554, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610, 617 624, 631C, 638C, 642C

Appendix 2

Individual Clinical Observations

PAGE: 448

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93010	M	91	APPEARANCE HEAD TILT RIGHT THIN			631 631
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			631
			EXCRETION FEW FECES			617, 624
			EYES RED DISCHARGE EYES			624, 631
			SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA			624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610

Appendix 2

Individual Clinical Observations

PAGE: 449

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93011	T	103	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			519, 526, 533, 540
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 719
C93012	M	81	APPEARANCE THIN			505, 512, 519, 526, 533, 540, 547, 554, 561
			EYES CLEAR DISCHARGE EYE-LEFT			519, 526
			SKIN & PELAGE BLACK SKIN VENTRAL-THORACIC-LEFT SORE/SCAB DORSAL-CERVICAL-RIGHT HEAD-MAXILLARY-RIGHT VENTRAL-THORACIC-LEFT			547, 554, 561 15 15 547, 554, 561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204

Appendix 2

Individual Clinical Observations

PAGE: 450

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93012	M	81	NORMAL			
			NO REMARKABLE OBSERVATIONS			211, 218, 225, 232, 239, 246
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 37			253C, 260C, 267C, 274C, 281C, 288C, 295C, 302C, 309C, 316C, 323C 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C
			INGUINAL REGION-RIGHT			
			WEEK 61			421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C
C93013	M	86	APPEARANCE			
			THIN			589, 596
			BEHAVIOR			
			ATAXIC			
			<UNSPECIFIED>			547, 554, 561, 596
			HYPOACTIVE			
			<UNSPECIFIED>			547, 554, 561, 596
			DISCHARGE			
			NASAL			
			RED IN COLOR			547, 554
			EYES			
			RED DISCHARGE			
			EYE-RIGHT			547, 554, 561, 568
			EYES			575, 596

Appendix 2

Individual Clinical Observations

PAGE: 451

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93013	M	86	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 582
C93014	M	76	APPEARANCE HEAD TILT LEFT HUNCHED			528, 530 530
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			528, 530
			EXCRETION FEW FECES NO FECES			528 530
			EYES RED DISCHARGE EYES			519, 526, 528, 530
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491

Appendix 2

Individual Clinical Observations

PAGE: 452

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93014	M	76	MASS(ES) AXILLARY REGION-LEFT WEEK 73 INGUINAL REGION-LEFT WEEK 72			505C, 512C, 519C, 526C, 528C, 530C 498C, 505C, 512C, 519C, 526C, 528C, 530C
C93015	M	102	APPEARANCE SWOLLEN VAGINA THIN BEHAVIOR HYPOACTIVE <UNSPECIFIED> DISCHARGE GENITAL RED IN COLOR EXCRETION NO FECES EYES RED DISCHARGE EYES SKIN & PELAGE RED HAIR COAT DORSAL-CERVICAL NORMAL NO REMARKABLE OBSERVATIONS			666 680, 687 712 470 712 712 547, 554 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 453

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93015	M	102	NORMAL			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659
			MASS(ES) VENTRAL-ABDOMINAL WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 712C
C93016	D	82	APPEARANCE HEAD TILT RIGHT MALOCCLUSION			504-505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 571 64, 71, 78, 85, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162 169, 176, 183, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456 463, 470, 477, 484, 491, 498, 504-505, 512, 519, 526, 533, 540 547, 554, 561, 568, 571
			MISSING TEETH			442, 449, 456, 463, 470, 477, 484, 491, 498, 504-505, 512, 519 526, 533, 540, 547, 554, 561, 568, 571
			THIN			491, 504-505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 571
			BEHAVIOR ATAXIC <UNSPECIFIED>			504-505, 512, 519, 526, 533
			EXCRETION FEW FECES			491, 504-505, 512, 519

Appendix 2

Individual Clinical Observations

PAGE: 454

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93016	D	82	SKIN & PELAGE ROUGH HAIR COAT			498, 504-505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 571
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 92, 190, 197, 204
C93017	M	91	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			624, 631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 33			225C, 232C, 239C, 246C, 253C, 260C, 267C, 274C, 281C, 288C, 295C 302C, 309C, 316C, 323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C 610C, 617C, 624C, 631C
C93018	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 455

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93019	M	45	APPEARANCE HUNCHED			309
			EXCRETION NO FECES			309
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE YELLOW HAIR COAT			302, 309 309
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
			MASS(ES) VENTRAL-ABDOMINAL WEEK 43			295C, 302C
C93020	D	66	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 461

Appendix 2

Individual Clinical Observations

PAGE: 456

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93021	M	63	APPEARANCE HEAD TILT RIGHT THIN			400, 407, 414, 421, 428, 435 421, 428, 435
			SKIN & PELAGE RED HAIR COAT VENTRAL-ABDOMINAL ROUGH HAIR COAT YELLOW HAIR COAT			421, 428 421, 428, 435 435
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 51			351C, 358C, 365C, 372C, 379C, 386C, 393C
C93022	T	103	SKIN & PELAGE RED HAIR COAT HEAD-CRANIAL			519, 526, 533, 540, 547, 554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 561, 568, 575, 582, 589, 596

Appendix 2

Individual Clinical Observations

PAGE: 457

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93022	T	103	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 87			603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 719C
C93023	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93024	M	86	APPEARANCE HUNCHED THIN			598 596, 598
			EXCRETION FEW FECES			598
			EYES RED DISCHARGE EYE-LEFT EYES			561, 568 589, 596, 598
			RESPIRATION IRREGULAR			598
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 458

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93024	M	86	NORMAL			386, 393, 400, 407, 414
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C
			WEEK 61			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C
						575C, 582C, 589C, 596C, 598C
C93025	D	101	APPEARANCE			
			MALOCCLUSION			71
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 78, 85, 92, 99, 106, 113
						120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204
						211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295
						302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386
						393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477
						484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568
						575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659
						666, 673, 680, 687, 694, 701, 704
C93026	M	103	APPEARANCE			
			MALOCCLUSION			92, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176
						183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267
						274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
						365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449
						456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540
						547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631
						638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715
			THIN			715

Appendix 2

Individual Clinical Observations

PAGE: 459

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93026	M	103	EYES			
			CLEAR DISCHARGE			
			EYES			400, 687
			PALE			
			EYES			715
			RED DISCHARGE			
			EYES			407
			SKIN & PELAGE			
			BLUE SKIN			
			VENTRAL-THORACIC-LEFT			701, 708, 715
			SORE/SCAB			
			VENTRAL-THORACIC-LEFT			715
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 92			638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C
C93027	M	91	APPEARANCE			
			THIN			631
			BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			631
			EXCRETION			
			FEW FECES			617, 624

Appendix 2

Individual Clinical Observations

PAGE: 460

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93027	M	91	EYES RED DISCHARGE EYES			624, 631
			SKIN & PELAGE ROUGH HAIR COAT			631
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 568, 575, 582 589, 596, 603, 610
			MASS(ES) INGUINAL REGION-RIGHT WEEK 79			547C, 554C, 561C
C93028	M	92	APPEARANCE THIN			638
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			638
			EXCRETION FEW FECES			633

Appendix 2

Individual Clinical Observations

PAGE: 461

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93028	M	92	EYES RED DISCHARGE EYE-LEFT EYES			631, 633 638
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603
			MASS(ES) INGUINAL REGION-RIGHT WEEK 88 VENTRAL-ABDOMINAL-RIGHT WEEK 91			610, 617C, 624C, 631C, 633C, 638C 631C, 633C, 638C
C93029	M	72	APPEARANCE HEAD TILT LEFT SWOLLEN PAW-HIND-RIGHT THIN			500 499 498-500
			BEHAVIOR HYPOACTIVE MODERATE SEVERE			499 500

Appendix 2

Individual Clinical Observations

PAGE: 462

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93029	M	72	EXCRETION FEW FECES NO FECES			498-499 500
			SKIN & PELAGE ROUGH HAIR COAT			498-500
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			MASS(ES) VENTRAL-CERVICAL WEEK 33			400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C, 498-500C
			WEEK 53			365C, 372C, 379C, 386C, 393C
C93030	M	96	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			670
			EXCRETION FEW FECES			670
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			617, 624, 631, 638, 645, 652, 659, 666, 670
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 463

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93030	M	96	NORMAL NO REMARKABLE OBSERVATIONS			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610
C93031	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93032	M	80	APPEARANCE HUNCHED THIN BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED> DISCHARGE NASAL RED IN COLOR EXCRETION FEW FECES NORMAL NO REMARKABLE OBSERVATIONS			554, 556 547, 554, 556 547, 554, 556 547, 554, 556 547 526, 533, 540, 556 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 464

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93032	M	80	NORMAL			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505
			NO REMARKABLE OBSERVATIONS			
			WART LIKE LESION(S) VENTRAL-ABDOMINAL WEEK 74			512C, 519C, 526C
C93033	M	66	APPEARANCE HEAD TILT RIGHT			365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449 456
			HUNCHED			456
			MALOCCLUSION			358
			THIN			456
			DISCHARGE CLEAR ORAL <UNSPECIFIED> MODERATE			414 456
			EXCRETION FEW FECES			456
			RESPIRATION AUDIBLE			414
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			288, 295

Appendix 2

Individual Clinical Observations

PAGE: 465

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93033	M	66	SKIN & PELAGE SORE/SCAB DORSAL-CERVICAL			379
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267
			MASS(ES) AXILLARY REGION-LEFT WEEK 45			309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435C, 442C, 449C, 456C
			AXILLARY REGION-RIGHT WEEK 45			309, 316, 323
			INGUINAL REGION-LEFT WEEK 43			295C, 302C, 309C, 316C, 323C
			VENTRAL-ABDOMINAL-RIGHT WEEK 40			274, 281, 288, 295, 302, 309, 316, 323C, 330C, 337C, 344C, 351C 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C
C93034	D	83	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-LEFT			526, 533, 540, 547, 554, 561, 568, 575
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 323, 330, 337, 344, 351, 358, 386, 393, 400, 407, 414, 421, 428 435

Appendix 2

Individual Clinical Observations

PAGE: 466

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93034	D	83	MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C
			AXILLARY REGION-RIGHT			
			WEEK 73			505, 512, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C
			INGUINAL REGION-LEFT			
			WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C
			INGUINAL REGION-RIGHT			
			WEEK 43			295C, 302C, 309C, 316C
			WEEK 73			505, 512, 519, 526, 533, 540, 547C, 554C, 561, 568, 575
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 64			442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C, 526C, 533C, 540C, 547C, 554C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 76			526C, 533C, 540C, 547C, 554C
			VENTRAL-CERVICAL			
			WEEK 53			365C, 372C, 379C
C93035	2	14	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93036	D	85	APPEARANCE			
			CONVULSIONS			592
			OBES			526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 592
			TREMORS			
			ENTIRE BODY			592
			BEHAVIOR			
			RECUMBENT			
			DORSAL			592

Appendix 2

Individual Clinical Observations

PAGE: 467

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93036	D	85	RESPIRATION AUDIBLE IRREGULAR			592 592
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83			575C, 582C, 589C, 592C
C93037	M	66	APPEARANCE HEAD TILT LEFT MALOCCLUSION			459 456, 459
			BEHAVIOR CIRCLING LEFT HYPOACTIVE <UNSPECIFIED>			459 459
			EXCRETION FEW FECES NO FECES			456 459

Appendix 2

Individual Clinical Observations

PAGE: 468

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93037	M	66	EYES RED DISCHARGE EYE-LEFT			449
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 435
			MASS(ES) AXILLARY REGION-LEFT WEEK 58 VENTRAL-CERVICAL-LEFT WEEK 64			400, 407, 414, 421, 428C 442, 449, 456, 459
C93038	M	71	SKIN & PELAGE SORE/SCAB HEAD-CRANIAL			29, 36, 43, 50, 57, 64, 71, 78
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337 344, 351, 358
			MASS(ES) AXILLARY REGION-RIGHT WEEK 53			365, 372, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C

Appendix 2

Individual Clinical Observations

PAGE: 469

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93038	M	71	WART LIKE LESION(S) DORSAL-CERVICAL WEEK 7			43
C93039	T	103	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449
			MASS(ES) AXILLARY REGION-RIGHT WEEK 75 INGUINAL REGION-LEFT WEEK 66			519, 526 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C, 708C, 715C, 719C
C93040	T	103	APPEARANCE THIN			715, 719
			BEHAVIOR ATAXIC <UNSPECIFIED>			715, 719
			SKIN & PELAGE ROUGH HAIR COAT			701, 708, 715, 719
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106

Appendix 2

Individual Clinical Observations

PAGE: 470

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93040	T	103	NORMAL			
			NO REMARKABLE OBSERVATIONS			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES)			
			AXILLARY REGION-RIGHT			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 719C
C93041	M	83	APPEARANCE			
			HEAD TILT			
			LEFT			575
			BEHAVIOR			
			ATAXIC			
			<UNSPECIFIED>			575
			HYPOACTIVE			
			<UNSPECIFIED>			575
			EXCRETION			
			FEW FECES			575
			SKIN & PELAGE			
			RED HAIR COAT			
			LATERA-RIGHT			561, 568, 575
			LATERAL-THORACIC-LEFT			561, 568, 575

Appendix 2

Individual Clinical Observations

PAGE: 471

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93041	M	83	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 73			505, 512, 519, 526, 533, 540C, 547C, 554C, 561C, 568C, 575C
			AXILLARY REGION-RIGHT			
			WEEK 76			526, 533, 540, 547
			WEEK 82			568, 575
			VENTRAL-ABDOMINAL			
			WEEK 53			365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C
C93042	M	95	APPEARANCE			
			SWOLLEN			
			PAW-HIND-LEFT			603, 610, 617, 624, 631, 638, 645, 652
			BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			665
			RESPIRATION			
			AUDIBLE			665
			SKIN & PELAGE			
			SORE/SCAB			
			AXILLARY REGION-LEFT			610, 617, 624, 631, 638, 645, 652, 659, 665
			PAW-HIND-LEFT			505, 512, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659

Appendix 2

Individual Clinical Observations

PAGE: 472

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93042	M	95	SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT PAWS-HIND			386, 393 519, 526, 533, 540, 547, 554, 561, 568
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498
			MASS(ES) AXILLARY REGION-LEFT WEEK 82			568, 575, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 645C, 652C, 659C, 665C
			DORSAL WEEK 92			638C, 645C, 652C, 659C, 665C
			INGUINAL REGION-LEFT WEEK 79			547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 665C
			INGUINAL REGION-RIGHT WEEK 79			547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 665C
			VENTRAL-ABDOMINAL-LEFT WEEK 84			582

Appendix 2

Individual Clinical Observations

PAGE: 473

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93043	M	97	SKIN & PELAGE SORE/SCAB			659, 666, 673
			AXILLARY REGION-LEFT			519, 526, 533, 540, 547
			AXILLARY REGION-RIGHT			
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 95			659C, 666C, 673C
			AXILLARY REGION-RIGHT			
			WEEK 68			470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C
			VENTRAL-ABDOMINAL			
			WEEK 83			575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 673C
			VENTRAL-CERVICAL-LEFT			
			WEEK 73			505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659C, 666C, 673C
			VENTRAL-CERVICAL-RIGHT			
			WEEK 84			582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C 659C, 666C, 673C

Appendix 2

Individual Clinical Observations

PAGE: 474

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93044	M	66	APPEARANCE HEAD TILT LEFT MALOCCLUSION THIN			442, 449, 456 456 449, 456
			BEHAVIOR HYPOACTIVE MODERATE			456
			EXCRETION FEW FECES			456
			SKIN & PELAGE SORE/SCAB HEAD-ENTIRE			449, 456
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 428, 435
			MASS(ES) AXILLARY REGION-RIGHT WEEK 56			386C, 393C, 400C, 407C, 414C, 421C

Appendix 2

Individual Clinical Observations

PAGE: 475

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93045	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93046	M	80	APPEARANCE PROLAPSED VAGINA			554
			BEHAVIOR COLD TO TOUCH ENTIRE BODY			554
			DISCHARGE GENITAL RED IN COLOR			554
			SKIN & PELAGE SORE/SCAB VENTRAL-CERVICAL-LEFT			498, 505, 512, 519, 526, 533, 540, 547, 554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393
			MASS(ES) INGUINAL REGION-LEFT WEEK 73			505, 512, 519C, 526C, 533C, 540C, 547C, 554C
			INGUINAL REGION-RIGHT WEEK 58			400, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C

Appendix 2

Individual Clinical Observations

PAGE: 476

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93046	M	80	MASS(ES) INGUINAL REGION-RIGHT WEEK 58 VENTRAL-CERVICAL-LEFT WEEK 64			554C 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C, 526C, 533C, 540C, 547C, 554C
C93047	T	103	APPEARANCE OBES			505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 719
			SKIN & PELAGE BROWN SKIN VENTRAL-ABDOMINAL RED HAIR COAT DORSAL-CERVICAL			701 547
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498

Appendix 2

Individual Clinical Observations

PAGE: 477

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD QUALIFIER			
C93048	T	103	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 719
C93049	M	70	APPEARANCE HEAD TILT LEFT			484
			BEHAVIOR ATAXIC MODERATE			484
			RECUMBENT LATERAL			484
			EXCRETION FEW FECES NO FECES			477, 484 484
			EYES RED DISCHARGE EYES			463, 470, 477, 484
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 478

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F3	DOSE: 2 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93049	M	70	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456
C93050	M	98	APPEARANCE THIN			683
			EXCRETION FEW FECES NONFORMED FECES			683 683
			EYES RED DISCHARGE EYES			683
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES) INGUINAL REGION-RIGHT WEEK 79			547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 683C
			VENTRAL-ABDOMINAL-RIGHT WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 683C

Appendix 2

Individual Clinical Observations

PAGE: 479

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92991	F3	302 44 TO 316 46	MASS(ES) AXILLARY REGION-LEFT WEEK 44	20 X 15MM
		323 47	MASS(ES) AXILLARY REGION-LEFT WEEK 44	15 X 15MM
		330 48	MASS(ES) AXILLARY REGION-LEFT WEEK 44	10 X 10MM
C92992	F3	540 78	MASS(ES) AXILLARY REGION-LEFT WEEK 78	20 X 20MM
		547 79 TO 561 81	MASS(ES) AXILLARY REGION-LEFT WEEK 78	30 X 30MM
		568 82	MASS(ES) AXILLARY REGION-LEFT WEEK 78	30 X 30MM
		575 83 TO 583 84	MASS(ES) AXILLARY REGION-LEFT WEEK 78	40 X 40MM
		526 76 TO 554 80	MASS(ES) DORSAL WEEK 76	15 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 480

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92992	F3	561 81	MASS(ES)	20 X 20MM
	TO	583 84	DORSAL WEEK 76	
		316 46	MASS(ES)	15 X 10MM
	TO	358 52	INGUINAL REGION-LEFT WEEK 46	
		365 53	MASS(ES)	30 X 30MM
	TO	386 56	INGUINAL REGION-LEFT WEEK 46	
		393 57	MASS(ES)	30 X 50MM
			INGUINAL REGION-LEFT WEEK 46	
		400 58	MASS(ES)	50 X 35MM
	TO	407 59	INGUINAL REGION-LEFT WEEK 46	
		414 60	MASS(ES)	25 X 20MM
	TO	421 61	INGUINAL REGION-LEFT WEEK 46	
		561 81	MASS(ES)	10 X 10MM
	TO	583 84	INGUINAL REGION-LEFT WEEK 81	
		526 76	MASS(ES)	15 X 15MM
	TO	540 78	INGUINAL REGION-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 481

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92992	F3	547 79	MASS(ES)	30 X 20MM
		TO 568 82	INGUINAL REGION-RIGHT WEEK 76	
		575 83	MASS(ES)	40 X 40MM
		TO 583 84	INGUINAL REGION-RIGHT WEEK 76	
		547 79	MASS(ES)	15 X 15MM
		TO 578 83	VENTRAL-CERVICAL WEEK 79	
		582 84	MASS(ES)	10 X 10MM
		TO 583 84	VENTRAL-CERVICAL WEEK 79	
		428 62	MASS(ES)	10 X 10MM
		TO 442 64	VENTRAL-THORACIC WEEK 62	
		449 65	MASS(ES)	15 X 15MM
		TO 470 68	VENTRAL-THORACIC WEEK 62	
		477 69	MASS(ES)	30 X 20MM
		TO 505 73	VENTRAL-THORACIC WEEK 62	
		512 74	MASS(ES)	40 X 30MM
			VENTRAL-THORACIC WEEK 62	

Appendix 2

Individual Clinical Observations

PAGE: 482

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92992	F3	519 75	MASS(ES) VENTRAL-THORACIC WEEK 62	40 X 20MM
		526 76 TO 540 78	MASS(ES) VENTRAL-THORACIC WEEK 62	40 X 30MM
		547 79 TO 554 80	MASS(ES) VENTRAL-THORACIC WEEK 62	30 X 20MM
		561 81 TO 578 83	MASS(ES) VENTRAL-THORACIC WEEK 62	50 X 25MM
		582 84 TO 583 84	MASS(ES) VENTRAL-THORACIC WEEK 62	30 X 30MM
C92997	F3	505 73 TO 568 82	MASS(ES) INGUINAL REGION-LEFT WEEK 73	10 X 10MM
		512 74 TO 575 83	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 74	30 X 30MM
		526 76 TO 568 82	MASS(ES) VENTRAL-CERVICAL WEEK 76	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 483

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92999	F3	400 58	EYES	SWOLLEN RIGHT EYELID
	TO	414 60	OTHER	
		407 59	MASS(ES) VENTRAL-ABDOMINAL WEEK 59	15 X 10MM
		414 60	MASS(ES)	30 X 20MM
	TO	421 61	VENTRAL-ABDOMINAL WEEK 59	
		428 62	MASS(ES) VENTRAL-ABDOMINAL WEEK 59	50 X 30MM
		435 63	MASS(ES)	45 X 20MM
	TO	456 66	VENTRAL-ABDOMINAL WEEK 59	
		463 67	MASS(ES)	50 X 30MM
	TO	477 69	VENTRAL-ABDOMINAL WEEK 59	
		484 70	MASS(ES)	65 X 50MM
	TO	540 78	VENTRAL-ABDOMINAL WEEK 59	
		547 79	MASS(ES)	70 X 60MM
	TO	554 80	VENTRAL-ABDOMINAL WEEK 59	

Appendix 2

Individual Clinical Observations

PAGE: 484

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C92999	F3	561 81	MASS(ES)	70 X 50MM
		TO 568 82	VENTRAL-ABDOMINAL WEEK 59	
		575 83	MASS(ES)	60 X 50MM
		TO 603 87	VENTRAL-ABDOMINAL WEEK 59	
		610 88	MASS(ES)	40 X 40MM
		TO 643 92	VENTRAL-ABDOMINAL WEEK 59	
		526 76	MASS(ES)	10 X 10MM
		TO 568 82	VENTRAL-ABDOMINAL-RIGHT WEEK 76	
		547 79	MASS(ES)	10 X 10MM
		TO 568 82	VENTRAL-CERVICAL WEEK 79	
C93001	F3	568 82	MASS(ES)	10 X 10MM
		TO 584 84	INGUINAL REGION-LEFT WEEK 82	
		540 78	MASS(ES)	10 X 10MM
		TO 554 80	VENTRAL-ABDOMINAL-LEFT WEEK 76	
		561 81	MASS(ES)	30 X 20MM
		TO 575 83	VENTRAL-ABDOMINAL-LEFT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 485

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93001	F3	582 84 TO 584 84	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 76	30 X 30MM
C93002	F3	484 70 TO 498 72	MASS(ES) AXILLARY REGION-LEFT WEEK 70	10 X 10MM
		505 73 TO 512 74	MASS(ES) AXILLARY REGION-LEFT WEEK 70	15 X 15MM
		519 75 TO 561 81	MASS(ES) AXILLARY REGION-LEFT WEEK 70	20 X 20MM
		330 48 TO 337 49	MASS(ES) INGUINAL REGION-LEFT WEEK 48	20 X 20MM
		344 50	MASS(ES) INGUINAL REGION-LEFT WEEK 48	20 X 30MM
		351 51 TO 379 55	MASS(ES) INGUINAL REGION-LEFT WEEK 48	30 X 30MM
		386 56 TO 393 57	MASS(ES) INGUINAL REGION-RIGHT WEEK 56	30 X 40MM

Appendix 2

Individual Clinical Observations

PAGE: 486

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93002	F3	400 58	MASS(ES)	50 X 40MM
		TO 477 69	INGUINAL REGION-RIGHT WEEK 56	
		484 70	MASS(ES)	60 X 40MM
		TO 498 72	INGUINAL REGION-RIGHT WEEK 56	
		505 73	MASS(ES)	50 X 45MM
		TO 512 74	INGUINAL REGION-RIGHT WEEK 56	
C93002	F3	519 75	MASS(ES)	50 X 50MM
		TO 554 80	INGUINAL REGION-RIGHT WEEK 56	
		561 81	MASS(ES)	70 X 55MM
		TO 561 81	INGUINAL REGION-RIGHT WEEK 56	
		372 54	MASS(ES)	10 X 10MM
		TO 393 57	VENTRAL-ABDOMINAL WEEK 54	
C93003	F3	386 56	MASS(ES)	10 X 10MM
		TO 393 57	AXILLARY REGION-LEFT WEEK 56	
C93003	F3	400 58	MASS(ES)	20 X 15MM
		TO 442 64	AXILLARY REGION-LEFT WEEK 56	

Appendix 2

Individual Clinical Observations

PAGE: 487

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93003	F3	449 65	MASS(ES)	30 X 30MM
	TO	498 72	AXILLARY REGION-LEFT WEEK 56	
		505 73	MASS(ES)	35 X 40MM
			AXILLARY REGION-LEFT WEEK 56	
		512 74	MASS(ES)	40 X 40MM
			AXILLARY REGION-LEFT WEEK 56	
		519 75	MASS(ES)	40 X 50MM
			AXILLARY REGION-LEFT WEEK 56	
		526 76	MASS(ES)	50 X 55MM
	TO	540 78	AXILLARY REGION-LEFT WEEK 56	
		547 79	MASS(ES)	55 X 70MM
	TO	589 85	AXILLARY REGION-LEFT WEEK 56	
		596 86	MASS(ES)	70 X 70MM
			AXILLARY REGION-LEFT WEEK 56	
		603 87	MASS(ES)	80 X 70MM
	TO	638 92	AXILLARY REGION-LEFT WEEK 56	

Appendix 2

Individual Clinical Observations

PAGE: 488

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93003	F3	645 93	MASS(ES)	90 X 80MM
		TO 659 95	AXILLARY REGION-LEFT WEEK 56	
		666 96	MASS(ES)	100 X 80MM
		TO 694 100	AXILLARY REGION-LEFT WEEK 56	
		701 101	MASS(ES)	80 X 80MM
		TO 708 102	AXILLARY REGION-LEFT WEEK 56	
		715 103	MASS(ES)	90 X 90MM
		TO 719 103	AXILLARY REGION-LEFT WEEK 56	
C93005	F3	400 58	MASS(ES)	20 X 15MM
		TO 421 61	AXILLARY REGION-LEFT WEEK 51	
		428 62	MASS(ES)	20 X 20MM
			AXILLARY REGION-LEFT WEEK 51	
		435 63	MASS(ES)	25 X 25M
		TO 456 66	AXILLARY REGION-LEFT WEEK 51	
		463 67	MASS(ES)	30 X 30MM
		TO 477 69	AXILLARY REGION-LEFT WEEK 51	

Appendix 2

Individual Clinical Observations

PAGE: 489

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93005	F3	484 70 TO 498 72	MASS(ES) AXILLARY REGION-LEFT WEEK 51	30 X 40MM
		505 73 TO 630 90	MASS(ES) AXILLARY REGION-LEFT WEEK 51	40 X 45MM
		547 79 TO 568 82	MASS(ES) INGUINAL REGION-RIGHT WEEK 79	10 X 10MM
C93009	F3	631 91	MASS(ES) HEAD-MAXILLARY-LEFT WEEK 91	20 X 20MM
		638 92 TO 642 92	MASS(ES) HEAD-MAXILLARY-LEFT WEEK 91	25 X 20MM
		561 81 TO 568 82	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 79	15 X 15MM
		575 83 TO 603 87	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 79	10 X 10MM
		631 91 TO 642 92	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 79	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 490

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93012	F3	253 37	MASS(ES)	25 X 20 MM
	TO	281 41	AXILLARY REGION-LEFT WEEK 37	
		288 42	MASS(ES)	30 X 30MM
	TO	295 43	AXILLARY REGION-LEFT WEEK 37	
		302 44	MASS(ES)	40 X 40MM
	TO	386 56	AXILLARY REGION-LEFT WEEK 37	
		393 57	MASS(ES)	50 X 50MM
			AXILLARY REGION-LEFT WEEK 37	
		400 58	MASS(ES)	60 X 60MM
	TO	421 61	AXILLARY REGION-LEFT WEEK 37	
		428 62	MASS(ES)	90 X 70MM
			AXILLARY REGION-LEFT WEEK 37	
		435 63	MASS(ES)	60 X 70MM
	TO	442 64	AXILLARY REGION-LEFT WEEK 37	
		449 65	MASS(ES)	80 X 70MM
	TO	477 69	AXILLARY REGION-LEFT WEEK 37	

Appendix 2

Individual Clinical Observations

PAGE: 491

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93012	F3	484 70	MASS(ES) AXILLARY REGION-LEFT WEEK 37	100 X 100MM
		491 71	MASS(ES) AXILLARY REGION-LEFT WEEK 37	100 X 80MM
		498 72	MASS(ES) AXILLARY REGION-LEFT WEEK 37	90 X 80MM
		505 73 TO 526 76	MASS(ES) AXILLARY REGION-LEFT WEEK 37	100 X 100MM
		533 77 TO 561 81	MASS(ES) AXILLARY REGION-LEFT WEEK 37	115 X 95MM
		421 61	MASS(ES) INGUINAL REGION-RIGHT WEEK 61	20 X 20MM
		428 62	MASS(ES) INGUINAL REGION-RIGHT WEEK 61	40 X 30MM
		435 63 TO 477 69	MASS(ES) INGUINAL REGION-RIGHT WEEK 61	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 492

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93014	F3	505 73	MASS(ES)	10 X 10MM
		TO 530 76	AXILLARY REGION-LEFT WEEK 73	
		498 72	MASS(ES)	10 X 10MM
		TO 530 76	INGUINAL REGION-LEFT WEEK 72	
C93015	F3	673 97	MASS(ES)	25 X 15MM
		TO 680 98	VENTRAL-ABDOMINAL WEEK 97	
		687 99	MASS(ES)	40 X 30MM
		TO 712 102	VENTRAL-ABDOMINAL WEEK 97	
C93017	F3	225 33	MASS(ES)	10 X 10MM
		TO 393 57	VENTRAL-ABDOMINAL-LEFT WEEK 33	
		400 58	MASS(ES)	15 X 15MM
		TO 449 65	VENTRAL-ABDOMINAL-LEFT WEEK 33	
		456 66	MASS(ES)	15 X 25MM
		TO 477 69	VENTRAL-ABDOMINAL-LEFT WEEK 33	
		484 70	MASS(ES)	35 X 30MM
		TO 491 71	VENTRAL-ABDOMINAL-LEFT WEEK 33	

Appendix 2

Individual Clinical Observations

PAGE: 493

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93017	F3	498 72	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 33	30 X 30MM
		505 73 TO 582 84	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 33	30 X 40MM
		589 85 TO 596 86	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 33	40 X 50MM
		603 87 TO 610 88	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 33	50 X 60MM
		617 89 TO 631 91	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 33	60 X 60MM
C93019	F3	295 43 TO 302 44	MASS(ES) VENTRAL-ABDOMINAL WEEK 43	15 X 15MM
C93021	F3	351 51 TO 393 57	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 51	10 X 10MM
C93022	F3	603 87 TO 652 94	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 87	25 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 494

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93022	F3	659 95	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 87	30 X 25MM
		666 96 TO 701 101	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 87	40 X 30MM
		708 102	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 87	50 X 40MM
		715 103 TO 719 103	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 87	60 X 50MM
C93024	F3	421 61	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 61	15 X 15MM
		428 62 TO 435 63	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 61	20 X 20MM
		442 64 TO 456 66	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 61	30 X 35MM
		463 67 TO 477 69	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 61	40 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 495

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93024	F3	484 70	MASS(ES)	50 X 70MM
	TO	512 74	VENTRAL-ABDOMINAL-LEFT WEEK 61	
		519 75	MASS(ES)	60 X 70MM
	TO	598 86	VENTRAL-ABDOMINAL-LEFT WEEK 61	
C93026	F3	638 92	MASS(ES)	20 X 15MM
	TO	687 99	AXILLARY REGION-LEFT WEEK 92	
		694 100	MASS(ES)	30 X 30MM
	TO	701 101	AXILLARY REGION-LEFT WEEK 92	
		708 102	MASS(ES)	40 X 30MM
	TO	715 103	AXILLARY REGION-LEFT WEEK 92	
C93027	F3	547 79	MASS(ES)	10 X 10MM
	TO	561 81	INGUINAL REGION-RIGHT WEEK 79	
C93028	F3	617 89	MASS(ES)	10 X10MM
	TO	638 92	INGUINAL REGION-RIGHT WEEK 88	
		631 91	MASS(ES)	15 X 15MM
	TO	638 92	VENTRAL-ABDOMINAL-RIGHT WEEK 91	

Appendix 2

Individual Clinical Observations

PAGE: 496

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93029	F3	400 58	MASS(ES)	30 X 25MM
		TO 421 61	VENTRAL-CERVICAL WEEK 33	
		428 62	MASS(ES)	
		TO 463 67	VENTRAL-CERVICAL WEEK 33	
		470 68	MASS(ES)	
		TO 477 69	VENTRAL-CERVICAL WEEK 33	
		484 70	MASS(ES)	
C93032	F3	TO 499 72	VENTRAL-CERVICAL WEEK 33	40 X 45MM
		500 72	MASS(ES)	
		TO 500 72	VENTRAL-CERVICAL WEEK 33	
		365 53	MASS(ES)	
			VENTRAL-CERVICAL WEEK 53	
		372 54	MASS(ES)	
		TO 393 57	VENTRAL-CERVICAL WEEK 53	
C93032	F3	512 74	WART LIKE LESION(S)	GENITAL
		TO 526 76	VENTRAL-ABDOMINAL WEEK 74	

Appendix 2

Individual Clinical Observations

PAGE: 497

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93033	F3	435 63	MASS(ES)	10 X 10MM
		TO 456 66	AXILLARY REGION-LEFT WEEK 45	
		295 43	MASS(ES)	20 X 20MM
			INGUINAL REGION-LEFT WEEK 43	
		302 44	MASS(ES)	25 X 25MM
		TO 323 47	INGUINAL REGION-LEFT WEEK 43	
		323 47	MASS(ES)	20 X 15MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 40	
		330 48	MASS(ES)	10 X 10MM
		TO 407 59	VENTRAL-ABDOMINAL-RIGHT WEEK 40	
C93034	F3	498 72	MASS(ES)	10 X 10MM
		TO 512 74	AXILLARY REGION-LEFT WEEK 72	
		519 75	MASS(ES)	15 X 15MM
			AXILLARY REGION-LEFT WEEK 72	
		526 76	MASS(ES)	20 X 20MM
		TO 547 79	AXILLARY REGION-LEFT WEEK 72	

Appendix 2

Individual Clinical Observations

PAGE: 498

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93034	F3	554 80	MASS(ES)	15 X 15MM
		TO 575 83	AXILLARY REGION-LEFT WEEK 72	
		519 75	MASS(ES)	10 X 10MM
		TO 575 83	AXILLARY REGION-RIGHT WEEK 73	
		505 73	MASS(ES)	20 X 20MM
		TO 512 74	INGUINAL REGION-LEFT WEEK 73	
		519 75	MASS(ES)	50 X 20MM
			INGUINAL REGION-LEFT WEEK 73	
		526 76	MASS(ES)	60 X 35MM
			INGUINAL REGION-LEFT WEEK 73	
		533 77	MASS(ES)	60 X 50MM
		TO 540 78	INGUINAL REGION-LEFT WEEK 73	
		547 79	MASS(ES)	80 X 65MM
			INGUINAL REGION-LEFT WEEK 73	
		554 80	MASS(ES)	80 X 70MM
		TO 575 83	INGUINAL REGION-LEFT WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 499

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93034	F3	295 43	MASS(ES)	15 X 10MM
	TO	316 46	INGUINAL REGION-RIGHT WEEK 43	
		547 79	MASS(ES)	10 X 10MM
	TO	554 80	INGUINAL REGION-RIGHT WEEK 73	
		442 64	MASS(ES)	10 X 10MM
	TO	491 71	VENTRAL-ABDOMINAL-LEFT WEEK 64	
		498 72	MASS(ES)	15 X 15MM
			VENTRAL-ABDOMINAL-LEFT WEEK 64	
		505 73	MASS(ES)	20 X 20MM
	TO	526 76	VENTRAL-ABDOMINAL-LEFT WEEK 64	
		533 77	MASS(ES)	25 X 25MM
	TO	554 80	VENTRAL-ABDOMINAL-LEFT WEEK 64	
		526 76	MASS(ES)	15 X 15MM
	TO	554 80	VENTRAL-ABDOMINAL-RIGHT WEEK 76	
		365 53	MASS(ES)	10 X 10MM
	TO	379 55	VENTRAL-CERVICAL WEEK 53	

Appendix 2

Individual Clinical Observations

PAGE: 500

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93036	F3	575 83 TO 582 84	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83	15 X 15MM
		589 85 TO 592 85	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 83	20 X 20MM
C93037	F3	428 62	MASS(ES) AXILLARY REGION-LEFT WEEK 58	15 X 15MM
C93038	F3	379 55 TO 386 56	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	20 X 20MM
		393 57	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	30 X 25MM
		400 58	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	45 X 40MM
		407 59	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	45 X 40MM
		414 60	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	45 X 40MM

Appendix 2

Individual Clinical Observations

PAGE: 501

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93038	F3	421 61	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	45 X 40MM
		428 62	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	70 X 60MM
		435 63	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	70 X 60MM
		442 64	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	70 X 60MM
		449 65	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	70 X 60MM
		456 66	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	90 X 70MM
		463 67	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	90 X 70MM
		470 68	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	90 X 80MM

Appendix 2

Individual Clinical Observations

PAGE: 502

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93038	F3	477 69	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	90 X 80MM
		484 70	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	115 X 115MM
		491 71	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	115 X 115MM
		491 71	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	115 X 115MM
		491 71	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	115 X 115MM
C93039	F3 TO	456 66 484 70	MASS(ES) INGUINAL REGION-LEFT WEEK 66	20 X 15MM
		491 71 512 74	MASS(ES) INGUINAL REGION-LEFT WEEK 66	30 X 20MM
		519 75	MASS(ES) INGUINAL REGION-LEFT WEEK 66	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 503

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93039	F3	526 76	MASS(ES)	30 X 35MM
		TO 533 77	INGUINAL REGION-LEFT WEEK 66	
		540 78	MASS(ES)	40 X 40MM
		TO 547 79	INGUINAL REGION-LEFT WEEK 66	
		554 80	MASS(ES)	50 X 50MM
		TO 596 86	INGUINAL REGION-LEFT WEEK 66	
		603 87	MASS(ES)	55 X 55MM
		TO 638 92	INGUINAL REGION-LEFT WEEK 66	
		645 93	MASS(ES)	60 X 55MM
		TO 659 95	INGUINAL REGION-LEFT WEEK 66	
		666 96	MASS(ES)	60 X 60MM
		TO 708 102	INGUINAL REGION-LEFT WEEK 66	
		715 103	MASS(ES)	70 X 60MM
		TO 719 103	INGUINAL REGION-LEFT WEEK 66	
C93040	F3	526 76	MASS(ES)	10 X 10MM
		TO 540 78	AXILLARY REGION-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 504

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93040	F3	547 79	MASS(ES)	15 X 10MM
		TO 603 87	AXILLARY REGION-RIGHT WEEK 76	
		610 88	MASS(ES)	15 X 15MM
		TO 617 89	AXILLARY REGION-RIGHT WEEK 76	
		624 90	MASS(ES)	10 X 10MM
		TO 638 92	AXILLARY REGION-RIGHT WEEK 76	
		645 93	MASS(ES)	15 X 10MM
		TO 652 94	AXILLARY REGION-RIGHT WEEK 76	
		659 95	MASS(ES)	20 X 15MM
		TO 719 103	AXILLARY REGION-RIGHT WEEK 76	
C93041	F3	540 78	MASS(ES)	10 X 10MM
		TO 575 83	AXILLARY REGION-LEFT WEEK 73	
		365 53	MASS(ES)	15 X 10MM
		TO 421 61	VENTRAL-ABDOMINAL WEEK 53	
C93042	F3	582 84	MASS(ES)	10 X 10MM
		TO 603 87	AXILLARY REGION-LEFT WEEK 82	

Appendix 2

Individual Clinical Observations

PAGE: 505

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93042	F3	610 88	MASS(ES)	15 X 15MM
	TO	645 93	AXILLARY REGION-LEFT WEEK 82	
		652 94	MASS(ES)	10 X 10MM
	TO	665 95	AXILLARY REGION-LEFT WEEK 82	
		638 92	MASS(ES)	10 X 10MM
	TO	652 94	DORSAL WEEK 92	
		659 95	MASS(ES)	30 X 30MM
	TO	665 95	DORSAL WEEK 92	
		547 79	MASS(ES)	10 X 10MM
	TO	561 81	INGUINAL REGION-LEFT WEEK 79	
		568 82	MASS(ES)	20 X 20MM
			INGUINAL REGION-LEFT WEEK 79	
		575 83	MASS(ES)	30 X 30MM
	TO	582 84	INGUINAL REGION-LEFT WEEK 79	
		589 85	MASS(ES)	40 X 30MM
	TO	603 87	INGUINAL REGION-LEFT WEEK 79	

Appendix 2

Individual Clinical Observations

PAGE: 506

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93042	F3	610 88	MASS(ES)	40 X 40MM
		TO 624 90	INGUINAL REGION-LEFT WEEK 79	
		631 91	MASS(ES)	70 X 50MM
		TO 665 95	INGUINAL REGION-LEFT WEEK 79	
		547 79	MASS(ES)	10 X 10MM
		TO 596 86	INGUINAL REGION-RIGHT WEEK 79	
		603 87	MASS(ES)	15 X 15MM
		TO 610 88	INGUINAL REGION-RIGHT WEEK 79	
		617 89	MASS(ES)	10 X 10MM
		TO 665 95	INGUINAL REGION-RIGHT WEEK 79	
C93043	F3	659 95	MASS(ES)	15 X 15MM
		TO 673 97	AXILLARY REGION-LEFT WEEK 95	
		470 68	MASS(ES)	20 X 15MM
		TO 477 69	AXILLARY REGION-RIGHT WEEK 68	
		484 70	MASS(ES)	30 X 30MM
		TO 498 72	AXILLARY REGION-RIGHT WEEK 68	

Appendix 2

Individual Clinical Observations

PAGE: 507

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93043	F3	505 73	MASS(ES)	50 X 50MM
		TO 540 78	AXILLARY REGION-RIGHT WEEK 68	
		547 79	MASS(ES)	70 X 60MM
		TO 554 80	AXILLARY REGION-RIGHT WEEK 68	
		561 81	MASS(ES)	80 X 60MM
		TO 596 86	AXILLARY REGION-RIGHT WEEK 68	
		603 87	MASS(ES)	90 X 60MM
		TO 638 92	AXILLARY REGION-RIGHT WEEK 68	
		645 93	MASS(ES)	100 X 70MM
		TO 673 97	AXILLARY REGION-RIGHT WEEK 68	
		575 83	MASS(ES)	20 X 10MM
		TO 582 84	VENTRAL-ABDOMINAL WEEK 83	
		589 85	MASS(ES)	20 X 20MM
		TO 596 86	VENTRAL-ABDOMINAL WEEK 83	
		603 87	MASS(ES)	25 X 25MM
		TO 624 90	VENTRAL-ABDOMINAL WEEK 83	

Appendix 2

Individual Clinical Observations

PAGE: 508

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93043	F3	631 91	MASS(ES) VENTRAL-ABDOMINAL WEEK 83	30 X 30MM
		638 92 TO 673 97	MASS(ES) VENTRAL-ABDOMINAL WEEK 83	40 X 35MM
		505 73 TO 519 75	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 73	10 X 10MM
		526 76 TO 533 77	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 73	15 X 15MM
		540 78 TO 596 86	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 73	20 X 20MM
		603 87	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 73	30 X 30MM
		610 88 TO 666 96	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 73	20 X 20MM
		673 97	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 73	40 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 509

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93043	F3	673 97	MASS(ES)	20 X 20MM
		TO 673 97	VENTRAL-CERVICAL-LEFT WEEK 73	
		582 84	MASS(ES)	20 X 20MM
			VENTRAL-CERVICAL-RIGHT WEEK 84	
		589 85	MASS(ES)	30 X 30MM
		TO 624 90	VENTRAL-CERVICAL-RIGHT WEEK 84	
		631 91	MASS(ES)	50 X 45MM
		TO 645 93	VENTRAL-CERVICAL-RIGHT WEEK 84	
		652 94	MASS(ES)	50 X 55MM
		TO 673 97	VENTRAL-CERVICAL-RIGHT WEEK 84	
C93044	F3	386 56	MASS(ES)	10 X 10MM
		TO 421 61	AXILLARY REGION-RIGHT WEEK 56	
C93046	F3	519 75	MASS(ES)	10 X 10MM
		TO 554 80	INGUINAL REGION-LEFT WEEK 73	
		407 59	MASS(ES)	10 X 10MM
			INGUINAL REGION-RIGHT WEEK 58	

Appendix 2

Individual Clinical Observations

PAGE: 510

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93046	F3	414 60	MASS(ES)	20 X 20MM
		TO 421 61	INGUINAL REGION-RIGHT WEEK 58	
		428 62	MASS(ES)	50 X 50MM
			INGUINAL REGION-RIGHT WEEK 58	
		435 63	MASS(ES)	40 X 35MM
		TO 477 69	INGUINAL REGION-RIGHT WEEK 58	
		484 70	MASS(ES)	60 X 70MM
		TO 519 75	INGUINAL REGION-RIGHT WEEK 58	
		526 76	MASS(ES)	70 X 70MM
			INGUINAL REGION-RIGHT WEEK 58	
		533 77	MASS(ES)	80 X 80MM
		TO 547 79	INGUINAL REGION-RIGHT WEEK 58	
		554 80	MASS(ES)	90 X 90MM
		TO 554 80	INGUINAL REGION-RIGHT WEEK 58	
		442 64	MASS(ES)	10 X 10MM
		TO 463 67	VENTRAL-CERVICAL-LEFT WEEK 64	

Appendix 2

Individual Clinical Observations

PAGE: 511

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93046	F3	470 68	MASS(ES)	20 X 20MM
		TO 477 69	VENTRAL-CERVICAL-LEFT WEEK 64	
		484 70	MASS(ES)	30 X 30MM
		TO 491 71	VENTRAL-CERVICAL-LEFT WEEK 64	
		498 72	MASS(ES)	20 X 20MM
		TO 512 74	VENTRAL-CERVICAL-LEFT WEEK 64	
		519 75	MASS(ES)	30 X 25MM
		TO 554 80	VENTRAL-CERVICAL-LEFT WEEK 64	
C93050	F3	547 79	MASS(ES)	20 X 15MM
		TO 554 80	INGUINAL REGION-RIGHT WEEK 79	
		561 81	MASS(ES)	40 X 40MM
		TO 568 82	INGUINAL REGION-RIGHT WEEK 79	
		575 83	MASS(ES)	30 X 30MM
		TO 589 85	INGUINAL REGION-RIGHT WEEK 79	
		596 86	MASS(ES)	45 X 35MM
			INGUINAL REGION-RIGHT WEEK 79	

Appendix 2

Individual Clinical Observations

PAGE: 512

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93050	F3	603 87	MASS(ES)	50 X 40MM
	TO	638 92	INGUINAL REGION-RIGHT WEEK 79	
		645 93	MASS(ES)	65 X 50MM
	TO	659 95	INGUINAL REGION-RIGHT WEEK 79	
		666 96	MASS(ES)	65 X 60MM
	TO	683 98	INGUINAL REGION-RIGHT WEEK 79	
		526 76	MASS(ES)	15 X 10MM
	TO	547 79	VENTRAL-ABDOMINAL-RIGHT WEEK 76	
		554 80	MASS(ES)	30 X 30MM
	TO	568 82	VENTRAL-ABDOMINAL-RIGHT WEEK 76	
		575 83	MASS(ES)	40 X 30MM
	TO	603 87	VENTRAL-ABDOMINAL-RIGHT WEEK 76	
		610 88	MASS(ES)	40 X 35MM
	TO	624 90	VENTRAL-ABDOMINAL-RIGHT WEEK 76	
		631 91	MASS(ES)	50 X 35MM
	TO	645 93	VENTRAL-ABDOMINAL-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 513

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY	FREE-TEXT COMMENT
			KEYWORD QUALIFIER	
C93050	F3	652 94	MASS(ES)	50 X 50MM
	TO	683 98	VENTRAL-ABDOMINAL-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 514

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93051	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93052	M	72	APPEARANCE HEAD TILT LEFT			489, 491, 498, 500
			BEHAVIOR COLD TO TOUCH LIMBS-ALL			500
			EYES RED DISCHARGE EYE-LEFT			500
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484
C93053	M	66	APPEARANCE HEAD TILT RIGHT MALOCCLUSION			459 449, 456, 459
			SKIN & PELAGE RED HAIR COAT LATERAL-CERVICAL-RIGHT YELLOW HAIR COAT			449 421, 428, 435, 442, 449

Appendix 2

Individual Clinical Observations

PAGE: 515

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93053	M	66	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281
			MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42			288C, 295C, 302C, 309C, 316C, 323C, 330C, 337C, 344C, 351C, 358C 365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C 442C, 449C, 456C, 459C
C93054	M	72	APPEARANCE HEAD TILT RIGHT THIN			504 504
			BEHAVIOR ATAXIC <UNSPECIFIED>			504
			EXCRETION FEW FECES			504
			EYES RED DISCHARGE EYES			504
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 516

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93054	M	72	NORMAL NO REMARKABLE OBSERVATIONS			386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484
			MASS(ES) INGUINAL REGION-LEFT WEEK 71			491C, 498C, 504C
C93055	M	77	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			533
			EXCRETION FEW FECES			532-533
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			533
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526

Appendix 2

Individual Clinical Observations

PAGE: 517

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93056	M	99	APPEARANCE THIN			687, 691
			EXCRETION FEW FECES			691
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			MASS(ES) AXILLARY REGION-RIGHT WEEK 93			645, 652
			INGUINAL REGION-RIGHT WEEK 95			659C, 666C, 673C, 680C, 687C, 691C
			VENTRAL-ABDOMINAL WEEK 99			687C, 691C
C93057	M	99	APPEARANCE THIN			691
			EXCRETION FEW FECES			691
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			554

Appendix 2

Individual Clinical Observations

PAGE: 518

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL DEATH		WK OF		CATEGORY	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS											
NUMBER	CODE	DEATH		KEYWORD														
				QUALIFIER														

(CONTINUED FROM PREVIOUS PAGE)																		
C93057	M	99		NORMAL														
				NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106											
							113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197											
							204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288											
							295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379											
							386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463											
				MASS(ES)														
				AXILLARY REGION-RIGHT														
				WEEK 68			470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C											
							547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C											
							624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 691C											
				VENTRAL-ABDOMINAL														
				WEEK 77			533, 540C, 547C											
				WEEK 97			673C, 680C, 687C, 691C											
C93058	1	4		NORMAL														
				NO REMARKABLE OBSERVATIONS			1, 8, 15, 22											
C93059	T	105		NORMAL														
				NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106											
							113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197											
							204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288											
							295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379											
							386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470											
							477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561											
							568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652											
							659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732											

Appendix 2

Individual Clinical Observations

PAGE: 519

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93060	T	105	APPEARANCE MALOCCLUSION			127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
			EYES CLEAR DISCHARGE EYE-LEFT			701
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120
			MASS(ES) AXILLARY REGION-LEFT WEEK 93			645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729 733
C93061	D	80	APPEARANCE HUNCHED THIN			554, 558 554, 558
			EXCRETION FEW FECES			533, 540, 554, 558
			SKIN & PELAGE PALE ENTIRE BODY			533, 540, 547, 554, 558

Appendix 2

Individual Clinical Observations

PAGE: 520

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93061	D	80	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 519, 526
			NO REMARKABLE OBSERVATIONS			
			MASS(ES) AXILLARY REGION-LEFT WEEK 73			505, 512
C93062	T	105	APPEARANCE MALOCCLUSION			477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
C93063	T	105	EYES RED DISCHARGE EYE-RIGHT			246, 253, 260, 267, 274, 281, 295, 302, 309, 316, 323, 330, 337 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731

Appendix 2

Individual Clinical Observations

PAGE: 521

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93063	T	105	SKIN & PELAGE SORE/SCAB AXILLARY REGION-RIGHT			729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 288, 617, 624, 631, 638, 645
			MASS(ES) AXILLARY REGION-RIGHT WEEK 100			694C, 701C, 708C, 715C, 722C, 729C, 731C
			INGUINAL REGION-RIGHT WEEK 101			701, 708, 715, 722, 729, 731
			VENTRAL-CERVICAL WEEK 102			708C, 715C, 722C, 729C, 731C
C93064	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93065	M	93	APPEARANCE HUNCHED THIN			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 638 554, 561, 568, 575, 582, 589, 596, 603, 610
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			533, 540, 547, 554, 561, 568
			EXCRETION FEW FECES			532-533

Appendix 2

Individual Clinical Observations

PAGE: 522

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93065	M	93	EYES			
			RED DISCHARGE			
			EYE-LEFT			540, 547, 554
			EYES			532-533
			RESPIRATION			
			AUDIBLE			617, 645
			SKIN & PELAGE			
			RED HAIR COAT			
			VENTRAL-ABDOMINAL			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 87			603, 610, 617, 624, 631, 638, 645
			AXILLARY REGION-RIGHT			
			WEEK 83			575, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 86			596, 603, 610, 617, 624, 631, 638C, 645C
			VENTRAL-CERVICAL			
			WEEK 72			498C, 505C, 512C, 519C, 526C, 532-533C, 540C, 547C, 554C, 561C 568C

Appendix 2

Individual Clinical Observations

PAGE: 523

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93066	M	93	SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			596, 603, 610, 617, 624, 631, 638, 645
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365
			MASS(ES) AXILLARY REGION-LEFT WEEK 84 INGUINAL REGION-LEFT WEEK 70 VENTRAL-ABDOMINAL-LEFT WEEK 54 VENTRAL-ABDOMINAL-RIGHT WEEK 70			582, 589, 596, 603, 610C, 617C, 624C, 631C, 638C, 645C 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C

Appendix 2

Individual Clinical Observations

PAGE: 524

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93067	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93068	D	103	APPEARANCE HEAD TILT RIGHT MALOCCLUSION THIN SKIN & PELAGE ALOPECIA NORMAL NO REMARKABLE OBSERVATIONS			715, 718 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267 274, 281, 288, 295, 302, 316, 323, 330, 337, 344, 351, 358, 365 372, 379, 386, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 718 715, 718 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 718 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 309, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512
C93069	M	101	SKIN & PELAGE ALOPECIA NORMAL NO REMARKABLE OBSERVATIONS			470, 568, 575, 617, 624, 673, 680 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 477

Appendix 2

Individual Clinical Observations

PAGE: 525

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93069	M	101	NORMAL NO REMARKABLE OBSERVATIONS			484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 582 589
			MASS(ES)			
			AXILLARY REGION-LEFT WEEK 87			603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701-702C
			AXILLARY REGION-RIGHT WEEK 86			596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 673C, 680C, 687C, 694C, 701-702C
			INGUINAL REGION-LEFT WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701-702C
			VENTRAL-THORACIC-RIGHT WEEK 92			638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701-702C
C93070	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93071	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93072	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596

Appendix 2

Individual Clinical Observations

PAGE: 526

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93072	T	105	MASS(ES) AXILLARY REGION-RIGHT WEEK 87			603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
			INGUINAL REGION-LEFT WEEK 103			715C, 722C, 729C, 732C
C93073	D	75	APPEARANCE HEAD TILT RIGHT HUNCHED THIN			505, 512, 519, 522 519, 522 498, 505, 512, 519, 522
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			505, 512 519, 522
			EXCRETION FEW FECES			491, 498, 505, 512
			RESPIRATION AUDIBLE			519, 522
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484

Appendix 2

Individual Clinical Observations

PAGE: 527

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93074	M	83	APPEARANCE HEAD TILT RIGHT			561, 568, 575
			BEHAVIOR ATAXIC <UNSPECIFIED>			575
			HYPOACTIVE <UNSPECIFIED>			575
			EXCRETION FEW FECES			316, 575
			EYES RED DISCHARGE EYE-RIGHT			568
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554

Appendix 2

Individual Clinical Observations

PAGE: 528

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93075	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93076	M	94	APPEARANCE MALOCCLUSION			43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113, 120, 127, 134, 141 148, 155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652-653
			MISSING TEETH			309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652-653
			THIN			652-653
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			645, 652-653
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36
			MASS(ES) AXILLARY REGION-RIGHT WEEK 84			582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652-653C
			LIMB-HIND-LEFT WEEK 59			407, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C

Appendix 2

Individual Clinical Observations

PAGE: 529

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93076	M	94	MASS(ES) LIMB-HIND-LEFT WEEK 59			561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652-653C
C93077	T	105	APPEARANCE SWOLLEN TAIL-PROXIMAL			631, 638, 645, 652, 659, 666
			SKIN & PELAGE SORE/SCAB TAIL-PROXIMAL			708, 715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
			MASS(ES) AXILLARY REGION-LEFT WEEK 101 TAIL-PROXIMAL WEEK 97			701C, 708C, 715C, 722C, 729C, 733C 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 733C

Appendix 2

Individual Clinical Observations

PAGE: 530

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93078	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610
			MASS(ES) AXILLARY REGION-LEFT WEEK 104			722, 729, 731
			VENTRAL-ABDOMINAL WEEK 98			680C, 687C, 694C, 701C
			VENTRAL-ABDOMINAL-LEFT WEEK 94			652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C 729C, 731C
			VENTRAL-ABDOMINAL-RIGHT WEEK 89			617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C 694C, 701C, 708C, 715C, 722C, 729C, 731C
C93079	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
			MASS(ES) AXILLARY REGION-LEFT WEEK 101			701C, 708C, 715C, 722C, 729C, 732C

Appendix 2

Individual Clinical Observations

PAGE: 531

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93079	T	105	MASS(ES) AXILLARY REGION-RIGHT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 732C
C93080	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
C93081	T	105	APPEARANCE MALOCCLUSION NORMAL NO REMARKABLE OBSERVATIONS			624, 631, 729, 732 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722

Appendix 2

Individual Clinical Observations

PAGE: 532

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93082	D	97	EXCRETION FEW FECES			673, 677
			EYES PALE EYES			652, 659, 666, 673, 677
			SKIN & PELAGE YELLOW HAIR COAT YELLOW SKIN PAWS-ALL TAIL			673, 677 673, 677 673, 677
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 414, 421, 428, 435, 442, 449, 456, 463, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645
			MASS(ES) AXILLARY REGION-RIGHT WEEK 68 LIMB-FRONT-LEFT WEEK 45			470, 477 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407

Appendix 2

Individual Clinical Observations

PAGE: 533

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93083	M	105	APPEARANCE THIN			729
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596
			MASS(ES) VENTRAL-ABDOMINAL WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C
			VENTRAL-CERVICAL-LEFT WEEK 87			603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C
C93084	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93085	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93

Appendix 2

Individual Clinical Observations

PAGE: 534

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93086	M	90	APPEARANCE HEAD TILT LEFT SWOLLEN MOUTH NOSE THIN			568, 575, 582, 589, 596, 601, 603, 610, 617, 624, 630 601, 603, 610 601, 603, 610 568, 575, 582, 589, 596, 601, 603, 610, 617, 624, 630
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			630 630
			EYES DILATED PUPIL EYES			603, 610, 617, 624, 630
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			601, 603, 610
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 519

Appendix 2

Individual Clinical Observations

PAGE: 535

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93086	M	90	MASS(ES) INGUINAL REGION-LEFT WEEK 72 VENTRAL-ABDOMINAL-LEFT WEEK 76			498C, 505C, 512C 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 601C, 603C, 610C, 617C, 624C, 630C
C93087	M	100	BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED> DISCHARGE NASAL RED IN COLOR EXCRETION FEW FECES EYES RED DISCHARGE EYES SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE NORMAL NO REMARKABLE OBSERVATIONS			697 697 694, 697 694, 697 694, 697 652 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 536

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93087	M	100	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			MASS(ES)			
			INGUINAL REGION-LEFT			
			WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 697C
			INGUINAL REGION-RIGHT			
			WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 697C
C93088	D	78	APPEARANCE			
			HEAD TILT			
			LEFT			527, 533, 540, 544
			THIN			505-507, 512
			EXCRETION			
			FEW FECES			506-507, 527
			EYES			
			RED DISCHARGE			
			EYE-RIGHT			22, 351, 506-507, 512, 519
			HOUSING, FOOD, WATER & MAINT.			
			WATER BOTTLE PLACED ON CAGE			505
			SKIN & PELAGE			
			RED HAIR COAT			
			HEAD-ENTIRE			505-507, 512, 527, 533, 540, 544
			ROUGH HAIR COAT			505-507, 512, 519, 526-527, 533, 540, 544

Appendix 2

Individual Clinical Observations

PAGE: 537

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93088	D	78	NORMAL			1, 8, 15, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 358, 365, 372, 379, 386, 393 400, 407, 414, 421, 456, 463, 484, 491
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 62			428C, 435C, 442C, 449C
			WEEK 68			470
			INGUINAL REGION-LEFT			
			WEEK 69			477
			WEEK 72			498, 505-507, 512
C93089	M	94	APPEARANCE			
			HEAD TILT			
			LEFT			652, 656
			MALOCCLUSION			155, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603 610, 617, 624, 631, 638, 645, 652, 656
			SWOLLEN			
			NOSE			155
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148

Appendix 2

Individual Clinical Observations

PAGE: 538

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93089	M	94	MASS(ES) AXILLARY REGION-RIGHT WEEK 92 INGUINAL REGION-LEFT WEEK 73 VENTRAL-ABDOMINAL-LEFT WEEK 87 VENTRAL-CERVICAL WEEK 88			638C, 645C, 652C, 656C 505, 512 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 656C 610, 617, 624, 631C, 638C, 645C, 652C, 656C
C93090	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C93091	M	77	APPEARANCE HUNCHED THIN EYES RED DISCHARGE EYES SKIN & PELAGE PALE ENTIRE BODY			512 512, 519, 526, 533-535 512 534-535

Appendix 2

Individual Clinical Observations

PAGE: 539

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93091	M	77	SKIN & PELAGE SORE/SCAB LATERAL-ABDOMINAL-RIGHT			534-535
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316
			MASS(ES) LIMB-HIND-RIGHT WEEK 47			323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533-535C
C93092	M	77	APPEARANCE HEAD TILT LEFT THIN			519, 526, 533, 535 505, 512, 519, 526, 533, 535
			BEHAVIOR ATAXIC <UNSPECIFIED>			535
			EXCRETION FEW FECES			505
			EYES RED DISCHARGE EYES			533, 535

Appendix 2

Individual Clinical Observations

PAGE: 540

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93092	M	77	HOUSING, FOOD, WATER & MAINT. WATER BOTTLE PLACED ON CAGE			505
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
			MASS(ES) AXILLARY REGION-RIGHT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 535C
C93093	M	96	APPEARANCE MALOCCLUSION			71, 85, 92, 99, 106, 113, 120, 127, 134, 141, 148, 155, 162, 169 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 631, 638, 645, 652, 659, 666, 670
			THIN			670
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			670
			EXCRETION FEW FECES			670

Appendix 2

Individual Clinical Observations

PAGE: 541

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93093	M	96	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 78
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 91			631C, 638C, 645C, 652C, 659C, 666C, 670C
			AXILLARY REGION-RIGHT			
			WEEK 87			603C, 610C, 617C, 624C
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 70			484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 670C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 89			617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 670C
			VENTRAL-CERVICAL-LEFT			
			WEEK 94			652C, 659C, 666C, 670C
			VENTRAL-CERVICAL-RIGHT			
			WEEK 94			652C, 659C, 666C, 670C
C93094	M	96	BEHAVIOR			
			HYPOLACTIVE			
			<UNSPECIFIED>			670
			COLD TO TOUCH			
			ENTIRE BODY			670
			EYES			
			RED DISCHARGE			
			EYES			670
			SKIN & PELAGE			
			SORE/SCAB			
			VENTRAL-CERVICAL-RIGHT			659, 666, 670

Appendix 2

Individual Clinical Observations

PAGE: 542

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93094	M	96	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519
			MASS(ES)			
			VENTRAL-CERVICAL-RIGHT			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 670C
C93095	D	105	BEHAVIOR			
			HYPOACTIVE			
			<UNSPECIFIED>			729
			COLD TO TOUCH			
			ENTIRE BODY			729
			EYES			
			PALE			
			EYES			719, 722, 729
			SKIN & PELAGE			
			PALE			
			ENTIRE BODY			610, 729
			SORE/SCAB			
			AXILLARY REGION-LEFT			617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 719, 722, 729
			LATERAL-ABDOMINAL-LEFT			715, 719

Appendix 2

Individual Clinical Observations

PAGE: 543

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93095	D	105	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 79			547, 554, 561, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C 701C, 708C, 715C, 719C, 722C, 729C
			HEAD-MAXILLARY-RIGHT			
			WEEK 78			540
			INGUINAL REGION-LEFT			
			WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 715C, 719C, 722C, 729C
			SHOULDER-LEFT			
			WEEK 100			694C, 701C, 708
			VENTRAL-ABDOMINAL			
			WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 715C, 719C, 722C, 729C
C93096	D	31	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 217

Appendix 2

Individual Clinical Observations

PAGE: 544

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93097	M	98	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			680
			DISCHARGE OTHER			680C
			SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL-LEFT VENTRAL-THORACIC-LEFT SORE/SCAB VENTRAL-THORACIC-LEFT			659, 666 673, 680 673, 680
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 428
			MASS(ES) AXILLARY REGION-LEFT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C
			VENTRAL-ABDOMINAL-LEFT WEEK 63			435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C 666C, 673C, 680C
			VENTRAL-CERVICAL WEEK 78			540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C

Appendix 2

Individual Clinical Observations

PAGE: 545

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93097	M	98	MASS(ES) VENTRAL-CERVICAL WEEK 78 VENTRAL-CERVICAL-LEFT WEEK 54			617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C
C93098	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687
			MASS(ES) INGUINAL REGION-LEFT WEEK 100 INGUINAL REGION-RIGHT WEEK 79			694, 701, 708, 715, 722, 729, 732 547C, 554C, 561C
C93099	M	96	APPEARANCE HEAD TILT LEFT BEHAVIOR HYPOACTIVE <UNSPECIFIED>			671 671

Appendix 2

Individual Clinical Observations

PAGE: 546

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93099	M	96	DISCHARGE GENITAL RED IN COLOR			671
			EXCRETION NO FECES			671
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL-RIGHT			526
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 456, 463, 470
			MASS(ES) AXILLARY REGION-LEFT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582C, 589C
			WEEK 79			596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C 671C
			INGUINAL REGION-LEFT WEEK 65			449C
			VENTRAL-ABDOMINAL-LEFT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C 652C, 659C, 666C, 671C
			VENTRAL-ABDOMINAL-RIGHT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C

Appendix 2

Individual Clinical Observations

PAGE: 547

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93099	M	96	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 72			575C
C93100	D	89	APPEARANCE MALOCCLUSION			428, 435, 442
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 561, 568, 575, 582, 589, 596, 603 610, 617-618
			MASS(ES) VENTRAL-CERVICAL-RIGHT WEEK 78			540, 547, 554
C93101	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732

Appendix 2

Individual Clinical Observations

PAGE: 548

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93102	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 302 309, 316, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 617, 624, 631, 638, 645 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 42 WEEK 84 VENTRAL-ABDOMINAL-RIGHT WEEK 47			288, 295 582C, 589C, 596C, 603C, 610C 323C, 330C, 337C, 344C, 351C
C93103	M	99	APPEARANCE MALOCCLUSION MISSING TEETH BEHAVIOR HYPOACTIVE <UNSPECIFIED> EXCRETION NO FECES SKIN & PELAGE BROWN HAIR COAT VENTRAL-ABDOMINAL			519, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 691 687, 691 691 691 691

Appendix 2

Individual Clinical Observations

PAGE: 549

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93103	M	99	SKIN & PELAGE SORE/SCAB			
			HEAD-MAXILLARY-LEFT			540
			PAW-HIND-LEFT			568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652
						659, 666, 673, 680, 687, 691
			PAW-HIND-RIGHT			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631
						638, 645, 652, 659, 666, 673, 680, 687, 691
			PAWS-HIND			505, 512, 519
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379
						386, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477
						484, 491, 498
			MASS(ES)			
			HEAD-MAXILLARY-LEFT			
			WEEK 76			526, 533
			VENTRAL-CERVICAL-RIGHT			
			WEEK 57			393
C93104	M	84	APPEARANCE			
			HUNCHED			561, 568, 575
			THIN			533, 540, 547, 554, 561, 568, 575, 582-583
			EXCRETION			
			FEW FECES			533, 540

Appendix 2

Individual Clinical Observations

PAGE: 550

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93104	M	84	EYES RED DISCHARGE EYE-RIGHT			372, 379, 498, 519, 526
			SKIN & PELAGE RED HAIR COAT VENTRAL-ABDOMINAL SORE/SCAB VENTRAL-THORACIC-LEFT YELLOW HAIR COAT			568, 575, 582 554, 561, 568, 575, 582-583 561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365
			MASS(ES) AXILLARY REGION-LEFT WEEK 56			386, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 540C, 547C, 554C, 561C, 568C, 575C
			INGUINAL REGION-LEFT WEEK 67			463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C
			VENTRAL-ABDOMINAL-LEFT WEEK 58			400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C 554C, 561C, 568C, 575C, 582-583C
			VENTRAL-CERVICAL-LEFT WEEK 65			449, 456, 463, 470, 477

Appendix 2

Individual Clinical Observations

PAGE: 551

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93105	D	89	APPEARANCE HUNCHED MALOCCLUSION SWOLLEN LIMB-HIND-RIGHT THIN RESPIRATION LABORED SKIN & PELAGE SORE/SCAB LIMB-HIND-RIGHT PAW-HIND-LEFT PAW-HIND-RIGHT NORMAL NO REMARKABLE OBSERVATIONS			589, 596, 603 589, 596, 603, 610, 617-618 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617-618 589, 596, 603 610 470, 477, 484 498, 505, 519, 526, 533, 540, 547 449 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 456, 463
C93106	M	95	APPEARANCE MISSING TAIL-DISTAL BEHAVIOR HYPOACTIVE <UNSPECIFIED>			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652, 659, 661 661

Appendix 2

Individual Clinical Observations

PAGE: 552

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS																
(CONTINUED FROM PREVIOUS PAGE)																						
C93106	M	95	EXCRETION FEW FECES			659,	661															
			EYES RED DISCHARGE EYES			659,	661															
			SKIN & PELAGE SORE/SCAB TAIL-DISTAL			554,	561,	568,	575,	582,	589,	596										
			NORMAL NO REMARKABLE OBSERVATIONS			1,	8,	15,	22,	29,	36,	43,	50,	57,	64,	71,	78,	85,	92,	99,	106	
						113,	120,	127,	134,	141,	148,	155,	162,	169,	176,	183,	190,	197				
						204,	211,	218,	225,	232,	239,	246,	253,	260,	267,	274,	281,	288				
						295,	302,	309,	316,	323,	330,	337,	344,	351,	358,	365,	372,	379				
						386,	393,	400,	407,	414,	421,	428,	435,	442,	449,	456,	463,	470				
						477,	484,	491,	498,	505,	512,	519,	526,	533,	540,	547						
C93107	T	105	APPEARANCE MALOCCLUSION			162,	169,	197,	204,	211,	218,	225,	232,	239,	246,	253,	260,	267				
						274,	281,	288,	295,	302,	309,	316,	323,	330,	337,	344,	351,	358				
						365,	372,	379,	386,	393,	400,	407,	414,	421,	428,	435,	442,	449				
						456,	463,	470,	477,	484,	491,	498,	505,	512,	519,	526,	533,	540				
						547,	554,	561,	568,	575,	582,	589,	596,	603,	610,	617,	624,	631				
						638,	645,	652,	659,	666,	673,	680,	687,	694,	701,	708,	715,	722				
						729,	731															
			MISSING TEETH			428,	435,	442,	449,	456,	463,	470,	477,	484,	491,	498,	505,	512				
						519,	526,	533,	540,	547,	554,	561,	568,	575,	582,	589,	596,	603				
						610,	617,	624,	631,	638,	645,	652,	659,	666,	673,	680,	687,	694				
						701,	708,	715,	722,	729,	731											

Appendix 2

Individual Clinical Observations

PAGE: 553

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93107	T	105	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 176, 183, 190
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			VENTRAL-CERVICAL-RIGHT			
			WEEK 81			561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C, 722C, 729C, 731C
C93108	D	52	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 364
			NO REMARKABLE OBSERVATIONS			
C93109	2	14	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
			NO REMARKABLE OBSERVATIONS			
C93110	M	90	APPEARANCE			624, 630
			THIN			
			BEHAVIOR			
			HYPOACTIVE			630
			<UNSPECIFIED>			
			EXCRETION			
			FEW FECES			630
			NONFORMED FECES			630

Appendix 2

Individual Clinical Observations

PAGE: 554

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F4	DOSE: 5 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93110	M	90	EYES			
			RED DISCHARGE			
			EYE-LEFT			630
			EYE-RIGHT			470, 477
			SKIN & PELAGE			
			ROUGH HAIR COAT			624, 630
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 41			281, 288, 295
			AXILLARY REGION-RIGHT			
			WEEK 90			624C, 630C

Appendix 2

Individual Clinical Observations

PAGE: 555

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93053	F4	288 42	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	20 X 20MM
		295 43 TO 302 44	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	30 X 25MM
		309 45 TO 337 49	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	30 X 30MM
		344 50 TO 351 51	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	40 X 30MM
		358 52	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	50 X 40MM
		365 53 TO 386 56	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	50 X 50MM
		393 57 TO 428 62	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	60 X 50MM
		435 63 TO 459 66	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 42	70 X 55MM

Appendix 2

Individual Clinical Observations

PAGE: 556

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93054	F4	491 71 TO 504 72	MASS(ES) INGUINAL REGION-LEFT WEEK 71	30 X 20MM
C93056	F4	659 95 TO 666 96	MASS(ES) INGUINAL REGION-RIGHT WEEK 95	20 X 15MM
		673 97	MASS(ES) INGUINAL REGION-RIGHT WEEK 95	30 X 25MM
		680 98 TO 691 99	MASS(ES) INGUINAL REGION-RIGHT WEEK 95	25 X 25MM
		687 99 TO 691 99	MASS(ES) VENTRAL-ABDOMINAL WEEK 99	20 X 20MM
C93057	F4	470 68 TO 519 75	MASS(ES) AXILLARY REGION-RIGHT WEEK 68	15 X 15MM
		526 76 TO 540 78	MASS(ES) AXILLARY REGION-RIGHT WEEK 68	20 X 20MM
		547 79 TO 554 80	MASS(ES) AXILLARY REGION-RIGHT WEEK 68	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 557

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93057	F4	561 81	MASS(ES)	40 X 40MM
		TO 589 85	AXILLARY REGION-RIGHT WEEK 68	
		596 86	MASS(ES)	60 X 40MM
		TO 631 91	AXILLARY REGION-RIGHT WEEK 68	
		638 92	MASS(ES)	75 X 75MM
		TO 659 95	AXILLARY REGION-RIGHT WEEK 68	
C93057	F4	666 96	MASS(ES)	75 X 60MM
		TO 691 99	AXILLARY REGION-RIGHT WEEK 68	
		540 78	MASS(ES)	15 X 15MM
		TO 547 79	VENTRAL-ABDOMINAL WEEK 77	
		673 97	MASS(ES)	15 X 15MM
		TO 691 99	VENTRAL-ABDOMINAL WEEK 97	
C93063	F4	694 100	MASS(ES)	10 X 10MM
			AXILLARY REGION-RIGHT WEEK 100	
C93063	F4	701 101	MASS(ES)	20 X 20MM
		TO 708 102	AXILLARY REGION-RIGHT WEEK 100	

Appendix 2

Individual Clinical Observations

PAGE: 558

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93063	F4	715 103	MASS(ES) AXILLARY REGION-RIGHT WEEK 100	20 X 30MM
		722 104	MASS(ES) AXILLARY REGION-RIGHT WEEK 100	30 X 30MM
		729 105 TO 731 105	MASS(ES) AXILLARY REGION-RIGHT WEEK 100	40 X 30MM
		708 102 TO 715 103	MASS(ES) VENTRAL-CERVICAL WEEK 102	20 X 20MM
		722 104 TO 731 105	MASS(ES) VENTRAL-CERVICAL WEEK 102	35 X 35MM
C93065	F4	582 84 TO 610 88	MASS(ES) AXILLARY REGION-RIGHT WEEK 83	10 X 10MM
		617 89 TO 645 93	MASS(ES) AXILLARY REGION-RIGHT WEEK 83	15 X 15MM
		638 92 TO 645 93	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 86	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 559

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93065	F4	498 72 TO 568 82	MASS(ES) VENTRAL-CERVICAL WEEK 72	10 X 10MM
C93066	F4	610 88	MASS(ES) AXILLARY REGION-LEFT WEEK 84	10 X 10MM
		617 89 TO 631 91	MASS(ES) AXILLARY REGION-LEFT WEEK 84	20 X 15MM
		638 92 TO 645 93	MASS(ES) AXILLARY REGION-LEFT WEEK 84	30 X 20MM
		484 70 TO 505 73	MASS(ES) INGUINAL REGION-LEFT WEEK 70	25 X 25MM
		512 74 TO 603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 70	40 X 40MM
		372 54 TO 386 56	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 54	20 X 10MM
		393 57 TO 407 59	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 54	25 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 560

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93066	F4	414 60	MASS(ES)	40 X 20MM
		TO 428 62	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		435 63	MASS(ES)	40 X 25MM
			VENTRAL-ABDOMINAL-LEFT WEEK 54	
		442 64	MASS(ES)	50 X 40MM
		TO 456 66	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		463 67	MASS(ES)	60 X 45MM
		TO 477 69	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		484 70	MASS(ES)	70 X 50MM
		TO 526 76	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		533 77	MASS(ES)	80 X 60MM
		TO 554 80	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		561 81	MASS(ES)	90 X 55MM
		TO 568 82	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		575 83	MASS(ES)	75 X 50MM
		TO 582 84	VENTRAL-ABDOMINAL-LEFT WEEK 54	

Appendix 2

Individual Clinical Observations

PAGE: 561

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93066	F4	589 85	MASS(ES)	90 X 50MM
		TO 603 87	VENTRAL-ABDOMINAL-LEFT WEEK 54	
		610 88	MASS(ES)	110 X 60MM
		TO 624 90	VENTRAL-ABDOMINAL-LEFT WEEK 54	MASSES ON LEFT SIDE ARE MEASURED AS ONE MASS.
		631 91	MASS(ES)	110 X 90MM
			VENTRAL-ABDOMINAL-LEFT WEEK 54	MASSES ON LEFT SIDE ARE MEASURED AS ONE MASS
		638 92	MASS(ES)	110 X 110MM
		TO 645 93	VENTRAL-ABDOMINAL-LEFT WEEK 54	MASSES ON LEFT SIDE ARE MEASURED AS ONE MASS
		484 70	MASS(ES)	10 X 10MM
		TO 498 72	VENTRAL-ABDOMINAL-RIGHT WEEK 70	
		505 73	MASS(ES)	15 X 15MM
		TO 561 81	VENTRAL-ABDOMINAL-RIGHT WEEK 70	
		568 82	MASS(ES)	20 X 20MM
		TO 575 83	VENTRAL-ABDOMINAL-RIGHT WEEK 70	
		582 84	MASS(ES)	30 X 30MM
		TO 610 88	VENTRAL-ABDOMINAL-RIGHT WEEK 70	

Appendix 2

Individual Clinical Observations

PAGE: 562

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93066	F4	617 89	MASS(ES)	35 X 35MM
	TO	645 93	VENTRAL-ABDOMINAL-RIGHT WEEK 70	
C93069	F4	603 87	MASS(ES)	20 X 20MM
	TO	624 90	AXILLARY REGION-LEFT WEEK 87	
		631 91	MASS(ES)	30 X 30MM
	TO	652 94	AXILLARY REGION-LEFT WEEK 87	
		659 95	MASS(ES)	40 X 30MM
	TO	680 98	AXILLARY REGION-LEFT WEEK 87	
		687 99	MASS(ES)	50 X 40MM
	TO	694 100	AXILLARY REGION-LEFT WEEK 87	
		701 101	MASS(ES)	60 X 50MM
	TO	702 101	AXILLARY REGION-LEFT WEEK 87	
		596 86	MASS(ES)	10 X 10MM
	TO	603 87	AXILLARY REGION-RIGHT WEEK 86	
		610 88	MASS(ES)	15 X 15MM
			AXILLARY REGION-RIGHT WEEK 86	

Appendix 2

Individual Clinical Observations

PAGE: 563

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93069	F4	617 89	MASS(ES)	20 X 20MM
	TO	631 91	AXILLARY REGION-RIGHT WEEK 86	
		638 92	MASS(ES)	25 X 25MM
			AXILLARY REGION-RIGHT WEEK 86	
		645 93	MASS(ES)	30 X 25MM
	TO	666 96	AXILLARY REGION-RIGHT WEEK 86	
		673 97	MASS(ES)	45 X 30MM
	TO	702 101	AXILLARY REGION-RIGHT WEEK 86	
		645 93	MASS(ES)	30 X 30MM
	TO	666 96	INGUINAL REGION-LEFT WEEK 93	
		673 97	MASS(ES)	40 X 35MM
	TO	687 99	INGUINAL REGION-LEFT WEEK 93	
		694 100	MASS(ES)	50 X 40MM
			INGUINAL REGION-LEFT WEEK 93	
		701 101	MASS(ES)	50 X 50MM
	TO	702 101	INGUINAL REGION-LEFT WEEK 93	

Appendix 2

Individual Clinical Observations

PAGE: 564

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93069	F4	638 92	MASS(ES)	25 X 25MM
		TO 659 95	VENTRAL-THORACIC-RIGHT WEEK 92	
		666 96	MASS(ES)	
		TO 694 100	VENTRAL-THORACIC-RIGHT WEEK 92	30 X 30MM
		701 101	MASS(ES)	40 X 35MM
		TO 702 101	VENTRAL-THORACIC-RIGHT WEEK 92	
C93072	F4	603 87	MASS(ES)	10 X 10MM
			AXILLARY REGION-RIGHT WEEK 87	
		610 88	MASS(ES)	15 X 15MM
			AXILLARY REGION-RIGHT WEEK 87	
		617 89	MASS(ES)	25 X 25MM
		TO 652 94	AXILLARY REGION-RIGHT WEEK 87	
		659 95	MASS(ES)	30 X 30MM
		TO 673 97	AXILLARY REGION-RIGHT WEEK 87	
		680 98	MASS(ES)	35 X 30MM
			AXILLARY REGION-RIGHT WEEK 87	

Appendix 2

Individual Clinical Observations

PAGE: 565

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93072	F4	687 99	MASS(ES)	45 X 40MM
		TO 732 105	AXILLARY REGION-RIGHT WEEK 87	
		715 103	MASS(ES)	20 X 20MM
		TO 732 105	INGUINAL REGION-LEFT WEEK 103	
C93076	F4	582 84	MASS(ES)	30 X 30MM
		TO 603 87	AXILLARY REGION-RIGHT WEEK 84	
		610 88	MASS(ES)	35 X 40MM
		TO 624 90	AXILLARY REGION-RIGHT WEEK 84	
		631 91	MASS(ES)	50 X 50MM
		TO 653 94	AXILLARY REGION-RIGHT WEEK 84	
		414 60	MASS(ES)	55 X 55MM
		TO 428 62	LIMB-HIND-LEFT WEEK 59	
		435 63	MASS(ES)	70 X 65MM
		TO 484 70	LIMB-HIND-LEFT WEEK 59	
		491 71	MASS(ES)	90 X 75MM
		TO 547 79	LIMB-HIND-LEFT WEEK 59	

Appendix 2

Individual Clinical Observations

PAGE: 566

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93076	F4	554 80	MASS(ES)	110 X 100MM
	TO	631 91	LIMB-HIND-LEFT WEEK 59	
		638 92	MASS(ES)	120 X 125MM
	TO	653 94	LIMB-HIND-LEFT WEEK 59	
C93077	F4	701 101	MASS(ES)	20 X 20MM
	TO	722 104	AXILLARY REGION-LEFT WEEK 101	
		729 105	MASS(ES)	30 X 30MM
	TO	733 105	AXILLARY REGION-LEFT WEEK 101	
		673 97	MASS(ES)	25 X 20MM
	TO	687 99	TAIL-PROXIMAL WEEK 97	
		694 100	MASS(ES)	30 X 25MM
	TO	701 101	TAIL-PROXIMAL WEEK 97	
		708 102	MASS(ES)	25 X 15MM
	TO	733 105	TAIL-PROXIMAL WEEK 97	
C93078	F4	680 98	MASS(ES)	10 X 10MM
	TO	701 101	VENTRAL-ABDOMINAL WEEK 98	

Appendix 2

Individual Clinical Observations

PAGE: 567

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93078	F4	652 94	MASS(ES)	10 X 10MM
		TO 666 96	VENTRAL-ABDOMINAL-LEFT WEEK 94	
		673 97	MASS(ES)	15 X 15MM
			VENTRAL-ABDOMINAL-LEFT WEEK 94	
		680 98	MASS(ES)	25 X 20MM
		TO 687 99	VENTRAL-ABDOMINAL-LEFT WEEK 94	
		694 100	MASS(ES)	30 X 25MM
		TO 701 101	VENTRAL-ABDOMINAL-LEFT WEEK 94	
		708 102	MASS(ES)	40 X 40MM
		TO 731 105	VENTRAL-ABDOMINAL-LEFT WEEK 94	
		617 89	MASS(ES)	20 X 20MM
		TO 624 90	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		631 91	MASS(ES)	30 X 25MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		638 92	MASS(ES)	40 X 40MM
		TO 652 94	VENTRAL-ABDOMINAL-RIGHT WEEK 89	

Appendix 2

Individual Clinical Observations

PAGE: 568

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93078	F4	659 95	MASS(ES)	50 X 45MM
	TO	666 96	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		673 97	MASS(ES)	50 X 50MM
	TO	680 98	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		687 99	MASS(ES)	60 X 50MM
	TO	694 100	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		701 101	MASS(ES)	70 X 65MM
	TO	731 105	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
C93079	F4	701 101	MASS(ES)	10 X 10MM
	TO	732 105	AXILLARY REGION-LEFT WEEK 101	
		477 69	MASS(ES)	10 X 10MM
			AXILLARY REGION-RIGHT WEEK 69	
		484 70	MASS(ES)	20 X 20MM
	TO	498 72	AXILLARY REGION-RIGHT WEEK 69	
		505 73	MASS(ES)	30 X 25MM
	TO	519 75	AXILLARY REGION-RIGHT WEEK 69	

Appendix 2

Individual Clinical Observations

PAGE: 569

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93079	F4	526 76	MASS(ES)	30 X 30MM
		TO 533 77	AXILLARY REGION-RIGHT WEEK 69	
		540 78	MASS(ES)	30 X 40MM
		TO 547 79	AXILLARY REGION-RIGHT WEEK 69	
		554 80	MASS(ES)	40 X 40MM
		TO 582 84	AXILLARY REGION-RIGHT WEEK 69	
C93079	F4	589 85	MASS(ES)	40 X 55MM
		TO 631 91	AXILLARY REGION-RIGHT WEEK 69	
		638 92	MASS(ES)	60 X 70MM
		TO 694 100	AXILLARY REGION-RIGHT WEEK 69	
		701 101	MASS(ES)	70 X 80MM
		TO 732 105	AXILLARY REGION-RIGHT WEEK 69	
C93083	F4	659 95	MASS(ES)	15 X 10MM
		TO 729 105	VENTRAL-ABDOMINAL WEEK 95	
C93083	F4	603 87	MASS(ES)	15 X 15MM
			VENTRAL-CERVICAL-LEFT WEEK 87	

Appendix 2

Individual Clinical Observations

PAGE: 570

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93083	F4	610 88	MASS(ES)	30 X 30MM
		TO 624 90	VENTRAL-CERVICAL-LEFT WEEK 87	
		631 91	MASS(ES)	
			VENTRAL-CERVICAL-LEFT WEEK 87	
		638 92	MASS(ES)	
		TO 652 94	VENTRAL-CERVICAL-LEFT WEEK 87	
		659 95	MASS(ES)	
		TO 673 97	VENTRAL-CERVICAL-LEFT WEEK 87	
C93083	F4	680 98	MASS(ES)	70 X 75MM
			VENTRAL-CERVICAL-LEFT WEEK 87	
		687 99	MASS(ES)	
			VENTRAL-CERVICAL-LEFT WEEK 87	
		694 100	MASS(ES)	
		TO 722 104	VENTRAL-CERVICAL-LEFT WEEK 87	
		729 105	MASS(ES)	
		TO 729 105	VENTRAL-CERVICAL-LEFT WEEK 87	

Appendix 2

Individual Clinical Observations

PAGE: 571

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93086	F4	498 72	MASS(ES)	15 X 15MM
		TO 512 74	INGUINAL REGION-LEFT WEEK 72	
		526 76	MASS(ES)	30 X 30MM
		TO 533 77	VENTRAL-ABDOMINAL-LEFT WEEK 76	
		540 78	MASS(ES)	40 X 30MM
		TO 568 82	VENTRAL-ABDOMINAL-LEFT WEEK 76	
C93087	F4	575 83	MASS(ES)	40 X 40MM
		TO 589 85	VENTRAL-ABDOMINAL-LEFT WEEK 76	
		596 86	MASS(ES)	50 X 40MM
		TO 610 88	VENTRAL-ABDOMINAL-LEFT WEEK 76	
		617 89	MASS(ES)	60 X 50MM
		TO 630 90	VENTRAL-ABDOMINAL-LEFT WEEK 76	
C93087	F4	645 93	MASS(ES)	20 X 20MM
		TO 687 99	INGUINAL REGION-LEFT WEEK 93	
C93087	F4	652 94	MASS(ES)	30 X 30MM
		TO 687 99	INGUINAL REGION-LEFT WEEK 93	

Appendix 2

Individual Clinical Observations

PAGE: 572

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93087	F4	694 100	MASS(ES)	40 X 30MM
	TO	697 100	INGUINAL REGION-LEFT WEEK 93	
		659 95	MASS(ES)	20 X 20MM
	TO	697 100	INGUINAL REGION-RIGHT WEEK 95	
C93088	F4	428 62	MASS(ES)	10 X 10MM
	TO	449 65	AXILLARY REGION-LEFT WEEK 62	
C93089	F4	638 92	MASS(ES)	15 X 15MM
	TO	656 94	AXILLARY REGION-RIGHT WEEK 92	
		603 87	MASS(ES)	15 X 15MM
	TO	656 94	VENTRAL-ABDOMINAL-LEFT WEEK 87	
		631 91	MASS(ES)	20 X 20MM
	TO	645 93	VENTRAL-CERVICAL WEEK 88	
		652 94	MASS(ES)	25 X 25MM
	TO	656 94	VENTRAL-CERVICAL WEEK 88	
C93091	F4	323 47	MASS(ES)	20 X 15MM
			LIMB-HIND-RIGHT WEEK 47	

Appendix 2

Individual Clinical Observations

PAGE: 573

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93091	F4	330 48	MASS(ES)	25 X 25MM
	TO	351 51	LIMB-HIND-RIGHT WEEK 47	
		358 52	MASS(ES)	25 X 15MM
			LIMB-HIND-RIGHT WEEK 47	
		365 53	MASS(ES)	25 X 30MM
	TO	379 55	LIMB-HIND-RIGHT WEEK 47	
		386 56	MASS(ES)	30 X 30MM
	TO	414 60	LIMB-HIND-RIGHT WEEK 47	
		421 61	MASS(ES)	40 X 40MM
			LIMB-HIND-RIGHT WEEK 47	
		428 62	MASS(ES)	30 X 30MM
			LIMB-HIND-RIGHT WEEK 47	
		435 63	MASS(ES)	30 X 40MM
	TO	442 64	LIMB-HIND-RIGHT WEEK 47	
		449 65	MASS(ES)	60 X 50MM
			LIMB-HIND-RIGHT WEEK 47	

Appendix 2

Individual Clinical Observations

PAGE: 574

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93091	F4	456 66	MASS(ES)	40 X 40MM
		TO 477 69	LIMB-HIND-RIGHT WEEK 47	
		484 70	MASS(ES)	50 X 50MM
		TO 491 71	LIMB-HIND-RIGHT WEEK 47	
		498 72	MASS(ES)	70 X 70MM
		TO 526 76	LIMB-HIND-RIGHT WEEK 47	
		533 77	MASS(ES)	100 X 100MM
		TO 535 77	LIMB-HIND-RIGHT WEEK 47	
C93092	F4	498 72	MASS(ES)	10 X 10MM
		TO 535 77	AXILLARY REGION-RIGHT WEEK 72	
C93093	F4	631 91	MASS(ES)	10 X 10MM
		TO 670 96	AXILLARY REGION-LEFT WEEK 91	
		603 87	MASS(ES)	10 X 10MM
		TO 624 90	AXILLARY REGION-RIGHT WEEK 87	
		484 70	MASS(ES)	30 X 20MM
		TO 498 72	VENTRAL-ABDOMINAL-LEFT WEEK 70	

Appendix 2

Individual Clinical Observations

PAGE: 575

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93093	F4	505 73	MASS(ES)	40 X 30MM
	TO	519 75	VENTRAL-ABDOMINAL-LEFT WEEK 70	
		526 76	MASS(ES)	40 X 40MM
			VENTRAL-ABDOMINAL-LEFT WEEK 70	
		533 77	MASS(ES)	60 X 60MM
	TO	575 83	VENTRAL-ABDOMINAL-LEFT WEEK 70	
		582 84	MASS(ES)	65 X 60MM
	TO	603 87	VENTRAL-ABDOMINAL-LEFT WEEK 70	
		610 88	MASS(ES)	70 X 70MM
			VENTRAL-ABDOMINAL-LEFT WEEK 70	
		617 89	MASS(ES)	75 X 75MM
	TO	631 91	VENTRAL-ABDOMINAL-LEFT WEEK 70	
		638 92	MASS(ES)	80 X 80MM
	TO	652 94	VENTRAL-ABDOMINAL-LEFT WEEK 70	
		659 95	MASS(ES)	70 X 70MM
	TO	670 96	VENTRAL-ABDOMINAL-LEFT WEEK 70	

Appendix 2

Individual Clinical Observations

PAGE: 576

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93093	F4	617 89	MASS(ES)	25 X 25MM
		TO 631 91	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		638 92	MASS(ES)	45 X 45MM
		TO 670 96	VENTRAL-ABDOMINAL-RIGHT WEEK 89	
		652 94	MASS(ES)	15 X 15MM
		TO 670 96	VENTRAL-CERVICAL-LEFT WEEK 94	
		652 94	MASS(ES)	10 X 10MM
		TO 670 96	VENTRAL-CERVICAL-RIGHT WEEK 94	
C93094	F4	526 76	MASS(ES)	30 X 30MM
		TO 547 79	VENTRAL-CERVICAL-RIGHT WEEK 76	
		554 80	MASS(ES)	20 X 20MM
		TO 561 81	VENTRAL-CERVICAL-RIGHT WEEK 76	
		568 82	MASS(ES)	10 X 10MM
			VENTRAL-CERVICAL-RIGHT WEEK 76	
		575 83	MASS(ES)	20 X 20MM
		TO 582 84	VENTRAL-CERVICAL-RIGHT WEEK 76	

Appendix 2

Individual Clinical Observations

PAGE: 577

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93094	F4	589 85	MASS(ES)	30 X 30MM
		TO 596 86	VENTRAL-CERVICAL-RIGHT WEEK 76	
		603 87	MASS(ES)	
		TO 624 90	VENTRAL-CERVICAL-RIGHT WEEK 76	
		631 91	MASS(ES)	
C93094	F4	638 92	MASS(ES)	55 X 45MM
		TO 645 93	VENTRAL-CERVICAL-RIGHT WEEK 76	
		652 94	MASS(ES)	
		TO 670 96	VENTRAL-CERVICAL-RIGHT WEEK 76	
C93095	F4	568 82	MASS(ES)	10 X 10MM
		TO 575 83	AXILLARY REGION-LEFT WEEK 79	
		582 84	MASS(ES)	
C93095	F4	TO 596 86	AXILLARY REGION-LEFT WEEK 79	15 X 15MM
		603 87	MASS(ES)	
		TO 645 93	AXILLARY REGION-LEFT WEEK 79	25 X 25MM

Appendix 2

Individual Clinical Observations

PAGE: 578

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93095	F4	652 94	MASS(ES)	20 X 20MM
	TO	659 95	AXILLARY REGION-LEFT WEEK 79	
		666 96	MASS(ES)	20 X 30MM
	TO	687 99	AXILLARY REGION-LEFT WEEK 79	
		694 100	MASS(ES)	30 X 25MM
	TO	701 101	AXILLARY REGION-LEFT WEEK 79	
		708 102	MASS(ES)	35 X 30MM
			AXILLARY REGION-LEFT WEEK 79	
		715 103	MASS(ES)	40 X 35MM
	TO	729 105	AXILLARY REGION-LEFT WEEK 79	
		673 97	MASS(ES)	20 X 20MM
	TO	687 99	INGUINAL REGION-LEFT WEEK 97	
		694 100	MASS(ES)	30 X 30MM
	TO	701 101	INGUINAL REGION-LEFT WEEK 97	
		708 102	MASS(ES)	30 X 45MM
			INGUINAL REGION-LEFT WEEK 97	

Appendix 2

Individual Clinical Observations

PAGE: 579

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93095	F4	715 103	MASS(ES)	40 X 50MM
		TO 719 103	INGUINAL REGION-LEFT WEEK 97	
		722 104	MASS(ES)	
		TO 729 105	INGUINAL REGION-LEFT WEEK 97	
		694 100	MASS(ES)	
		TO 701 101	SHOULDER-LEFT WEEK 100	10 X 10MM
		673 97	MASS(ES)	10 X 10MM
		TO 687 99	VENTRAL-ABDOMINAL WEEK 97	
		694 100	MASS(ES)	20 X 20MM
		TO 729 105	VENTRAL-ABDOMINAL WEEK 97	
C93097	F4	680 98	DISCHARGE	AXILLARY LEFT MASS BLEEDING
		TO 680 98	OTHER	
		477 69	MASS(ES)	10 X 10MM
			AXILLARY REGION-LEFT WEEK 69	
		484 70	MASS(ES)	20 X 30MM
		TO 498 72	AXILLARY REGION-LEFT WEEK 69	

Appendix 2

Individual Clinical Observations

PAGE: 580

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93097	F4	505 73	MASS(ES)	30 X 30MM
	TO	519 75	AXILLARY REGION-LEFT WEEK 69	
		526 76	MASS(ES)	20 X 20MM
	TO	547 79	AXILLARY REGION-LEFT WEEK 69	
		554 80	MASS(ES)	30 X 30MM
	TO	624 90	AXILLARY REGION-LEFT WEEK 69	
		631 91	MASS(ES)	40 X 40MM
			AXILLARY REGION-LEFT WEEK 69	
		638 92	MASS(ES)	55 X 60MM
	TO	680 98	AXILLARY REGION-LEFT WEEK 69	
		435 63	MASS(ES)	15 X 15MM
	TO	449 65	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		456 66	MASS(ES)	25 X 20M
	TO	498 72	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		505 73	MASS(ES)	40 X 25MM
	TO	512 74	VENTRAL-ABDOMINAL-LEFT WEEK 63	

Appendix 2

Individual Clinical Observations

PAGE: 581

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93097	F4	519 75	MASS(ES)	30 X 20MM
		TO 533 77	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		540 78	MASS(ES)	30 X 30MM
		TO 554 80	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		561 81	MASS(ES)	40 X 30MM
		TO 603 87	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		610 88	MASS(ES)	40 X 40MM
			VENTRAL-ABDOMINAL-LEFT WEEK 63	
C93097	F4	617 89	MASS(ES)	40 X 50MM
		TO 645 93	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		652 94	MASS(ES)	40 X 35MM
		TO 659 95	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		666 96	MASS(ES)	40 X 35MM
		TO 680 98	VENTRAL-ABDOMINAL-LEFT WEEK 63	
		540 78	MASS(ES)	15 X 15MM
			VENTRAL-CERVICAL WEEK 78	

Appendix 2

Individual Clinical Observations

PAGE: 582

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93097	F4	547 79	MASS(ES)	20 X 20MM
		TO 582 84	VENTRAL-CERVICAL WEEK 78	
		589 85	MASS(ES)	30 X 30MM
			VENTRAL-CERVICAL WEEK 78	
		596 86	MASS(ES)	40 X 30MM
		TO 610 88	VENTRAL-CERVICAL WEEK 78	
		617 89	MASS(ES)	50 X 40MM
		TO 624 90	VENTRAL-CERVICAL WEEK 78	
		631 91	MASS(ES)	40 X 40MM
		TO 638 92	VENTRAL-CERVICAL WEEK 78	
		645 93	MASS(ES)	50 X 50MM
		TO 680 98	VENTRAL-CERVICAL WEEK 78	
		372 54	MASS(ES)	15 X 15MM
		TO 421 61	VENTRAL-CERVICAL-LEFT WEEK 54	
C93098	F4	547 79	MASS(ES)	20 X 20MM
		TO 561 81	INGUINAL REGION-RIGHT WEEK 79	

Appendix 2

Individual Clinical Observations

PAGE: 583

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93099	F4	477 69	MASS(ES)	10 X 10MM
	TO	554 80	AXILLARY REGION-LEFT WEEK 69	
		561 81	MASS(ES)	15 X 15MM
	TO	589 85	AXILLARY REGION-LEFT WEEK 69	
		596 86	MASS(ES)	20 X 20MM
	TO	638 92	AXILLARY REGION-LEFT WEEK 79	
		645 93	MASS(ES)	30 X 25MM
			AXILLARY REGION-LEFT WEEK 79	
		652 94	MASS(ES)	20 X 20MM
			AXILLARY REGION-LEFT WEEK 79	
		659 95	MASS(ES)	30 X 20MM
	TO	671 96	AXILLARY REGION-LEFT WEEK 79	
		449 65	MASS(ES)	10 X 10MM
			INGUINAL REGION-LEFT WEEK 65	
		498 72	MASS(ES)	15 X 15MM
	TO	554 80	VENTRAL-ABDOMINAL-LEFT WEEK 72	

Appendix 2

Individual Clinical Observations

PAGE: 584

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93099	F4	561 81	MASS(ES)	20 X 20MM
		TO 603 87	VENTRAL-ABDOMINAL-LEFT WEEK 72	
		610 88	MASS(ES)	30 X 25MM
		TO 645 93	VENTRAL-ABDOMINAL-LEFT WEEK 72	
		652 94	MASS(ES)	20 X 20MM
		TO 671 96	VENTRAL-ABDOMINAL-LEFT WEEK 72	
		498 72	MASS(ES)	20 X 20MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		505 73	MASS(ES)	15 X 15MM
		TO 575 83	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
C93102	F4	582 84	MASS(ES)	10 X 10MM
		TO 610 88	VENTRAL-ABDOMINAL-LEFT WEEK 84	
		323 47	MASS(ES)	10 X 10MM
		TO 351 51	VENTRAL-ABDOMINAL-RIGHT WEEK 47	
C93104	F4	393 57	MASS(ES)	10 X 10MM
		TO 421 61	AXILLARY REGION-LEFT WEEK 56	

Appendix 2

Individual Clinical Observations

PAGE: 585

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93104	F4	428 62	MASS(ES)	15 X 20MM
	TO	435 63	AXILLARY REGION-LEFT WEEK 56	
		442 64	MASS(ES)	20 X 25MM
	TO	449 65	AXILLARY REGION-LEFT WEEK 56	
		456 66	MASS(ES)	30 X 35MM
	TO	526 76	AXILLARY REGION-LEFT WEEK 56	
		533 77	MASS(ES)	40 X 40MM
			AXILLARY REGION-LEFT WEEK 56	
		540 78	MASS(ES)	20 X 40MM
	TO	554 80	AXILLARY REGION-LEFT WEEK 56	
		561 81	MASS(ES)	15 X 35MM
	TO	575 83	AXILLARY REGION-LEFT WEEK 56	
		463 67	MASS(ES)	15 X 15MM
	TO	505 73	INGUINAL REGION-LEFT WEEK 67	
		512 74	MASS(ES)	20 X 20MM
	TO	526 76	INGUINAL REGION-LEFT WEEK 67	

Appendix 2

Individual Clinical Observations

PAGE: 586

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93104	F4	400 58	MASS(ES)	15 X 15MM
	TO	407 59	VENTRAL-ABDOMINAL-LEFT WEEK 58	
		414 60	MASS(ES)	20 X 20MM
	TO	421 61	VENTRAL-ABDOMINAL-LEFT WEEK 58	
		428 62	MASS(ES)	30 X 25MM
	TO	463 67	VENTRAL-ABDOMINAL-LEFT WEEK 58	
		470 68	MASS(ES)	30 X 30MM
	TO	477 69	VENTRAL-ABDOMINAL-LEFT WEEK 58	
		484 70	MASS(ES)	70 X 40MM
			VENTRAL-ABDOMINAL-LEFT WEEK 58	
		491 71	MASS(ES)	40 X 30MM
	TO	505 73	VENTRAL-ABDOMINAL-LEFT WEEK 58	
		512 74	MASS(ES)	60 X 40MM
	TO	519 75	VENTRAL-ABDOMINAL-LEFT WEEK 58	
		526 76	MASS(ES)	45 X 30MM
	TO	583 84	VENTRAL-ABDOMINAL-LEFT WEEK 58	

Appendix 2

Individual Clinical Observations

PAGE: 587

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93107	F4	561 81	MASS(ES)	30 X 30MM
	TO	603 87	VENTRAL-CERVICAL-RIGHT WEEK 81	
		610 88	MASS(ES)	40 X 30MM
	TO	624 90	VENTRAL-CERVICAL-RIGHT WEEK 81	
		631 91	MASS(ES)	50 X 30MM
			VENTRAL-CERVICAL-RIGHT WEEK 81	
		638 92	MASS(ES)	50 X 50MM
	TO	645 93	VENTRAL-CERVICAL-RIGHT WEEK 81	
		652 94	MASS(ES)	60 X 60MM
	TO	687 99	VENTRAL-CERVICAL-RIGHT WEEK 81	
		694 100	MASS(ES)	80 X 60MM
	TO	701 101	VENTRAL-CERVICAL-RIGHT WEEK 81	
		708 102	MASS(ES)	70 X 60 MM
			VENTRAL-CERVICAL-RIGHT WEEK 81	
		715 103	MASS(ES)	70 X 80MM
	TO	731 105	VENTRAL-CERVICAL-RIGHT WEEK 81	

Appendix 2

Individual Clinical Observations

PAGE: 588

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY	FREE-TEXT COMMENT
			KEYWORD QUALIFIER	
C93110	F4	624 90 TO 630 90	MASS(ES) AXILLARY REGION-RIGHT WEEK 90	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 589

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93111	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93112	3	53	EYES RED DISCHARGE EYE-LEFT			316
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C93113	T	105	EYES SCAB EYE-RIGHT			554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 519, 526, 533, 540, 547, 561, 568, 575, 582

Appendix 2

Individual Clinical Observations

PAGE: 590

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93113	T	105	NORMAL NO REMARKABLE OBSERVATIONS			589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708
			MASS(ES) INGUINAL REGION-RIGHT WEEK 73			505, 512
			VENTRAL-ABDOMINAL-LEFT WEEK 103			715C, 722C, 729C, 731C
C93114	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93115	T	105	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			393
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 732
			MASS(ES) INGUINAL REGION-LEFT WEEK 73			505, 512

Appendix 2

Individual Clinical Observations

PAGE: 591

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93116	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C93117	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C93118	M	93	APPEARANCE MALOCCLUSION			190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 281, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645
			MISSING TEETH			624, 631, 638, 645
			THIN			491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645
			EYES PROTRUDING EYES			512
			SKIN & PELAGE SORE/SCAB			
			MOUTH			99
			VENTRAL-ABDOMINAL-LEFT			624, 631, 638, 645

Appendix 2

Individual Clinical Observations

PAGE: 592

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93118	M	93	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 288, 295, 302 309, 316, 323, 330
			MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 49			337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C, 407C 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 645C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 53			365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C
C93119	M	92	APPEARANCE			
			MALOCCLUSION			441-442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638
			EYES			
			DISCOLORED/LIGHT RED			
			EYE-RIGHT			505, 512
			RESPIRATION			
			AUDIBLE			441-442, 449
			SKIN & PELAGE			
			ROUGH HAIR COAT			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			SORE/SCAB			
			DORSAL			617, 624, 631, 638
			MOUTH			449

Appendix 2

Individual Clinical Observations

PAGE: 593

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93119	M	92	SKIN & PELAGE SORE/SCAB SHOULDER-RIGHT			547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 638
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435
C93120	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY KATHY EWERS			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360

Appendix 2

Individual Clinical Observations

PAGE: 594

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93121	M	79	APPEARANCE HEAD TILT LEFT THIN TREMORS ENTIRE BODY			547, 549 505, 512, 519, 526, 533, 540, 547, 549 549
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY			549 549
			EXCRETION FEW FECES			512, 526, 533, 540
			SKIN & PELAGE ROUGH HAIR COAT			519, 526, 533, 540, 547, 549
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498

Appendix 2

Individual Clinical Observations

PAGE: 595

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93122	M	92	APPEARANCE THIN			642
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			642
			EXCRETION DISCOLORED FECES YELLOW IN COLOR FEW FECES			642 641-642
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456
			MASS(ES) INGUINAL REGION-LEFT WEEK 71			491, 498, 505, 512C
			INGUINAL REGION-RIGHT WEEK 72			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C 641-642C
			WEEK 78			540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C, 631C, 638C, 641-642C
			VENTRAL-ABDOMINAL-LEFT WEEK 71			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 641-642C

Appendix 2

Individual Clinical Observations

PAGE: 596

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93122	M	92	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 67			463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C, 631C, 638C, 641-642C
C93123	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93124	T	105	APPEARANCE THIN			673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			SKIN & PELAGE			
			BLUE SKIN			
			VENTRAL-ABDOMINAL-LEFT			729, 732
			BLACK SKIN			
			VENTRAL-ABDOMINAL-LEFT			596, 603, 610, 617, 624, 631, 638
			PALE			
			ENTIRE BODY			589
			SORE/SCAB			
			VENTRAL-ABDOMINAL			666, 673, 680, 687, 694
			VENTRAL-ABDOMINAL-LEFT			610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694
			VENTRAL-ABDOMINAL-LEFT			701, 708, 715, 722, 729, 732
			VENTRAL-ABDOMINAL-RIGHT			729, 732
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484

Appendix 2

Individual Clinical Observations

PAGE: 597

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93124	T	105	MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 73			505, 512, 519, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C
			WEEK 94			582C, 589C, 596C, 603C, 610C, 617C
			WEEK 102			652C, 659C
			DORSAL			708C, 715C, 722C, 729C, 732C
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C
			INGUINAL REGION-LEFT			
			WEEK 76			526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C
			INGUINAL REGION-RIGHT			
			WEEK 72			498C, 505C, 512C
			SHOULDER-LEFT			
			WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C
			VENTRAL-ABDOMINAL-LEFT			732C
			WEEK 71			491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C
						568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C
						645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C
						722C, 729C, 732C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 72			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C
						596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C
						673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
			WEEK 85			589C
			WEEK 94			652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C
						729C, 732C
			VENTRAL-CERVICAL-LEFT			
			WEEK 102			708C, 715C, 722C, 729C, 732C
			VENTRAL-THORACIC-RIGHT			
			WEEK 71			491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C
						568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C

Appendix 2

Individual Clinical Observations

PAGE: 598

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93124	T	105	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 732C
C93125	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
C93126	M	58	APPEARANCE THIN			400, 406
			BEHAVIOR HYPOACTIVE			
			MODERATE			406
			RECUMBENT			
			LATERAL			406
			DISCHARGE NASAL			
			RED IN COLOR			406
			EYES RED DISCHARGE			
			EYES			406

Appendix 2

Individual Clinical Observations

PAGE: 599

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93126	M	58	SKIN & PELAGE ROUGH HAIR COAT			400, 406
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 330, 337, 344, 351, 358, 365, 372, 379, 386 393
			MASS(ES) VENTRAL - THORACIC-LEFT WEEK 47			323
C93127	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93128	M	100	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			694
			EYES RED DISCHARGE EYES			694
			RESPIRATION LABORED			694
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			512, 519, 526, 533, 540, 547, 554

Appendix 2

Individual Clinical Observations

PAGE: 600

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93128	M	100	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 561, 568, 575, 582, 589, 596, 603, 610 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687
			MASS(ES)			
			INGUINAL REGION-RIGHT			
			WEEK 74			512
C93129	D	100	EYES			
			DILATED PUPIL			
			EYES			610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694
			DISCOLORED/LIGHT RED			
			EYES			666, 673, 680, 687, 694
			PROTRUDING			
			EYES			491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694
			SKIN & PELAGE			
			SORE/SCAB			
			MOUTH			554
			PAW-HIND-RIGHT			554, 561, 568
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 601

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93129	D	100	NORMAL			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484
C93130	3	53	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C93131	M	96	APPEARANCE HUNCHED THIN			666 666
			EYES RED DISCHARGE EYES			652, 666
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			652
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393

Appendix 2

Individual Clinical Observations

PAGE: 602

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93131	M	96	MASS(ES)			
			AXILLARY REGION-LEFT			631, 638, 645, 652
			WEEK 91			
			AXILLARY REGION-RIGHT			470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C
			WEEK 68			547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C
						624C, 631C, 638C, 645C, 652C, 659C, 666C
			INGUINAL REGION-RIGHT			
			WEEK 89			617C, 624C, 631C, 638C, 645C, 652C, 659C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 58			400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C
						477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C
						554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C
						631C, 638C, 645C, 652C, 659C, 666C
C93132	M	105	APPEARANCE			
			HUNCHED			729
			THIN			729
			EXCRETION			
			FEW FECES			729
			SKIN & PELAGE			
			SORE/SCAB			
			PAW-HIND-LEFT			617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701
						708, 715, 722, 729
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 603

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93132	M	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			386, 393, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 519 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610
			MASS(ES)			
			INGUINAL REGION-RIGHT			
			WEEK 72			498, 505, 512
			VENTRAL-ABDOMINAL			
			WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 58			400C, 407C, 414C, 421C
C93133	T	105	APPEARANCE			
			MALOCCLUSION			673
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 680, 687, 694, 701, 708, 715, 722, 729, 733

Appendix 2

Individual Clinical Observations

PAGE: 604

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93134	D	68	APPEARANCE MALOCCLUSION			78, 85, 92, 99, 106
			SKIN & PELAGE SORE/SCAB VENTRAL-ABDOMINAL			190, 197, 204, 211
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 113, 120, 127, 134 141, 148, 155, 162, 169, 176, 183, 218, 225, 232, 239, 246, 253 260, 267, 274, 281, 288, 295, 302, 309, 316, 323
			MASS(ES) SHOULDER-LEFT WEEK 48			330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C, 386C, 393C, 400C 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 473C
C93135	T	105	APPEARANCE MALOCCLUSION			169, 176, 183, 190, 197, 204, 211, 218, 225, 232, 239, 246, 253 260, 267, 274, 281, 288, 295, 302, 309, 316, 323, 330, 337, 344 351, 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435 442, 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526 533, 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617 624, 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708 715, 722, 729, 731
			MISSING TEETH			512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687 694, 701, 708, 715, 722, 729, 731
			THIN			554, 561, 568, 575

Appendix 2

Individual Clinical Observations

PAGE: 605

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93135	T	105	SKIN & PELAGE SORE/SCAB PAWS-HIND			708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162
			MASS(ES) INGUINAL REGION-LEFT WEEK 74 VENTRAL-ABDOMINAL-LEFT WEEK 74			512 519, 526C, 533C
C93136	D	55	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 385
C93137	T	105	APPEARANCE CONVULSIONS MALOCCLUSION MISSING TEETH SKIN & PELAGE SORE/SCAB HEAD-ENTIRE PAW-HIND-LEFT			295, 302, 316, 323, 428, 456, 477, 641, 708 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 641, 645 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732 708, 722, 729, 732 659, 666, 673, 680, 687, 694, 701, 708 617, 624, 631, 638, 641, 645, 652, 659, 666

Appendix 2

Individual Clinical Observations

PAGE: 606

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93137	T	105	SKIN & PELAGE SORE/SCAB PAWS-HIND			673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 309, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 435, 442, 449, 463, 470, 484, 491, 498, 505, 512, 519 526
			MASS(ES) AXILLARY REGION-LEFT WEEK 85 VENTRAL-ABDOMINAL-LEFT WEEK 77			589C, 596C, 603C, 610C, 617C, 624C 533C, 540C, 547C, 554C, 561C, 568C, 575C
C93138	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C93139	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659

Appendix 2

Individual Clinical Observations

PAGE: 607

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93139	T	105	NORMAL NO REMARKABLE OBSERVATIONS			666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 733
			MASS(ES) VENTRAL-ABDOMINAL WEEK 68			470C
C93140	T	105	EYES RED DISCHARGE EYE-RIGHT			400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393
			MASS(ES) AXILLARY REGION-RIGHT WEEK 102			708C, 715C, 722C, 729C, 732C
			INGUINAL REGION-RIGHT WEEK 104			722C, 729C, 732C
			VENTRAL-ABDOMINAL-RIGHT WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 732C

Appendix 2

Individual Clinical Observations

PAGE: 608

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93141	M	100	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			698
			EXCRETION NO FECES			698
			EYES RED DISCHARGE EYE-RIGHT			698
			SKIN & PELAGE RED HAIR COAT PERINEAL AREA			694, 698
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687

Appendix 2

Individual Clinical Observations

PAGE: 609

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93142	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93143	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93144	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93145	D	75	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 519, 523
			MASS(ES) AXILLARY REGION-RIGHT WEEK 72			498, 505, 512
C93146	T	105	APPEARANCE THIN			554, 561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666

Appendix 2

Individual Clinical Observations

PAGE: 610

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93146	T	105	NORMAL NO REMARKABLE OBSERVATIONS			673, 680, 687
			MASS(ES)			
			AXILLARY REGION-RIGHT			694
			WEEK 100			708C, 715C, 722C, 729C, 732C
			WEEK 102			
			VENTRAL-ABDOMINAL-LEFT			694C, 701C, 708C, 715C, 722C, 729C, 732C
			WEEK 100			
C93147	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
C93148	D	91	EYES CLEAR DISCHARGE EYE-RIGHT			547, 554, 561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 589, 596, 603 610, 617, 624, 631, 636
			MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			547, 554, 561, 568, 575, 582
			WEEK 79			

Appendix 2

Individual Clinical Observations

PAGE: 611

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93149	T	105	EXCRETION FEW FECES			701, 708, 715, 722
			EYES PROTRUDING EYES			512
			SKIN & PELAGE ALOPECIA RED HAIR COAT HEAD-ENTIRE			554 547, 554
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 519, 526, 533, 540, 561, 568, 575, 582 589, 596, 603, 610, 617, 624
			MASS(ES) AXILLARY REGION-LEFT WEEK 91			631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 731C
			HEAD-MAXILLARY-LEFT WEEK 98			680
			VENTRAL-CERVICAL-LEFT WEEK 100			694C, 701C, 708C, 715C, 722C, 729C, 731C

Appendix 2

Individual Clinical Observations

PAGE: 612

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93150	M	92	APPEARANCE HEAD TILT RIGHT THIN			610, 617, 624, 631, 638, 640 624, 631
			BEHAVIOR RECUMBENT LATERAL			640
			DISCHARGE NASAL RED IN COLOR			640
			EXCRETION FEW FECES			624, 631
			EYES SQUINTED PERI-ORBITAL-RIGHT			547, 554
			RESPIRATION IRREGULAR			640
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 582, 589, 596 603

Appendix 2

Individual Clinical Observations

PAGE: 613

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93150	M	92	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 81			561, 568, 575
C93151	T	105	DISCHARGE GENITAL RED IN COLOR			610
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540
			MASS(ES) AXILLARY REGION-LEFT WEEK 89			617, 624, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C 694C, 701C, 708C, 715C, 722C, 729C, 733C
			INGUINAL REGION-LEFT WEEK 79			547, 554, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C 701C, 708C, 715C, 722C, 729C, 733C

Appendix 2

Individual Clinical Observations

PAGE: 614

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93152	M	66	APPEARANCE HUNCHED THIN			449, 456 456
			BEHAVIOR ATAXIC <UNSPECIFIED>			456
			DISCHARGE NASAL RED IN COLOR			456
			EXCRETION FEW FECES			442, 449
			EYES RED DISCHARGE EYES			442, 456
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			MASS(ES) AXILLARY REGION-RIGHT WEEK 53			365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C 442C, 449C, 456C

Appendix 2

Individual Clinical Observations

PAGE: 615

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93153	T	105	APPEARANCE SWOLLEN PAW-HIND-LEFT			659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
			SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			505, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624
			PAWS-HIND			631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701 708, 715, 722, 729, 732
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 512, 519, 526, 533, 540
			MASS(ES) DORSAL WEEK 91			631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 732C
			VENTRAL-ABDOMINAL-RIGHT WEEK 81			561, 568, 575, 582

Appendix 2

Individual Clinical Observations

PAGE: 616

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93154	3	53	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY JOHN VAN BERKUM			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C93155	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93156	M	86	APPEARANCE THIN			533, 540, 547, 554, 561, 568, 575, 582, 589, 595-596
			EXCRETION FEW FECES			531, 533, 540
			EYES CLEAR DISCHARGE			561
			EYE-LEFT			568, 575, 582, 589
			EYE-RIGHT			547, 554
			EYES			
			PALE			
			EYE-RIGHT			595-596
			PROTRUDING			
			EYE-RIGHT			595-596

Appendix 2

Individual Clinical Observations

PAGE: 617

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93156	M	86	EYES			
			RED DISCHARGE			
			EYE-RIGHT			442, 449, 456, 463, 470, 561
			EYES			491, 498, 505, 512, 519, 526, 531, 533, 540
			SCAB			
			EYE-RIGHT			595-596
			SKIN & PELAGE			
			SORE/SCAB			
			VENTRAL-ABDOMINAL			435
			VENTRAL-CERVICAL			568, 575, 582, 589, 595-596
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358
			MASS(ES)			
			VENTRAL-ABDOMINAL			
			WEEK 84			582C, 589C, 595-596C
			VENTRAL-CERVICAL			
			WEEK 53			365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C 519C, 526C, 531C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C 589C, 595-596C

Appendix 2

Individual Clinical Observations

PAGE: 618

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93157	T	105	EYES PROTRUDING EYES			512
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 733
			WART LIKE LESION(S) MOUTH WEEK 47			323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428
C93158	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484
			MASS(ES) INGUINAL REGION-RIGHT WEEK 71 VENTRAL-ABDOMINAL-RIGHT WEEK 71			491C, 498C, 505C, 512C 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C

Appendix 2

Individual Clinical Observations

PAGE: 619

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93158	T	105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 71			673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C
C93159	1	4	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22
C93160	M	76	APPEARANCE SWOLLEN VENTRAL-ABDOMINAL THIN			519, 526 519, 526
			BEHAVIOR COLD TO TOUCH ENTIRE BODY			526
			EXCRETION FEW FECES NO FECES			491, 498, 504-505, 512, 526 506
			EYES SQUINTED PERI-ORBITAL-RIGHT			504
			SKIN & PELAGE BROWN HAIR COAT PERINEAL AREA SORE/SCAB HEAD-MAXILLARY-RIGHT PAWS-HIND YELLOW HAIR COAT			505-506, 512 197, 204, 211 505-506, 512, 519, 526 519, 526

Appendix 2

Individual Clinical Observations

PAGE: 620

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93160	M	76	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 218 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484
			WART LIKE LESION(S)			
			NOSE			
			WEEK 72			498, 504-506, 512, 519, 526
C93161	T	105	APPEARANCE			
			SWOLLEN			
			DORSAL			589
			LIMB-HIND-LEFT			589, 596, 603, 610
			PAW-HIND-LEFT			589, 596, 603
			SKIN & PELAGE			
			SORE/SCAB			
			PAW-HIND-LEFT			729, 731
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722

Appendix 2

Individual Clinical Observations

PAGE: 621

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93162	T	105	APPEARANCE MALOCCLUSION			90, 106, 113, 120, 127, 134, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
			MISSING TEETH			90, 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281 288, 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372 379, 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463 470, 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645 652, 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99
			MASS(ES) INGUINAL REGION-LEFT WEEK 102			708C, 715C, 722C, 729C, 731C
			VENTRAL-ABDOMINAL WEEK 93			645, 652, 659

Appendix 2

Individual Clinical Observations

PAGE: 622

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			QUALIFIER			
C93163	3	53	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY PATTIE MURPHY			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C93164	T	105	SKIN & PELAGE BLUE SKIN			
			VENTRAL-ABDOMINAL-LEFT			729, 731
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526
			MASS(ES) INGUINAL REGION-LEFT WEEK 77			533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C, 708C, 715C, 722C, 729C, 731C

Appendix 2

Individual Clinical Observations

PAGE: 623

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93165	T	105	SKIN & PELAGE ALOPECIA SORE/SCAB DORSAL-CERVICAL DORSAL-CERVICAL-LEFT DORSAL-CERVICAL-RIGHT			554, 561, 666, 673, 680 708, 715, 722, 729, 733 666, 673, 708, 715, 722, 729, 733 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533
			MASS(ES) AXILLARY REGION-RIGHT WEEK 78			540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C 617C, 624C, 631C, 638C, 645C, 652C
			VENTRAL-THORACIC WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 733C
C93166	T	105	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE			512, 519, 526
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 624

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93166	T	105	NORMAL			
			NO REMARKABLE OBSERVATIONS			386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 732
C93167	M	39	APPEARANCE			
			MALOCCLUSION			253, 260, 267-268
			MISSING			
			TEETH			253
			THIN			268
			EXCRETION			
			FEW FECES			260, 267-268
			SKIN & PELAGE			
			PALE			
			ENTIRE BODY			267-268
			ROUGH HAIR COAT			260, 267-268
			YELLOW HAIR COAT			260, 267-268
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246

Appendix 2

Individual Clinical Observations

PAGE: 625

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93168	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 732
C93169	2	14	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92-93
C93170	M	94	APPEARANCE HEAD TILT RIGHT			645, 652-653
			BEHAVIOR ATAXIC <UNSPECIFIED>			653
			EYES RED DISCHARGE EYE-LEFT			645, 652-653
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561

Appendix 2

Individual Clinical Observations

PAGE: 626

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93170	M	94	NORMAL NO REMARKABLE OBSERVATIONS			568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
C93171		3	53 NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365-366
			SURGERY PERFORMED BY JOHN VAN BERKUM			359
			ANTIBIOTIC ADMINISTERED 0.5 ML			359-360
C93172	M	78	APPEARANCE HEAD TILT LEFT HUNCHED THIN			519, 526, 528, 533, 540, 546 540, 546 533, 540, 546
			BEHAVIOR ATAXIC <UNSPECIFIED>			546
			HYPOACTIVE <UNSPECIFIED>			546
			EXCRETION FEW FECES			504-505, 512, 528, 533, 540, 546

Appendix 2

Individual Clinical Observations

PAGE: 627

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93172	M	78	EYES			
			RED DISCHARGE			
			EYE-RIGHT			546
			SQUINTED			
			PERI-ORBITAL-RIGHT			498, 504-505, 512, 519, 526, 528, 533, 540, 546
			SKIN & PELAGE			
			RED HAIR COAT			
			HEAD-ENTIRE			505, 512, 519
			SORE/SCAB			
			PAW-HIND-RIGHT			512
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
C93173	M	102	DISCHARGE			
			NASAL			
			RED IN COLOR			705, 708-709
			EXCRETION			
			FEW FECES			705, 708-709
			EYES			
			RED DISCHARGE			
			EYES			705, 708-709

Appendix 2

Individual Clinical Observations

PAGE: 628

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93173	M	102	NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554
			NO REMARKABLE OBSERVATIONS			
			MASS(ES)			
			AXILLARY REGION-LEFT			
			WEEK 81			561, 568, 575, 582, 589, 596, 603
			SHOULDER-RIGHT			
			WEEK 88			610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C, 705C, 708-709C
C93174	T	105	APPEARANCE			
			MALOCCLUSION			400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701, 708, 715, 722, 729, 731
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393
			MASS(ES)			
			VENTRAL-THORACIC			
			WEEK 100			694C, 701C, 708C, 715C, 722C, 729C, 731C

Appendix 2

Individual Clinical Observations

PAGE: 629

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93175	M	92	APPEARANCE THIN TREMORS ENTIRE BODY			638, 641 641
			BEHAVIOR HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY			641 641
			EXCRETION FEW FECES			491, 638, 641
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 498, 505, 512
			MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75			519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C 596C, 603C, 610C, 617C, 624C, 631C, 638C, 641C

Appendix 2

Individual Clinical Observations

PAGE: 630

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93176	M	88	APPEARANCE HUNCHED THIN			610, 613 610, 613
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			610, 613
			RECUMBENT LATERAL			613
			EXCRETION NO FECES			613
			EYES PROTRUDING EYES			512
			RED DISCHARGE EYES			610, 613
			SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL-LEFT			596, 603, 610, 613
			ROUGH HAIR COAT			610, 613
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 400 428, 435, 442, 449, 456, 463, 470, 477, 484, 491

Appendix 2

Individual Clinical Observations

PAGE: 631

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93176	M	88	MASS(ES)			
			AXILLARY REGION-LEFT			407, 414, 421
			WEEK 59			
			AXILLARY REGION-RIGHT			379, 386, 393
			WEEK 55			
			INGUINAL REGION-LEFT			498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C
			WEEK 72			575C, 582C, 589C, 596C, 603C, 610C, 613C
			INGUINAL REGION-RIGHT			512
			WEEK 74			526, 533
			WEEK 76			547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 613C
			WEEK 79			
C93177	T	105	APPEARANCE			
			MALOCCLUSION			421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505
						512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596
						603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673, 680, 687
						694, 701, 708, 715, 722, 729, 733
			SWOLLEN			
			VENTRAL-ABDOMINAL			554
			DISCHARGE			
			CLEAR ORAL			
			<UNSPECIFIED>			568, 575
			EYES			
			PROTRUDING			
			EYES			491, 498, 505, 512
			SKIN & PELAGE			
			SORE/SCAB			
			PAW-HIND-LEFT			708, 715

Appendix 2

Individual Clinical Observations

PAGE: 632

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93177	T	105	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414
C93178	T	105	EYES RED DISCHARGE EYE-LEFT			708, 715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701
			MASS(ES) HEAD-MAXILLARY-LEFT WEEK 67			463

Appendix 2

Individual Clinical Observations

PAGE: 633

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93179	T	105	EXCRETION FEW FECES			708
			SKIN & PELAGE ALOPECIA			554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638 645, 652
			SORE/SCAB AXILLARY REGION-LEFT			701, 708, 715, 722, 729, 733
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547
			MASS(ES) AXILLARY REGION-LEFT WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C 733C
C93180	M	63	SKIN & PELAGE SORE/SCAB VENTRAL-CERVICAL-RIGHT			57
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 64, 71, 78, 85, 92, 99, 106, 113 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197, 204 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379

Appendix 2

Individual Clinical Observations

PAGE: 634

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F5	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93180	M	63	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 56			386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C

Appendix 2

Individual Clinical Observations

PAGE: 635

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93113	F5	715 103	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 103	20 X 20MM
		722 104 TO 731 105	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 103	20 X 20MM
C93118	F5	337 49	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	10 X 15MM
		344 50	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	20 X 20MM
		351 51	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	30 X 25MM
		358 52 TO 365 53	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	25 X 20
		372 54 TO 386 56	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	30 X 25MM
		393 57 TO 421 61	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 636

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93118	F5	428 62	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	40 X 30MM
		435 63	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	30 X 30MM
		442 64	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	40 X 60MM VENTRAL HIND MASSES MERGED TOGETHER.
		449 65 TO 477 69	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	60 X 70MM VENTRAL HIND MASSES MERGED TOGETHER.
		484 70 TO 491 71	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	60 X 90MM
		498 72	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	70 X 90MM
		505 73	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	70 X 70MM
		512 74	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 49	70 X 90MM

Appendix 2

Individual Clinical Observations

PAGE: 637

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93118	F5	519 75	MASS(ES)	60 X 75MM
		TO 526 76	VENTRAL-ABDOMINAL-LEFT WEEK 49	
		533 77	MASS(ES)	60 X 90MM
		TO 547 79	VENTRAL-ABDOMINAL-LEFT WEEK 49	
		554 80	MASS(ES)	70 X 100MM
			VENTRAL-ABDOMINAL-LEFT WEEK 49	
		561 81	MASS(ES)	70 X 85MM
		TO 582 84	VENTRAL-ABDOMINAL-LEFT WEEK 49	
		589 85	MASS(ES)	80 X 85MM
		TO 624 90	VENTRAL-ABDOMINAL-LEFT WEEK 49	
		631 91	MASS(ES)	90 X 90MM
		TO 645 93	VENTRAL-ABDOMINAL-LEFT WEEK 49	
		365 53	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 53	
		372 54	MASS(ES)	15 X 15MM
		TO 386 56	VENTRAL-ABDOMINAL-RIGHT WEEK 53	

Appendix 2

Individual Clinical Observations

PAGE: 638

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93118	F5	393 57	MASS(ES)	20 X 20MM
		TO 428 62	VENTRAL-ABDOMINAL-RIGHT WEEK 53	
		435 63	MASS(ES)	25 X 20MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 53	
C93122	F5	512 74	MASS(ES)	10 X 10MM
			INGUINAL REGION-LEFT WEEK 71	
		498 72	MASS(ES)	10 X 10MM
		TO 533 77	INGUINAL REGION-RIGHT WEEK 72	
		540 78	MASS(ES)	15 X 15MM
		TO 575 83	INGUINAL REGION-RIGHT WEEK 72	
		582 84	MASS(ES)	20 X 15MM
		TO 642 92	INGUINAL REGION-RIGHT WEEK 72	
		540 78	MASS(ES)	10 X 10MM
		TO 568 82	INGUINAL REGION-RIGHT WEEK 78	ANTERIOR TO OTHER MASS
		575 83	MASS(ES)	20 X 20MM
		TO 642 92	INGUINAL REGION-RIGHT WEEK 78	ANTERIOR TO OTHER MASS

Appendix 2

Individual Clinical Observations

PAGE: 639

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93122	F5	519 75	MASS(ES)	10 X 10MM
	TO	540 78	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		547 79	MASS(ES)	20 X 10MM
	TO	568 82	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		575 83	MASS(ES)	20 X 20MM
	TO	582 84	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		589 85	MASS(ES)	30 X 30MM
	TO	610 88	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		617 89	MASS(ES)	40 X 40MM
	TO	642 92	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		463 67	MASS(ES)	20 X 20MM
	TO	470 68	VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		477 69	MASS(ES)	20 X 30MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		484 70	MASS(ES)	30 X 40MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 67	

Appendix 2

Individual Clinical Observations

PAGE: 640

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93122	F5	491 71	MASS(ES)	20 X 40MM
		TO 512 74	VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		519 75	MASS(ES)	20 X 30MM
		TO 526 76	VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		533 77	MASS(ES)	25 X 35MM
		TO 568 82	VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		575 83	MASS(ES)	35 X 35MM
C93124	F5	582 84	MASS(ES)	40 X 35MM
		TO 603 87	VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		589 85	MASS(ES)	50 X 40MM
		TO 642 92	VENTRAL-ABDOMINAL-RIGHT WEEK 67	
		610 88	MASS(ES)	60 X 40MM
C93124	F5	526 76	MASS(ES)	10 X 10MM
		TO 617 89	AXILLARY REGION-LEFT WEEK 73	

Appendix 2

Individual Clinical Observations

PAGE: 641

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93124	F5	652 94 TO 659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 94	10 X 10MM
		708 102 TO 732 105	MASS(ES) AXILLARY REGION-LEFT WEEK 102	10 X 10MM
		526 76 TO 554 80	MASS(ES) DORSAL WEEK 76	10 X 10MM
		561 81 TO 582 84	MASS(ES) DORSAL WEEK 76	20 X 20MM
		526 76 TO 554 80	MASS(ES) INGUINAL REGION-LEFT WEEK 76	10 X 10MM
		561 81 TO 582 84	MASS(ES) INGUINAL REGION-LEFT WEEK 76	15 X 15MM
		498 72 TO 512 74	MASS(ES) INGUINAL REGION-RIGHT WEEK 72	10 X 10MM
		659 95 TO 732 105	MASS(ES) SHOULDER-LEFT WEEK 95	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 642

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93124	F5	491 71	MASS(ES)	10 X 10MM
		TO 568 82	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		575 83	MASS(ES)	20 X 20MM
		TO 582 84	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		589 85	MASS(ES)	30 X 30MM
		TO 603 87	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		610 88	MASS(ES)	20 X 25MM
		TO 652 94	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		659 95	MASS(ES)	30 X 20MM
		TO 666 96	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		673 97	MASS(ES)	30 X 30MM
		TO 687 99	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		694 100	MASS(ES)	10 X 10MM
		TO 701 101	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		708 102	MASS(ES)	20 X 20MM
		TO 722 104	VENTRAL-ABDOMINAL-LEFT WEEK 71	

Appendix 2

Individual Clinical Observations

PAGE: 643

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93124	F5	729 105	MASS(ES)	30 X 40 MM
	TO	732 105	VENTRAL-ABDOMINAL-LEFT WEEK 71	
		519 75	MASS(ES)	10 X 10MM
	TO	582 84	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		589 85	MASS(ES)	35 X 25MM
	TO	596 86	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		603 87	MASS(ES)	50 X 30MM
	TO	638 92	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		645 93	MASS(ES)	50 X 40MM
	TO	652 94	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		659 95	MASS(ES)	50 X 50MM
	TO	701 101	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		708 102	MASS(ES)	60 X 60MM
	TO	722 104	VENTRAL-ABDOMINAL-RIGHT WEEK 72	
		729 105	MASS(ES)	70 X 60 MM
	TO	732 105	VENTRAL-ABDOMINAL-RIGHT WEEK 72	

Appendix 2

Individual Clinical Observations

PAGE: 644

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93124	F5	589 85	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 85	10 X 10MM
		652 94 TO 701 101	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 94	20 X 15MM
		708 102 TO 715 103	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 94	10 X 10MM
		722 104	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 94	20 X 20MM
		729 105 TO 732 105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 94	30 X 30 MM
		708 102 TO 732 105	MASS(ES) VENTRAL-CERVICAL-LEFT WEEK 102	10 X 10MM
		491 71 TO 561 81	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 71	15 X 10MM
		568 82 TO 582 84	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 71	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 645

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93124	F5	589 85	MASS(ES)	15 X 15MM
		TO 610 88	VENTRAL-THORACIC-RIGHT WEEK 71	
		617 89	MASS(ES)	10 X 10MM
			VENTRAL-THORACIC-RIGHT WEEK 71	
		673 97	MASS(ES)	20 X 15MM
		TO 732 105	VENTRAL-THORACIC-RIGHT WEEK 97	
C93131	F5	470 68	MASS(ES)	20 X 20MM
		TO 484 70	AXILLARY REGION-RIGHT WEEK 68	
		491 71	MASS(ES)	20 X 30MM
			AXILLARY REGION-RIGHT WEEK 68	
		498 72	MASS(ES)	20 X 25MM
		TO 512 74	AXILLARY REGION-RIGHT WEEK 68	
		519 75	MASS(ES)	30 X 20MM
			AXILLARY REGION-RIGHT WEEK 68	
		526 76	MASS(ES)	30 X 30MM
		TO 554 80	AXILLARY REGION-RIGHT WEEK 68	

Appendix 2

Individual Clinical Observations

PAGE: 646

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93131	F5	561 81	MASS(ES)	50 X 40MM
	TO	582 84	AXILLARY REGION-RIGHT WEEK 68	
		589 85	MASS(ES)	40 X 40MM
	TO	666 96	AXILLARY REGION-RIGHT WEEK 68	
		617 89	MASS(ES)	15 X 15MM
	TO	659 95	INGUINAL REGION-RIGHT WEEK 89	
		400 58	MASS(ES)	15 X 10MM
	TO	421 61	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		428 62	MASS(ES)	15 X 20MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		435 63	MASS(ES)	20 X 20MM
	TO	442 64	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		449 65	MASS(ES)	30 X 30MM
	TO	477 69	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		484 70	MASS(ES)	40 X 40MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 58	

Appendix 2

Individual Clinical Observations

PAGE: 647

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93131	F5	491 71	MASS(ES)	30 X 30MM
		TO 526 76	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		533 77	MASS(ES)	
		TO 540 78	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		547 79	MASS(ES)	
		TO 554 80	VENTRAL-ABDOMINAL-RIGHT WEEK 58	40 X 50MM
		561 81	MASS(ES)	
		TO 582 84	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
		589 85	MASS(ES)	
		TO 666 96	VENTRAL-ABDOMINAL-RIGHT WEEK 58	
C93132	F5	673 97	MASS(ES)	20 X 20MM
		TO 680 98	VENTRAL-ABDOMINAL WEEK 97	
		687 99	MASS(ES)	
			VENTRAL-ABDOMINAL WEEK 97	30 X 30MM
		694 100	MASS(ES)	
		TO 715 103	VENTRAL-ABDOMINAL WEEK 97	30 X 35MM

Appendix 2

Individual Clinical Observations

PAGE: 648

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93132	F5	722 104 TO 729 105	MASS(ES) VENTRAL-ABDOMINAL WEEK 97	30 X 40MM
		400 58 TO 421 61	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 58	10 X 10MM
C93134	F5	330 48 TO 337 49	MASS(ES) SHOULDER-LEFT WEEK 48	15 X 20MM
		344 50 TO 365 53	MASS(ES) SHOULDER-LEFT WEEK 48	30 X 30MM
		372 54 TO 386 56	MASS(ES) SHOULDER-LEFT WEEK 48	40 X 40MM
		393 57	MASS(ES) SHOULDER-LEFT WEEK 48	50 X 55MM
		400 58 TO 414 60	MASS(ES) SHOULDER-LEFT WEEK 48	60 X 65MM
		421 61	MASS(ES) SHOULDER-LEFT WEEK 48	60 X 90MM

Appendix 2

Individual Clinical Observations

PAGE: 649

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93134	F5	428 62	MASS(ES) SHOULDER-LEFT WEEK 48	75 X 90MM
		435 63	MASS(ES) SHOULDER-LEFT WEEK 48	80 X 85MM
		442 64	MASS(ES) SHOULDER-LEFT WEEK 48	80 X 100MM
		449 65 TO 473 68	MASS(ES) SHOULDER-LEFT WEEK 48	100 X 100MM
C93135	F5	526 76 TO 533 77	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 74	10 X 10MM
C93137	F5	589 85 TO 624 90	MASS(ES) AXILLARY REGION-LEFT WEEK 85	20 X 20MM
		533 77 TO 575 83	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 77	30 X 30MM
C93139	F5	470 68	MASS(ES) VENTRAL-ABDOMINAL WEEK 68	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 650

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93140	F5	708 102	MASS(ES)	10 X 10MM
		TO 732 105	AXILLARY REGION-RIGHT WEEK 102	
		722 104	MASS(ES)	10 X 10MM
		TO 732 105	INGUINAL REGION-RIGHT WEEK 104	
		645 93	MASS(ES)	10 X 10MM
		TO 659 95	VENTRAL-ABDOMINAL-RIGHT WEEK 93	
C93146	F5	666 96	MASS(ES)	15 X 15MM
		TO 701 101	VENTRAL-ABDOMINAL-RIGHT WEEK 93	
		708 102	MASS(ES)	15 X 20MM
		TO 732 105	VENTRAL-ABDOMINAL-RIGHT WEEK 93	
		708 102	MASS(ES)	10 X 10MM
		TO 732 105	AXILLARY REGION-RIGHT WEEK 102	
C93146	F5	694 100	MASS(ES)	15 X 15MM
		TO 722 104	VENTRAL-ABDOMINAL-LEFT WEEK 100	
		729 105	MASS(ES)	20 X 20 MM
		TO 732 105	VENTRAL-ABDOMINAL-LEFT WEEK 100	

Appendix 2

Individual Clinical Observations

PAGE: 651

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93149	F5	631 91	MASS(ES)	10 X 10MM
		TO 645 93	AXILLARY REGION-LEFT WEEK 91	
		652 94	MASS(ES)	15 X 15MM
		TO 687 99	AXILLARY REGION-LEFT WEEK 91	
		694 100	MASS(ES)	20 X 20MM
		TO 731 105	AXILLARY REGION-LEFT WEEK 91	
		694 100	MASS(ES)	10 X 10MM
		TO 708 102	VENTRAL-CERVICAL-LEFT WEEK 100	
		715 103	MASS(ES)	15 X 15MM
			VENTRAL-CERVICAL-LEFT WEEK 100	
		722 104	MASS(ES)	15 X 15MM
		TO 731 105	VENTRAL-CERVICAL-LEFT WEEK 100	
C93151	F5	631 91	MASS(ES)	10 X 10MM
		TO 638 92	AXILLARY REGION-LEFT WEEK 89	
		645 93	MASS(ES)	15 X 15MM
		TO 701 101	AXILLARY REGION-LEFT WEEK 89	

Appendix 2

Individual Clinical Observations

PAGE: 652

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93151	F5	708 102 TO 722 104	MASS(ES) AXILLARY REGION-LEFT WEEK 89	20 X 20MM
		729 105 TO 733 105	MASS(ES) AXILLARY REGION-LEFT WEEK 89	30 X 20MM
		561 81 TO 589 85	MASS(ES) INGUINAL REGION-LEFT WEEK 79	10 X 10MM
		596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 79	15 X 15MM
		603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 79	30 X 30MM
		610 88	MASS(ES) INGUINAL REGION-LEFT WEEK 79	23 X 45MM
		617 89 TO 631 91	MASS(ES) INGUINAL REGION-LEFT WEEK 79	35 X 40MM
		638 92 TO 645 93	MASS(ES) INGUINAL REGION-LEFT WEEK 79	45 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 653

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93151	F5	652 94	MASS(ES) INGUINAL REGION-LEFT WEEK 79	45 X 70MM
		659 95 TO 673 97	MASS(ES) INGUINAL REGION-LEFT WEEK 79	70 X 55MM
		680 98 TO 701 101	MASS(ES) INGUINAL REGION-LEFT WEEK 79	70 X 80MM
		708 102 TO 733 105	MASS(ES) INGUINAL REGION-LEFT WEEK 79	70 X 100MM
C93152	F5	365 53	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	10 X 10MM
		372 54 TO 442 64	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	20 X 20MM
		449 65 TO 456 66	MASS(ES) AXILLARY REGION-RIGHT WEEK 53	25 X 25MM
C93153	F5	631 91 TO 645 93	MASS(ES) DORSAL WEEK 91	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 654

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93153	F5	652 94	MASS(ES)	15 X 20MM
		TO 666 96	DORSAL	
			WEEK 91	
		673 97	MASS(ES)	25 X 20MM
		TO 680 98	DORSAL	
			WEEK 91	
		687 99	MASS(ES)	30 X 20MM
		TO 715 103	DORSAL	
			WEEK 91	
		722 104	MASS(ES)	40 X 40MM
		TO 732 105	DORSAL	
			WEEK 91	
C93156	F5	582 84	MASS(ES)	10 X 10MM
		TO 596 86	VENTRAL-ABDOMINAL	
			WEEK 84	
		365 53	MASS(ES)	10 X 10MM
		TO 372 54	VENTRAL-CERVICAL	
			WEEK 53	
		379 55	MASS(ES)	15 X 20MM
		TO 421 61	VENTRAL-CERVICAL	
			WEEK 53	
		428 62	MASS(ES)	15 X 35MM
			VENTRAL-CERVICAL	
			WEEK 53	

Appendix 2

Individual Clinical Observations

PAGE: 655

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93156	F5	435 63	MASS(ES) VENTRAL-CERVICAL WEEK 53	20 X 30MM
		442 64	MASS(ES) VENTRAL-CERVICAL WEEK 53	30 X 30MM
		449 65 TO 477 69	MASS(ES) VENTRAL-CERVICAL WEEK 53	30 X 40MM
		484 70	MASS(ES) VENTRAL-CERVICAL WEEK 53	45 X 55MM
		491 71 TO 554 80	MASS(ES) VENTRAL-CERVICAL WEEK 53	40 X 50MM
		561 81	MASS(ES) VENTRAL-CERVICAL WEEK 53	50 X 50MM
		568 82 TO 595 85	MASS(ES) VENTRAL-CERVICAL WEEK 53	50 X 40MM
		596 86 TO 596 86	MASS(ES) VENTRAL-CERVICAL WEEK 53	40 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 656

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93158	F5	491 71	MASS(ES)	10 X 10MM
	TO	498 72	INGUINAL REGION-RIGHT WEEK 71	
		505 73	MASS(ES)	15 X 15MM
	TO	512 74	INGUINAL REGION-RIGHT WEEK 71	
		519 75	MASS(ES)	15 X 15MM
	TO	526 76	VENTRAL-ABDOMINAL-RIGHT WEEK 71	
		533 77	MASS(ES)	20 X 20MM
	TO	554 80	VENTRAL-ABDOMINAL-RIGHT WEEK 71	
		561 81	MASS(ES)	30 X 20MM
	TO	603 87	VENTRAL-ABDOMINAL-RIGHT WEEK 71	
		610 88	MASS(ES)	60 X 50MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 71	
		617 89	MASS(ES)	50 X 40MM
	TO	680 98	VENTRAL-ABDOMINAL-RIGHT WEEK 71	
		687 99	MASS(ES)	70 X 40MM
	TO	701 101	VENTRAL-ABDOMINAL-RIGHT WEEK 71	

Appendix 2

Individual Clinical Observations

PAGE: 657

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93158	F5	708 102 TO 731 105	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 71	70 X 60MM
C93162	F5	708 102 TO 731 105	MASS(ES) INGUINAL REGION-LEFT WEEK 102	10 X 10MM
C93164	F5	533 77 TO 603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 77	10 X 10MM
		610 88 TO 631 91	MASS(ES) INGUINAL REGION-LEFT WEEK 77	15 X 15MM
		638 92 TO 652 94	MASS(ES) INGUINAL REGION-LEFT WEEK 77	25 X 20MM
		659 95	MASS(ES) INGUINAL REGION-LEFT WEEK 77	30 X 20MM
		666 96	MASS(ES) INGUINAL REGION-LEFT WEEK 77	40 X 30MM
		673 97	MASS(ES) INGUINAL REGION-LEFT WEEK 77	30 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 658

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93164	F5	680 98 TO 694 100	MASS(ES) INGUINAL REGION-LEFT WEEK 77	40 X 25MM
		701 101 TO 715 103	MASS(ES) INGUINAL REGION-LEFT WEEK 77	50 X 30MM
		722 104 TO 731 105	MASS(ES) INGUINAL REGION-LEFT WEEK 77	65 X 40MM
C93165	F5	540 78 TO 652 94	MASS(ES) AXILLARY REGION-RIGHT WEEK 78	10 X 10MM
		645 93 TO 652 94	MASS(ES) VENTRAL-THORACIC WEEK 93	20 X 20MM
		659 95 TO 701 101	MASS(ES) VENTRAL-THORACIC WEEK 93	30 X 20MM
		708 102 TO 733 105	MASS(ES) VENTRAL-THORACIC WEEK 93	30 X 30MM
C93173	F5	610 88 TO 624 90	MASS(ES) SHOULDER-RIGHT WEEK 88	15 X 25M

Appendix 2

Individual Clinical Observations

PAGE: 659

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93173	F5	631 91	MASS(ES) SHOULDER-RIGHT WEEK 88	15 X 20MM
		638 92 TO 687 99	MASS(ES) SHOULDER-RIGHT WEEK 88	20 X 25MM
		694 100 TO 709 102	MASS(ES) SHOULDER-RIGHT WEEK 88	20 X 30MM
C93174	F5	694 100 TO 701 101	MASS(ES) VENTRAL-THORACIC WEEK 100	15 X 15MM
		708 102 TO 722 104	MASS(ES) VENTRAL-THORACIC WEEK 100	20 X 20MM
		729 105 TO 731 105	MASS(ES) VENTRAL-THORACIC WEEK 100	30 X 20 MM
C93175	F5	519 75 TO 540 78	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75	20 X 20MM
		547 79 TO 554 80	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75	30 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 660

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93175	F5	561 81 TO 582 84	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75	40 X 40MM
		589 85 TO 603 87	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75	50 X 40MM
		610 88 TO 631 91	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75	60 X 60MM
		638 92 TO 641 92	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 75	60 X 50MM
C93176	F5	498 72 TO 505 73	MASS(ES) INGUINAL REGION-LEFT WEEK 72	10 X 10MM
		512 74	MASS(ES) INGUINAL REGION-LEFT WEEK 72	15 X 15MM
		519 75	MASS(ES) INGUINAL REGION-LEFT WEEK 72	15 X 15MM
		526 76	MASS(ES) INGUINAL REGION-LEFT WEEK 72	15 X 15MM

Appendix 2

Individual Clinical Observations

PAGE: 661

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93176	F5	533 77	MASS(ES) INGUINAL REGION-LEFT WEEK 72	15 X 15MM
		540 78	MASS(ES) INGUINAL REGION-LEFT WEEK 72	20 X 20MM
		547 79	MASS(ES) INGUINAL REGION-LEFT WEEK 72	20 X 20MM
		554 80	MASS(ES) INGUINAL REGION-LEFT WEEK 72	20 X 20MM
		561 81	MASS(ES) INGUINAL REGION-LEFT WEEK 72	20 X 20MM
		568 82	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		575 83	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		582 84	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 662

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93176	F5	589 85	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		610 88	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		613 88	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		613 88	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		613 88	MASS(ES) INGUINAL REGION-LEFT WEEK 72	30 X 20MM
		547 79 TO 613 88	MASS(ES) INGUINAL REGION-RIGHT WEEK 79	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 663

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93179	F5	659 95	MASS(ES)	15 X 15MM
		TO 680 98	AXILLARY REGION-LEFT WEEK 95	
		687 99	MASS(ES)	20 X 15MM
			AXILLARY REGION-LEFT WEEK 95	
		694 100	MASS(ES)	20 X20MM
		TO 701 101	AXILLARY REGION-LEFT WEEK 95	
		708 102	MASS(ES)	40 X 50MM
		TO 715 103	AXILLARY REGION-LEFT WEEK 95	
		722 104	MASS(ES)	40 X 40MM
		TO 733 105	AXILLARY REGION-LEFT WEEK 95	
C93180	F5	386 56	MASS(ES)	30 X 50MM
		TO 407 59	VENTRAL - THORACIC - LEFT WEEK 56	
		414 60	MASS(ES)	40 X 60MM
			VENTRAL - THORACIC - LEFT WEEK 56	
		421 61	MASS(ES)	80 X 60MM
			VENTRAL - THORACIC - LEFT WEEK 56	

Appendix 2

Individual Clinical Observations

PAGE: 664

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93180	F5	428 62	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 56	90 X 80MM
		428 62	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 56	80 X 60MM
		435 63 TO 435 63	MASS(ES) VENTRAL-THORACIC-LEFT WEEK 56	110 X 80MM

Appendix 2

Individual Clinical Observations

PAGE: 665

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS	
C93181	U	106	APPEARANCE MALOCCLUSION			190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 281, 288, 295, 302, 309, 316, 358, 365, 372, 379, 386, 393, 400 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666, 673 680, 687, 694, 701, 708, 715, 722, 729, 736	
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 323, 330 337, 344, 351	
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE ROUGH HAIR COAT			393 393	
C93182	U	106	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 680, 687, 694, 701	
			MASS(ES) AXILLARY REGION-LEFT WEEK 102			708C, 715C, 722C, 729C, 736C	

Appendix 2

Individual Clinical Observations

PAGE: 666

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93183	U	106	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
			MASS(ES) INGUINAL REGION-LEFT WEEK 91			631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 736C
C93184	U	106	SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE SORE/SCAB PAW-HIND-LEFT			190, 197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274 561, 568, 708
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 575 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659, 666 673, 680, 687, 694, 701
			WART LIKE LESION(S) MOUTH WEEK 102			708, 715, 722, 729, 736

Appendix 2

Individual Clinical Observations

PAGE: 667

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93185	U	106	APPEARANCE MALOCCCLUSION			197, 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 351 358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442 449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 722, 729, 736
			EYES OPAQUE EYE-LEFT RED DISCHARGE EYE-LEFT			722, 729, 736 288, 295, 302, 309, 316, 323, 330, 337, 344
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 281
C93186	M	75	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302
			MASS(ES) VENTRAL-CERVICAL WEEK 45			309C, 316C, 323C, 330C, 337C, 344C, 351C, 358C, 365C, 372C, 379C 386C, 393C, 400C, 407C, 414C, 421C, 428C, 435C, 442C, 449C, 456C 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519-520C

Appendix 2

Individual Clinical Observations

PAGE: 668

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93187	M	104	APPEARANCE HEAD TILT LEFT MALOCCLUSION			725 715, 722, 725
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			722, 725 725
			EXCRETION FEW FECES			617, 705, 708, 715, 722, 725
			SKIN & PELAGE PALE ENTIRE BODY ROUGH HAIR COAT			725 722, 725
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554
			MASS(ES) AXILLARY REGION-RIGHT WEEK 102 INGUINAL REGION-LEFT WEEK 81			708C, 715C, 722C, 725C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C

Appendix 2

Individual Clinical Observations

PAGE: 669

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93187	M	104	MASS(ES) INGUINAL REGION-LEFT WEEK 81			638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 705C 708C, 715C, 722C, 725C
			INGUINAL REGION-RIGHT WEEK 101			701C, 705C
C93188	D	105	SKIN & PELAGE SORE/SCAB AXILLARY REGION-LEFT			729, 734
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477
			MASS(ES) AXILLARY REGION-LEFT WEEK 70			484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C 561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C, 722C, 729C, 734C

Appendix 2

Individual Clinical Observations

PAGE: 670

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93189	M	87	APPEARANCE HEAD TILT LEFT HUNCHED MALOCCLUSION			605 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 605
			MISSING TEETH THIN			239, 246, 253, 260 589, 596, 603, 605
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			605
			EXCRETION FEW FECES			605
			EYES RED DISCHARGE EYE-RIGHT			155
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 162, 169, 176, 183, 190, 197, 204 211, 218, 225

Appendix 2

Individual Clinical Observations

PAGE: 671

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93190	U	106	APPEARANCE THIN			701, 708, 715, 722, 729, 736
			EXCRETION FEW FECES			680
			EYES RED DISCHARGE EYES			701, 708
			SKIN & PELAGE ROUGH HAIR COAT SORE/SCAB PAW-HIND-LEFT			722, 729, 736 561
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 568 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652, 659 666, 673, 687, 694

Appendix 2

Individual Clinical Observations

PAGE: 672

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93191	M	91	BEHAVIOR HYPOACTIVE <UNSPECIFIED> RECUMBENT LATERAL			633 633
			EYES RED DISCHARGE EYES			633
			RESPIRATION AUDIBLE LABORED			633 633
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631
C93192	U	106	APPEARANCE MALOCCLUSION			155
			SKIN & PELAGE SORE/SCAB MOUTH			64, 71, 78
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 85, 92, 99, 106, 113, 120, 127

Appendix 2

Individual Clinical Observations

PAGE: 673

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93192	U	106	NORMAL NO REMARKABLE OBSERVATIONS			134, 141, 148, 162, 169, 176, 183, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 91			631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C 708C, 715C, 722C, 729C, 736C
C93193	M	76	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			530
			EXCRETION FEW FECES NONFORMED FECES			530 530
			SKIN & PELAGE RED HAIR COAT HEAD-ENTIRE YELLOW HAIR COAT			512, 519, 526, 529-530 512, 519, 526, 529-530
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470

Appendix 2

Individual Clinical Observations

PAGE: 674

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93193	M	76	NORMAL			477, 484, 491, 498, 505
			NO REMARKABLE OBSERVATIONS			
C93194	M	92	SKIN & PELAGE			575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			ALOPECIA			498, 505
			RED HAIR COAT			512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596
			VENTRAL-ABDOMINAL			603, 610, 617, 624, 631, 638
			ROUGH HAIR COAT			
			SORE/SCAB			561, 568, 575, 582, 589, 596, 603
			DORSAL-CERVICAL			582
			LIMBS-HIND			582, 589, 596, 603, 610, 617, 624, 631, 638
			VENTRAL-ABDOMINAL-RIGHT			561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638
			VENTRAL-THORACIC			
			NORMAL			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
			NO REMARKABLE OBSERVATIONS			113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379
						386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470
						477, 484, 491
			MASS(ES)			
			AXILLARY REGION-LEFT			526, 533, 540
			WEEK 76			
			INGUINAL REGION-RIGHT			568C, 575C, 582C, 589C, 596C
			WEEK 81			
			VENTRAL-ABDOMINAL-LEFT			568, 575, 582, 589, 596, 603C, 610C, 617C, 624C, 631C, 638C
			WEEK 82			
			VENTRAL-ABDOMINAL-RIGHT			561C
			WEEK 81			

Appendix 2

Individual Clinical Observations

PAGE: 675

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93194	M	92	WART LIKE LESION(S) HEAD-MAXILLARY-RIGHT WEEK 76			526
C93195	D	71	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491
C93196	M	88	BEHAVIOR HYPOACTIVE <UNSPECIFIED>			613-614
			EXCRETION FEW FECES			613-614
			EYES RED DISCHARGE EYES			613-614
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610

Appendix 2

Individual Clinical Observations

PAGE: 676

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93197	U	106	SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT			631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715 722, 729, 736
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624
			MASS(ES) AXILLARY REGION-LEFT WEEK 99			687, 694C, 701C, 708C, 715C, 722C, 729C, 736C
			INGUINAL REGION-LEFT WEEK 93			645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 736C
			WEEK 95			659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C 736C
C93198	U	106	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645

Appendix 2

Individual Clinical Observations

PAGE: 677

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93198	U	106	MASS(ES) AXILLARY REGION-RIGHT WEEK 94			652, 659, 666, 673, 680, 687, 694C, 701C, 708C, 715C, 722C, 729C 736C
C93199	M	65	APPEARANCE HEAD TILT RIGHT THIN			449-450 442, 449-450
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435
C93200	M	96	APPEARANCE THIN			671
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			666, 671
			DISCHARGE NASAL RED IN COLOR			666
			EXCRETION FEW FECES NO FECES			659 671

Appendix 2

Individual Clinical Observations

PAGE: 678

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93200	M	96	EYES			
			RED DISCHARGE			
			EYE-RIGHT			561, 568, 575, 666
			EYES			671
			SKIN & PELAGE			
			RED HAIR COAT			
			HEAD-ENTIRE			666
			YELLOW HAIR COAT			666, 671
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 582 589, 596, 603, 610, 617, 624, 631, 638, 645, 652
C93201	U	106	APPEARANCE			
			CONVULSIONS			232, 239, 330, 400
			TREMORS			
			ENTIRE BODY			687
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 337, 344, 351, 358, 365, 372, 379, 386, 393, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589 596, 603, 610, 617, 624, 631, 638, 645, 680, 694, 701, 708, 715

Appendix 2

Individual Clinical Observations

PAGE: 679

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93201	U	106	NORMAL NO REMARKABLE OBSERVATIONS			722, 729, 736
			MASS(ES) AXILLARY REGION-RIGHT WEEK 94			652, 659, 666, 673
C93202	U	106	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736
C93203	M	90	SKIN & PELAGE BLACK SKIN VENTRAL-ABDOMINAL-LEFT VENTRAL-ABDOMINAL-RIGHT SORE/SCAB VENTRAL-ABDOMINAL-LEFT VENTRAL-ABDOMINAL-RIGHT NORMAL NO REMARKABLE OBSERVATIONS			526, 533 540 540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624 1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421

Appendix 2

Individual Clinical Observations

PAGE: 680

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93203	M	90	MASS(ES) AXILLARY REGION-LEFT WEEK 76			526, 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C 603C, 610C, 617C, 624C
			WEEK 81 AXILLARY REGION-RIGHT WEEK 82			561, 568, 575, 582, 589, 596, 603 568, 575
			INGUINAL REGION-LEFT WEEK 81			561, 568, 575, 582, 589C, 596C, 603C, 610C, 617C, 624C
			VENTRAL-ABDOMINAL-LEFT WEEK 69			477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C, 533C
			VENTRAL-ABDOMINAL-RIGHT WEEK 62			428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C, 498C 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C, 575C 582C, 589C, 596C
			VENTRAL-THORACIC-LEFT WEEK 81			561C, 568C, 575C, 582C
C93204	D	92	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449
			MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 66			456C, 463C, 470C, 477C, 484C, 491C, 498C, 505C, 512C, 519C, 526C 533C, 540C, 547C, 554C, 561C, 568C, 575C, 582C, 589C, 596C, 603C 610C, 617C, 624C, 631C, 638C, 642C

Appendix 2

Individual Clinical Observations

PAGE: 681

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
			KEYWORD QUALIFIER			
C93205	U	106	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736
C93206	M	104	APPEARANCE THIN			701, 708, 715, 722, 727
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			727
			EXCRETION FEW FECES			673, 701, 708, 715, 722, 727
			EYES RED DISCHARGE EYES			708, 722, 727
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652

Appendix 2

Individual Clinical Observations

PAGE: 682

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93206	M	104	NORMAL NO REMARKABLE OBSERVATIONS			659, 666, 680, 687, 694
C93207	M	41	APPEARANCE HUNCHED THIN			278, 281 278, 281
			EXCRETION NO FECES			278
			EYES RED DISCHARGE EYES			278, 281
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57
			MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 10			64, 71C, 78C, 85C, 92C, 99C, 106C, 113C, 120C, 127C, 134C, 141C 148C, 155C, 162C, 169C, 176C, 183C, 190C, 197C, 204C, 211C, 218C 225C, 232C, 239C, 246C, 253C, 260C, 267C, 274C, 278C, 281C
C93208	D	83	BEHAVIOR RECUMBENT STERNAL			576
			DISCHARGE GENITAL RED IN COLOR			316

Appendix 2

Individual Clinical Observations

PAGE: 683

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93208	D	83	RESPIRATION AUDIBLE IRREGULAR			576 576
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470, 477 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575
C93209	U	106	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736
C93210	M	105	APPEARANCE MALOCCLUSION THIN			141, 148, 414, 421, 428, 435, 463, 470, 477, 582, 589, 596, 603 722, 729, 734
			BEHAVIOR HYPOACTIVE <UNSPECIFIED>			729, 734

Appendix 2

Individual Clinical Observations

PAGE: 684

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93210	M	105	EXCRETION FEW FECES			705, 708, 722, 729, 734
			SKIN & PELAGE YELLOW HAIR COAT			722, 729, 734
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 155, 162, 169, 176, 183, 190, 197, 204, 211 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393 400, 407, 442, 449, 456, 498, 505, 512, 519, 526, 533, 540, 547 554, 561, 568, 575
			MASS(ES) INGUINAL REGION-LEFT WEEK 94			652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 705C, 708C, 715C 722C, 729C, 734C
			INGUINAL REGION-RIGHT WEEK 88			610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C, 666C, 673C, 680C 687C, 694C, 701C, 705C, 708C, 715C, 722C, 729C, 734C
C93211	U	106	APPEARANCE CONVULSIONS			400, 407, 414, 421, 428, 435, 442, 491, 498, 512, 638, 645, 652 722
			TREMORS ENTIRE BODY			680, 687
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288

Appendix 2

Individual Clinical Observations

PAGE: 685

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93211	U	106	NORMAL			
			NO REMARKABLE OBSERVATIONS			295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 449, 456, 463, 470, 477, 484, 505, 519, 526, 533, 540 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624, 631 659, 666, 673, 694, 701, 708, 715
			MASS(ES)			
			INGUINAL REGION-LEFT			
			WEEK 104			722, 729, 736
C93212	D	84	SKIN & PELAGE			
			SORE/SCAB			
			LIMBS-HIND			533, 540, 547, 554
			PAWS-HIND			561, 568, 575, 582, 584
			WARM TO TOUCH			
			LIMBS-HIND			526
			NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519

Appendix 2

Individual Clinical Observations

PAGE: 686

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93213	M	84	APPEARANCE HEAD TILT LEFT HUNCHED MALOCCLUSION			586 586 113, 120, 127, 134, 141, 148, 155, 190, 197, 204, 211, 218, 225 232, 239, 246, 253, 260, 267, 274, 281, 288, 295, 302, 309, 316 323, 330, 337, 344, 351, 358, 365, 372, 379, 386, 393, 400, 407 414, 421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498 505, 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 586 554, 561, 568, 575, 582, 586
			THIN TREMORS ENTIRE BODY			586
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED> COLD TO TOUCH ENTIRE BODY			561, 568, 575, 582, 586 561, 568, 575, 582, 586 586
			DISCHARGE NASAL RED IN COLOR			561
			EXCRETION FEW FECES			554, 586
			EYES RED DISCHARGE EYE-LEFT			393

Appendix 2

Individual Clinical Observations

PAGE: 687

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93213	M	84	SKIN & PELAGE PALE ENTIRE BODY			586
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 162, 169, 176, 183
			WART LIKE LESION(S) TAIL-PROXIMAL WEEK 76			526, 533, 540, 547, 554
C93214	D	98	NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 638, 645, 652 659, 666, 673, 680, 684
C93215	M	86	APPEARANCE THIN			582, 589, 596
			BEHAVIOR ATAXIC <UNSPECIFIED> HYPOACTIVE <UNSPECIFIED>			596 575, 582, 589, 596

Appendix 2

Individual Clinical Observations

PAGE: 688

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93215	M	86	EXCRETION FEW FECES			551, 554
			SKIN & PELAGE SORE/SCAB PAW-HIND-RIGHT			568, 575
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505
			WART LIKE LESION(S) HEAD-MAXILLARY-LEFT WEEK 74			512, 519, 526, 533, 540, 547, 551, 554, 561, 568, 575, 582, 589
C93216	U	106	SKIN & PELAGE SORE/SCAB PAW-HIND-LEFT VENTRAL-ABDOMINAL-RIGHT			666, 673, 680 631, 638, 645, 652, 659, 694, 701, 708, 715, 722, 729, 736
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414

Appendix 2

Individual Clinical Observations

PAGE: 689

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
(CONTINUED FROM PREVIOUS PAGE)						
C93216	U	106	MASS(ES)			
			AXILLARY REGION-RIGHT			
			WEEK 81			561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C, 645C, 652C, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C 715C, 722C, 729C, 736C
			WEEK 93			645, 652, 659C, 666C, 673C, 680C, 687C, 694C, 701C, 708C, 715C 722C, 729C, 736C
			EAR-RIGHT			
			WEEK 61			421, 428, 435, 442, 449, 456, 463, 470, 477, 484, 491, 498, 505 512, 519, 526, 533, 540, 547, 554, 561, 568, 575, 582, 589, 596 603, 610C, 617C, 624C, 631, 638, 645, 652, 659, 666, 673, 680 687, 694, 701, 708, 715, 722, 729, 736
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 101			701C, 708C, 715C, 722C, 729C, 736C
			VENTRAL-ABDOMINAL-RIGHT			
			WEEK 79			547C
			WEEK 81			561C, 568C, 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C, 631C 638C
			WEEK 96			666, 673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 736C
C93217	D	91	NORMAL			
			NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561 568, 575, 582, 589, 596, 603, 610, 617, 624, 631, 635

Appendix 2

Individual Clinical Observations

PAGE: 690

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS
C93218	M	90	SKIN & PELAGE SORE/SCAB AXILLARY REGION-LEFT			484, 491, 498, 505, 512, 519, 526, 533, 540, 547, 554, 561, 568 575, 582, 589, 596, 603, 610, 617, 624
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323
			MASS(ES) AXILLARY REGION-LEFT WEEK 50			344, 351, 358, 365C, 372C, 379C, 386C, 393C, 400C, 407C, 414C 421C, 428C, 435C, 442C, 449C, 456C, 463C, 470C, 477C, 484C, 491C 498C, 505C, 512C, 519C, 526C, 533C, 540C, 547C, 554C, 561C, 568C 575C, 582C, 589C, 596C, 603C, 610C, 617C, 624C
			INGUINAL REGION-LEFT WEEK 48			330, 337
C93219	U	106	SKIN & PELAGE SORE/SCAB VENTRAL-THORACIC-RIGHT			659, 666, 673, 680, 687, 694, 701, 708, 715, 722, 729, 736
			NORMAL NO REMARKABLE OBSERVATIONS			1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106 113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197 204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288 295, 302, 309, 316, 323, 330, 337, 344, 351, 358, 365, 372, 379 386, 393, 400, 407, 414, 421, 428, 435, 442, 449, 456, 463, 470 477, 484, 491, 498, 505, 512, 519, 533, 540, 547, 554, 582

Appendix 2

Individual Clinical Observations

PAGE: 691

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	DEATH CODE	WK OF DEATH	CATEGORY KEYWORD QUALIFIER	GROUP: F6	DOSE: 20 PPM	DAYS 1-736 - OBSERVED DURING THE DAYS LISTED BELOW; 'C' - COMMENTS LISTED AT END OF OBSERVATIONS

(CONTINUED FROM PREVIOUS PAGE)						
C93219	U	106	MASS(ES)			
			VENTRAL-ABDOMINAL-LEFT			
			WEEK 101			701, 708
			VENTRAL-THORACIC-RIGHT			
			WEEK 76			526
			WEEK 81			561, 568, 575
			WEEK 85			589C, 596C, 603C, 610C, 617C, 624C, 631C, 638C, 645C, 652C, 659C
						666C, 673C, 680C, 687C, 694C, 701C, 708C
C93220	U	106	APPEARANCE			
			MALOCCLUSION			
						358, 365, 372, 379, 386, 393, 400, 407, 414, 421, 428, 435, 442
						449, 456, 463, 470, 477, 484, 491, 498, 505, 512, 519, 526, 533
						540, 547, 554, 561, 568, 575, 582, 589, 596, 603, 610, 617, 624
						631, 638, 645, 652, 659, 666, 673, 680, 687, 694, 701, 708, 715
						722, 729, 736
			NORMAL			
			NO REMARKABLE OBSERVATIONS			
						1, 8, 15, 22, 29, 36, 43, 50, 57, 64, 71, 78, 85, 92, 99, 106
						113, 120, 127, 134, 141, 148, 155, 162, 169, 176, 183, 190, 197
						204, 211, 218, 225, 232, 239, 246, 253, 260, 267, 274, 281, 288
						295, 302, 309, 316, 323, 330, 337, 344, 351
			MASS(ES)			
			VENTRAL-ABDOMINAL			
			WEEK 97			673C, 680C, 687C, 694C, 701C, 708C, 715C, 722C, 729C, 736C

Appendix 2

Individual Clinical Observations

PAGE: 692

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93182	F6	708 102 TO 736 106	MASS(ES) AXILLARY REGION-LEFT WEEK 102	15 X 15MM
C93183	F6	631 91	MASS(ES) INGUINAL REGION-LEFT WEEK 91	25 X 25MM
		638 92	MASS(ES) INGUINAL REGION-LEFT WEEK 91	30 X 25MM
		645 93	MASS(ES) INGUINAL REGION-LEFT WEEK 91	40 X 25MM
		652 94 TO 659 95	MASS(ES) INGUINAL REGION-LEFT WEEK 91	50 X 30MM
		666 96 TO 673 97	MASS(ES) INGUINAL REGION-LEFT WEEK 91	60 X 40MM
		680 98	MASS(ES) INGUINAL REGION-LEFT WEEK 91	70 X 40MM
		687 99	MASS(ES) INGUINAL REGION-LEFT WEEK 91	70 X 50MM

Appendix 2

Individual Clinical Observations

PAGE: 693

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93183	F6	694 100	MASS(ES)	80 X 50MM
		TO 701 101	INGUINAL REGION-LEFT WEEK 91	
		708 102	MASS(ES)	
		TO 715 103	INGUINAL REGION-LEFT WEEK 91	
		722 104	MASS(ES)	110 X 80MM
		TO 729 105	INGUINAL REGION-LEFT WEEK 91	
		736 106	MASS(ES)	
		TO 736 106	INGUINAL REGION-LEFT WEEK 91	
C93186	F6	309 45	MASS(ES)	20 X 15MM
		TO 316 46	VENTRAL-CERVICAL WEEK 45	
		323 47	MASS(ES)	
		TO 330 48	VENTRAL-CERVICAL WEEK 45	
		337 49	MASS(ES)	30 X 25MM
			VENTRAL-CERVICAL WEEK 45	
		344 50	MASS(ES)	35 X 30MM
			VENTRAL-CERVICAL WEEK 45	

Appendix 2

Individual Clinical Observations

PAGE: 694

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93186	F6	351 51	MASS(ES)	40 X 35MM
		TO 379 55	VENTRAL-CERVICAL WEEK 45	
		386 56	MASS(ES)	40 X 40MM
		TO 393 57	VENTRAL-CERVICAL WEEK 45	
		400 58	MASS(ES)	50 X 50MM
		TO 414 60	VENTRAL-CERVICAL WEEK 45	
		421 61	MASS(ES)	60 X 60MM
		TO 435 63	VENTRAL-CERVICAL WEEK 45	
		442 64	MASS(ES)	70 X 70MM
		TO 484 70	VENTRAL-CERVICAL WEEK 45	
		491 71	MASS(ES)	80 X 70MM
			VENTRAL-CERVICAL WEEK 45	
		498 72	MASS(ES)	80 X 80MM
			VENTRAL-CERVICAL WEEK 45	
		505 73	MASS(ES)	95 X 80MM
			VENTRAL-CERVICAL WEEK 45	

Appendix 2

Individual Clinical Observations

PAGE: 695

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93186	F6	512 74 TO 520 75	MASS(ES) VENTRAL-CERVICAL WEEK 45	100 X 110MM
C93187	F6	708 102 TO 725 104	MASS(ES) AXILLARY REGION-RIGHT WEEK 102	10 X 10MM
		561 81 TO 575 83	MASS(ES) INGUINAL REGION-LEFT WEEK 81	15 X 15MM
		582 84	MASS(ES) INGUINAL REGION-LEFT WEEK 81	20 X 20MM
		589 85 TO 596 86	MASS(ES) INGUINAL REGION-LEFT WEEK 81	30 X 30MM
		603 87 TO 645 93	MASS(ES) INGUINAL REGION-LEFT WEEK 81	45 X 40MM
		652 94 TO 705 101	MASS(ES) INGUINAL REGION-LEFT WEEK 81	50 X 45MM
		708 102 TO 725 104	MASS(ES) INGUINAL REGION-LEFT WEEK 81	65 X 60MM

Appendix 2

Individual Clinical Observations

PAGE: 696

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93187	F6	701 101 TO 705 101	MASS(ES) INGUINAL REGION-RIGHT WEEK 101	10 X 10MM
C93188	F6	484 70 TO 505 73	MASS(ES) AXILLARY REGION-LEFT WEEK 70	25 X 30MM
		512 74 TO 519 75	MASS(ES) AXILLARY REGION-LEFT WEEK 70	40 X 40MM
		526 76 TO 540 78	MASS(ES) AXILLARY REGION-LEFT WEEK 70	40 X 50MM
		547 79 TO 582 84	MASS(ES) AXILLARY REGION-LEFT WEEK 70	55 X 60MM
		589 85 TO 596 86	MASS(ES) AXILLARY REGION-LEFT WEEK 70	60 X 65MM
		603 87 TO 631 91	MASS(ES) AXILLARY REGION-LEFT WEEK 70	65 X 70MM
		638 92 TO 659 95	MASS(ES) AXILLARY REGION-LEFT WEEK 70	75 X 80MM

Appendix 2

Individual Clinical Observations

PAGE: 697

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93188	F6	666 96	MASS(ES) AXILLARY REGION-LEFT WEEK 70	90 X 85MM
		673 97 TO 694 100	MASS(ES) AXILLARY REGION-LEFT WEEK 70	95 X 90MM
		701 101	MASS(ES) AXILLARY REGION-LEFT WEEK 70	80 X 85MM
		708 102 TO 715 103	MASS(ES) AXILLARY REGION-LEFT WEEK 70	95 X 95MM
		722 104 TO 734 105	MASS(ES) AXILLARY REGION-LEFT WEEK 70	100 X 100MM
C93192	F6	631 91	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 91	25 X 25MM
		638 92 TO 659 95	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 91	30 X 30MM
		666 96	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 91	45 X 30MM

Appendix 2

Individual Clinical Observations

PAGE: 698

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93192	F6	673 97	MASS(ES)	50 X 40MM
	TO	680 98	VENTRAL-ABDOMINAL-RIGHT WEEK 91	
		687 99	MASS(ES)	50 X 50MM
	TO	701 101	VENTRAL-ABDOMINAL-RIGHT WEEK 91	
		708 102	MASS(ES)	55 X 70MM
	TO	729 105	VENTRAL-ABDOMINAL-RIGHT WEEK 91	
		736 106	MASS(ES)	70 X 75MM
	TO	736 106	VENTRAL-ABDOMINAL-RIGHT WEEK 91	
C93194	F6	568 82	MASS(ES)	10 X 10MM
	TO	596 86	INGUINAL REGION-RIGHT WEEK 81	
		603 87	MASS(ES)	10 X 10MM
	TO	638 92	VENTRAL-ABDOMINAL-LEFT WEEK 82	
		561 81	MASS(ES)	10 X 10MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 81	
C93197	F6	694 100	MASS(ES)	10 X 10MM
	TO	736 106	AXILLARY REGION-LEFT WEEK 99	

Appendix 2

Individual Clinical Observations

PAGE: 699

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93197	F6	645 93	MASS(ES)	10 X 10MM
	TO	701 101	INGUINAL REGION-LEFT WEEK 93	
		708 102	MASS(ES)	10 X 20MM
	TO	722 104	INGUINAL REGION-LEFT WEEK 93	
		729 105	MASS(ES)	20 X 20MM
	TO	736 106	INGUINAL REGION-LEFT WEEK 93	
		659 95	MASS(ES)	10 X 10MM
	TO	680 98	INGUINAL REGION-LEFT WEEK 95	POSTERIOR
		687 99	MASS(ES)	15 X 15MM
	TO	701 101	INGUINAL REGION-LEFT WEEK 95	POSTERIOR
		708 102	MASS(ES)	20 X 30MM
	TO	722 104	INGUINAL REGION-LEFT WEEK 95	POSTERIOR
		729 105	MASS(ES)	30 X 40MM
			INGUINAL REGION-LEFT WEEK 95	POSTERIOR
		736 106	MASS(ES)	40 X 40MM
	TO	736 106	INGUINAL REGION-LEFT WEEK 95	

Appendix 2

Individual Clinical Observations

PAGE: 700

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93198	F6	694 100 TO 736 106	MASS(ES) AXILLARY REGION-RIGHT WEEK 94	10 X 10MM
C93203	F6	533 77 TO 561 81	MASS(ES) AXILLARY REGION-LEFT WEEK 76	10 X 10MM
		568 82 TO 603 87	MASS(ES) AXILLARY REGION-LEFT WEEK 76	15 X 15MM
		610 88 TO 624 90	MASS(ES) AXILLARY REGION-LEFT WEEK 76	15 X 25MM
		589 85 TO 603 87	MASS(ES) INGUINAL REGION-LEFT WEEK 81	20 X 20MM
		610 88 TO 624 90	MASS(ES) INGUINAL REGION-LEFT WEEK 81	25 X 30MM
		477 69 TO 505 73	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 69	10 X 10MM
		512 74 TO 519 75	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 69	20 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 701

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93203	F6	526 76	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 69	30 X 30MM
		533 77	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 69	20 X 25MM
		428 62 TO 463 67	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62	10 X 10MM
		470 68 TO 477 69	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62	15 X 15MM
		484 70 TO 505 73	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62	20 X 20MM
		512 74	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62	30 X 30MM
		519 75 TO 575 83	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62	25 X 30MM
		582 84 TO 596 86	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 62	15 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 702

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93203	F6	561 81	MASS(ES)	20 X 20MM
	TO	582 84	VENTRAL-THORACIC-LEFT WEEK 81	
C93204	F6	456 66	MASS(ES)	20 X 20MM
	TO	463 67	VENTRAL-ABDOMINAL-RIGHT WEEK 66	
		470 68	MASS(ES)	25 X 25MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 66	
		477 69	MASS(ES)	30 X 30MM
	TO	491 71	VENTRAL-ABDOMINAL-RIGHT WEEK 66	
		498 72	MASS(ES)	35 X 30MM
	TO	519 75	VENTRAL-ABDOMINAL-RIGHT WEEK 66	
		526 76	MASS(ES)	35 X 40MM
			VENTRAL-ABDOMINAL-RIGHT WEEK 66	
		533 77	MASS(ES)	45 X 45MM
	TO	547 79	VENTRAL-ABDOMINAL-RIGHT WEEK 66	
		554 80	MASS(ES)	60 X 60MM
	TO	589 85	VENTRAL-ABDOMINAL-RIGHT WEEK 66	

Appendix 2

Individual Clinical Observations

PAGE: 703

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93204	F6	596 86 TO 603 87	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 66	70 X 60MM
		610 88 TO 631 91	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 66	70 X 70MM
		638 92 TO 642 92	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 66	70 X 80MM
C93207	F6	71 11 TO 78 12	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 10	15 X 20MM
		85 13 TO 155 23	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 10	20 X 25MM
		162 24 TO 169 25	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 10	25 X 25MM
		176 26 TO 204 30	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 10	35 X 35MM
		211 31	MASS(ES) VENTRAL-THORACIC-RIGHT WEEK 10	45 X 45MM

Appendix 2

Individual Clinical Observations

PAGE: 704

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93207	F6	218 32	MASS(ES)	40 X 40MM
		TO 239 35	VENTRAL-THORACIC-RIGHT WEEK 10	
		246 36	MASS(ES)	
		TO 260 38	VENTRAL-THORACIC-RIGHT WEEK 10	45 X 50MM
		267 39	MASS(ES)	55 X 55MM
		TO 281 41	VENTRAL-THORACIC-RIGHT WEEK 10	
C93210	F6	652 94	MASS(ES)	25 X 25MM
			INGUINAL REGION-LEFT WEEK 94	
		659 95	MASS(ES)	25 X 30MM
			INGUINAL REGION-LEFT WEEK 94	
		666 96	MASS(ES)	35 X 30MM
		TO 705 101	INGUINAL REGION-LEFT WEEK 94	
		708 102	MASS(ES)	40 X 40MM
			INGUINAL REGION-LEFT WEEK 94	
		715 103	MASS(ES)	50 X 50MM
		TO 734 105	INGUINAL REGION-LEFT WEEK 94	

Appendix 2

Individual Clinical Observations

PAGE: 705

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93210	F6	610 88	MASS(ES)	15 X 15MM
		TO 624 90	INGUINAL REGION-RIGHT WEEK 88	
		631 91	MASS(ES)	20 X 20MM
		TO 645 93	INGUINAL REGION-RIGHT WEEK 88	
		652 94	MASS(ES)	30 X 25MM
		TO 666 96	INGUINAL REGION-RIGHT WEEK 88	
		673 97	MASS(ES)	30 X 35MM
		TO 734 105	INGUINAL REGION-RIGHT WEEK 88	
C93216	F6	561 81	MASS(ES)	10 X 10MM
		TO 582 84	AXILLARY REGION-RIGHT WEEK 81	
		589 85	MASS(ES)	20 X 20MM
		TO 603 87	AXILLARY REGION-RIGHT WEEK 81	
		610 88	MASS(ES)	20 X 25MM
		TO 624 90	AXILLARY REGION-RIGHT WEEK 81	
		631 91	MASS(ES)	25 X30MM
		TO 638 92	AXILLARY REGION-RIGHT WEEK 81	

Appendix 2

Individual Clinical Observations

PAGE: 706

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93216	F6	645 93	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	30 X 30MM
		652 94 TO 659 95	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	40 X 40MM
		666 96 TO 701 101	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	50 X 40MM
		708 102 TO 736 106	MASS(ES) AXILLARY REGION-RIGHT WEEK 81	50 X 60MM
		659 95 TO 687 99	MASS(ES) AXILLARY REGION-RIGHT WEEK 93	10 X 10MM
		694 100 TO 715 103	MASS(ES) AXILLARY REGION-RIGHT WEEK 93	15 X 15MM
		722 104 TO 736 106	MASS(ES) AXILLARY REGION-RIGHT WEEK 93	20 X 25MM
		610 88 TO 624 90	MASS(ES) EAR-RIGHT WEEK 61	10 X 10MM

Appendix 2

Individual Clinical Observations

PAGE: 707

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93216	F6	701 101	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 101	15 X 15MM
		708 102 TO 736 106	MASS(ES) VENTRAL-ABDOMINAL-LEFT WEEK 101	25 X 25MM
		547 79	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 79	10 X 10MM
		561 81 TO 582 84	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	10 X 10MM
		589 85 TO 603 87	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	20 X 20MM
		610 88 TO 631 91	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	20 X 30MM
		638 92	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 81	20 X 20MM
		673 97 TO 701 101	MASS(ES) VENTRAL-ABDOMINAL-RIGHT WEEK 96	15 X 20MM

Appendix 2

Individual Clinical Observations

PAGE: 708

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93216	F6	708 102	MASS(ES)	20 X 30MM
		TO 715 103	VENTRAL-ABDOMINAL-RIGHT WEEK 96	
		722 104	MASS(ES)	
		TO 729 105	VENTRAL-ABDOMINAL-RIGHT WEEK 96	20 X 40MM
		736 106	MASS(ES)	40 X 40MM
		TO 736 106	VENTRAL-ABDOMINAL-RIGHT WEEK 96	
C93218	F6	365 53	MASS(ES)	10 X 10MM
		TO 393 57	AXILLARY REGION-LEFT WEEK 50	
		400 58	MASS(ES)	20 X 20MM
		TO 575 83	AXILLARY REGION-LEFT WEEK 50	
		582 84	MASS(ES)	15 X 15MM
		TO 596 86	AXILLARY REGION-LEFT WEEK 50	
		603 87	MASS(ES)	20 X 20MM
		TO 624 90	AXILLARY REGION-LEFT WEEK 50	
C93219	F6	589 85	MASS(ES)	10 X 10MM
		TO 708 102	VENTRAL-THORACIC-RIGHT WEEK 85	

Appendix 2

Individual Clinical Observations

PAGE: 709

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL	GROUP	STUDY DAY WK	CATEGORY KEYWORD QUALIFIER	FREE-TEXT COMMENT
C93220	F6	673 97	MASS(ES)	20 X 20MM
		TO 694 100	VENTRAL-ABDOMINAL WEEK 97	
		701 101	MASS(ES)	
			VENTRAL-ABDOMINAL WEEK 97	
		708 102	MASS(ES)	
		TO 715 103	VENTRAL-ABDOMINAL WEEK 97	45 X 40MM
		722 104	MASS(ES)	60 X 50MM
		TO 729 105	VENTRAL-ABDOMINAL WEEK 97	
		736 106	MASS(ES)	70 X 60MM
		TO 736 106	VENTRAL-ABDOMINAL WEEK 97	



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume IV of IX

Page 1255 of 4068

CONTENTS

VOLUME IV OF IX	Page
APPENDIX 3.....	1257
Individual Body Weight Data (g).....	1258
APPENDIX 4.....	1345
Individual Food Consumption Data (g).....	1346
Individual Test Material Consumption Data (mg/kg/day).....	1432
APPENDIX 5.....	1512
Individual Clinical Hematology Data.....	1513
Individual Clinical Chemistry Data.....	1585
Individual Clinical Urinalysis Data.....	1652
Individual Urine Chemistry Data.....	1724

APPENDIX 3

Individual Body Weight Data (g)

Appendix 3

Individual Body Weight Data (g)

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 1 - 0 PPM										
C92501	193	257	315	369	415	456	479	514	535	571
C92502	184	235	275	316	349	371	385	406	419	434
C92503	180	237	292	347	380	415	435	464	479	501
C92504	167	221	272	317	343	368	391	432	456	473
C92505	154	201	234	273	298	328	352	379	395	411
C92506	188	247	303	355						
C92507	189	251	311	360	391	425	439	463	475	491
C92508	156	213	253	300	325	355	372	405	415	428
C92509	172	231	281	330	369	397	416	446	458	476
C92510	218	276	324	372	404	435	453	479	494	507
C92511	179	239	288	334	367	399	423	456	469	482
C92512	175	232	277	326	352	383	405	434	453	469
C92513	149	206	251	301	335	370	389	413	434	447
C92514	220	269	321	374	415	446	474	504	541	544
C92515	171	213	260	301	340	363	381	408	424	438
C92516	174	225	276	322	354	381	393	414	414	436
C92517	194	259	319	378	430	473	492	529	543	569
C92518	185	244	299	339	380	404	430	459	481	505
C92519	165	222	263	307	338	362	386	413	433	442
C92520	174	227	283	326	355	383	408	434	457	476
C92521	168	220	268	318	339	378	400	417	438	452
C92522	189	243	292	340	368	389	421	433	456	463
C92523	146	202	247	303	336	370	393	421	440	459
C92524	208	276	332	384						
C92525	158	217	267	324	366	398	425	451	473	486
C92526	178	240	291	348						
C92527	183	239	285	340	375	399	416	449	466	489
C92528	155	206	244	286	318	346	363	387	406	418
C92529	171	222	263	295						
C92530	207	267	307	350	380	407	431	456	474	486
C92531	155	210	267	312	341	375	393	420	440	456

Appendix 3

Individual Body Weight Data (g)

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 1 - 0 PPM										
C92532	182	248	311	376	417	462	484	526	552	565
C92533	204	278	342	393	430	465	488	520	537	557
C92534	174	232	273	316	357	384	405	429	445	459
C92535	172	235	284	332	372	399	426	455	480	494
C92536	191	248	294	342	375	412	419	445	449	468
C92537	183	253	314	375	422	465	493	527	555	573
C92538	158	217	274	325	364	400	424	451	471	488
C92539	207	271	323	366	410	441	458	499	522	550
C92540	197	256	309	350	390	425	443	474	492	501
C92541	183	251	306	365	406	445	463	501	521	541
C92542	192	251	308	357	385	422	433	463	479	493
C92543	215	274	323	361	385	419	437	462	478	481
C92544	187	250	306	353	390	412	423	455	399	423
C92545	198	255	294	337	367	396	413	443	454	473
C92546	195	250	298	345						
C92547	208	271	328	384	432	469	496	528	555	569
C92548	173	231	277	320	341	369	400	420	433	445
C92549	158	207	252	299	327	360	374	403	410	420
C92550	148	198	253	305	352	396	396	440	471	495
C92551	160	217	267	302	339	361	380	409	424	433
C92552	178	234	287	328	366	401	417	451	469	486
C92553	141	186	222	266	275	302	312	335	341	353
C92554	164	219	266	304	335	357	379	404	417	430
C92555	176	225	271	305	332	362	395	422	440	458
C92556	196	247	300	348	381	403	414	440	456	472
C92557	165	221	269	314	353	382	403	430	447	466
C92558	177	238	297	353	392	431	457	492	507	527
C92559	198	257	303	339	367	398	416	442	456	466
C92560	197	256	303	346	373	401	418	451	460	476
C92561	154	208	260	308	351	389	409	431	452	474
C92562	184	246	300	337	371	399	414	439	449	463

Appendix 3

Individual Body Weight Data (g)

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 1 - 0 PPM										
C92563	183	243	293	340	374	411	434	457	477	495
C92564	173	229	279	324	364	405	433	462	485	502
C92565	174	230	280	320	346	379	405	437	458	476
C92566	168	230	286	340	382	426	429	467	489	513
C92567	180	241	292	338	378	412	432	464	481	496
C92568	142	196	249	295	332	369	398	428	452	471
C92569	200	256	300	338	374	403	430	457	475	488
C92570	191	259	310	352	385	420	434	463	480	488
GROUP: MALE 2 - 0.5 PPM										
C92571	168	217	272	322	358	388	414	436	453	480
C92572	160	222	278	328	365	392	427	446	462	480
C92573	190	255	318	373	406	460	495	508	527	554
C92574	195	256	304	358						
C92575	184	239	283	310						
C92576	213	267	317	364	399	433	455	466	481	504
C92577	169	231	289	344	382	412	422	472	489	511
C92578	179	239	292	332	366	394	431	459	469	482
C92579	209	266	321	373	407	450	479	503	526	543
C92580	169	232	285	332	367	401	434	453	470	494
C92581	187	253	317	368	410	440	466	491	504	526
C92582	145	202	257	298	319	343	366	379	397	414
C92583	185	238	292	322	353	381	402	417	425	446
C92584	159	209	247	278	308	332	351	364	376	394
C92585	204	268	316	353	387	425	455	475	491	509
C92586	161	208	262	307	331	372	405	427	446	468
C92587	178	240	297	344	383	422	452	493	508	530
C92588	184	235	285	322	359	390	419	442	455	471
C92589	179	242	303	355	394	432	459	486	498	517
C92590	178	244	309	361	406	437	470	495	506	530

Appendix 3

Individual Body Weight Data (g)

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 2 - 0.5 PPM										
C92591	176	229	275	311	351	373	392	409	424	441
C92592	143	208	268	316	369	395	427	456	474	497
C92593	195	251	310	342	389	406	428	450	454	470
C92594	181	238	293	334	379	402	427	441	456	475
C92595	180	238	293	332	370	398	423	449	453	468
C92596	199	253	297	330	362	391	417	433	445	465
C92597	188	240	287	320	355	382	397	412	422	438
C92598	171	230	283	329	366	395	425	447	465	479
C92599	219	285	341	382	420	462	488	510	517	545
C92600	176	228	275	312	351	382	406	429	440	457
C92601	149	206	259	305	349	376	403	423	436	450
C92602	169	224	267	302	341	365	381	399	403	418
C92603	196	259	312	356	396	421	443	462	472	490
C92604	200	252	304	343	381	405	432	458	472	489
C92605	202	263	311	348	388	420	451	471	486	508
C92606	152	209	260	305	343	375	395	420	436	455
C92607	157	219	283	336	381	415	438	468	488	507
C92608	210	272	320	371	406	454	470	495	505	526
C92609	179	239	298	334	373	403	428	448	457	473
C92610	187	249	301	336						
C92611	190	245	300	333	373	396	415	432	444	462
C92612	159	215	268	316	359	392	414	441	455	481
C92613	171	230	294	332						
C92614	197	260	317	353	396	426	450	477	490	514
C92615	168	231	284	327	361	391	424	448	459	475
C92616	144	189	235	266	295	323	342	361	374	389
C92617	184	249	309	359	409	447	483	513	528	552
C92618	165	225	284	338						
C92619	174	230	279	312	347	374	401	414	421	439
C92620	171	217	261	295	329	358	380	394	407	418
C92621	193	254	304	338	380	413	439	460	474	497

Appendix 3

Individual Body Weight Data (g)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 2 - 0.5 PPM										
C92622	145	210	269	322	364	399	431	452	466	473
C92623	162	214	259	297	326	359	380	402	386	416
C92624	202	255	297	331	351	379	401	418	438	451
C92625	159	223	288	351	393	443	476	499	516	545
C92626	173	236	287	335	379	414	440	463	488	510
C92627	191	257	312	354	392	427	453	474	494	515
C92628	194	258	312	351	394	422	457	474	494	518
C92629	149	215	274	321	364	400	430	454	473	497
C92630	193	259	315	359	395	427	455	475	484	501
GROUP: MALE 3 - 2 PPM										
C92631	186	240	290	323	361	384	403	425	435	456
C92632	220	290	344	396	435	469	496	528	553	577
C92633	159	213	257	270	312	349	380	411	426	449
C92634	147	199	248	288	328	357	377	397	413	430
C92635	178	245	303	349	387	418	437	467	471	497
C92636	197	263	308	342	373	401	413	437	440	466
C92637	169	218	257	287	319	346	361	380	384	400
C92638	184	248	292	343	389	435	466	503	516	555
C92639	169	219	259	301	335	370	401	425	438	464
C92640	191	248	286	319	344	366	377	393	397	410
C92641	179	233	284	323	367	398	425	452	459	488
C92642	201	254	304	344	386	413	432	458	459	486
C92643	151	211	256	304	339	359	374	403	407	430
C92644	185	245	295	333	365	382	394	406	408	420
C92645	176	238	281	319	361	390	415	432	442	463
C92646	226	282	329	369						
C92647	188	244	291	328	358	384	396	419	421	454
C92648	176	228	269	304	335	355	368	386	385	405
C92649	158	203	246	279	309	336	353	375	375	397

Appendix 3

Individual Body Weight Data (g)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 3 - 2 PPM										
C92650	158	215	271	315						
C92651	196	260	312	355	394	428	443	470	480	509
C92652	156	213	265	313						
C92653	173	230	284	330	375	404	423	453	464	494
C92654	171	233	282	335	376	400	421	459	456	483
C92655	157	218	277	328	374	407	438	474	489	514
C92656	162	220	273	322	376	415	435	474	476	514
C92657	176	234	286	333	367	402	421	447	451	481
C92658	192	249	297	344	383	411	437	464	470	499
C92659	206	269	319	358	402	430	449	477	480	508
C92660	195	257	299	339	375	395	419	434	436	454
C92661	205	260	302	341	377	404	419	439	448	464
C92662	164	214	261	299	335	362	379	404	410	435
C92663	171	233	292	350	401	428	443	479	483	507
C92664	197	256	310	349	392	416	435	462	469	490
C92665	187	252	309	356	402	433	457	487	503	525
C92666	199	257	310	358	399	435	455	477	483	506
C92667	181	243	298	344	392	425	452	484	490	523
C92668	190	243	289	332						
C92669	167	223	268	307	345	376	398	419	422	447
C92670	165	224	274	316	351	381	389	415	417	429
C92671	146	200	252	306	347	376	402	400	417	446
C92672	153	209	252	295	333	346	380	411	424	443
C92673	200	262	307	351	385	423	433	459	469	489
C92674	174	237	277	310	339	368	393	425	431	456
C92675	189	250	299	340	373	404	413	437	433	459
C92676	197	259	293	332	352	380	404	425	430	449
C92677	171	229	273	317	351	384	411	430	430	452
C92678	140	195	243	293						
C92679	180	237	285	331	374	407	425	451	464	487
C92680	209	269	323	365	403	439	462	490	500	524

Appendix 3

Individual Body Weight Data (g)

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 3 - 2 PPM										
C92681	164	218	270	315	353	382	410	433	441	464
C92682	171	224	280	325	357	385	407	425	438	453
C92683	180	241	287	336	374	407	426	449	457	480
C92684	183	237	277	315	343	374	393	414	420	436
C92685	160	219	265	318	361	398	424	455	468	493
C92686	193	250	300	342	372	402	426	457	466	475
C92687	206	264	305	341	388	421	447	478	490	511
C92688	176	228	268	308	344	375	391	414	424	448
C92689	155	216	267	319	360	395	419	445	445	450
C92690	201	276	343	405	458	486	516	552	567	587
GROUP: MALE 4 - 5 PPM										
C92691	163	214	277	314	349	378	408	432	445	457
C92692	146	199	258	313	350	383	415	448	463	474
C92693	175	227	285	327	365	401	426	451	468	480
C92694	194	249	296	336	366	402	427	458	482	498
C92695	202	260	314	355	383	414	439	462	468	476
C92696	204	261	308	349	379	412	436	455	472	481
C92697	183	242	293	334	366	399	428	447	468	485
C92698	188	254	304	345	389	425	450	471	488	498
C92699	162	214	251	287	317	346	372	374	396	412
C92700	171	219	257	288	312	333	352	362	376	385
C92701	191	249	297	339	368	404	422	447	463	484
C92702	157	216	267	312	349	379	404	431	443	457
C92703	150	209	264	313	356	391	425	448	473	489
C92704	177	236	282	329	367	401	425	454	475	489
C92705	168	222	272	311	350	383	400	431	448	458
C92706	174	235	289	327	362	398	424	445	466	482
C92707	181	235	284	324	350	377	396	416	427	442
C92708	177	239	294	344	370	386	406	425	435	450

Appendix 3

Individual Body Weight Data (g)

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 4 - 5 PPM										
C92709	199	255	297	325	354	387	413	443	456	463
C92710	162	217	267	311	349	386	418	442	456	472
C92711	179	229	282	319	350	385	414	440	460	473
C92712	192	257	321	361	398	435	467	482	503	516
C92713	217	280	345	393	431	458	475	501	517	527
C92714	176	233	300	346	379	407	432	455	480	499
C92715	194	249	310	349						
C92716	211	269	336	380	414	452	481	515	534	547
C92717	164	224	286	329	369	398	424	442	462	475
C92718	156	212	266	305						
C92719	139	190	251	299	333	362	391	415	428	436
C92720	189	248	321	363	397	434	460	480	498	514
C92721	186	236	292	333	326	353	378	392	412	425
C92722	194	248	304	347	380	417	439	459	473	490
C92723	188	242	307	352	393	423	430	476	492	513
C92724	206	264	330	374	413	448	481	503	523	527
C92725	165	217	274	312	330	365	386	408	416	428
C92726	168	224	284	331	370	403	431	453	474	484
C92727	182	233	286	330	357	391	419	441	459	470
C92728	162	227	284	348	401	437	478	507	531	544
C92729	201	263	331	384	428	463	493	516	532	542
C92730	158	215	268	308	339	374	397	419	439	448
C92731	199	260	309	336						
C92732	147	205	264	312	343	376	406	431	446	464
C92733	173	231	280	317	346	366	388	401	410	429
C92734	178	241	293	333						
C92735	217	273	321	354	391	421	444	464	479	492
C92736	175	229	281	318	352	381	400	422	439	454
C92737	183	240	290	328	363	391	415	431	450	467
C92738	141	198	254	302	335	368	394	420	438	463
C92739	164	215	259	292	319	345	358	379	397	409

Appendix 3

Individual Body Weight Data (g)

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 4 - 5 PPM										
C92740	173	229	290	337	370	398	425	455	479	489
C92741	198	252	301	339	378	410	438	454	468	480
C92742	178	245	308	364	404	448	478	508	535	551
C92743	159	224	289	340	386	428	458	486	516	530
C92744	154	211	266	318						
C92745	198	252	304	356	389	429	454	480	499	516
C92746	209	272	332	381	409	452	474	502	519	533
C92747	184	234	283	321	356	384	418	434	453	464
C92748	193	252	302	350	387	415	452	480	497	515
C92749	154	207	254	289	323	355	378	401	417	430
C92750	189	248	301	340	374	406	429	443	463	470
GROUP: MALE 5 - 20 PPM										
C92751	164	219	275	317	364	400	421	454	468	490
C92752	167	223	263	295						
C92753	206	267	320	358	406	435	444	474	494	511
C92754	178	220	267	299	329	353	373	389	394	411
C92755	146	200	249	294	325	350	372	394	406	435
C92756	191	254	312	354	403	439	467	488	500	522
C92757	164	207	251	286	320	349	373	388	406	416
C92758	149	207	259	303	343	376	400	420	436	449
C92759	197	249	301	343						
C92760	196	252	303	344	382	407	424	455	464	476
C92761	183	237	289	323	358	383	406	417	431	441
C92762	183	238	288	324	367	397	426	446	458	468
C92763	182	246	307	355	395	431	463	488	511	529
C92764	197	264	327	369	398	435	456	470	494	513
C92765	185	240	295	335	378	409	434	453	470	487
C92766	171	230	282	318	356	385	403	420	432	449
C92767	168	233	293	345	388	411	450	475	503	525

Appendix 3

Individual Body Weight Data (g)

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92768	209	269	331	377	417	455	484	504	509	531
C92769	182	240	297	339	374	405	428	456	476	494
C92770	217	283	339	374	410	441	462	486	507	522
C92771	165	226	280	328	364	396	427	451	464	484
C92772	175	231	288	337	366	398	423	437	454	476
C92773	180	235	282	319	351	375	386	406	419	433
C92774	166	226	281	317	354	389	416	443	456	475
C92775	155	220	277	332	372	409	437	464	482	495
C92776	189	253	308	356	392	418	432	455	477	491
C92777	151	205	254	291	330	349	370	390	404	420
C92778	202	265	321	362	407	429	446	466	480	491
C92779	160	217	258	295						
C92780	159	211	250	280	310	336	356	374	392	408
C92781	183	241	288	320	362	385	407	423	433	455
C92782	138	196	247	295	334	363	382	407	428	452
C92783	200	266	319	360	402	436	464	482	494	517
C92784	183	242	288	334	361	394	415	425	430	455
C92785	190	239	290	324	359	387	411	428	439	457
C92786	172	232	280	317	356	383	412	427	440	459
C92787	206	260	308	342	383	406	425	438	452	471
C92788	181	248	310	354	387	418	445	460	474	502
C92789	155	211	262	303	338	369	387	408	433	447
C92790	150	216	266	312	352	384	409	434	447	471
C92791	179	229	272	307	346	372	393	405	417	438
C92792	186	243	297	337	380	409	427	447	463	487
C92793	192	247	290	325						
C92794	187	237	279	309	341	367	385	400	413	433
C92795	168	223	269	300	337	363	384	415	434	452
C92796	171	220	260	290	324	350	377	390	404	422
C92797	201	249	297	324	356	376	395	409	422	445
C92798	162	223	273	315						

Appendix 3

Individual Body Weight Data (g)

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92799	181	239	282	317	357	393	431	452	472	491
C92800	184	243	293	327	361	390	409	429	438	462
C92801	210	266	318	359	407	441	468	486	509	533
C92802	173	231	281	314	350	377	405	423	433	451
C92803	200	257	311	341	384	416	446	459	470	492
C92804	169	222	263	299	336	367	391	399	418	441
C92805	194	259	310	352	382	418	448	469	482	504
C92806	164	223	283	326	374	402	426	448	416	433
C92807	152	210	261	300	333	366	398	421	439	456
C92808	150	202	250	292	328	355	374	391	405	422
C92809	170	226	282	319	358	389	411	431	447	471
C92810	204	257	304	334	368	393	412	426	441	454
C92811	167	225	282	324	351	395	415	440	446	478
C92812	182	240	293	326	365	395	428	449	455	481
C92813	183	250	300	334	374	400	423	446	453	470
C92814	146	196	242	276	305	325	343	354	359	372
C92815	204	249	283	302	334	361	344	370	379	409
C92816	141	194	237	276	307	342	366	385	396	415
C92817	187	248	300	347	393	432	461	481	500	532
C92818	189	245	291	319	357	382	402	414	422	453
C92819	155	204	244	274	301	327	352	371	381	398
C92820	186	229	270	299	331	358	380	396	398	419
GROUP: MALE 6 - 20 PPM										
C92821	144	193	244	291	323	360	389	413	417	437
C92822	165	214	266	305	340	369	391	414	419	438
C92823	181	237	293	333	368	400	418	432	444	460
C92824	200	255	298	335	373	401	429	453	460	484
C92825	183	248	310	361	408	444	476	498	513	535
C92826	181	224	272	307	340	371	387	406	412	435

Appendix 3

Individual Body Weight Data (g)

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 6 - 20 PPM										
C92827	192	236	284	322	353	385	408	427	435	456
C92828	184	247	300	342	380	412	437	460	472	493
C92829	187	241	293	332	376	418	440	463	480	507
C92830	158	210	259	294	330	361	370	390	404	425
C92831	202	258	318	353	389	418	438	457	475	488
C92832	153	200	257	299	334	360	385	400	415	426
C92833	164	220	279	331	367	403	427	458	478	497
C92834	177	225	280	326	364	392	412	431	442	463
C92835	168	221	273	301	332	362	378	400	409	431
C92836	213	268	329	370	405	436	449	477	446	476
C92837	175	233	301	347	395	433	457	478	494	509
C92838	172	226	282	319	359	384	407	424	435	458
C92839	187	254	329	392	441	490	521	554	559	586
C92840	187	236	282	315	340	366	384	403	407	419
C92841	185	227	281	314	350	376	389	407	414	431
C92842	213	275	340	378	421	443	466	490	495	511
C92843	210	273	331	371	407	434	458	478	490	512
C92844	152	199	248	281	306	329	347	363	368	379
C92845	193	237	285	320	351	373	392	411	418	441
C92846	166	224	281	321	364	396	423	451	468	489
C92847	170	227	298	349	397	436	465	496	512	538
C92848	135	178	221	252	283	306	328	352	358	383
C92849	173	226	287	332	368	400	424	449	454	477
C92850	205	250	296	321	359	379	396	411	420	435
C92851	173	222	283	325	368	403	419	445	457	475
C92852	156	207	263	299	339	370	388	411	412	439
C92853	192	242	292	325	357	383	403	422	434	454
C92854	193	254	317	352	386	420	430	460	460	475
C92855	175	229	284	323	359	387	406	370	405	431
C92856	151	200	262	301	339	367	388	413	422	437
C92857	189	247	308	355	395	426	447	476	487	506

Appendix 3

Individual Body Weight Data (g)

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 6 - 20 PPM										
C92858	164	218	275	327	371	404	430	456	470	496
C92859	191	240	295	333	365	399	426	451	458	468
C92860	158	205	256	296	337	356	379	398	406	423
GROUP: FEMALE 1 - 0 PPM										
C92861	176	204	239	251						
C92862	134	153	174	191	198	213	217	226	229	235
C92863	147	179	202	218	232	247	244	264	267	277
C92864	156	193	223	245						
C92865	151	189	211	226	241	249	257	273	262	276
C92866	170	183	218	231	239	245	249	253	268	285
C92867	153	186	209	235	265	263	265	290	286	302
C92868	147	170	194	208	237	241	247	255	266	281
C92869	140	157	181	199	209	215	216	224	223	237
C92870	141	168	192	209	215	231	228	243	246	256
C92871	161	192	218	229	250	254	264	273	278	278
C92872	141	168	181	193	200	210	206	215	218	219
C92873	149	164	173	195	211	213	207	221	224	225
C92874	146	186	206	217	240	251	255	261	267	277
C92875	142	171	184	194	214	215	232	242	241	255
C92876	144	175	192	210	220	233	234	246	247	254
C92877	150	174	196	214	224	223	228	234	244	251
C92878	143	178	207	216	225	227	241	248	249	244
C92879	167	198	222	240	249	260	269	285	289	306
C92880	157	185	205	212	219	234	245	254	254	261
C92881	154	184	210	221	236	249	255	267	270	278
C92882	146	168	190	205	206	216	222	230	232	243
C92883	171	210	241	258	273	284	290	312	313	325
C92884	154	190	210	219	234	241	236	254	257	267
C92885	163	194	217	235	245	256	263	274	279	294

Appendix 3

Individual Body Weight Data (g)

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 1 - 0 PPM										
C92886	149	180	199	201	209	227	231	235	234	252
C92887	159	188	214	233	238	266	263	258	259	267
C92888	165	191	232	254	269	282	302	304	317	324
C92889	141	167	190	202	218	231	235	240	242	254
C92890	176	216	246	267	275	291	297	307	301	322
C92891	144	173	199	212	218	230	240	245	246	256
C92892	161	198	226	249	278	302	311	329	323	344
C92893	151	176	201	215	216	233	235	244	237	250
C92894	162	183	206	217	227	227	232	241	249	248
C92895	165	190	202	231	246	255	252	271	269	272
C92896	140	173	199	217	226	244	249	262	258	275
C92897	142	167	188	197	204	214	223	237	234	244
C92898	146	181	202	218	236	248	253	262	270	280
C92899	163	200	225	258	279	298	307	330	323	351
C92900	168	195	223	240	250	263	274	288	294	303
C92901	143	171	190	206	225	235	235	254	245	259
C92902	168	200	232	254	272	289	301	334	348	362
C92903	182	232	257	283	299	300	306	329	332	342
C92904	145	173	184	202	211	227	225	244	241	255
C92905	143	175	193	212	224	235	238	250	253	261
C92906	138	168	193	210	212	227	232	240	241	251
C92907	143	169	189	210	227	229	242	249	251	266
C92908	152	182	207	211	238	249	251	263	272	286
C92909	156	178	199	215	229	234	243	262	262	268
C92910	156	182	211	227	250	269	272	296	292	310
C92911	146	167	184	189	212	210	218	233	227	248
C92912	155	184	211	232	240	264	267	286	286	296
C92913	161	190	217	236	242	253	257	271	275	286
C92914	149	170	190	192						
C92915	150	163	191	209	231	239	249	268	259	262
C92916	166	196	236	264	278	289	304	319	331	328

Appendix 3

Individual Body Weight Data (g)

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 1 - 0 PPM										
C92917	164	204	226	264	273	290	302	306	324	339
C92918	167	196	214	229	240	253	256	265	267	271
C92919	153	187	219	265						
C92920	139	163	178	198	213	217	227	237	235	247
C92921	165	202	217	239	256	271	285	301	309	321
C92922	155	187	224	228	235	253	250	275	272	289
C92923	133	161	175	196	214	222	225	239	242	241
C92924	158	187	205	226	248	259	269	283	287	294
C92925	156	191	218	243	252	275	282	302	303	315
C92926	168	195	219	228						
C92927	159	180	205	213	234	241	255	260	261	280
C92928	163	195	215	221	250	259	263	266	274	290
C92929	152	174	202	216	229	238	247	260	253	266
C92930	172	199	246	270	297	305	324	330	335	352
GROUP: FEMALE 2 - 0.5 PPM										
C92931	156	191	220	240	260	273	282	292	309	316
C92932	150	184	207	221	228	242	246	259	256	269
C92933	151	173	192	211	231	252	268	277	293	315
C92934	148	170	189	200	215	221	231	244	247	250
C92935	150	176	198	219	241	252	259	270	279	295
C92936	138	169	195	210	214	227	232	247	245	259
C92937	150	180	195	217	229	239	250	257	262	273
C92938	156	180	200	213	243	252	258	280	283	287
C92939	152	166	179	190	206	223	216	234	233	240
C92940	144	165	187	202	216	224	228	238	242	255
C92941	156	184	207	229						
C92942	158	194	218	237	245	260	271	288	287	305
C92943	162	189	214	239	253	279	282	298	302	305
C92944	173	204	236	252	283	304	309	320	332	347

Appendix 3

Individual Body Weight Data (g)

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 2 - 0.5 PPM										
C92945	146	161	193	207						
C92946	140	157	184	194	201	207	225	235	242	251
C92947	150	179	194	221	236	256	263	269	279	293
C92948	161	175	212	235	252	283	273	299	315	319
C92949	175	216	245	289	291	311	346	357	359	387
C92950	156	180	193	221						
C92951	153	174	189	195	202	216	222	238	233	248
C92952	141	163	181	195	218	223	230	248	248	260
C92953	147	175	189	210	217	229	237	246	245	256
C92954	141	163	195	209	229	244	245	261	262	270
C92955	157	188	210	226	245	259	257	280	276	301
C92956	165	196	216	246	259	271	273	289	298	311
C92957	148	177	198	209	216	229	226	246	246	248
C92958	146	161	181	188	205	218	218	224	233	244
C92959	167	201	231	245	255	272	269	286	295	313
C92960	165	192	235	255	270	272	285	291	302	294
C92961	181	226	247	263	302	313	319	332	331	342
C92962	157	178	205	210	222	234	232	241	249	255
C92963	150	169	187	194	205	217	220	224	231	245
C92964	165	189	208	231	226	246	242	250	254	268
C92965	141	175	199	211	234	242	247	256	261	271
C92966	142	167	186	198	210	223	226	235	234	241
C92967	144	173	202	224	241	256	263	274	276	290
C92968	151	186	215	241	242	263	274	283	288	301
C92969	149	167	183	197						
C92970	161	187	218	235	260	273	280	289	305	328
C92971	148	155	185	200	215	224	226	236	232	245
C92972	145	169	201	215	235	242	250	254	267	269
C92973	143	153	184	199	214	223	235	243	241	254
C92974	153	175	186	209	223	231	232	245	248	256
C92975	150	175	197	216	222	242	242	260	254	265

Appendix 3

Individual Body Weight Data (g)

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 2 - 0.5 PPM										
C92976	178	204	233	253	264	277	279	296	303	310
C92977	140	165	191	216	221	248	265	275	275	287
C92978	170	208	237	270	278	304	305	324	334	339
C92979	147	173	191	209	229	242	246	259	262	270
C92980	147	171	193	217	231	253	259	267	278	285
C92981	162	192	227	244	248	259	263	278	283	289
C92982	153	176	202	211						
C92983	140	180	205	222	237	261	283	304	293	301
C92984	168	198	221	241	259	275	282	295	306	314
C92985	163	193	216	242	261	266	284	294	306	308
C92986	144	165	191	205	222	229	241	252	250	257
C92987	164	186	220	235	245	248	262	269	272	275
C92988	154	168	200	215	230	238	246	261	263	263
C92989	151	176	203	222	225	238	247	251	258	261
C92990	171	196	226	235	242	254	263	274	275	269
GROUP: FEMALE 3 - 2 PPM										
C92991	142	155	185	202	212	216	228	241	245	249
C92992	158	185	202	214	231	241	244	254	260	259
C92993	156	182	203	218	227	246	260	270	272	284
C92994	153	170	184	204	224	234	246	244	256	264
C92995	154	177	204	215	241	248	250	267	264	
C92996	157	172	205	221						
C92997	160	177	197	206	225	238	237	247	245	262
C92998	159	176	198	207	225	243	242	266	270	280
C92999	156	189	215	232	248	262	256	280	285	287
C93000	176	193	215	234	247	252	257	266	260	276
C93001	141	163	185	196	212	228	232	235	243	251
C93002	158	179	203	221	221	239	236	245	252	247
C93003	163	183	212	218	251	268	269	283	290	308

Appendix 3

Individual Body Weight Data (g)

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 3 - 2 PPM										
C93004	150	170	194	206	223	226	235	261	252	268
C93005	160	184	197	218	225	230	241	247	251	248
C93006	160	175	206	212						
C93007	154	178	196	208	228	239	240	247	250	258
C93008	173	192	218	240						
C93009	150	165	186	201	218	232	245	255	258	268
C93010	152	183	207	225	243	250	255	264	267	271
C93011	156	186	210	234	257	263	269	272	280	286
C93012	167	192	228	236	271	290	289	317	308	319
C93013	139	148	177	190	198	214	219	238	231	233
C93014	165	200	221	247	270	296	287	303	295	308
C93015	165	187	215	237	248	260	268	284	286	291
C93016	135	144	160	166	191	199	212	220	225	226
C93017	152	162	184	197	218	224	235	248	248	260
C93018	163	180	209	233	237	250	260	273	273	278
C93019	163	188	213	234	248	263	269	279	289	292
C93020	156	167	203	228	239	248	258	266	270	280
C93021	141	171	191	220	236	251	259	276	274	279
C93022	164	187	210	230	246	262	261	285	281	295
C93023	144	155	174	196	208	214	227	239	241	243
C93024	163	193	206	234	248	257	257	268	266	269
C93025	174	198	220	250	255	270	286	300	303	315
C93026	141	161	188	206	221	240	254	261	260	273
C93027	156	179	203	224	231	246	256	264	261	271
C93028	156	178	200	219	224	237	247	261	260	261
C93029	146	162	191	200	223	228	235	244	239	234
C93030	146	169	193	204	225	238	242	238	248	268
C93031	143	162	184	203						
C93032	152	171	192	217	218	234	233	246	250	259
C93033	168	188	196	224	226	243	248	264	265	269
C93034	168	195	207	238	237	259	269	269	270	278

Appendix 3

Individual Body Weight Data (g)

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 3 - 2 PPM										
C93035	151	179	207	226	238	257	266	273	274	287
C93036	157	173	191	216	222	237	246	253	259	267
C93037	143	168	188	216	236	244	258	265	264	276
C93038	140	156	170	192	197	215	216	218	222	236
C93039	144	160	188	202	228	244	254	272	274	281
C93040	134	151	162	180	188	205	212	213	223	230
C93041	158	182	196	219	235	240	254	263	267	273
C93042	163	194	216	244	261	276	272	294	291	292
C93043	148	163	195	208	226	248	245	269	267	273
C93044	154	168	195	208	229	232	239	253	256	257
C93045	162	200	221	243						
C93046	164	201	237	268	278	291	300	303	309	325
C93047	171	200	231	249	282	299	298	316	314	326
C93048	140	157	177	182	203	211	220	218	223	234
C93049	151	169	195	210	216	227	237	241	239	244
C93050	163	178	200	220	234	244	250	258	260	265
GROUP: FEMALE 4 - 5 PPM										
C93051	150	165	196	196	223	222	234	234	251	250
C93052	151	178	202	211	231	246	250	260	263	277
C93053	151	169	194	202	215	229	228	248	248	264
C93054	150	160	178	187	205	219	224	239	238	249
C93055	156	185	208	223	234	251	256	272	269	286
C93056	145	179	208	222	231	248	256	268	265	278
C93057	140	162	186	198	218	231	230	241	236	245
C93058	169	210	233	257						
C93059	150	181	203	223	233	250	254	269	267	274
C93060	161	185	198	219	238	249	247	275	276	280
C93061	159	184	200	226	238	249	252	269	267	278
C93062	146	165	189	198	215	229	234	244	253	264

Appendix 3

Individual Body Weight Data (g)

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 4 - 5 PPM										
C93063	156	179	213	213	245	256	254	263	260	264
C93064	144	169	191	202	217	227	230	235	237	245
C93065	128	150	169	172	190	197	197	203	210	221
C93066	162	192	216	232	234	253	251	270	257	265
C93067	162	190	199	231						
C93068	158	174	200	220	222	237	246	254	254	264
C93069	168	207	237	267	275	288	296	303	309	326
C93070	164	192	219	236						
C93071	146	167	182	195	201	200	210	221	219	233
C93072	143	173	198	213	219	230	240	246	251	259
C93073	157	179	204	214	222	240	247	259	258	272
C93074	161	192	232	245	253	263	261	279	276	290
C93075	155	174	192	205						
C93076	146	172	192	214	225	255	241	257	264	265
C93077	164	197	220	242	255	261	262	284	283	296
C93078	150	171	195	205	215	232	246	254	247	261
C93079	159	188	212	225	254	250	267	286	310	299
C93080	146	171	207	218	238	251	253	265	259	266
C93081	143	167	177	198	205	223	233	240	244	248
C93082	169	196	208	230	254	264	265	289	291	294
C93083	155	181	208	221	231	251	251	265	265	277
C93084	144	167	193	206						
C93085	155	182	209	213	234	245	251	262	261	273
C93086	164	190	212	236	249	260	267	281	281	283
C93087	135	163	186	189	204	214	220	230	235	236
C93088	154	177	200	214	232	237	242	253	249	254
C93089	173	210	233	253	259	267	278	286	290	296
C93090	154	183	205	217	226	234	237	241	250	250
C93091	168	198	221	236	261	258	277	289	278	302
C93092	152	176	196	212	216	231	233	248	248	262
C93093	159	194	216	219	255	269	277	295	302	325

Appendix 3

Individual Body Weight Data (g)

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 4 - 5 PPM										
C93094	132	159	188	202	215	230	257	257	254	271
C93095	143	177	200	212	225	233	238	249	246	261
C93096	145	176	209	236	248	258	274	294	295	308
C93097	154	166	183	188	209	221	230	246	247	256
C93098	143	168	190	206	218	224	231	242	247	256
C93099	153	176	207	221	235	248	251	255	260	274
C93100	170	196	217	231	242	244	251	265	263	284
C93101	156	170	196	204	219	218	233	245	244	263
C93102	165	200	230	241	260	269	284	290	296	310
C93103	151	184	200	225	223	252	249	263	273	278
C93104	171	199	229	245	267	285	304	328	337	361
C93105	158	188	227	233	261	278	263	278	277	292
C93106	158	178	201	212	227	228	236	253	247	253
C93107	143	172	198	210	228	243	249	260	268	280
C93108	148	166	191	197	213	219	227	244	244	264
C93109	150	174	200	207	228	245	244	254	257	272
C93110	173	193	234	261	288	307	316	341	343	361
GROUP: FEMALE 5 - 20 PPM										
C93111	160	192	224	257	261	275	277	295	295	306
C93112	175	191	221	237	240	259	265	264	264	265
C93113	139	155	161	177	194	199	200	217	220	219
C93114	162	194	219	222						
C93115	151	159	178	189	193	203	203	210	209	218
C93116	146	180	201	218	216	225	231	240	233	245
C93117	138	167	179	206	215	219	228	242	236	256
C93118	152	164	185	199	218	218	214	229	223	233
C93119	148	171	183	187	204	205	202	215	206	205
C93120	144	182	195	214	216	225	227	236	235	233
C93121	132	155	166	180	187	191	197	212	206	213

Appendix 3

Individual Body Weight Data (g)

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93122	167	194	229	232	261	272	266	273	282	293
C93123	166	192	212	228						
C93124	152	183	200	209	222	236	236	244	235	243
C93125	140	152	169	182	193	198	199	213	215	210
C93126	139	159	172	191	196	211	204	217	217	226
C93127	156	184	203	207	227	240	234	242	242	250
C93128	161	175	201	202	219	222	227	243	238	250
C93129	144	168	192	216	236	239	245	250	251	263
C93130	159	182	209	227	241	241	245	261	257	272
C93131	160	187	215	229	239	250	256	264	270	275
C93132	158	192	214	230	238	243	247	252	241	256
C93133	152	184	204	205	220	225	223	234	230	240
C93134	180	214	223	234	246	255	265	268	274	277
C93135	144	180	201	225	230	247	244	260	252	265
C93136	161	190	208	208	225	238	240	242	244	246
C93137	144	160	188	201	205	212	219	233	230	229
C93138	163	184	207	220	227	234	239	252	247	262
C93139	139	166	179	199	207	212	206	214	213	223
C93140	146	175	199	229	227	246	245	255	260	266
C93141	150	182	209	231	240	259	263	273	271	278
C93142	171	198	210	238						
C93143	169	191	222	238	238	257	266	276	277	274
C93144	137	149	176	184						
C93145	135	160	173	194	203	210	213	217	214	226
C93146	147	172	187	201	196	204	207	220	211	225
C93147	146	174	196	209	226	231	236	246	244	254
C93148	146	179	205	222	226	234	249	266	266	287
C93149	145	159	185	197	210	223	224	234	235	244
C93150	171	196	229	235	248	263	258	266	266	273
C93151	157	188	207	223	225	234	239	249	245	255
C93152	160	189	207	227	235	241	246	261	260	268

Appendix 3

Individual Body Weight Data (g)

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93153	168	194	204	226	230	236	233	246	241	236
C93154	150	179	205	220	226	243	246	252	251	264
C93155	151	168	196	220	220	221	222	244	231	236
C93156	139	164	180	201	201	211	218	227	223	236
C93157	161	181	192	221	223	229	229	244	243	255
C93158	147	175	200	212	225	234	235	240	251	260
C93159	151	168	189	204						
C93160	151	183	215	239	247	262	276	286	286	301
C93161	144	177	200	226	233	241	251	257	257	273
C93162	175	206	236	246	243	258	262	279	277	271
C93163	146	168	191	211	220	223	226	237	234	239
C93164	160	170	195	192	209	208	220	221	224	237
C93165	147	177	193	210	216	229	230	243	241	250
C93166	167	197	226	237	267	272	266	291	297	300
C93167	160	172	213	233	237	257	252	268	276	270
C93168	144	157	189	201	220	231	229	241	234	243
C93169	157	177	197	209	229	234	237	242	237	251
C93170	156	180	202	220	228	251	254	261	257	268
C93171	156	181	191	220	226	238	247	253	256	262
C93172	157	180	199	216	232	236	241	258	254	246
C93173	148	174	197	219	220	224	232	242	237	257
C93174	155	169	188	200	202	221	231	236	235	239
C93175	144	173	198	208	217	225	227	240	234	251
C93176	130	160	183	199	215	227	229	238	236	247
C93177	158	172	189	198	211	220	222	233	229	235
C93178	149	176	199	213	231	233	236	244	241	250
C93179	145	171	191	205	209	219	226	232	229	240
C93180	174	201	229	250	257	270	274	283	281	292

Appendix 3

Individual Body Weight Data (g)

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 6 - 20 PPM										
C93181	151	170	187	203	208	220	233	248	240	249
C93182	150	171	192	205	211	217	222	238	231	250
C93183	161	184	197	227	239	248	262	275	276	285
C93184	134	159	168	194	206	218	215	229	227	231
C93185	163	181	204	222	229	240	245	253	250	261
C93186	156	162	182	200	210	201	215	221	217	213
C93187	157	180	200	204	232	234	242	251	252	256
C93188	160	188	208	231	237	245	246	260	263	272
C93189	147	171	192	197	213	216	222	231	228	240
C93190	152	181	199	220	229	243	244	257	251	262
C93191	167	191	231	244	260	276	278	298	306	306
C93192	161	179	198	203	218	220	225	227	231	232
C93193	157	173	199	217	229	233	240	246	245	240
C93194	173	202	220	246	264	271	274	289	285	297
C93195	170	192	218	237	244	252	262	274	266	270
C93196	135	152	174	179	199	200	211	216	213	224
C93197	151	167	181	188	201	205	210	213	215	225
C93198	157	179	197	215	236	239	247	250	245	257
C93199	161	189	205	221	226	233	235	245	243	248
C93200	151	167	189	198	212	224	230	241	231	241
C93201	133	158	183	202	209	222	228	237	230	238
C93202	140	153	194	207	228	234	236	248	249	239
C93203	156	183	208	220	245	241	258	266	262	271
C93204	156	191	201	226	236	234	242	254	246	245
C93205	179	205	221	249	254	265	269	276	273	282
C93206	148	159	176	191	195	213	216	227	220	232
C93207	139	161	184	195	210	222	222	228	229	238
C93208	163	187	197	225	223	238	234	246	241	249
C93209	168	190	201	202	224	240	228	238	238	244
C93210	161	193	210	213	239	245	257	257	263	266
C93211	145	165	173	198	203	216	217	227	223	231

Appendix 3

Individual Body Weight Data (g)

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 6 - 20 PPM										
C93212	146	172	204	205	231	237	246	263	259	262
C93213	157	186	202	223	234	236	245	253	251	257
C93214	148	166	193	198	213	222	226	242	231	244
C93215	145	169	198	219	233	241	249	256	255	264
C93216	142	169	188	207	213	227	236	242	238	252
C93217	162	193	220	240	259	270	267	286	283	291
C93218	136	162	181	201	207	215	221	235	230	236
C93219	181	214	242	266	276	285	275	297	293	299
C93220	166	192	207	229	247	250	253	257	267	276

Appendix 3

Individual Body Weight Data (g)

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 1 - 0 PPM										
C92501	591	603	615	641	639	657	667	698	725	762
C92502	452	460	463	469	474	484	486	509	522	548
C92503	512	511	517	523	529	547	549	560	592	630
C92504	494	475	466	474	476	487	491	523	555	572
C92505	422	419	432	439	447	460	468	488	504	530
C92507	506	507	522	526	532	539	541	557	571	590
C92508	443	454	460	469	471	481	492	517	540	574
C92509	499	502	515	523						
C92510	528	531	541	555	568	572	575	602	616	627
C92511	500	515	526	541						
C92512	486	498	505	520	525	547	552	585	607	625
C92513	466	477	489	496	506	520	524	544	576	609
C92514	577	593	603	620	640	658	668	719	753	806
C92515	457	470	479	485	495	515	516	541	562	588
C92516	459	464	469	476	479	492	496	505	530	564
C92517	587	599	605	615	628	644	656	694	731	785
C92518	530	534	553	562	586	595	601	641	668	706
C92519	461	465	476	488	490	500	507	523	547	570
C92520	492	508	516	526	533	545	549	568	589	616
C92521	476	481	491	502						
C92522	484	490	495	508	506	519	519	531	548	581
C92523	477	496	503	520	521	539	545	576	619	655
C92525	508	523	540	554	560	581	592	613	645	670
C92527	503	517	528	534	535	556	556	592	609	645
C92528	432	447	454	464						
C92530	496	507	521	529	535	547	561	585	608	646
C92531	474	480	486	501	512	524	532	555	588	628
C92532	581	594	600	620						
C92533	573	589	592	612	611	627	643	658	675	719
C92534	473	482	484	489	500	509	516	531	559	601
C92535	503	514	512	519	524	547	559	578	603	642
C92536	480	491	497	515	526	541	548	581	610	661

Appendix 3

Individual Body Weight Data (g)

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 1 - 0 PPM										
C92537	594	612	632	647	654	665	685	724	767	808
C92538	506	521	534	551	571	581	594	631	668	733
C92539	566	582	591	607	620	635	643	685	721	764
C92540	523	536	545	557	562	576	583	613	662	694
C92541	566	583	593	602	610	622	640	667	701	742
C92542	508	512	509	517	518	526	534	559	584	607
C92543	500	505	509	517	531	542	539	558	579	606
C92544	420	468	495	505	521	529	538	560	589	616
C92545	482	497	502	513	518	538	546	575	609	639
C92547	591	606	614	632	632	648	644	668	689	716
C92548	465	469	480	489	498	512	510	537	575	630
C92549	438	441	445	449	458	463	468	479	509	538
C92550	521	535	548	559	571	591	602	644	686	730
C92551	455	458	471	475	480	496	499	527	542	556
C92552	507	516	524	541	553	567	573	600	631	687
C92553	362	365	372	371	376	376	383	378	375	368
C92554	449	457	461	465	470	484	487	511	534	565
C92555	475	489	502	526	536	553	562	610	661	700
C92556	489	496	508	517	524	544	553	576	610	662
C92557	483	494	502	514	520	536	536	562	598	623
C92558	555	557	562	576	582	593	597	626	646	696
C92559	484	489	490	500	505	517	524	539	568	599
C92560	492	506	512	524	526	541	546	572	602	655
C92561	500	512	527	534	544	553	555	588	618	650
C92562	483	493	499	518	512	528	536	560	588	619
C92563	514	522	534	540	542	561	572	594	618	656
C92564	524	537	561	576	589	606	620	662	705	760
C92565	498	517	521	531	534	542	550	571	620	672
C92566	534	544	553	566	559	576	577	552		
C92567	510	514	516	534	538	551	548	583	611	637
C92568	489	503	514	515	524	535	548	567	588	627

Appendix 3

Individual Body Weight Data (g)

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 1 - 0 PPM										
C92569	511	507	515	520	528	541	559	572	596	629
C92570	506	527	531	543	551	561	573	598	619	638
GROUP: MALE 2 - 0.5 PPM										
C92571	503	522	529	548	558	570	570	602	619	646
C92572	500	511	514	537	543	552	557	596	618	663
C92573	580	592	601	620	629	642	652	694	723	777
C92576	528	540	539	558	564	577	585	620	631	680
C92577	538	553	563	585	598	615	631	683	722	752
C92578	509	524	526	549	562	565	575	615	650	695
C92579	565	583	583	599	603	615	624	656	680	714
C92580	513	525	524	540	542	554	562	598	618	653
C92581	550	557	560	572	583	596	593	622	648	685
C92582	432	445	443	452	456	462	463	471	502	542
C92583	459	467	469	480	477	486	491	519	533	562
C92584	408	419	422	435	436	444	448	465	478	503
C92585	522	535	531	553	558	573	578	622	646	682
C92586	491	499	512	533	551	568	575	629	660	698
C92587	553	566	573	596	610	626	634	667	708	755
C92588	483	490	499	509	519	525	528	548	568	595
C92589	536	547	555	570	577	586	591	616	634	685
C92590	556	563	567	592	602	614	619	651	673	698
C92591	459	470	475	494	498	509	520	556	581	621
C92592	517	525	520	531	538	545	551	579	611	654
C92593	488	495	498	506						
C92594	495	497	498	505	513	520	532	559	581	614
C92595	482	490	487	495	501	517	521	533	547	587
C92596	488	496	503	521	524	536	542	567	602	648
C92597	451	454	459	474	478	487	497	520	540	571
C92598	497	509	513	529	525	534	537	568	591	616

Appendix 3

Individual Body Weight Data (g)

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 2 - 0.5 PPM										
C92599	559	569	568	587	592	605	603	642	663	693
C92600	471	480	487	499						
C92601	471	471	478	495	500	510	524	551	583	606
C92602	434	437	433	445	445	460	461	491	508	517
C92603	513	519	532	543	545	557	555			
C92604	510	518	532	550	557	575	580	627	659	698
C92605	528	541	551	570	576	592	608	647	695	735
C92606	483	495	504	519	529	540	546	592	621	643
C92607	528	541	552	571	576	588	600	626	660	673
C92608	557	574	587	604	579	576	578	623	667	710
C92609	487	490	493	504	509	518	528	562	600	629
C92611	474	483	487	497	505	510	512	540	563	580
C92612	506	516	523	538	534	551	562	615	586	670
C92614	537	539	548	563	574	582	587	617	654	675
C92615	498	507	520	539	548	565	566	612	658	696
C92616	406	411	416	428						
C92617	570	583	601	614	630	644	654	704	741	766
C92619	453	460	466	483	482	495	496	527	537	559
C92620	424	429	433	449	454	459	468	496	514	538
C92621	512	530	539	555						
C92622	504	515	528	538	543	555	564	592	634	662
C92623	434	447	458	468	474	482	494	524	543	578
C92624	468	479	487	511	513	514	529	567	610	650
C92625	567	578	595	610	616	637	647	689	728	756
C92626	529	539	548	561	572	560	566	598	639	645
C92627	529	545	554	560						
C92628	536	547	548	564	573	586	589	613	653	674
C92629	518	528	543	560	571	585	593	649	680	738
C92630	520	531	535	555	559	571	580	623	654	672

Appendix 3

Individual Body Weight Data (g)

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 3 - 2 PPM										
C92631	455	473	490	494	505	510	515	536	568	584
C92632	583	573	616	627	644	641	663	703	742	791
C92633	458	477	492	503	508	517	528	561	602	624
C92634	435	448	462	472	485	497	496	522	569	600
C92635	496	509	514	525	534	542	550	581	621	657
C92636	469	485	503	514	517	533	545	581	614	639
C92637	404	414	430	432	441	450	452	477	498	521
C92638	572	598	611	622	639	648	661	717	775	842
C92639	469	488	499	512	525	531	540	562	609	649
C92640	409	409	414	416						
C92641	496	477	502	525	544	561	580	606	649	664
C92642	494	510	531	541	547	560	566	583	615	654
C92643	435	450	467	472	480	483	495	507	533	554
C92644	420	441	451	458	459	468	480	491	514	537
C92645	469	480	499	510						
C92647	461	468	481	488	494	509	519	538	568	590
C92648	413	416	429	438	447	458	466	486	513	542
C92649	403	414	427	434	440	451	457	484	511	533
C92651	506	523	538	549	548	561	575	588	626	665
C92653	501	512	532	541	560	568	579	617	654	696
C92654	477	500	516	525	531	546	548	552	581	616
C92655	530	554	569	575	587	606	607	634	667	693
C92656	491	536	561	575	580	593	601	625	659	691
C92657	485	506	514	520	530	545	551	586	615	639
C92658	501	521	537	553	560	577	581	623	640	671
C92659	509	529	548	562	570	585	589	627	665	694
C92660	451	468	473	480	483	488	492	506	527	534
C92661	464	477	486	497	508	528	534	561	597	627
C92662	438	444	448	459						
C92663	521	526	542	552	560	577	579	615	665	711
C92664	495	515	533	538	540	550	558	592	621	646

Appendix 3

Individual Body Weight Data (g)

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 3 - 2 PPM										
C92665	543	555	568	578	590	606	614	639	680	721
C92666	509	531	551	557	563	571	581	590	620	653
C92667	530	556	577	592	604	614	620	666	694	704
C92669	452	471	489	497	505	515	529	567	592	628
C92670	432	449	461	463	469	474	482	507	516	538
C92671	462	477	487	499	512	522	527	559	581	608
C92672	454	478	496	508	515	528	539	568	602	628
C92673	501	516	524	537	540	552	559	594	618	634
C92674	470	485	498	513	526	544	551	597	633	663
C92675	460	479	479	487	496	506	516	539	558	577
C92676	453	463	477	482						
C92677	461	469	479	473	486	491	501	542	552	582
C92679	499	510	526	539	546	560	575	618	640	672
C92680	533	553	568	576	577	589	596	642	652	676
C92681	473	492	506	516	524	533	547	570	600	629
C92682	465	479	490	499	507	518	533	570	594	626
C92683	492	507	519	526	537	544	552	593	622	662
C92684	436	450	454	457						
C92685	508	517	534	538	555	570	579	619	652	683
C92686	488	494	507	517	524	527	539	576	600	630
C92687	522	552	567	581	596	607	619	658	685	715
C92688	457	467	480	488	492	499	501	530	543	563
C92689	457	469	468	478	491	503	511	545	576	595
C92690	603	612	630	642	652	668	677	727	736	773
GROUP: MALE 4 - 5 PPM										
C92691	472	487	486	496	506	526	532	566	595	620
C92692	487	512	517	529	534	547	547	581	592	622
C92693	498	513	514	526	541	554	561	581	603	633
C92694	517	530	529	532	546	560	572	603	616	651

Appendix 3

Individual Body Weight Data (g)

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 4 - 5 PPM										
C92695	494	504	506	513	521	533	537	570	582	603
C92696	494	508	513	517	530	549	551	563	567	575
C92697	495	507	518	532	540	555	559	575	592	611
C92698	522	534	546	566	579	597	600	643	665	688
C92699	428	440	450	463	470	485	491	483	521	530
C92700	394	399	398	412	413	426	428	443	448	460
C92701	482	506	516	534	546	549	555	589	607	642
C92702	473	478	484	491	499	510	518	538	555	568
C92703	513	528	538	546	561	574	589	625	657	678
C92704	508	525	533	546	556	571	583	605	625	666
C92705	477	493	499	511	524	541	542	570	592	624
C92706	500	518	523	540	552	566	571	594	630	670
C92707	449	467	469	471	475	489	498	523	536	556
C92708	462	478	482	496	503	513	520	541	557	566
C92709	466	480	478	489	496	515	525	554	571	593
C92710	497	509	516	527	545	559	563	584	600	613
C92711	492	501	509	520	519	537	549	578	598	624
C92712	533	549	548	561	578	595	602	641	679	719
C92713	545	554	563	576						
C92714	526	542	551	567						
C92716	569	570	580	595	601	622	633	667	682	711
C92717	493	501	517	534	545	559	567	600	624	659
C92719	459	467	474	491						
C92720	532	548	549	562	577	591	599	626	641	673
C92721	438	447	457	467	480	489	492	513	528	554
C92722	473	504	518	536						
C92723	526	544	558	572	583	597	603	634	663	687
C92724	538	549	561	581	603	614	625	655	681	718
C92725	449	456	460	469	478	484	488	528	541	559
C92726	498	512	517	525	528	539	552	558	574	605
C92727	484	490	498	509	515	527	542	577	620	648

Appendix 3

Individual Body Weight Data (g)

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 4 - 5 PPM										
C92728	567	587	596	611						
C92729	554	566	581	596	621	635	641	683	716	764
C92730	467	483	483	491	505	523	530	553	591	628
C92732	477	486	495	507	525	533	546	572	599	639
C92733	442	448	446	458	473	486	492	513	537	574
C92735	507	513	521	531	541	554	565	575	598	622
C92736	470	477	488	504	518	537	545	557	587	629
C92737	481	490	494	505	521	537	543	565	595	630
C92738	471	492	495	508	520	529	532	545	560	591
C92739	424	436	439	447	460	472	476	488	521	545
C92740	504	509	521	529	543	553	566	578	597	625
C92741	499	511	508	527	533	546	560	578	600	618
C92742	567	587	604	623	639	655	663	680	713	751
C92743	545	565	575	591	612	631	638	672	706	741
C92745	536	557	567	590	605	624	636	678	721	756
C92746	548	575	578	592	596	613	622	646	665	706
C92747	479	488	498	511	522	543	545	551	570	602
C92748	530	544	558	570	569	585	604	615	638	664
C92749	440	450	458	465	486	504	510	522	544	573
C92750	484	495	499	513	527	546	552	547	594	629
GROUP: MALE 5 - 20 PPM										
C92751	506	515	524	539	547	564	577	613	647	681
C92753	496	499	501	514	514	529	535	567	559	556
C92754	420	426	431	441	440	448	449	459	467	499
C92755	449	461	463	479	491	504	509	538	569	595
C92756	531	541	552	573	584	602	603	630	648	679
C92757	431	426	432	447	451	465	467	489	514	538
C92758	464	477	485	500	506	520	518	542	559	576
C92760	486	494	500	513	522	528	527	546	554	582

Appendix 3

Individual Body Weight Data (g)

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 5 - 20 PPM										
C92761	453	454	459	471	481	486	482	498	504	516
C92762	481	486	492	506	509	518	520	533	553	578
C92763	548	565	575	589	612	624	629	676	724	777
C92764	515	527	534	546	556	558	565	582	599	621
C92765	498	512	516	526						
C92766	453	461	461	477	486	497	494	516	545	575
C92767	545	569	578	600	599	622	637	680	733	799
C92768	535	552	548	562	568	581	576	609	624	653
C92769	504	517	528	545	553	569	564	610	629	651
C92770	533	554	563	570	578	584	583	598	616	649
C92771	495	506	514	528	545	554	547	582	610	653
C92772	483	496	500	513	522	533	540	563	588	610
C92773	435	451	456	457	455	462	455	463	467	491
C92774	488	498	510	526	533	541	543	579	604	616
C92775	509	526	542	549	561	569	579	598	630	668
C92776	501	522	530	545	559	568	562	581	599	624
C92777	424	439	446	455						
C92778	505	521	530	537	549	557	560	580	595	623
C92780	413	420	428	439	451	465	462	471	498	515
C92781	461	469	473	484	495	506	504	517	537	563
C92782	458	467	476	490	500	515	516	540	557	597
C92783	527	537	544	559	569	580	589	614	635	680
C92784	463	475	489	497	503	514	523	531	556	587
C92785	469	479	483	495	507	517	524	520	537	561
C92786	470	483	494	503	502	518	523	557	579	613
C92787	482	488	499	509	517	526	528	551	572	590
C92788	515	525	539	552	561	570	565	572	589	609
C92789	459	466	479	449						
C92790	480	491	497	518	528	541	535	543	563	582
C92791	444	451	458	470	481	484	493	503	525	546
C92792	498	498	509	526	529	538	544	560	591	604

Appendix 3

Individual Body Weight Data (g)

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 5 - 20 PPM										
C92794	444	456	460	474	479	488	489	505	531	549
C92795	462	472	480	489	502	515	521	543	571	599
C92796	427	430	437	448	453	462	466	480	499	519
C92797	453	465	479	487	493	505	512	537	561	590
C92799	503	521	535	552						
C92800	470	481	484	498	501	509	511	513	525	556
C92801	538	560	571	590	596	612	615	643	677	722
C92802	456	470	476	483	493	501	508	523	551	589
C92803	495	502	514	520	524	528	536	544	558	547
C92804	448	461	467	483	490	498	510	520	541	560
C92805	510	527	543	555	563	575	581	611	629	661
C92806	456	473	496	518	524	538	535	555	571	604
C92807	470	479	491	499	513	530	536	548	569	599
C92808	433	443	446	457	462	473	478	483	493	527
C92809	481	494	503	509	520	527	529	546	561	588
C92810	465	472	481	494	503	514	518	533	561	586
C92811	486	496	509	513	526	539	551	581	609	648
C92812	491	504	513	523						
C92813	479	483	495	506	516	519	526	541	562	584
C92814	376	375	375	374	377	377	389	392	406	436
C92815	415	419	430	442	452	450	460	462	479	507
C92816	428	436	445	456	463	472	474	493	514	542
C92817	547	550	568	581	592	600	613	657	702	744
C92818	460	470	475	482	491	495	499	522	537	566
C92819	412	416	414	416	426	430	432	457	476	508
C92820	398	405	415	415	427	442	442	455	466	489
GROUP: MALE 6 - 20 PPM										
C92821	447	456	471	481	485	491	488	508	475	518
C92822	440	448	455	465	480	488	491	520	542	580

Appendix 3

Individual Body Weight Data (g)

PAGE: 36

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 6 - 20 PPM										
C92823	469	481	487	499	510	522	531	544	550	576
C92824	487	498	510	519	533	539	543	561	584	621
C92825	551	557	566	583	597	611	610	664	705	752
C92826	441	450	463	475	485	488	498	507	539	569
C92827	459	465	475	492	498	501	507	524	547	581
C92828	504	518	513	516	527	533	532	563	583	605
C92829	521	528	545	552	570	580	583	611	645	680
C92830	437	442	447	464	476	487	493	492	512	541
C92831	494	506	521	512	524	528	538	577	606	629
C92832	430	441	450	462	478	480	476	502	520	535
C92833	508	520	529	542	557	570	577	606	642	677
C92834	473	484	488	498	510	513	517	544	565	592
C92835	433	444	443	454	459	477	481	515	534	565
C92836	500	514	526	533	542	547	544	564	580	609
C92837	520	522	535	545	546	556	555	584	610	641
C92838	462	469	476	491	506	511	510	534	559	586
C92839	602	619	634	656	663	670	685	732	775	811
C92840	423	432	438	453	462	471	474	496	516	538
C92841	434	444	450	443	459	468	468	484	497	516
C92842	517	530	540	550	561	559	564	581	601	624
C92843	528	532	538	542	545	549	558	587	613	648
C92844	379	384	385	390	391	398	405	419	431	450
C92845	442	454	457	467	476	483	486	497	521	546
C92846	496	513	531	541	538	551	563	582	592	637
C92847	550	566	582	593	605	622	622	641	672	700
C92848	388	402	414	428	438	441	445	464	485	506
C92849	482	488	498	510	521	524	530	555	580	618
C92850	438	436	436	444	442	448	452	474	477	499
C92851	483	488	495	507	512	525	535	546	568	602
C92852	442	449	451	460	462	464	472	479	502	528
C92853	449	462	463	473	477	487	490	517	541	564

Appendix 3

Individual Body Weight Data (g)

PAGE: 37

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: MALE 6 - 20 PPM										
C92854	477	493	501	510	516	527	530	553	583	626
C92855	450	456	464	471	480	493	487	499	524	559
C92856	441	448	454	461	474	484	487	503	525	543
C92857	512	517	520	527	537	544	551	572	601	629
C92858	503	518	532	553	563	575	576	608	631	663
C92859	479	488	498	510	517	526	525	547	573	602
C92860	433	442	442	454	465	465	475	491	522	549
GROUP: FEMALE 1 - 0 PPM										
C92862	241	241	243	246	261	260	257	253	258	268
C92863	277	281	284	290	287	290	287	303	315	333
C92865	276	280	292	284	286	293	289	322	337	344
C92866	279	289	296	296	296	304	304	317	320	345
C92867	300	329	324	323	318	324	311	329	346	363
C92868	283	290	302	311	315	314	308	316	335	343
C92869	235	239	244	248	256	259	259	267	273	280
C92870	259	265	272	272	276	290	287	291	307	316
C92871	287	295	295	299	292	291	296	307	324	351
C92872	224	233	234	235	240	239	244	274	291	309
C92873	226	236	243	246	246	253	256	261	269	279
C92874	273	281	287	290	293	294	298	306	321	324
C92875	251	264	261	263	272	283	282	286	292	299
C92876	258	266	266	272	271	279	278	290	298	301
C92877	259	264	267	277	272	279	289	295	326	328
C92878	256	261	269	262	272	272	279	283	285	293
C92879	310	327	320	325	331	331	331	332	357	380
C92880	267	274	273	283						
C92881	286	295	301	296	306	314	313	321	333	360
C92882	245	244	243	251	250	249	258	264	254	272
C92883	327	337	344	338	346	352	350	357	367	383

Appendix 3

Individual Body Weight Data (g)

PAGE: 38

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 1 - 0 PPM										
C92884	265	264	281	275	267	273	276	286	287	307
C92885	296	304	307	313	317	324	316	330	350	359
C92886	255	260	260	266	269	265	275	283	288	312
C92887	277	287	289	296						
C92888	315	332	343	357	356	370	370	369	399	405
C92889	254	261	260	260	264	266	264	278	284	296
C92890	323	330	329	338	342	343	343	350	367	377
C92891	256	262	259	273	281	279	275	285	298	306
C92892	348	361	366	370	369	371	375	382	409	426
C92893	250	248	250	257	260	260	259	259	265	281
C92894	255	264	272	277	281	281	279	295	304	315
C92895	279	288	289	297	295	296	295	306	322	324
C92896	273	280	285	298	303	301	308	328	352	370
C92897	243	247	250	260	260	263	261	274	284	290
C92898	290	296	300	306						
C92899	346	362	374	366	366	375	386	399	413	414
C92900	310	322	299	331	329	330	329	345	363	369
C92901	263	270	275	280	279	288	289	296	306	318
C92902	368	374	383	398	417	420	408	418	447	470
C92903	351	353	378	378						
C92904	255	265	262	273	265	273	261	275	273	278
C92905	256	267	267	280						
C92906	252	254	257	262	264	265	267	275	289	296
C92907	258	277	278	284	292	289	299	296	316	322
C92908	288	292	303	315	313	314	319	321	356	369
C92909	269	281	287	289	291	297	297	299	313	321
C92910	305	316	319	325	333	339	324	306	330	347
C92911	241	253	260	255	263	269	266	282	281	293
C92912	294	308	317	318	322	335	351	353	366	356
C92913	281	288	292	292	294	296	299	298	310	314
C92915	271	287	297	297	302	310	304	307	323	338

Appendix 3

Individual Body Weight Data (g)

PAGE: 39

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 1 - 0 PPM										
C92916	336	357	369	388	403	414	426	439	457	472
C92917	346	359	354	367	372	381	375	390	409	425
C92918	274	292	295	295	305	313	313	311	324	336
C92920	252	264	267	277	280	285	284	290	309	326
C92921	318	338	353	355	373	380	369	389	420	445
C92922	282	291	300	298	304	307	299	314	332	345
C92923	246	243	253	260	268	270	271	285	299	303
C92924	301	312	316	315	319	324	320	320	333	336
C92925	315	325	326	330	332	333	331	339	358	373
C92927	282	286	281	287	288	292	291	295	315	324
C92928	286	290	302	304	309	311	323	331	352	344
C92929	268	269	281	278	281	288	288	289	312	327
C92930	361	388	406	421	435	448	455	473	510	532
GROUP: FEMALE 2 - 0.5 PPM										
C92931	333	336	334	348	348	370	368	395	417	461
C92932	272	264	270	280	282	290	294	305	306	305
C92933	318	337	337	353	355	355	367	390	415	452
C92934	254	263	266	271	275	277	281	286	300	313
C92935	304	307	311	321	315	320	327	341	359	374
C92936	266	263	270	273	275	274	285	288	286	307
C92937	279	279	285	291	293	296	304	318	330	342
C92938	298	310	309	307	311	323	322	341	354	358
C92939	245	239	246	244	247	254	257	272	274	295
C92940	259	256	265	270	268	272	278	286	295	302
C92942	314	314	317	325	334	335	334	338	347	354
C92943	320	315	319	324	330	343	344	348	345	361
C92944	365	380	369	380						
C92946	259	249	260	267	259	264	268	274	292	301
C92947	300	302	305	311	300	307	306	324	326	342

Appendix 3

Individual Body Weight Data (g)

PAGE: 40

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 2 - 0.5 PPM										
C92948	322	327	329	338	327	337	340	360	373	387
C92949	388	383	395	415	421	438	437	449	461	485
C92951	258	250	243	256	264	271	265	276	274	273
C92952	269	278	276	283	291	294	298	315	326	336
C92953	262	264	261	270	272	273	273	286	288	294
C92954	281	277	285	288	292	293	294	301	305	308
C92955	297	308	309	319	312	324	329	343	378	397
C92956	317	324	326	332	324	337	341	357	374	384
C92957	267	272	272	274	282	288	284	297	307	323
C92958	245	241	248	255	251	254	262	272	283	288
C92959	313	313	319	332	333	336	341	337	358	363
C92960	304	301	314	316	323	326	325	331	361	375
C92961	366	376	386	399	408	418	419	432	461	473
C92962	261	263	269	274						
C92963	249	244	250	262	263	265	267	280	278	284
C92964	271	275	279	283	286	300	292	308	329	346
C92965	275	270	280	284	285	290	291	297	309	304
C92966	249	250	250	257	259	259	261	269	274	276
C92967	299	297	303	310						
C92968	317	313	318	328	337	343	340	353	370	390
C92970	334	325	336	347	354	355	359	361	381	387
C92971	246	249	249	248	260	251	257	259	263	268
C92972	287	279	287	297	297	304	312	332	335	350
C92973	259	263	259	271	282	286	287	288	313	329
C92974	253	261	265	267	269	277	283	290	294	296
C92975	271	277	280	288	287	291	295	305	313	331
C92976	326	326	331	333	341	347	341	350	371	393
C92977	295	295	301	313	317	322	323	330	348	349
C92978	349	347	363	366						
C92979	277	281	281	289	299	304	302	300	317	330
C92980	290	303	311	312	328	336	329	343	379	379

Appendix 3

Individual Body Weight Data (g)

PAGE: 41

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 2 - 0.5 PPM										
C92981	300	292	307	303	316	323	313	331	361	349
C92983	313	301	310	325	326	329	324	333	338	354
C92984	317	320	325	333	330	337	337	349	364	374
C92985	316	313	322	338	330	343	342	356	358	375
C92986	267	269	272	272	267	279	279	288	293	309
C92987	287	288	286	287						
C92988	281	283	280	283	298	309	303	318	331	353
C92989	273	278	279	284	290	290	288	311	326	339
C92990	282	285	287	283	292	299	296	296	303	325
GROUP: FEMALE 3 - 2 PPM										
C92991	250	250	259	261	265	267	273	278	284	305
C92992	265	272	272	273	275	286	282	301	318	331
C92993	289	292	291	302						
C92994	272	277	278	285	273	287	285	302	301	304
C92997	253	255	255	269	264	267	273	289	289	296
C92998	290	295	304	309	309	307	318	324	339	367
C92999	302	295	299	308	299	314	315	335	342	356
C93000	285	286	290	293						
C93001	256	261	268	271	274	280	279	298	316	347
C93002	267	259	263	280	277	276	288	302	307	317
C93003	305	300	315	324	327	333	337	329	343	361
C93004	273	274	283	287	288	298	294	310	321	326
C93005	257	255	265	275	282	291	289	313	316	341
C93007	267	264	273	277	272	275	280	291	303	320
C93009	265	275	288	289	294	290	300	301	333	320
C93010	277	280	289	295	292	301	308	314	318	338
C93011	294	299	299	309	311	311	323	321	337	341
C93012	316	321	325	328	330	337	347	365	376	397
C93013	240	246	250	256	261	263	269	273	281	285

Appendix 3

Individual Body Weight Data (g)

PAGE: 42

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 3 - 2 PPM										
C93014	317	308	325	325	328	336	331	359	354	381
C93015	301	295	306	307	311	316	318	324	335	340
C93016	228	213	231	239	235	242	246	249	268	268
C93017	269	272	277	292	304	308	308	314	328	349
C93018	286	290	296	299						
C93019	301	305	317	321	313	324	335	373	388	405
C93020	282	284	290	294	309	309	308	325	353	336
C93021	287	299	295	300	304	308	317	336	363	377
C93022	308	306	307	315	315	319	321	333	342	367
C93023	246	250	256	257						
C93024	274	279	289	294	287	297	302	305	314	320
C93025	324	323	339	359	360	379	354	389	353	411
C93026	279	279	283	291	285	287	289	294	299	313
C93027	276	273	279	285	296	298	297	299	311	315
C93028	272	276	273	276	282	295	291	299	311	321
C93029	249	257	255	264	267	268	273	278	285	298
C93030	269	265	283	293	288	291	301	310	322	342
C93032	271	264	279	283	281	289	297	315	326	339
C93033	277	279	279	294	303	309	319	332	352	374
C93034	290	291	289	301	303	303	305	303	317	325
C93035	292	292	297	304						
C93036	280	278	284	297	305	307	305	330	359	388
C93037	274	279	288	299	301	316	333	316	300	317
C93038	239	241	247	257	257	256	268	271	279	293
C93039	291	303	304	312	316	319	316	325	330	350
C93040	229	229	239	246	250	248	255	260	266	276
C93041	283	288	285	306	305	302	312	338	351	379
C93042	297	293	303	316	324	318	316	343	359	393
C93043	283	276	292	303	314	317	324	334	347	364
C93044	255	256	265	267	264	265	281	294	304	314
C93046	318	304	315	317	324	325	333	344	335	350

Appendix 3

Individual Body Weight Data (g)

PAGE: 43

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 3 - 2 PPM										
C93047	331	330	346	348	357	367	373	373	401	410
C93048	238	238	239	250	249	247	257	259	270	282
C93049	258	260	261	268	276	273	277	289	295	301
C93050	280	274	281	297	309	305	303	309	311	319
GROUP: FEMALE 4 - 5 PPM										
C93051	261	260	255	260						
C93052	279	279	284	286	302	297	308	316	335	340
C93053	260	274	272	283	290	285	305	319	361	381
C93054	260	258	263	264	271	267	284	287	293	303
C93055	288	286	293	303	306	307	307	318	332	346
C93056	284	276	279	291	294	298	299	302	313	332
C93057	254	254	259	270	275	279	283	274	296	309
C93059	280	278	283	293	292	297	299	300	315	337
C93060	275	285	294	299	302	307	310	304	320	318
C93061	281	281	279	290	300	300	306	322	354	379
C93062	265	262	267	275	278	287	280	291	296	311
C93063	272	274	272	288	285	298	299	302	308	324
C93064	252	255	257	266						
C93065	223	221	228	232	238	235	240	249	260	269
C93066	267	266	275	282	278	289	278	298	302	342
C93068	274	275	278	285	289	294	295	305	326	332
C93069	328	329	336	346	352	356	358	369	400	417
C93071	244	239	248	249						
C93072	272	272	278	283	288	293	289	308	314	333
C93073	278	273	279	288	295	303	302	310	315	321
C93074	298	298	304	313	314	316	322	345	368	391
C93076	279	290	296	296	297	299	303	319	336	356
C93077	296	299	305	315	314	319	321	339	364	379
C93078	270	266	268	278	275	283	279	296	305	311

Appendix 3

Individual Body Weight Data (g)

PAGE: 44

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 4 - 5 PPM										
C93079	305	291	307	308	320	332	323	345	349	368
C93080	264	269	281	282	292	292	294	298	306	320
C93081	259	254	267	271	271	276	280	285	304	306
C93082	294	292	294	304	302	306	318	319	350	378
C93083	284	279	280	285	298	300	303	307	326	336
C93085	269	277	285	290						
C93086	287	295	299	309	314	314	317	324	329	333
C93087	238	243	252	253	252	260	261	269	276	283
C93088	261	253	273	275	288	282	294	297	306	318
C93089	292	300	308	305	308	320	314	327	329	335
C93090	253	257	262	267	262	281	275	279	294	295
C93091	297	298	305	305	319	320	321	330	352	368
C93092	254	263	267	268	265	273	276	288	306	318
C93093	326	323	333	350	331	347	347	353	374	380
C93094	273	274	279	287	287	304	308	287	299	309
C93095	260	261	270	283	286	291	288	291	310	317
C93096	306	311	318	324	341	341	347	364	406	441
C93097	261	263	271	276	275	280	286	292	308	327
C93098	256	261	272	269	279	284	281	287	302	313
C93099	269	276	287	297	298	304	310	298	318	349
C93100	280	279	290	295	295	291	305	297	324	330
C93101	257	264	265	260	268	270	271	275	288	296
C93102	301	306	315	323	324	333	335	347	359	363
C93103	280	285	288	305	309	311	314	325	338	331
C93104	360	367	380	392	400	405	411	423	449	464
C93105	291	289	302	300	305	312	309	312	325	329
C93106	253	262	264	263	266	278	278	279	291	305
C93107	274	276	282	290	290	293	296	302	309	323
C93108	264	265	268	278	274	283	283	279	287	304
C93109	267	274	278	287						
C93110	364	386	403	425	438	446	459	479	496	538

Appendix 3

Individual Body Weight Data (g)

PAGE: 45

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 5 - 20 PPM										
C93111	311	300	305	312						
C93112	271	275	278	279	284	283	285	299	309	325
C93113	229	240	242	237	241	251	248	253	262	267
C93115	224	223	223	228	235	233	234	243	253	262
C93116	248	242	250	254	256	254	263	267	273	280
C93117	258	259	265	261	271	266	279	290	296	305
C93118	236	232	234	246	250	254	261	275	293	276
C93119	220	216	220	224	223	233	232	245	253	251
C93120	244	235	244	244	240	251	249	256	267	278
C93121	218	219	222	218	223	226	227	235	246	250
C93122	293	295	303	299	305	305	311	311	329	344
C93124	246	258	271	288	270	264	264	276	272	286
C93125	216	220	221	218	227	232	232	237	244	254
C93126	226	229	233	231	239	243	242	256	266	285
C93127	255	251	253	258						
C93128	250	249	258	266	268	266	272	276	289	295
C93129	248	265	256	266	271	259	271	306	282	287
C93130	268	274	281	281	290	289	292	298	317	319
C93131	278	277	284	291	287	293	302	309	320	327
C93132	258	268	264	268	269	277	274	298	315	332
C93133	238	242	245	241	250	249	253	262	275	267
C93134	281	286	291	285	287	296	297	311	318	328
C93135	273	269	273	275	275	284	288	297	275	289
C93136	248	243	259	265	262	269	280	275	292	301
C93137	240	236	245	242	249	252	255	264	271	284
C93138	269	261	271	271	275	280	290	292	304	308
C93139	224	226	232	238	236	240	245	262	264	272
C93140	271	275	276	282	285	298	307	324	343	367
C93141	290	286	286	292	294	298	300	316	324	341
C93143	291	277	287	293						
C93145	230	231	226	235	235	232	240	248	255	263

Appendix 3

Individual Body Weight Data (g)

PAGE: 46

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 5 - 20 PPM										
C93146	236	231	226	240	238	238	244	245	248	244
C93147	258	250	251	260	259	261	266	268	274	283
C93148	294	290	289	301	303	306	307	324	350	356
C93149	256	253	258	258	266	269	267	280	288	286
C93150	278	276	295	295	283	290	289	295	302	308
C93151	262	260	260	266	268	270	268	275	281	289
C93152	270	271	273	277	278	277	278	282	290	297
C93153	248	245	252	252	255	252	255	264	271	270
C93154	269	266	262	266	266	274	274	278	282	286
C93155	249	249	247	243						
C93156	245	243	244	250	248	250	255	259	266	277
C93157	256	259	264	265	263	266	270	273	279	289
C93158	269	271	272	278	275	274	281	292	298	314
C93160	308	299	306	318	324	330	330	334	346	366
C93161	268	273	275	287	278	290	290	294	306	326
C93162	287	278	280	275	280	277	291	298	312	318
C93163	244	247	248	252	253	261	258	260	274	288
C93164	245	244	239	244	247	248	255	256	262	271
C93165	255	250	255	260	261	262	261	277	281	292
C93166	310	302	313	316	315	318	326	325	358	347
C93167	284	272	288	296	288	305	302	318	349	359
C93168	248	243	239	247	253	245	256	266	271	279
C93169	247	248	249	257						
C93170	273	269	267	276	277	283	286	285	305	317
C93171	266	267	273	276	276	279	282	291	292	318
C93172	265	267	268	275	279	280	280	282	295	317
C93173	258	257	262	272	264	271	274	280	291	290
C93174	249	256	253	259	270	267	268	279	289	297
C93175	253	246	250	255	258	255	260	259	275	283
C93176	249	250	254	259	267	266	279	288	307	323
C93177	240	240	242	249	247	245	247	259	266	269

Appendix 3

Individual Body Weight Data (g)

PAGE: 47

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 5 - 20 PPM										
C93178	251	253	250	255	252	258	257	267	271	283
C93179	244	241	241	250	248	251	250	259	264	265
C93180	298	293	297	299	299	305	311	315	327	337
GROUP: FEMALE 6 - 20 PPM										
C93181	252	255	255	259	267	268	265	272	284	291
C93182	245	247	245	257	261	268	257	268	269	277
C93183	287	290	295	297	303	309	312	313	328	356
C93184	233	238	235	241	244	239	244	242	253	260
C93185	260	265	265	273	280	282	278	287	299	286
C93186	224	226	228	221	232	228	236	239	251	242
C93187	256	269	267	270	280	282	292	318	345	358
C93188	267	272	281	290	290	292	295	302	318	331
C93189	237	242	242	243	249	246	242	249	259	259
C93190	263	265	274	274	275	280	280	289	300	315
C93191	319	309	310	316	317	311	319	323	342	343
C93192	236	234	241	247	246	248	247	262	267	282
C93193	249	256	260	262	274	266	278	294	314	341
C93194	293	300	306	308	308	316	315	320	327	334
C93195	272	278	280	285	288	290	291	291	305	315
C93196	226	231	229	235	238	240	244	250	260	269
C93197	222	225	232	237	234	233	238	236	239	245
C93198	251	257	266	271	273	278	277	280	292	301
C93199	250	255	260	262	263	266	267	271	275	286
C93200	238	245	245	255	256	257	255	261	270	280
C93201	238	236	234	243	247	249	249	257	261	271
C93202	247	244	248	254	253	251	242	258	263	268
C93203	264	275	270	276	278	282	292	313	324	339
C93204	249	255	253	255	258	267	268	273	282	293
C93205	283	291	295	295	296	302	300	305	309	308

Appendix 3

Individual Body Weight Data (g)

PAGE: 48

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 17	WEEK 21	WEEK 25	WEEK 29
GROUP: FEMALE 6 - 20 PPM										
C93206	230	232	239	241	239	250	245	263	272	289
C93207	234	233	243	247	247	249	256	261	269	277
C93208	240	244	250	256	256	260	265	264	274	277
C93209	247	247	249	254	254	257	260	262	275	285
C93210	268	266	271	285	281	287	293	295	310	319
C93211	234	232	238	238	243	248	248	241	244	251
C93212	272	285	282	280	284	286	292	300	315	326
C93213	253	265	259	269	268	272	272	278	288	303
C93214	240	246	248	253	254	261	267	269	285	295
C93215	263	268	275	276	275	282	282	289	301	315
C93216	249	252	261	263	260	264	270	273	295	313
C93217	291	297	304	306	313	316	312	323	340	344
C93218	233	237	239	246	246	252	247	259	268	278
C93219	301	302	293	309	310	309	313	312	327	341
C93220	278	284	299	303	308	314	315	334	344	359

Appendix 3

Individual Body Weight Data (g)

PAGE: 49

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 1 - 0 PPM										
C92501	796	822	812	835	855	890				
C92502	578	593	596	603	617	631	646	647	653	668
C92503	655	674	695	713	729	673	700	759	766	780
C92504	591	607	621	633	673	690				
C92505	551	580	609	617	632	649	666	686	697	711
C92507	618	621	631	647	659	675				
C92508	589	607	600	613	617	651	669	683	680	680
C92510	660	685	688	716	711	713	731	726	735	746
C92512	635	662	676	691	693	684				
C92513	642	662	655	683	684	694	713	718	710	727
C92514	821	842	846	854	836	866	868	875	912	949
C92515	609	641	649	577	641	674	696	715	729	737
C92516	606	622	625	644						
C92517	821	854	870	897	922	938				
C92518	734	750	759	783	790	816	835	875	877	884
C92519	592	610	618	631	638	650	665	691	688	700
C92520	637	668	664	693	706	711	710	720	708	684
C92522	616	644	645	678	693	720	750	766	787	804
C92523	693	722	718	757	777	805				
C92525	695	727	741	764	776	795	812	679	550	506
C92527	674	697	706	731	757	767	779	772	803	819
C92530	675	693	700	715	734	739	731	758	765	775
C92531	648	671	662	670	665	671	669	659	665	
C92533	727	765	777	806	820	846	865	873	890	901
C92534	627	647	640	642	666	665				
C92535	671	698	690	617	692	729	750	766	794	811
C92536	681	701	703	738	746	774	792	805	837	815
C92537	857	891	905	937	961	966	984	1015	1024	1064
C92538	774	821	866	911	968	1008	1071	1109	1150	1192
C92539	795	822	816	835	846	884	901	924	941	950
C92540	719	755	779	807	827	855				
C92541	753	765	792	812	830	849	864	893	897	920

Appendix 3

Individual Body Weight Data (g)

PAGE: 50

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 1 - 0 PPM										
C92542	615	632	645	664	687	705	704	730	729	749
C92543	620	634	632	651	669	685	697	703	711	724
C92544	632	618	629	615	629	642	643	656	629	662
C92545	678	715	736	746	795	824	846	869	888	911
C92547	739	754	758	770	794	794	805	814	826	837
C92548	664	688	708	735	757	769	775	791	790	783
C92549	544	555	567	588	614	622	631	652	619	667
C92550	757	780	803	832	870	889	904	914	937	947
C92551	576	593	610	619	638	645	664	673	683	716
C92552	712	731	738	769	799	826	843	850	871	895
C92553	384	401	372	377	390	371	366	353		
C92554	577	591	597	610	637	648	645	658	662	684
C92555	736	754	791	806	808	828	784			
C92556	693	717	710	739	770	767	672	499		
C92557	651	680	693	715	725	732	755	775	800	805
C92558	722	752	755	770	784	793	800	811	818	819
C92559	613	643	661	668	692	707	715	738	744	758
C92560	691	713	722	746	771	792	807	831	833	839
C92561	675	701	715	729	753	756	774	747		
C92562	641	656	665	681	711	703				
C92563	683	684	689	682	701	704	720	732	717	717
C92564	786	823	821	850	870	877	883	894	904	826
C92565	707	721	741	770	800	816	824	850	864	868
C92567	688	692	702	729	753	772	784	818	829	849
C92568	670	685	687	709	725	745	754	759	779	785
C92569	640	655	644	659	667	668	679	681	686	683
C92570	661	665	667	680	696	686				

Appendix 3

Individual Body Weight Data (g)

PAGE: 51

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 2 - 0.5 PPM										
C92571	689	695	706	722	767	786	800	833	852	869
C92572	696	716	734	749	774	772	801	827	832	854
C92573	814	837	823	858	892	910	929	946	956	850
C92576	721	748	771	797	819	828	868	887	901	920
C92577	811	838	851	882	907	917	936	963	966	965
C92578	720	748	779	804	837	856	888	911	938	965
C92579	757	780	788	804	813	822	842	851	838	842
C92580	687	706	716	740	767	780	798	829	849	872
C92581	719	739	758	787	808	829	849	873	907	934
C92582	574	586	590	587	617	629	627	642	658	656
C92583	587	599	622	641	665	700	718	724	739	744
C92584	539	551	550	558	582	594	576			
C92585	697	575								
C92586	749	795	833	865	892	921	944	911	912	748
C92587	777	797	803	813	836	851	836	844	850	856
C92588	617	638	635	653	667	683	674	672	685	685
C92589	707	729	729	757	790	810	824	826	827	826
C92590	712	731	748	764	790	801	812	816	833	845
C92591	652	677	688	703	726	745	753	761	782	801
C92592	699	723	736	759	789	807	813	837	859	875
C92594	632	654	665	670	694	712	720	721	736	756
C92595	607	626	622	631	657	684	691	701	703	695
C92596	678	699	706	719	733	750	756	752	729	575
C92597	591	605	604	614	629	647	657	664	667	686
C92598	645	660	665	679	701	707	713	728	746	745
C92599	721	749	758	787	815	816				
C92601	639	661	674	700	726	736	756	758	768	789
C92602	533	563	563	565	600	602	599	599	600	604
C92604	739	768	795	820	843	867	877	913	942	950
C92605	765	787	812	824	854	848	863	867	887	886
C92606	671	696	714	733	758	766	768	769	764	757

Appendix 3

Individual Body Weight Data (g)

PAGE: 52

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 2 - 0.5 PPM										
C92607	700	731	754	778	794	799	815	842	849	861
C92608	745	741	784	786	813	832	870	868	836	790
C92609	652	663	692	714	743	752	764	768	781	792
C92611	605	623	629	636	647	652	665	665	679	685
C92612	696	721	741	763	787	805	823	844	864	870
C92614	679	693	699	709	718	730	722	726	732	751
C92615	732	766	781	811	838	862	873	884	913	918
C92617	804	829	852	891	894	889	871	824	810	818
C92619	578	576	583	599	624	620	636	650	650	660
C92620	554	567	575	595	603	601	614	611	616	629
C92622	694	721	739	772	796	805	822	839	848	863
C92623	598	608	612	631	636	645	659	666	668	670
C92624	688	726	755	768	804	827	829	783		
C92625	777	804	826	843	874	886	887	901	900	891
C92626	655	632	653	661	697	703	710	721	696	736
C92628	694	705	698	738	768	698	758	628	557	513
C92629	776	805	834	871	906	924	918	922	919	869
C92630	694	719	731	742	755	757	764	750	747	733
GROUP: MALE 3 - 2 PPM										
C92631	600	625	632	653	670	674	679	698	705	718
C92632	801	837	857	869	888	901	914	901	861	848
C92633	670	697	715	740	766	785	787	797	817	835
C92634	617	646	655	688	715	733	737	770	787	791
C92635	681	696	714	739	755	764	757	780	766	775
C92636	666	689	705	734	743	771	792	823	827	841
C92637	551	560	574	595	614	625	629	661	676	691
C92638	877	917	931	955	988	998	1003	1020	1007	1002
C92639	664	696	706	721	743	755	770	783	798	792
C92641	667	689	726	735	723	726	749	717	732	729

Appendix 3

Individual Body Weight Data (g)

PAGE: 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 3 - 2 PPM										
C92642	685	697	705	721	737	751	751	764	763	772
C92643	574	581	587	599	616	624	623	636	638	656
C92644	555	577	578	589	608	625	632	660	671	678
C92647	626	644	654	673	700	708	714	739	748	767
C92648	565	591	598	619	624	640	648	669	685	689
C92649	547	559	568	585	598	610	617	635	644	664
C92651	691	719	730	744	780	799	818	844	841	805
C92653	739	767	795	820	841	864	842	879	889	909
C92654	637	666	667	665	680	682	689	699	710	726
C92655	721	736	758	775	795	804	812	821	832	850
C92656	706	738	742	756	777	789	799	815	836	843
C92657	664	694	700	705	721	733	742	753	759	760
C92658	708	727	744	762	781	804	815	837	846	860
C92659	718	735	751	772	784	792	800	823	817	821
C92660	552	567	570	586	596	603	601	606	603	615
C92661	648	638	642	654	686	703	715	714	721	735
C92663	749	779	795	825	843	879	886	924	924	935
C92664	672	704	707	714	740	756	760	758	760	769
C92665	756	775	794	811	827	844	856	891	915	908
C92666	679	705	717	738	771	780	799	805	823	745
C92667	733	755	786	802	817	821	819	856	864	894
C92669	658	678	705	717	739	755	759	783	804	812
C92670	553	570	584	593	598	594	582	569	530	481
C92671	622	664	674	675	697	685	705	727	734	759
C92672	660	685	713	728	755	782	800	825	852	863
C92673	656	676	687	713	728	737	761	784	814	832
C92674	704	723	747	771	783	809	822	850	864	876
C92675	596	615	630	655	667	683	701	721	732	750
C92677	612	635	648	666	681	685	705	728	734	753
C92679	709	748	765	811	849	845				
C92680	704	720	731	736	760	778	795	802	799	646

Appendix 3

Individual Body Weight Data (g)

PAGE: 54

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 3 - 2 PPM										
C92681	650	672	684	704	716	739	748	765	776	771
C92682	652	676	697	720	738	753	778	798	806	820
C92683	697	726	757	782	800	820	818	809	844	886
C92685	711	737	750	773	800	805	825	837	854	867
C92686	654	684	709	734	764	787	799	832	855	881
C92687	745	704	758	787	779	784	780	766	691	545
C92688	586	590	582	610	623	634	638	648	658	668
C92689	609	621	647	667	689	693				
C92690	795	817	835	863	895	916	934	961	986	1009
GROUP: MALE 4 - 5 PPM										
C92691	641	671	675	700	707	720	721	748	758	772
C92692	642	660	680	673	632					
C92693	654	674	679	704	721	733	731	754	770	777
C92694	675	700	720	739	758	778	778	801	807	838
C92695	611	629	648	664	675	686	690	692	708	720
C92696	598	616	618	651	678	684	685	703	728	728
C92697	626	645	657	676	703	709	721	743	643	
C92698	718	735	760	794	829	856	890	921	944	977
C92699	555	576	583	593	586	593	597	606	631	634
C92700	471	493	507	533	546	553	563	570	579	590
C92701	659	670	688	709	730	560				
C92702	590	607	619	633	643	655	671	686	699	701
C92703	684	711	739	760	785	811	804	686		
C92704	685	715	723	743	755	773	779	808	823	843
C92705	650	683	702	726	748	766	771	772	793	807
C92706	712	742	785	825	861	878	900	933	978	1001
C92707	582	594	608	630	638	649	658	675	692	703
C92708	574	596	611	637	655	668	663	682	698	709
C92709	593	596	604	628	655	669	665	681	685	675

Appendix 3

Individual Body Weight Data (g)

PAGE: 55

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 4 - 5 PPM										
C92710	616	637	652	670	692	702	703	712	711	720
C92711	645	667	679	701	721	745	746	760	787	800
C92712	739	761	779	816	842	863	878	877	894	905
C92716	733	734	673	647	629	618	566	531	566	545
C92717	684	710	720	738	762	779	782	802	821	828
C92720	690	721	739	770	791	816	824	832	858	884
C92721	570	587	603	590	598	621	624	651	657	673
C92723	701	717	729	746	769	767	791	820	830	837
C92724	740	767	784	822	851	871	878	907	937	954
C92725	576	596	609	613	610					
C92726	596	611	623	647	666	679	687	695	717	723
C92727	667	700	714	747	780	796	790	813	845	845
C92729	785	812	850	879	903	917	937	960	888	790
C92730	649	677	674	690	714	740	747	769	778	797
C92732	647	689	707	738	755	773	774	796	812	820
C92733	567	582	612	628	644	656	666	682	690	695
C92735	652	676	685	704	717	732	741	759	772	770
C92736	663	700	719	737	769	788	793	821	835	854
C92737	653	686	698	715	728	753	767	788	798	805
C92738	599	624	633	649	659	665	682	695	714	733
C92739	562	568	585	598	613	625	630	657	670	682
C92740	651	661	668	681	697	714	731	746	750	769
C92741	636	650	663	682	697	718	711	725	738	745
C92742	789	813	834	844	862	886	889	906	904	922
C92743	780	829	859	883	905	931	965	984	1017	1026
C92745	820	867	904	941	967	1010	1029	1065	1104	1123
C92746	736	759	770	778	795	827	819	850	853	886
C92747	632	666	672	681	696	722	726	757	779	792
C92748	682	710	729	732	750	767	764	787	784	809
C92749	593	608	636	658	672	686	695	703	723	729
C92750	655	681	696	708	725	729	755	771	794	812

Appendix 3

Individual Body Weight Data (g)

PAGE: 56

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 5 - 20 PPM										
C92751	710	722	764	791	818	843				
C92753	581	616	643	644	617	640				
C92754	518	542	553	558	573	588	663	682	698	719
C92755	620	651	671	689	699	732				
C92756	701	739	761	774	800	815	834	836	863	865
C92757	557	566	587	597	603	617	634	656	668	683
C92758	589	612	635	641	630	576	510	423		
C92760	604	628	648	663	685	707	730	754	765	713
C92761	532	552	572	578	594	604	617	603	619	641
C92762	597	629	649	678	712	727	760	789	799	816
C92763	830	886	919	962	992	1017	1044	1082	1080	1100
C92764	642	673	690	703	731	741	758	765	788	746
C92766	587	625	637	650	654	638	632	650	653	659
C92767	857	921	974	1026	1088	1114	1124	1196	1225	1246
C92768	669	706	722	731	766	777	789	791	808	817
C92769	665	670	696	706	724	743	764	780	799	815
C92770	687	724	758	783	826	846	877	904	923	916
C92771	673	716	734	756	770	799	824	859	876	905
C92772	620	648	665	666	684					
C92773	496	515	539	546	559	560	565	564	549	557
C92774	652	664	683	695	708	730	742	745	744	757
C92775	697	728	765	751	800	813	831	843	863	878
C92776	642	659	678	686	700	708	729	736	750	755
C92778	648	680	683	701	726	724				
C92780	525	550	561	583	596	619	631	640	640	654
C92781	587	607	626	639	660	671	682	705	718	708
C92782	613	645	681	708	735	755	766	802	831	862
C92783	701	745	769	796	813	846	878	910	926	938
C92784	615	644	677	698	729	749	778	784	806	814
C92785	582	611	630	646	663	678	702	719	731	752
C92786	630	663	684	696	716	726	752	769	785	790

Appendix 3

Individual Body Weight Data (g)

PAGE: 57

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 5 - 20 PPM										
C92787	600	607	625	589						
C92788	625	648	661	683						
C92790	597	611	625	638	697	715	720	745	771	776
C92791	574	609	639	661	693	717	733	754	768	786
C92792	625	643	646	665	678	697	704	722	747	755
C92794	573	598	602	625	632	630	541			
C92795	621	640	664	679	702	710				
C92796	521	544	556	570	583	573				
C92797	610	635	662	680	691	694	711	725	737	754
C92800	572	594	586	586	610	625	635	662	664	665
C92801	767	818	846	855	880	910				
C92802	625	646	666	696	733	752	786	824	829	865
C92803	599	622	618	623	644	657	667	676	679	697
C92804	602	632	661	678	713	732	740	769	792	813
C92805	681	694	716	720	739	747	783	802	816	692
C92806	631	640	669	664	670	680	694	684	711	719
C92807	629	670	679	690	725	737	760	789	801	818
C92808	534	554	555	553	574	583	591	602	609	617
C92809	602	623	641	648	661	672	684	697	710	726
C92810	622	650	671	686	716	737	746	780	796	809
C92811	677									
C92813	612	637	651	679	698	722	741	747	769	778
C92814	456	471	470	478	495	512	517	535	541	540
C92815	522	535	538	545	557	573	590	604	609	616
C92816	569	584	593	605	625	630	649	665		
C92817	809	853	890	933	982	1008				
C92818	591	621	626	632	659	672	685	696	712	714
C92819	537	562	578	583	617	633	654	669	687	700
C92820	504	516	520	497	530	537				

Appendix 3

Individual Body Weight Data (g)

PAGE: 58

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 6 - 20 PPM										
C92821	546	570	577	589	600	605	631	640	639	638
C92822	615	630	638	648	679	703	744	749	767	753
C92823	595	616	628	640	646	664	663	681	709	732
C92824	639	654	651	669	693	699	718	747	767	785
C92825	787	823	863	911	961	998	1036	1081	974	1038
C92826	600	630	641	655	683	703				
C92827	601	625	636	648	672	683	748	744	756	767
C92828	634	655	669	671	696	714	745	764	790	796
C92829	704	734	740	770	789	800	817	849	870	902
C92830	574	576	572	593	608	591	587	605	628	629
C92831	639	644	637	636	660	682	699	701	701	700
C92832	555	571	571	585	602	610	630	649	651	636
C92833	715	758	782	814	856	882	918	957	983	992
C92834	620	631	661	668	690	702	726	742	755	766
C92835	591	608	621	631	644	647	660	672	691	698
C92836	635	656	681	706	727	742	771	660	785	821
C92837	673	699	716	730	751	772	794	722	464	
C92838	613	628	646	660	685	697	717	745	644	
C92839	866	917	966	1003	1043	1059	1107	1103	1118	1140
C92840	557	586	598	610	631	648	667	670	696	705
C92841	530	569	582	594	613	624	652	680	716	
C92842	665	689	696	718	745	765	756	786	804	809
C92843	676	712	728	756	790	808	849	879	908	937
C92844	475	491	486	481	497	509	514	524	523	535
C92845	571	585	590	606	620	619	634	655	653	661
C92846	670	709	716	749	774	789	762	781	790	777
C92847	735	784	806	820	855	874	913	938	941	950
C92848	529	548	551	549	583	588	585	576	542	525
C92849	646	672	692	723	747	764	794	808	727	537
C92850	504	537	550	560	581	589	589	620	635	663
C92851	613	654	670	687	714	731	767	786	799	812

Appendix 3

Individual Body Weight Data (g)

PAGE: 59

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: MALE 6 - 20 PPM										
C92852	557	582	593	613	641	650	680	685	691	
C92853	597	615	632	648	674	676	717	752	773	798
C92854	647	679	693	716	743	759	783	820	847	880
C92855	573	594	618	619	631	664	685	646	557	481
C92856	565	572	581	594	618	625	653	661	661	678
C92857	646	677	702	714	744	785	809	736	805	862
C92858	684	696	701	717	748	765	794	811	837	834
C92859	613	630	638	661	680	690	703	683	617	544
C92860	562	570	572	586	585	608	622	646	663	670
GROUP: FEMALE 1 - 0 PPM										
C92862	269	278	283	304	315	310				
C92863	369	369	396	389	400	434	452	474	482	498
C92865	361	381	397	408	421	428	444	461		
C92866	356	340	358	377	408	413	421	438	451	456
C92867	380	384	405	414	433	440	467	485	481	501
C92868	360	376	389	407	420	423	442	444	449	456
C92869	290	293	300	312	345	328	357	366	374	386
C92870	338	346	364	380	389	410	422	440	453	482
C92871	367	371	384	397	416	435	452	474	506	531
C92872	336	348	353	377	392	401	422	435	434	459
C92873	289	290	313	328	339	352	362	378	381	403
C92874	355	377	401	426	437	453	467	481	488	506
C92875	316	322	350	369	385	392	412	414	398	422
C92876	326	330	347	370	377	384				
C92877	357	382	393	417	433	438	454	481	492	493
C92878	308	311	328	349	363	374	401	401	419	441
C92879	399	424	441	462	475	483	485	512	511	537
C92881	361	374	388	414	424	431	447	459	467	467
C92882	288	300	311	341	353	367	375	398	413	418

Appendix 3

Individual Body Weight Data (g)

PAGE: 60

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 1 - 0 PPM										
C92883	388	382	398	412	418	424	442	471	471	470
C92884	313	327	344	356	367	385	390	410	405	426
C92885	375	399	418	418	457	462	476	494	492	513
C92886	323	347	373	398	415	426	440	441	442	402
C92888	436	480	499	538	549	568	599	623	645	669
C92889	319	348	347	357	385	398				
C92890	377	385	395	417	436	463	473	493	500	515
C92891	318	331	337	349	358	358	370	380	382	393
C92892	442	479	504	538	577	580	591	641	652	668
C92893	290	295	304	312	315	323	332	339	336	350
C92894	323	326	342	352	358	363				
C92895	321	332	351	367	374	374	401	424	416	436
C92896	373	384	404	421	437	440	468	476	486	505
C92897	294	299	312	333	344	348	366	382	388	390
C92899	430	450	462	469	483	478				
C92900	368	396	423	443	466	488	520	533	554	577
C92901	333	353	359	375	386	392	421	423	432	444
C92902	514	531	571	607	628	648	680	704	726	763
C92904	290	278	307	334	344	321	347	386	401	417
C92906	317	327	338	348	359	362	385	383	397	404
C92907	335	372	348	353	359	358	372	389	407	414
C92908	377	408	445	465	485	507	535	551	560	573
C92909	327	355	354	369	387	384	397	418	422	431
C92910	349	359	377	403	412	420				
C92911	305	312	313	331	345	351	350	355	357	368
C92912	386	420	428	473	508	522	560	593	611	640
C92913	323	326	327	325	347	347	358	371	381	390
C92915	363	392	414	441	453	470	502	514	526	542
C92916	503	527	548	570	579	579	607	640	654	686
C92917	454	474	501	522	542	560				
C92918	344	364	380	399	423	426	457	485	492	476

Appendix 3

Individual Body Weight Data (g)

PAGE: 61

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 1 - 0 PPM										
C92920	330	340	348	371	375	383	404	413	421	442
C92921	486	514	542	554	477	350	306			
C92922	370	398	426	462	477	487				
C92923	319	340	361	381	393	403				
C92924	347	365	372	396	417	422	449	472	478	485
C92925	395	417	432	464	487	492	524	543	572	596
C92927	334	338	354	366	372	371	387	394	391	401
C92928	356	387	425	456	477	491	525	546	569	594
C92929	360	347	364	391	347	304	294			
C92930	559	593	617	646	666	668				
GROUP: FEMALE 2 - 0.5 PPM										
C92931	499	519	564	596	607	640	667	715	755	758
C92932	330	316	267							
C92933	484	508	519	519	531	545	554	581	591	591
C92934	310	336	363	370	382	413	432	446	438	439
C92935	415	427	463	479	496	518	550	579	603	619
C92936	320	336	352	362	368	377	387	389	398	414
C92937	356	374	393	408	420	431	370	388	283	
C92938	364	397	408	431	463	493	522	552	584	615
C92939	300	321	339	351	360	374	389	378	379	410
C92940	306	310	326	347	354	372	398	399	429	437
C92942	360	370	389	427	438					
C92943	404	427	458	472	489	503	533	540	550	585
C92946	335	352	380	401	408	421	423	426	447	480
C92947	340	347	368	383	385	411	421	425	436	440
C92948	408	431	451	473	485	510	552	562	570	586
C92949	472									
C92951	282	290	323	327	317	325	356	372	387	401
C92952	344	363	386	398	411	415	429	438	357	

Appendix 3

Individual Body Weight Data (g)

PAGE: 62

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 2 - 0.5 PPM										
C92953	301	305	337	328	343	344	360	368	375	379
C92954	321	340	356	373	389	402	415	436	456	479
C92955	422	443	475	485	492	507	544	569	588	607
C92956	408	418	443	466	489	502	529	537	555	572
C92957	337	360	355	389	395	406	434	438	460	461
C92958	304	320	340	354	366	376	385	401	408	432
C92959	371	389	392	431	437	440	465	418	473	455
C92960	395	414	423	459	473	481	501	509	533	548
C92961	504	532	557	580	591	613	645	667	677	710
C92963	315	327	335	345	354	376	364	392	390	401
C92964	362	371	387	398	412	418	418	442	454	479
C92965	327	328	343	364	378	393	419	436	458	470
C92966	281	287	293	302	304	305	315	330	340	329
C92968	400	445	464	431	408	402	405	411	399	
C92970	408	427	442	470	488	516	530	554	569	594
C92971	266	276	277	286	294	297	302	313	324	337
C92972	362	372	391	400	417	419	445	445	444	485
C92973	348	383	400	440	466	487	508	532	544	556
C92974	300	326	344	352	356	365	390	395	401	425
C92975	333	352	374	385	389	402	413	420	421	431
C92976	411	431	450	481	497	525	546	540	528	561
C92977	360	382	416	428	449	455	481	488	497	519
C92979	334	353	377	392	407	409	436	454	461	473
C92980	373	412	425	458	453	466	432	426		
C92981	381	372	394	426	431	437	460	474	486	411
C92983	366	373	386	406	414	419	445	450	470	483
C92984	384	389	410	433	447	453	474	477	497	507
C92985	421	400	434	465	480	477	499	540	554	598
C92986	310	318	326	341	347	348	362	368	375	395
C92988	359	374	404	422	447	445	463	478	494	518
C92989	353	361	377	398	409	390	397	419	430	431

Appendix 3

Individual Body Weight Data (g)

PAGE: 63

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 2 - 0.5 PPM										
C92990	338	367	386	407	428	436	450	475	497	511
GROUP: FEMALE 3 - 2 PPM										
C92991	320	338	337	357	355	383	395	421	428	466
C92992	348	361	385	410	420	439	474	460	480	497
C92994	315	325	336	336	349	364	379	371	375	391
C92997	302	307	313	323	329	326	342	348	356	369
C92998	383	391	299	216						
C92999	377	388	415	434	449	458	470	483	493	528
C93001	363	383	393	402	415	422	450	455	460	480
C93002	336	343	365	384	390	405	427	441	454	496
C93003	383	390	415	434	432	447	462	478	475	494
C93004	343	365	392	422	441	450	485	504	521	471
C93005	364	364	378	381	396	401	436	439	436	466
C93007	323	339	345	368	383	389	415	435	441	454
C93009	365	372	402	396	413	431	445	457	461	472
C93010	377	392	414	422	431	444	481	492	510	527
C93011	356	382	402	417	432	452	469	490	509	518
C93012	407	416	439	458	462	488	503	513	512	540
C93013	308	319	334	353	368	382	412	437	457	478
C93014	410	430	453	482	505	528	568	604	628	590
C93015	357	365	363	393	400	407	426	449	431	431
C93016	289	302	304	326	337	334	350	369	324	326
C93017	367	373	388	408	423	440	463	483	479	502
C93019	425	458	475	298						
C93020	355	392	410	405	442	452	493	511	402	
C93021	392	402	429	453	477	476	413	338		
C93022	403	405	439	452	472	478	509	546	575	595
C93024	330	350	367	394	403	427	444	475	483	491
C93025	386	428	434	457	452	476	505	545	562	576

Appendix 3

Individual Body Weight Data (g)

PAGE: 64

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 3 - 2 PPM										
C93026	320	331	350	356	363	364	382	393	391	405
C93027	329	340	354	367	384	384	414	435	462	476
C93028	351	350	366	383	391	405	411	436	447	463
C93029	310	320	328	336	346	355	364	383	394	410
C93030	382	410	421	447	468	486	510	516	536	557
C93032	361	384	400	415	433	443	460	493	513	519
C93033	384	395	398	376	371	339	307	308	289	
C93034	341	342	355	357	365	380	389	412	416	419
C93036	393	428	450	478	505	525	549	575	615	649
C93037	326	354	368	402	429	459	463	486	445	
C93038	305	312	334	349	363	386	401	425	471	534
C93039	379	386	408	440	459	478	510	524	540	558
C93040	285	291	298	313	323	328	333	347	347	364
C93041	399	416	435	458	461	484	489	507	521	524
C93042	427	453	478	521	546	567	597	638	659	647
C93043	388	400	414	431	455	473	496	523	536	556
C93044	312	328	337	358	370	391	412	387	339	
C93046	360	381	383	397	404	423	444	464	466	482
C93047	480	481	522	563	571	601	650	670	697	739
C93048	291	302	306	324	324	329	346	376	379	396
C93049	325	341	361	371	388	387	412	431	392	314
C93050	335	344	364	393	407	422	451	467	474	497
GROUP: FEMALE 4 - 5 PPM										
C93052	357	370	404	417	444	467	492	513	484	433
C93053	398	414	431	453	474	495	508	466	350	
C93054	313	325	346	360	382	386	415	415	390	392
C93055	395	387	409	442	479	508	532	550	585	609
C93056	351	358	367	380	386	392	413	424	443	461
C93057	321	323	341	351	361	368	383	399	400	418

Appendix 3

Individual Body Weight Data (g)

PAGE: 65

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 4 - 5 PPM										
C93059	342	370	372	392	407	413	438	461	473	489
C93060	332	332	350	376	374	391	415	439	424	466
C93061	404	410	427	453	470	493	522	528	534	555
C93062	313	328	337	349	356	365	378	393	393	406
C93063	333	349	358	377	388	397	408	422	412	435
C93065	274	289	298	308	319	333	350	366	371	375
C93066	365	367	391	404	419	443	454	484	463	463
C93068	338	351	365	377	385	396	420	424	419	435
C93069	426	432	434	456	463	484	503	511	522	534
C93072	373	373	382	401	418	416	434	444	454	464
C93073	331	340	338	349	371	405	422	442	431	393
C93074	416	432	453	410	472	506	553	578	586	607
C93076	359	386	401	429	430	428	470	495	504	557
C93077	387	398	413	434	440	450	427	445	444	483
C93078	327	340	350	361	368	381	423	441	441	465
C93079	370	385	393	440	445	486	515	526	540	578
C93080	344	352	365	380	390	408	424	427	433	445
C93081	319	328	341	350	367	391	428	436	429	458
C93082	400	404	412	429	436	437	446	463	466	489
C93083	340	353	368	387	397	427	442	454	462	493
C93086	348	354	369	382	387	408	436	446	466	487
C93087	295	303	294	323	327	335	360	372	369	388
C93088	342	342	349	360	369	387	404	412	412	376
C93089	330	339	356	363	372	380	396	407	397	419
C93090	301	302	314	344	341	356	372	399	408	421
C93091	368	390	400	420	432	449	472	501	516	549
C93092	326	337	347	356	358	367	393	406	397	429
C93093	389	409	432	445	463	473	492	521	512	510
C93094	330	354	368	379	391	410	435	455	475	488
C93095	322	333	340	345	353	366	374	389	393	421
C93097	338	344	356	361	378	395	394	407	412	437

Appendix 3

Individual Body Weight Data (g)

PAGE: 66

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 4 - 5 PPM										
C93098	324	364	357	365	388	382	409	434	443	447
C93099	379	400	414	439	453	478	506	542	542	549
C93100	339	341	366	391	411	418	444	476	470	485
C93101	310	321	332	351	373	376	399	418	424	422
C93102	378	390	404	428	439	451	476	488	484	503
C93103	352	396	424	439	474	476	495	512	540	558
C93104	481	504	498	532	536	535	562	574	549	522
C93105	332	352	362	384	391	405	438	449	449	471
C93106	316	327	344	378	369	374	399	437	442	467
C93107	333	336	342	354	357	364	371	367	373	395
C93108	311	317	321	332	348					
C93110	542	542	573	582	611	614	638	641	643	665
GROUP: FEMALE 5 - 20 PPM										
C93112	342	350	353	362	362	372				
C93113	288	290	312	321	330	344	359	371	372	385
C93115	266	284	306	322	335	344	377	388	403	430
C93116	289	296	302	307	320	317				
C93117	348	362	387	400	413	422				
C93118	307	308	304	318	332	329	336	332	317	358
C93119	263	271	288	296	306	321	331	334	271	297
C93120	277	285	300	309	317	314				
C93121	255	259	264	267	277	275	284	286	291	303
C93122	391	402	420	438	468	473	493	501	506	541
C93124	294	291	296	307	315	321	332	340	343	349
C93125	258	264	277	280	283	281	294	306	297	312
C93126	297	304	314	326	345	346	294			
C93128	306	301	317	327	332	333	345	349	354	372
C93129	301	311	311	325	340	335	356	365	368	392
C93130	345	343	372	373	401	418				

Appendix 3

Individual Body Weight Data (g)

PAGE: 67

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 5 - 20 PPM										
C93131	341	353	366	383	399	413	435	446	463	479
C93132	341	359	364	383	399	382	399	403	415	427
C93133	291	288	333	339	338	316	362	354	376	389
C93134	329	345	353	365	379	411	447	469	543	
C93135	317	321	330	354	351	351	379	387	397	414
C93136	319	325	336	349	353	363				
C93137	290	294	304	310	346	347	365	389	399	428
C93138	315	327	335	345	359	387				
C93139	274	281	297	311	316	315	332	344	346	361
C93140	385	413	436	455	486	493	509	519	525	534
C93141	342	360	373	387	403	416	432	435	458	479
C93145	274	280	280	295	310	309	322	338	332	332
C93146	263	261	271	277	280	282	299	302	297	312
C93147	287	291	293	309	309	315				
C93148	353	359	366	362	386	393	410	419	420	445
C93149	305	313	319	346	366	369	386	401	404	429
C93150	318	321	322	328	358	356	369	372	380	386
C93151	294	312	310	316	314	319	327	330	329	340
C93152	305	314	316	328	332	342	348	329	270	
C93153	278	283	297	307	321	335	351	358	368	387
C93154	294	323	332	339	349	342				
C93156	292	303	305	320	325	320	335	335	340	351
C93157	294	309	324	351	347	366	390	404	405	421
C93158	322	321	333	340	355	379	392	403	405	431
C93160	392	419	441	471	487	481	502	507	531	529
C93161	329	367	354	386	402	433	453	473	502	509
C93162	326	338	339	339	357	370	376	381	380	390
C93163	292	303	314	323	333	341				
C93164	281	288	289	296	306	318	328	335	339	358
C93165	305	316	321	336	342	348	360	375	379	388
C93166	355	356	380	373	388	409	420	430	451	453

Appendix 3

Individual Body Weight Data (g)

PAGE: 68

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 5 - 20 PPM										
C93167	370	379								
C93168	287	287	305	302	310	333	348	354	373	380
C93170	326	338	343	359	369	380	395	403	405	415
C93171	329	342	351	362	370	384				
C93172	328	334	341	354	372	370	388	391	406	407
C93173	302	308	318	335	341	348	367	371	373	387
C93174	326	332	338	346	383	396	388	415	424	430
C93175	282	289	289	299	296	302	306	309	307	316
C93176	335	350	357	372	380	396	417	416	427	440
C93177	275	277	278	290	295	296	296	304	310	309
C93178	292	306	304	313	326	334	344	349	355	359
C93179	275	277	285	292	299	295	303	312	315	320
C93180	346	358	371	383	399	403	430	512		
GROUP: FEMALE 6 - 20 PPM										
C93181	304	308	313	315	331	354	359	361	377	388
C93182	282	287	288	299	308	317	345	360	379	398
C93183	356	386	382	387	419	437	456	491	500	528
C93184	267	267	282	289	301	306	334	354	364	397
C93185	317	328	323	326	341	351	360	382	408	436
C93186	268	283	291	306	324	345	384	415	420	444
C93187	376	378	395	404	417	432	457	477	500	521
C93188	347	365	373	409	422	444	486	521	564	594
C93189	263	252	258	275	302	314	322	348	352	355
C93190	328	340	351	368	366	375	408	435	458	480
C93191	358	390	387	416	425	434	465	487	504	529
C93192	294	285	297	308	324	320	333	374	388	405
C93193	372	387	420	454	481	497	531	560	606	631
C93194	339	353	363	370	372	384	405	420	422	445
C93195	325	337	347	369	384	390	428	456	481	501

Appendix 3

Individual Body Weight Data (g)

PAGE: 69

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 33	WEEK 37	WEEK 41	WEEK 45	WEEK 49	WEEK 53	WEEK 57	WEEK 61	WEEK 65	WEEK 69
GROUP: FEMALE 6 - 20 PPM										
C93196	281	286	290	312	307	322	348	378	390	405
C93197	244	243	265	264	272	271	275	286	285	305
C93198	323	336	350	371	388	397	430	456	470	489
C93199	302	316	324	328	335	341	371	383	316	
C93200	280	302	304	318	315	324	348	364	371	392
C93201	275	282	283	295	296	299	320	336	335	352
C93202	275	283	285	287	291	292	311	346	333	349
C93203	346	359	372	392	401	412	467	489	493	519
C93204	297	305	318	329	348	360	393	408	419	439
C93205	317	318	330	338	342	348	354	384	399	407
C93206	309	306	319	329	342	342	382	409	447	479
C93207	280	289	206							
C93208	286	311	312	339	350	359	396	433	474	515
C93209	294	295	303	320	334	344	379	412	451	489
C93210	348	364	380	397	419	443	452	504	529	569
C93211	252	260	267	264	274	272	276	298	311	340
C93212	331	358	376	403	420	424	471	521	517	560
C93213	308	310	323	321	313	332	361	382	369	389
C93214	301	316	327	343	355	366	405	429	444	479
C93215	316	324	331	348	354	368	414	447	468	491
C93216	326	341	355	370	375	388	421	439	468	495
C93217	356	367	381	377	388	382	404	427	445	477
C93218	285	294	304	318	326	339	366	376	400	417
C93219	360	349	373	392	393	399	435	482	504	540
C93220	398	385	409	440	436	441	478	496	512	536

Appendix 3

Individual Body Weight Data (g)

PAGE: 70

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 1 - 0 PPM									
C92502	640	497							
C92503	771	759	728	687	612	581	532	478	445
C92505	729	742	744	756	745	751	746	707	679
C92508	659	498							
C92510	757	764	774	781	780	795	807	806	808
C92513	743	746	755	765	757	769	789	786	789
C92514	962	972	986	1005	970	953	1015	1056	1070
C92515	749	740	751	764	765	779	781		
C92518	891	902	922	928	920	945	814	856	892
C92519	720	739							
C92520	644	603	565						
C92522	818	828	825	838	824	800	723		
C92527	841	842	709						
C92530	790	692							
C92533	928	940	947	904					
C92535	823	827	840	843	842	846			
C92536	832	842							
C92537	1063	1077	1096	1111	1100	1101			
C92538	1155								
C92539	951	939	944	918	839	780	596		
C92541	941	958	971	989	981	1018	1000	899	760
C92542	754	766	772	794	798	817	835	832	821
C92543	733	745	747	770	772	785	802		
C92544	660	672	672	675	680	675	620	604	583
C92545	935	942	952	998	1015	1008			
C92547	850	857	836	790					
C92548	758	676	570						
C92549	680	694							
C92550	954	979	987	1001	996	1010	1018	992	
C92551	743	742	743	755	749	772	765	756	719
C92552	903	902	903	885	829	766	689	553	
C92554	697	708	717	735	742	752	736	690	

Appendix 3

Individual Body Weight Data (g)

PAGE: 71

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 1 - 0 PPM									
C92557	818	817	783	671	459				
C92558	793	661							
C92559	769	770							
C92560	867	774							
C92563	745	743	702						
C92565	853	857	853	861	838				
C92567	855	854	861	848	826				
C92568	806	802	790	799	790	760	722	651	
C92569	683	681	682	685	668	688	676	658	644
GROUP: MALE 2 - 0.5 PPM									
C92571	859	877	910	953	972	1007	926	662	
C92572	863	854	858	830	826	792	724	514	
C92573	854	818	752						
C92576	948	946	982	936	945	928	803		
C92577	974	967	982	943	952	977	951	938	934
C92578	973	964	932	776					
C92579	820	759	698	557					
C92580	808	632							
C92581	972	973	947	954	907	833	688	593	364
C92582	675	676	693	701	714	744	731	586	
C92583	754	749	766	737	740	735	729	686	624
C92586	529								
C92587	840	823	816	652					
C92588	685	678	674	665	668	670	631	528	
C92589	831	813	782	726	693	632	517		
C92590	843	839	836	859	868	876	877	897	887
C92591	811	803	808	822	827	830			
C92592	890	883	879	895					
C92594	765	764	760	770	798	806			

Appendix 3

Individual Body Weight Data (g)

PAGE: 72

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 2 - 0.5 PPM									
C92595	713	663	597						
C92597	703	692	695	708	694	708	701	710	698
C92598	760	764	770	782	783	787	801	796	781
C92601	802	815	829	839	835	857	859	864	853
C92602	613	593	605	608	620	641	658	662	668
C92604	924	822	716	604	472				
C92605	907	894	874	872	871	845	778	678	
C92606	777	764							
C92607	868	857	820	663	520				
C92608	655	469							
C92609	799	781	792	809	824	832	843	823	
C92611	688	696	722	805					
C92612	815	606							
C92614	758	746	741	739	740				
C92615	933	921	907	865	721				
C92617	881	744	561						
C92619	679	672	677	685	692	717	711	726	732
C92620	610	615	590	613	617	569			
C92622	891	910	901						
C92623	686	686	698	713	717	735	739	744	741
C92625	867	776	687						
C92626	736	751	718	735	746	768	788	788	788
C92628	465								
C92629	788	638							
C92630	729	715	656	561					
GROUP: MALE 3 - 2 PPM									
C92631	725	729	742	754	765	786	807	804	808
C92632	846	842	815	792	778	778	772	758	
C92633	841	840	846	847	829	859	869	853	871

Appendix 3

Individual Body Weight Data (g)

PAGE: 73

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 3 - 2 PPM									
C92634	825	828	841	862					
C92635	756	605							
C92636	875	870	894	908	928	937	937		
C92637	702	707	718	726	729	711	673	605	536
C92638	980	917	849	702	575				
C92639	725	582	628	489					
C92641	740	727	731	743	708	717	712	748	665
C92642	789	783	780	784	786	798	814	829	831
C92643	670	666	666	680	681	688	695	720	741
C92644	705	696	703	692	712	738	744	748	702
C92647	780	768							
C92648	706	675	630	524					
C92649	685	682	689	697	701	726	711	724	729
C92651	702	572	380						
C92653	927	932	945	957	962	965	968	953	823
C92654	743	652							
C92655	871	858	845	844	824	710			
C92656	857	844	829	813	751	616	461		
C92657	782	774	782	792	787	804	806	833	820
C92658	868	865	878	867	888	844			
C92659	835	802	777	769	767	779	795	737	748
C92660	622	623	614	640	662	644	663	667	703
C92661	725	684	614	422	429				
C92663	940	955	966	983	975	994			
C92664	744	608							
C92665	936	934	928	888					
C92666	645								
C92667	895	670							
C92669	843	832	838	854	875	889	918	923	858
C92670	422								
C92671	776	772	762	803	812	790			

Appendix 3

Individual Body Weight Data (g)

PAGE: 74

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 3 - 2 PPM									
C92672	893	903	912	917	911	903			
C92673	849	853	862	885	877	845			
C92674	890	900	919	933	934	950	960	982	968
C92675	758	771	762	766	762	751	699	564	
C92677	759	752	737	736	760	767	760		
C92680	558	555	524						
C92681	769	728	669	583					
C92682	842	840	845	846	868	913	923	941	931
C92683	913	923	939	947	953	998	992	1002	947
C92685	827	725							
C92686	906	922	856						
C92688	627	597	631	629	620	516	413		
C92690	1042	1035	1027	1025	1047	1043	1052	1076	1073
GROUP: MALE 4 - 5 PPM									
C92691	785	771	766	755	763	769	771	771	768
C92693	783	773	775	771	793	820	811	750	751
C92694	867	867	876	893	916	936	960	975	968
C92695	727	720	725	725	739	763	772	779	767
C92696	744	729	742	750	778	804	815	824	824
C92698	1006	1021	1016	1015	1041	1077	1091	1060	797
C92699	631	626	635	648	673	680	657	678	674
C92700	604	591	598	603	616	629	637	624	568
C92702	729	745	760	774	801	809	814	751	635
C92704	853	841	848	854	874	905	908	916	903
C92705	824	827	828	832	847	867	866	878	899
C92706	1021	1015	973	931	931	943	888		
C92707	719	719	717	729	592				
C92708	704	697	707	707	729	765	782	775	755
C92709	649	606	573	502	467				

Appendix 3

Individual Body Weight Data (g)

PAGE: 75

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 4 - 5 PPM									
C92711	804	800	809	819	727				
C92712	921	877	768	611					
C92716	548	503	506	503	519	498	517	481	495
C92717	828	831	823	831	831	832	760	698	649
C92720	886	908	1019						
C92721	695	702							
C92723	861	855							
C92724	958	953	946	950	958	974	1004	995	997
C92726	733	735	729	730	751	762	690	739	776
C92727	843	843	815	810	776				
C92729	698	631							
C92730	814	810	813	834	837	838	780	700	588
C92732	834	825	821						
C92733	712	693	683	569	418				
C92735	791	796	796	811	816	834	829	826	829
C92736	862	865	873	876	888	880	872	901	897
C92737	822	825	837	824	708				
C92738	744	733	718	673	649				
C92739	686	693	695	712	734	754	770	781	779
C92740	780	739	771	780	808	827	839	876	887
C92741	744	757	738	704	540				
C92742	924	938	941	926	919	950	958	963	931
C92743	1046	1075	1089						
C92745	1102	1120	1040	872	703				
C92746	886	895							
C92747	811	803	815	827	750	778	785	761	748
C92748	811	817	813	818	821	830	758	715	620
C92749	744	750	745	759	781	796	818	818	
C92750	826	819	823	833	838	843	838	819	702

Appendix 3

Individual Body Weight Data (g)

PAGE: 76

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 5 - 20 PPM									
C92753	736	744	754	771	807	824	843	810	776
C92756	898	901	893	770					
C92757	702	721	723	753	765	753	742	701	608
C92760	551								
C92761	649	638	643	612	589	579	574	576	564
C92762	832	822	803	786	801	807	791	736	677
C92763	1121	1113	1118	1140	1120	932			
C92764	594								
C92766	663	650	663	673	652	673	664	655	
C92767	1269	1200	1168	1178	1223	1201	1100		
C92768	827	831	838	852	849	926			
C92769	832	824	828	833	798	788	777	705	
C92770	937	929	845	886	890	908	905	689	
C92771	932	929	763						
C92773	559	558	579	565	555	567	569	580	597
C92774	778	778	784	786	808	811	810	821	797
C92775	901	909	910	916	931	920	886	820	673
C92776	768	763	744	754	757	767	778	788	785
C92780	672	669	671	690	697	689	667	611	543
C92781	517	379							
C92782	893	911	926	956	976	984	1013	1026	1017
C92783	945	861							
C92784	844	745							
C92785	780	784	792	809	811	819	755		
C92786	808	806	809	814	835	840	852	864	872
C92788	792	803	799	828	836	852	874	892	889
C92791	797	795	803	820	825	837	845	850	859
C92792	787	781	775	795	788	798	765	751	714
C92797	779	778	774	778	828	965			
C92800	682	682	677	683	696	689	688	678	638
C92802	897	904	907	933	939	938	981	1014	988

Appendix 3

Individual Body Weight Data (g)

PAGE: 77

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 5 - 20 PPM									
C92803	704	704	702	705	706	720	724	734	753
C92804	836	848	841	878	886	892	888	938	951
C92806	728	763	763	776	785	776	720		
C92807	849	864	809	702					
C92808	626	625	630	632	644	646	635	652	643
C92809	738	759	769	785	798	839	885	901	872
C92810	836	855	847	865	785	667	422		
C92813	797	818	788	789	751	740	615		
C92814	556	551	567	567	571	588	591	609	621
C92815	643	645	654	686	690	705	713	770	769
C92818	733	726	730	733	731	750	752	716	755
C92819	712	721	722	735	745	775	787	769	
GROUP: MALE 6 - 20 PPM									
C92821	693	718	743	775	788	806	800	799	821
C92822	715	613	496						
C92823	758	761	790	792	822	822	850	847	835
C92824	751	613	721	611	651	625			
C92825	1119	1112	1068	1048	994	954			
C92827	784	778	796	809	813	834	841	849	820
C92828	829	832	840						
C92829	923	925	912	847	793	856	902	892	765
C92830	638	604	564	534	489	463	448		
C92831	735	712	724	622					
C92833	1028	1042	1039	1044	1019	917	920	786	836
C92834	782	778	767	760	751	757	754	719	696
C92835	687								
C92836	860	850	874	869	877				
C92839	1116	1083	1091	1023	904				
C92840	727	717	725	735	747	773	784	676	

Appendix 3

Individual Body Weight Data (g)

PAGE: 78

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: MALE 6 - 20 PPM									
C92842	852	851	855	847	827				
C92843	978	979							
C92844	553	564	542						
C92845	684	679	686	680	687	704			
C92846	780	768	756	747	656	701	662	618	
C92847	978	978	958	946	923	809	644		
C92848	502	503	510	466	475	481	463	471	379
C92850	686	705	733	740	738	738	671	654	511
C92851	832	844	852	850	823	828	819	815	827
C92853	824	845	860	874	870	899	907	863	770
C92854	916	930	943	956	915	967	968	925	
C92856	682	677	675	675	587	652	663	648	650
C92857	870	868	716						
C92858	865	877	879	898	879	764	534		
C92860	697	708	728	733	730	751	639		
GROUP: FEMALE 1 - 0 PPM									
C92863	505	500	497						
C92866	466	471	488	500	506	518	510	467	386
C92867	513	531	552	567	592	597	603	611	621
C92868	469	474	486	495	521	535	552	580	580
C92869	400	404	423	433	452	450	454	462	471
C92870	505	524	536	571	590	570	535	493	
C92871	561	568	600	626	642	672	687	696	673
C92872	458	480	498	495	512				
C92873	410	415	443	447	458	459	474	487	470
C92874	525	540	541	568	593	610	608	628	578
C92875	440	370							
C92877	507	503	510	519	533	524	533	531	519
C92878	457	461	520						

Appendix 3

Individual Body Weight Data (g)

PAGE: 79

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 1 - 0 PPM									
C92879	511	511	433	376	361	312			
C92881	490	473	479	498	499	497			
C92882	458	464	479	482	507	496	511	517	522
C92883	486	493	502	470			480	484	469
C92884	429	416	406	367	361	381			
C92885	521	529	535	548	558	555	536	524	489
C92886	396	443	681						
C92888	683	676							
C92890	527	545	553	549	546	541	555	560	540
C92891	401	396	380	353					
C92892	678	703	721	749	744	765	759	759	726
C92893	368	372	380	408					
C92895	442	451	459	458	462	475	477	485	497
C92896	527	517	533	530	548	547	557	556	563
C92897	384	400	435	424	460	474	463	400	322
C92901	447	342							
C92902	805	817	815	807					
C92904	428	432	448	468	476	469	477	479	
C92906	399	415	415	415	422	410	401	418	371
C92907	420	427	445	459	476	493	492	487	497
C92908	578	587	601	599	508	368			
C92909	435	444	442	451	444	459	458	466	482
C92911	380	381	384	373	385	368	381	395	385
C92912	658	677	696	693	715	713	739	749	735
C92913	405	406	419	425	440	454	461	467	438
C92915	539	547	552	563	560	422			
C92916		708	678	684	569	479			
C92918	376								
C92924	499	497	491	483					
C92925	598	613	633	645	608	558	476	593	599
C92927	415	419	420	429	448	440	440	441	455

Appendix 3

Individual Body Weight Data (g)

PAGE: 80

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 1 - 0 PPM									
C92928	606	620	585						
GROUP: FEMALE 2 - 0.5 PPM									
C92933	602	598	611	622	624				
C92934	469	481	477	403					
C92935	638	627	559	472					
C92936	415	421	431	437	440	441	432	423	343
C92938	628	642	666	659	682	696	719	735	688
C92940	458	473	511	558					
C92943	612	637	655	595	515	391	353		
C92946	492	514	509	534	552	566	577	599	592
C92947	455	460	475	483	476	413			
C92948	592	595	600	608	612	573	449		
C92951	391	393	404	411	422	429	407	413	
C92953	391	406	411	419	435	441	453	454	468
C92954	480	501	517	527	564	566	576	464	
C92955	612	612	572	518	429				
C92956	588	592	614	626	650	663	678	624	
C92957	458	465	469	471	493	501	513	519	566
C92958	442	454	449	408	358				
C92959	469	492	503	511	547	552	460		
C92960	546	564	591	616	634	604	653	674	704
C92961	738	744	729	779	844	844	747		
C92963	379	373	372	374	378	353			
C92964	485	464	454	473	498	487	495	516	529
C92965	455	452	305						
C92970	604	628	646	654	661	633	597	487	367
C92971	347	354	406	473	584				
C92972	481	485	513	512	501	394			
C92973	571	592	606	634	652	655	687	701	644

Appendix 3

Individual Body Weight Data (g)

PAGE: 81

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 2 - 0.5 PPM									
C92974	424	425	440	440	462	450	452	402	363
C92975	440	448	461	487	503	517	515	496	531
C92976	611	679	738	729	733	715	661	529	
C92977	525	530	552	549	568	570	571		
C92979	477	491	504	522	409				
C92983	497	508	528	542	569	588	595	551	402
C92984	531	546	566	572	590	601	597	578	544
C92985	642	681	724	723	743	708	608		
C92986	395	402	424	432	458	482	499	503	489
C92988	526	543	540	562	571	591	613	606	617
C92989	444	451	446						
C92990	500	519	538	550	550	540			
GROUP: FEMALE 3 - 2 PPM									
C92991	472	498	527	549	557	576	589	595	
C92992	512	510	523						
C92994	401	417	364						
C92997	373	364	354						
C92999	500	447	415	333	323				
C93001	491	471	402						
C93002	502	456	385						
C93003	492	504	507	528	561	561	570	537	
C93004	393								
C93005	480	481	381	349	387				
C93007	453	457	470	482	480	511	516	531	
C93009	483	477	478	464	443				
C93010	558	574	593	575	471				
C93011	546	547	559	583	605	624	639	657	
C93012	596	605	595						
C93013	499	435	364	299					

Appendix 3

Individual Body Weight Data (g)

PAGE: 82

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 3 - 2 PPM									
C93014	489								
C93015	478	485	497	503	515	563	495	485	
C93016	293	305	278						
C93017	512	524	524	534	519				
C93022	593	632	647	677	687	681	670	649	
C93024	510	507	433	370					
C93025	576	584	598	618	632	656	661	628	
C93026	412	425	416	415	428	411	397	375	
C93027	500	505	543	530	423				
C93028	479	494	490	466	427				
C93030	581	591	611	619	617	581			
C93032	504	388							
C93034	412	404	432						
C93036	693	745	771	752					
C93039	566	579	600	603	597	594	612	618	
C93040	372	373	386	384	384	348	359	333	
C93041	533	533	439						
C93042	673	677	653	590	515	436			
C93043	572	583	597	608	610	608	633		
C93046	468	490							
C93047	803	829	818	849	878	888	918	913	
C93048	401	411	419	428	433	445	446	474	
C93050	504	522	536	535	546	550	508		
GROUP: FEMALE 4 - 5 PPM									
C93055	634	524							
C93056	475	495	519	537	552	527	432		
C93057	429	431	438	458	458	428	440		
C93059	496	510	520	541	557	584	596	615	621
C93060	465	473	480	480	502	508	510	480	498

Appendix 3

Individual Body Weight Data (g)

PAGE: 83

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 4 - 5 PPM									
C93061	513	412							
C93062	411	405	422	429	428	430	442	432	434
C93063	429	448	465	460	482	504	526	528	529
C93065	367	298	309	292	324	350			
C93066	477	481	494	493	528	532			
C93068	447	456	449	440	450	430	431	382	
C93069	558	565	570	589	611	642	716	685	
C93072	472	463	480	481	474	510	519	506	521
C93073	289								
C93074	608	622	522						
C93076	598	616	621	670	674	570			
C93077	511	521	550	588	604	627	640	627	621
C93078	464	479	486	486	510	534	592	601	643
C93079	578	588	600	614	623	619	629	648	623
C93080	469	472	473	500	516	518	530	537	537
C93081	449	458	450	454	457	482	491	479	484
C93082	487	497	509	523	542	569	507		
C93083	503	511	536	566	565	575	597	556	508
C93086	513	449	382	346	341				
C93087	402	402	422	425	442	467	437		
C93088	339	376							
C93089	415	408	412	418	417	375			
C93090	428	442	453	456	475	498	512	513	453
C93091	553	510							
C93092	370	312							
C93093	516	521	521	498	480	475			
C93094	521	524	533	559	552	536			
C93095	421	430	444	449	430	431	420	440	290
C93097	435	442	439	440	424	444	412		
C93098	451	470	478	481	482	500	517	519	490
C93099	560	566	580	571	557	537			

Appendix 3

Individual Body Weight Data (g)

PAGE: 84

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 4 - 5 PPM									
C93100	498	514	535	544	535				
C93101	440	451	448	450	437	462	484	479	490
C93102	499	506	510	521	532	544	554	545	562
C93103	575	608	634	615	635	644	552		
C93104	460	348	281						
C93105	408	411	394	310	329				
C93106	476	498	502	515	513	518			
C93107	397	392	403	418	421	437	468	474	494
C93110	686	666	660	620	483				
GROUP: FEMALE 5 - 20 PPM									
C93113	408	425	442	446	472	507	525	546	580
C93115	434	463	482	507	518	541	562	528	507
C93118	363	407	379	433	422	392			
C93119	313	330	341	339	361				
C93121	269	215							
C93122	599	600	605	606	543				
C93124	359	357	342	336	323	356	354	390	432
C93125	314	313	308	308	307	298	292	276	301
C93128	378	380	398	419	430	436	446		
C93129	396	396	410	425	429	396	335		
C93131	485	494	482	487	503	467			
C93132	437	455	458	485	493	472	445	445	265
C93133	395	404	402	414	413	416	424	426	425
C93135	365	391	368	381	398	416	435	448	473
C93137	455	460	507	494	504	496	482	467	446
C93139	364	363	374	373	366	352	345	332	329
C93140	542	537	545	559	563	571	565	548	514
C93141	486	488	512	534	537	545	530		
C93145	328								

Appendix 3

Individual Body Weight Data (g)

PAGE: 85

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 5 - 20 PPM									
C93146	323	330	334	342	353	352	360	373	356
C93148	462	462	479	492	505				
C93149	434	429	441	432	449	447	472	413	338
C93150	384	378	352	360	341				
C93151	335	335	336	339	345	377	401	456	526
C93153	407	410	403	416	421	410	486	452	463
C93156	335	262	362	345					
C93157	440	458	469	485	499	513	552	572	583
C93158	439	429	438	457	455	465	459	464	485
C93160	408								
C93161	543	563	557	583	583	652	687	700	729
C93162	408	411	411	413	433	439	452	447	429
C93164	367	381	390	410	416	430	457	464	476
C93165	399	415	421	426	424	438	463	462	464
C93166	461	471	464	486	476	496	509	522	511
C93168	381	387	391	399	395	400	419	413	407
C93170	424	427	441	446	433	383			
C93172	341	261							
C93173	396	407	401	385	437	473	504	492	
C93174	433	445	458	461	476	485	485	494	495
C93175	320	319	318	306	316				
C93176	449	450	424	377					
C93177	315	320	320	322	327	331	342	346	355
C93178	367	379	377	381	388	396	403	396	394
C93179	322	318	325	308	307	316	331	326	331
GROUP: FEMALE 6 - 20 PPM									
C93181	405	407	419	431	436	448	461	470	472
C93182	434	467	491	508	523	538	560	568	559
C93183	547	578	600	621	646	678	707	749	804

Appendix 3

Individual Body Weight Data (g)

PAGE: 86

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 6 - 20 PPM									
C93184	432	443	465	490	518	544	559	580	583
C93185	458	468	480	503	506	528	554	549	569
C93186	457								
C93187	535	545	553	567	496	566	557	491	
C93188	617	645	666	694	715	720	721	687	709
C93189	380	380	386	301					
C93190	507	518	526	546	543	523	441	340	330
C93191	546	553	563	596	581				
C93192	433	464	467	496	519	537	569	570	551
C93193	632								
C93194	450	450	424	358	346				
C93196	432	432	433	413					
C93197	308	305	324	324	324	350	356	362	369
C93198	511	519	536	547	544	569	574	579	590
C93200	415	421	434	454	485	474			
C93201	365	389	399	411	421	448	449	453	472
C93202	384	382	390	419	427	441	462	459	472
C93203	544	526	509	460	423				
C93204	428	438	442	470	484				
C93205	430	451	472	486	501	509	540	520	463
C93206	504	525	553	566	580	594	503	388	
C93208	548	571	575						
C93209	505	540	541	576	585	584	614	634	638
C93210	593	608	619	658	700	677	604	471	337
C93211	361	357	376	404	409	426	424	425	383
C93212	580	568	519						
C93213	410	376	310						
C93214	512	531	550	572	611	620	635		
C93215	511	501	416	335					
C93216	505	531	541	535	551	549	578	579	577
C93217	503	517	529	583	604				

Appendix 3
Individual Body Weight Data (g)

PAGE: 87

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 73	WEEK 77	WEEK 81	WEEK 85	WEEK 89	WEEK 93	WEEK 97	WEEK 101	WEEK 105
GROUP: FEMALE 6 - 20 PPM									
C93218	428	442	453	458	470				
C93219	560	577	588	622	651	683	733	763	794
C93220	553	568	584	595	599	608	618	624	620

APPENDIX 4

Individual Food Consumption Data (g)
Individual Test Material Consumption Data (mg/kg/day)

Appendix 4

Individual Food Consumption Data (g)

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 1 - 0 PPM										
C92501	178.00	203.00	212.00	217.00	214.00	218.00	218.00	219.00	218.00	222.00
C92502	164.00	166.00	180.00	185.00	178.00	179.00	176.00	180.00	178.00	181.00
C92503	166.00	178.00	191.00	203.00	192.00	SPILLED	194.00	192.00	197.00	191.00
C92504	169.00	181.00	177.00	184.00	187.00	186.00	203.00	199.00	193.00	194.00
C92505	163.00	SPILLED	175.00	SPILLED	SPILLED	201.00	194.00	SPILLED	184.00	SPILLED
C92506	160.00	171.00	182.00	NOT TAKEN						
C92507	169.00	196.00	191.00	195.00	189.00	189.00	185.00	181.00	178.00	184.00
C92508	160.00	165.00	177.00	174.00	175.00	182.00	182.00	174.00	174.00	177.00
C92509	157.00	164.00	172.00	180.00	174.00	169.00	173.00	167.00	178.00	174.00
C92510	177.00	SPILLED	205.00	218.00	213.00	208.00	209.00	210.00	199.00	193.00
C92511	179.00	192.00	202.00	210.00	SPILLED	235.00	SPILLED	SPILLED	231.00	SPILLED
C92512	166.00	179.00	181.00	181.00	187.00	196.00	190.00	180.00	183.00	192.00
C92513	165.00	SPILLED	191.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	191.00	185.00
C92514	179.00	200.00	205.00	211.00	203.00	208.00	207.00	204.00	206.00	213.00
C92515	151.00	164.00	174.00	181.00	176.00	175.00	185.00	184.00	182.00	182.00
C92516	156.00	168.00	176.00	180.00	176.00	179.00	171.00	165.00	171.00	166.00
C92517	180.00	192.00	202.00	213.00	218.00	215.00	215.00	209.00	210.00	207.00
C92518	167.00	191.00	183.00	196.00	196.00	199.00	200.00	198.00	205.00	211.00
C92519	154.00	160.00	173.00	175.00	171.00	180.00	176.00	169.00	169.00	172.00
C92520	154.00	181.00	196.00	187.00	189.00	190.00	193.00	SPILLED	196.00	187.00
C92521	164.00	170.00	188.00	186.00	203.00	198.00	191.00	SPILLED	185.00	197.00
C92522	164.00	177.00	175.00	179.00	169.00	180.00	165.00	171.00	167.00	169.00
C92523	148.00	158.00	168.00	172.00	173.00	178.00	175.00	176.00	178.00	169.00
C92524	190.00	200.00	199.00	NOT TAKEN						
C92525	166.00	169.00	182.00	187.00	190.00	189.00	181.00	183.00	183.00	181.00
C92526	181.00	186.00	196.00	NOT TAKEN						
C92527	168.00	SPILLED	198.00	195.00	188.00	189.00	185.00	186.00	196.00	190.00
C92528	151.00	159.00	170.00	183.00	180.00	190.00	192.00	176.00	173.00	SPILLED
C92529	159.00	179.00	175.00	NOT TAKEN						
C92530	SPILLED	SPILLED	SPILLED	SPILLED	223.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92531	168.00	181.00	204.00	SPILLED	206.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED

Appendix 4

Individual Food Consumption Data (g)

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 1 - 0 PPM										
C92532	200.00	215.00	SPILLED	234.00	241.00	SPILLED	SPILLED	241.00	SPILLED	225.00
C92533	193.00	206.00	206.00	206.00	211.00	SPILLED	213.00	211.00	212.00	202.00
C92534	181.00	170.00	178.00	191.00	186.00	192.00	187.00	183.00	188.00	177.00
C92535	173.00	185.00	194.00	205.00	202.00	SPILLED	228.00	215.00	213.00	201.00
C92536	165.00	180.00	187.00	198.00	197.00	197.00	189.00	174.00	184.00	175.00
C92537	177.00	190.00	202.00	208.00	212.00	219.00	213.00	220.00	218.00	209.00
C92538	160.00	175.00	183.00	191.00	195.00	197.00	197.00	200.00	195.00	188.00
C92539	181.00	188.00	191.00	204.00	202.00	207.00	221.00	220.00	218.00	216.00
C92540	176.00	190.00	190.00	204.00	206.00	210.00	217.00	207.00	211.00	206.00
C92541	173.00	183.00	195.00	198.00	193.00	193.00	199.00	195.00	200.00	194.00
C92542	171.00	185.00	184.00	173.00	196.00	184.00	189.00	189.00	185.00	181.00
C92543	169.00	171.00	167.00	159.00	178.00	178.00	177.00	175.00	170.00	166.00
C92544	166.00	SPILLED	196.00	189.00	182.00	184.00	189.00	134.00	128.00	124.00
C92545	177.00	177.00	176.00	184.00	190.00	196.00	199.00	196.00	198.00	190.00
C92546	163.00	171.00	172.00	NOT TAKEN						
C92547	178.00	195.00	199.00	210.00	209.00	218.00	214.00	214.00	205.00	202.00
C92548	171.00	169.00	168.00	162.00	178.00	184.00	187.00	SPILLED	SPILLED	181.00
C92549	149.00	157.00	164.00	166.00	170.00	SPILLED	175.00	165.00	165.00	167.00
C92550	146.00	161.00	175.00	188.00	195.00	167.00	210.00	206.00	209.00	207.00
C92551	155.00	166.00	159.00	165.00	160.00	171.00	176.00	170.00	170.00	166.00
C92552	168.00	177.00	176.00	195.00	189.00	185.00	193.00	189.00	191.00	189.00
C92553	136.00	145.00	157.00	SPILLED	152.00	153.00	153.00	153.00	160.00	148.00
C92554	150.00	154.00	153.00	162.00	156.00	163.00	162.00	158.00	157.00	158.00
C92555	161.00	180.00	183.00	242.00	186.00	210.00	211.00	201.00	SPILLED	204.00
C92556	157.00	185.00	181.00	189.00	180.00	185.00	179.00	179.00	174.00	177.00
C92557	156.00	170.00	178.00	187.00	188.00	190.00	193.00	192.00	SPILLED	SPILLED
C92558	171.00	190.00	202.00	202.00	204.00	207.00	215.00	205.00	203.00	210.00
C92559	181.00	183.00	183.00	182.00	188.00	188.00	186.00	185.00	189.00	183.00
C92560	161.00	172.00	176.00	176.00	175.00	182.00	186.00	182.00	184.00	180.00
C92561	143.00	158.00	166.00	180.00	179.00	186.00	174.00	182.00	186.00	185.00
C92562	219.00	188.00	186.00	183.00	182.00	SPILLED	SPILLED	SPILLED	185.00	191.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 1 - 0 PPM										
C92563	169.00	SPILLED	190.00	200.00	197.00	205.00	201.00	202.00	208.00	204.00
C92564	166.00	174.00	178.00	186.00	195.00	199.00	194.00	189.00	192.00	187.00
C92565	164.00	178.00	181.00	184.00	193.00	198.00	200.00	SPILLED	208.00	202.00
C92566	165.00	172.00	195.00	203.00	206.00	192.00	193.00	196.00	201.00	199.00
C92567	157.00	173.00	180.00	192.00	194.00	195.00	194.00	190.00	189.00	181.00
C92568	152.00	163.00	177.00	182.00	185.00	189.00	193.00	192.00	198.00	195.00
C92569	162.00	163.00	172.00	182.00	192.00	195.00	198.00	SPILLED	185.00	189.00
C92570	171.00	SPILLED	187.00	194.00	199.00	196.00	198.00	198.00	198.00	191.00
GROUP: MALE 2 - 0.5 PPM										
C92571	148.00	169.00	185.00	183.00	182.00	196.00	SPILLED	205.00	SPILLED	223.00
C92572	163.00	173.00	179.00	198.00	197.00	198.00	205.00	195.00	203.00	210.00
C92573	175.00	195.00	SPILLED	195.00	224.00	233.00	SPILLED	214.00	218.00	203.00
C92574	167.00	179.00	SPILLED	NOT TAKEN						
C92575	158.00	CNTMD	159.00	NOT TAKEN						
C92576	172.00	178.00	185.00	191.00	194.00	191.00	189.00	189.00	189.00	188.00
C92577	168.00	181.00	194.00	200.00	196.00	SPILLED	219.00	200.00	190.00	198.00
C92578	175.00	175.00	175.00	180.00	185.00	SPILLED	217.00	193.00	190.00	201.00
C92579	173.00	186.00	199.00	203.00	208.00	209.00	221.00	217.00	203.00	200.00
C92580	165.00	176.00	183.00	185.00	192.00	SPILLED	SPILLED	187.00	189.00	SPILLED
C92581	166.00	175.00	188.00	196.00	190.00	196.00	205.00	201.00	193.00	188.00
C92582	147.00	160.00	SPILLED	SPILLED	157.00	161.00	171.00	163.00	162.00	155.00
C92583	161.00	SPILLED	169.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	171.00	176.00
C92584	SPILLED	159.00	166.00	167.00	166.00	167.00	164.00	164.00	166.00	162.00
C92585	179.00	CNTMD	186.00	168.00	197.00	203.00	CNTMD	207.00	192.00	199.00
C92586	147.00	150.00	167.00	164.00	185.00	186.00	193.00	188.00	183.00	186.00
C92587	177.00	178.00	187.00	187.00	213.00	208.00	223.00	212.00	204.00	201.00
C92588	SPILLED	164.00	173.00	176.00	193.00	194.00	SPILLED	SPILLED	SPILLED	SPILLED
C92589	171.00	182.00	197.00	198.00	206.00	207.00	211.00	201.00	201.00	198.00
C92590	180.00	194.00	204.00	212.00	208.00	SPILLED	174.00	209.00	212.00	212.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 2 - 0.5 PPM										
C92591	148.00	150.00	163.00	170.00	170.00	164.00	SPILLED	SPILLED	163.00	166.00
C92592	148.00	162.00	173.00	184.00	182.00	182.00	189.00	186.00	182.00	186.00
C92593	167.00	178.00	177.00	185.00	178.00	178.00	180.00	168.00	171.00	172.00
C92594	163.00	176.00	SPILLED	199.00	204.00	211.00	212.00	207.00	SPILLED	204.00
C92595	155.00	169.00	192.00	178.00	184.00	192.00	191.00	187.00	180.00	182.00
C92596	167.00	168.00	178.00	184.00	191.00	194.00	191.00	190.00	190.00	192.00
C92597	159.00	161.00	172.00	175.00	199.00	194.00	190.00	186.00	SPILLED	187.00
C92598	166.00	172.00	194.00	193.00	193.00	199.00	203.00	196.00	192.00	190.00
C92599	181.00	193.00	196.00	193.00	214.00	SPILLED	SPILLED	215.00	218.00	211.00
C92600	163.00	162.00	175.00	180.00	184.00	186.00	190.00	182.00	181.00	177.00
C92601	147.00	159.00	176.00	182.00	175.00	174.00	172.00	170.00	166.00	160.00
C92602	161.00	163.00	170.00	191.00	184.00	178.00	179.00	SPILLED	183.00	175.00
C92603	176.00	SPILLED	SPILLED	SPILLED	196.00	SPILLED	SPILLED	SPILLED	196.00	195.00
C92604	163.00	178.00	186.00	190.00	188.00	194.00	198.00	195.00	195.00	192.00
C92605	167.00	169.00	178.00	179.00	190.00	SPILLED	196.00	190.00	194.00	190.00
C92606	144.00	157.00	180.00	177.00	182.00	184.00	183.00	189.00	193.00	193.00
C92607	165.00	181.00	199.00	204.00	208.00	203.00	SPILLED	SPILLED	207.00	206.00
C92608	186.00	188.00	209.00	208.00	SPILLED	SPILLED	SPILLED	SPILLED	214.00	222.00
C92609	168.00	177.00	187.00	187.00	190.00	192.00	194.00	185.00	180.00	178.00
C92610	164.00	174.00	SPILLED	NOT TAKEN						
C92611	164.00	170.00	177.00	182.00	185.00	179.00	177.00	173.00	169.00	170.00
C92612	150.00	154.00	171.00	172.00	176.00	169.00	175.00	181.00	175.00	183.00
C92613	174.00	189.00	194.00	NOT TAKEN						
C92614	175.00	188.00	198.00	SPILLED	223.00	224.00	232.00	SPILLED	SPILLED	SPILLED
C92615	181.00	180.00	196.00	168.00	189.00	194.00	197.00	194.00	188.00	181.00
C92616	139.00	141.00	155.00	SPILLED	SPILLED	157.00	163.00	167.00	SPILLED	170.00
C92617	176.00	188.00	202.00	209.00	217.00	218.00	221.00	213.00	210.00	199.00
C92618	168.00	195.00	SPILLED	NOT TAKEN						
C92619	161.00	SPILLED	191.00	185.00	181.00	181.00	191.00	179.00	179.00	175.00
C92620	151.00	167.00	178.00	SPILLED	174.00	175.00	176.00	179.00	170.00	150.00
C92621	172.00	181.00	190.00	198.00	214.00	208.00	209.00	216.00	211.00	203.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 2 - 0.5 PPM										
C92622	CNTMD	166.00	175.00	187.00	185.00	189.00	188.00	187.00	183.00	176.00
C92623	143.00	153.00	157.00	169.00	171.00	174.00	174.00	153.00	155.00	164.00
C92624	CNTMD	150.00	166.00	167.00	172.00	169.00	177.00	176.00	178.00	177.00
C92625	163.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	213.00	SPILLED
C92626	175.00	176.00	183.00	193.00	190.00	187.00	201.00	205.00	202.00	202.00
C92627	177.00	188.00	203.00	SPILLED	234.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92628	168.00	180.00	190.00	219.00	SPILLED	220.00	215.00	215.00	SPILLED	SPILLED
C92629	164.00	178.00	191.00	216.00	214.00	SPILLED	213.00	215.00	212.00	SPILLED
C92630	187.00	188.00	197.00	197.00	202.00	204.00	229.00	242.00	222.00	225.00
GROUP: MALE 3 - 2 PPM										
C92631	166.00	174.00	176.00	180.00	180.00	180.00	180.00	187.00	172.00	176.00
C92632	192.00	193.00	200.00	187.00	211.00	209.00	209.00	214.00	202.00	208.00
C92633	154.00	160.00	SPILLED	148.00	170.00	178.00	181.00	181.00	179.00	179.00
C92634	149.00	162.00	172.00	SPILLED	181.00	179.00	178.00	179.00	171.00	182.00
C92635	192.00	205.00	209.00	SPILLED	205.00	213.00	SPILLED	201.00	197.00	SPILLED
C92636	200.00	SPILLED	197.00	SPILLED	SPILLED	204.00	212.00	227.00	SPILLED	SPILLED
C92637	137.00	145.00	152.00	161.00	154.00	156.00	153.00	159.00	146.00	152.00
C92638	173.00	182.00	200.00	211.00	218.00	223.00	227.00	228.00	223.00	226.00
C92639	151.00	156.00	163.00	166.00	176.00	185.00	SPILLED	186.00	171.00	176.00
C92640	159.00	171.00	169.00	170.00	164.00	165.00	172.00	176.00	164.00	172.00
C92641	154.00	175.00	176.00	192.00	187.00	189.00	183.00	188.00	185.00	192.00
C92642	168.00	176.00	187.00	196.00	196.00	200.00	188.00	184.00	180.00	183.00
C92643	156.00	160.00	168.00	170.00	165.00	164.00	162.00	165.00	165.00	168.00
C92644	171.00	171.00	173.00	174.00	169.00	170.00	158.00	163.00	163.00	168.00
C92645	169.00	169.00	SPILLED	185.00	185.00	190.00	182.00	185.00	184.00	196.00
C92646	197.00	194.00	190.00	NOT TAKEN						
C92647	151.00	168.00	173.00	171.00	172.00	173.00	171.00	172.00	167.00	171.00
C92648	155.00	165.00	171.00	169.00	164.00	166.00	157.00	161.00	154.00	166.00
C92649	140.00	153.00	159.00	165.00	167.00	173.00	173.00	166.00	162.00	173.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 3 - 2 PPM										
C92650	160.00	176.00	180.00	NOT TAKEN						
C92651	176.00	189.00	194.00	194.00	197.00	187.00	190.00	192.00	193.00	192.00
C92652	159.00	173.00	183.00	NOT TAKEN						
C92653	158.00	168.00	175.00	182.00	179.00	177.00	178.00	184.00	188.00	183.00
C92654	170.00	187.00	202.00	203.00	SPILLED	SPILLED	SPILLED	203.00	190.00	SPILLED
C92655	167.00	184.00	201.00	208.00	221.00	223.00	SPILLED	SPILLED	SPILLED	SPILLED
C92656	152.00	160.00	169.00	184.00	187.00	183.00	189.00	186.00	181.00	184.00
C92657	164.00	188.00	183.00	176.00	SPILLED	SPILLED	197.00	SPILLED	189.00	196.00
C92658	161.00	170.00	187.00	216.00	189.00	SPILLED	194.00	198.00	184.00	199.00
C92659	182.00	193.00	195.00	207.00	203.00	206.00	211.00	205.00	203.00	211.00
C92660	173.00	167.00	194.00	221.00	178.00	197.00	180.00	190.00	176.00	SPILLED
C92661	164.00	168.00	174.00	175.00	172.00	172.00	170.00	177.00	157.00	167.00
C92662	149.00	163.00	187.00	SPILLED	176.00	173.00	170.00	175.00	168.00	175.00
C92663	180.00	201.00	215.00	230.00	SPILLED	SPILLED	SPILLED	SPILLED	203.00	SPILLED
C92664	165.00	185.00	187.00	SPILLED	197.00	197.00	207.00	196.00	191.00	192.00
C92665	183.00	190.00	201.00	207.00	207.00	208.00	207.00	213.00	211.00	210.00
C92666	176.00	184.00	198.00	203.00	206.00	203.00	207.00	206.00	204.00	209.00
C92667	167.00	185.00	205.00	209.00	210.00	213.00	218.00	221.00	209.00	213.00
C92668	162.00	172.00	183.00	NOT TAKEN						
C92669	154.00	165.00	178.00	184.00	184.00	188.00	190.00	197.00	194.00	197.00
C92670	163.00	172.00	177.00	177.00	182.00	181.00	177.00	177.00	165.00	177.00
C92671	154.00	165.00	183.00	186.00	186.00	191.00	152.00	188.00	183.00	194.00
C92672	144.00	149.00	157.00	160.00	153.00	170.00	177.00	180.00	173.00	185.00
C92673	176.00	170.00	175.00	175.00	185.00	182.00	184.00	180.00	179.00	SPILLED
C92674	174.00	174.00	170.00	182.00	171.00	SPILLED	SPILLED	SPILLED	204.00	216.00
C92675	178.00	183.00	188.00	184.00	183.00	183.00	183.00	179.00	184.00	186.00
C92676	175.00	172.00	SPILLED	154.00	188.00	176.00	178.00	178.00	168.00	169.00
C92677	149.00	157.00	160.00	160.00	164.00	SPILLED	152.00	165.00	169.00	172.00
C92678	143.00	158.00	166.00	NOT TAKEN						
C92679	168.00	173.00	177.00	180.00	204.00	187.00	186.00	195.00	193.00	196.00
C92680	169.00	192.00	199.00	195.00	207.00	SPILLED	194.00	SPILLED	208.00	215.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 3 - 2 PPM										
C92681	152.00	SPILLED	167.00	SPILLED	175.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92682	150.00	165.00	173.00	164.00	174.00	174.00	172.00	180.00	170.00	180.00
C92683	170.00	171.00	185.00	182.00	189.00	192.00	186.00	SPILLED	180.00	187.00
C92684	163.00	160.00	167.00	162.00	180.00	177.00	174.00	180.00	172.00	175.00
C92685	151.00	155.00	172.00	179.00	186.00	182.00	191.00	196.00	190.00	198.00
C92686	161.00	165.00	176.00	162.00	180.00	183.00	185.00	182.00	177.00	180.00
C92687	170.00	167.00	177.00	188.00	202.00	202.00	201.00	205.00	199.00	202.00
C92688	155.00	157.00	168.00	178.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92689	155.00	164.00	173.00	174.00	180.00	187.00	182.00	173.00	158.00	164.00
C92690	194.00	210.00	SPILLED	228.00	217.00	206.00	133.00	230.00	218.00	220.00
GROUP: MALE 4 - 5 PPM										
C92691	161.00	164.00	174.00	172.00	177.00	189.00	193.00	181.00	185.00	181.00
C92692	148.00	151.00	173.00	167.00	173.00	186.00	183.00	182.00	179.00	177.00
C92693	175.00	SPILLED	187.00	194.00	202.00	202.00	198.00	191.00	192.00	193.00
C92694	163.00	156.00	163.00	163.00	SPILLED	176.00	182.00	183.00	185.00	181.00
C92695	182.00	181.00	184.00	SPILLED	190.00	SPILLED	194.00	SPILLED	172.00	177.00
C92696	166.00	170.00	178.00	SPILLED	SPILLED	SPILLED	200.00	SPILLED	SPILLED	SPILLED
C92697	167.00	175.00	187.00	182.00	SPILLED	197.00	196.00	SPILLED	213.00	196.00
C92698	180.00	175.00	189.00	189.00	197.00	191.00	SPILLED	195.00	194.00	191.00
C92699	148.00	149.00	157.00	157.00	158.00	166.00	149.00	158.00	160.00	168.00
C92700	151.00	157.00	155.00	156.00	149.00	150.00	148.00	157.00	154.00	150.00
C92701	154.00	161.00	173.00	164.00	171.00	169.00	174.00	171.00	177.00	162.00
C92702	161.00	166.00	172.00	173.00	178.00	171.00	176.00	171.00	176.00	168.00
C92703	153.00	170.00	187.00	192.00	194.00	203.00	204.00	205.00	205.00	205.00
C92704	157.00	165.00	175.00	180.00	185.00	186.00	190.00	191.00	194.00	184.00
C92705	151.00	154.00	169.00	176.00	184.00	178.00	191.00	189.00	195.00	195.00
C92706	165.00	174.00	174.00	173.00	174.00	176.00	172.00	174.00	179.00	171.00
C92707	149.00	162.00	164.00	157.00	157.00	152.00	155.00	157.00	165.00	151.00
C92708	172.00	178.00	184.00	172.00	158.00	162.00	171.00	174.00	179.00	173.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 4 - 5 PPM										
C92709	176.00	180.00	175.00	165.00	187.00	187.00	195.00	185.00	179.00	170.00
C92710	158.00	170.00	176.00	180.00	SPILLED	192.00	SPILLED	SPILLED	SPILLED	192.00
C92711	153.00	155.00	168.00	161.00	173.00	172.00	181.00	174.00	174.00	168.00
C92712	182.00	188.00	189.00	186.00	200.00	204.00	SPILLED	197.00	SPILLED	201.00
C92713	199.00	SPILLED	SPILLED	SPILLED	182.00	SPILLED	SPILLED	SPILLED	SPILLED	199.00
C92714	175.00	SPILLED	203.00	184.00	193.00	192.00	SPILLED	SPILLED	210.00	206.00
C92715	168.00	SPILLED	184.00	NOT TAKEN						
C92716	179.00	186.00	197.00	179.00	203.00	207.00	211.00	205.00	203.00	198.00
C92717	171.00	177.00	187.00	179.00	179.00	186.00	190.00	186.00	192.00	179.00
C92718	164.00	176.00	191.00	NOT TAKEN						
C92719	151.00	162.00	169.00	169.00	173.00	176.00	179.00	177.00	SPILLED	181.00
C92720	200.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92721	161.00	176.00	182.00	147.00	156.00	171.00	173.00	173.00	178.00	161.00
C92722	174.00	179.00	187.00	186.00	196.00	189.00	192.00	192.00	200.00	145.00
C92723	172.00	197.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	207.00	SPILLED	SPILLED
C92724	201.00	215.00	216.00	216.00	222.00	230.00	SPILLED	217.00	223.00	SPILLED
C92725	158.00	170.00	173.00	154.00	179.00	172.00	168.00	166.00	SPILLED	172.00
C92726	158.00	173.00	186.00	183.00	191.00	188.00	192.00	192.00	187.00	183.00
C92727	151.00	166.00	178.00	SPILLED	187.00	190.00	190.00	SPILLED	187.00	185.00
C92728	163.00	173.00	201.00	201.00	207.00	215.00	215.00	208.00	202.00	215.00
C92729	170.00	191.00	214.00	210.00	217.00	209.00	209.00	206.00	213.00	205.00
C92730	158.00	170.00	186.00	SPILLED	186.00	188.00	189.00	178.00	179.00	182.00
C92731	SPILLED	SPILLED	173.00	NOT TAKEN						
C92732	159.00	177.00	195.00	174.00	196.00	189.00	195.00	191.00	198.00	196.00
C92733	159.00	166.00	175.00	165.00	168.00	163.00	162.00	167.00	180.00	177.00
C92734	170.00	179.00	184.00	NOT TAKEN						
C92735	173.00	180.00	180.00	182.00	189.00	189.00	192.00	186.00	190.00	184.00
C92736	157.00	164.00	176.00	170.00	177.00	177.00	176.00	175.00	186.00	179.00
C92737	151.00	160.00	174.00	167.00	176.00	172.00	172.00	171.00	184.00	177.00
C92738	140.00	157.00	180.00	170.00	182.00	181.00	188.00	181.00	191.00	190.00
C92739	144.00	148.00	159.00	160.00	167.00	164.00	167.00	167.00	184.00	177.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 4 - 5 PPM										
C92740	169.00	178.00	185.00	183.00	184.00	185.00	199.00	196.00	196.00	181.00
C92741	156.00	163.00	167.00	176.00	177.00	180.00	198.00	SPIILLED	178.00	176.00
C92742	176.00	190.00	203.00	199.00	205.00	205.00	204.00	208.00	208.00	204.00
C92743	164.00	183.00	191.00	198.00	206.00	204.00	208.00	SPIILLED	210.00	208.00
C92744	152.00	178.00	193.00	NOT TAKEN						
C92745	170.00	183.00	197.00	200.00	207.00	210.00	210.00	205.00	205.00	198.00
C92746	182.00	201.00	202.00	185.00	206.00	SPIILLED	SPIILLED	SPIILLED	198.00	190.00
C92747	158.00	163.00	175.00	179.00	189.00	196.00	195.00	197.00	SPIILLED	SPIILLED
C92748	160.00	165.00	177.00	181.00	192.00	201.00	228.00	SPIILLED	225.00	SPIILLED
C92749	149.00	152.00	160.00	160.00	167.00	176.00	177.00	172.00	178.00	SPIILLED
C92750	167.00	180.00	198.00	190.00	193.00	188.00	SPIILLED	191.00	179.00	178.00
GROUP: MALE 5 - 20 PPM										
C92751	150.00	172.00	189.00	189.00	191.00	186.00	SPIILLED	SPIILLED	182.00	182.00
C92752	145.00	146.00	158.00	NOT TAKEN						
C92753	184.00	194.00	197.00	204.00	210.00	192.00	206.00	201.00	205.00	173.00
C92754	141.00	154.00	167.00	164.00	166.00	164.00	177.00	159.00	159.00	163.00
C92755	148.00	154.00	174.00	164.00	171.00	164.00	170.00	164.00	176.00	172.00
C92756	167.00	187.00	213.00	217.00	217.00	226.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92757	149.00	154.00	170.00	179.00	180.00	182.00	SPIILLED	SPIILLED	175.00	172.00
C92758	138.00	153.00	163.00	161.00	165.00	171.00	169.00	163.00	160.00	157.00
C92759	154.00	161.00	173.00	NOT TAKEN						
C92760	166.00	180.00	191.00	189.00	189.00	187.00	196.00	185.00	183.00	186.00
C92761	155.00	176.00	174.00	180.00	176.00	178.00	172.00	176.00	170.00	171.00
C92762	160.00	165.00	178.00	184.00	185.00	189.00	183.00	SPIILLED	173.00	177.00
C92763	171.00	178.00	195.00	189.00	199.00	193.00	205.00	202.00	203.00	200.00
C92764	190.00	207.00	218.00	201.00	220.00	220.00	218.00	222.00	SPIILLED	207.00
C92765	156.00	170.00	181.00	183.00	189.00	188.00	198.00	187.00	187.00	187.00
C92766	162.00	172.00	174.00	172.00	178.00	175.00	176.00	174.00	177.00	176.00
C92767	154.00	177.00	197.00	195.00	188.00	204.00	206.00	221.00	225.00	224.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92768	167.00	187.00	197.00	195.00	203.00	208.00	200.00	180.00	188.00	181.00
C92769	169.00	177.00	200.00	186.00	191.00	189.00	197.00	189.00	188.00	188.00
C92770	177.00	SPILLED	190.00	181.00	191.00	182.00	193.00	185.00	183.00	184.00
C92771	162.00	167.00	194.00	207.00	SPILLED	188.00	SPILLED	175.00	176.00	172.00
C92772	167.00	174.00	194.00	177.00	182.00	184.00	175.00	174.00	182.00	176.00
C92773	147.00	160.00	167.00	167.00	168.00	157.00	159.00	155.00	163.00	150.00
C92774	160.00	171.00	173.00	175.00	189.00	192.00	194.00	189.00	196.00	185.00
C92775	170.00	186.00	202.00	197.00	208.00	204.00	211.00	207.00	195.00	202.00
C92776	170.00	181.00	185.00	185.00	189.00	188.00	187.00	186.00	185.00	186.00
C92777	153.00	161.00	165.00	164.00	168.00	162.00	173.00	163.00	166.00	169.00
C92778	157.00	182.00	192.00	190.00	180.00	183.00	189.00	185.00	183.00	186.00
C92779	147.00	155.00	163.00	NOT TAKEN						
C92780	146.00	166.00	155.00	160.00	164.00	165.00	172.00	171.00	172.00	SPILLED
C92781	160.00	170.00	172.00	172.00	172.00	175.00	176.00	138.00	168.00	168.00
C92782	151.00	160.00	179.00	178.00	184.00	180.00	190.00	170.00	177.00	176.00
C92783	172.00	178.00	194.00	190.00	198.00	200.00	201.00	192.00	181.00	186.00
C92784	161.00	164.00	187.00	167.00	193.00	189.00	175.00	179.00	178.00	181.00
C92785	154.00	167.00	180.00	180.00	185.00	190.00	189.00	SPILLED	181.00	183.00
C92786	151.00	156.00	169.00	165.00	173.00	172.00	180.00	178.00	166.00	175.00
C92787	174.00	181.00	199.00	201.00	196.00	194.00	202.00	138.00	SPILLED	SPILLED
C92788	183.00	204.00	213.00	SPILLED	219.00	197.00	200.00	167.00	198.00	194.00
C92789	143.00	151.00	169.00	168.00	171.00	172.00	177.00	163.00	168.00	SPILLED
C92790	161.00	164.00	177.00	175.00	179.00	181.00	185.00	177.00	175.00	176.00
C92791	150.00	153.00	174.00	175.00	170.00	174.00	181.00	175.00	164.00	170.00
C92792	156.00	183.00	179.00	176.00	188.00	186.00	190.00	187.00	181.00	182.00
C92793	163.00	160.00	164.00	NOT TAKEN						
C92794	151.00	153.00	169.00	156.00	162.00	166.00	170.00	167.00	163.00	161.00
C92795	148.00	157.00	165.00	165.00	167.00	168.00	175.00	180.00	178.00	177.00
C92796	137.00	142.00	149.00	154.00	158.00	162.00	155.00	153.00	148.00	148.00
C92797	149.00	154.00	161.00	162.00	162.00	164.00	166.00	166.00	163.00	167.00
C92798	161.00	158.00	170.00	NOT TAKEN						

Appendix 4

Individual Food Consumption Data (g)

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92799	158.00	156.00	169.00	163.00	184.00	190.00	183.00	176.00	180.00	184.00
C92800	166.00	178.00	184.00	SPILLED	183.00	179.00	SPILLED	178.00	SPILLED	SPILLED
C92801	166.00	173.00	190.00	197.00	204.00	194.00	193.00	191.00	SPILLED	185.00
C92802	157.00	161.00	166.00	167.00	172.00	175.00	178.00	176.00	168.00	172.00
C92803	164.00	171.00	179.00	185.00	193.00	185.00	184.00	182.00	181.00	176.00
C92804	155.00	153.00	167.00	166.00	180.00	171.00	169.00	174.00	175.00	173.00
C92805	172.00	168.00	181.00	167.00	195.00	187.00	194.00	183.00	187.00	187.00
C92806	159.00	168.00	178.00	178.00	183.00	174.00	179.00	143.00	119.00	151.00
C92807	148.00	163.00	173.00	159.00	191.00	181.00	186.00	184.00	174.00	168.00
C92808	145.00	150.00	169.00	164.00	167.00	158.00	164.00	153.00	151.00	158.00
C92809	151.00	171.00	174.00	174.00	190.00	177.00	184.00	184.00	188.00	179.00
C92810	175.00	177.00	185.00	180.00	188.00	180.00	182.00	187.00	177.00	175.00
C92811	164.00	175.00	190.00	173.00	204.00	200.00	202.00	198.00	194.00	199.00
C92812	153.00	160.00	165.00	162.00	172.00	181.00	182.00	206.00	163.00	172.00
C92813	176.00	180.00	183.00	185.00	185.00	181.00	198.00	191.00	182.00	183.00
C92814	146.00	152.00	162.00	156.00	153.00	151.00	145.00	145.00	134.00	137.00
C92815	159.00	149.00	155.00	SPILLED	172.00	136.00	164.00	188.00	180.00	186.00
C92816	129.00	137.00	147.00	146.00	153.00	151.00	154.00	154.00	141.00	151.00
C92817	164.00	174.00	187.00	189.00	195.00	194.00	199.00	210.00	192.00	200.00
C92818	155.00	156.00	160.00	164.00	169.00	168.00	164.00	178.00	167.00	171.00
C92819	151.00	152.00	163.00	158.00	157.00	161.00	160.00	167.00	153.00	161.00
C92820	SPILLED	167.00	163.00	170.00	181.00	185.00	181.00	177.00	181.00	SPILLED
GROUP: MALE 6 - 20 PPM										
C92821	141.00	144.00	162.00	159.00	167.00	172.00	170.00	165.00	160.00	166.00
C92822	157.00	160.00	164.00	167.00	174.00	181.00	176.00	170.00	167.00	164.00
C92823	169.00	173.00	186.00	179.00	184.00	175.00	171.00	168.00	171.00	174.00
C92824	167.00	164.00	169.00	176.00	181.00	185.00	188.00	179.00	192.00	203.00
C92825	185.00	195.00	206.00	211.00	224.00	226.00	222.00	222.00	216.00	SPILLED
C92826	157.00	SPILLED	174.00	171.00	172.00	171.00	SPILLED	SPILLED	181.00	189.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 6 - 20 PPM										
C92827	157.00	161.00	175.00	178.00	187.00	186.00	189.00	191.00	180.00	188.00
C92828	167.00	171.00	184.00	181.00	192.00	191.00	191.00	191.00	192.00	191.00
C92829	174.00	170.00	187.00	189.00	205.00	208.00	204.00	205.00	203.00	209.00
C92830	165.00	170.00	175.00	189.00	191.00	183.00	169.00	186.00	188.00	196.00
C92831	187.00	196.00	202.00	191.00	192.00	190.00	195.00	201.00	192.00	197.00
C92832	148.00	159.00	166.00	166.00	170.00	165.00	SPILLED	SPILLED	SPILLED	153.00
C92833	162.00	166.00	182.00	180.00	183.00	175.00	SPILLED	SPILLED	SPILLED	182.00
C92834	157.00	168.00	183.00	182.00	181.00	180.00	179.00	175.00	181.00	179.00
C92835	164.00	155.00	154.00	158.00	159.00	167.00	159.00	159.00	163.00	161.00
C92836	175.00	183.00	194.00	195.00	199.00	191.00	189.00	118.00	176.00	215.00
C92837	168.00	182.00	196.00	201.00	203.00	196.00	194.00	187.00	183.00	186.00
C92838	171.00	173.00	181.00	186.00	187.00	183.00	183.00	183.00	184.00	180.00
C92839	200.00	218.00	SPILLED	245.00	253.00	242.00	236.00	SPILLED	235.00	237.00
C92840	158.00	155.00	158.00	165.00	160.00	160.00	156.00	151.00	156.00	155.00
C92841	145.00	162.00	164.00	176.00	161.00	164.00	159.00	160.00	158.00	158.00
C92842	193.00	197.00	203.00	203.00	193.00	188.00	194.00	189.00	187.00	187.00
C92843	190.00	200.00	212.00	205.00	206.00	200.00	195.00	192.00	197.00	198.00
C92844	150.00	148.00	156.00	156.00	153.00	153.00	157.00	154.00	152.00	147.00
C92845	SPILLED	SPILLED	183.00	189.00	192.00	190.00	187.00	181.00	SPILLED	191.00
C92846	170.00	171.00	177.00	185.00	187.00	194.00	197.00	196.00	191.00	198.00
C92847	175.00	198.00	214.00	212.00	209.00	209.00	209.00	215.00	209.00	216.00
C92848	143.00	144.00	155.00	160.00	160.00	162.00	162.00	163.00	165.00	170.00
C92849	176.00	186.00	191.00	190.00	198.00	197.00	202.00	SPILLED	SPILLED	210.00
C92850	169.00	172.00	177.00	180.00	180.00	SPILLED	189.00	184.00	SPILLED	188.00
C92851	153.00	167.00	171.00	179.00	181.00	176.00	180.00	179.00	174.00	176.00
C92852	152.00	164.00	183.00	199.00	180.00	172.00	185.00	194.00	SPILLED	193.00
C92853	164.00	170.00	173.00	177.00	176.00	177.00	173.00	181.00	174.00	167.00
C92854	189.00	202.00	212.00	SPILLED	201.00	193.00	194.00	195.00	181.00	189.00
C92855	176.00	SPILLED	SPILLED	SPILLED	183.00	SPILLED	128.00	SPILLED	SPILLED	185.00
C92856	167.00	164.00	176.00	171.00	176.00	172.00	170.00	170.00	169.00	170.00
C92857	170.00	181.00	188.00	195.00	190.00	193.00	190.00	195.00	180.00	182.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 6 - 20 PPM										
C92858	148.00	152.00	186.00	187.00	198.00	187.00	194.00	190.00	188.00	189.00
C92859	160.00	173.00	188.00	186.00	198.00	199.00	202.00	191.00	SPILLED	SPILLED
C92860	160.00	167.00	184.00	183.00	178.00	181.00	178.00	174.00	182.00	176.00
GROUP: FEMALE 1 - 0 PPM										
C92861	140.00	151.00	155.00	NOT TAKEN						
C92862	111.00	121.00	128.00	120.00	133.00	117.00	116.00	120.00	119.00	126.00
C92863	122.00	136.00	127.00	128.00	132.00	120.00	131.00	135.00	129.00	SPILLED
C92864	SPILLED	160.00	SPILLED	NOT TAKEN						
C92865	151.00	146.00	155.00	149.00	149.00	143.00	144.00	136.00	148.00	146.00
C92866	124.00	136.00	135.00	123.00	126.00	124.00	122.00	125.00	129.00	129.00
C92867	130.00	145.00	150.00	145.00	156.00	129.00	141.00	138.00	132.00	142.00
C92868	126.00	152.00	157.00	154.00	167.00	SPILLED	130.00	147.00	147.00	151.00
C92869	123.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92870	125.00	143.00	146.00	124.00	136.00	126.00	148.00	137.00	127.00	139.00
C92871	123.00	138.00	TECH SPILL	140.00	140.00	137.00	131.00	141.00	130.00	132.00
C92872	110.00	115.00	113.00	116.00	119.00	107.00	105.00	96.00	99.00	106.00
C92873	116.00	125.00	141.00	125.00	125.00	118.00	129.00	125.00	SPILLED	136.00
C92874	136.00	141.00	162.00	SPILLED	144.00	SPILLED	135.00	SPILLED	119.00	124.00
C92875	114.00	127.00	123.00	130.00	124.00	SPILLED	SPILLED	SPILLED	128.00	130.00
C92876	109.00	121.00	130.00	SPILLED	126.00	118.00	120.00	117.00	115.00	120.00
C92877	117.00	132.00	140.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92878	SPILLED	151.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92879	130.00	144.00	150.00	135.00	145.00	146.00	147.00	152.00	154.00	159.00
C92880	CNTMD	124.00	123.00	122.00	135.00	125.00	131.00	147.00	131.00	140.00
C92881	SPILLED	143.00	151.00	129.00	146.00	139.00	149.00	142.00	145.00	156.00
C92882	118.00	129.00	126.00	SPILLED	128.00	115.00	110.00	114.00	117.00	115.00
C92883	140.00	157.00	173.00	SPILLED	173.00	SPILLED	SPILLED	156.00	161.00	167.00
C92884	137.00	144.00	147.00	133.00	SPILLED	125.00	141.00	SPILLED	142.00	146.00
C92885	140.00	151.00	160.00	154.00	163.00	149.00	145.00	146.00	141.00	153.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 1 - 0 PPM										
C92886	142.00	133.00	SPILLED	139.00	SPILLED	120.00	112.00	150.00	133.00	SPILLED
C92887	133.00	154.00	158.00	150.00	161.00	133.00	106.00	122.00	117.00	132.00
C92888	142.00	172.00	SPILLED	163.00	SPILLED	189.00	161.00	177.00	149.00	147.00
C92889	117.00	131.00	132.00	SPILLED	136.00	SPILLED	135.00	124.00	122.00	123.00
C92890	SPILLED	164.00	169.00	145.00	162.00	150.00	141.00	141.00	156.00	SPILLED
C92891	SPILLED	SPILLED	SPILLED	136.00	138.00	SPILLED	SPILLED	SPILLED	140.00	130.00
C92892	130.00	143.00	153.00	155.00	165.00	154.00	162.00	142.00	150.00	149.00
C92893	127.00	128.00	SPILLED	128.00	138.00	SPILLED	SPILLED	SPILLED	SPILLED	129.00
C92894	118.00	130.00	128.00	124.00	125.00	124.00	118.00	135.00	125.00	134.00
C92895	132.00	141.00	153.00	150.00	SPILLED	142.00	152.00	140.00	143.00	155.00
C92896	128.00	150.00	SPILLED	SPILLED	183.00	SPILLED	SPILLED	SPILLED	143.00	SPILLED
C92897	122.00	124.00	137.00	125.00	132.00	127.00	134.00	133.00	137.00	141.00
C92898	129.00	141.00	147.00	SPILLED	149.00	SPILLED	150.00	149.00	159.00	147.00
C92899	137.00	146.00	164.00	158.00	173.00	155.00	172.00	155.00	171.00	163.00
C92900	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	150.00	SPILLED	SPILLED	157.00
C92901	109.00	121.00	131.00	SPILLED	SPILLED	143.00	127.00	SPILLED	122.00	131.00
C92902	155.00	167.00	175.00	175.00	185.00	171.00	188.00	190.00	180.00	173.00
C92903	152.00	151.00	155.00	158.00	150.00	148.00	141.00	SPILLED	181.00	172.00
C92904	119.00	128.00	133.00	126.00	143.00	SPILLED	132.00	130.00	146.00	138.00
C92905	113.00	120.00	128.00	128.00	132.00	123.00	135.00	129.00	133.00	128.00
C92906	SPILLED	SPILLED	139.00	SPILLED	133.00	152.00	116.00	SPILLED	SPILLED	114.00
C92907	SPILLED	121.00	123.00	134.00	124.00	127.00	120.00	116.00	125.00	SPILLED
C92908	123.00	133.00	132.00	135.00	138.00	129.00	133.00	135.00	132.00	132.00
C92909	117.00	129.00	SPILLED	136.00	142.00	139.00	139.00	134.00	134.00	129.00
C92910	SPILLED	190.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	200.00	SPILLED
C92911	SPILLED	115.00	111.00	SPILLED	111.00	109.00	116.00	104.00	118.00	112.00
C92912	133.00	143.00	142.00	138.00	SPILLED	SPILLED	144.00	135.00	146.00	130.00
C92913	130.00	142.00	146.00	130.00	140.00	137.00	137.00	137.00	134.00	128.00
C92914	119.00	127.00	129.00	NOT TAKEN						
C92915	SPILLED	143.00	143.00	162.00	SPILLED	SPILLED	148.00	SPILLED	SPILLED	147.00
C92916	140.00	SPILLED	172.00	169.00	173.00	159.00	158.00	164.00	126.00	152.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 1 - 0 PPM										
C92917	148.00	152.00	SPILLED	161.00	172.00	177.00	158.00	180.00	SPILLED	163.00
C92918	119.00	121.00	CNTMD	115.00	133.00	127.00	123.00	121.00	120.00	124.00
C92919	SPILLED	SPILLED	185.00	NOT TAKEN						
C92920	SPILLED	120.00	131.00	SPILLED	SPILLED	SPILLED	143.00	SPILLED	136.00	196.00
C92921	127.00	126.00	128.00	130.00	134.00	142.00	148.00	138.00	144.00	137.00
C92922	136.00	156.00	156.00	135.00	153.00	150.00	153.00	146.00	157.00	SPILLED
C92923	SPILLED	125.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	141.00	SPILLED
C92924	144.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	178.00	SPILLED
C92925	134.00	145.00	155.00	147.00	165.00	156.00	147.00	SPILLED	142.00	161.00
C92926	143.00	SPILLED	152.00	NOT TAKEN						
C92927	120.00	190.00	138.00	141.00	140.00	145.00	140.00	122.00	SPILLED	169.00
C92928	130.00	138.00	143.00	157.00	157.00	135.00	138.00	152.00	134.00	139.00
C92929	114.00	133.00	132.00	129.00	139.00	139.00	131.00	125.00	134.00	126.00
C92930	147.00	179.00	178.00	181.00	189.00	182.00	171.00	165.00	156.00	173.00
GROUP: FEMALE 2 - 0.5 PPM										
C92931	127.00	141.00	148.00	146.00	149.00	148.00	145.00	152.00	143.00	140.00
C92932	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92933	116.00	128.00	129.00	145.00	145.00	SPILLED	151.00	157.00	166.00	170.00
C92934	117.00	130.00	135.00	SPILLED	132.00	SPILLED	154.00	129.00	125.00	SPILLED
C92935	124.00	132.00	148.00	148.00	144.00	129.00	135.00	140.00	135.00	133.00
C92936	113.00	125.00	135.00	120.00	129.00	121.00	121.00	119.00	119.00	111.00
C92937	116.00	130.00	134.00	133.00	136.00	137.00	141.00	SPILLED	140.00	SPILLED
C92938	117.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92939	104.00	111.00	144.00	119.00	136.00	SPILLED	SPILLED	SPILLED	127.00	120.00
C92940	114.00	126.00	140.00	154.00	148.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92941	135.00	SPILLED	SPILLED	NOT TAKEN						
C92942	131.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	162.00	SPILLED	151.00	SPILLED
C92943	132.00	137.00	155.00	150.00	161.00	SPILLED	157.00	SPILLED	148.00	154.00
C92944	133.00	SPILLED	155.00	167.00	175.00	164.00	163.00	174.00	167.00	170.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 2 - 0.5 PPM										
C92945	117.00	139.00	144.00	NOT TAKEN						
C92946	98.00	112.00	116.00	109.00	113.00	121.00	116.00	113.00	115.00	113.00
C92947	119.00	128.00	139.00	142.00	155.00	147.00	140.00	149.00	139.00	137.00
C92948	112.00	142.00	141.00	135.00	162.00	139.00	151.00	162.00	144.00	130.00
C92949	SPIILLED	SPIILLED	202.00	188.00	196.00	211.00	192.00	SPIILLED	174.00	178.00
C92950	127.00	125.00	145.00	NOT TAKEN						
C92951	109.00	120.00	SPIILLED	114.00	133.00	114.00	121.00	126.00	126.00	112.00
C92952	103.00	110.00	125.00	123.00	132.00	118.00	127.00	128.00	121.00	131.00
C92953	113.00	117.00	SPIILLED	115.00	134.00	130.00	125.00	SPIILLED	121.00	127.00
C92954	114.00	132.00	130.00	135.00	151.00	135.00	139.00	136.00	130.00	135.00
C92955	132.00	136.00	151.00	SPIILLED	SPIILLED	SPIILLED	143.00	143.00	147.00	131.00
C92956	123.00	134.00	153.00	144.00	143.00	144.00	143.00	137.00	136.00	138.00
C92957	SPIILLED	130.00	138.00	122.00	131.00	SPIILLED	139.00	SPIILLED	SPIILLED	140.00
C92958	102.00	119.00	110.00	123.00	127.00	114.00	117.00	121.00	114.00	106.00
C92959	139.00	157.00	163.00	126.00	169.00	151.00	157.00	165.00	169.00	146.00
C92960	SPIILLED	183.00	SPIILLED	SPIILLED	182.00	SPIILLED	161.00	SPIILLED	143.00	139.00
C92961	SPIILLED	SPIILLED	SPIILLED	157.00	160.00	149.00	153.00	145.00	141.00	159.00
C92962	113.00	130.00	133.00	114.00	125.00	117.00	116.00	124.00	117.00	115.00
C92963	102.00	112.00	115.00	115.00	116.00	110.00	112.00	121.00	122.00	SPIILLED
C92964	121.00	186.00	148.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	119.00	SPIILLED
C92965	130.00	168.00	SPIILLED	SPIILLED	150.00	SPIILLED	144.00	SPIILLED	131.00	131.00
C92966	107.00	111.00	110.00	114.00	122.00	111.00	118.00	116.00	115.00	114.00
C92967	125.00	136.00	148.00	153.00	148.00	164.00	138.00	SPIILLED	130.00	129.00
C92968	133.00	SPIILLED	159.00	SPIILLED	161.00	SPIILLED	144.00	138.00	151.00	142.00
C92969	107.00	126.00	SPIILLED	NOT TAKEN						
C92970	132.00	139.00	155.00	160.00	159.00	146.00	153.00	161.00	154.00	147.00
C92971	99.00	112.00	123.00	123.00	120.00	110.00	119.00	107.00	112.00	110.00
C92972	113.00	138.00	139.00	142.00	144.00	139.00	136.00	146.00	133.00	140.00
C92973	105.00	129.00	126.00	127.00	144.00	134.00	163.00	138.00	SPIILLED	128.00
C92974	112.00	115.00	123.00	120.00	123.00	119.00	122.00	116.00	112.00	117.00
C92975	127.00	140.00	146.00	131.00	155.00	142.00	153.00	133.00	139.00	140.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 2 - 0.5 PPM										
C92976	124.00	141.00	155.00	154.00	162.00	135.00	138.00	139.00	137.00	136.00
C92977	116.00	120.00	131.00	133.00	155.00	151.00	149.00	140.00	145.00	140.00
C92978	139.00	156.00	172.00	163.00	179.00	168.00	177.00	162.00	151.00	160.00
C92979	114.00	118.00	127.00	134.00	134.00	132.00	132.00	122.00	124.00	126.00
C92980	113.00	129.00	138.00	141.00	152.00	153.00	140.00	147.00	130.00	140.00
C92981	131.00	137.00	152.00	SPILLED	132.00	SPILLED	138.00	129.00	126.00	131.00
C92982	122.00	SPILLED	SPILLED	NOT TAKEN						
C92983	125.00	SPILLED	131.00	145.00	SPILLED	166.00	167.00	SPILLED	SPILLED	141.00
C92984	123.00	140.00	152.00	158.00	147.00	151.00	147.00	151.00	138.00	133.00
C92985	141.00	145.00	158.00	158.00	155.00	162.00	162.00	148.00	132.00	138.00
C92986	116.00	134.00	142.00	134.00	139.00	140.00	136.00	129.00	132.00	131.00
C92987	124.00	144.00	141.00	136.00	136.00	146.00	131.00	138.00	126.00	SPILLED
C92988	106.00	131.00	128.00	135.00	147.00	143.00	134.00	134.00	131.00	141.00
C92989	153.00	SPILLED	165.00	TECH SPILL	SPILLED	213.00	SPILLED	SPILLED	SPILLED	SPILLED
C92990	137.00	SPILLED	165.00	149.00	144.00	162.00	152.00	SPILLED	142.00	141.00
GROUP: FEMALE 3 - 2 PPM										
C92991	SPILLED	SPILLED	153.00	SPILLED	SPILLED	SPILLED	128.00	120.00	118.00	117.00
C92992	133.00	124.00	126.00	SPILLED	SPILLED	SPILLED	123.00	SPILLED	123.00	125.00
C92993	124.00	127.00	133.00	119.00	146.00	146.00	132.00	138.00	138.00	132.00
C92994	114.00	110.00	114.00	124.00	121.00	123.00	113.00	124.00	121.00	116.00
C92995	134.00	134.00	147.00	162.00	135.00	140.00	137.00	141.00	NOT TAKEN	
C92996	120.00	127.00	131.00	NOT TAKEN						
C92997	117.00	119.00	123.00	128.00	124.00	115.00	121.00	130.00	121.00	SPILLED
C92998	124.00	138.00	155.00	137.00	153.00	138.00	145.00	143.00	140.00	145.00
C92999	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C93000	SPILLED	SPILLED	159.00	SPILLED	151.00	SPILLED	132.00	SPILLED	SPILLED	SPILLED
C93001	117.00	123.00	118.00	140.00	SPILLED	SPILLED	118.00	129.00	134.00	138.00
C93002	123.00	127.00	133.00	117.00	133.00	122.00	108.00	130.00	109.00	123.00
C93003	174.00	SPILLED	132.00	152.00	160.00	138.00	140.00	SPILLED	143.00	128.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 3 - 2 PPM										
C93004	127.00	129.00	168.00	131.00	131.00	133.00	133.00	128.00	124.00	131.00
C93005	132.00	129.00	128.00	137.00	134.00	129.00	120.00	131.00	111.00	123.00
C93006	109.00	118.00	109.00	NOT TAKEN						
C93007	SPIILLED	SPIILLED	SPIILLED	SPIILLED	141.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93008	141.00	153.00	156.00	NOT TAKEN						
C93009	127.00	117.00	179.00	129.00	133.00	SPIILLED	127.00	132.00	135.00	SPIILLED
C93010	141.00	141.00	153.00	153.00	146.00	147.00	138.00	139.00	136.00	139.00
C93011	135.00	131.00	139.00	140.00	138.00	SPIILLED	119.00	128.00	123.00	118.00
C93012	SPIILLED	SPIILLED	142.00	164.00	160.00	143.00	155.00	139.00	141.00	135.00
C93013	SPIILLED	116.00	117.00	SPIILLED	SPIILLED	SPIILLED	119.00	119.00	104.00	120.00
C93014	SPIILLED	162.00	SPIILLED	194.00	177.00	164.00	SPIILLED	139.00	136.00	146.00
C93015	130.00	139.00	148.00	SPIILLED	140.00	SPIILLED	144.00	SPIILLED	SPIILLED	157.00
C93016	80.00	99.00	123.00	138.00	129.00	121.00	121.00	116.00	117.00	116.00
C93017	110.00	124.00	120.00	140.00	137.00	150.00	136.00	139.00	140.00	SPIILLED
C93018	125.00	132.00	141.00	SPIILLED	144.00	140.00	131.00	131.00	126.00	134.00
C93019	127.00	133.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	152.00	SPIILLED	SPIILLED
C93020	125.00	146.00	157.00	141.00	143.00	SPIILLED	147.00	SPIILLED	134.00	SPIILLED
C93021	121.00	131.00	139.00	SPIILLED	141.00	140.00	136.00	135.00	124.00	138.00
C93022	120.00	143.00	131.00	148.00	151.00	135.00	140.00	136.00	131.00	141.00
C93023	91.00	109.00	115.00	111.00	120.00	SPIILLED	SPIILLED	117.00	SPIILLED	SPIILLED
C93024	129.00	131.00	145.00	148.00	142.00	141.00	136.00	135.00	125.00	132.00
C93025	137.00	141.00	165.00	151.00	139.00	162.00	147.00	159.00	SPIILLED	155.00
C93026	106.00	119.00	123.00	134.00	144.00	135.00	130.00	130.00	SPIILLED	143.00
C93027	112.00	121.00	129.00	136.00	142.00	151.00	135.00	134.00	128.00	125.00
C93028	110.00	122.00	125.00	126.00	SPIILLED	SPIILLED	133.00	129.00	132.00	134.00
C93029	111.00	128.00	123.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93030	SPIILLED	121.00	131.00	139.00	131.00	129.00	116.00	128.00	134.00	SPIILLED
C93031	118.00	124.00	146.00	NOT TAKEN						
C93032	117.00	119.00	134.00	119.00	133.00	125.00	121.00	126.00	118.00	125.00
C93033	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	160.00	SPIILLED	SPIILLED
C93034	124.00	131.00	150.00	124.00	148.00	135.00	118.00	125.00	131.00	136.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 3 - 2 PPM										
C93035	SPILLED	143.00	186.00	152.00	165.00	70.00	142.00	160.00	SPILLED	138.00
C93036	111.00	134.00	SPILLED	125.00	155.00	129.00	129.00	134.00	SPILLED	135.00
C93037	119.00	126.00	134.00	141.00	146.00	144.00	137.00	126.00	134.00	124.00
C93038	130.00	117.00	144.00	SPILLED	SPILLED	SPILLED	121.00	141.00	141.00	SPILLED
C93039	119.00	136.00	155.00	144.00	151.00	149.00	143.00	145.00	146.00	151.00
C93040	SPILLED	SPILLED	173.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	208.00	SPILLED
C93041	132.00	146.00	161.00	150.00	SPILLED	SPILLED	151.00	149.00	164.00	154.00
C93042	128.00	130.00	143.00	159.00	164.00	142.00	141.00	147.00	127.00	137.00
C93043	118.00	127.00	131.00	131.00	148.00	143.00	143.00	133.00	136.00	134.00
C93044	123.00	SPILLED	SPILLED	136.00	128.00	117.00	126.00	SPILLED	118.00	126.00
C93045	SPILLED	222.00	SPILLED	NOT TAKEN						
C93046	142.00	156.00	SPILLED	182.00	153.00	207.00	SPILLED	SPILLED	157.00	148.00
C93047	147.00	154.00	148.00	210.00	187.00	SPILLED	161.00	152.00	137.00	144.00
C93048	118.00	121.00	119.00	133.00	127.00	127.00	SPILLED	125.00	118.00	132.00
C93049	116.00	125.00	123.00	122.00	129.00	121.00	118.00	SPILLED	133.00	127.00
C93050	118.00	129.00	148.00	163.00	157.00	150.00	152.00	153.00	SPILLED	SPILLED
GROUP: FEMALE 4 - 5 PPM										
C93051	125.00	SPILLED	152.00	SPILLED	SPILLED	SPILLED	129.00	140.00	129.00	171.00
C93052	129.00	SPILLED	142.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C93053	115.00	116.00	128.00	121.00	137.00	119.00	136.00	141.00	143.00	133.00
C93054	SPILLED	SPILLED	126.00	125.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C93055	136.00	130.00	139.00	145.00	145.00	135.00	130.00	SPILLED	144.00	SPILLED
C93056	129.00	SPILLED	133.00	135.00	141.00	134.00	133.00	128.00	138.00	130.00
C93057	136.00	124.00	141.00	133.00	136.00	128.00	127.00	117.00	124.00	131.00
C93058	151.00	153.00	159.00	NOT TAKEN						
C93059	135.00	136.00	148.00	138.00	144.00	132.00	139.00	132.00	130.00	133.00
C93060	135.00	160.00	148.00	135.00	TECH SPILL	135.00	146.00	137.00	128.00	122.00
C93061	116.00	123.00	131.00	123.00	130.00	131.00	129.00	132.00	121.00	SPILLED
C93062	112.00	117.00	124.00	132.00	130.00	123.00	129.00	129.00	125.00	123.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 4 - 5 PPM										
C93063	118.00	134.00	128.00	SPILLED	139.00	122.00	118.00	115.00	114.00	126.00
C93064	118.00	125.00	131.00	126.00	126.00	119.00	126.00	132.00	131.00	128.00
C93065	112.00	112.00	120.00	125.00	119.00	116.00	117.00	119.00	SPILLED	119.00
C93066	121.00	121.00	138.00	124.00	SPILLED	SPILLED	SPILLED	SPILLED	135.00	127.00
C93067	122.00	119.00	149.00	NOT TAKEN						
C93068	122.00	SPILLED	138.00	124.00	136.00	122.00	122.00	128.00	129.00	128.00
C93069	149.00	188.00	172.00	161.00	159.00	143.00	143.00	144.00	151.00	137.00
C93070	151.00	SPILLED	168.00	NOT TAKEN						
C93071	110.00	106.00	115.00	110.00	106.00	105.00	114.00	113.00	114.00	115.00
C93072	125.00	138.00	145.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	154.00
C93073	139.00	138.00	146.00	143.00	155.00	138.00	146.00	142.00	144.00	134.00
C93074	138.00	167.00	180.00	138.00	SPILLED	165.00	149.00	147.00	150.00	160.00
C93075	123.00	123.00	136.00	NOT TAKEN						
C93076	124.00	127.00	160.00	139.00	156.00	SPILLED	146.00	138.00	140.00	146.00
C93077	123.00	127.00	140.00	132.00	131.00	129.00	138.00	132.00	125.00	126.00
C93078	128.00	136.00	136.00	142.00	151.00	146.00	141.00	143.00	142.00	148.00
C93079	139.00	190.00	143.00	167.00	154.00	147.00	161.00	193.00	140.00	148.00
C93080	129.00	133.00	136.00	130.00	152.00	128.00	120.00	122.00	124.00	111.00
C93081	125.00	113.00	124.00	116.00	123.00	126.00	120.00	127.00	117.00	135.00
C93082	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	156.00	SPILLED	SPILLED	143.00
C93083	133.00	133.00	140.00	134.00	168.00	142.00	144.00	142.00	152.00	135.00
C93084	115.00	119.00	126.00	NOT TAKEN						
C93085	129.00	SPILLED	141.00	133.00	163.00	133.00	SPILLED	124.00	129.00	SPILLED
C93086	148.00	SPILLED	SPILLED	141.00	151.00	130.00	137.00	SPILLED	SPILLED	137.30
C93087	SPILLED	144.00	159.00	120.00	SPILLED	123.00	125.00	SPILLED	109.00	SPILLED
C93088	131.00	126.00	133.00	130.00	132.00	118.00	129.00	116.00	119.00	135.00
C93089	157.00	150.00	156.00	204.00	159.00	SPILLED	SPILLED	156.00	143.00	155.00
C93090	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	123.00	122.00	111.00	123.00
C93091	133.00	135.00	132.00	151.00	128.00	136.00	133.00	121.00	134.00	135.00
C93092	130.00	129.00	143.00	SPILLED	134.00	139.00	134.00	127.00	130.00	135.00
C93093	146.00	136.00	140.00	143.00	154.00	SPILLED	158.00	156.00	166.00	158.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 4 - 5 PPM										
C93094	134.00	161.00	142.00	191.00	135.00	171.00	137.00	128.00	135.00	137.00
C93095	134.00	128.00	138.00	141.00	155.00	SPILLED	SPILLED	SPILLED	124.00	127.00
C93096	146.00	SPILLED	177.00	SPILLED	181.00	171.00	169.00	161.00	158.00	168.00
C93097	109.00	114.00	120.00	132.00	132.00	128.00	136.00	SPILLED	SPILLED	SPILLED
C93098	128.00	SPILLED	146.00	SPILLED	127.00	128.00	121.00	SPILLED	SPILLED	136.00
C93099	123.00	132.00	138.00	131.00	129.00	120.00	119.00	127.00	116.00	115.00
C93100	156.00	162.00	158.00	162.00	150.00	SPILLED	148.00	144.00	150.00	151.00
C93101	111.00	SPILLED	121.00	122.00	124.00	129.00	SPILLED	125.00	123.00	119.00
C93102	152.00	159.00	159.00	155.00	170.00	156.00	158.00	165.00	157.00	SPILLED
C93103	126.00	142.00	139.00	128.00	151.00	139.00	124.00	143.00	138.00	128.00
C93104	141.00	155.00	162.00	166.00	184.00	SPILLED	204.00	SPILLED	208.00	SPILLED
C93105	171.00	153.00	154.00	143.00	170.00	133.00	140.00	139.00	132.00	153.00
C93106	119.00	124.00	124.00	124.00	130.00	125.00	126.00	117.00	117.00	129.00
C93107	121.00	125.00	SPILLED	136.00	136.00	135.00	138.00	132.00	122.00	127.00
C93108	121.00	127.00	122.00	122.00	124.00	118.00	127.00	125.00	128.00	136.00
C93109	121.00	125.00	129.00	132.00	138.00	126.00	132.00	133.00	126.00	130.00
C93110	SPILLED	180.00	SPILLED	SPILLED	207.00	199.00	SPILLED	SPILLED	SPILLED	SPILLED
GROUP: FEMALE 5 - 20 PPM										
C93111	137.00	152.00	159.00	149.00	145.00	136.00	141.00	136.00	128.00	SPILLED
C93112	137.00	142.00	137.00	132.00	135.00	129.00	125.00	119.00	111.00	124.00
C93113	SPILLED	SPILLED	SPILLED	119.00	120.00	110.00	119.00	124.00	120.00	129.00
C93114	126.00	140.00	135.00	NOT TAKEN						
C93115	108.00	118.00	118.00	112.00	130.00	109.00	111.00	114.00	107.00	115.00
C93116	118.00	121.00	124.00	126.00	SPILLED	121.00	SPILLED	SPILLED	116.00	122.00
C93117	113.00	117.00	SPILLED	122.00	SPILLED	SPILLED	121.00	122.00	SPILLED	123.00
C93118	108.00	121.00	124.00	126.00	128.00	110.00	123.00	113.00	118.00	119.00
C93119	118.00	112.00	113.00	116.00	116.00	106.00	106.00	96.00	101.00	107.00
C93120	131.00	133.00	128.00	122.00	SPILLED	124.00	120.00	122.00	107.00	124.00
C93121	SPILLED	105.00	106.00	97.00	SPILLED	SPILLED	108.00	99.00	98.00	103.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93122	134.00	151.00	SPIILLED	134.00	157.00	124.00	125.00	SPIILLED	138.00	130.00
C93123	127.00	150.00	131.00	NOT TAKEN						
C93124	SPIILLED	SPIILLED	151.00	SPIILLED	SPIILLED	SPIILLED	127.00	109.00	118.00	138.00
C93125	104.00	118.00	120.00	119.00	122.00	117.00	SPIILLED	124.00	104.00	122.00
C93126	103.00	104.00	SPIILLED	103.00	108.00	101.00	133.00	101.00	100.00	102.00
C93127	125.00	122.00	123.00	134.00	125.00	108.00	126.00	128.00	111.00	121.00
C93128	106.00	126.00	114.00	121.00	119.00	113.00	122.00	115.00	120.00	116.00
C93129	128.00	136.00	146.00	147.00	146.00	139.00	134.00	131.00	134.00	125.00
C93130	128.00	137.00	133.00	149.00	144.00	124.00	141.00	138.00	131.00	133.00
C93131	133.00	131.00	135.00	127.00	131.00	130.00	122.00	124.00	124.00	117.00
C93132	130.00	129.00	129.00	120.00	123.00	112.00	116.00	106.00	115.00	126.00
C93133	129.00	124.00	124.00	118.00	120.00	105.00	SPIILLED	113.00	112.00	116.00
C93134	139.00	126.00	124.00	128.00	132.00	134.00	125.00	128.00	117.00	127.00
C93135	136.00	132.00	140.00	137.00	147.00	129.00	134.00	131.00	131.00	127.00
C93136	125.00	118.00	111.00	116.00	121.00	115.00	113.00	120.00	114.00	126.00
C93137	124.00	143.00	141.00	120.00	136.00	128.00	132.00	121.00	114.00	126.00
C93138	117.00	122.00	121.00	121.00	126.00	117.00	123.00	119.00	122.00	122.00
C93139	133.00	137.00	SPIILLED	124.00	134.00	SPIILLED	117.00	111.00	116.00	125.00
C93140	130.00	140.00	153.00	138.00	152.00	138.00	136.00	145.00	126.00	138.00
C93141	130.00	SPIILLED	162.00	SPIILLED	182.00	139.00	SPIILLED	166.00	SPIILLED	145.00
C93142	149.00	135.00	142.00	NOT TAKEN						
C93143	132.00	145.00	SPIILLED	SPIILLED	153.00	SPIILLED	158.00	SPIILLED	137.00	SPIILLED
C93144	SPIILLED	122.00	125.00	NOT TAKEN						
C93145	110.00	110.00	SPIILLED	128.00	SPIILLED	130.00	123.00	SPIILLED	123.00	115.00
C93146	115.00	105.00	105.00	106.00	SPIILLED	SPIILLED	125.00	105.00	SPIILLED	118.00
C93147	118.00	124.00	122.00	128.00	132.00	129.00	128.00	118.00	119.00	116.00
C93148	126.00	126.00	118.00	116.00	126.00	129.00	147.00	135.00	136.00	132.00
C93149	113.00	SPIILLED	134.00	133.00	154.00	SPIILLED	SPIILLED	150.00	155.00	SPIILLED
C93150	160.00	171.00	160.00	159.00	163.00	142.00	139.00	147.00	152.00	149.00
C93151	126.00	123.00	122.00	111.00	129.00	122.00	124.00	123.00	133.00	123.00
C93152	133.00	146.00	SPIILLED	128.00	126.00	136.00	SPIILLED	129.00	128.00	123.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93153	SPILLED	SPILLED	152.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C93154	130.00	136.00	130.00	128.00	137.00	129.00	129.00	127.00	126.00	130.00
C93155	131.00	145.00	152.00	115.00	131.00	128.00	147.00	159.00	130.00	SPILLED
C93156	115.00	117.00	118.00	109.00	118.00	111.00	118.00	112.00	107.00	111.00
C93157	130.00	123.00	145.00	126.00	137.00	134.00	134.00	125.00	131.00	133.00
C93158	124.00	128.00	122.00	118.00	137.00	116.00	111.00	126.00	123.00	129.00
C93159	118.00	114.00	118.00	NOT TAKEN						
C93160	140.00	148.00	151.00	148.00	161.00	146.00	147.00	148.00	144.00	144.00
C93161	119.00	SPILLED	SPILLED	136.00	138.00	SPILLED	SPILLED	130.00	SPILLED	128.00
C93162	149.00	159.00	169.00	141.00	146.00	149.00	138.00	SPILLED	146.00	SPILLED
C93163	111.00	121.00	SPILLED	118.00	120.00	120.00	115.00	106.00	107.00	113.00
C93164	133.00	125.00	109.00	SPILLED	SPILLED	118.00	116.00	SPILLED	116.00	112.00
C93165	124.00	129.00	128.00	122.00	135.00	126.00	121.00	115.00	119.00	117.00
C93166	129.00	132.00	135.00	145.00	142.00	140.00	SPILLED	139.00	127.00	134.00
C93167	110.00	135.00	133.00	122.00	138.00	122.00	120.00	131.00	111.00	123.00
C93168	129.00	149.00	136.00	139.00	146.00	141.00	132.00	123.00	116.00	SPILLED
C93169	122.00	127.00	126.00	137.00	134.00	120.00	123.00	117.00	121.00	112.00
C93170	122.00	130.00	137.00	132.00	153.00	133.00	130.00	SPILLED	140.00	SPILLED
C93171	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C93172	120.00	116.00	119.00	SPILLED	123.00	119.00	130.00	115.00	SPILLED	128.00
C93173	118.00	133.00	142.00	109.00	125.00	116.00	SPILLED	SPILLED	130.00	SPILLED
C93174	119.00	SPILLED	SPILLED	125.00	135.00	123.00	SPILLED	SPILLED	SPILLED	SPILLED
C93175	118.00	133.00	127.00	114.00	127.00	111.00	125.00	109.00	118.00	119.00
C93176	112.00	117.00	124.00	122.00	129.00	116.00	120.00	113.00	113.00	113.00
C93177	118.00	117.00	118.00	115.00	118.00	111.00	119.00	111.00	134.00	127.00
C93178	SPILLED	127.00	134.00	137.00	126.00	121.00	123.00	112.00	118.00	116.00
C93179	115.00	116.00	115.00	114.00	120.00	114.00	113.00	111.00	113.00	SPILLED
C93180	SPILLED	153.00	SPILLED	138.00	148.00	137.00	135.00	139.00	SPILLED	140.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 6 - 20 PPM										
C93181	124.00	122.00	126.00	119.00	135.00	132.00	130.00	132.00	129.00	131.00
C93182	119.00	124.00	132.00	123.00	126.00	107.00	119.00	107.00	120.00	112.00
C93183	129.00	121.00	133.00	127.00	132.00	136.00	128.00	125.00	126.00	140.00
C93184	115.00	108.00	124.00	127.00	129.00	117.00	123.00	120.00	113.00	114.00
C93185	SPIILLED	164.00	SPIILLED	SPIILLED	SPIILLED	143.00	133.00	149.00	137.00	149.00
C93186	114.00	117.00	123.00	115.00	112.00	119.00	107.00	107.00	109.00	120.00
C93187	126.00	132.00	119.00	140.00	122.00	125.00	131.00	118.00	123.00	117.00
C93188	140.00	129.00	140.00	113.00	130.00	120.00	125.00	125.00	123.00	123.00
C93189	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	120.00	127.00	124.00	125.00	125.00
C93190	138.00	124.00	130.00	122.00	135.00	126.00	128.00	120.00	127.00	132.00
C93191	132.00	151.00	129.00	143.00	142.00	138.00	146.00	151.00	134.00	151.00
C93192	115.00	111.00	109.00	129.00	121.00	114.00	120.00	106.00	101.00	111.00
C93193	126.00	137.00	138.00	132.00	133.00	131.00	123.00	116.00	105.00	126.00
C93194	130.00	133.00	152.00	157.00	153.00	146.00	155.00	138.00	150.00	176.00
C93195	152.00	SPIILLED	143.00	129.00	131.00	125.00	126.00	SPIILLED	156.00	126.00
C93196	112.00	134.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	120.00	112.00	118.00	113.00
C93197	106.00	102.00	103.00	105.00	102.00	101.00	105.00	99.00	106.00	108.00
C93198	128.00	127.00	131.00	140.00	138.00	126.00	122.00	108.00	120.00	124.00
C93199	127.00	118.00	126.00	118.00	121.00	119.00	109.00	115.00	111.00	113.00
C93200	133.00	125.00	132.00	143.00	152.00	125.00	SPIILLED	SPIILLED	201.00	SPIILLED
C93201	SPIILLED	121.00	130.00	119.00	122.00	109.00	107.00	SPIILLED	117.00	111.00
C93202	100.00	121.00	120.00	124.00	127.00	SPIILLED	107.00	SPIILLED	SPIILLED	SPIILLED
C93203	130.00	130.00	120.00	141.00	128.00	144.00	132.00	SPIILLED	132.00	122.00
C93204	143.00	138.00	147.00	140.00	144.00	134.00	132.00	128.00	125.00	135.00
C93205	137.00	SPIILLED	160.00	131.00	135.00	130.00	139.00	128.00	130.00	135.00
C93206	127.00	112.00	114.00	105.00	126.00	SPIILLED	115.00	SPIILLED	SPIILLED	127.00
C93207	122.00	128.00	123.00	118.00	125.00	110.00	118.00	124.00	115.00	114.00
C93208	122.00	118.00	128.00	112.00	120.00	100.00	120.00	109.00	104.00	108.00
C93209	121.00	123.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	107.00	SPIILLED	120.00	SPIILLED
C93210	141.00	128.00	125.00	161.00	138.00	SPIILLED	126.00	127.00	127.00	121.00
C93211	101.00	SPIILLED	116.00	116.00	117.00	106.00	110.00	112.00	124.00	122.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 6 - 20 PPM										
C93212	114.00	135.00	131.00	137.00	141.00	125.00	140.00	133.00	135.00	142.00
C93213	121.00	123.00	130.00	126.00	125.00	119.00	117.00	113.00	116.00	117.00
C93214	116.00	117.00	113.00	SPIILLED	SPIILLED	SPIILLED	117.00	114.00	119.00	120.00
C93215	145.00	124.00	SPIILLED	128.00	133.00	126.00	122.00	125.00	119.00	121.00
C93216	113.00	109.00	118.00	115.00	122.00	114.00	114.00	110.00	118.00	112.00
C93217	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	153.00	145.00	132.00	130.00	137.00
C93218	127.00	117.00	139.00	119.00	124.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93219	141.00	151.00	161.00	153.00	155.00	SPIILLED	SPIILLED	139.00	129.00	SPIILLED
C93220	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED

Appendix 4

Individual Food Consumption Data (g)

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 1 - 0 PPM										
C92501	SPILLED	223.00	221.00	222.00	217.00	213.00	214.00	194.00	197.00	188.00
C92502	182.00	174.00	165.00	174.00	181.00	179.00	179.00	161.00	157.00	168.00
C92503	187.00	177.00	177.00	175.00	178.00	185.00	165.00	169.00	173.00	170.00
C92504	190.00	118.00	163.00	165.00	173.00	169.00	187.00	188.00	162.00	159.00
C92505	194.00	SPILLED	186.00	190.00	194.00	201.00	191.00	172.00	174.00	179.00
C92507	184.00	171.00	180.00	175.00	174.00	171.00	168.00	162.00	160.00	158.00
C92508	180.00	173.00	169.00	153.00	177.00	183.00	187.00	170.00	180.00	169.00
C92509	178.00	179.00	172.00	NOT TAKEN						
C92510	202.00	207.00	203.00	207.00	194.00	SPILLED	192.00	173.00	170.00	188.00
C92511	135.00	SPILLED	231.00	NOT TAKEN						
C92512	191.00	190.00	182.00	183.00	196.00	192.00	199.00	189.00	184.00	169.00
C92513	187.00	177.00	170.00	174.00	176.00	181.00	184.00	182.00	179.00	171.00
C92514	211.00	213.00	206.00	220.00	218.00	209.00	226.00	200.00	199.00	188.00
C92515	187.00	185.00	173.00	181.00	190.00	181.00	178.00	166.00	160.00	153.00
C92516	167.00	173.00	162.00	161.00	160.00	172.00	164.00	163.00	165.00	178.00
C92517	217.00	204.00	191.00	197.00	203.00	212.00	216.00	204.00	210.00	190.00
C92518	203.00	200.00	206.00	205.00	206.00	207.00	232.00	212.00	208.00	203.00
C92519	168.00	173.00	162.00	165.00	168.00	171.00	163.00	153.00	152.00	156.00
C92520	192.00	199.00	189.00	192.00	205.00	204.00	196.00	182.00	175.00	174.00
C92521	184.00	187.00	185.00	NOT TAKEN						
C92522	166.00	SPILLED	157.00	156.00	160.00	162.00	162.00	140.00	152.00	158.00
C92523	174.00	172.00	169.00	166.00	175.00	174.00	188.00	181.00	176.00	167.00
C92525	185.00	184.00	174.00	181.00	187.00	186.00	186.00	181.00	169.00	166.00
C92527	189.00	189.00	181.00	157.00	187.00	188.00	188.00	174.00	175.00	170.00
C92528	175.00	SPILLED	169.00	NOT TAKEN						
C92530	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92531	SPILLED	SPILLED	SPILLED	207.00	SPILLED	SPILLED	219.00	212.00	198.00	169.00
C92532	SPILLED	236.00	234.00	NOT TAKEN						
C92533	212.00	204.00	199.00	194.00	203.00	201.00	195.00	186.00	194.00	178.00
C92534	180.00	169.00	165.00	175.00	173.00	172.00	173.00	190.00	181.00	171.00
C92535	203.00	193.00	187.00	181.00	209.00	199.00	190.00	173.00	174.00	187.00
C92536	175.00	178.00	188.00	186.00	186.00	185.00	196.00	175.00	186.00	169.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 1 - 0 PPM										
C92537	212.00	219.00	212.00	189.00	212.00	217.00	227.00	212.00	204.00	210.00
C92538	193.00	203.00	204.00	205.00	196.00	194.00	209.00	210.00	218.00	193.00
C92539	218.00	211.00	215.00	215.00	215.00	218.00	227.00	219.00	211.00	204.00
C92540	210.00	208.00	198.00	203.00	205.00	208.00	214.00	217.00	211.00	200.00
C92541	198.00	203.00	190.00	191.00	192.00	197.00	201.00	202.00	193.00	180.00
C92542	180.00	184.00	184.00	181.00	189.00	184.00	190.00	192.00	SPILLED	170.00
C92543	170.00	172.00	166.00	172.00	173.00	167.00	173.00	168.00	170.00	166.00
C92544	211.00	208.00	190.00	197.00	201.00	205.00	197.00	185.00	SPILLED	180.00
C92545	201.00	184.00	182.00	187.00	199.00	198.00	187.00	188.00	180.00	181.00
C92547	201.00	199.00	196.00	191.00	194.00	196.00	193.00	184.00	176.00	173.00
C92548	177.00	176.00	172.00	181.00	185.00	182.00	SPILLED	179.00	176.00	179.00
C92549	163.00	162.00	157.00	163.00	166.00	170.00	161.00	168.00	161.00	150.00
C92550	205.00	204.00	208.00	208.00	217.00	217.00	221.00	217.00	219.00	209.00
C92551	165.00	172.00	163.00	164.00	172.00	169.00	174.00	163.00	162.00	159.00
C92552	193.00	193.00	189.00	204.00	194.00	196.00	191.00	192.00	195.00	186.00
C92553	148.00	149.00	143.00	146.00	146.00	146.00	137.00	127.00	119.00	126.00
C92554	162.00	157.00	151.00	158.00	161.00	161.00	163.00	154.00	147.00	142.00
C92555	205.00	215.00	215.00	214.00	211.00	211.00	222.00	217.00	195.00	193.00
C92556	176.00	182.00	171.00	177.00	178.00	184.00	180.00	168.00	182.00	166.00
C92557	202.00	SPILLED	195.00	198.00	203.00	187.00	199.00	212.00	183.00	174.00
C92558	203.00	202.00	200.00	185.00	211.00	209.00	205.00	196.00	201.00	196.00
C92559	181.00	178.00	175.00	178.00	182.00	180.00	178.00	177.00	182.00	168.00
C92560	185.00	184.00	191.00	182.00	192.00	194.00	198.00	194.00	208.00	191.00
C92561	182.00	187.00	174.00	181.00	175.00	176.00	187.00	180.00	173.00	178.00
C92562	193.00	SPILLED	SPILLED	170.00	190.00	198.00	185.00	184.00	196.00	176.00
C92563	SPILLED	225.00	SPILLED	202.00	222.00	215.00	228.00	215.00	224.00	217.00
C92564	193.00	203.00	199.00	197.00	197.00	203.00	201.00	195.00	202.00	188.00
C92565	209.00	200.00	SPILLED	187.00	197.00	196.00	197.00	208.00	208.00	185.00
C92566	193.00	195.00	189.00	174.00	189.00	191.00	182.00			
C92567	179.00	175.00	185.00	180.00	177.00	167.00	191.00	171.00	176.00	173.00
C92568	198.00	195.00	187.00	184.00	186.00	194.00	196.00	174.00	186.00	190.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 1 - 0 PPM										
C92569	177.00	181.00	168.00	176.00	193.00	194.00	195.00	183.00	175.00	168.00
C92570	199.00	184.00	192.00	194.00	188.00	195.00	198.00	192.00	177.00	174.00
GROUP: MALE 2 - 0.5 PPM										
C92571	220.00	221.00	215.00	212.00	217.00	199.00	195.00	179.00	173.00	188.00
C92572	200.00	204.00	196.00	205.00	200.00	199.00	208.00	193.00	196.00	194.00
C92573	204.00	208.00	201.00	198.00	207.00	207.00	202.00	199.00	202.00	202.00
C92576	186.00	190.00	192.00	186.00	190.00	198.00	213.00	181.00	194.00	193.00
C92577	198.00	203.00	199.00	199.00	195.00	209.00	217.00	205.00	197.00	197.00
C92578	196.00	190.00	192.00	200.00	192.00	196.00	206.00	197.00	189.00	188.00
C92579	207.00	206.00	205.00	194.00	200.00	195.00	208.00	197.00	192.00	186.00
C92580	192.00	200.00	194.00	192.00	190.00	193.00	206.00	179.00	181.00	181.00
C92581	183.00	190.00	190.00	185.00	184.00	183.00	195.00	184.00	178.00	186.00
C92582	156.00	157.00	148.00	150.00	156.00	158.00	160.00	150.00	170.00	167.00
C92583	174.00	169.00	160.00	145.00	181.00	170.00	167.00	167.00	164.00	164.00
C92584	165.00	175.00	176.00	167.00	179.00	167.00	170.00	162.00	173.00	174.00
C92585	CNTMD	CNTMD	202.00	186.00	CNTMD	191.00	212.00	211.00	200.00	184.00
C92586	179.00	181.00	189.00	194.00	184.00	197.00	220.00	195.00	193.00	203.00
C92587	199.00	197.00	198.00	206.00	205.00	213.00	219.00	219.00	207.00	196.00
C92588	SPILLED	181.00	182.00	183.00	197.00	194.00	SPILLED	185.00	172.00	170.00
C92589	203.00	192.00	189.00	194.00	193.00	190.00	196.00	193.00	189.00	183.00
C92590	204.00	213.00	212.00	211.00	214.00	206.00	199.00	204.00	SPILLED	182.00
C92591	166.00	166.00	164.00	166.00	165.00	171.00	182.00	174.00	178.00	174.00
C92592	178.00	173.00	169.00	182.00	175.00	181.00	184.00	186.00	181.00	177.00
C92593	175.00	166.00	164.00	NOT TAKEN						
C92594	196.00	194.00	186.00	185.00	195.00	195.00	195.00	187.00	185.00	177.00
C92595	TECH SPILL	173.00	164.00	169.00	182.00	178.00	166.00	164.00	170.00	159.00
C92596	195.00	191.00	195.00	190.00	189.00	192.00	203.00	202.00	197.00	193.00
C92597	SPILLED	182.00	185.00	179.00	191.00	199.00	192.00	190.00	202.00	182.00
C92598	186.00	183.00	181.00	159.00	176.00	182.00	198.00	179.00	192.00	180.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 2 - 0.5 PPM										
C92599	216.00	211.00	213.00	215.00	210.00	210.00	216.00	208.00	215.00	225.00
C92600	177.00	170.00	172.00	NOT TAKEN						
C92601	160.00	164.00	165.00	162.00	166.00	176.00	178.00	180.00	178.00	176.00
C92602	170.00	177.00	172.00	173.00	174.00	168.00	178.00	165.00	173.00	165.00
C92603	197.00	200.00	184.00	190.00	178.00	195.00				
C92604	187.00	188.00	187.00	188.00	189.00	196.00	198.00	193.00	195.00	196.00
C92605	197.00	199.00	189.00	195.00	194.00	202.00	187.00	198.00	191.00	185.00
C92606	196.00	197.00	186.00	183.00	182.00	195.00	207.00	187.00	173.00	180.00
C92607	207.00	203.00	208.00	213.00	205.00	208.00	212.00	208.00	180.00	199.00
C92608	SPIILLED	227.00	212.00	199.00	125.00	170.00	217.00	208.00	201.00	201.00
C92609	176.00	173.00	171.00	178.00	180.00	184.00	193.00	193.00	198.00	194.00
C92611	170.00	173.00	162.00	168.00	171.00	164.00	167.00	168.00	154.00	165.00
C92612	185.00	178.00	172.00	159.00	184.00	184.00	189.00	122.00	175.00	183.00
C92614	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92615	190.00	193.00	188.00	187.00	191.00	190.00	189.00	196.00	187.00	182.00
C92616	175.00	168.00	174.00	NOT TAKEN						
C92617	208.00	218.00	201.00	208.00	213.00	209.00	213.00	212.00	207.00	201.00
C92619	177.00	172.00	175.00	178.00	182.00	171.00	173.00	159.00	160.00	163.00
C92620	153.00	162.00	185.00	175.00	164.00	170.00	167.00	160.00	160.00	162.00
C92621	SPIILLED	211.00	204.00	NOT TAKEN						
C92622	186.00	185.00	172.00	179.00	179.00	191.00	183.00	190.00	179.00	177.00
C92623	159.00	163.00	156.00	154.00	161.00	172.00	168.00	160.00	158.00	153.00
C92624	182.00	169.00	178.00	162.00	179.00	184.00	180.00	178.00	183.00	187.00
C92625	217.00	213.00	202.00	205.00	215.00	214.00	202.00	205.00	195.00	185.00
C92626	197.00	192.00	186.00	186.00	180.00	152.00	188.00	195.00	164.00	SPIILLED
C92627	SPIILLED	SPIILLED	SPIILLED	NOT TAKEN						
C92628	214.00	SPIILLED	SPIILLED	222.00	SPIILLED	212.00	221.00	211.00	213.00	SPIILLED
C92629	SPIILLED	211.00	206.00	191.00	210.00	217.00	230.00	201.00	213.00	207.00
C92630	237.00	229.00	232.00	230.00	235.00	239.00	SPIILLED	231.00	SPIILLED	SPIILLED

Appendix 4

Individual Food Consumption Data (g)

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 3 - 2 PPM										
C92631	178.00	182.00	179.00	177.00	177.00	188.00	182.00	180.00	181.00	169.00
C92632	203.00	199.00	195.00	197.00	238.00	205.00	209.00	220.00	202.00	196.00
C92633	173.00	176.00	173.00	173.00	171.00	182.00	193.00	186.00	182.00	177.00
C92634	184.00	183.00	186.00	200.00	205.00	183.00	201.00	198.00	182.00	177.00
C92635	SPIILLED	206.00	194.00	194.00	189.00	191.00	191.00	201.00	189.00	190.00
C92636	SPIILLED	193.00	202.00	179.00	SPIILLED	206.00	202.00	189.00	187.00	191.00
C92637	153.00	159.00	157.00	160.00	164.00	163.00	169.00	165.00	159.00	162.00
C92638	229.00	SPIILLED	216.00	229.00	214.00	230.00	227.00	244.00	227.00	228.00
C92639	177.00	179.00	181.00	182.00	182.00	189.00	183.00	198.00	186.00	173.00
C92640	158.00	161.00	160.00	NOT TAKEN						
C92641	135.00	169.00	190.00	199.00	199.00	212.00	206.00	206.00	165.00	176.00
C92642	182.00	184.00	191.00	179.00	184.00	186.00	175.00	174.00	179.00	173.00
C92643	173.00	171.00	174.00	176.00	168.00	SPIILLED	169.00	179.00	171.00	169.00
C92644	172.00	173.00	168.00	154.00	180.00	178.00	172.00	168.00	164.00	177.00
C92645	194.00	204.00	208.00	NOT TAKEN						
C92647	167.00	172.00	172.00	166.00	177.00	180.00	176.00	176.00	169.00	175.00
C92648	153.00	159.00	157.00	166.00	170.00	170.00	174.00	167.00	165.00	161.00
C92649	170.00	178.00	182.00	179.00	182.00	179.00	190.00	172.00	169.00	171.00
C92651	197.00	205.00	196.00	176.00	198.00	202.00	189.00	202.00	191.00	193.00
C92653	185.00	188.00	190.00	194.00	187.00	183.00	199.00	186.00	189.00	193.00
C92654	188.00	200.00	192.00	197.00	196.00	190.00	180.00	190.00	182.00	182.00
C92655	SPIILLED	SPIILLED	SPIILLED	246.00	SPIILLED	SPIILLED	237.00	239.00	238.00	229.00
C92656	181.00	191.00	194.00	183.00	190.00	190.00	186.00	180.00	178.00	175.00
C92657	SPIILLED	SPIILLED	190.00	186.00	192.00	187.00	201.00	190.00	179.00	182.00
C92658	189.00	198.00	197.00	193.00	196.00	189.00	201.00	180.00	184.00	186.00
C92659	197.00	207.00	204.00	194.00	218.00	208.00	209.00	195.00	200.00	198.00
C92660	179.00	172.00	171.00	179.00	173.00	176.00	203.00	198.00	177.00	SPIILLED
C92661	161.00	164.00	169.00	154.00	189.00	187.00	178.00	180.00	177.00	166.00
C92662	164.00	163.00	172.00	NOT TAKEN						
C92663	205.00	210.00	216.00	217.00	212.00	214.00	214.00	224.00	210.00	208.00
C92664	195.00	196.00	192.00	195.00	194.00	200.00	209.00	195.00	179.00	193.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 3 - 2 PPM										
C92665	198.00	194.00	206.00	200.00	203.00	206.00	195.00	196.00	193.00	197.00
C92666	212.00	224.00	220.00	215.00	212.00	228.00	225.00	248.00	236.00	SPIILLED
C92667	210.00	211.00	217.00	214.00	197.00	206.00	215.00	199.00	202.00	198.00
C92669	SPIILLED	207.00	206.00	SPIILLED	218.00	200.00	194.00	191.00	186.00	187.00
C92670	171.00	175.00	178.00	172.00	173.00	171.00	175.00	163.00	164.00	158.00
C92671	189.00	184.00	186.00	183.00	189.00	191.00	188.00	182.00	179.00	184.00
C92672	174.00	179.00	170.00	180.00	183.00	182.00	169.00	180.00	166.00	172.00
C92673	182.00	188.00	192.00	186.00	184.00	186.00	187.00	175.00	164.00	174.00
C92674	SPIILLED	191.00	195.00	203.00	209.00	198.00	201.00	207.00	182.00	186.00
C92675	189.00	180.00	181.00	180.00	180.00	190.00	188.00	187.00	178.00	188.00
C92676	175.00	166.00	168.00	NOT TAKEN						
C92677	166.00	162.00	165.00	169.00	175.00	180.00	189.00	181.00	182.00	181.00
C92679	194.00	189.00	195.00	191.00	200.00	202.00	205.00	198.00	202.00	202.00
C92680	204.00	217.00	209.00	203.00	205.00	193.00	200.00	190.00	187.00	181.00
C92681	180.00	183.00	174.00	179.00	180.00	193.00	181.00	187.00	SPIILLED	174.00
C92682	175.00	174.00	179.00	158.00	181.00	177.00	190.00	177.00	173.00	179.00
C92683	189.00	189.00	189.00	190.00	190.00	181.00	199.00	200.00	191.00	195.00
C92684	182.00	102.00	167.00	NOT TAKEN						
C92685	189.00	178.00	184.00	194.00	194.00	191.00	195.00	189.00	177.00	188.00
C92686	172.00	173.00	178.00	184.00	175.00	181.00	189.00	186.00	183.00	173.00
C92687	203.00	203.00	206.00	204.00	208.00	196.00	201.00	202.00	199.00	193.00
C92688	SPIILLED	201.00	201.00	SPIILLED	SPIILLED	198.00	SPIILLED	SPIILLED	SPIILLED	198.00
C92689	168.00	152.00	160.00	168.00	178.00	176.00	175.00	180.00	166.00	161.00
C92690	211.00	210.00	215.00	216.00	215.00	206.00	224.00	198.00	203.00	204.00
GROUP: MALE 4 - 5 PPM										
C92691	178.00	173.00	171.00	171.00	186.00	186.00	192.00	184.00	178.00	178.00
C92692	174.00	177.00	180.00	182.00	177.00	175.00	169.00	161.00	167.00	161.00
C92693	192.00	184.00	178.00	186.00	193.00	189.00	179.00	177.00	171.00	178.00
C92694	176.00	170.00	155.00	172.00	181.00	189.00	189.00	168.00	174.00	176.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 4 - 5 PPM										
C92695	182.00	183.00	177.00	178.00	180.00	185.00	180.00	174.00	179.00	170.00
C92696	196.00	SPILLED	192.00	182.00	188.00	189.00	191.00	187.00	SPILLED	155.00
C92697	213.00	212.00	212.00	SPILLED	199.00	212.00	216.00	206.00	190.00	196.00
C92698	192.00	192.00	197.00	198.00	200.00	189.00	202.00	184.00	176.00	183.00
C92699	166.00	168.00	165.00	167.00	166.00	169.00	121.00	164.00	150.00	173.00
C92700	150.00	150.00	153.00	151.00	151.00	157.00	162.00	143.00	159.00	SPILLED
C92701	174.00	177.00	179.00	179.00	174.00	175.00	186.00	169.00	176.00	172.00
C92702	166.00	169.00	163.00	165.00	167.00	167.00	164.00	159.00	159.00	169.00
C92703	214.00	222.00	215.00	216.00	210.00	222.00	219.00	204.00	195.00	189.00
C92704	189.00	186.00	181.00	189.00	185.00	191.00	187.00	175.00	179.00	171.00
C92705	192.00	191.00	184.00	192.00	198.00	190.00	197.00	188.00	189.00	178.00
C92706	172.00	179.00	175.00	176.00	181.00	172.00	171.00	169.00	181.00	188.00
C92707	160.00	154.00	154.00	154.00	159.00	160.00	164.00	154.00	155.00	163.00
C92708	174.00	159.00	178.00	175.00	182.00	180.00	173.00	161.00	159.00	160.00
C92709	177.00	176.00	177.00	172.00	184.00	180.00	178.00	173.00	171.00	160.00
C92710	194.00	197.00	186.00	188.00	191.00	187.00	184.00	174.00	179.00	167.00
C92711	169.00	170.00	172.00	146.00	177.00	183.00	176.00	170.00	168.00	170.00
C92712	202.00	198.00	204.00	222.00	224.00	215.00	SPILLED	220.00	219.00	215.00
C92713	197.00	200.00	193.00	NOT TAKEN						
C92714	208.00	203.00	206.00	NOT TAKEN						
C92716	193.00	199.00	197.00	171.00	SPILLED	203.00	204.00	193.00	189.00	195.00
C92717	187.00	196.00	189.00	195.00	198.00	208.00	204.00	187.00	190.00	194.00
C92719	180.00	181.00	184.00	NOT TAKEN						
C92720	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	239.00	SPILLED	227.00	224.00	216.00
C92721	161.00	164.00	168.00	163.00	170.00	180.00	164.00	167.00	171.00	162.00
C92722	203.00	208.00	202.00	NOT TAKEN						
C92723	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	215.00	SPILLED	223.00	SPILLED	SPILLED
C92724	SPILLED	SPILLED	248.00	SPILLED	SPILLED	255.00	235.00	232.00	SPILLED	216.00
C92725	170.00	164.00	164.00	167.00	163.00	165.00	167.00	154.00	151.00	153.00
C92726	187.00	182.00	181.00	160.00	203.00	190.00	173.00	188.00	181.00	170.00
C92727	180.00	194.00	194.00	174.00	181.00	195.00	196.00	193.00	178.00	189.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 4 - 5 PPM										
C92728	219.00	220.00	215.00	NOT TAKEN						
C92729	210.00	216.00	224.00	216.00	207.00	212.00	217.00	212.00	209.00	208.00
C92730	SPIILLED	177.00	173.00	179.00	185.00	186.00	174.00	183.00	185.00	176.00
C92732	190.00	201.00	197.00	195.00	198.00	200.00	197.00	182.00	189.00	184.00
C92733	176.00	171.00	174.00	187.00	192.00	178.00	202.00	191.00	198.00	181.00
C92735	181.00	183.00	183.00	187.00	187.00	199.00	179.00	172.00	174.00	183.00
C92736	170.00	174.00	176.00	176.00	181.00	175.00	185.00	182.00	178.00	175.00
C92737	181.00	177.00	173.00	181.00	186.00	182.00	185.00	174.00	179.00	180.00
C92738	184.00	183.00	176.00	181.00	187.00	170.00	173.00	183.00	171.00	172.00
C92739	SPIILLED	182.00	174.00	171.00	174.00	181.00	184.00	188.00	173.00	174.00
C92740	188.00	187.00	185.00	186.00	184.00	185.00	185.00	171.00	168.00	179.00
C92741	181.00	178.00	182.00	167.00	188.00	183.00	204.00	186.00	SPIILLED	SPIILLED
C92742	208.00	207.00	208.00	203.00	206.00	203.00	189.00	188.00	188.00	194.00
C92743	SPIILLED	203.00	208.00	213.00	213.00	212.00	220.00	196.00	197.00	208.00
C92745	203.00	205.00	204.00	211.00	210.00	220.00	214.00	213.00	199.00	229.00
C92746	SPIILLED	SPIILLED	184.00	181.00	194.00	192.00	198.00	190.00	189.00	191.00
C92747	180.00	187.00	182.00	189.00	190.00	185.00	182.00	177.00	181.00	176.00
C92748	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	238.00	229.00	214.00	209.00
C92749	SPIILLED	175.00	156.00	175.00	182.00	179.00	181.00	168.00	179.00	170.00
C92750	SPIILLED	185.00	182.00	185.00	189.00	182.00	183.00	177.00	179.00	177.00
GROUP: MALE 5 - 20 PPM										
C92751	177.00	164.00	185.00	184.00	196.00	199.00	196.00	190.00	187.00	188.00
C92753	154.00	SPIILLED	202.00	SPIILLED	SPIILLED	218.00	SPIILLED	199.00	159.00	177.00
C92754	153.00	166.00	158.00	142.00	159.00	154.00	162.00	149.00	152.00	157.00
C92755	170.00	170.00	171.00	175.00	176.00	179.00	180.00	173.00	168.00	172.00
C92756	224.00	244.00	237.00	SPIILLED	SPIILLED	239.00	SPIILLED	245.00	SPIILLED	215.00
C92757	169.00	165.00	161.00	163.00	165.00	176.00	182.00	188.00	173.00	175.00
C92758	161.00	162.00	164.00	162.00	166.00	167.00	175.00	157.00	154.00	155.00
C92760	184.00	199.00	187.00	188.00	181.00	179.00	189.00	176.00	185.00	176.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 5 - 20 PPM										
C92761	171.00	167.00	172.00	174.00	164.00	177.00	186.00	179.00	175.00	188.00
C92762	198.00	195.00	177.00	176.00	177.00	175.00	191.00	171.00	178.00	181.00
C92763	196.00	208.00	198.00	206.00	206.00	204.00	208.00	206.00	217.00	211.00
C92764	220.00	234.00	215.00	221.00	212.00	225.00	211.00	213.00	217.00	213.00
C92765	188.00	181.00	187.00	NOT TAKEN						
C92766	170.00	174.00	171.00	175.00	183.00	176.00	189.00	188.00	177.00	175.00
C92767	225.00	227.00	223.00	188.00	224.00	SPILLED	239.00	238.00	235.00	242.00
C92768	190.00	188.00	184.00	184.00	191.00	186.00	196.00	179.00	184.00	SPILLED
C92769	193.00	199.00	194.00	197.00	201.00	199.00	220.00	200.00	188.00	199.00
C92770	191.00	195.00	180.00	180.00	183.00	182.00	184.00	173.00	189.00	187.00
C92771	171.00	SPILLED	166.00	181.00	178.00	167.00	188.00	184.00	184.00	176.00
C92772	171.00	187.00	183.00	181.00	187.00	188.00	187.00	181.00	189.00	185.00
C92773	158.00	163.00	152.00	153.00	159.00	161.00	160.00	153.00	167.00	163.00
C92774	180.00	190.00	195.00	172.00	203.00	192.00	190.00	186.00	161.00	175.00
C92775	202.00	207.00	202.00	205.00	199.00	204.00	212.00	198.00	199.00	201.00
C92776	182.00	187.00	191.00	190.00	190.00	177.00	189.00	173.00	178.00	178.00
C92777	171.00	177.00	173.00	NOT TAKEN						
C92778	183.00	191.00	189.00	187.00	192.00	190.00	185.00	172.00	173.00	180.00
C92780	SPILLED	174.00	187.00	187.00	181.00	178.00	185.00	182.00	194.00	188.00
C92781	166.00	158.00	170.00	175.00	173.00	161.00	162.00	168.00	160.00	167.00
C92782	174.00	174.00	173.00	179.00	182.00	179.00	172.00	172.00	166.00	165.00
C92783	186.00	188.00	187.00	189.00	187.00	195.00	192.00	190.00	199.00	193.00
C92784	183.00	190.00	179.00	165.00	187.00	189.00	176.00	172.00	183.00	185.00
C92785	183.00	175.00	180.00	174.00	178.00	180.00	175.00	162.00	167.00	164.00
C92786	177.00	178.00	168.00	169.00	181.00	186.00	188.00	178.00	183.00	182.00
C92787	SPILLED	199.00	SPILLED	SPILLED	SPILLED	198.00	199.00	196.00	215.00	218.00
C92788	192.00	183.00	188.00	200.00	198.00	189.00	194.00	178.00	188.00	180.00
C92789	SPILLED	173.00	147.00	NOT TAKEN						
C92790	180.00	179.00	182.00	185.00	179.00	166.00	175.00	168.00	171.00	171.00
C92791	169.00	169.00	170.00	173.00	176.00	182.00	189.00	178.00	185.00	183.00
C92792	179.00	183.00	180.00	177.00	183.00	190.00	185.00	180.00	169.00	178.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 5 - 20 PPM										
C92794	164.00	160.00	165.00	161.00	161.00	159.00	155.00	161.00	149.00	159.00
C92795	178.00	174.00	164.00	173.00	181.00	187.00	182.00	171.00	175.00	175.00
C92796	150.00	148.00	147.00	151.00	159.00	161.00	151.00	158.00	157.00	159.00
C92797	165.00	171.00	167.00	174.00	175.00	180.00	197.00	187.00	183.00	188.00
C92799	191.00	190.00	202.00	NOT TAKEN						
C92800	SPIILLED	173.00	174.00	171.00	171.00	171.00	172.00	158.00	165.00	159.00
C92801	197.00	195.00	192.00	191.00	205.00	196.00	188.00	203.00	208.00	204.00
C92802	176.00	174.00	176.00	175.00	181.00	185.00	180.00	175.00	185.00	193.00
C92803	178.00	176.00	178.00	179.00	182.00	185.00	185.00	182.00	180.00	193.00
C92804	178.00	175.00	182.00	188.00	182.00	185.00	187.00	179.00	175.00	186.00
C92805	193.00	191.00	194.00	190.00	192.00	185.00	192.00	181.00	181.00	178.00
C92806	166.00	178.00	181.00	167.00	163.00	176.00	171.00	168.00	187.00	178.00
C92807	176.00	172.00	170.00	173.00	189.00	184.00	173.00	166.00	167.00	171.00
C92808	155.00	147.00	153.00	154.00	159.00	160.00	157.00	150.00	158.00	154.00
C92809	190.00	183.00	198.00	196.00	201.00	195.00	195.00	168.00	177.00	170.00
C92810	177.00	176.00	179.00	181.00	188.00	176.00	171.00	172.00	173.00	176.00
C92811	197.00	TECH SPILL	187.00	197.00	205.00	210.00	209.00	200.00	202.00	198.00
C92812	167.00	169.00	169.00	NOT TAKEN						
C92813	190.00	174.00	183.00	191.00	185.00	184.00	182.00	180.00	184.00	199.00
C92814	130.00	129.00	125.00	135.00	135.00	145.00	132.00	125.00	140.00	136.00
C92815	SPIILLED	SPIILLED	SPIILLED	195.00	SPIILLED	200.00	SPIILLED	185.00	199.00	195.00
C92816	152.00	148.00	150.00	154.00	152.00	149.00	148.00	145.00	157.00	146.00
C92817	197.00	195.00	199.00	199.00	201.00	201.00	213.00	202.00	211.00	222.00
C92818	174.00	167.00	169.00	172.00	176.00	180.00	180.00	166.00	165.00	177.00
C92819	152.00	144.00	150.00	162.00	157.00	162.00	167.00	151.00	158.00	165.00
C92820	SPIILLED	232.00	227.00	176.00	214.00	199.00	177.00	155.00	194.00	200.00
GROUP: MALE 6 - 20 PPM										
C92821	172.00	186.00	182.00	173.00	174.00	162.00	170.00	SPIILLED	203.00	178.00
C92822	162.00	163.00	160.00	174.00	173.00	166.00	183.00	163.00	176.00	169.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 36

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 6 - 20 PPM										
C92823	175.00	174.00	170.00	174.00	181.00	187.00	154.00	126.00	174.00	164.00
C92824	182.00	182.00	182.00	191.00	187.00	193.00	189.00	180.00	SPILLED	SPILLED
C92825	243.00	211.00	215.00	223.00	224.00	SPILLED	243.00	227.00	230.00	SPILLED
C92826	174.00	202.00	188.00	195.00	189.00	188.00	205.00	193.00	192.00	187.00
C92827	177.00	178.00	188.00	205.00	199.00	195.00	190.00	187.00	180.00	180.00
C92828	180.00	176.00	181.00	191.00	187.00	180.00	194.00	185.00	182.00	181.00
C92829	196.00	201.00	203.00	208.00	210.00	206.00	208.00	195.00	199.00	202.00
C92830	182.00	186.00	192.00	194.00	194.00	187.00	144.00	170.00	174.00	177.00
C92831	189.00	195.00	192.00	164.00	197.00	200.00	192.00	190.00	176.00	170.00
C92832	SPILLED	161.00	163.00	170.00	164.00	153.00	162.00	156.00	151.00	159.00
C92833	179.00	177.00	181.00	191.00	188.00	186.00	185.00	181.00	177.00	182.00
C92834	176.00	174.00	165.00	175.00	177.00	178.00	185.00	183.00	178.00	181.00
C92835	160.00	157.00	156.00	162.00	171.00	169.00	172.00	163.00	166.00	166.00
C92836	198.00	179.00	175.00	189.00	190.00	177.00	180.00	167.00	176.00	178.00
C92837	182.00	178.00	177.00	175.00	184.00	171.00	195.00	180.00	184.00	197.00
C92838	174.00	174.00	181.00	189.00	180.00	177.00	178.00	174.00	180.00	181.00
C92839	232.00	236.00	242.00	236.00	248.00	248.00	237.00	238.00	231.00	240.00
C92840	153.00	152.00	160.00	158.00	162.00	161.00	153.00	155.00	159.00	160.00
C92841	167.00	156.00	120.00	169.00	171.00	161.00	160.00	147.00	152.00	146.00
C92842	189.00	180.00	184.00	183.00	166.00	184.00	187.00	181.00	173.00	182.00
C92843	195.00	185.00	183.00	175.00	186.00	200.00	209.00	175.00	188.00	179.00
C92844	143.00	132.00	136.00	140.00	144.00	151.00	158.00	147.00	151.00	141.00
C92845	194.00	186.00	SPILLED	196.00	188.00	190.00	195.00	182.00	182.00	183.00
C92846	194.00	194.00	194.00	180.00	186.00	196.00	192.00	176.00	SPILLED	207.00
C92847	213.00	213.00	212.00	210.00	216.00	206.00	211.00	203.00	197.00	200.00
C92848	170.00	169.00	180.00	SPILLED	172.00	166.00	172.00	177.00	169.00	164.00
C92849	SPILLED	SPILLED	SPILLED	SPILLED	214.00	221.00	SPILLED	225.00	SPILLED	SPILLED
C92850	181.00	178.00	SPILLED	185.00	181.00	SPILLED	SPILLED	180.00	SPILLED	SPILLED
C92851	168.00	170.00	169.00	176.00	188.00	188.00	178.00	173.00	184.00	210.00
C92852	191.00	180.00	173.00	165.00	170.00	180.00	169.00	158.00	165.00	186.00
C92853	164.00	159.00	159.00	165.00	160.00	170.00	181.00	169.00	172.00	178.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 37

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 6 - 20 PPM										
C92854	186.00	185.00	181.00	184.00	187.00	186.00	195.00	189.00	197.00	183.00
C92855	183.00	171.00	179.00	247.00	195.00	183.00	153.00	169.00	179.00	167.00
C92856	167.00	160.00	169.00	171.00	174.00	171.00	166.00	164.00	166.00	168.00
C92857	172.00	168.00	171.00	178.00	179.00	183.00	181.00	163.00	167.00	164.00
C92858	191.00	186.00	189.00	188.00	192.00	186.00	193.00	193.00	188.00	SPIILLED
C92859	180.00	179.00	176.00	182.00	184.00	177.00	190.00	192.00	185.00	187.00
C92860	173.00	167.00	166.00	175.00	172.00	171.00	179.00	174.00	168.00	163.00
GROUP: FEMALE 1 - 0 PPM										
C92862	119.00	122.00	125.00	128.00	129.00	121.00	105.00	118.00	119.00	124.00
C92863	119.00	130.00	122.00	99.00	115.00	117.00	123.00	117.00	110.00	145.00
C92865	128.00	154.00	137.00	132.00	151.00	139.00	165.00	151.00	142.00	151.00
C92866	118.00	126.00	121.00	116.00	122.00	121.00	125.00	121.00	127.00	128.00
C92867	158.00	150.00	128.00	114.00	130.00	132.00	132.00	139.00	151.00	167.00
C92868	154.00	149.00	151.00	139.00	143.00	118.00	154.00	134.00	118.00	127.00
C92869	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92870	128.00	132.00	129.00	130.00	142.00	131.00	137.00	137.00	138.00	146.00
C92871	138.00	SPIILLED	143.00	125.00	SPIILLED	144.00	SPIILLED	SPIILLED	141.00	129.00
C92872	109.00	102.00	102.00	105.00	102.00	107.00	155.00	SPIILLED	SPIILLED	154.00
C92873	133.00	133.00	125.00	135.00	134.00	123.00	145.00	114.00	122.00	114.00
C92874	126.00	126.00	118.00	122.00	122.00	128.00	126.00	115.00	117.00	133.00
C92875	132.00	142.00	125.00	140.00	140.00	146.00	SPIILLED	136.00	148.00	142.00
C92876	112.00	110.00	114.00	115.00	125.00	105.00	130.00	125.00	134.00	114.00
C92877	SPIILLED	SPIILLED	142.00	SPIILLED	144.00	157.00	143.00	147.00	123.00	126.00
C92878	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92879	148.00	135.00	134.00	162.00	140.00	135.00	141.00	140.00	135.00	145.00
C92880	133.00	148.00	147.00	NOT TAKEN						
C92881	151.00	169.00	SPIILLED	140.00	140.00	130.00	107.00	156.00	143.00	139.00
C92882	103.00	107.00	108.00	106.00	110.00	112.00	127.00	94.00	116.00	115.00
C92883	154.00	164.00	139.00	156.00	140.00	134.00	151.00	139.00	125.00	130.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 38

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 1 - 0 PPM										
C92884	SPILLED	143.00	128.00	129.00	135.00	138.00	159.00	174.00	148.00	132.00
C92885	144.00	141.00	143.00	135.00	145.00	137.00	141.00	127.00	131.00	127.00
C92886	119.00	128.00	122.00	120.00	120.00	127.00	136.00	121.00	137.00	133.00
C92887	132.00	133.00	138.00	NOT TAKEN	147.00	158.00	165.00	153.00	142.00	143.00
C92888	156.00	159.00	157.00	149.00	149.00	158.00	165.00	153.00	142.00	143.00
C92889	121.00	113.00	104.00	103.00	112.00	113.00	129.00	116.00	112.00	106.00
C92890	140.00	SPILLED	142.00	136.00	136.00	152.00	SPILLED	130.00	130.00	125.00
C92891	SPILLED	SPILLED	SPILLED	137.00	141.00	131.00	SPILLED	124.00	126.00	133.00
C92892	145.00	153.00	146.00	130.00	131.00	135.00	150.00	160.00	137.00	149.00
C92893	107.00	121.00	119.00	108.00	107.00	111.00	106.00	111.00	117.00	117.00
C92894	131.00	135.00	135.00	134.00	125.00	116.00	137.00	137.00	128.00	123.00
C92895	154.00	133.00	145.00	133.00	142.00	125.00	SPILLED	123.00	122.00	118.00
C92896	SPILLED	SPILLED	143.00	132.00	130.00	132.00	143.00	146.00	133.00	109.00
C92897	125.00	135.00	127.00	125.00	123.00	124.00	131.00	127.00	139.00	144.00
C92898	137.00	142.00	134.00	NOT TAKEN	147.00	171.00	SPILLED	175.00	169.00	171.00
C92899	178.00	177.00	152.00	152.00	168.00	171.00	SPILLED	175.00	169.00	171.00
C92900	143.00	108.00	117.00	SPILLED	SPILLED	120.00	143.00	130.00	116.00	128.00
C92901	124.00	115.00	111.00	105.00	115.00	119.00	118.00	115.00	114.00	118.00
C92902	164.00	162.00	172.00	183.00	163.00	149.00	165.00	158.00	149.00	173.00
C92903	169.00	168.00	165.00	NOT TAKEN	117.00	106.00	126.00	114.00	124.00	138.00
C92904	121.00	SPILLED	119.00	117.00	116.00	106.00	126.00	114.00	124.00	138.00
C92905	130.00	129.00	127.00	NOT TAKEN	111.00	119.00	117.00	121.00	114.00	115.00
C92906	111.00	SPILLED	107.00	100.00	116.00	SPILLED	133.00	SPILLED	110.00	130.00
C92907	123.00	118.00	115.00	122.00	111.00	119.00	117.00	121.00	114.00	115.00
C92908	123.00	131.00	134.00	116.00	119.00	126.00	119.00	133.00	126.00	112.00
C92909	130.00	126.00	130.00	125.00	128.00	121.00	124.00	112.00	115.00	114.00
C92910	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	120.00
C92911	114.00	117.00	113.00	109.00	117.00	117.00	123.00	109.00	123.00	121.00
C92912	138.00	135.00	125.00	132.00	144.00	SPILLED	144.00	157.00	122.00	163.00
C92913	129.00	121.00	116.00	117.00	124.00	115.00	116.00	112.00	114.00	114.00
C92915	153.00	148.00	SPILLED	151.00	147.00	132.00	133.00	135.00	156.00	155.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 39

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 1 - 0 PPM										
C92916	169.00	175.00	SPIILLED	183.00	SPIILLED	192.00	172.00	148.00	159.00	170.00
C92917	174.00	161.00	165.00	162.00	166.00	158.00	170.00	162.00	156.00	160.00
C92918	123.00	123.00	123.00	132.00	125.00	121.00	116.00	111.00	132.00	119.00
C92920	205.00	SPIILLED	144.00	SPIILLED	144.00	177.00	173.00	148.00	146.00	125.00
C92921	SPIILLED	156.00	146.00	151.00	SPIILLED	131.00	145.00	153.00	148.00	159.00
C92922	SPIILLED	149.00	135.00	136.00	132.00	126.00	148.00	146.00	145.00	142.00
C92923	145.00	SPIILLED	127.00	122.00	124.00	123.00	138.00	123.00	119.00	132.00
C92924	153.00	SPIILLED	SPIILLED	SPIILLED	151.00	SPIILLED	SPIILLED	137.00	118.00	138.00
C92925	134.00	137.00	139.00	129.00	129.00	128.00	141.00	121.00	146.00	140.00
C92927	172.00	111.00	SPIILLED	132.00	155.00	157.00	151.00	SPIILLED	157.00	159.00
C92928	141.00	142.00	134.00	138.00	144.00	148.00	157.00	136.00	126.00	148.00
C92929	117.00	119.00	121.00	115.00	118.00	120.00	117.00	126.00	120.00	145.00
C92930	193.00	195.00	197.00	195.00	190.00	186.00	191.00	183.00	176.00	187.00
GROUP: FEMALE 2 - 0.5 PPM										
C92931	141.00	130.00	139.00	129.00	143.00	144.00	150.00	150.00	162.00	164.00
C92932	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	146.00	SPIILLED	173.00	175.00	246.00
C92933	165.00	162.00	148.00	134.00	142.00	155.00	155.00	156.00	159.00	160.00
C92934	150.00	SPIILLED	134.00	SPIILLED	130.00	131.00	126.00	127.00	123.00	118.00
C92935	127.00	124.00	123.00	101.00	117.00	120.00	127.00	123.00	111.00	144.00
C92936	108.00	120.00	113.00	108.00	114.00	113.00	101.00	98.00	111.00	107.00
C92937	133.00	145.00	138.00	138.00	140.00	139.00	150.00	144.00	144.00	141.00
C92938	138.00	SPIILLED	196.00	SPIILLED	146.00	SPIILLED	SPIILLED	SPIILLED	125.00	SPIILLED
C92939	118.00	SPIILLED	SPIILLED	SPIILLED	154.00	SPIILLED	SPIILLED	SPIILLED	130.00	SPIILLED
C92940	SPIILLED	SPIILLED	SPIILLED	SPIILLED	176.00	138.00	130.00	123.00	120.00	120.00
C92942	145.00	SPIILLED	151.00	SPIILLED	156.00	SPIILLED	147.00	140.00	142.00	142.00
C92943	131.00	137.00	144.00	162.00	153.00	145.00	130.00	112.00	127.00	151.00
C92944	178.00	SPIILLED	SPIILLED	NOT TAKEN						
C92946	109.00	110.00	115.00	99.00	109.00	114.00	94.00	115.00	100.00	117.00
C92947	144.00	130.00	136.00	98.00	125.00	128.00	133.00	106.00	114.00	115.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 40

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 2 - 0.5 PPM										
C92948	143.00	130.00	144.00	115.00	138.00	133.00	146.00	149.00	133.00	131.00
C92949	144.00	165.00	175.00	168.00	163.00	175.00	166.00	155.00	137.00	96.00
C92951	104.00	SPILLED	SPILLED	114.00	115.00	120.00	126.00	SPILLED	SPILLED	109.00
C92952	127.00	117.00	117.00	134.00	125.00	124.00	132.00	131.00	128.00	121.00
C92953	120.00	115.00	119.00	113.00	108.00	117.00	122.00	109.00	107.00	121.00
C92954	133.00	136.00	SPILLED	138.00	131.00	132.00	125.00	116.00	123.00	126.00
C92955	139.00	131.00	132.00	127.00	131.00	132.00	136.00	147.00	148.00	141.00
C92956	142.00	121.00	124.00	103.00	129.00	133.00	137.00	126.00	132.00	135.00
C92957	131.00	125.00	SPILLED	SPILLED	134.00	131.00	131.00	SPILLED	129.00	122.00
C92958	111.00	108.00	112.00	100.00	110.00	119.00	124.00	113.00	108.00	118.00
C92959	152.00	143.00	159.00	157.00	139.00	151.00	156.00	154.00	222.00	141.00
C92960	131.00	155.00	153.00	144.00	149.00	144.00	149.00	SPILLED	182.00	149.00
C92961	168.00	159.00	162.00	160.00	164.00	158.00	149.00	151.00	149.00	150.00
C92962	116.00	116.00	117.00	NOT TAKEN						
C92963	113.00	126.00	115.00	125.00	115.00	116.00	119.00	107.00	117.00	127.00
C92964	123.00	SPILLED	121.00	SPILLED	129.00	207.00	SPILLED	SPILLED	140.00	164.00
C92965	127.00	132.00	122.00	120.00	125.00	125.00	125.00	132.00	CNTMD	141.00
C92966	112.00	116.00	120.00	115.00	111.00	121.00	124.00	109.00	105.00	96.00
C92967	127.00	SPILLED	125.00	NOT TAKEN						
C92968	133.00	134.00	138.00	131.00	133.00	133.00	132.00	131.00	138.00	114.00
C92970	138.00	148.00	148.00	147.00	152.00	153.00	135.00	135.00	134.00	131.00
C92971	107.00	110.00	106.00	113.00	101.00	107.00	105.00	96.00	113.00	102.00
C92972	141.00	146.00	144.00	133.00	145.00	158.00	154.00	140.00	138.00	141.00
C92973	137.00	133.00	SPILLED	147.00	146.00	145.00	137.00	167.00	138.00	157.00
C92974	116.00	110.00	113.00	127.00	123.00	121.00	116.00	107.00	100.00	99.00
C92975	142.00	142.00	138.00	135.00	135.00	144.00	148.00	130.00	137.00	127.00
C92976	137.00	136.00	124.00	125.00	130.00	137.00	135.00	143.00	134.00	134.00
C92977	146.00	171.00	154.00	144.00	138.00	SPILLED	133.00	133.00	126.00	134.00
C92978	152.00	155.00	150.00	NOT TAKEN						
C92979	132.00	115.00	127.00	125.00	122.00	117.00	105.00	123.00	118.00	109.00
C92980	143.00	136.00	137.00	133.00	135.00	130.00	137.00	142.00	112.00	155.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 41

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 2 - 0.5 PPM										
C92981	127.00	SPILLED	128.00	129.00	131.00	120.00	123.00	154.00	111.00	144.00
C92983	141.00	136.00	141.00	SPILLED	126.00	126.00	162.00	125.00	129.00	135.00
C92984	136.00	133.00	132.00	123.00	126.00	125.00	137.00	128.00	127.00	118.00
C92985	136.00	136.00	150.00	133.00	130.00	SPILLED	144.00	134.00	125.00	165.00
C92986	128.00	120.00	126.00	109.00	127.00	130.00	123.00	116.00	117.00	111.00
C92987	121.00	125.00	124.00	NOT TAKEN						
C92988	139.00	123.00	136.00	145.00	140.00	133.00	130.00	127.00	153.00	124.00
C92989	SPILLED	SPILLED	SPILLED	SPILLED	153.00	SPILLED	161.00	163.00	207.00	SPILLED
C92990	146.00	143.00	134.00	146.00	139.00	139.00	124.00	126.00	138.00	195.00
GROUP: FEMALE 3 - 2 PPM										
C92991	111.00	110.00	108.00	115.00	111.00	119.00	119.00	114.00	137.00	134.00
C92992	129.00	120.00	119.00	SPILLED	136.00	133.00	139.00	141.00	146.00	152.00
C92993	131.00	130.00	125.00	NOT TAKEN						
C92994	122.00	130.00	117.00	112.00	128.00	122.00	128.00	112.00	113.00	112.00
C92997	119.00	114.00	113.00	SPILLED	118.00	SPILLED	SPILLED	125.00	133.00	126.00
C92998	146.00	146.00	145.00	147.00	145.00	152.00	139.00	146.00	159.00	142.00
C92999	SPILLED	SPILLED	142.00	SPILLED	161.00	SPILLED	SPILLED	130.00	145.00	147.00
C93000	129.00	149.00	126.00	NOT TAKEN						
C93001	128.00	135.00	125.00	123.00	128.00	128.00	144.00	159.00	171.00	153.00
C93002	126.00	131.00	124.00	130.00	114.00	131.00	138.00	128.00	137.00	140.00
C93003	115.00	132.00	132.00	130.00	140.00	130.00	147.00	129.00	154.00	125.00
C93004	126.00	130.00	125.00	124.00	129.00	124.00	121.00	118.00	107.00	121.00
C93005	119.00	121.00	130.00	142.00	141.00	130.00	162.00	147.00	137.00	146.00
C93007	123.00	SPILLED	111.00	124.00	126.00	115.00	118.00	120.00	125.00	114.00
C93009	SPILLED	168.00	129.00	142.00	125.00	127.00	123.00	141.00	156.00	146.00
C93010	148.00	146.00	142.00	SPILLED	150.00	180.00	142.00	130.00	129.00	162.00
C93011	130.00	122.00	117.00	125.00	123.00	131.00	116.00	116.00	114.00	130.00
C93012	147.00	136.00	138.00	140.00	149.00	149.00	154.00	150.00	157.00	151.00
C93013	117.00	128.00	110.00	131.00	114.00	124.00	110.00	139.00	108.00	118.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 42

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 3 - 2 PPM										
C93014	135.00	155.00	139.00	133.00	144.00	131.00	140.00	116.00	141.00	149.00
C93015	134.00	SPILLED	SPILLED	SPILLED	SPILLED	140.00	SPILLED	SPILLED	132.00	152.00
C93016	99.00	SPILLED	118.00	118.00	SPILLED	146.00	SPILLED	SPILLED	193.00	167.00
C93017	144.00	142.00	146.00	155.00	147.00	145.00	140.00	128.00	146.00	145.00
C93018	136.00	130.00	128.00	NOT TAKEN						
C93019	140.00	SPILLED	SPILLED	SPILLED	SPILLED	147.00	158.00	SPILLED	155.00	155.00
C93020	131.00	197.00	137.00	154.00	143.00	136.00	145.00	161.00	144.00	119.00
C93021	135.00	118.00	124.00	128.00	116.00	128.00	149.00	138.00	134.00	134.00
C93022	134.00	120.00	122.00	131.00	118.00	125.00	119.00	118.00	117.00	138.00
C93023	SPILLED	SPILLED	SPILLED	NOT TAKEN						
C93024	139.00	140.00	131.00	130.00	146.00	135.00	127.00	129.00	132.00	126.00
C93025	166.00	169.00	167.00	166.00	182.00	134.00	174.00	136.00	168.00	140.00
C93026	139.00	135.00	123.00	109.00	120.00	121.00	130.00	130.00	129.00	134.00
C93027	122.00	131.00	126.00	157.00	123.00	125.00	120.00	124.00	119.00	119.00
C93028	133.00	123.00	SPILLED	SPILLED	SPILLED	134.00	SPILLED	130.00	SPILLED	SPILLED
C93029	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	171.00	SPILLED
C93030	136.00	SPILLED	132.00	121.00	144.00	SPILLED	135.00	136.00	124.00	146.00
C93032	123.00	131.00	126.00	115.00	124.00	133.00	139.00	135.00	137.00	138.00
C93033	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	194.00	SPILLED	162.00
C93034	149.00	SPILLED	137.00	130.00	126.00	135.00	114.00	129.00	131.00	134.00
C93035	145.00	138.00	131.00	NOT TAKEN						
C93036	SPILLED	129.00	123.00	SPILLED	136.00	117.00	134.00	144.00	139.00	123.00
C93037	129.00	133.00	130.00	134.00	134.00	166.00	116.00	107.00	119.00	114.00
C93038	SPILLED	SPILLED	131.00	133.00	134.00	140.00	128.00	128.00	123.00	129.00
C93039	152.00	142.00	144.00	140.00	132.00	125.00	127.00	126.00	131.00	132.00
C93040	SPILLED	SPILLED	SPILLED	131.00	SPILLED	SPILLED	119.00	144.00	155.00	141.00
C93041	165.00	SPILLED	163.00	SPILLED	146.00	154.00	173.00	180.00	170.00	160.00
C93042	137.00	138.00	135.00	149.00	129.00	112.00	170.00	158.00	166.00	155.00
C93043	142.00	149.00	148.00	143.00	157.00	147.00	139.00	156.00	140.00	155.00
C93044	125.00	115.00	114.00	120.00	120.00	SPILLED	125.00	SPILLED	195.00	SPILLED
C93046	116.00	169.00	149.00	138.00	142.00	167.00	149.00	148.00	TECH SPILL	SPILLED

Appendix 4

Individual Food Consumption Data (g)

PAGE: 43

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 3 - 2 PPM										
C93047	155.00	152.00	142.00	149.00	157.00	152.00	138.00	130.00	141.00	176.00
C93048	128.00	SPILLED	133.00	126.00	125.00	143.00	130.00	129.00	SPILLED	127.00
C93049	124.00	121.00	121.00	123.00	121.00	124.00	123.00	115.00	120.00	122.00
C93050	141.00	SPILLED	153.00	SPILLED	150.00	164.00	148.00	150.00	140.00	145.00
GROUP: FEMALE 4 - 5 PPM										
C93051	128.00	143.00	129.00	NOT TAKEN						
C93052	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	134.00	SPILLED
C93053	144.00	132.00	129.00	143.00	133.00	151.00	145.00	150.00	144.00	145.00
C93054	SPILLED	SPILLED	132.00	142.00	127.00	SPILLED	133.00	133.00	135.00	134.00
C93055	SPILLED	191.00	137.00	SPILLED	134.00	132.00	133.00	124.00	138.00	161.00
C93056	126.00	125.00	128.00	125.00	129.00	130.00	136.00	128.00	145.00	146.00
C93057	130.00	129.00	134.00	134.00	137.00	128.00	120.00	132.00	131.00	136.00
C93059	136.00	136.00	129.00	133.00	130.00	141.00	129.00	122.00	125.00	134.00
C93060	141.00	140.00	130.00	134.00	136.00	128.00	118.00	124.00	111.00	125.00
C93061	137.00	116.00	125.00	123.00	134.00	129.00	144.00	153.00	156.00	156.00
C93062	128.00	121.00	121.00	120.00	124.00	121.00	125.00	121.00	129.00	SPILLED
C93063	122.00	112.00	127.00	119.00	125.00	121.00	112.00	108.00	113.00	121.00
C93064	132.00	122.00	121.00	NOT TAKEN						
C93065	118.00	131.00	116.00	121.00	118.00	122.00	118.00	117.00	114.00	104.00
C93066	137.00	126.00	127.00	126.00	131.00	126.00	SPILLED	SPILLED	158.00	SPILLED
C93068	129.00	131.00	124.00	126.00	126.00	128.00	125.00	134.00	116.00	134.00
C93069	144.00	143.00	146.00	141.00	138.00	140.00	147.00	165.00	146.00	155.00
C93071	115.00	112.00	110.00	NOT TAKEN						
C93072	160.00	159.00	SPILLED	139.00	SPILLED	142.00	149.00	141.00	147.00	151.00
C93073	143.00	141.00	144.00	137.00	146.00	151.00	145.00	139.00	137.00	133.00
C93074	180.00	SPILLED	156.00	SPILLED	155.00	165.00	171.00	155.00	148.00	140.00
C93076	SPILLED	132.00	SPILLED	108.00	SPILLED	SPILLED	136.00	134.00	135.00	118.00
C93077	135.00	127.00	125.00	119.00	116.00	119.00	141.00	140.00	139.00	136.00
C93078	135.00	170.00	SPILLED	SPILLED	138.00	144.00	165.00	130.00	134.00	141.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 44

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 4 - 5 PPM										
C93079	144.00	151.00	151.00	145.00	167.00	145.00	149.00	129.00	142.00	131.00
C93080	128.00	129.00	125.00	119.00	131.00	120.00	160.00	133.00	SPILLED	SPILLED
C93081	116.00	120.00	125.00	115.00	122.00	112.00	121.00	117.00	130.00	118.00
C93082	121.00	121.00	123.00	121.00	124.00	133.00	136.00	153.00	139.00	145.00
C93083	135.00	134.00	138.00	137.00	145.00	141.00	131.00	133.00	138.00	127.00
C93085	132.00	133.00	SPILLED	NOT TAKEN						
C93086	127.90	155.00	129.00	SPILLED	136.00	135.00	138.00	123.00	126.00	120.00
C93087	122.00	126.00	107.00	111.00	112.00	119.00	119.00	109.00	108.00	122.00
C93088	108.00	132.00	125.00	132.00	129.00	137.00	136.00	128.00	139.00	139.00
C93089	147.00	135.00	127.00	115.00	138.00	131.00	141.00	129.00	124.00	129.00
C93090	123.00	113.00	117.00	105.00	127.00	116.00	114.00	107.00	108.00	104.00
C93091	126.00	130.00	123.00	130.00	128.00	120.00	136.00	136.00	144.00	119.00
C93092	132.00	130.00	115.00	120.00	124.00	123.00	147.00	134.00	138.00	148.00
C93093	133.00	134.00	160.00	113.00	153.00	161.00	SPILLED	SPILLED	117.00	144.00
C93094	132.00	135.00	123.00	122.00	132.00	143.00	127.00	111.00	119.00	126.00
C93095	123.00	SPILLED	135.00	126.00	128.00	128.00	123.00	110.00	111.00	109.00
C93096	149.00	159.00	154.00	SPILLED	154.00	150.00	162.00	166.00	153.00	
C93097	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	141.00	138.00	136.00
C93098	120.00	131.00	117.00	134.00	117.00	122.00	125.00	120.00	111.00	120.00
C93099	123.00	114.00	123.00	118.00	118.00	125.00	109.00	129.00	134.00	142.00
C93100	156.00	149.00	156.00	143.00	145.00	154.00	157.00	142.00	131.00	137.00
C93101	119.00	111.00	98.00	107.00	113.00	108.00	SPILLED	103.00	109.00	109.00
C93102	SPILLED	SPILLED	147.00	SPILLED	154.00	155.00	168.00	151.00	SPILLED	159.00
C93103	137.00	130.00	139.00	130.00	124.00	127.00	144.00	100.00	134.00	182.00
C93104	SPILLED	211.00	192.00	SPILLED	SPILLED	184.00	180.00	178.00	165.00	163.00
C93105	137.00	143.00	134.00	123.00	129.00	130.00	130.00	118.00	114.00	117.00
C93106	122.00	113.00	110.00	108.00	119.00	115.00	121.00	117.00	125.00	120.00
C93107	125.00	117.00	110.00	115.00	118.00	118.00	120.00	108.00	114.00	118.00
C93108	120.00	SPILLED	114.00	109.00	116.00	119.00	SPILLED	110.00	103.00	105.00
C93109	133.00	129.00	115.00	NOT TAKEN						
C93110	199.00	200.00	212.00	SPILLED	202.00	SPILLED	194.00	199.00	210.00	169.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 45

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 5 - 20 PPM										
C93111	132.00	126.00	115.00	NOT TAKEN						
C93112	124.00	118.00	109.00	119.00	114.00	119.00	SPILLED	120.00	127.00	130.00
C93113	124.00	119.00	107.00	110.00	129.00	124.00	119.00	114.00	111.00	123.00
C93115	113.00	116.00	111.00	113.00	109.00	110.00	112.00	112.00	105.00	101.00
C93116	SPILLED	121.00	111.00	110.00	117.00	116.00	118.00	122.00	115.00	124.00
C93117	120.00	126.00	108.00	117.00	SPILLED	120.00	SPILLED	123.00	131.00	145.00
C93118	116.00	112.00	116.00	123.00	125.00	135.00	134.00	128.00	93.00	127.00
C93119	111.00	110.00	105.00	103.00	110.00	103.00	111.00	105.00	108.00	110.00
C93120	107.00	125.00	117.00	102.00	124.00	110.00	121.00	120.00	119.00	116.00
C93121	101.00	107.00	99.00	97.00	100.00	100.00	108.00	104.00	99.00	98.00
C93122	130.00	134.00	102.00	127.00	128.00	129.00	129.00	123.00	138.00	159.00
C93124	128.00	130.00	141.00	106.00	104.00	118.00	117.00	122.00	105.00	101.00
C93125	117.00	122.00	120.00	123.00	118.00	117.00	124.00	105.00	109.00	108.00
C93126	108.00	99.00	96.00	105.00	109.00	109.00	117.00	113.00	121.00	123.00
C93127	121.00	126.00	112.00	NOT TAKEN						
C93128	120.00	129.00	127.00	123.00	121.00	123.00	122.00	116.00	107.00	130.00
C93129	133.00	126.00	122.00	131.00	119.00	136.00	163.00	160.00	118.00	133.00
C93130	136.00	145.00	131.00	132.00	140.00	139.00	137.00	133.00	114.00	145.00
C93131	130.00	118.00	121.00	121.00	119.00	SPILLED	126.00	129.00	128.00	130.00
C93132	124.00	117.00	111.00	118.00	123.00	124.00	143.00	129.00	128.00	127.00
C93133	115.00	118.00	106.00	122.00	121.00	128.00	SPILLED	SPILLED	SPILLED	121.00
C93134	123.00	125.00	114.00	120.00	120.00	120.00	132.00	117.00	121.00	113.00
C93135	128.00	131.00	131.00	115.00	142.00	130.00	121.00	102.00	116.00	144.00
C93136	122.00	126.00	119.00	127.00	131.00	135.00	136.00	144.00	139.00	146.00
C93137	121.00	126.00	123.00	130.00	130.00	125.00	135.00	123.00	121.00	120.00
C93138	109.00	122.00	116.00	114.00	116.00	121.00	126.00	121.00	119.00	110.00
C93139	124.00	120.00	121.00	123.00	119.00	117.00	SPILLED	114.00	117.00	119.00
C93140	147.00	142.00	129.00	136.00	150.00	155.00	155.00	147.00	139.00	152.00
C93141	146.00	139.00	145.00	132.00	139.00	156.00	143.00	132.00	144.00	129.00
C93143	SPILLED	180.00	184.00	NOT TAKEN						
C93145	135.00	119.00	SPILLED	131.00	143.00	145.00	123.00	SPILLED	163.00	SPILLED

Appendix 4

Individual Food Consumption Data (g)

PAGE: 46

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 5 - 20 PPM										
C93146	112.00	109.00	112.00	SPIILLED	102.00	111.00	125.00	101.00	85.00	103.00
C93147	110.00	121.00	116.00	116.00	119.00	120.00	121.00	116.00	111.00	111.00
C93148	143.00	135.00	143.00	131.00	137.00	137.00	144.00	153.00	143.00	135.00
C93149	124.00	SPIILLED	SPIILLED	148.00	122.00	119.00	124.00	113.00	110.00	120.00
C93150	SPIILLED	161.00	150.00	129.00	151.00	133.00	144.00	139.00	142.00	137.00
C93151	122.00	120.00	116.00	117.00	121.00	117.00	128.00	125.00	117.00	116.00
C93152	126.00	130.00	125.00	129.00	131.00	123.00	SPIILLED	SPIILLED	SPIILLED	131.00
C93153	SPIILLED	217.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	124.00	136.00	114.00
C93154	122.00	117.00	120.00	114.00	120.00	119.00	115.00	109.00	108.00	117.00
C93155	SPIILLED	SPIILLED	210.00	NOT TAKEN						
C93156	113.00	108.00	108.00	105.00	107.00	107.00	108.00	106.00	108.00	116.00
C93157	134.00	139.00	123.00	120.00	125.00	124.00	132.00	118.00	130.00	122.00
C93158	124.00	124.00	128.00	126.00	122.00	128.00	136.00	133.00	134.00	134.00
C93160	141.00	153.00	147.00	148.00	150.00	146.00	152.00	137.00	170.00	178.00
C93161	128.00	124.00	SPIILLED	117.00	136.00	123.00	126.00	119.00	126.00	125.00
C93162	SPIILLED	SPIILLED	123.00	100.00	118.00	SPIILLED	SPIILLED	SPIILLED	129.00	136.00
C93163	109.00	112.00	111.00	110.00	110.00	109.00	143.00	131.00	109.00	109.00
C93164	114.00	116.00	112.00	106.00	115.00	121.00	113.00	114.00	111.00	114.00
C93165	109.00	116.00	110.00	117.00	115.00	113.00	115.00	110.00	110.00	116.00
C93166	130.00	138.00	128.00	120.00	139.00	124.00	136.00	146.00	SPIILLED	121.00
C93167	125.00	125.00	126.00	128.00	127.00	129.00	124.00	135.00	129.00	122.00
C93168	108.00	SPIILLED	114.00	121.00	117.00	124.00	SPIILLED	102.00	111.00	115.00
C93169	122.00	120.00	116.00	NOT TAKEN						
C93170	SPIILLED	172.00	126.00	SPIILLED	168.00	151.00	SPIILLED	SPIILLED	220.00	190.00
C93171	SPIILLED	SPIILLED	117.00	SPIILLED	136.00	120.00	116.00	111.00	123.00	132.00
C93172	120.00	123.00	132.00	SPIILLED	123.00	122.00	126.00	136.00	134.00	122.00
C93173	118.00	117.00	SPIILLED	110.00	115.00	117.00	113.00	137.00	115.00	105.00
C93174	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93175	113.00	123.00	109.00	115.00	112.00	112.00	112.00	113.00	105.00	109.00
C93176	113.00	115.00	115.00	117.00	112.00	118.00	128.00	126.00	124.00	120.00
C93177	SPIILLED	SPIILLED	113.00	109.00	115.00	112.00	SPIILLED	146.00	112.00	110.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 47

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 5 - 20 PPM										
C93178	115.00	115.00	119.00	103.00	126.00	118.00	125.00	110.00	108.00	105.00
C93179	126.00	127.00	135.00	111.00	116.00	133.00	122.00	108.00	113.00	117.00
C93180	126.00	133.00	134.00	137.00	148.00	138.00	151.00	137.00	131.00	132.00
GROUP: FEMALE 6 - 20 PPM										
C93181	127.00	126.00	132.00	124.00	126.00	122.00	135.00	127.00	124.00	125.00
C93182	105.00	108.00	119.00	112.00	116.00	105.00	123.00	104.00	102.00	106.00
C93183	126.00	128.00	131.00	127.00	135.00	126.00	130.00	125.00	129.00	117.00
C93184	114.00	113.00	112.00	113.00	115.00	116.00	120.00	121.00	115.00	112.00
C93185	123.00	140.00	SPIILLED	137.00	130.00	143.00	138.00	143.00	66.00	148.00
C93186	107.00	105.00	105.00	119.00	110.00	112.00	124.00	107.00	96.00	120.00
C93187	135.00	127.00	128.00	126.00	136.00	SPIILLED	170.00	152.00	144.00	135.00
C93188	122.00	123.00	131.00	124.00	125.00	138.00	142.00	138.00	138.00	131.00
C93189	121.00	118.00	115.00	134.00	113.00	121.00	123.00	115.00	108.00	115.00
C93190	129.00	132.00	124.00	127.00	130.00	123.00	128.00	127.00	130.00	142.00
C93191	128.00	127.00	128.00	131.00	127.00	133.00	139.00	140.00	128.00	141.00
C93192	121.00	124.00	116.00	114.00	120.00	120.00	SPIILLED	112.00	119.00	127.00
C93193	123.00	125.00	126.00	134.00	123.00	131.00	144.00	146.00	135.00	143.00
C93194	158.00	165.00	165.00	SPIILLED	158.00	178.00	SPIILLED	120.00	125.00	134.00
C93195	121.00	120.00	121.00	120.00	121.00	116.00	SPIILLED	117.00	125.00	125.00
C93196	119.00	110.00	116.00	125.00	118.00	120.00	120.00	125.00	111.00	118.00
C93197	103.00	115.00	108.00	111.00	108.00	100.00	SPIILLED	SPIILLED	93.00	99.00
C93198	115.00	133.00	133.00	125.00	124.00	124.00	130.00	117.00	116.00	129.00
C93199	117.00	119.00	118.00	109.00	111.00	112.00	117.00	108.00	109.00	117.00
C93200	SPIILLED	SPIILLED	SPIILLED	SPIILLED	180.00	SPIILLED	145.00	130.00	116.00	117.00
C93201	111.00	134.00	125.00	117.00	123.00	SPIILLED	SPIILLED	SPIILLED	169.00	160.00
C93202	108.00	114.00	SPIILLED	SPIILLED	106.00	144.00	114.00	104.00	99.00	103.00
C93203	125.00	126.00	115.00	136.00	146.00	133.00	166.00	137.00	143.00	136.00
C93204	128.00	123.00	124.00	127.00	122.00	124.00	126.00	118.00	118.00	119.00
C93205	168.00	133.00	129.00	133.00	138.00	124.00	132.00	117.00	111.00	116.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 48

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 6 - 20 PPM										
C93206	127.00	SPIILLED	113.00	SPIILLED	125.00	SPIILLED	SPIILLED	SPIILLED	129.00	131.00
C93207	120.00	133.00	125.00	113.00	114.00	114.00	124.00	112.00	115.00	123.00
C93208	122.00	116.00	104.00	110.00	111.00	109.00	109.00	101.00	106.00	103.00
C93209	SPIILLED	SPIILLED	SPIILLED	SPIILLED	117.00	SPIILLED	SPIILLED	SPIILLED	169.00	184.00
C93210	122.00	126.00	140.00	126.00	120.00	134.00	SPIILLED	132.00	134.00	141.00
C93211	108.00	113.00	108.00	113.00	105.00	113.00	112.00	97.00	98.00	98.00
C93212	156.00	137.00	120.00	125.00	134.00	134.00	140.00	122.00	123.00	133.00
C93213	129.00	113.00	125.00	119.00	108.00	107.00	SPIILLED	SPIILLED	107.00	110.00
C93214	121.00	118.00	116.00	121.00	118.00	123.00	127.00	125.00	122.00	119.00
C93215	120.00	122.00	117.00	118.00	117.00	114.00	129.00	117.00	114.00	110.00
C93216	113.00	111.00	111.00	106.00	113.00	105.00	120.00	123.00	126.00	132.00
C93217	144.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	146.00	SPIILLED	SPIILLED	132.00	137.00
C93218	137.00	135.00	137.00	SPIILLED	135.00	128.00	SPIILLED	SPIILLED	130.00	110.00
C93219	137.00	107.00	151.00	129.00	123.00	125.00	137.00	124.00	122.00	144.00
C93220	154.00	SPIILLED	190.00	SPIILLED	187.00	SPIILLED	SPIILLED	SPIILLED	134.00	155.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 49

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 1 - 0 PPM										
C92501	192.00	182.00	196.00	197.00	197.00					
C92502	168.00	167.00	159.00	162.00	164.00	172.00	170.00	174.00	181.00	143.80
C92503	168.00	170.00	172.00	167.00	83.00	203.00	190.00	179.00	182.00	160.50
C92504	166.00	167.00	175.00	186.00	156.00					
C92505	188.00	205.00	188.00	180.00	182.00	195.00	190.00	192.00	191.00	186.70
C92507	158.00	164.00	163.00	157.00	159.00					
C92508	167.00	164.00	164.00	178.00	179.00	200.00	191.00	185.00	184.00	172.60
C92510	190.00	179.00	189.00	179.00	169.00	SPIILLED	206.00	205.00	207.00	207.20
C92512	183.00	194.00	183.00	175.00	129.00					
C92513	189.00	186.00	188.00	193.00	194.00	193.00	186.00	184.00	195.00	194.90
C92514	204.00	202.00	186.00	189.00	176.00	189.00	164.00	229.00	231.00	219.70
C92515	161.00	163.00	104.00	173.00	170.00	172.00	169.00	173.00	175.00	176.40
C92516	161.00	161.00	170.00							
C92517	206.00	212.00	207.00	206.00	204.00					
C92518	214.00	217.00	208.00	208.00	214.00	222.00	233.00	220.00	235.00	228.10
C92519	160.00	159.00	155.00	153.00	152.00	164.00	173.00	183.00	187.00	189.10
C92520	182.00	184.00	187.00	193.00	178.00	186.00	197.00	177.00	139.00	SPIILLED
C92522	163.00	163.00	173.00	154.00	173.00	182.00	173.00	175.00	190.00	168.00
C92523	174.00	177.00	177.00	171.00	177.00					
C92525	175.00	176.00	175.00	178.00	165.00	180.00	44.00	48.00	130.00	NOT TAKEN
C92527	171.00	172.00	178.00	182.00	169.00	183.00	172.00	195.00	193.00	196.00
C92530	225.00	206.00	SPIILLED	209.00	224.00	227.00	236.00	190.00	226.00	227.90
C92531	189.00	165.00	145.00	SPIILLED	182.00	SPIILLED	SPIILLED	168.00	NOT TAKEN	
C92533	196.00	198.00	197.00	191.00	197.00	193.00	204.00	198.00	201.00	211.80
C92534	173.00	154.00	167.00	171.00	135.00					
C92535	183.00	180.00	110.00	196.00	198.00	203.00	197.00	212.00	204.00	192.40
C92536	176.00	165.00	177.00	172.00	186.00	195.00	189.00	195.00	183.00	190.60
C92537	209.00	213.00	216.00	218.00	SPIILLED	239.00	220.00	243.00	241.00	204.40
C92538	216.00	225.00	231.00	237.00	231.00	252.00	261.00	225.00	243.00	250.10
C92539	210.00	206.00	187.00	209.00	204.00	200.00	208.00	202.00	210.00	210.10
C92540	210.00	199.00	208.00	200.00	206.00					
C92541	190.00	210.00	193.00	200.00	192.00	211.00	216.00	210.00	217.00	213.40

Appendix 4

Individual Food Consumption Data (g)

PAGE: 50

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 1 - 0 PPM										
C92542	185.00	187.00	193.00	200.00	185.00	188.00	211.00	205.00	200.00	199.70
C92543	165.00	168.00	163.00	172.00	166.00	179.00	179.00	182.00	180.00	175.90
C92544	180.00	182.00	184.00	164.00	177.00	173.00	175.00	181.00	190.00	177.60
C92545	183.00	182.00	213.00	199.00	191.00	197.00	211.00	206.00	208.00	220.60
C92547	179.00	181.00	184.00	180.00	173.00	189.00	190.00	199.00	209.00	199.10
C92548	184.00	183.00	183.00	178.00	177.00	190.00	192.00	181.00	169.00	167.30
C92549	154.00	161.00	162.00	166.00	157.00	167.00	169.00	172.00	170.00	169.90
C92550	225.00	219.00	224.00	216.00	215.00	228.00	221.00	212.00	221.00	224.80
C92551	166.00	168.00	161.00	155.00	159.00	170.00	169.00	177.00	190.00	193.90
C92552	185.00	196.00	192.00	204.00	199.00	211.00	202.00	173.00	216.00	202.90
C92553	140.00	SPILLED	124.00	130.00	102.00	124.00	100.00			
C92554	154.00	154.00	154.00	157.00	150.00	156.00	161.00	149.00	171.00	167.40
C92555	194.00	205.00	205.00	188.00	202.00	152.00	NOT TAKEN			
C92556	176.00	165.00	184.00	183.00	168.00	96.00	56.00			
C92557	189.00	181.00	192.00	171.00	180.00	196.00	195.00	193.00	200.00	197.40
C92558	187.00	194.00	208.00	189.00	SPILLED	231.00	198.00	196.00	197.00	169.30
C92559	178.00	183.00	180.00	175.00	178.00	191.00	190.00	185.00	190.00	191.80
C92560	190.00	200.00	201.00	198.00	210.00	200.00	208.00	205.00	222.00	221.90
C92561	180.00	181.00	176.00	175.00	178.00	186.00	141.00			
C92562	181.00	175.00	178.00	183.00	142.00					
C92563	202.00	237.00	240.00	233.00	SPILLED	SPILLED	SPILLED	252.00	240.00	261.00
C92564	196.00	195.00	195.00	194.00	SPILLED	193.00	198.00	192.00	139.00	
C92565	190.00	187.00	195.00	188.00	183.00	192.00	206.00	193.00	181.00	152.40
C92567	175.00	178.00	179.00	166.00	175.00	175.00	193.00	186.00	192.00	197.80
C92568	186.00	185.00	186.00	184.00	183.00	193.00	189.00	191.00	200.00	211.00
C92569	162.00	168.00	175.00	160.00	175.00	178.00	172.00	181.00	175.00	174.90
C92570	179.00	183.00	175.00	173.00	128.00					

Appendix 4

Individual Food Consumption Data (g)

PAGE: 51

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 2 - 0.5 PPM										
C92571	185.00	190.00	182.00	191.00	182.00	186.00	202.00	193.00	203.00	173.20
C92572	200.00	200.00	193.00	197.00	172.00	208.00	214.00	SPILLED	214.00	207.20
C92573	189.00	160.00	208.00	212.00	196.00	212.00	201.00	196.00	115.00	193.10
C92576	200.00	194.00	187.00	197.00	192.00	215.00	213.00	211.00	216.00	215.70
C92577	208.00	193.00	199.00	190.00	199.00	215.00	210.00	204.00	207.00	203.20
C92578	187.00	199.00	194.00	196.00	192.00	216.00	214.00	210.00	219.00	223.70
C92579	195.00	185.00	191.00	187.00	195.00	199.00	209.00	195.00	188.00	164.80
C92580	178.00	180.00	198.00	188.00	190.00	203.00	212.00	206.00	228.00	144.50
C92581	190.00	183.00	189.00	189.00	193.00	214.00	216.00	217.00	231.00	241.10
C92582	153.00	150.00	154.00	170.00	154.00	155.00	167.00	161.00	SPILLED	161.80
C92583	163.00	167.00	169.00	166.00	178.00	185.00	179.00	189.00	180.00	193.60
C92584	174.00	164.00	190.00	191.00	SPILLED	SPILLED	NOT TAKEN			
C92585	36.00									
C92586	206.00	210.00	208.00	196.00	198.00	206.00	188.00	204.00	50.00	0.50
C92587	209.00	190.00	203.00	196.00	192.00	214.00	211.00	199.00	210.00	197.20
C92588	172.00	157.00	175.00	166.00	162.00	177.00	182.00	186.00	181.00	169.20
C92589	186.00	181.00	194.00	192.00	195.00	204.00	204.00	200.00	211.00	200.90
C92590	187.00	190.00	188.00	192.00	193.00	197.00	199.00	194.00	207.00	196.30
C92591	169.00	169.00	164.00	179.00	172.00	180.00	172.00	182.00	189.00	182.00
C92592	183.00	174.00	187.00	181.00	183.00	203.00	197.00	195.00	203.00	203.00
C92594	179.00	179.00	174.00	183.00	176.00	188.00	198.00	180.00	206.00	189.00
C92595	166.00	156.00	155.00	159.00	169.00	167.00	170.00	173.00	155.00	174.00
C92596	189.00	181.00	190.00	191.00	193.00	193.00	190.00	173.00	41.00	
C92597	177.00	187.00	185.00	195.00	185.00	181.00	176.00	167.00	180.00	186.00
C92598	185.00	187.00	185.00	189.00	180.00	179.00	185.00	177.00	174.00	185.00
C92599	208.00	211.00	217.00	210.00	196.00					
C92601	182.00	181.00	184.00	178.00	181.00	188.00	178.00	186.00	200.00	188.00
C92602	170.00	155.00	166.00	177.00	174.00	174.00	193.00	194.00	202.00	197.00
C92604	192.00	205.00	194.00	204.00	204.00	205.00	214.00	211.00	199.00	154.00
C92605	187.00	195.00	174.00	181.00	180.00	200.00	191.00	202.00	189.00	205.00
C92606	180.00	189.00	188.00	184.00	186.00	199.00	196.00	190.00	195.00	210.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 52

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 2 - 0.5 PPM										
C92607	213.00	219.00	209.00	207.00	192.00	219.00	242.00	226.00	234.00	226.00
C92608	164.00	205.00	188.00	219.00	223.00	217.00	211.00	191.00	184.00	81.00
C92609	183.00	196.00	202.00	189.00	193.00	202.00	196.00	192.00	195.00	196.00
C92611	160.00	156.00	153.00	161.00	160.00	165.00	160.00	171.00	176.00	165.00
C92612	186.00	175.00	178.00	176.00	176.00	195.00	194.00	191.00	185.00	147.00
C92614	SPIILLED	SPIILLED	246.00	245.00	SPIILLED	SPIILLED	261.00	SPIILLED	SPIILLED	SPIILLED
C92615	190.00	195.00	186.00	195.00	189.00	196.00	195.00	175.00	204.00	201.00
C92617	209.00	214.00	216.00	203.00	202.00	232.00	227.00	212.00	251.00	261.00
C92619	147.00	155.00	163.00	175.00	154.00	SPIILLED	176.00	169.00	181.00	177.30
C92620	160.00	162.00	154.00	171.00	175.00	171.00	166.00	174.00	183.00	162.30
C92622	187.00	175.00	184.00	186.00	185.00	196.00	201.00	198.00	208.00	204.00
C92623	151.00	148.00	142.00	152.00	154.00	158.00	153.00	158.00	157.00	150.90
C92624	195.00	195.00	186.00	201.00	204.00	211.00	207.00			
C92625	201.00	197.00	199.00	204.00	189.00	211.00	210.00	201.00	200.00	196.60
C92626	140.00	189.00	169.00	197.00	199.00	167.00	171.00	194.00	215.00	147.80
C92628	217.00	SPIILLED	239.00	244.00	120.00	SPIILLED	55.00	SPIILLED	110.00	107.40
C92629	212.00	214.00	215.00	216.00	210.00	224.00	218.00	203.00	180.00	129.80
C92630	209.00	212.00	207.00	207.00	202.00	215.00	197.00	206.00	195.00	208.90
GROUP: MALE 3 - 2 PPM										
C92631	177.00	173.00	176.00	176.00	168.00	178.00	177.00	181.00	189.00	188.00
C92632	207.00	195.00	193.00	201.00	197.00	204.00	180.00	157.00	195.00	226.00
C92633	175.00	192.00	176.00	188.00	176.00	186.00	192.00	193.00	203.00	190.00
C92634	174.00	172.00	185.00	184.00	181.00	200.00	202.00	196.00	194.00	203.00
C92635	186.00	186.00	190.00	183.00	190.00	193.00	198.00	171.00	198.00	179.00
C92636	174.00	174.00	192.00	203.00	217.00	226.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92637	166.00	168.00	163.00	171.00	171.00	168.00	187.00	182.00	190.00	179.00
C92638	223.00	227.00	213.00	235.00	222.00	221.00	236.00	223.00	227.00	220.00
C92639	177.00	178.00	179.00	180.00	178.00	188.00	196.00	196.00	183.00	139.00
C92641	180.00	211.00	195.00	189.00	213.00	190.00	118.00	187.00	208.00	172.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 3 - 2 PPM										
C92642	161.00	158.00	160.00	167.00	172.00	172.00	176.00	161.00	176.00	218.00
C92643	167.00	166.00	168.00	184.00	182.00	SPILLED	200.00	SPILLED	SPILLED	215.00
C92644	166.00	164.00	159.00	168.00	168.00	180.00	185.00	180.00	183.00	192.00
C92647	161.00	168.00	172.00	171.00	166.00	177.00	176.00	183.00	189.00	195.00
C92648	161.00	156.00	165.00	152.00	154.00	170.00	169.00	172.00	167.00	165.00
C92649	189.00	179.00	190.00	SPILLED	185.00	216.00	196.00	176.00	210.00	206.00
C92651	187.00	189.00	193.00	203.00	216.00	220.00	230.00	198.00	186.00	152.00
C92653	195.00	198.00	199.00	187.00	207.00	182.00	227.00	157.00	223.00	220.00
C92654	184.00	180.00	169.00	167.00	172.00	186.00	195.00	213.00	190.00	188.00
C92655	199.00	218.00	205.00	209.00	210.00	SPILLED	209.00	203.00	231.00	227.00
C92656	177.00	179.00	178.00	172.00	176.00	191.00	189.00	196.00	195.00	191.00
C92657	187.00	176.00	177.00	175.00	181.00	194.00	185.00	191.00	191.00	193.00
C92658	190.00	189.00	193.00	194.00	188.00	207.00	218.00	205.00	209.00	202.00
C92659	195.00	203.00	214.00	207.00	212.00	226.00	232.00	227.00	220.00	240.00
C92660	195.00	SPILLED	203.00	215.00	SPILLED	SPILLED	SPILLED	206.00	193.00	179.00
C92661	151.00	171.00	170.00	171.00	178.00	184.00	188.00	203.00	201.00	196.00
C92663	203.00	201.00	203.00	207.00	210.00	218.00	TECH SPILL	SPILLED	236.00	216.00
C92664	186.00	188.00	188.00	192.00	186.00	197.00	197.00	194.00	207.00	172.00
C92665	191.00	195.00	201.00	189.00	189.00	200.00	213.00	SPILLED	218.00	221.00
C92666	222.00	214.00	196.00	193.00	193.00	199.00	205.00	194.00	122.00	113.00
C92667	196.00	204.00	195.00	195.00	184.00	202.00	203.00	202.00	215.00	205.00
C92669	179.00	186.00	177.00	191.00	180.00	190.00	194.00	200.00	194.00	211.00
C92670	160.00	161.00	159.00	157.00	154.00	165.00	176.00	198.00	189.00	150.00
C92671	187.00	185.00	181.00	185.00	178.00	205.00	193.00	178.00	205.00	196.00
C92672	164.00	182.00	169.00	172.00	178.00	186.00	196.00	202.00	199.00	218.00
C92673	164.00	168.00	178.00	162.00	166.00	191.00	199.00	201.00	203.00	195.00
C92674	170.00	182.00	180.00	171.00	192.00	193.00	198.00	196.00	206.00	202.00
C92675	183.00	187.00	183.00	184.00	183.00	198.00	191.00	198.00	196.00	196.00
C92677	184.00	186.00	178.00	188.00	182.00	197.00	211.00	201.00	216.00	195.00
C92679	206.00	207.00	221.00	239.00	206.00					
C92680	176.00	186.00	178.00	185.00	182.00	204.00	196.00	189.00	97.00	104.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 54

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 3 - 2 PPM										
C92681	175.00	186.00	185.00	176.00	183.00	195.00	193.00	193.00	185.00	178.00
C92682	175.00	180.00	177.00	180.00	179.00	190.00	198.00	190.00	196.00	193.00
C92683	184.00	193.00	190.00	191.00	192.00	178.00	191.00	217.00	216.00	206.00
C92685	178.00	184.00	179.00	187.00	177.00	201.00	204.00	203.00	196.00	132.00
C92686	184.00	192.00	187.00	196.00	192.00	215.00	227.00	231.00	222.00	226.00
C92687	148.00	211.00	184.00	157.00	181.00	175.00	178.00	120.00	48.00	NOT TAKEN
C92688	195.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	197.00	184.00	179.00	SPILLED
C92689	154.00	177.00	171.00	169.00	155.00	NOT TAKEN				
C92690	203.00	207.00	205.00	225.00	224.00	234.00	231.00	237.00	233.00	235.00
GROUP: MALE 4 - 5 PPM										
C92691	177.00	173.00	177.00	179.00	171.00	172.00	197.00	180.00	186.00	181.00
C92692	158.00	169.00	134.00	139.00	NOT TAKEN					
C92693	174.00	162.00	179.00	178.00	175.00	177.00	185.00	185.00	181.00	176.00
C92694	177.00	178.00	172.00	172.00	174.00	180.00	191.00	182.00	194.00	195.00
C92695	175.00	178.00	169.00	171.00	171.00	164.00	190.00	185.00	183.00	185.00
C92696	188.00	178.00	177.00	187.00	186.00	189.00	192.00	199.00	180.00	197.00
C92697	193.00	183.00	191.00	192.00	183.00	193.00	194.00	111.00		
C92698	178.00	188.00	191.00	197.00	199.00	205.00	205.00	221.00	224.00	219.00
C92699	168.00	161.00	170.00	160.00	167.00	173.00	192.00	175.00	176.00	185.00
C92700	184.00	174.00	177.00	167.00	168.00	178.00	SPILLED	SPILLED	181.00	176.00
C92701	169.00	176.00	179.00	162.00	35.00					
C92702	167.00	171.00	168.00	165.00	169.00	177.00	197.00	192.00	190.00	198.00
C92703	197.00	209.00	184.00	198.00	203.00	210.00	65.00			
C92704	172.00	172.00	169.00	176.00	175.00	182.00	189.00	178.00	189.00	201.00
C92705	185.00	198.00	196.00	193.00	192.00	185.00	195.00	187.00	194.00	192.00
C92706	172.00	192.00	201.00	203.00	198.00	209.00	238.00	205.00	233.00	246.00
C92707	154.00	161.00	167.00	164.00	164.00	168.00	191.00	174.00	183.00	181.00
C92708	161.00	165.00	173.00	169.00	168.00	157.00	164.00	170.00	187.00	172.00
C92709	152.00	174.00	173.00	179.00	162.00	167.00	187.00	174.00	171.00	164.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 55

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 4 - 5 PPM										
C92710	173.00	180.00	184.00	182.00	180.00	194.00	190.00	182.00	184.00	
C92711	168.00	171.00	175.00	177.00	170.00	180.00	180.00	189.00	190.00	177.00
C92712	202.00	220.00	227.00	216.00	218.00	247.00	246.00	217.00	SPILLED	243.00
C92716	185.00	262.00	SPILLED	205.00	SPILLED	SPILLED	SPILLED	119.00	402.00	SPILLED
C92717	191.00	195.00	198.00	197.00	201.00	205.00	213.00	216.00	221.00	230.00
C92720	200.00	209.00	205.00	203.00	195.00	207.00	194.00	211.00	212.00	216.00
C92721	160.00	177.00	190.00	191.00	173.00	180.00	201.00	196.00	195.00	196.00
C92723	220.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	259.00	208.00	243.00	252.00
C92724	217.00	214.00	237.00	224.00	214.00	208.00	233.00	222.00	235.00	222.00
C92725	160.00	159.00	151.00	142.00	NOT TAKEN					
C92726	181.00	182.00	184.00	184.00	187.00	185.00	176.00	181.00	188.00	198.00
C92727	183.00	194.00	189.00	205.00	189.00	204.00	209.00	199.00	198.00	197.00
C92729	215.00	216.00	221.00	217.00	215.00	237.00	216.00	186.00	141.00	123.00
C92730	178.00	171.00	177.00	182.00	175.00	184.00	196.00	198.00	190.00	200.00
C92732	190.00	187.00	188.00	184.00	183.00	186.00	209.00	193.00	193.00	198.00
C92733	193.00	201.00	186.00	195.00	195.00	203.00	207.00	198.00	207.00	208.00
C92735	180.00	184.00	188.00	183.00	181.00	194.00	203.00	193.00	184.00	197.00
C92736	178.00	185.00	185.00	190.00	178.00	190.00	209.00	196.00	197.00	185.00
C92737	172.00	184.00	179.00	183.00	181.00	182.00	202.00	192.00	192.00	192.00
C92738	191.00	178.00	173.00	174.00	167.00	184.00	176.00	181.00	191.00	195.00
C92739	170.00	184.00	174.00	178.00	173.00	186.00	186.00	180.00	188.00	187.00
C92740	162.00	173.00	174.00	173.00	179.00	183.00	182.00	176.00	189.00	197.00
C92741	244.00	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	177.00
C92742	189.00	195.00	199.00	196.00	193.00	198.00	207.00	203.00	210.00	196.00
C92743	213.00	213.00	218.00	211.00	209.00	235.00	221.00	199.00	224.00	238.00
C92745	231.00	219.00	227.00	216.00	225.00	234.00	244.00	234.00	245.00	231.00
C92746	183.00	199.00	185.00	194.00	192.00	207.00	204.00	201.00	224.00	215.00
C92747	171.00	190.00	179.00	178.00	179.00	193.00	195.00	191.00	189.00	192.00
C92748	209.00	228.00	228.00	SPILLED	SPILLED	228.00	231.00	SPILLED	SPILLED	160.00
C92749	161.00	179.00	178.00	167.00	166.00	171.00	170.00	170.00	183.00	176.00
C92750	184.00	179.00	175.00	184.00	170.00	192.00	186.00	188.00	192.00	190.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 56

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 5 - 20 PPM										
C92751	162.00	188.00	202.00	190.00	184.00					
C92753	188.00	200.00	201.00	135.00	190.00	190.00	194.00	206.00	207.00	212.00
C92754	156.00	161.00	159.00	165.00	163.00					
C92755	166.00	176.00	176.00	178.00	176.00					
C92756	213.00	228.00	218.00	226.00	216.00	218.00	218.00	205.00	200.00	225.00
C92757	174.00	SPIILLED	SPIILLED	200.00	SPIILLED	211.00	SPIILLED	SPIILLED	226.00	209.00
C92758	158.00	167.00	158.00	141.00	112.00	95.00	89.00			
C92760	184.00	191.00	194.00	194.00	190.00	195.00	209.00	196.00	132.00	69.00
C92761	186.00	187.00	186.00	187.00	179.00	185.00	180.00	186.00	213.00	200.00
C92762	192.00	188.00	191.00	199.00	196.00	196.00	201.00	208.00	196.00	208.00
C92763	223.00	221.00	223.00	225.00	218.00	233.00	236.00	213.00	243.00	235.00
C92764	211.00	227.00	222.00	SPIILLED	220.00	223.00	231.00	215.00	175.00	84.00
C92766	184.00	178.00	181.00	166.00	159.00	180.00	201.00	180.00	195.00	183.00
C92767	257.00	252.00	SPIILLED	SPIILLED	235.00	250.00	SPIILLED	297.00	SPIILLED	279.00
C92768	201.00	204.00	194.00	202.00	206.00	212.00	209.00	198.00	202.00	201.00
C92769	192.00	202.00	199.00	202.00	193.00	225.00	211.00	199.00	213.00	215.00
C92770	195.00	207.00	202.00	209.00	187.00	224.00	226.00	209.00	209.00	207.00
C92771	184.00	194.00	182.00	172.00	188.00	204.00	225.00	202.00	208.00	206.00
C92772	203.00	193.00	197.00	187.00	NOT TAKEN					
C92773	172.00	174.00	169.00	174.00	167.00	166.00	170.00	166.00	178.00	167.00
C92774	173.00	179.00	165.00	168.00	178.00	183.00	182.00	169.00	183.00	176.00
C92775	205.00	215.00	153.00	217.00	213.00	198.00	224.00	226.00	228.00	218.00
C92776	176.00	185.00	184.00	180.00	177.00	197.00	198.00	165.00	199.00	190.00
C92778	182.00	168.00	181.00	177.00	135.00					
C92780	190.00	196.00	197.00	197.00	203.00	192.00	215.00	210.00	232.00	223.00
C92781	165.00	170.00	177.00	172.00	168.00	177.00	180.00	194.00	200.00	22.00
C92782	176.00	179.00	179.00	184.00	179.00	188.00	208.00	199.00	204.00	200.00
C92783	191.00	194.00	200.00	192.00	195.00	218.00	224.00	209.00	222.00	197.00
C92784	188.00	191.00	190.00	199.00	189.00	212.00	201.00	221.00	217.00	237.00
C92785	175.00	176.00	181.00	178.00	176.00	193.00	201.00	187.00	203.00	206.00
C92786	188.00	188.00	185.00	190.00	180.00	206.00	206.00	204.00	216.00	203.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 57

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 5 - 20 PPM										
C92787	209.00	232.00	SPILLED							
C92788	188.00	189.00	186.00	187.00	173.00	182.00	207.00	196.00	184.00	193.00
C92790	164.00	172.00	165.00	170.00	172.00					
C92791	190.00	189.00	195.00	196.00	184.00	193.00	208.00	195.00	204.00	196.00
C92792	168.00	171.00	186.00	179.00	173.00	191.00	189.00	195.00	202.00	213.00
C92794	166.00	159.00	166.00	162.00	154.00	56.00				
C92795	176.00	186.00	181.00	182.00	153.00					
C92796	161.00	167.00	169.00	171.00	136.00					
C92797	198.00	197.00	205.00	184.00	190.00	198.00	213.00	204.00	217.00	211.00
C92800	165.00	153.00	168.00	158.00	160.00	159.00	182.00	180.00	186.00	191.00
C92801	216.00	212.00	202.00	209.00	184.00	NOT TAKEN				
C92802	187.00	185.00	206.00	197.00	190.00	215.00	222.00	209.00	223.00	219.00
C92803	178.00	171.00	182.00	173.00	175.00	179.00	188.00	179.00	184.00	179.00
C92804	181.00	187.00	190.00	194.00	183.00	184.00	210.00	204.00	211.00	201.00
C92805	162.00	176.00	186.00	179.00	169.00	189.00	214.00	184.00	101.00	NOT TAKEN
C92806	148.00	174.00	186.00	163.00	165.00	179.00	201.00	202.00	197.00	189.00
C92807	172.00	165.00	180.00	181.00	164.00	190.00	201.00	185.00	194.00	198.00
C92808	162.00	152.00	155.00	156.00	157.00	164.00	172.00	170.00	170.00	162.00
C92809	175.00	180.00	177.00	179.00	170.00	176.00	189.00	183.00	183.00	188.00
C92810	180.00	184.00	186.00	190.00	182.00	192.00	217.00	204.00	221.00	221.00
C92811	NOT TAKEN									
C92813	188.00	201.00	201.00	199.00	192.00	205.00	207.00	216.00	221.00	214.00
C92814	137.00	127.00	136.00	136.00	138.00	146.00	148.00	141.00	138.00	146.00
C92815	SPILLED	214.00	SPILLED	SPILLED	SPILLED	SPILLED	223.00	TECH SPILL	221.00	216.00
C92816	144.00	155.00	156.00	156.00	150.00	169.00	173.00	NOT TAKEN		
C92817	220.00	227.00	243.00	241.00	176.00					
C92818	178.00	176.00	177.00	187.00	173.00	195.00	193.00	187.00	199.00	194.00
C92819	165.00	166.00	176.00	178.00	172.00	187.00	187.00	184.00	190.00	186.00
C92820	204.00	188.00	126.00	194.00	SPILLED					

Appendix 4

Individual Food Consumption Data (g)

PAGE: 58

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 6 - 20 PPM										
C92821	165.00	162.00	151.00	159.00	155.00	179.00	164.00	184.00	184.00	197.60
C92822	162.00	163.00	165.00	173.00	174.00	182.00	SPILLED	186.00	170.00	127.20
C92823	179.00	179.00	186.00	189.00	179.00	171.00	190.00	189.00	SPILLED	176.80
C92824	198.00	171.00	189.00	190.00	190.00	213.00	203.00	199.00	205.00	160.80
C92825	234.00	238.00	249.00	SPILLED	SPILLED	207.00	283.00	SPILLED	SPILLED	288.50
C92826	189.00	187.00	192.00	202.00	191.00					
C92827	190.00	182.00	191.00	189.00	168.00	194.00	200.00	186.00	196.00	192.30
C92828	183.00	195.00	196.00	205.00	196.00	208.00	197.00	217.00	229.00	212.90
C92829	208.00	190.00	231.00	214.00	SPILLED	219.00	229.00	200.00	SPILLED	233.70
C92830	165.00	183.00	189.00	192.00	141.00	139.00	182.00	178.00	SPILLED	172.60
C92831	166.00	164.00	169.00	171.00	174.00	168.00	177.00	169.00	180.00	188.00
C92832	158.00	160.00	161.00	165.00	158.00	169.00	174.00	178.00	189.00	
C92833	196.00	205.00	207.00	220.00	198.00	222.00	225.00	209.00	225.00	217.70
C92834	182.00	191.00	195.00	196.00	195.00	208.00	199.00	194.00	200.00	194.40
C92835	165.00	169.00	172.00	170.00	154.00	173.00	180.00	180.00	190.00	172.90
C92836	174.00	195.00	192.00	185.00	184.00	201.00	SPILLED	204.00	225.00	215.90
C92837	191.00	198.00	210.00	210.00	201.00	211.00	129.00	10.00		
C92838	183.00	182.00	189.00	186.00	173.00	191.00	214.00	28.00		
C92839	259.00	259.00	257.00	SPILLED	238.00	SPILLED	265.00	201.00	SPILLED	242.90
C92840	158.00	165.00	163.00	167.00	160.00	168.00	174.00	175.00	177.00	171.40
C92841	159.00	151.00	164.00	155.00	151.00	173.00	178.00	193.00	NOT TAKEN	
C92842	186.00	183.00	191.00	191.00	175.00	162.00	196.00	196.00	192.00	199.30
C92843	194.00	194.00	199.00	196.00	188.00	SPILLED	222.00	221.00	230.00	239.10
C92844	140.00	127.00	143.00	145.00	145.00	155.00	149.00	148.00	160.00	163.50
C92845	178.00	186.00	188.00	184.00	174.00	187.00	191.00	177.00	186.00	194.30
C92846	202.00	177.00	211.00	210.00	196.00	161.00	207.00	223.00	200.00	204.60
C92847	216.00	212.00	210.00	217.00	213.00	235.00	233.00	205.00	232.00	238.80
C92848	156.00	158.00	167.00	166.00	152.00	179.00	153.00	128.00	139.00	133.70
C92849	215.00	207.00	216.00	203.00	223.00	225.00	199.00	110.00	46.00	
C92850	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	228.00	SPILLED	198.00	197.20
C92851	182.00	189.00	190.00	186.00	188.00	203.00	206.00	201.00	206.00	197.20

Appendix 4

Individual Food Consumption Data (g)

PAGE: 59

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 6 - 20 PPM										
C92852	183.00	184.00	188.00	190.00	172.00	194.00	201.00	177.00	NOT TAKEN	
C92853	169.00	184.00	171.00	177.00	163.00	198.00	205.00	187.00	207.00	201.10
C92854	178.00	184.00	196.00	186.00	183.00	201.00	203.00	200.00	217.00	218.80
C92855	154.00	177.00	179.00	156.00	190.00	212.00	126.00	SPIILLED	120.00	
C92856	167.00	175.00	175.00	180.00	170.00	189.00	184.00	187.00	195.00	186.40
C92857	175.00	175.00	164.00	186.00	187.00	SPIILLED	170.00	SPIILLED	SPIILLED	200.80
C92858	173.00	173.00	178.00	191.00	181.00	202.00	198.00	149.00	191.00	204.70
C92859	174.00	182.00	190.00	191.00	183.00	189.00	163.00	120.00	129.00	NOT TAKEN
C92860	164.00	158.00	170.00	165.00	171.00	170.00	179.00	179.00	179.00	189.70
GROUP: FEMALE 1 - 0 PPM										
C92862	124.00	131.00	124.00	123.00	124.00					
C92863	114.00	132.00	108.00	125.00	133.00	132.00	135.00	137.00	145.00	128.00
C92865	156.00	141.00	139.00	138.00	138.00	150.00	156.00	NOT TAKEN		
C92866	90.00	116.00	111.00	147.00	122.00	119.00	134.00	127.00	127.00	126.00
C92867	125.00	158.00	138.00	138.00	143.00	149.00	138.00	134.00	147.00	149.00
C92868	131.00	132.00	127.00	132.00	131.00	149.00	139.00	142.00	144.00	149.00
C92869	SPIILLED	SPIILLED	SPIILLED	147.00	SPIILLED	SPIILLED	122.00	SPIILLED	166.00	146.00
C92870	143.00	148.00	147.00	135.00	142.00	171.00	143.00	149.00	152.00	139.00
C92871	130.00	122.00	124.00	127.00	129.00	134.00	144.00	149.00	154.00	152.00
C92872	SPIILLED	SPIILLED	SPIILLED	SPIILLED	167.00	139.00	128.00	152.00	141.00	142.00
C92873	121.00	138.00	124.00	124.00	137.00	139.00	134.00	148.00	152.00	125.00
C92874	130.00	139.00	137.00	128.00	139.00	134.00	144.00	139.00	153.00	140.00
C92875	133.00	154.00	139.00	143.00	144.00	175.00	128.00	138.00	153.00	133.00
C92876	109.00	120.00	122.00	132.00	109.00					
C92877	148.00	118.00	132.00	132.00	126.00	135.00	152.00	145.00	131.00	142.00
C92878	SPIILLED	SPIILLED	SPIILLED	155.00	SPIILLED	162.00	136.00	156.00	170.00	189.00
C92879	145.00	149.00	145.00	140.00	139.00	152.00	167.00	150.00	161.00	134.00
C92881	143.00	145.00	145.00	119.00	106.00	146.00	135.00	145.00	152.00	151.00
C92882	117.00	121.00	131.00	119.00	131.00	108.00	117.00	127.00	135.00	153.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 60

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 1 - 0 PPM										
C92883	137.00	170.00	150.00	137.00	121.00	160.00	163.00	132.00	143.00	133.00
C92884	138.00	146.00	139.00	143.00	141.00	145.00	150.00	136.00	156.00	141.00
C92885	130.00	139.00	119.00	141.00	137.00	140.00	153.00	146.00	157.00	150.00
C92886	143.00	149.00	145.00	145.00	119.00	154.00	141.00	140.00	96.00	124.00
C92888	164.00	153.00	165.00	150.00	167.00	178.00	157.00	186.00	179.00	SPIILLED
C92889	147.00	101.00	104.00	133.00	106.00					
C92890	117.00	134.00	130.00	132.00	158.00	143.00	155.00	157.00	137.00	147.00
C92891	128.00	132.00	133.00	135.00	130.00	146.00	147.00	137.00	139.00	137.00
C92892	167.00	147.00	156.00	172.00	144.00	153.00	188.00	159.00	164.00	172.00
C92893	115.00	113.00	128.00	83.00	129.00	127.00	120.00	124.00	136.00	154.00
C92894	128.00	132.00	130.00	129.00	145.00					
C92895	123.00	113.00	123.00	119.00	110.00	126.00	141.00	117.00	136.00	136.00
C92896	128.00	137.00	134.00	131.00	121.00	132.00	TECH SPILL	148.00	149.00	148.00
C92897	135.00	144.00	151.00	144.00	151.00	168.00	180.00	145.00	149.00	144.00
C92899	176.00	171.00	168.00	166.00	135.00					
C92900	143.00	151.00	145.00	153.00	163.00	165.00	175.00	179.00	173.00	NOT TAKEN
C92901	117.00	119.00	123.00	114.00	118.00	131.00	131.00	116.00	155.00	129.00
C92902	162.00	160.00	161.00	153.00	169.00	187.00	171.00	186.00	196.00	197.00
C92904	109.00	143.00	142.00	122.00	105.00	133.00	151.00	157.00	144.00	137.00
C92906	118.00	122.00	120.00	119.00	112.00	133.00	121.00	126.00	142.00	122.00
C92907	155.00	105.00	112.00	112.00	112.00	SPIILLED	121.00	133.00	116.00	117.00
C92908	111.00	135.00	129.00	132.00	134.00	150.00	143.00	136.00	152.00	144.00
C92909	121.00	114.00	117.00	120.00	107.00	113.00	122.00	120.00	128.00	120.00
C92910	138.00	SPIILLED	174.00	SPIILLED	150.00					
C92911	TECH SPILL	108.00	114.00	119.00	124.00	106.00	120.00	117.00	127.00	126.00
C92912	149.00	132.00	124.00	179.00	170.00	184.00	177.00	169.00	195.00	178.00
C92913	115.00	99.00	107.00	119.00	113.00	123.00	125.00	133.00	130.00	130.00
C92915	SPIILLED	169.00	154.00	144.00	159.00	165.00	136.00	160.00	165.00	149.00
C92916	154.00	180.00	155.00	158.00	160.00	141.00	194.00	206.00	180.00	194.00
C92917	153.00	170.00	158.00	149.00	160.00					
C92918	136.00	128.00	125.00	135.00	133.00	137.00	162.00	168.00	125.00	32.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 61

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 1 - 0 PPM										
C92920	131.00	137.00	137.00	102.00	124.00	139.00	129.00	125.00	143.00	NOT TAKEN
C92921	151.00	155.00	127.00	56.00	16.00	SPILLED				
C92922	149.00	158.00	155.00	135.00	147.00					
C92923	127.00	133.00	128.00	127.00	107.00					
C92924	132.00	118.00	136.00	177.00	133.00	155.00	162.00	150.00	179.00	174.00
C92925	150.00	145.00	156.00	154.00	152.00	164.00	155.00	171.00	190.00	159.00
C92927	148.00	166.00	SPILLED	145.00	140.00	152.00	148.00	144.00	148.00	144.00
C92928	152.00	165.00		161.00	145.00	161.00	165.00	163.00	154.00	170.00
C92929	116.00	127.00	131.00	50.00	SPILLED	180.00	NOT TAKEN			
C92930	174.00	188.00	188.00	175.00		136.00				
GROUP: FEMALE 2 - 0.5 PPM										
C92931	151.00	171.00	150.00	149.00	169.00	180.00	196.00	187.00	160.00	
C92932	75.00	SPILLED								
C92933	165.00		162.00	SPILLED	150.00	161.00	160.00	186.00	161.00	184.00
C92934	123.00	137.00	122.00		122.00	140.00	151.00	137.00	95.00	140.00
C92935	119.00	143.00	136.00	131.00	140.00	149.00	160.00	167.00	177.00	173.00
C92936	114.00	108.00	113.00	109.00	115.00	127.00	115.00	129.00	141.00	132.00
C92937	158.00	152.00	145.00	146.00	156.00	69.00	120.00	72.00		
C92938	142.00	125.00	139.00	141.00	153.00	155.00	151.00	169.00	164.00	153.00
C92939	135.00	139.00	126.00	122.00	128.00	138.00	126.00	149.00	147.00	
C92940	118.00	133.00	131.00	130.00	137.00	145.00	117.00	145.00	160.00	SPILLED
C92942	153.00	151.00	SPILLED	176.00						
C92943	151.00	150.00		137.00	140.00	149.00	172.00	141.00	167.00	184.00
C92946	129.00	127.00	124.00	108.00	107.00	103.00	106.00	139.00	141.00	135.00
C92947	119.00	118.00	133.00	107.00	128.00	129.00	140.00	131.00	142.00	136.00
C92948	147.00	150.00	147.00	138.00	155.00	173.00	140.00	154.00	165.00	141.00
C92951	120.00	135.00	120.00	106.00	115.00	221.00	122.00	160.00	128.00	135.00
C92952	135.00	SPILLED	122.00	124.00	123.00	134.00	130.00	TECH SPILL		
C92953	104.00		130.00	107.00	116.00	100.00	107.00		115.00	114.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 62

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 2 - 0.5 PPM										
C92954	142.00	149.00	149.00	149.00	135.00	156.00	167.00	181.00	165.00	169.00
C92955	139.00	141.00	131.00	140.00	147.00	164.00	161.00	165.00	170.00	158.00
C92956	132.00	128.00	150.00	138.00	154.00	161.00	146.00	153.00	158.00	156.00
C92957	128.00	SPILLED	143.00	125.00	127.00	155.00	137.00	149.00	139.00	128.00
C92958	126.00	122.00	122.00	122.00	122.00	136.00	118.00	115.00	121.00	123.00
C92959	188.00	157.00	SPILLED	196.00	SPILLED	162.00	61.00	159.00	138.00	142.00
C92960	189.00	140.00	170.00	158.00	159.00	152.00	146.00	167.00	164.00	134.00
C92961	160.00	153.00	170.00	146.00	170.00	184.00	178.00	176.00	189.00	180.00
C92963	132.00	123.00	141.00	119.00	136.00	119.00	141.00	121.00	137.00	104.00
C92964	132.00	SPILLED	139.00	133.00	127.00	133.00	136.00	SPILLED	152.00	146.00
C92965	131.00	149.00	141.00	146.00	158.00	157.00	151.00	135.00	140.00	134.00
C92966	108.00	106.00	110.00	99.00	101.00	109.00	114.00	129.00	76.00	NOT TAKEN
C92968	155.00	141.00	75.00	110.00	120.00	98.00	142.00	125.00	NOT TAKEN	
C92970	127.00	138.00	131.00	134.00	144.00	146.00	150.00	162.00	159.00	145.00
C92971	103.00	108.00	99.00	98.00	102.00	112.00	104.00	113.00	121.00	102.00
C92972	134.00	141.00	130.00	145.00	144.00	157.00	123.00	142.00	149.00	153.00
C92973	150.00	151.00	160.00	152.00	152.00	138.00	173.00	155.00	175.00	169.00
C92974	117.00	125.00	111.00	117.00	119.00	132.00	123.00	127.00	124.00	133.00
C92975	134.00	145.00	147.00	132.00	139.00	142.00	141.00	152.00	168.00	154.00
C92976	157.00	162.00	159.00	135.00	173.00	168.00	123.00	138.00	187.00	195.00
C92977	150.00	160.00	140.00	154.00	151.00	158.00	151.00	137.00	165.00	167.00
C92979	116.00	119.00	104.00	112.00	99.00	133.00	131.00	130.00	129.00	121.00
C92980	144.00	135.00	151.00	135.00	140.00	113.00	132.00			
C92981	118.00	134.00	132.00	125.00	129.00	142.00	143.00	146.00	90.00	NOT TAKEN
C92983	127.00	132.00	126.00	128.00	105.00	141.00	133.00	147.00	146.00	154.00
C92984	127.00	138.00	147.00	137.00	141.00	140.00	117.00	159.00	134.00	172.00
C92985	122.00	154.00	145.00	132.00	115.00	150.00	140.00	163.00	204.00	185.00
C92986	114.00	120.00	117.00	110.00	109.00	119.00	111.00	135.00	122.00	121.00
C92988	133.00	150.00	142.00	152.00	135.00	127.00	139.00	142.00	148.00	140.00
C92989	148.00	SPILLED	159.00	146.00	SPILLED	156.00	154.00	154.00	150.00	131.00
C92990	160.00	162.00	159.00	156.00	106.00	149.00	139.00	157.00	169.00	152.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 63

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 3 - 2 PPM										
C92991	141.00	133.00	115.00	119.00	130.00	133.00	125.00	142.00	144.00	144.00
C92992	162.00	151.00	144.00	143.00	164.00	150.00	149.00	150.00	163.00	155.00
C92994	109.00	142.00	95.00	120.00	127.00	125.00	93.00	136.00	132.00	134.00
C92997	120.00	122.00	115.00	125.00	122.00	124.00	119.00	125.00	127.00	120.00
C92998	130.00	38.00	TECH SPILL							
C92999	134.00	144.00	144.00	136.00	140.00	144.00	155.00	155.00	183.00	147.00
C93001	149.00	166.00	136.00	157.00	142.00	147.00	156.00	146.00	157.00	149.00
C93002	132.00	137.00	139.00	146.00	152.00	150.00	168.00	157.00	175.00	159.00
C93003	134.00	155.00	131.00	118.00	148.00	143.00	146.00	146.00	162.00	134.00
C93004	110.00	151.00	138.00	142.00	127.00	144.00	146.00	144.00	97.00	99.00
C93005	155.00	127.00	121.00	134.00	142.00	157.00	145.00	128.00	157.00	150.00
C93007	119.00	121.00	114.00	120.00	125.00	129.00	128.00	136.00	127.00	116.00
C93009	SPIILLED	148.00	SPIILLED	133.00	137.00	142.00	132.00	134.00	133.00	134.00
C93010	161.00	164.00	115.00	126.00	138.00	155.00	143.00	147.00	147.00	161.00
C93011	119.00	123.00	129.00	127.00	128.00	134.00	136.00	136.00	157.00	150.00
C93012	170.00	163.00	165.00	175.00	171.00	183.00	175.00	181.00	167.00	SPIILLED
C93013	108.00	123.00	113.00	114.00	121.00	121.00	133.00	133.00	140.00	135.00
C93014	152.00	155.00	152.00	143.00	140.00	150.00	169.00	161.00	100.00	77.00
C93015	138.00	140.00	145.00	137.00	162.00	145.00	162.00	136.00	108.00	179.00
C93016	139.00	131.00	129.00	146.00	125.00	148.00	150.00	83.00	142.00	SPIILLED
C93017	136.00	135.00	146.00	156.00	151.00	167.00	174.00	SPIILLED	190.00	180.00
C93019	138.00	139.00	SPIILLED							
C93020	154.00	167.00	109.00	149.00	127.00	156.00	114.00	38.00		
C93021	132.00	152.00	139.00	149.00	136.00	62.00	50.00			
C93022	120.00	151.00	131.00	119.00	110.00	147.00	149.00	156.00	162.00	106.00
C93024	129.00	138.00	145.00	146.00	148.00	142.00	154.00	150.00	158.00	146.00
C93025	156.00	164.00	139.00	157.00	150.00	152.00	169.00	134.00	172.00	SPIILLED
C93026	140.00	143.00	131.00	128.00	133.00	131.00	139.00	137.00	104.00	148.00
C93027	123.00	131.00	125.00	140.00	121.00	145.00	132.00	136.00	150.00	147.00
C93028	139.00	149.00	143.00	146.00	154.00	133.00	136.00	161.00	148.00	138.00
C93029	SPIILLED	SPIILLED	SPIILLED	156.00	SPIILLED	160.00	173.00	SPIILLED	SPIILLED	NOT TAKEN

Appendix 4

Individual Food Consumption Data (g)

PAGE: 64

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 3 - 2 PPM										
C93030	139.00	134.00	136.00	134.00	138.00	144.00	138.00	143.00	163.00	146.00
C93032	135.00	146.00	135.00	155.00	145.00	148.00	153.00	152.00	158.00	133.00
C93033	166.00	148.00	167.00	163.00	80.00	143.00	SPILLED	71.00		
C93034	124.00	136.00	122.00	131.00	136.00	147.00	147.00	152.00	159.00	138.00
C93036	137.00	159.00	167.00	171.00	163.00	151.00	175.00	171.00	174.00	184.00
C93037	120.00	138.00	117.00	146.00	150.00	131.00	135.00	83.00		
C93038	126.00	140.00	128.00	131.00	146.00	145.00	130.00	127.00	146.00	
C93039	132.00	146.00	135.00	132.00	163.00	147.00	152.00	148.00	162.00	158.00
C93040	130.00	130.00	158.00	138.00	129.00	125.00	153.00	153.00	SPILLED	158.00
C93041	151.00	165.00	162.00	170.00	169.00	178.00	171.00	174.00	175.00	167.00
C93042	155.00	158.00	165.00	166.00	154.00	194.00	196.00	199.00	178.00	192.00
C93043	152.00	148.00	168.00	182.00	203.00	SPILLED	197.00	196.00	SPILLED	SPILLED
C93044	138.00	127.00	128.00	129.00	139.00	135.00	58.00	58.00		
C93046	146.00	157.00	151.00	155.00	128.00	160.00	162.00	151.00	146.00	133.00
C93047	146.00	175.00	177.00	156.00	157.00	190.00	173.00	194.00	196.00	212.00
C93048	CNTMD	134.00	118.00	120.00	113.00	142.00	141.00	138.00	143.00	133.00
C93049	122.00	120.00	115.00	136.00	123.00	127.00	139.00	67.00	48.00	
C93050	153.00	145.00	147.00	152.00	157.00	159.00	159.00	156.00	163.00	143.00
GROUP: FEMALE 4 - 5 PPM										
C93052	122.00	142.00	133.00	139.00	147.00	139.00	129.00	84.00	72.00	NOT TAKEN
C93053	144.00	139.00	134.00	146.00	155.00	162.00	80.00	78.00		
C93054	140.00	151.00	138.00	149.00	142.00	143.00	125.00	112.00	142.00	NOT TAKEN
C93055	120.00	147.00	142.00	152.00	156.00	146.00	154.00	163.00	163.00	165.00
C93056	143.00	142.00	141.00	140.00	135.00	144.00	138.00	147.00	159.00	152.00
C93057	119.00	127.00	109.00	126.00	116.00	121.00	124.00	126.00	142.00	135.00
C93059	138.00	135.00	128.00	140.00	125.00	137.00	150.00	147.00	145.00	140.00
C93060	111.00	144.00	134.00	140.00	162.00	151.00	153.00	140.00	167.00	117.00
C93061	154.00	151.00	164.00	163.00	171.00	193.00	194.00	SPILLED	210.00	160.00
C93062	133.00	130.00	126.00	129.00	133.00	132.00	136.00	133.00	132.00	129.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 65

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 4 - 5 PPM										
C93063	121.00	121.00	117.00	123.00	114.00	123.00	121.00	116.00	135.00	114.00
C93065	123.00	121.00	121.00	131.00	131.00	126.00	133.00	139.00	135.00	109.00
C93066	SPIILLED	SPIILLED	SPIILLED	160.00	SPIILLED	183.00	149.00	SPIILLED	SPIILLED	SPIILLED
C93068	132.00	139.00	132.00	141.00	134.00	152.00	135.00	137.00	144.00	151.00
C93069	145.00	155.00	158.00	153.00	165.00	154.00	154.00	156.00	167.00	148.00
C93072	132.00	125.00	126.00	141.00	135.00	128.00	125.00	142.00	153.00	149.00
C93073	132.00	140.00	131.00	SPIILLED	184.00	168.00	158.00	144.00	148.00	54.00
C93074	130.00	137.00	73.00	179.00	154.00	156.00	151.00	153.00	154.00	143.00
C93076	144.00	143.00	152.00	133.00	126.00	152.00	146.00	127.00	193.00	175.00
C93077	141.00	138.00	150.00	142.00	121.00	136.00	115.00	170.00	171.00	169.00
C93078	137.00	130.00	135.00	132.00	131.00	199.00	138.00	146.00	155.00	153.00
C93079	131.00	137.00	162.00	155.00	161.00	165.00	137.00	165.00	178.00	155.00
C93080	SPIILLED	SPIILLED	SPIILLED	140.00	SPIILLED	SPIILLED	133.00	SPIILLED	159.00	SPIILLED
C93081	108.00	121.00	109.00	128.00	125.00	157.00	137.00	121.00	140.00	122.00
C93082	134.00	138.00	131.00	141.00	120.00	131.00	143.00	147.00	148.00	147.00
C93083	124.00	140.00	141.00	135.00	139.00	139.00	134.00	140.00	159.00	158.00
C93086	132.00	132.00	136.00	125.00	127.00	131.00	138.00	150.00	142.00	157.00
C93087	104.00	113.00	118.00	106.00	108.00	118.00	111.00	115.00	135.00	116.00
C93088	135.00	142.00	126.00	135.00	156.00	165.00	164.00	169.00	111.00	80.00
C93089	123.00	143.00	108.00	142.00	134.00	148.00	134.00	130.00	135.00	143.00
C93090	107.00	114.00	127.00	118.00	112.00	123.00	134.00	142.00	143.00	133.00
C93091	136.00	144.00	136.00	147.00	147.00	150.00	157.00	159.00	166.00	186.00
C93092	140.00	152.00	135.00	138.00	139.00	147.00	134.00	SPIILLED	158.00	66.00
C93093	156.00	156.00	144.00	164.00	141.00	154.00	152.00	148.00	137.00	161.00
C93094	127.00	141.00	128.00	127.00	132.00	142.00	132.00	151.00	143.00	145.00
C93095	118.00	117.00	118.00	116.00	114.00	116.00	117.00	115.00	133.00	122.00
C93097	142.00	137.00	129.00	131.00	SPIILLED	127.00	133.00	131.00	162.00	126.00
C93098	131.00	114.00	116.00	110.00	108.00	127.00	148.00	130.00	132.00	132.00
C93099	139.00	138.00	135.00	140.00	148.00	151.00	151.00	151.00	147.00	143.00
C93100	122.00	159.00	148.00	153.00	141.00	155.00	163.00	169.00	161.00	160.00
C93101	108.00	105.00	128.00	132.00	109.00	113.00	119.00	114.00	113.00	133.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 66

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 4 - 5 PPM										
C93102	161.00	160.00	167.00	172.00	169.00	168.00	164.00	196.00	183.00	157.00
C93103	173.00	179.00	157.00	169.00	156.00	159.00	167.00	173.00	178.00	169.00
C93104	174.00	150.00	168.00	170.00	157.00	173.00	169.00	156.00	123.00	151.00
C93105	130.00	136.00	137.00	142.00	139.00	153.00	149.00	159.00	162.00	SPIILLED
C93106	117.00	118.00	134.00	125.00	106.00	113.00	138.00	130.00	140.00	152.00
C93107	106.00	122.00	108.00	SPIILLED	116.00	109.00	115.00	121.00	122.00	116.00
C93108	107.00	109.00	99.00	107.00	NOT TAKEN					
C93110	183.00	201.00	200.00	184.00	213.00	187.00	224.00	181.00	174.00	213.00
GROUP: FEMALE 5 - 20 PPM										
C93112	127.00	131.00	SPIILLED	144.00	111.00					
C93113	119.00	137.00	124.00	120.00	135.00	129.00	124.00	131.00	130.00	139.00
C93115	124.00	129.00	125.00	126.00	128.00	135.00	131.00	140.00	146.00	131.00
C93116	126.00	131.00	130.00	134.00	124.00					
C93117	155.00	161.00	154.00	SPIILLED	206.00					
C93118	114.00	124.00	125.00	125.00	116.00	115.00	118.00	122.00	159.00	142.00
C93119	108.00	120.00	116.00	119.00	131.00	126.00	120.00	SPIILLED	128.00	138.00
C93120	120.00	131.00	123.00	123.00	109.00					
C93121	95.00	103.00	SPIILLED	103.00	107.00	107.00	109.00	354.00	118.00	82.00
C93122	145.00	164.00	160.00	183.00	172.00	166.00	173.00	170.00	189.00	215.00
C93124	105.00	111.00	130.00	123.00	129.00	125.00	129.00	132.00	125.00	128.00
C93125	112.00	122.00	123.00	115.00	117.00	119.00	129.00	123.00	128.00	119.00
C93126	117.00	128.00	121.00	127.00	124.00	63.00				
C93128	106.00	125.00	126.00	121.00	118.00	115.00	117.00	137.00	135.00	130.00
C93129	131.00	143.00	142.00	148.00	152.00	143.00	139.00	SPIILLED	190.00	161.00
C93130	126.00	147.00	127.00	139.00	150.00					
C93131	135.00	130.00	137.00	138.00	138.00	139.00	130.00	138.00	157.00	145.00
C93132	131.00	125.00	124.00	135.00	109.00	125.00	128.00	131.00	141.00	123.00
C93133	108.00	162.00	SPIILLED	140.00	100.00	146.00	104.00	129.00	142.00	129.00
C93134	128.00	123.00	126.00	133.00	144.00	139.00	106.00	123.00	NOT TAKEN	

Appendix 4

Individual Food Consumption Data (g)

PAGE: 67

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 5 - 20 PPM										
C93135	141.00	152.00	140.00	147.00	145.00	171.00	SPIILLED	182.00	202.00	SPIILLED
C93136	141.00	152.00	146.00	152.00	159.00					
C93137	128.00	125.00	129.00	140.00	125.00	116.00	144.00	129.00	149.00	154.00
C93138	109.00	119.00	107.00	118.00	138.00					
C93139	130.00	121.00	116.00	124.00	118.00	116.00	124.00	119.00	117.00	124.00
C93140	161.00	166.00	146.00	156.00	170.00	169.00	177.00	180.00	180.00	168.00
C93141	140.00	146.00	138.00	134.00	148.00	145.00	136.00	176.00	160.00	159.00
C93145	SPIILLED	SPIILLED	SPIILLED	146.00	SPIILLED	139.00	SPIILLED	132.00	123.00	146.00
C93146	90.00	114.00	102.00	137.00	110.00	117.00	126.00	118.00	136.00	132.00
C93147	106.00	114.00	113.00	106.00	118.00					
C93148	146.00	152.00	150.00	157.00	153.00	164.00	169.00	157.00	158.00	158.00
C93149	112.00	135.00	125.00	129.00	127.00	131.00	138.00	139.00	158.00	137.00
C93150	147.00	141.00	142.00	149.00	151.00	144.00	151.00	157.00	162.00	158.00
C93151	126.00	156.00	115.00	114.00	120.00	121.00	128.00	128.00	136.00	132.00
C93152	126.00	132.00	133.00	144.00	162.00	124.00	121.00	104.00		
C93153	121.00	133.00	135.00	141.00	145.00	133.00	142.00	148.00	168.00	170.00
C93154	134.00	135.00	120.00	133.00	116.00					
C93156	119.00	115.00	114.00	116.00	109.00	117.00	114.00	126.00	116.00	113.00
C93157	124.00	137.00	134.00	123.00	131.00	133.00	135.00	136.00	137.00	132.00
C93158	127.00	177.00	135.00	136.00	150.00	139.00	137.00	135.00	143.00	144.00
C93160	175.00	191.00	195.00	SPIILLED	SPIILLED	208.00	197.00	SPIILLED	SPIILLED	12.00
C93161	146.00	124.00	139.00	152.00	154.00	152.00	143.00	172.00	136.00	185.00
C93162	124.00	133.00	96.00	124.00	130.00	141.00	149.00	137.00	149.00	SPIILLED
C93163	118.00	124.00	107.00	118.00	110.00					
C93164	106.00	116.00	125.00	126.00	132.00	119.00	130.00	126.00	141.00	130.00
C93165	124.00	119.00	114.00	119.00	122.00	124.00	126.00	133.00	136.00	131.00
C93166	108.00	156.00	101.00	109.00	150.00	119.00	134.00	153.00	135.00	138.00
C93167	120.00									
C93168	111.00	124.00	111.00	118.00	136.00	135.00	130.00	145.00	142.00	134.00
C93170	101.00	SPIILLED	SPIILLED	209.00	159.00	174.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93171	132.00	210.00	133.00	131.00	124.00					

Appendix 4

Individual Food Consumption Data (g)

PAGE: 68

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 5 - 20 PPM										
C93172	122.00	128.00	124.00	131.00	126.00	148.00	122.00	152.00	135.00	52.00
C93173	112.00	126.00	118.00	119.00	115.00	135.00	125.00	SPIILLED	130.00	130.00
C93174	SPIILLED	SPIILLED	SPIILLED	188.00	190.00	SPIILLED	138.00	SPIILLED	162.00	139.00
C93175	110.00	112.00	111.00	110.00	113.00	109.00	111.00	113.00	109.00	115.00
C93176	128.00	124.00	115.00	116.00	124.00	134.00	121.00	131.00	138.00	118.00
C93177	113.00	114.00	112.00	115.00	116.00	130.00	118.00	124.00	138.00	118.00
C93178	110.00	109.00	99.00	113.00	107.00	109.00	108.00	115.00	111.00	113.00
C93179	112.00	120.00	107.00	112.00	105.00	120.00	110.00	114.00	115.00	114.00
C93180	135.00	143.00	135.00	157.00	147.00	136.00	117.00			
GROUP: FEMALE 6 - 20 PPM										
C93181	122.00	128.00	118.00	126.00	139.00	109.00	116.00	119.00	149.00	134.00
C93182	110.00	113.00	107.00	113.00	119.00	133.00	124.00	133.00	144.00	142.00
C93183	138.00	115.00	106.00	139.00	142.00	131.00	137.00	129.00	164.00	151.00
C93184	115.00	119.00	120.00	122.00	121.00	127.00	130.00	124.00	148.00	154.00
C93185	130.00	126.00	131.00	129.00	128.00	125.00	137.00	159.00	159.00	142.00
C93186	119.00	124.00	145.00	135.00	144.00	148.00	155.00	150.00	159.00	SPIILLED
C93187	137.00	145.00	136.00	136.00	145.00	141.00	137.00	153.00	160.00	150.00
C93188	134.00	142.00	144.00	141.00	147.00	166.00	159.00	172.00	179.00	161.00
C93189	93.00	113.00	150.00	138.00	138.00	117.00	135.00	135.00	126.00	147.00
C93190	137.00	146.00	144.00	148.00	145.00	158.00	158.00	166.00	169.00	174.00
C93191	174.00	164.00	158.00	146.00	146.00	158.00	159.00	172.00	SPIILLED	206.00
C93192	124.00	134.00	124.00	133.00	125.00	123.00	147.00	137.00	156.00	148.00
C93193	137.00	165.00	153.00	159.00	155.00	163.00	175.00	185.00	185.00	166.00
C93194	133.00	136.00	131.00	126.00	141.00	145.00	184.00	145.00	153.00	150.00
C93195	125.00	136.00	134.00	135.00	136.00	144.00	147.00	152.00	145.00	
C93196	111.00	115.00	121.00	113.00	123.00	137.00	140.00	122.00	135.00	139.00
C93197	97.00	117.00	101.00	120.00	119.00	SPIILLED	SPIILLED	SPIILLED	165.00	146.00
C93198	115.00	124.00	129.00	129.00	133.00	147.00	144.00	146.00	153.00	162.00
C93199	123.00	124.00	121.00	120.00	119.00	143.00	137.00	67.00		

Appendix 4

Individual Food Consumption Data (g)

PAGE: 69

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 6 - 20 PPM										
C93200	123.00	128.00	122.00	123.00	128.00	136.00	142.00	136.00	141.00	132.00
C93201	103.00	125.00	109.00	146.00	110.00	111.00	133.00	SPILLED	139.00	133.00
C93202	103.00	97.00	99.00	103.00	95.00	103.00	120.00	105.00	129.00	144.00
C93203	140.00	138.00	136.00	139.00	162.00	175.00	162.00	162.00	180.00	169.00
C93204	117.00	125.00	126.00	138.00	135.00	152.00	143.00	123.00	134.00	130.00
C93205	119.00	120.00	115.00	128.00	126.00	123.00	137.00	140.00	152.00	158.00
C93206	124.00	134.00	136.00	139.00	132.00	148.00	157.00	155.00	168.00	159.00
C93207	122.00	SPILLED								
C93208	132.00	115.00	126.00	129.00	114.00	118.00	134.00	160.00	171.00	147.00
C93209	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	168.00	176.00	156.00
C93210	125.00	138.00	139.00	139.00	153.00	SPILLED	161.00	168.00	192.00	SPILLED
C93211	106.00	111.00	105.00	111.00	106.00	SPILLED	120.00	154.00	156.00	140.00
C93212	136.00	155.00	150.00	146.00	145.00	178.00	177.00	131.00	181.00	181.00
C93213	115.00	121.00	96.00	96.00	143.00	136.00	135.00	112.00	156.00	148.00
C93214	126.00	132.00	131.00	125.00	131.00	148.00	153.00	149.00	157.00	171.00
C93215	113.00	120.00	119.00	112.00	125.00	164.00	146.00	138.00	159.00	154.00
C93216	130.00	130.00	132.00	130.00	137.00	152.00	150.00	164.00	157.00	151.00
C93217	146.00	147.00	134.00	135.00	134.00	158.00	161.00	151.00	171.00	154.00
C93218	110.00	122.00	115.00	116.00	127.00	137.00	127.00	135.00	138.00	121.00
C93219	115.00	130.00	136.00	127.00	128.00	151.00	165.00	161.00	170.00	159.00
C93220	133.00	148.00	149.00	143.00	143.00	156.00	135.00	155.00	153.00	142.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 70

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 1 - 0 PPM								
C92502	50.00							
C92503	159.00	131.00	147.00	126.00	155.00	170.00	172.00	177.00
C92505	194.00	189.00	205.00	187.00	195.00	167.00	163.00	152.00
C92508	27.00							
C92510	193.00	200.00	196.00	207.00	196.00	200.00	SPIILLED	193.00
C92513	181.00	185.00	180.00	168.00	187.00	188.00	179.00	177.00
C92514	211.00	220.00	214.00	175.00	SPIILLED	244.00	242.00	214.00
C92515	146.00	176.00	178.00	175.00	170.00	174.00		
C92518	217.00	231.00	234.00	242.00	228.00	SPIILLED	263.00	SPIILLED
C92519	198.00	NOT TAKEN						
C92520	168.00	61.00						
C92522	177.00	166.00	181.00	169.00	160.00	160.00		
C92527	183.00	56.00	NOT TAKEN					
C92530	112.00							
C92533	205.00	192.00	142.00					
C92535	179.00	198.00	187.00	191.00	190.00	NOT TAKEN		
C92536	195.00							
C92537	222.00	237.00	230.00	231.00	208.00			
C92539	195.00	210.00	195.00	161.00	164.00	21.00		
C92541	224.00	220.00	224.00	229.00	220.00	219.00	195.00	140.00
C92542	203.00	199.00	191.00	198.00	198.00	203.00	182.00	180.00
C92543	187.00	192.00	187.00	187.00	186.00	188.00	NOT TAKEN	
C92544	187.00	172.00	182.00	177.00	184.00	SPIILLED	152.00	104.00
C92545	211.00	219.00	227.00	230.00	208.00			
C92547	201.00	171.00	159.00	NOT TAKEN				
C92548	115.00	82.00						
C92549	168.00	NOT TAKEN						
C92550	SPIILLED	223.00	210.00	225.00	198.00	247.00	225.00	NOT TAKEN
C92551	187.00	190.00	194.00	188.00	194.00	185.00	191.00	169.00
C92552	208.00	211.00	187.00	181.00	124.00	112.00	40.00	NOT TAKEN
C92554	168.00	182.00	176.00	184.00	174.00	180.00	140.00	
C92557	199.00	164.00	88.00	19.00				

Appendix 4

Individual Food Consumption Data (g)

PAGE: 71

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 1 - 0 PPM								
C92558	106.00	NOT TAKEN						
C92559	191.00							
C92560	166.00	NOT TAKEN						
C92563	SPIILLED	219.00	NOT TAKEN					
C92565	204.00	205.00	198.00	175.00				
C92567	190.00	209.00	183.00	217.00				
C92568	184.00	184.00	195.00	192.00	177.00	167.00	139.00	
C92569	174.00	178.00	179.00	178.00	184.00	176.00	164.00	167.00
GROUP: MALE 2 - 0.5 PPM								
C92571	206.00	230.00	221.00	237.00	230.00	122.00	SPIILLED	
C92572	196.00	199.00	200.00	203.00	197.00	195.00	58.00	
C92573	167.00	92.00	NOT TAKEN					
C92576	209.00	188.00	207.00	208.00	219.00	121.00		
C92577	191.00	171.00	197.00	199.00	200.00	193.00	183.00	170.00
C92578	191.00	162.00	71.00					
C92579	143.00	103.00	108.00					
C92580	44.00							
C92581	240.00	193.00	229.00	205.00	169.00	107.00	197.00	1.00
C92582	162.00	139.00	169.00	167.00	170.00	147.00	SPIILLED	
C92583	174.00	163.00	178.00	184.00	178.00	188.00	158.00	133.00
C92587	202.00	178.00	105.00	NOT TAKEN				
C92588	185.00	170.00	192.00	196.00	211.00	178.00	83.00	
C92589	218.00	177.00	179.00	175.00	145.00	98.00	NOT TAKEN	
C92590	200.00	189.00	202.00	210.00	213.00	205.00	229.00	223.00
C92591	190.00	186.00	180.00	189.00	175.00	NOT TAKEN		
C92592	188.00	181.00	202.00	NOT TAKEN				
C92594	195.00	183.00	194.00	197.00	193.00	NOT TAKEN		
C92595	148.00	130.00	NOT TAKEN					
C92597	163.00	177.00	178.00	139.00	168.00	168.00	170.00	SPIILLED

Appendix 4

Individual Food Consumption Data (g)

PAGE: 72

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 2 - 0.5 PPM								
C92598	177.00	184.00	190.00	181.00	183.00	190.00	181.00	169.00
C92601	187.00	204.00	197.00	184.00	203.00	204.00	203.00	186.00
C92602	186.00	218.00	193.00	188.00	177.00	178.00	167.00	181.00
C92604	103.00	118.00	106.00	90.00				
C92605	187.00	197.00	197.00	194.00	171.00	126.00	133.00	NOT TAKEN
C92606	189.00							
C92607	221.00	211.00	91.00	82.00				
C92608	23.00							
C92609	187.00	201.00	200.00	200.00	198.00	208.00	202.00	NOT TAKEN
C92611	177.00	165.00	166.00	NOT TAKEN				
C92612	34.00							
C92614	SPIILLED	SPIILLED	SPIILLED	SPIILLED	NOT TAKEN			
C92615	185.00	174.00	161.00	50.00				
C92617	134.00	68.00						
C92619	165.00	172.00	175.00	178.00	192.00	175.00	192.00	181.00
C92620	172.00	162.00	205.00	188.00	117.00	NOT TAKEN		
C92622	207.00	178.00						
C92623	156.00	151.00	160.00	164.00	162.00	161.00	165.00	175.00
C92625	168.00	104.00	NOT TAKEN					
C92626	178.00	187.00	199.00	SPIILLED	SPIILLED	201.00	SPIILLED	158.00
C92629	101.00							
C92630	204.00	154.00	67.00	NOT TAKEN				
GROUP: MALE 3 - 2 PPM								
C92631	182.00	189.00	193.00	184.00	201.00	205.00	199.00	199.00
C92632	195.00	180.00	181.00	173.00	SPIILLED	186.00	187.00	
C92633	202.00	197.00	197.00	183.00	199.00	219.00	209.00	250.00
C92634	197.00	202.00	201.00					
C92635	28.00							
C92636	SPIILLED	SPIILLED	199.00	SPIILLED	SPIILLED	SPIILLED		

Appendix 4

Individual Food Consumption Data (g)

PAGE: 73

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 3 - 2 PPM								
C92637	186.00	180.00	185.00	191.00	191.00	179.00	194.00	219.00
C92638	211.00	194.00	122.00	116.00				
C92639	99.00	194.00	36.00					
C92641	162.00	162.00	172.00	165.00	180.00	199.00	SPIILLED	83.00
C92642	164.00	166.00	181.00	172.00	184.00	184.00	194.00	194.00
C92643	196.00	190.00	201.00	171.00	179.00	199.00	181.00	188.00
C92644	185.00	188.00	182.00	196.00	201.00	187.00	185.00	148.00
C92647	162.00	NOT TAKEN						
C92648	147.00	141.00	SPIILLED					
C92649	188.00	SPIILLED	188.00	202.00	223.00	204.00	201.00	201.00
C92651	92.00	42.00						
C92653	213.00	215.00	220.00	202.00	213.00	207.00	206.00	105.00
C92654	95.00							
C92655	216.00	212.00	211.00	171.00	123.00			
C92656	195.00	186.00	201.00	184.00	89.00	33.00		
C92657	189.00	177.00	196.00	195.00	210.00	203.00	204.00	192.00
C92658	191.00	212.00	211.00	199.00	180.00			
C92659	198.00	197.00	SPIILLED	154.00	172.00	SPIILLED	SPIILLED	SPIILLED
C92660	199.00	180.00	198.00	183.00	SPIILLED	202.00	199.00	201.00
C92661	203.00	210.00	15.00	114.00				
C92663	236.00	226.00	218.00	240.00	213.00			
C92664	69.00							
C92665	212.00	211.00	SPIILLED	NOT TAKEN				
C92666	NOT TAKEN							
C92667	5.00							
C92669	191.00	201.00	211.00	206.00	216.00	225.00	225.00	178.00
C92671	203.00	188.00	235.00	213.00	188.00			
C92672	202.00	198.00	226.00	204.00	164.00			
C92673	215.00	219.00	213.00	196.00	173.00			
C92674	209.00	204.00	111.00	196.00	198.00	214.00	211.00	205.00
C92675	191.00	188.00	189.00	179.00	160.00	130.00	81.00	

Appendix 4

Individual Food Consumption Data (g)

PAGE: 74

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 3 - 2 PPM								
C92677	199.00	177.00	190.00	200.00	202.00	204.00		
C92680	143.00	105.00	NOT TAKEN					
C92681	182.00	164.00	148.00					
C92682	197.00	215.00	202.00	231.00	224.00	203.00	230.00	224.00
C92683	203.00	217.00	213.00	217.00	211.00	213.00	207.00	SPIILLED
C92685	132.00							
C92686	238.00	164.00						
C92688	SPIILLED	SPIILLED	SPIILLED	SPIILLED	89.00	91.00		
C92690	236.00	233.00	203.00	247.00	229.00	228.00	243.00	SPIILLED
GROUP: MALE 4 - 5 PPM								
C92691	173.00	178.00	179.00	188.00	171.00	187.00	186.00	165.00
C92693	SPIILLED	182.00	187.00	192.00	194.00	159.00	148.00	156.00
C92694	190.00	197.00	204.00	201.00	207.00	210.00	206.00	206.00
C92695	174.00	183.00	180.00	191.00	179.00	190.00	192.00	199.00
C92696	173.00	210.00	211.00	215.00	206.00	218.00	216.00	217.00
C92698	216.00	216.00	232.00	231.00	228.00	215.00	143.00	15.00
C92699	184.00	176.00	171.00	170.00	170.00	163.00	181.00	175.00
C92700	158.00	175.00	188.00	173.00	203.00	187.00	154.00	120.00
C92702	191.00	195.00	205.00	197.00	208.00	217.00	135.00	106.00
C92704	187.00	190.00	204.00	201.00	198.00	209.00	197.00	187.00
C92705	193.00	183.00	191.00	193.00	198.00	205.00	224.00	220.00
C92706	231.00	SPIILLED	214.00	250.00	SPIILLED	174.00		
C92707	175.00	177.00	182.00	27.00				
C92708	173.00	155.00	195.00	203.00	192.00	197.00	194.00	209.00
C92709	150.00	131.00	98.00	107.00				
C92711	170.00	187.00	199.00	97.00	NOT TAKEN			
C92712	210.00	169.00	132.00					
C92716	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	167.00	SPIILLED	SPIILLED
C92717	228.00	214.00	224.00	231.00	219.00	186.00	174.00	177.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 75

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 4 - 5 PPM								
C92720	217.00	173.00						
C92721	213.00	NOT TAKEN						
C92723	SPIILLED							
C92724	214.00	197.00	219.00	231.00	228.00	235.00	215.00	229.00
C92726	194.00	192.00	191.00	200.00	195.00	SPIILLED	225.00	219.00
C92727	193.00	183.00	183.00	126.00				
C92729	106.00							
C92730	196.00	191.00	198.00	190.00	193.00	152.00	114.00	89.00
C92732	189.00	185.00						
C92733	186.00	191.00	88.00	22.00				
C92735	198.00	194.00	201.00	198.00	190.00	195.00	196.00	198.00
C92736	196.00	190.00	198.00	190.00	184.00	189.00	220.00	201.00
C92737	192.00	192.00	179.00	68.00				
C92738	207.00	217.00	210.00	260.00	NOT TAKEN			
C92739	186.00	188.00	195.00	188.00	197.00	207.00	203.00	172.00
C92740	176.00	201.00	196.00	199.00	179.00	197.00	210.00	211.00
C92741	SPIILLED	SPIILLED	144.00	29.00				
C92742	SPIILLED	198.00	190.00	195.00	210.00	211.00	210.00	187.00
C92743	245.00	234.00	NOT TAKEN					
C92745	241.00	212.00	105.00	50.00				
C92746	235.00							
C92747	195.00	181.00	193.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	CNTMD
C92748	SPIILLED	247.00	235.00	160.00	218.00	189.00	184.00	121.00
C92749	179.00	184.00	191.00	183.00	186.00	198.00	196.00	
C92750	198.00	188.00	197.00	197.00	187.00	202.00	183.00	98.00
GROUP: MALE 5 - 20 PPM								
C92753	214.00	197.00	229.00	228.00	220.00	234.00	187.00	159.00
C92756	224.00	210.00	86.00	NOT TAKEN				
C92757	218.00	194.00	201.00	203.00	176.00	152.00	159.00	100.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 76

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 5 - 20 PPM								
C92761	188.00	194.00	176.00	200.00	179.00	207.00	252.00	SPILLED
C92762	193.00	176.00	182.00	193.00	192.00	185.00	170.00	162.00
C92763	SPILLED	214.00	229.00	219.00	68.00			
C92764	NOT TAKEN							
C92766	197.00	168.00	181.00	165.00	176.00	181.00	167.00	
C92767	190.00	250.00	254.00	297.00	228.00	50.00		
C92768	207.00	204.00	206.00	203.00	163.00			
C92769	208.00	218.00	215.00	169.00	213.00	197.00	140.00	
C92770	215.00	SPILLED	SPILLED	219.00	207.00	215.00	99.00	
C92771	204.00	26.00						
C92773	180.00	190.00	169.00	176.00	188.00	187.00	201.00	183.00
C92774	180.00	167.00	183.00	196.00	184.00	183.00	199.00	174.00
C92775	213.00	218.00	232.00	217.00	209.00	191.00	166.00	42.00
C92776	191.00	178.00	199.00	202.00	206.00	198.00	190.00	202.00
C92780	SPILLED	222.00	SPILLED	232.00	238.00	188.00	125.00	69.00
C92781	43.00							
C92782	212.00	219.00	206.00	215.00	210.00	254.00	236.00	214.00
C92783	120.00							
C92784	134.00	NOT TAKEN						
C92785	190.00	202.00	204.00	188.00	194.00	167.00		
C92786	206.00	201.00	201.00	205.00	209.00	206.00	215.00	212.00
C92788	209.00	193.00	215.00	211.00	203.00	208.00	202.00	215.00
C92791	205.00	199.00	214.00	199.00	204.00	210.00	203.00	210.00
C92792	196.00	189.00	209.00	190.00	186.00	186.00	183.00	144.00
C92797	205.00	190.00	223.00	184.00	38.00			
C92800	184.00	171.00	179.00	165.00	158.00	171.00	155.00	153.00
C92802	217.00	215.00	223.00	204.00	209.00	223.00	225.00	199.00
C92803	175.00	169.00	178.00	176.00	184.00	175.00	182.00	192.00
C92804	203.00	199.00	222.00	209.00	200.00	202.00	228.00	231.00
C92806	192.00	196.00	180.00	203.00	185.00	157.00		
C92807	198.00	138.00	102.00					

Appendix 4

Individual Food Consumption Data (g)

PAGE: 77

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 5 - 20 PPM								
C92808	175.00	171.00	175.00	181.00	180.00	188.00	178.00	175.00
C92809	186.00	191.00	204.00	202.00	221.00	238.00	207.00	173.00
C92810	220.00	216.00	231.00	153.00	91.00	31.00		
C92813	224.00	188.00	208.00	178.00	201.00	159.00	NOT TAKEN	
C92814	142.00	153.00	142.00	148.00	157.00	151.00	146.00	158.00
C92815	SPIILLED	214.00	SPIILLED	227.00	SPIILLED	SPIILLED	252.00	249.00
C92818	179.00	181.00	189.00	199.00	194.00	193.00	180.00	189.00
C92819	184.00	188.00	203.00	205.00	225.00	SPIILLED	219.00	NOT TAKEN
GROUP: MALE 6 - 20 PPM								
C92821	198.00	190.00	187.00	203.00	178.00	172.00	197.00	173.00
C92822	98.00	76.00						
C92823	187.00	198.00	197.00	205.00	167.00	186.00	217.00	209.00
C92824	84.00	215.00	165.00	210.00	206.00			
C92825	263.00	229.00	257.00	226.00	223.00			
C92827	192.00	206.00	201.00	202.00	209.00	194.00	223.00	217.00
C92828	196.00	194.00						
C92829	220.00	204.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	98.00
C92830	139.00	130.00	126.00	SPIILLED	99.00	168.00		
C92831	148.00	192.00	117.00					
C92833	217.00	202.00	217.00	174.00	SPIILLED	SPIILLED	SPIILLED	122.00
C92834	202.00	187.00	180.00	196.00	186.00	192.00	175.00	184.00
C92836	196.00	205.00	195.00	181.00				
C92839	249.00	SPIILLED	184.00	111.00				
C92840	164.00	175.00	181.00	188.00	199.00	190.00	71.00	
C92842	201.00	179.00	195.00	180.00				
C92843	212.00							
C92844	165.00	120.00						
C92845	174.00	188.00	184.00	191.00	206.00			
C92846	155.00	167.00	181.00	240.00	210.00	178.00	155.00	

Appendix 4

Individual Food Consumption Data (g)

PAGE: 78

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 6 - 20 PPM								
C92847	256.00	245.00	218.00	218.00	151.00	89.00		
C92848	161.00	154.00	92.00	144.00	SPIILLED	SPIILLED		
C92850	182.00	207.00	197.00	181.00	159.00	115.00	132.00	62.00
C92851	194.00	204.00	224.00	187.00	180.00	170.00	205.00	197.00
C92853	209.00	209.00	209.00	204.00	203.00	205.00	177.00	108.00
C92854	208.00	218.00	212.00	207.00	221.00	204.00	155.00	
C92856	181.00	187.00	183.00	134.00	194.00	180.00	160.00	178.00
C92857	197.00	106.00						
C92858	202.00	191.00	210.00	203.00	58.00	60.00		
C92860	197.00	194.00	184.00	188.00	193.00	74.00		
GROUP: FEMALE 1 - 0 PPM								
C92863	110.00	121.00						
C92866	134.00	139.00	132.00	136.00	144.00	120.00	92.00	83.00
C92867	144.00	150.00	154.00	130.00	141.00	148.00	147.00	150.00
C92868	143.00	159.00	159.00	156.00	153.00	169.00	163.00	174.00
C92869	161.00	146.00	181.00	140.00	SPIILLED	141.00	144.00	147.00
C92870	139.00	159.00	168.00	159.00	117.00	110.00	108.00	25.00
C92871	142.00	155.00	170.00	166.00	161.00	170.00	175.00	179.00
C92872	158.00	159.00	179.00	147.00				
C92873	144.00	159.00	140.00	160.00	147.00	164.00	143.00	149.00
C92874	155.00	160.00	160.00	163.00	156.00	156.00	159.00	111.00
C92875	35.00							
C92877	127.00	137.00	145.00	154.00	120.00	156.00	158.00	130.00
C92878	150.00	203.00						
C92879	132.00	50.00	114.00	SPIILLED	SPIILLED			
C92881	141.00	141.00	156.00	155.00	147.00	139.00	152.00	142.00
C92882	134.00	127.00	152.00	139.00	141.00	108.00	156.00	127.00
C92883	143.00	131.00	79.00					
C92884	139.00	140.00	102.00	97.00	SPIILLED	NOT TAKEN		

Appendix 4

Individual Food Consumption Data (g)

PAGE: 79

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 1 - 0 PPM								
C92885	152.00	156.00	152.00	154.00	152.00	157.00	142.00	122.00
C92886	154.00	159.00						
C92888	139.00							
C92890	172.00	167.00	136.00	161.00	136.00	179.00	176.00	129.00
C92891	117.00	107.00	141.00					
C92892	166.00	185.00	187.00	169.00	183.00	175.00	166.00	151.00
C92893	140.00	125.00	165.00	NOT TAKEN				
C92895	129.00	136.00	125.00	116.00	124.00	110.00	138.00	145.00
C92896	129.00	158.00	140.00	143.00	148.00	137.00	145.00	140.00
C92897	152.00	176.00	144.00	186.00	156.00	119.00	78.00	94.00
C92901	46.00							
C92902	202.00	185.00	174.00	NOT TAKEN				
C92904	140.00	161.00	161.00	150.00	161.00	161.00	153.00	
C92906	117.00	118.00	133.00	121.00	147.00	150.00	SPIILLED	102.00
C92907	119.00	126.00	139.00	133.00	130.00	125.00	127.00	134.00
C92908	151.00	151.00	136.00	SPIILLED	SPIILLED			
C92909	126.00	121.00	124.00	118.00	127.00	126.00	119.00	75.00
C92911	117.00	114.00	113.00	120.00	131.00	125.00	132.00	116.00
C92912	174.00	181.00	156.00	183.00	180.00	193.00	SPIILLED	SPIILLED
C92913	132.00	134.00	133.00	125.00	136.00	116.00	129.00	96.00
C92915	173.00	156.00	177.00	149.00	24.00	NOT TAKEN		
C92916	187.00	172.00	197.00	60.00	SPIILLED			
C92924	155.00	156.00	99.00					
C92925	148.00	155.00	180.00	123.00	115.00	112.00	51.00	209.00
C92927	154.00	152.00	151.00	141.00	153.00	147.00	135.00	131.00
C92928	176.00	140.00						
GROUP: FEMALE 2 - 0.5 PPM								
C92933	147.00	146.00	171.00	163.00	NOT TAKEN			
C92934	133.00	121.00	76.00					

Appendix 4

Individual Food Consumption Data (g)

PAGE: 80

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 2 - 0.5 PPM								
C92935	127.00	62.00	71.00	NOT TAKEN				
C92936	140.00	135.00	148.00	120.00	111.00	123.00	98.00	SPIILLED
C92938	169.00	177.00	171.00	173.00	173.00	200.00	171.00	SPIILLED
C92940	185.00	SPIILLED	SPIILLED					
C92943	166.00	174.00	92.00	82.00	62.00	76.00		
C92946	142.00	126.00	146.00	137.00	146.00	146.00	157.00	140.00
C92947	136.00	158.00	146.00	111.00	55.00			
C92948	157.00	176.00	192.00	195.00	164.00	19.00		
C92951	125.00	158.00	126.00	111.00	132.00	141.00	128.00	
C92953	124.00	116.00	119.00	124.00	128.00	122.00	114.00	142.00
C92954	182.00	156.00	182.00	181.00	SPIILLED	174.00	7.00	
C92955	152.00	145.00	124.00	109.00	NOT TAKEN			
C92956	164.00	173.00	159.00	167.00	165.00	152.00	114.00	
C92957	146.00	146.00	134.00	153.00	126.00	SPIILLED	SPIILLED	SPIILLED
C92958	143.00	141.00	91.00	78.00				
C92959	150.00	167.00	175.00	184.00	189.00	65.00		
C92960	147.00	153.00	170.00	168.00	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92961	186.00	SPIILLED	SPIILLED	195.00	164.00	SPIILLED		
C92963	109.00	117.00	120.00	132.00	SPIILLED			
C92964	147.00	157.00	170.00	155.00	147.00	134.00	159.00	SPIILLED
C92965	147.00	17.00						
C92970	169.00	171.00	165.00	145.00	143.00	132.00	47.00	55.00
C92971	137.00	150.00	175.00	189.00				
C92972	143.00	153.00	181.00	152.00	59.00	NOT TAKEN		
C92973	161.00	170.00	189.00	179.00	174.00	164.00	174.00	113.00
C92974	131.00	132.00	139.00	147.00	138.00	134.00	92.00	93.00
C92975	162.00	180.00	181.00	147.00	174.00	146.00	125.00	165.00
C92976	221.00	213.00	170.00	181.00	148.00	147.00	36.00	
C92977	159.00	178.00	176.00	176.00	169.00	151.00		
C92979	121.00	138.00	132.00	5.00				
C92983	145.00	135.00	151.00	137.00	156.00	144.00	102.00	53.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 81

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 2 - 0.5 PPM								
C92984	171.00	177.00	175.00	136.00	134.00	152.00	113.00	114.00
C92985	180.00	201.00	171.00	144.00	118.00	65.00		
C92986	122.00	125.00	147.00	135.00	140.00	131.00	146.00	146.00
C92988	158.00	134.00	158.00	146.00	154.00	157.00	170.00	161.00
C92989	170.00	140.00						
C92990	158.00	148.00	149.00	135.00	142.00			
GROUP: FEMALE 3 - 2 PPM								
C92991	158.00	164.00	147.00	151.00	155.00	162.00	146.00	
C92992	148.00	141.00	NOT TAKEN					
C92994	126.00	18.00						
C92997	108.00	85.00						
C92999	118.00	111.00	88.00	111.00	NOT TAKEN			
C93001	128.00	54.00	NOT TAKEN					
C93002	137.00	36.00						
C93003	181.00	158.00	179.00	SPIILLED	SPIILLED	144.00	106.00	
C93005	137.00	70.00	127.00	140.00				
C93007	128.00	124.00	133.00	143.00	164.00	142.00	153.00	
C93009	130.00	118.00	119.00	98.00	NOT TAKEN			
C93010	158.00	147.00	121.00	48.00				
C93011	143.00	161.00	166.00	156.00	158.00	159.00	168.00	
C93012	140.00	SPIILLED						
C93013	72.00	52.00	67.00					
C93014	NOT TAKEN							
C93015	156.00	158.00	170.00	158.00	189.00	92.00	209.00	
C93016	SPIILLED	107.00						
C93017	191.00	172.00	210.00	130.00				
C93022	168.00	168.00	167.00	148.00	145.00	149.00	130.00	
C93024	147.00	63.00	98.00					
C93025	154.00	159.00	167.00	170.00	173.00	164.00	142.00	

Appendix 4

Individual Food Consumption Data (g)

PAGE: 82

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 3 - 2 PPM								
C93026	167.00	132.00	132.00	149.00	139.00	109.00	115.00	
C93027	140.00	153.00	114.00	24.00				
C93028	157.00	134.00	98.00	92.00	NOT TAKEN			
C93030	157.00	145.00	157.00	135.00	143.00	NOT TAKEN		
C93032	64.00	NOT TAKEN						
C93034	128.00	171.00						
C93036	197.00	194.00	125.00					
C93039	148.00	141.00	148.00	144.00	144.00	180.00	154.00	
C93040	122.00	144.00	135.00	142.00	68.00	164.00	103.00	
C93041	148.00	75.00						
C93042	181.00	178.00	134.00	115.00	68.00			
C93043	SPIILLED	SPIILLED	176.00	150.00	155.00	SPIILLED		
C93046	160.00	NOT TAKEN						
C93047	214.00	204.00	200.00	200.00	214.00	213.00	205.00	
C93048	142.00	135.00	134.00	115.00	133.00	135.00	149.00	
C93050	152.00	148.00	165.00	190.00	171.00	75.00		
GROUP: FEMALE 4 - 5 PPM								
C93055	7.00							
C93056	156.00	167.00	158.00	155.00	101.00	70.00		
C93057	129.00	135.00	143.00	141.00	85.00	105.00		
C93059	161.00	152.00	158.00	164.00	167.00	157.00	162.00	158.00
C93060	146.00	160.00	152.00	167.00	131.00	142.00	103.00	138.00
C93061	SPIILLED	NOT TAKEN						
C93062	122.00	136.00	132.00	131.00	141.00	144.00	139.00	123.00
C93063	152.00	135.00	140.00	139.00	150.00	154.00	153.00	124.00
C93065	58.00	104.00	128.00	126.00	SPIILLED			
C93066	SPIILLED	157.00	138.00	143.00	144.00			
C93068	163.00	141.00	155.00	149.00	138.00	144.00	94.00	
C93069	161.00	147.00	178.00	202.00	212.00	243.00	151.00	

Appendix 4

Individual Food Consumption Data (g)

PAGE: 83

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 4 - 5 PPM								
C93072	136.00	149.00	138.00	134.00	145.00	145.00	140.00	154.00
C93074	158.00	51.00						
C93076	188.00	160.00	204.00	130.00	48.00			
C93077	169.00	174.00	182.00	164.00	159.00	157.00	144.00	156.00
C93078	131.00	157.00	144.00	175.00	181.00	199.00	209.00	219.00
C93079	149.00	168.00	181.00	173.00	152.00	169.00	184.00	160.00
C93080	154.00	169.00	SPILLED	162.00	137.00	SPILLED	SPILLED	199.00
C93081	130.00	123.00	125.00	133.00	132.00	138.00	SPILLED	140.00
C93082	141.00	144.00	166.00	158.00	145.00	32.00		
C93083	152.00	169.00	195.00	170.00	155.00	160.00	139.00	161.00
C93086	67.00	78.00	118.00	112.00				
C93087	112.00	133.00	138.00	135.00	150.00	126.00	NOT TAKEN	
C93088	126.00							
C93089	128.00	131.00	138.00	140.00	63.00			
C93090	144.00	132.00	146.00	142.00	145.00	147.00	142.00	92.00
C93091	111.00							
C93092	59.00							
C93093	161.00	148.00	136.00	147.00	142.00	NOT TAKEN		
C93094	132.00	157.00	160.00	129.00	144.00	NOT TAKEN		
C93095	123.00	145.00	132.00	102.00	147.00	110.00	110.00	12.00
C93097	143.00	130.00	139.00	137.00	150.00	114.00		
C93098	128.00	130.00	138.00	123.00	138.00	130.00	126.00	125.00
C93099	165.00	148.00	146.00	116.00	105.00	NOT TAKEN		
C93100	155.00	162.00	168.00	156.00				
C93101	137.00	114.00	126.00	118.00	136.00	125.00	130.00	144.00
C93102	163.00	181.00	193.00	189.00	SPILLED	SPILLED	SPILLED	224.00
C93103	189.00	197.00	146.00	170.00	165.00	59.00		
C93104	3.00	108.00	NOT TAKEN					
C93105	127.00	SPILLED	56.00	SPILLED				
C93106	147.00	142.00	145.00	140.00	127.00			
C93107	101.00	128.00	130.00	128.00	96.00	133.00	133.00	138.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 84

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 4 - 5 PPM								
C93110	192.00	209.00	169.00	83.00				
GROUP: FEMALE 5 - 20 PPM								
C93113	129.00	163.00	140.00	157.00	165.00	131.00	159.00	171.00
C93115	161.00	155.00	164.00	157.00	163.00	167.00	129.00	118.00
C93118	151.00	121.00	SPIILLED	194.00	168.00			
C93119	141.00	162.00	155.00	159.00	NOT TAKEN			
C93121	76.00							
C93122	176.00	219.00	223.00	152.00	NOT TAKEN			
C93124	128.00	126.00	123.00	160.00	138.00	144.00	177.00	176.00
C93125	116.00	124.00	127.00	111.00	116.00	112.00	SPIILLED	SPIILLED
C93128	127.00	148.00	149.00	150.00	146.00	143.00		
C93129	155.00	161.00	168.00	143.00	97.00	65.00		
C93131	147.00	123.00	163.00	152.00	78.00	NOT TAKEN		
C93132	136.00	129.00	140.00	144.00	116.00		201.00	2.00
C93133	140.00	129.00	134.00	126.00	123.00	136.00	134.00	134.00
C93135	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	92.00
C93137	152.00	200.00	178.00	146.00	161.00	104.00	145.00	119.00
C93139	124.00	141.00	136.00	SPIILLED	118.00	128.00	121.00	135.00
C93140	176.00	172.00	178.00	178.00	182.00	174.00	164.00	127.00
C93141	151.00	177.00	175.00	162.00	167.00	133.00	NOT TAKEN	
C93146	141.00	141.00	144.00	147.00	132.00	126.00	137.00	106.00
C93148	158.00	175.00	178.00	173.00				
C93149	133.00	141.00	139.00	154.00	130.00	155.00	58.00	94.00
C93150	156.00	153.00	136.00	142.00	NOT TAKEN			
C93151	131.00	132.00	127.00	122.00	137.00	122.00	149.00	142.00
C93153	166.00	147.00	166.00	163.00	139.00	204.00	135.00	SPIILLED
C93156	44.00	196.00	141.00					
C93157	143.00	142.00	151.00	148.00	144.00	157.00	150.00	155.00
C93158	114.00	139.00	149.00	146.00	140.00	145.00	150.00	145.00

Appendix 4

Individual Food Consumption Data (g)

PAGE: 85

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 5 - 20 PPM								
C93160	NOT TAKEN							
C93161	184.00	135.00	193.00	SPIILLED	202.00	209.00	215.00	221.00
C93162	141.00	137.00	142.00	139.00	140.00	133.00	124.00	SPIILLED
C93164	159.00	147.00	160.00	156.00	175.00	189.00	147.00	164.00
C93165	138.00	139.00	138.00	118.00	137.00	153.00	133.00	127.00
C93166	139.00	125.00	155.00	126.00	142.00	139.00	150.00	139.00
C93168	136.00	137.00	146.00	178.00	132.00	131.00	122.00	130.00
C93170	SPIILLED	196.00	165.00	115.00	101.00			
C93172	73.00							
C93173	139.00	125.00	109.00	164.00	153.00	139.00	97.00	
C93174	153.00	164.00	SPIILLED	143.00	147.00	SPIILLED	150.00	150.00
C93175	119.00	106.00	106.00	113.00	NOT TAKEN			
C93176	130.00	110.00	76.00	NOT TAKEN				
C93177	133.00	153.00	129.00	112.00	109.00	124.00	133.00	148.00
C93178	114.00	111.00	120.00	117.00	114.00	119.00	104.00	120.00
C93179	112.00	119.00	108.00	111.00	117.00	123.00	95.00	139.00
GROUP: FEMALE 6 - 20 PPM								
C93181	130.00	128.00	137.00	117.00	144.00	143.00	133.00	150.00
C93182	136.00	159.00	159.00	143.00	150.00	159.00	152.00	152.00
C93183	146.00	164.00	163.00	168.00	173.00	167.00	141.00	SPIILLED
C93184	153.00	157.00	156.00	158.00	175.00	161.00	171.00	163.00
C93185	149.00	148.00	148.00	141.00	160.00	158.00	155.00	150.00
C93187	144.00	172.00	161.00	59.00	SPIILLED	133.00	84.00	NOT TAKEN
C93188	178.00	176.00	170.00	188.00	186.00	SPIILLED	SPIILLED	116.00
C93189	127.00	130.00	64.00					
C93190	158.00	154.00	163.00	143.00	134.00	59.00	67.00	154.00
C93191	179.00	186.00	196.00	SPIILLED				
C93192	171.00	143.00	143.00	167.00	149.00	159.00	168.00	132.00
C93193	NOT TAKEN							

Appendix 4

Individual Food Consumption Data (g)

PAGE: 86

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 6 - 20 PPM								
C93194	149.00	149.00	135.00	189.00	NOT TAKEN			
C93196	132.00	128.00	105.00	NOT TAKEN				
C93197	146.00	159.00	152.00	SPIILLED	SPIILLED	151.00	144.00	156.00
C93198	144.00	171.00	164.00	137.00	158.00	155.00	146.00	145.00
C93200	129.00	128.00	150.00	149.00	120.00	NOT TAKEN		
C93201	141.00	130.00	129.00	126.00	156.00	122.00	143.00	156.00
C93202	130.00	109.00	133.00	134.00	132.00	147.00	140.00	159.00
C93203	139.00	159.00	84.00	130.00				
C93204	139.00	129.00	146.00	SPIILLED	NOT TAKEN			
C93205	158.00	146.00	152.00	141.00	140.00	162.00	146.00	93.00
C93206	161.00	155.00	154.00	158.00	151.00	29.00	37.00	NOT TAKEN
C93208	159.00	142.00						
C93209	204.00	151.00	187.00	171.00	169.00	SPIILLED	170.00	172.00
C93210	150.00	151.00	181.00	173.00	137.00	SPIILLED	54.00	30.00
C93211	129.00	144.00	153.00	131.00	148.00	131.00	143.00	73.00
C93212	154.00	101.00	NOT TAKEN					
C93213	115.00	99.00	NOT TAKEN					
C93214	157.00	175.00	167.00	167.00	184.00	SPIILLED		
C93215	123.00	59.00	SPIILLED					
C93216	163.00	143.00	162.00	158.00	168.00	163.00	164.00	171.00
C93217	176.00	142.00	196.00	167.00				
C93218	151.00	141.00	139.00	128.00				
C93219	177.00	187.00	185.00	191.00	183.00	194.00	192.00	206.00
C93220	158.00	159.00	165.00	151.00	163.00	SPIILLED	150.00	154.00

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 2 - 0.5 PPM										
C92571	0.055	0.049	0.044	0.038	0.035	0.035	SPILED	0.033	SPILED	0.032
C92572	0.061	0.049	0.042	0.041	0.037	0.035	0.034	0.031	0.031	0.031
C92573	0.056	0.049	SPILED	0.036	0.037	0.035	SPILED	0.030	0.029	0.026
C92574	0.053	0.046	SPILED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92575	0.053	CNTMD	0.038	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92576	0.051	0.044	0.039	0.036	0.033	0.031	0.029	0.029	0.027	0.026
C92577	0.060	0.050	0.044	0.039	0.035	SPILED	0.035	0.030	0.027	0.027
C92578	0.060	0.047	0.040	0.037	0.035	SPILED	0.035	0.030	0.029	0.029
C92579	0.052	0.045	0.041	0.037	0.035	0.032	0.032	0.030	0.027	0.026
C92580	0.059	0.049	0.042	0.038	0.036	SPILED	SPILED	0.029	0.028	SPILED
C92581	0.054	0.044	0.039	0.036	0.032	0.031	0.031	0.029	0.027	0.025
C92582	0.061	0.050	SPILED	SPILED	0.034	0.032	0.033	0.030	0.029	0.026
C92583	0.054	SPILED	0.039	SPILED	SPILED	SPILED	SPILED	SPILED	0.028	0.028
C92584	SPILED	0.050	0.045	0.041	0.037	0.035	0.033	0.032	0.031	0.029
C92585	0.054	CNTMD	0.040	0.032	0.035	0.033	CNTMD	0.031	0.027	0.028
C92586	0.057	0.046	0.042	0.037	0.038	0.034	0.033	0.031	0.029	0.028
C92587	0.060	0.047	0.042	0.037	0.038	0.034	0.034	0.030	0.028	0.027
C92588	SPILED	0.045	0.041	0.037	0.037	0.034	SPILED	SPILED	SPILED	SPILED
C92589	0.058	0.048	0.043	0.038	0.036	0.033	0.032	0.029	0.028	0.027
C92590	0.061	0.050	0.043	0.039	0.035	SPILED	0.026	0.030	0.029	0.028
C92591	0.052	0.043	0.040	0.037	0.034	0.031	SPILED	SPILED	0.027	0.026
C92592	0.060	0.049	0.042	0.038	0.034	0.032	0.031	0.029	0.027	0.026
C92593	0.053	0.045	0.039	0.036	0.032	0.030	0.029	0.027	0.026	0.026
C92594	0.056	0.047	SPILED	0.040	0.037	0.036	0.035	0.033	SPILED	0.030
C92595	0.053	0.045	0.044	0.036	0.034	0.033	0.031	0.030	0.028	0.027
C92596	0.053	0.044	0.041	0.038	0.036	0.034	0.032	0.031	0.030	0.029
C92597	0.053	0.044	0.040	0.037	0.039	0.036	0.034	0.032	SPILED	0.030
C92598	0.059	0.048	0.045	0.040	0.036	0.035	0.033	0.031	0.029	0.028
C92599	0.051	0.044	0.039	0.034	0.035	SPILED	SPILED	0.030	0.029	0.027
C92600	0.058	0.046	0.043	0.039	0.036	0.034	0.033	0.030	0.029	0.027
C92601	0.059	0.049	0.045	0.040	0.034	0.032	0.030	0.028	0.027	0.025

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 2 - 0.5 PPM										
C92602	0.059	0.047	0.043	0.042	0.037	0.034	0.033	SPIILLED	0.032	0.029
C92603	0.055	SPIILLED	SPIILLED	SPIILLED	0.034	SPIILLED	SPIILLED	SPIILLED	0.029	0.028
C92604	0.052	0.046	0.041	0.037	0.034	0.033	0.032	0.030	0.029	0.027
C92605	0.051	0.042	0.039	0.035	0.034	SPIILLED	0.030	0.028	0.028	0.026
C92606	0.057	0.048	0.046	0.039	0.036	0.034	0.032	0.032	0.031	0.029
C92607	0.063	0.052	0.046	0.041	0.037	0.034	SPIILLED	SPIILLED	0.030	0.028
C92608	0.055	0.045	0.043	0.038	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.030	0.029
C92609	0.057	0.047	0.042	0.038	0.035	0.033	0.032	0.029	0.028	0.026
C92610	0.054	0.045	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92611	0.054	0.045	0.040	0.037	0.034	0.032	0.030	0.028	0.027	0.026
C92612	0.057	0.046	0.042	0.036	0.033	0.030	0.029	0.029	0.027	0.026
C92613	0.062	0.052	0.044	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92614	0.055	0.047	0.042	SPIILLED	0.039	0.037	0.036	SPIILLED	SPIILLED	SPIILLED
C92615	0.065	0.050	0.046	0.035	0.036	0.034	0.032	0.031	0.029	0.027
C92616	0.060	0.048	0.044	SPIILLED	SPIILLED	0.034	0.033	0.032	SPIILLED	0.031
C92617	0.058	0.048	0.043	0.039	0.036	0.033	0.032	0.029	0.028	0.025
C92618	0.062	0.055	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92619	0.057	SPIILLED	0.046	0.040	0.036	0.033	0.033	0.031	0.030	0.028
C92620	0.056	0.050	0.046	SPIILLED	0.036	0.034	0.032	0.032	0.029	0.025
C92621	0.055	0.046	0.042	0.039	0.039	0.035	0.033	0.033	0.031	0.029
C92622	CNTMD	0.050	0.042	0.039	0.035	0.033	0.030	0.029	0.028	0.026
C92623	0.054	0.046	0.040	0.039	0.036	0.034	0.032	0.028	0.028	0.028
C92624	CNTMD	0.039	0.038	0.035	0.034	0.031	0.031	0.029	0.029	0.028
C92625	0.061	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.029	SPIILLED
C92626	0.061	0.048	0.042	0.039	0.034	0.031	0.032	0.031	0.029	0.028
C92627	0.056	0.047	0.044	SPIILLED	0.041	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92628	0.053	0.045	0.041	0.042	SPIILLED	0.036	0.033	0.032	SPIILLED	SPIILLED
C92629	0.064	0.052	0.046	0.045	0.040	SPIILLED	0.034	0.033	0.031	SPIILLED
C92630	0.059	0.047	0.042	0.037	0.035	0.033	0.035	0.036	0.032	0.031

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 3 - 2 PPM										
C92631	0.223	0.188	0.164	0.150	0.138	0.131	0.124	0.124	0.110	0.110
C92632	0.215	0.174	0.154	0.129	0.133	0.124	0.117	0.113	0.102	0.102
C92633	0.237	0.195	SPIILLED	0.145	0.147	0.140	0.131	0.124	0.117	0.113
C92634	0.246	0.207	0.183	SPIILLED	0.151	0.139	0.131	0.126	0.116	0.120
C92635	0.259	0.214	0.183	SPIILLED	0.146	0.142	SPIILLED	0.122	0.116	SPIILLED
C92636	0.248	SPIILLED	0.173	SPIILLED	SPIILLED	0.143	0.143	0.148	SPIILLED	SPIILLED
C92637	0.202	0.174	0.160	0.152	0.132	0.126	0.118	0.119	0.106	0.108
C92638	0.229	0.193	0.180	0.165	0.151	0.141	0.134	0.128	0.119	0.115
C92639	0.222	0.186	0.166	0.149	0.143	0.137	SPIILLED	0.123	0.108	0.108
C92640	0.207	0.183	0.160	0.147	0.132	0.127	0.128	0.127	0.116	0.120
C92641	0.214	0.193	0.166	0.159	0.140	0.131	0.119	0.118	0.112	0.111
C92642	0.211	0.180	0.165	0.153	0.140	0.135	0.121	0.115	0.109	0.107
C92643	0.246	0.196	0.171	0.151	0.135	0.128	0.119	0.116	0.113	0.111
C92644	0.227	0.181	0.157	0.142	0.129	0.125	0.113	0.114	0.112	0.114
C92645	0.233	0.186	SPIILLED	0.155	0.141	0.135	0.123	0.121	0.116	0.120
C92646	0.222	0.181	0.156	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92647	0.200	0.179	0.160	0.142	0.132	0.127	0.120	0.117	0.109	0.107
C92648	0.219	0.190	0.171	0.151	0.136	0.131	0.119	0.119	0.111	0.116
C92649	0.222	0.195	0.173	0.160	0.148	0.143	0.136	0.126	0.120	0.124
C92650	0.245	0.207	0.176	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92651	0.221	0.189	0.166	0.148	0.137	0.123	0.119	0.115	0.112	0.108
C92652	0.246	0.207	0.181	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92653	0.224	0.187	0.163	0.148	0.131	0.122	0.116	0.115	0.112	0.105
C92654	0.240	0.207	0.187	0.163	SPIILLED	SPIILLED	SPIILLED	0.127	0.116	SPIILLED
C92655	0.254	0.212	0.190	0.169	0.162	0.151	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92656	0.227	0.185	0.162	0.151	0.135	0.123	0.119	0.112	0.104	0.105
C92657	0.229	0.207	0.169	0.144	SPIILLED	SPIILLED	0.130	SPIILLED	0.116	0.116
C92658	0.209	0.178	0.167	0.170	0.136	SPIILLED	0.123	0.121	0.109	0.114
C92659	0.219	0.188	0.165	0.156	0.139	0.134	0.130	0.122	0.117	0.119
C92660	0.219	0.172	0.174	0.177	0.132	0.138	0.121	0.125	0.113	SPIILLED
C92661	0.202	0.171	0.155	0.139	0.126	0.119	0.113	0.114	0.098	0.103

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 3 - 2 PPM										
C92662	0.225	0.196	0.191	SPIILLED	0.144	0.133	0.124	0.123	0.114	0.115
C92663	0.255	0.219	0.191	0.175	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.117	SPIILLED
C92664	0.208	0.187	0.162	SPIILLED	0.139	0.132	0.132	0.120	0.114	0.111
C92665	0.238	0.194	0.173	0.156	0.142	0.134	0.125	0.123	0.117	0.112
C92666	0.221	0.185	0.169	0.153	0.141	0.130	0.127	0.123	0.118	0.118
C92667	0.225	0.195	0.182	0.162	0.147	0.139	0.133	0.130	0.118	0.116
C92668	0.214	0.185	0.168	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92669	0.226	0.192	0.177	0.161	0.146	0.139	0.133	0.134	0.128	0.125
C92670	0.239	0.197	0.171	0.152	0.142	0.134	0.126	0.122	0.111	0.117
C92671	0.254	0.209	0.187	0.163	0.147	0.140	0.108	0.131	0.121	0.122
C92672	0.227	0.185	0.164	0.146	0.129	0.134	0.128	0.123	0.114	0.118
C92673	0.218	0.171	0.152	0.136	0.131	0.121	0.118	0.111	0.107	SPIILLED
C92674	0.242	0.193	0.165	0.160	0.138	SPIILLED	SPIILLED	SPIILLED	0.131	0.133
C92675	0.232	0.190	0.168	0.147	0.135	0.128	0.123	0.118	0.118	0.116
C92676	0.219	0.178	SPIILLED	0.129	0.147	0.128	0.123	0.119	0.109	0.107
C92677	0.213	0.179	0.155	0.137	0.128	SPIILLED	0.103	0.110	0.109	0.108
C92678	0.244	0.206	0.177	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92679	0.230	0.189	0.164	0.146	0.149	0.128	0.121	0.122	0.116	0.114
C92680	0.202	0.185	0.165	0.145	0.140	SPIILLED	0.116	SPIILLED	0.116	0.116
C92681	0.227	SPIILLED	0.163	SPIILLED	0.136	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92682	0.217	0.187	0.163	0.137	0.134	0.126	0.118	0.119	0.109	0.112
C92683	0.231	0.185	0.170	0.146	0.138	0.132	0.121	SPIILLED	0.110	0.110
C92684	0.222	0.178	0.161	0.141	0.143	0.132	0.123	0.123	0.115	0.115
C92685	0.228	0.183	0.169	0.151	0.140	0.127	0.124	0.121	0.113	0.113
C92686	0.208	0.171	0.157	0.130	0.133	0.126	0.120	0.113	0.107	0.107
C92687	0.207	0.168	0.157	0.147	0.143	0.133	0.124	0.121	0.114	0.112
C92688	0.219	0.181	0.167	0.156	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92689	0.239	0.194	0.169	0.146	0.136	0.131	0.120	0.111	0.101	0.103
C92690	0.232	0.194	SPIILLED	0.151	0.131	0.117	0.071	0.117	0.108	0.106

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 4 - 5 PPM										
C92691	0.610	0.477	0.421	0.371	0.348	0.344	0.328	0.295	0.293	0.278
C92692	0.613	0.472	0.433	0.360	0.337	0.333	0.303	0.285	0.273	0.263
C92693	0.622	SPIILLED	0.437	0.400	0.377	0.349	0.323	0.297	0.289	0.282
C92694	0.526	0.409	0.368	0.332	SPIILLED	0.303	0.294	0.278	0.270	0.255
C92695	0.563	0.450	0.393	SPIILLED	0.341	SPIILLED	0.308	SPIILLED	0.260	0.261
C92696	0.510	0.427	0.387	SPIILLED	SPIILLED	SPIILLED	0.321	SPIILLED	SPIILLED	SPIILLED
C92697	0.561	0.467	0.426	0.371	SPIILLED	0.340	0.320	SPIILLED	0.319	0.286
C92698	0.582	0.448	0.416	0.368	0.346	0.312	SPIILLED	0.290	0.281	0.268
C92699	0.562	0.458	0.417	0.371	0.340	0.330	0.285	0.293	0.283	0.286
C92700	0.553	0.471	0.406	0.371	0.330	0.313	0.296	0.304	0.289	0.275
C92701	0.500	0.421	0.389	0.331	0.316	0.292	0.286	0.268	0.267	0.240
C92702	0.617	0.491	0.424	0.374	0.349	0.312	0.301	0.280	0.279	0.258
C92703	0.609	0.513	0.463	0.410	0.371	0.355	0.334	0.318	0.304	0.292
C92704	0.543	0.455	0.409	0.369	0.344	0.322	0.309	0.294	0.287	0.264
C92705	0.553	0.445	0.414	0.380	0.359	0.325	0.328	0.307	0.307	0.298
C92706	0.576	0.474	0.404	0.359	0.327	0.306	0.283	0.273	0.270	0.249
C92707	0.512	0.446	0.385	0.333	0.309	0.281	0.273	0.266	0.271	0.242
C92708	0.591	0.477	0.412	0.344	0.299	0.292	0.294	0.289	0.289	0.271
C92709	0.554	0.466	0.402	0.347	0.361	0.334	0.325	0.294	0.278	0.261
C92710	0.596	0.502	0.435	0.390	SPIILLED	0.341	SPIILLED	SPIILLED	SPIILLED	0.283
C92711	0.536	0.433	0.399	0.344	0.336	0.308	0.303	0.276	0.266	0.249
C92712	0.579	0.465	0.396	0.350	0.343	0.323	SPIILLED	0.286	SPIILLED	0.274
C92713	0.572	SPIILLED	SPIILLED	SPIILLED	0.292	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.265
C92714	0.611	SPIILLED	0.449	0.363	0.351	0.327	SPIILLED	SPIILLED	0.306	0.287
C92715	0.542	SPIILLED	0.399	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92716	0.533	0.439	0.393	0.322	0.335	0.317	0.303	0.279	0.268	0.253
C92717	0.630	0.496	0.434	0.366	0.333	0.323	0.313	0.294	0.293	0.264
C92718	0.637	0.526	0.478	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92719	0.656	0.525	0.439	0.382	0.356	0.334	0.317	0.300	SPIILLED	0.289
C92720	0.654	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92721	0.545	0.476	0.416	0.319	0.328	0.334	0.321	0.307	0.304	0.267

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 4 - 5 PPM										
C92722	0.562	0.463	0.410	0.365	0.351	0.315	0.305	0.294	0.297	0.215
C92723	0.571	0.513	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.305	SPIILLED	SPIILLED
C92724	0.611	0.517	0.438	0.392	0.368	0.354	SPIILLED	0.302	0.303	SPIILLED
C92725	0.591	0.495	0.422	0.343	0.368	0.327	0.302	0.288	SPIILLED	0.280
C92726	0.576	0.487	0.432	0.373	0.353	0.322	0.310	0.296	0.279	0.266
C92727	0.520	0.457	0.413	SPIILLED	0.357	0.335	0.316	SPIILLED	0.288	0.277
C92728	0.599	0.484	0.454	0.383	0.353	0.336	0.312	0.286	0.268	0.276
C92729	0.523	0.459	0.428	0.369	0.348	0.312	0.296	0.281	0.283	0.267
C92730	0.605	0.503	0.461	SPIILLED	0.373	0.348	0.331	0.296	0.288	0.284
C92731	SPIILLED	SPIILLED	0.383	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92732	0.645	0.539	0.484	0.379	0.389	0.345	0.333	0.311	0.311	0.298
C92733	0.562	0.464	0.419	0.356	0.337	0.309	0.293	0.294	0.306	0.290
C92734	0.580	0.479	0.420	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92735	0.504	0.433	0.381	0.349	0.333	0.312	0.302	0.282	0.280	0.263
C92736	0.555	0.459	0.420	0.362	0.345	0.324	0.306	0.290	0.298	0.277
C92737	0.510	0.431	0.402	0.345	0.333	0.305	0.290	0.277	0.287	0.267
C92738	0.590	0.496	0.462	0.381	0.370	0.339	0.330	0.301	0.303	0.291
C92739	0.543	0.446	0.412	0.374	0.359	0.333	0.324	0.307	0.326	0.304
C92740	0.601	0.490	0.422	0.370	0.342	0.321	0.323	0.300	0.289	0.260
C92741	0.495	0.421	0.373	0.351	0.321	0.303	0.317	SPIILLED	0.268	0.257
C92742	0.594	0.491	0.432	0.370	0.344	0.316	0.296	0.285	0.274	0.261
C92743	0.612	0.510	0.434	0.390	0.362	0.329	0.315	SPIILLED	0.287	0.276
C92744	0.595	0.533	0.472	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92745	0.540	0.470	0.426	0.384	0.362	0.340	0.321	0.299	0.289	0.269
C92746	0.541	0.475	0.405	0.335	0.342	SPIILLED	SPIILLED	SPIILLED	0.269	0.251
C92747	0.540	0.450	0.414	0.378	0.365	0.349	0.327	0.317	SPIILLED	SPIILLED
C92748	0.514	0.425	0.388	0.351	0.342	0.331	0.349	SPIILLED	0.318	SPIILLED
C92749	0.590	0.471	0.421	0.373	0.352	0.343	0.325	0.300	0.300	SPIILLED
C92750	0.546	0.468	0.441	0.380	0.353	0.322	SPIILLED	0.301	0.274	0.267

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92751	2.238	1.990	1.824	1.586	1.429	1.295	SPILLED	SPILLED	1.086	1.044
C92752	2.125	1.717	1.618	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92753	2.223	1.889	1.660	1.526	1.427	1.248	1.282	1.187	1.166	0.982
C92754	2.024	1.807	1.686	1.492	1.391	1.291	1.327	1.160	1.129	1.121
C92755	2.444	1.960	1.831	1.514	1.448	1.298	1.268	1.171	1.196	1.112
C92756	2.144	1.888	1.828	1.638	1.473	1.425	SPILLED	SPILLED	SPILLED	SPILLED
C92757	2.295	1.921	1.809	1.688	1.537	1.440	SPILLED	SPILLED	1.217	1.160
C92758	2.215	1.876	1.657	1.424	1.311	1.259	1.178	1.088	1.033	0.983
C92759	1.973	1.673	1.535	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92760	2.117	1.853	1.687	1.488	1.369	1.286	1.274	1.150	1.112	1.105
C92761	2.109	1.912	1.625	1.510	1.357	1.289	1.194	1.186	1.114	1.093
C92762	2.172	1.793	1.662	1.522	1.384	1.312	1.199	SPILLED	1.068	1.066
C92763	2.283	1.839	1.683	1.440	1.377	1.234	1.232	1.155	1.115	1.061
C92764	2.355	2.001	1.790	1.497	1.509	1.411	1.345	1.316	SPILLED	1.151
C92765	2.097	1.816	1.642	1.467	1.372	1.274	1.276	1.158	1.117	1.085
C92766	2.309	1.920	1.657	1.458	1.373	1.269	1.222	1.167	1.148	1.115
C92767	2.195	1.923	1.764	1.520	1.345	1.354	1.273	1.291	1.251	1.196
C92768	1.996	1.781	1.590	1.403	1.330	1.266	1.157	1.015	1.033	0.970
C92769	2.288	1.883	1.797	1.491	1.401	1.297	1.273	1.159	1.108	1.076
C92770	2.023	SPILLED	1.523	1.319	1.283	1.152	1.163	1.065	1.016	0.997
C92771	2.368	1.886	1.823	1.709	SPILLED	1.305	SPILLED	1.093	1.061	1.004
C92772	2.350	1.916	1.774	1.439	1.361	1.281	1.163	1.116	1.118	1.049
C92773	2.024	1.768	1.588	1.424	1.322	1.179	1.147	1.074	1.093	0.987
C92774	2.332	1.927	1.653	1.490	1.454	1.363	1.291	1.201	1.203	1.098
C92775	2.590	2.139	1.895	1.599	1.522	1.378	1.338	1.250	1.141	1.150
C92776	2.198	1.844	1.592	1.413	1.333	1.264	1.205	1.140	1.092	1.071
C92777	2.456	2.004	1.730	1.509	1.414	1.288	1.301	1.173	1.151	1.144
C92778	1.921	1.775	1.606	1.412	1.230	1.195	1.184	1.117	1.077	1.067
C92779	2.228	1.865	1.684	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92780	2.255	2.058	1.671	1.550	1.451	1.363	1.346	1.276	1.229	SPILLED
C92781	2.156	1.836	1.617	1.441	1.316	1.263	1.212	0.921	1.081	1.048

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92782	2.583	2.064	1.887	1.617	1.509	1.381	1.376	1.163	1.149	1.105
C92783	2.109	1.739	1.633	1.425	1.350	1.270	1.214	1.124	1.023	1.018
C92784	2.165	1.768	1.718	1.373	1.461	1.335	1.190	1.196	1.149	1.127
C92785	2.051	1.804	1.675	1.506	1.417	1.361	1.287	SPIILLED	1.154	1.129
C92786	2.136	1.741	1.618	1.401	1.338	1.236	1.226	1.173	1.055	1.076
C92787	2.134	1.821	1.749	1.584	1.420	1.334	1.338	0.886	SPIILLED	SPIILLED
C92788	2.438	2.089	1.833	SPIILLED	1.555	1.304	1.263	1.022	1.159	1.090
C92789	2.233	1.824	1.709	1.498	1.382	1.300	1.272	1.108	1.091	SPIILLED
C92790	2.514	1.944	1.750	1.506	1.390	1.304	1.254	1.148	1.089	1.058
C92791	2.101	1.745	1.717	1.531	1.353	1.300	1.296	1.217	1.096	1.101
C92792	2.078	1.937	1.613	1.403	1.362	1.271	1.242	1.174	1.089	1.056
C92793	2.122	1.703	1.524	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92794	2.035	1.694	1.642	1.371	1.308	1.261	1.237	1.174	1.101	1.049
C92795	2.163	1.823	1.657	1.480	1.363	1.285	1.252	1.212	1.148	1.107
C92796	2.002	1.690	1.548	1.433	1.340	1.273	1.155	1.101	1.024	0.996
C92797	1.892	1.612	1.481	1.361	1.265	1.215	1.180	1.141	1.074	1.063
C92798	2.390	1.820	1.652	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92799	2.150	1.711	1.612	1.382	1.402	1.318	1.184	1.088	1.068	1.058
C92800	2.221	1.898	1.696	SPIILLED	1.392	1.280	SPIILLED	1.173	SPIILLED	SPIILLED
C92801	1.993	1.693	1.604	1.470	1.375	1.220	1.156	1.097	SPIILLED	0.987
C92802	2.221	1.797	1.594	1.437	1.352	1.279	1.228	1.175	1.086	1.084
C92803	2.051	1.720	1.569	1.458	1.379	1.226	1.162	1.119	1.075	1.019
C92804	2.265	1.803	1.698	1.494	1.463	1.289	1.222	1.217	1.164	1.112
C92805	2.170	1.687	1.562	1.300	1.393	1.234	1.209	1.100	1.084	1.054
C92806	2.348	1.897	1.670	1.453	1.348	1.201	1.170	0.946	0.801	0.971
C92807	2.336	1.978	1.762	1.435	1.561	1.354	1.298	1.223	1.111	1.037
C92808	2.354	1.896	1.782	1.512	1.397	1.238	1.225	1.098	1.043	1.056
C92809	2.179	1.924	1.654	1.469	1.453	1.264	1.249	1.198	1.170	1.074
C92810	2.169	1.803	1.657	1.465	1.412	1.278	1.241	1.232	1.130	1.088
C92811	2.391	1.972	1.792	1.465	1.563	1.411	1.350	1.277	1.200	1.180
C92812	2.072	1.715	1.523	1.340	1.293	1.257	1.186	1.302	0.995	1.011

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 5 - 20 PPM										
C92813	2.323	1.870	1.649	1.493	1.366	1.257	1.302	1.214	1.127	1.102
C92814	2.439	1.983	1.787	1.534	1.388	1.292	1.189	1.162	1.047	1.047
C92815	2.006	1.600	1.514	SPIILLED	1.414	1.102	1.313	1.434	1.305	1.290
C92816	2.200	1.816	1.637	1.431	1.347	1.219	1.172	1.127	0.993	1.024
C92817	2.154	1.814	1.652	1.459	1.351	1.241	1.207	1.223	1.063	1.059
C92818	2.041	1.663	1.499	1.386	1.307	1.224	1.148	1.217	1.091	1.070
C92819	2.404	1.939	1.798	1.570	1.429	1.355	1.265	1.269	1.122	1.136
C92820	SPIILLED	1.912	1.637	1.542	1.501	1.432	1.333	1.274	1.266	SPIILLED
GROUP: MALE 6 - 20 PPM										
C92821	2.391	1.883	1.730	1.480	1.397	1.312	1.211	1.136	1.071	1.073
C92822	2.367	1.905	1.641	1.480	1.402	1.361	1.249	1.166	1.114	1.067
C92823	2.310	1.865	1.698	1.459	1.369	1.222	1.150	1.096	1.081	1.070
C92824	2.097	1.695	1.526	1.421	1.336	1.274	1.218	1.120	1.162	1.195
C92825	2.453	1.997	1.754	1.568	1.502	1.404	1.302	1.255	1.178	SPIILLED
C92826	2.215	SPIILLED	1.717	1.510	1.382	1.289	SPIILLED	SPIILLED	1.221	1.233
C92827	2.096	1.769	1.650	1.507	1.448	1.340	1.293	1.266	1.154	1.174
C92828	2.214	1.786	1.638	1.433	1.385	1.286	1.217	1.171	1.137	1.095
C92829	2.323	1.819	1.710	1.525	1.475	1.385	1.291	1.242	1.175	1.162
C92830	2.562	2.071	1.808	1.731	1.579	1.431	1.271	1.339	1.296	1.299
C92831	2.323	1.944	1.720	1.471	1.360	1.268	1.245	1.232	1.139	1.146
C92832	2.396	1.988	1.706	1.499	1.400	1.266	SPIILLED	SPIILLED	SPIILLED	1.021
C92833	2.411	1.901	1.705	1.474	1.358	1.205	SPIILLED	SPIILLED	SPIILLED	1.035
C92834	2.232	1.901	1.726	1.507	1.368	1.279	1.213	1.145	1.143	1.093
C92835	2.409	1.793	1.533	1.426	1.309	1.290	1.168	1.123	1.109	1.065
C92836	2.079	1.752	1.586	1.438	1.352	1.233	1.166	0.731	1.091	1.259
C92837	2.353	1.948	1.728	1.548	1.401	1.258	1.186	1.099	1.043	1.033
C92838	2.455	1.946	1.721	1.568	1.438	1.322	1.258	1.217	1.177	1.118
C92839	2.592	2.137	SPIILLED	1.681	1.553	1.368	1.254	SPIILLED	1.173	1.140
C92840	2.134	1.710	1.512	1.439	1.295	1.219	1.133	1.065	1.079	1.052

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: MALE 6 - 20 PPM										
C92841	2.011	1.822	1.575	1.515	1.267	1.225	1.141	1.114	1.068	1.044
C92842	2.260	1.830	1.616	1.452	1.276	1.182	1.160	1.096	1.062	1.039
C92843	2.248	1.892	1.726	1.506	1.400	1.281	1.190	1.133	1.123	1.088
C92844	2.442	1.892	1.685	1.519	1.377	1.293	1.264	1.204	1.163	1.108
C92845	SPIILLED	SPIILLED	1.728	1.610	1.515	1.419	1.331	1.248	SPIILLED	1.236
C92846	2.491	1.935	1.680	1.543	1.406	1.354	1.288	1.219	1.140	1.149
C92847	2.519	2.155	1.890	1.624	1.434	1.326	1.243	1.219	1.137	1.134
C92848	2.611	2.062	1.873	1.709	1.552	1.460	1.361	1.312	1.272	1.260
C92849	2.521	2.072	1.763	1.551	1.473	1.366	1.322	SPIILLED	SPIILLED	1.251
C92850	2.122	1.800	1.639	1.513	1.394	SPIILLED	1.338	1.265	SPIILLED	1.231
C92851	2.213	1.890	1.607	1.476	1.341	1.223	1.190	1.134	1.067	1.050
C92852	2.393	1.994	1.861	1.782	1.451	1.297	1.323	1.347	SPIILLED	1.252
C92853	2.159	1.819	1.602	1.483	1.359	1.287	1.198	1.208	1.120	1.057
C92854	2.416	2.022	1.811	SPIILLED	1.425	1.297	1.246	1.211	1.106	1.134
C92855	2.489	SPIILLED	SPIILLED	SPIILLED	1.402	SPIILLED	0.943	SPIILLED	SPIILLED	1.200
C92856	2.719	2.028	1.786	1.527	1.425	1.302	1.213	1.163	1.124	1.106
C92857	2.228	1.864	1.620	1.486	1.322	1.263	1.176	1.157	1.036	1.022
C92858	2.214	1.762	1.766	1.531	1.460	1.281	1.251	1.172	1.112	1.081
C92859	2.121	1.848	1.711	1.523	1.481	1.378	1.316	1.201	SPIILLED	SPIILLED
C92860	2.519	2.070	1.905	1.652	1.468	1.407	1.309	1.237	1.255	1.175
GROUP: FEMALE 2 - 0.5 PPM										
C92931	0.052	0.049	0.046	0.042	0.040	0.038	0.036	0.036	0.033	0.031
C92932	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92933	0.051	0.050	0.046	0.047	0.043	SPIILLED	0.040	0.039	0.039	0.038
C92934	0.053	0.052	0.050	SPIILLED	0.043	SPIILLED	0.046	0.038	0.036	SPIILLED
C92935	0.054	0.050	0.051	0.046	0.042	0.036	0.036	0.036	0.034	0.032
C92936	0.053	0.049	0.048	0.040	0.042	0.038	0.036	0.035	0.034	0.030
C92937	0.050	0.050	0.046	0.043	0.042	0.040	0.040	SPIILLED	0.037	SPIILLED
C92938	0.050	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 2 - 0.5 PPM										
C92939	0.047	0.046	0.056	0.043	0.045	SPILLED	SPILLED	SPILLED	0.038	0.035
C92940	0.053	0.051	0.051	0.053	0.048	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C92941	0.057	SPILLED	SPILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92942	0.053	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.041	SPILLED	0.036	SPILLED
C92943	0.054	0.049	0.049	0.044	0.043	SPILLED	0.039	SPILLED	0.035	0.035
C92944	0.050	SPILLED	0.045	0.045	0.043	0.038	0.037	0.038	0.035	0.034
C92945	0.054	0.056	0.051	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92946	0.047	0.047	0.044	0.039	0.040	0.040	0.036	0.034	0.033	0.032
C92947	0.052	0.049	0.048	0.044	0.045	0.040	0.038	0.039	0.035	0.033
C92948	0.048	0.052	0.045	0.040	0.043	0.036	0.038	0.038	0.032	0.029
C92949	SPILLED	SPILLED	0.054	0.046	0.047	0.046	0.039	SPILLED	0.033	0.033
C92950	0.054	0.048	0.050	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92951	0.048	0.047	SPILLED	0.041	0.045	0.037	0.038	0.038	0.037	0.032
C92952	0.048	0.046	0.047	0.043	0.043	0.037	0.038	0.037	0.034	0.035
C92953	0.050	0.046	SPILLED	0.038	0.043	0.040	0.037	SPILLED	0.035	0.035
C92954	0.054	0.053	0.046	0.044	0.046	0.039	0.039	0.037	0.035	0.035
C92955	0.055	0.049	0.049	SPILLED	SPILLED	SPILLED	0.038	0.037	0.036	0.031
C92956	0.049	0.046	0.047	0.041	0.039	0.038	0.036	0.033	0.032	0.031
C92957	SPILLED	0.050	0.048	0.041	0.042	SPILLED	0.042	SPILLED	SPILLED	0.039
C92958	0.047	0.050	0.043	0.045	0.043	0.037	0.038	0.038	0.034	0.031
C92959	0.054	0.052	0.049	0.036	0.046	0.040	0.040	0.041	0.040	0.033
C92960	SPILLED	0.061	SPILLED	SPILLED	0.048	SPILLED	0.040	SPILLED	0.034	0.033
C92961	SPILLED	SPILLED	SPILLED	0.040	0.037	0.034	0.034	0.031	0.030	0.032
C92962	0.048	0.048	0.046	0.038	0.039	0.036	0.035	0.036	0.033	0.032
C92963	0.046	0.045	0.043	0.041	0.039	0.036	0.036	0.038	0.037	SPILLED
C92964	0.049	0.067	0.048	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.033	SPILLED
C92965	0.059	0.064	SPILLED	SPILLED	0.045	SPILLED	0.041	SPILLED	0.035	0.034
C92966	0.049	0.045	0.041	0.040	0.040	0.035	0.037	0.035	0.035	0.033
C92967	0.056	0.052	0.050	0.047	0.043	0.045	0.037	SPILLED	0.033	0.031
C92968	0.056	SPILLED	0.050	SPILLED	0.046	SPILLED	0.037	0.035	0.037	0.033
C92969	0.048	0.051	SPILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 2 - 0.5 PPM										
C92970	0.054	0.049	0.049	0.046	0.043	0.038	0.038	0.039	0.035	0.032
C92971	0.047	0.047	0.046	0.040	0.039	0.035	0.037	0.033	0.034	0.032
C92972	0.051	0.053	0.048	0.045	0.043	0.040	0.039	0.040	0.035	0.036
C92973	0.051	0.055	0.047	0.044	0.047	0.042	0.049	0.041	SPIILLED	0.036
C92974	0.049	0.046	0.044	0.040	0.039	0.037	0.037	0.034	0.032	0.033
C92975	0.056	0.054	0.051	0.043	0.048	0.042	0.044	0.037	0.038	0.037
C92976	0.046	0.046	0.046	0.043	0.043	0.035	0.034	0.033	0.032	0.031
C92977	0.054	0.048	0.046	0.043	0.047	0.042	0.039	0.036	0.037	0.034
C92978	0.053	0.050	0.048	0.042	0.044	0.039	0.040	0.035	0.032	0.033
C92979	0.051	0.046	0.045	0.044	0.041	0.039	0.037	0.033	0.033	0.033
C92980	0.051	0.051	0.048	0.045	0.045	0.043	0.038	0.039	0.033	0.035
C92981	0.053	0.047	0.046	SPIILLED	0.037	SPIILLED	0.036	0.033	0.031	0.032
C92982	0.053	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92983	0.056	SPIILLED	0.044	0.045	SPIILLED	0.044	0.041	SPIILLED	SPIILLED	0.033
C92984	0.048	0.048	0.047	0.045	0.039	0.039	0.036	0.036	0.032	0.030
C92985	0.057	0.051	0.049	0.045	0.042	0.042	0.040	0.035	0.031	0.032
C92986	0.054	0.054	0.051	0.045	0.044	0.043	0.039	0.037	0.037	0.036
C92987	0.051	0.051	0.044	0.040	0.039	0.041	0.035	0.036	0.033	SPIILLED
C92988	0.047	0.051	0.044	0.043	0.045	0.042	0.038	0.037	0.036	0.037
C92989	0.067	SPIILLED	0.055	TECH SPILL	SPIILLED	0.063	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92990	0.053	SPIILLED	0.051	0.045	0.041	0.045	0.040	SPIILLED	0.037	0.037
GROUP: FEMALE 3 - 2 PPM										
C92991	SPIILLED	SPIILLED	0.226	SPIILLED	SPIILLED	SPIILLED	0.156	0.141	0.136	0.134
C92992	0.222	0.183	0.173	SPIILLED	SPIILLED	SPIILLED	0.141	SPIILLED	0.135	0.136
C92993	0.210	0.188	0.181	0.153	0.176	0.165	0.142	0.145	0.142	0.132
C92994	0.202	0.178	0.168	0.166	0.151	0.146	0.132	0.142	0.133	0.124
C92995	0.231	0.201	0.200	0.203	0.158	0.161	0.151	0.152	NOT TAKEN	NOT TAKEN
C92996	0.208	0.192	0.176	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92997	0.198	0.182	0.174	0.170	0.153	0.138	0.143	0.151	0.136	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 3 - 2 PPM										
C92998	0.212	0.211	0.219	0.181	0.187	0.163	0.163	0.152	0.145	0.145
C92999	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93000	SPIILLED	SPIILLED	0.202	SPIILLED	0.173	SPIILLED	0.144	SPIILLED	SPIILLED	SPIILLED
C93001	0.220	0.202	0.177	0.196	SPIILLED	SPIILLED	0.144	0.154	0.155	0.156
C93002	0.209	0.190	0.179	0.151	0.165	0.147	0.128	0.149	0.125	0.137
C93003	0.287	SPIILLED	0.175	0.185	0.176	0.147	0.145	SPIILLED	0.137	0.119
C93004	0.227	0.203	0.240	0.174	0.167	0.165	0.153	0.143	0.136	0.138
C93005	0.219	0.193	0.176	0.177	0.168	0.157	0.141	0.150	0.127	0.139
C93006	0.186	0.177	0.149	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93007	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.173	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93008	0.221	0.213	0.195	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93009	0.230	0.190	0.264	0.176	0.169	SPIILLED	0.145	0.147	0.147	SPIILLED
C93010	0.241	0.207	0.202	0.187	0.169	0.166	0.152	0.150	0.144	0.145
C93011	0.226	0.189	0.179	0.163	0.152	SPIILLED	0.126	0.133	0.124	0.116
C93012	SPIILLED	SPIILLED	0.175	0.185	0.163	0.141	0.146	0.127	0.129	0.121
C93013	SPIILLED	0.204	0.182	SPIILLED	SPIILLED	SPIILLED	0.149	0.145	0.128	0.145
C93014	SPIILLED	0.220	SPIILLED	0.214	0.179	0.161	SPIILLED	0.133	0.129	0.133
C93015	0.211	0.198	0.187	SPIILLED	0.157	SPIILLED	0.149	SPIILLED	SPIILLED	0.152
C93016	0.164	0.186	0.216	0.221	0.189	0.168	0.160	0.149	0.148	0.146
C93017	0.200	0.205	0.180	0.193	0.177	0.187	0.161	0.160	0.157	SPIILLED
C93018	0.208	0.194	0.182	SPIILLED	0.169	0.157	0.140	0.137	0.131	0.136
C93019	0.207	0.190	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.153	SPIILLED	SPIILLED
C93020	0.221	0.225	0.208	0.173	0.168	SPIILLED	0.160	SPIILLED	0.139	SPIILLED
C93021	0.222	0.207	0.193	SPIILLED	0.165	0.157	0.145	0.140	0.128	0.139
C93022	0.195	0.206	0.170	0.178	0.170	0.148	0.147	0.137	0.130	0.134
C93023	0.174	0.189	0.178	0.157	0.162	SPIILLED	SPIILLED	0.139	SPIILLED	SPIILLED
C93024	0.207	0.188	0.188	0.175	0.161	0.157	0.148	0.144	0.134	0.139
C93025	0.210	0.193	0.201	0.171	0.151	0.166	0.143	0.151	SPIILLED	0.139
C93026	0.201	0.195	0.178	0.179	0.178	0.156	0.144	0.143	SPIILLED	0.148
C93027	0.191	0.181	0.173	0.171	0.170	0.172	0.148	0.146	0.137	0.131
C93028	0.188	0.184	0.170	0.163	SPIILLED	SPIILLED	0.150	0.141	0.145	0.144

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 3 - 2 PPM										
C93029	0.206	0.207	0.180	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93030	SPIILLED	0.191	0.189	0.185	0.162	0.154	0.138	0.150	0.148	SPIILLED
C93031	0.221	0.205	0.216	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93032	0.207	0.187	0.187	0.156	0.168	0.153	0.144	0.145	0.132	0.135
C93033	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.173	SPIILLED	SPIILLED
C93034	0.195	0.186	0.193	0.149	0.171	0.146	0.125	0.133	0.137	0.137
C93035	SPIILLED	0.212	0.245	0.187	0.190	0.076	0.151	0.167	SPIILLED	0.136
C93036	0.192	0.210	SPIILLED	0.163	0.193	0.153	0.148	0.150	SPIILLED	0.141
C93037	0.219	0.202	0.190	0.178	0.174	0.164	0.150	0.136	0.142	0.129
C93038	0.251	0.205	0.227	SPIILLED	SPIILLED	SPIILLED	0.159	0.183	0.176	SPIILLED
C93039	0.224	0.223	0.227	0.191	0.183	0.171	0.155	0.152	0.150	0.151
C93040	SPIILLED	SPIILLED	0.289	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.262	SPIILLED
C93041	0.222	0.221	0.222	0.189	SPIILLED	SPIILLED	0.167	0.161	0.174	0.158
C93042	0.205	0.181	0.178	0.180	0.175	0.148	0.142	0.144	0.124	0.133
C93043	0.217	0.203	0.186	0.172	0.178	0.166	0.159	0.142	0.144	0.138
C93044	0.218	SPIILLED	SPIILLED	0.178	0.159	0.142	0.146	SPIILLED	0.131	0.141
C93045	SPIILLED	0.301	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93046	0.222	0.204	SPIILLED	0.190	0.154	0.200	SPIILLED	SPIILLED	0.142	0.132
C93047	0.226	0.204	0.176	0.226	0.184	SPIILLED	0.150	0.138	0.122	0.125
C93048	0.227	0.207	0.189	0.197	0.175	0.168	SPIILLED	0.162	0.148	0.160
C93049	0.207	0.196	0.174	0.164	0.166	0.149	0.141	SPIILLED	0.157	0.145
C93050	0.198	0.195	0.201	0.205	0.188	0.174	0.171	0.169	SPIILLED	SPIILLED
GROUP: FEMALE 4 - 5 PPM										
C93051	0.567	SPIILLED	0.554	SPIILLED	SPIILLED	SPIILLED	0.394	0.412	0.368	0.478
C93052	0.560	SPIILLED	0.491	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93053	0.513	0.457	0.462	0.415	0.441	0.372	0.408	0.406	0.399	0.363
C93054	SPIILLED	SPIILLED	0.493	0.456	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93055	0.570	0.473	0.461	0.453	0.427	0.380	0.352	SPIILLED	0.371	SPIILLED
C93056	0.569	SPIILLED	0.442	0.426	0.421	0.380	0.363	0.343	0.363	0.330

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 4 - 5 PPM										
C93057	0.643	0.509	0.525	0.457	0.433	0.397	0.385	0.350	0.368	0.375
C93058	0.569	0.493	0.464	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93059	0.583	0.506	0.496	0.432	0.426	0.374	0.380	0.352	0.343	0.343
C93060	0.557	0.597	0.507	0.422	TECH SPILL	0.389	0.400	0.355	0.329	0.314
C93061	0.483	0.458	0.439	0.379	0.381	0.374	0.354	0.352	0.317	SPIILLED
C93062	0.514	0.472	0.458	0.457	0.418	0.380	0.386	0.371	0.345	0.332
C93063	0.503	0.488	0.429	SPIILLED	0.396	0.342	0.326	0.314	0.311	0.336
C93064	0.539	0.496	0.476	0.430	0.405	0.372	0.387	0.400	0.388	0.368
C93065	0.576	0.502	0.503	0.493	0.439	0.421	0.418	0.412	SPIILLED	0.383
C93066	0.488	0.424	0.440	0.380	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.369	0.341
C93067	0.495	0.437	0.495	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93068	0.525	SPIILLED	0.469	0.401	0.423	0.361	0.349	0.360	0.356	0.340
C93069	0.568	0.605	0.488	0.424	0.403	0.350	0.341	0.336	0.340	0.299
C93070	0.606	SPIILLED	0.527	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93071	0.502	0.434	0.436	0.397	0.378	0.366	0.378	0.367	0.360	0.344
C93072	0.565	0.531	0.504	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.414
C93073	0.591	0.515	0.499	0.469	0.479	0.405	0.412	0.392	0.388	0.348
C93074	0.558	0.563	0.539	0.396	SPIILLED	0.450	0.394	0.378	0.379	0.389
C93075	0.534	0.480	0.489	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93076	0.557	0.498	0.563	0.452	0.464	SPIILLED	0.419	0.378	0.378	0.383
C93077	0.487	0.435	0.433	0.379	0.363	0.352	0.361	0.333	0.308	0.304
C93078	0.570	0.531	0.486	0.483	0.483	0.436	0.403	0.408	0.399	0.398
C93079	0.572	0.679	0.467	0.498	0.437	0.406	0.416	0.463	0.328	0.350
C93080	0.581	0.503	0.457	0.407	0.444	0.363	0.331	0.333	0.337	0.299
C93081	0.576	0.469	0.472	0.411	0.411	0.395	0.362	0.375	0.340	0.380
C93082	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.402	SPIILLED	SPIILLED	0.347
C93083	0.565	0.488	0.466	0.424	0.498	0.404	0.399	0.383	0.401	0.344
C93084	0.528	0.472	0.451	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93085	0.547	SPIILLED	0.477	0.425	0.486	0.383	SPIILLED	0.339	0.345	SPIILLED
C93086	0.597	SPIILLED	SPIILLED	0.415	0.424	0.352	0.357	SPIILLED	SPIILLED	0.344
C93087	SPIILLED	0.589	0.606	0.436	SPIILLED	0.405	0.397	SPIILLED	0.331	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 4 - 5 PPM										
C93088	0.565	0.477	0.459	0.416	0.402	0.352	0.372	0.330	0.338	0.374
C93089	0.586	0.484	0.459	0.569	0.432	SPIILLED	SPIILLED	0.387	0.349	0.377
C93090	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.368	0.355	0.317	0.349
C93091	0.519	0.460	0.413	0.434	0.352	0.363	0.336	0.305	0.330	0.322
C93092	0.566	0.495	0.501	SPIILLED	0.428	0.428	0.398	0.366	0.364	0.374
C93093	0.591	0.474	0.460	0.431	0.420	SPIILLED	0.395	0.373	0.378	0.347
C93094	0.658	0.663	0.520	0.654	0.433	0.502	0.381	0.358	0.367	0.360
C93095	0.598	0.485	0.479	0.461	0.483	SPIILLED	SPIILLED	SPIILLED	0.349	0.348
C93096	0.650	SPIILLED	0.568	SPIILLED	0.511	0.459	0.425	0.390	0.374	0.391
C93097	0.487	0.467	0.462	0.475	0.439	0.405	0.408	SPIILLED	SPIILLED	SPIILLED
C93098	0.588	SPIILLED	0.527	SPIILLED	0.410	0.402	0.365	SPIILLED	SPIILLED	0.379
C93099	0.534	0.492	0.461	0.410	0.382	0.344	0.336	0.352	0.310	0.303
C93100	0.609	0.560	0.504	0.489	0.441	SPIILLED	0.410	0.390	0.392	0.382
C93101	0.486	SPIILLED	0.432	0.412	0.405	0.409	SPIILLED	0.365	0.347	0.327
C93102	0.595	0.528	0.482	0.442	0.459	0.403	0.393	0.402	0.370	SPIILLED
C93103	0.537	0.528	0.467	0.408	0.454	0.396	0.346	0.381	0.358	0.328
C93104	0.544	0.517	0.488	0.463	0.476	SPIILLED	0.461	SPIILLED	0.426	SPIILLED
C93105	0.706	0.527	0.478	0.414	0.451	0.351	0.370	0.358	0.331	0.375
C93106	0.506	0.467	0.429	0.404	0.408	0.385	0.368	0.334	0.334	0.364
C93107	0.549	0.483	SPIILLED	0.444	0.412	0.392	0.387	0.357	0.318	0.327
C93108	0.551	0.508	0.449	0.425	0.410	0.378	0.385	0.366	0.360	0.368
C93109	0.534	0.477	0.453	0.433	0.417	0.368	0.379	0.372	0.340	0.345
C93110	SPIILLED	0.602	SPIILLED	SPIILLED	0.497	0.456	SPIILLED	SPIILLED	SPIILLED	SPIILLED
GROUP: FEMALE 5 - 20 PPM										
C93111	2.224	2.088	1.889	1.644	1.546	1.408	1.409	1.317	1.217	SPIILLED
C93112	2.139	1.969	1.709	1.581	1.546	1.407	1.350	1.288	1.199	1.322
C93113	SPIILLED	SPIILLED	SPIILLED	1.833	1.745	1.575	1.631	1.621	1.562	1.645
C93114	2.022	1.937	1.749	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93115	1.991	2.001	1.837	1.675	1.876	1.534	1.536	1.555	1.432	1.487

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93116	2.068	1.815	1.691	1.659	SPIILLED	1.516	SPIILLED	SPIILLED	1.387	1.414
C93117	2.117	1.932	SPIILLED	1.656	SPIILLED	SPIILLED	1.471	1.458	SPIILLED	1.367
C93118	1.953	1.981	1.845	1.727	1.678	1.455	1.587	1.429	1.479	1.450
C93119	2.114	1.808	1.745	1.695	1.621	1.488	1.453	1.303	1.404	1.439
C93120	2.296	2.016	1.788	1.621	SPIILLED	1.568	1.481	1.480	1.306	1.485
C93121	SPIILLED	1.869	1.751	1.510	SPIILLED	SPIILLED	1.509	1.353	1.337	1.366
C93122	2.121	2.040	SPIILLED	1.553	1.683	1.317	1.325	SPIILLED	1.371	1.268
C93123	2.027	2.122	1.701	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93124	SPIILLED	SPIILLED	2.110	SPIILLED	SPIILLED	SPIILLED	1.512	1.300	1.411	1.613
C93125	2.035	2.101	1.954	1.813	1.783	1.684	SPIILLED	1.656	1.398	1.636
C93126	1.975	1.795	SPIILLED	1.521	1.516	1.391	1.805	1.330	1.290	1.290
C93127	2.101	1.801	1.714	1.764	1.530	1.302	1.513	1.511	1.289	1.369
C93128	1.803	1.915	1.616	1.642	1.542	1.438	1.483	1.366	1.405	1.326
C93129	2.344	2.159	2.045	1.858	1.756	1.641	1.547	1.494	1.490	1.398
C93130	2.145	2.002	1.743	1.819	1.707	1.458	1.592	1.522	1.415	1.407
C93131	2.190	1.862	1.737	1.551	1.531	1.468	1.341	1.327	1.300	1.209
C93132	2.122	1.816	1.660	1.465	1.461	1.306	1.328	1.229	1.322	1.401
C93133	2.194	1.826	1.732	1.587	1.541	1.339	SPIILLED	1.392	1.362	1.387
C93134	2.016	1.648	1.550	1.524	1.506	1.473	1.340	1.349	1.213	1.301
C93135	2.399	1.980	1.878	1.721	1.761	1.501	1.519	1.462	1.448	1.349
C93136	2.035	1.694	1.525	1.531	1.493	1.375	1.340	1.411	1.329	1.457
C93137	2.331	2.348	2.071	1.689	1.864	1.697	1.669	1.493	1.419	1.535
C93138	1.927	1.783	1.619	1.547	1.562	1.413	1.431	1.363	1.370	1.313
C93139	2.492	2.269	SPIILLED	1.745	1.827	SPIILLED	1.592	1.485	1.520	1.598
C93140	2.314	2.139	2.043	1.729	1.836	1.606	1.554	1.609	1.369	1.468
C93141	2.238	SPIILLED	2.104	SPIILLED	2.084	1.522	SPIILLED	1.744	SPIILLED	1.459
C93142	2.307	1.891	1.811	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93143	2.095	2.006	SPIILLED	SPIILLED	1.766	SPIILLED	1.666	SPIILLED	1.421	SPIILLED
C93144	SPIILLED	2.145	1.984	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93145	2.131	1.888	SPIILLED	1.842	SPIILLED	1.756	1.635	SPIILLED	1.597	1.441
C93146	2.060	1.671	1.546	1.526	SPIILLED	SPIILLED	1.673	1.392	SPIILLED	1.463

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93147	2.107	1.915	1.721	1.681	1.651	1.578	1.517	1.376	1.365	1.295
C93148	2.215	1.875	1.579	1.480	1.565	1.526	1.631	1.450	1.405	1.298
C93149	2.124	SPIILLED	2.004	1.867	2.032	SPIILLED	SPIILLED	1.828	1.849	SPIILLED
C93150	2.491	2.299	1.970	1.881	1.823	1.557	1.516	1.579	1.611	1.545
C93151	2.087	1.779	1.621	1.416	1.606	1.474	1.452	1.423	1.520	1.359
C93152	2.178	2.107	SPIILLED	1.583	1.513	1.596	SPIILLED	1.415	1.385	1.306
C93153	SPIILLED	SPIILLED	2.020	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93154	2.258	2.024	1.748	1.640	1.669	1.507	1.480	1.443	1.398	1.394
C93155	2.347	2.276	2.088	1.494	1.697	1.651	1.803	1.913	1.591	SPIILLED
C93156	2.169	1.944	1.770	1.549	1.637	1.479	1.515	1.422	1.332	1.319
C93157	2.172	1.884	2.006	1.622	1.732	1.672	1.619	1.467	1.503	1.487
C93158	2.201	1.950	1.692	1.543	1.706	1.413	1.335	1.466	1.375	1.393
C93159	2.114	1.825	1.716	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93160	2.395	2.125	1.901	1.740	1.807	1.551	1.495	1.479	1.402	1.351
C93161	2.118	SPIILLED	SPIILLED	1.693	1.664	SPIILLED	SPIILLED	1.445	SPIILLED	1.352
C93162	2.235	2.056	2.004	1.648	1.665	1.637	1.458	SPIILLED	1.522	SPIILLED
C93163	2.020	1.926	SPIILLED	1.564	1.548	1.527	1.419	1.286	1.293	1.337
C93164	2.303	1.957	1.609	SPIILLED	SPIILLED	1.575	1.503	SPIILLED	1.438	1.328
C93165	2.187	1.992	1.815	1.636	1.734	1.569	1.462	1.358	1.385	1.324
C93166	2.025	1.783	1.666	1.644	1.505	1.487	SPIILLED	1.351	1.216	1.255
C93167	1.893	2.004	1.704	1.483	1.596	1.370	1.319	1.376	1.162	1.269
C93168	2.449	2.461	1.993	1.887	1.850	1.752	1.605	1.480	1.390	SPIILLED
C93169	2.087	1.940	1.773	1.787	1.654	1.456	1.467	1.396	1.417	1.285
C93170	2.075	1.945	1.855	1.684	1.825	1.505	1.442	SPIILLED	1.524	SPIILLED
C93171	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93172	2.035	1.749	1.639	SPIILLED	1.502	1.426	1.489	1.283	SPIILLED	1.431
C93173	2.094	2.049	1.951	1.419	1.609	1.454	SPIILLED	SPIILLED	1.504	SPIILLED
C93174	2.099	SPIILLED	SPIILLED	1.777	1.824	1.555	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93175	2.127	2.049	1.787	1.533	1.642	1.403	1.530	1.314	1.390	1.349
C93176	2.207	1.949	1.855	1.684	1.668	1.454	1.468	1.362	1.337	1.302
C93177	2.043	1.852	1.742	1.607	1.564	1.435	1.495	1.373	1.650	1.528

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 5 - 20 PPM										
C93178	SPIILLED	1.935	1.859	1.763	1.552	1.474	1.464	1.320	1.373	1.323
C93179	2.080	1.831	1.659	1.573	1.602	1.464	1.410	1.376	1.377	SPIILLED
C93180	SPIILLED	2.033	SPIILLED	1.555	1.605	1.439	1.385	1.408	SPIILLED	1.356
GROUP: FEMALE 6 - 20 PPM										
C93181	2.207	1.953	1.846	1.655	1.802	1.665	1.544	1.546	1.507	1.494
C93182	2.118	1.952	1.900	1.690	1.682	1.393	1.478	1.304	1.426	1.293
C93183	2.137	1.815	1.792	1.557	1.549	1.524	1.362	1.296	1.283	1.399
C93184	2.243	1.887	1.957	1.814	1.739	1.544	1.583	1.504	1.410	1.404
C93185	SPIILLED	2.434	SPIILLED	SPIILLED	SPIILLED	1.685	1.526	1.693	1.532	1.634
C93186	2.049	1.944	1.840	1.603	1.557	1.635	1.402	1.396	1.449	1.569
C93187	2.136	1.985	1.683	1.835	1.496	1.501	1.518	1.341	1.384	1.306
C93188	2.299	1.861	1.822	1.380	1.541	1.397	1.412	1.366	1.314	1.304
C93189	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	1.566	1.602	1.544	1.526	1.497
C93190	2.368	1.865	1.773	1.553	1.634	1.478	1.460	1.350	1.415	1.437
C93191	2.107	2.045	1.552	1.621	1.514	1.423	1.448	1.429	1.251	1.381
C93192	1.933	1.682	1.553	1.751	1.579	1.464	1.517	1.323	1.247	1.355
C93193	2.182	2.104	1.896	1.691	1.645	1.583	1.446	1.350	1.237	1.472
C93194	1.981	1.801	1.864	1.759	1.634	1.531	1.573	1.374	1.473	1.705
C93195	2.399	SPIILLED	1.796	1.533	1.509	1.390	1.343	SPIILLED	1.663	1.328
C93196	2.230	2.349	SPIILLED	SPIILLED	SPIILLED	SPIILLED	1.606	1.492	1.543	1.435
C93197	1.905	1.675	1.595	1.542	1.436	1.391	1.418	1.322	1.377	1.381
C93198	2.177	1.930	1.817	1.774	1.660	1.481	1.403	1.247	1.366	1.395
C93199	2.073	1.711	1.690	1.508	1.506	1.453	1.298	1.347	1.292	1.297
C93200	2.390	2.006	1.949	1.993	1.992	1.573	SPIILLED	SPIILLED	2.433	SPIILLED
C93201	SPIILLED	2.028	1.929	1.655	1.618	1.384	1.315	SPIILLED	1.429	1.333
C93202	1.950	1.993	1.710	1.629	1.571	SPIILLED	1.263	SPIILLED	SPIILLED	SPIILLED
C93203	2.191	1.900	1.602	1.733	1.505	1.649	1.439	SPIILLED	1.415	1.303
C93204	2.355	2.012	1.967	1.732	1.751	1.609	1.521	1.463	1.455	1.562
C93205	2.039	SPIILLED	1.945	1.488	1.486	1.391	1.457	1.332	1.338	1.365

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8	WEEK 9	WEEK 10
GROUP: FEMALE 6 - 20 PPM										
C93206	2.364	1.910	1.775	1.554	1.765	SPILLED	1.483	SPILLED	SPILLED	1.571
C93207	2.324	2.120	1.855	1.665	1.653	1.416	1.498	1.550	1.407	1.380
C93208	1.992	1.756	1.733	1.429	1.487	1.211	1.429	1.279	1.213	1.262
C93209	1.931	1.798	SPILLED	SPILLED	SPILLED	SPILLED	1.312	SPILLED	1.423	SPILLED
C93210	2.276	1.815	1.689	2.035	1.629	SPILLED	1.401	1.396	1.372	1.295
C93211	1.862	SPILLED	1.787	1.653	1.596	1.399	1.416	1.422	1.561	1.499
C93212	2.049	2.052	1.830	1.796	1.722	1.479	1.572	1.456	1.481	1.520
C93213	2.016	1.811	1.748	1.575	1.520	1.414	1.343	1.281	1.305	1.311
C93214	2.111	1.862	1.651	SPILLED	SPILLED	SPILLED	1.429	1.377	1.432	1.417
C93215	2.639	1.931	SPILLED	1.618	1.603	1.469	1.380	1.398	1.310	1.312
C93216	2.076	1.745	1.707	1.565	1.584	1.407	1.363	1.310	1.376	1.277
C93217	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	1.628	1.498	1.326	1.294	1.345
C93218	2.435	1.949	2.079	1.667	1.679	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED
C93219	2.040	1.892	1.811	1.613	1.579	SPILLED	SPILLED	1.346	1.245	SPILLED
C93220	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 2 - 0.5 PPM										
C92571	0.031	0.030	0.029	0.027	0.027	0.025	0.023	0.021	0.019	0.020
C92572	0.028	0.028	0.027	0.027	0.026	0.026	0.025	0.022	0.021	0.020
C92573	0.025	0.025	0.024	0.023	0.023	0.023	0.021	0.020	0.019	0.018
C92574	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92575	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92576	0.025	0.025	0.025	0.024	0.024	0.024	0.025	0.021	0.021	0.019
C92577	0.026	0.026	0.025	0.024	0.023	0.024	0.023	0.020	0.019	0.018
C92578	0.027	0.026	0.026	0.026	0.024	0.025	0.024	0.022	0.020	0.019
C92579	0.026	0.025	0.025	0.023	0.023	0.022	0.023	0.021	0.019	0.018
C92580	0.026	0.027	0.026	0.025	0.025	0.025	0.025	0.021	0.020	0.019
C92581	0.024	0.024	0.024	0.023	0.022	0.022	0.023	0.020	0.019	0.019
C92582	0.025	0.025	0.024	0.024	0.024	0.024	0.024	0.022	0.023	0.021
C92583	0.027	0.026	0.024	0.022	0.027	0.025	0.023	0.022	0.021	0.020
C92584	0.029	0.030	0.029	0.027	0.029	0.027	0.026	0.024	0.025	0.023
C92585	CNTMD	CNTMD	0.027	0.024	CNTMD	0.024	0.025	0.023	0.021	0.019
C92586	0.026	0.026	0.026	0.026	0.023	0.025	0.025	0.021	0.020	0.020
C92587	0.025	0.025	0.024	0.024	0.024	0.024	0.024	0.022	0.020	0.018
C92588	SPILLED	0.026	0.026	0.025	0.027	0.026	SPILLED	0.023	0.021	0.020
C92589	0.027	0.025	0.024	0.024	0.024	0.023	0.023	0.022	0.020	0.019
C92590	0.026	0.027	0.026	0.025	0.025	0.024	0.022	0.022	SPILLED	0.018
C92591	0.026	0.025	0.024	0.024	0.023	0.024	0.024	0.022	0.021	0.019
C92592	0.024	0.024	0.023	0.024	0.023	0.024	0.023	0.022	0.020	0.018
C92593	0.025	0.024	0.023	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92594	0.028	0.028	0.026	0.026	0.027	0.026	0.025	0.023	0.022	0.020
C92595	TECH SPILL	0.025	0.024	0.024	0.026	0.024	0.022	0.021	0.021	0.019
C92596	0.028	0.027	0.027	0.026	0.025	0.025	0.026	0.024	0.022	0.020
C92597	SPILLED	0.028	0.028	0.027	0.028	0.029	0.027	0.025	0.025	0.022
C92598	0.026	0.026	0.025	0.022	0.024	0.024	0.025	0.022	0.022	0.020
C92599	0.027	0.027	0.026	0.026	0.025	0.025	0.024	0.022	0.022	0.022
C92600	0.027	0.025	0.025	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92601	0.024	0.025	0.024	0.023	0.023	0.024	0.023	0.022	0.021	0.020

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 2 - 0.5 PPM										
C92602	0.028	0.029	0.028	0.028	0.027	0.026	0.026	0.023	0.024	0.022
C92603	0.027	0.027	0.024	0.025	0.023	0.025	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92604	0.026	0.026	0.025	0.024	0.024	0.024	0.023	0.021	0.020	0.019
C92605	0.026	0.026	0.024	0.024	0.024	0.024	0.021	0.021	0.019	0.017
C92606	0.029	0.028	0.026	0.025	0.024	0.026	0.025	0.022	0.019	0.019
C92607	0.028	0.027	0.026	0.027	0.025	0.025	0.024	0.023	0.019	0.020
C92608	SPIILLED	0.028	0.025	0.024	0.015	0.021	0.025	0.022	0.020	0.019
C92609	0.026	0.025	0.025	0.025	0.025	0.025	0.025	0.023	0.023	0.021
C92610	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92611	0.025	0.025	0.024	0.024	0.024	0.023	0.022	0.021	0.019	0.020
C92612	0.026	0.024	0.023	0.021	0.024	0.024	0.022	0.015	0.019	0.019
C92613	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92614	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92615	0.027	0.027	0.025	0.025	0.025	0.024	0.022	0.021	0.019	0.018
C92616	0.031	0.029	0.029	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92617	0.026	0.026	0.024	0.024	0.024	0.023	0.022	0.021	0.019	0.018
C92618	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92619	0.028	0.027	0.026	0.026	0.027	0.025	0.024	0.021	0.021	0.020
C92620	0.026	0.027	0.030	0.028	0.026	0.026	0.024	0.022	0.021	0.021
C92621	SPIILLED	0.028	0.027	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92622	0.026	0.025	0.023	0.024	0.023	0.024	0.022	0.022	0.019	0.018
C92623	0.026	0.026	0.024	0.023	0.024	0.025	0.023	0.021	0.020	0.018
C92624	0.027	0.025	0.025	0.023	0.025	0.025	0.023	0.021	0.020	0.020
C92625	0.027	0.026	0.024	0.024	0.025	0.024	0.021	0.020	0.019	0.017
C92626	0.026	0.025	0.024	0.023	0.023	0.019	0.023	0.022	0.018	SPIILLED
C92627	SPIILLED	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92628	0.028	SPIILLED	SPIILLED	0.028	SPIILLED	0.026	0.026	0.023	0.023	SPIILLED
C92629	SPIILLED	0.028	0.027	0.024	0.026	0.026	0.026	0.021	0.021	0.019
C92630	0.032	0.031	0.030	0.029	0.030	0.030	SPIILLED	0.025	SPIILLED	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 3 - 2 PPM										
C92631	0.110	0.108	0.104	0.101	0.100	0.105	0.097	0.091	0.089	0.081
C92632	0.100	0.096	0.090	0.089	0.106	0.090	0.086	0.085	0.074	0.070
C92633	0.106	0.104	0.099	0.098	0.095	0.100	0.099	0.089	0.084	0.076
C92634	0.119	0.115	0.114	0.119	0.119	0.105	0.111	0.100	0.087	0.082
C92635	SPIILLED	0.115	0.107	0.105	0.100	0.100	0.095	0.093	0.083	0.080
C92636	SPIILLED	0.112	0.113	0.099	SPIILLED	0.109	0.100	0.089	0.084	0.082
C92637	0.107	0.108	0.104	0.105	0.105	0.103	0.102	0.095	0.088	0.085
C92638	0.112	SPIILLED	0.100	0.104	0.095	0.100	0.091	0.091	0.078	0.075
C92639	0.106	0.104	0.102	0.100	0.098	0.101	0.093	0.094	0.083	0.075
C92640	0.110	0.112	0.110	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92641	0.079	0.099	0.106	0.106	0.103	0.106	0.098	0.091	0.071	0.075
C92642	0.104	0.101	0.102	0.094	0.095	0.094	0.086	0.081	0.079	0.073
C92643	0.112	0.107	0.106	0.106	0.100	SPIILLED	0.096	0.097	0.089	0.084
C92644	0.114	0.111	0.106	0.096	0.111	0.107	0.100	0.094	0.088	0.091
C92645	0.117	0.119	0.118	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92646	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92647	0.103	0.104	0.101	0.097	0.101	0.100	0.094	0.089	0.082	0.080
C92648	0.105	0.108	0.103	0.107	0.107	0.105	0.103	0.094	0.088	0.082
C92649	0.119	0.121	0.121	0.117	0.117	0.113	0.113	0.097	0.091	0.090
C92650	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92651	0.109	0.110	0.103	0.092	0.102	0.102	0.092	0.093	0.083	0.080
C92652	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92653	0.104	0.103	0.101	0.101	0.095	0.091	0.093	0.082	0.078	0.075
C92654	0.110	0.112	0.105	0.107	0.104	0.099	0.093	0.094	0.085	0.082
C92655	SPIILLED	SPIILLED	SPIILLED	0.121	SPIILLED	SPIILLED	0.107	0.103	0.099	0.091
C92656	0.101	0.099	0.098	0.091	0.093	0.091	0.085	0.079	0.074	0.071
C92657	SPIILLED	SPIILLED	0.105	0.101	0.102	0.097	0.099	0.089	0.080	0.079
C92658	0.106	0.107	0.103	0.099	0.099	0.093	0.093	0.081	0.079	0.076
C92659	0.108	0.110	0.105	0.098	0.108	0.101	0.096	0.084	0.083	0.079
C92660	0.111	0.104	0.103	0.106	0.102	0.103	0.115	0.108	0.095	SPIILLED
C92661	0.098	0.097	0.098	0.088	0.104	0.101	0.091	0.087	0.081	0.073

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 3 - 2 PPM										
C92662	0.106	0.104	0.108	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92663	0.112	0.112	0.113	0.112	0.107	0.106	0.100	0.097	0.085	0.080
C92664	0.110	0.107	0.102	0.103	0.102	0.103	0.102	0.090	0.080	0.082
C92665	0.103	0.099	0.103	0.098	0.097	0.096	0.088	0.083	0.077	0.075
C92666	0.116	0.118	0.113	0.110	0.107	0.113	0.109	0.115	0.104	SPIILLED
C92667	0.110	0.106	0.106	0.102	0.092	0.095	0.093	0.082	0.082	0.078
C92668	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92669	SPIILLED	0.123	0.119	SPIILLED	0.122	0.109	0.099	0.093	0.085	0.082
C92670	0.111	0.110	0.110	0.105	0.105	0.102	0.099	0.090	0.088	0.082
C92671	0.115	0.109	0.108	0.103	0.104	0.104	0.097	0.090	0.085	0.085
C92672	0.107	0.105	0.097	0.101	0.100	0.097	0.086	0.086	0.076	0.075
C92673	0.102	0.103	0.103	0.099	0.096	0.096	0.091	0.081	0.074	0.076
C92674	SPIILLED	0.111	0.110	0.112	0.112	0.103	0.097	0.094	0.079	0.076
C92675	0.115	0.107	0.107	0.105	0.103	0.106	0.100	0.096	0.089	0.090
C92676	0.109	0.101	0.100	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92677	0.102	0.098	0.099	0.101	0.102	0.104	0.101	0.094	0.090	0.085
C92678	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92679	0.110	0.104	0.105	0.101	0.103	0.102	0.096	0.089	0.086	0.082
C92680	0.107	0.111	0.104	0.101	0.100	0.093	0.090	0.083	0.079	0.074
C92681	0.107	0.105	0.097	0.098	0.097	0.102	0.091	0.090	SPIILLED	0.077
C92682	0.106	0.103	0.103	0.090	0.101	0.096	0.096	0.086	0.079	0.079
C92683	0.108	0.105	0.103	0.102	0.100	0.094	0.097	0.092	0.083	0.080
C92684	0.117	0.064	0.105	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92685	0.105	0.097	0.098	0.101	0.099	0.095	0.091	0.083	0.074	0.076
C92686	0.100	0.099	0.099	0.101	0.095	0.097	0.095	0.089	0.083	0.076
C92687	0.108	0.104	0.103	0.099	0.099	0.091	0.088	0.085	0.080	0.074
C92688	SPIILLED	0.121	0.119	SPIILLED	SPIILLED	0.113	SPIILLED	SPIILLED	SPIILLED	0.097
C92689	0.104	0.093	0.097	0.099	0.102	0.099	0.092	0.090	0.080	0.076
C92690	0.099	0.097	0.097	0.095	0.093	0.088	0.089	0.077	0.075	0.074

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 4 - 5 PPM										
C92691	0.265	0.254	0.249	0.244	0.257	0.251	0.244	0.222	0.206	0.199
C92692	0.249	0.246	0.246	0.245	0.234	0.229	0.209	0.195	0.193	0.180
C92693	0.271	0.256	0.245	0.249	0.252	0.242	0.221	0.211	0.194	0.195
C92694	0.240	0.229	0.209	0.228	0.234	0.239	0.225	0.195	0.192	0.187
C92695	0.261	0.259	0.248	0.246	0.244	0.247	0.227	0.214	0.213	0.199
C92696	0.279	SPIILLED	0.266	0.248	0.249	0.245	0.243	0.236	SPIILLED	0.186
C92697	0.304	0.295	0.288	SPIILLED	0.260	0.272	0.269	0.249	0.223	0.224
C92698	0.260	0.254	0.253	0.247	0.243	0.226	0.226	0.198	0.183	0.183
C92699	0.273	0.270	0.258	0.256	0.248	0.247	0.179	0.227	0.203	0.224
C92700	0.270	0.269	0.270	0.261	0.257	0.263	0.262	0.228	0.248	SPIILLED
C92701	0.252	0.247	0.244	0.237	0.227	0.226	0.227	0.200	0.197	0.187
C92702	0.249	0.251	0.239	0.238	0.236	0.232	0.219	0.205	0.201	0.206
C92703	0.294	0.298	0.283	0.279	0.264	0.273	0.252	0.223	0.206	0.198
C92704	0.261	0.251	0.240	0.245	0.235	0.236	0.222	0.201	0.193	0.179
C92705	0.283	0.275	0.260	0.265	0.266	0.251	0.248	0.228	0.218	0.197
C92706	0.241	0.246	0.235	0.230	0.231	0.216	0.207	0.193	0.194	0.190
C92707	0.250	0.235	0.234	0.233	0.236	0.232	0.225	0.206	0.200	0.201
C92708	0.264	0.237	0.260	0.250	0.256	0.249	0.230	0.207	0.201	0.199
C92709	0.267	0.262	0.261	0.249	0.260	0.247	0.231	0.217	0.207	0.193
C92710	0.275	0.275	0.255	0.251	0.247	0.238	0.226	0.208	0.209	0.194
C92711	0.243	0.240	0.239	0.201	0.239	0.241	0.219	0.204	0.193	0.189
C92712	0.267	0.258	0.263	0.278	0.273	0.257	SPIILLED	0.233	0.219	0.209
C92713	0.256	0.256	0.242	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92714	0.278	0.265	0.263	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92715	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92716	0.242	0.247	0.240	0.204	SPIILLED	0.231	0.220	0.203	0.191	0.191
C92717	0.269	0.275	0.257	0.258	0.256	0.264	0.245	0.215	0.207	0.204
C92718	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92719	0.278	0.275	0.272	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92720	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.287	SPIILLED	0.254	0.239	0.224
C92721	0.260	0.259	0.260	0.246	0.251	0.262	0.230	0.227	0.222	0.204

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 4 - 5 PPM										
C92722	0.297	0.291	0.274	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92723	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.256	SPIILLED	0.242	SPIILLED
C92724	SPIILLED	SPIILLED	0.310	SPIILLED	SPIILLED	SPIILLED	0.294	0.258	0.245	SPIILLED
C92725	0.268	0.256	0.252	0.252	0.242	0.243	0.228	0.204	0.194	0.190
C92726	0.264	0.253	0.248	0.217	0.272	0.249	0.222	0.235	0.215	0.203
C92727	0.264	0.281	0.275	0.243	0.248	0.261	0.244	0.224	0.197	0.203
C92728	0.271	0.266	0.254	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92729	0.268	0.269	0.272	0.254	0.235	0.237	0.229	0.213	0.197	0.190
C92730	SPIILLED	0.262	0.254	0.257	0.257	0.252	0.226	0.223	0.212	0.194
C92731	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92732	0.282	0.293	0.281	0.270	0.267	0.273	0.247	0.218	0.213	0.203
C92733	0.283	0.273	0.275	0.287	0.286	0.260	0.283	0.255	0.248	0.228
C92734	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92735	0.254	0.253	0.249	0.249	0.244	0.254	0.223	0.206	0.201	0.202
C92736	0.256	0.258	0.253	0.246	0.245	0.231	0.238	0.223	0.204	0.190
C92737	0.266	0.257	0.247	0.252	0.251	0.241	0.235	0.210	0.204	0.198
C92738	0.273	0.265	0.251	0.252	0.255	0.229	0.227	0.234	0.208	0.205
C92739	SPIILLED	0.297	0.281	0.269	0.267	0.273	0.270	0.260	0.228	0.222
C92740	0.265	0.259	0.252	0.248	0.240	0.236	0.229	0.205	0.193	0.197
C92741	0.256	0.250	0.251	0.225	0.249	0.236	0.253	0.222	SPIILLED	SPIILLED
C92742	0.257	0.248	0.242	0.230	0.227	0.220	0.199	0.189	0.180	0.177
C92743	SPIILLED	0.254	0.255	0.253	0.245	0.239	0.235	0.200	0.191	0.192
C92744	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92745	0.265	0.261	0.252	0.252	0.244	0.249	0.227	0.213	0.189	0.201
C92746	SPIILLED	SPIILLED	0.225	0.218	0.229	0.222	0.220	0.205	0.193	0.186
C92747	0.266	0.271	0.258	0.261	0.255	0.243	0.236	0.223	0.216	0.200
C92748	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.277	0.258	0.231	0.220
C92749	SPIILLED	0.275	0.241	0.263	0.263	0.252	0.248	0.222	0.225	0.206
C92750	SPIILLED	0.266	0.257	0.254	0.252	0.237	0.239	0.215	0.205	0.194

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 5 - 20 PPM										
C92751	0.991	0.902	0.994	0.968	1.008	0.997	0.920	0.845	0.789	0.760
C92752	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92753	0.884	SPIILLED	1.137	SPIILLED	SPIILLED	1.171	SPIILLED	1.015	0.817	0.875
C92754	1.033	1.107	1.035	0.921	1.023	0.981	1.011	0.914	0.877	0.870
C92755	1.068	1.051	1.037	1.031	1.011	1.010	0.962	0.875	0.811	0.797
C92756	1.194	1.276	1.204	SPIILLED	SPIILLED	1.133	SPIILLED	1.084	SPIILLED	0.880
C92757	1.127	1.099	1.047	1.037	1.029	1.079	1.069	1.051	0.924	0.902
C92758	0.978	0.962	0.951	0.920	0.925	0.919	0.928	0.806	0.767	0.754
C92759	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92760	1.073	1.144	1.055	1.038	0.985	0.970	0.993	0.909	0.914	0.836
C92761	1.077	1.045	1.057	1.044	0.969	1.045	1.071	1.016	0.972	1.013
C92762	1.170	1.139	1.013	0.991	0.985	0.963	1.027	0.888	0.885	0.870
C92763	1.006	1.043	0.972	0.980	0.952	0.930	0.887	0.820	0.805	0.732
C92764	1.206	1.260	1.138	1.146	1.087	1.145	1.040	1.020	1.003	0.952
C92765	1.064	1.006	1.026	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92766	1.063	1.078	1.042	1.038	1.064	1.015	1.052	0.992	0.885	0.854
C92767	1.154	1.131	1.082	0.896	1.048	SPIILLED	1.012	0.936	0.849	0.814
C92768	0.999	0.977	0.947	0.930	0.950	0.919	0.926	0.822	0.810	SPIILLED
C92769	1.080	1.088	1.033	1.025	1.024	1.004	1.040	0.912	0.829	0.857
C92770	1.004	0.998	0.908	0.896	0.900	0.891	0.882	0.805	0.837	0.783
C92771	0.976	SPIILLED	0.910	0.964	0.926	0.867	0.930	0.867	0.812	0.750
C92772	0.998	1.073	1.032	0.999	1.013	1.001	0.954	0.884	0.889	0.854
C92773	1.019	1.027	0.951	0.959	0.991	1.003	0.989	0.937	0.978	0.940
C92774	1.043	1.077	1.076	0.928	1.080	1.012	0.945	0.884	0.749	0.772
C92775	1.115	1.108	1.058	1.055	1.006	1.015	1.017	0.904	0.857	0.828
C92776	1.017	1.016	1.015	0.983	0.963	0.895	0.933	0.828	0.819	0.795
C92777	1.132	1.143	1.097	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92778	1.019	1.038	1.012	0.984	0.992	0.972	0.915	0.829	0.798	0.797
C92779	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92780	SPIILLED	1.173	1.232	1.201	1.129	1.097	1.125	1.051	1.081	1.026
C92781	1.020	0.958	1.015	1.021	0.988	0.911	0.898	0.898	0.817	0.817

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 5 - 20 PPM										
C92782	1.075	1.054	1.023	1.033	1.025	0.992	0.915	0.886	0.801	0.772
C92783	0.999	0.994	0.969	0.957	0.930	0.953	0.898	0.858	0.843	0.790
C92784	1.115	1.126	1.037	0.943	1.051	1.041	0.949	0.889	0.897	0.864
C92785	1.103	1.040	1.052	0.992	0.993	0.988	0.961	0.865	0.855	0.809
C92786	1.061	1.041	0.963	0.961	1.014	1.021	0.972	0.883	0.859	0.828
C92787	SPIILLED	1.152	SPIILLED	SPIILLED	SPIILLED	1.073	1.037	0.984	1.045	1.040
C92788	1.055	0.983	0.985	1.027	1.000	0.952	0.971	0.867	0.886	0.825
C92789	SPIILLED	1.046	0.905	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92790	1.059	1.035	1.025	1.011	0.957	0.882	0.923	0.856	0.843	0.821
C92791	1.079	1.062	1.047	1.040	1.042	1.064	1.076	0.974	0.973	0.916
C92792	1.027	1.038	0.994	0.959	0.980	1.003	0.947	0.876	0.802	0.817
C92793	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92794	1.041	0.998	1.009	0.965	0.951	0.930	0.880	0.872	0.779	0.797
C92795	1.089	1.044	0.967	0.998	1.017	1.031	0.963	0.861	0.840	0.809
C92796	1.000	0.975	0.949	0.958	0.993	0.991	0.902	0.909	0.868	0.872
C92797	1.027	1.035	0.988	1.015	1.002	1.011	1.054	0.958	0.892	0.884
C92798	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92799	1.066	1.028	1.062	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92800	SPIILLED	1.024	1.013	0.978	0.967	0.958	0.958	0.862	0.854	0.797
C92801	1.025	0.985	0.945	0.920	0.970	0.913	0.840	0.862	0.830	0.766
C92802	1.086	1.051	1.049	1.025	1.041	1.048	0.987	0.913	0.905	0.889
C92803	1.020	0.990	0.984	0.980	0.989	0.994	0.973	0.935	0.938	0.931
C92804	1.119	1.078	1.095	1.104	1.053	1.049	1.030	0.950	0.897	0.891
C92805	1.064	1.020	1.010	0.971	0.964	0.914	0.903	0.825	0.787	0.750
C92806	1.021	1.050	1.020	0.916	0.877	0.937	0.884	0.844	0.891	0.810
C92807	1.060	1.013	0.981	0.977	1.035	0.986	0.904	0.837	0.802	0.781
C92808	1.011	0.945	0.968	0.958	0.972	0.961	0.930	0.872	0.864	0.825
C92809	1.114	1.049	1.118	1.088	1.097	1.055	1.024	0.858	0.865	0.809
C92810	1.079	1.055	1.049	1.037	1.056	0.975	0.920	0.881	0.848	0.814
C92811	1.146	TECH SPILL	1.046	1.083	1.100	1.101	1.034	0.944	0.897	0.840
C92812	0.959	0.950	0.932	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 5 - 20 PPM										
C92813	1.129	1.017	1.045	1.068	1.021	1.006	0.965	0.919	0.904	0.934
C92814	0.989	0.983	0.954	1.027	1.023	1.082	0.963	0.883	0.925	0.857
C92815	SPIILLED	SPIILLED	SPIILLED	1.246	SPIILLED	1.256	SPIILLED	1.108	1.129	1.071
C92816	1.005	0.960	0.951	0.958	0.929	0.900	0.862	0.810	0.833	0.737
C92817	1.026	0.997	0.990	0.969	0.964	0.947	0.934	0.829	0.816	0.792
C92818	1.069	1.010	1.009	1.010	1.020	1.035	0.991	0.886	0.838	0.860
C92819	1.049	0.991	1.033	1.099	1.048	1.074	1.051	0.911	0.896	0.884
C92820	SPIILLED	1.617	1.563	1.194	1.407	1.286	1.115	0.953	1.140	1.138
GROUP: MALE 6 - 20 PPM										
C92821	1.088	1.147	1.092	1.023	1.019	0.946	0.961	SPIILLED	1.131	0.937
C92822	1.042	1.031	0.994	1.052	1.021	0.969	1.013	0.864	0.874	0.791
C92823	1.053	1.027	0.985	0.985	1.002	1.015	0.811	0.655	0.868	0.791
C92824	1.056	1.032	1.011	1.037	0.997	1.019	0.966	0.885	SPIILLED	SPIILLED
C92825	1.253	1.074	1.069	1.080	1.060	SPIILLED	1.056	0.927	0.881	SPIILLED
C92826	1.116	1.264	1.145	1.161	1.110	1.090	1.158	1.031	0.970	0.896
C92827	1.095	1.082	1.111	1.183	1.138	1.105	1.040	0.982	0.892	0.859
C92828	1.006	0.975	1.005	1.046	1.008	0.966	0.991	0.911	0.863	0.820
C92829	1.068	1.070	1.057	1.059	1.043	1.012	0.978	0.870	0.842	0.823
C92830	1.183	1.196	1.204	1.179	1.151	1.090	0.836	0.953	0.925	0.887
C92831	1.080	1.085	1.062	0.905	1.070	1.072	0.959	0.901	0.803	0.762
C92832	SPIILLED	1.033	1.021	1.033	0.978	0.915	0.928	0.861	0.809	0.822
C92833	0.995	0.964	0.966	0.993	0.953	0.927	0.877	0.811	0.752	0.732
C92834	1.051	1.023	0.956	0.992	0.989	0.988	0.978	0.930	0.864	0.839
C92835	1.043	1.011	0.994	1.014	1.044	1.008	0.962	0.876	0.845	0.807
C92836	1.116	0.984	0.944	1.005	0.997	0.927	0.916	0.826	0.831	0.805
C92837	0.998	0.962	0.937	0.917	0.954	0.880	0.960	0.848	0.825	0.841
C92838	1.068	1.052	1.070	1.083	1.011	0.991	0.958	0.894	0.883	0.848
C92839	1.086	1.076	1.072	1.022	1.063	1.046	0.933	0.884	0.818	0.798
C92840	1.023	0.998	1.026	0.987	0.992	0.974	0.886	0.862	0.849	0.824

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: MALE 6 - 20 PPM										
C92841	1.087	0.997	0.768	1.071	1.054	0.983	0.948	0.848	0.846	0.790
C92842	1.032	0.961	0.965	0.941	0.847	0.936	0.923	0.864	0.796	0.788
C92843	1.051	0.988	0.968	0.920	0.972	1.032	1.024	0.820	0.835	0.760
C92844	1.071	0.981	1.003	1.024	1.043	1.075	1.082	0.978	0.964	0.854
C92845	1.237	1.167	SPILLED	1.188	1.120	1.120	1.124	1.004	0.958	0.921
C92846	1.099	1.062	1.034	0.953	0.976	1.005	0.946	0.851	SPILLED	0.888
C92847	1.091	1.060	1.031	1.002	1.006	0.946	0.944	0.868	0.808	0.782
C92848	1.230	1.183	1.222	SPILLED	1.118	1.071	1.065	1.048	0.959	0.891
C92849	SPILLED	SPILLED	SPILLED	SPILLED	1.170	1.198	SPILLED	1.114	SPILLED	SPILLED
C92850	1.183	1.166	SPILLED	1.193	1.162	SPILLED	SPILLED	1.079	SPILLED	SPILLED
C92851	0.989	0.988	0.964	0.987	1.036	1.013	0.934	0.874	0.879	0.981
C92852	1.225	1.143	1.085	1.023	1.049	1.099	1.010	0.904	0.898	0.960
C92853	1.029	0.982	0.971	0.992	0.948	0.994	1.007	0.898	0.876	0.858
C92854	1.096	1.064	1.023	1.025	1.025	1.006	1.013	0.932	0.907	0.811
C92855	1.154	1.062	1.094	1.484	1.145	1.067	0.879	0.927	0.922	0.835
C92856	1.073	1.014	1.055	1.045	1.038	1.006	0.947	0.897	0.877	0.854
C92857	0.955	0.926	0.933	0.956	0.946	0.955	0.908	0.780	0.763	0.728
C92858	1.069	1.012	0.995	0.963	0.964	0.923	0.913	0.878	0.815	SPILLED
C92859	1.064	1.037	0.998	1.013	1.008	0.962	0.997	0.963	0.883	0.874
C92860	1.130	1.080	1.059	1.088	1.057	1.040	1.046	0.960	0.880	0.831
GROUP: FEMALE 2 - 0.5 PPM										
C92931	0.030	0.028	0.029	0.026	0.028	0.028	0.027	0.026	0.025	0.024
C92932	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.036	SPILLED	0.040	0.041	0.054
C92933	0.036	0.034	0.031	0.027	0.029	0.031	0.029	0.027	0.025	0.024
C92934	0.041	SPILLED	0.036	SPILLED	0.034	0.034	0.032	0.030	0.028	0.027
C92935	0.030	0.029	0.028	0.023	0.026	0.026	0.027	0.025	0.021	0.025
C92936	0.029	0.032	0.030	0.028	0.030	0.029	0.025	0.024	0.026	0.024
C92937	0.034	0.037	0.034	0.034	0.034	0.033	0.034	0.031	0.030	0.028
C92938	0.032	SPILLED	0.045	SPILLED	0.033	SPILLED	SPILLED	SPILLED	0.025	SPILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 2 - 0.5 PPM										
C92939	0.035	SPIILLED	SPIILLED	SPIILLED	0.044	SPIILLED	SPIILLED	SPIILLED	0.032	SPIILLED
C92940	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.047	0.036	0.033	0.030	0.028	0.028
C92941	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92942	0.033	SPIILLED	0.034	SPIILLED	0.033	SPIILLED	0.031	0.029	0.029	0.028
C92943	0.029	0.031	0.032	0.035	0.032	0.030	0.027	0.023	0.025	0.027
C92944	0.034	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92945	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92946	0.031	0.031	0.031	0.027	0.030	0.031	0.025	0.028	0.024	0.025
C92947	0.034	0.031	0.032	0.023	0.029	0.030	0.030	0.023	0.024	0.024
C92948	0.031	0.028	0.031	0.025	0.030	0.028	0.029	0.029	0.025	0.023
C92949	0.027	0.030	0.031	0.029	0.027	0.029	0.026	0.024	0.020	0.014
C92950	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92951	0.029	SPIILLED	SPIILLED	0.031	0.031	0.032	0.033	SPIILLED	SPIILLED	0.028
C92952	0.033	0.030	0.030	0.033	0.031	0.030	0.030	0.029	0.027	0.025
C92953	0.033	0.031	0.032	0.030	0.028	0.031	0.031	0.027	0.026	0.029
C92954	0.034	0.035	SPIILLED	0.034	0.032	0.032	0.030	0.027	0.029	0.028
C92955	0.033	0.030	0.030	0.029	0.029	0.029	0.028	0.028	0.027	0.024
C92956	0.032	0.027	0.027	0.022	0.028	0.028	0.028	0.024	0.025	0.024
C92957	0.035	0.033	SPIILLED	SPIILLED	0.034	0.033	0.032	SPIILLED	0.029	0.026
C92958	0.033	0.032	0.032	0.028	0.031	0.033	0.033	0.029	0.027	0.028
C92959	0.035	0.032	0.035	0.034	0.030	0.032	0.033	0.031	0.044	0.027
C92960	0.031	0.036	0.035	0.032	0.033	0.032	0.032	SPIILLED	0.035	0.027
C92961	0.032	0.030	0.029	0.028	0.028	0.027	0.025	0.024	0.023	0.021
C92962	0.032	0.031	0.031	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92963	0.033	0.036	0.032	0.034	0.031	0.031	0.031	0.027	0.030	0.029
C92964	0.032	SPIILLED	0.031	SPIILLED	0.031	0.050	SPIILLED	SPIILLED	0.029	0.033
C92965	0.033	0.034	0.031	0.030	0.031	0.031	0.030	0.031	CNTMD	0.031
C92966	0.032	0.033	0.034	0.032	0.031	0.033	0.033	0.028	0.027	0.024
C92967	0.030	SPIILLED	0.029	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92968	0.030	0.030	0.031	0.028	0.028	0.028	0.027	0.025	0.025	0.020
C92969	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 2 - 0.5 PPM										
C92970	0.030	0.032	0.031	0.030	0.031	0.031	0.027	0.025	0.025	0.023
C92971	0.031	0.032	0.030	0.032	0.028	0.030	0.029	0.026	0.030	0.027
C92972	0.036	0.037	0.035	0.032	0.034	0.037	0.033	0.030	0.028	0.028
C92973	0.037	0.036	SPIILLED	0.038	0.037	0.036	0.034	0.038	0.030	0.032
C92974	0.032	0.030	0.030	0.034	0.032	0.031	0.029	0.026	0.024	0.024
C92975	0.037	0.036	0.035	0.034	0.033	0.035	0.035	0.030	0.030	0.027
C92976	0.030	0.030	0.027	0.026	0.027	0.028	0.028	0.028	0.025	0.023
C92977	0.035	0.041	0.036	0.033	0.031	SPIILLED	0.029	0.027	0.026	0.027
C92978	0.031	0.031	0.029	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92979	0.034	0.029	0.032	0.030	0.029	0.028	0.025	0.028	0.026	0.023
C92980	0.034	0.032	0.031	0.030	0.029	0.028	0.029	0.027	0.021	0.030
C92981	0.031	SPIILLED	0.030	0.030	0.029	0.027	0.027	0.031	0.023	0.027
C92982	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92983	0.033	0.032	0.032	SPIILLED	0.027	0.028	0.035	0.026	0.026	0.026
C92984	0.031	0.029	0.029	0.027	0.027	0.026	0.028	0.025	0.024	0.022
C92985	0.031	0.031	0.032	0.028	0.028	SPIILLED	0.029	0.027	0.024	0.028
C92986	0.034	0.032	0.033	0.029	0.033	0.033	0.031	0.028	0.027	0.026
C92987	0.030	0.031	0.031	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92988	0.035	0.031	0.035	0.036	0.033	0.031	0.029	0.028	0.031	0.025
C92989	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.038	SPIILLED	0.037	0.036	0.044	SPIILLED
C92990	0.037	0.036	0.034	0.036	0.034	0.033	0.030	0.030	0.031	0.041
GROUP: FEMALE 3 - 2 PPM										
C92991	0.127	0.123	0.119	0.125	0.119	0.126	0.123	0.115	0.129	0.120
C92992	0.137	0.126	0.125	SPIILLED	0.139	0.134	0.133	0.128	0.127	0.126
C92993	0.129	0.127	0.120	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92994	0.127	0.134	0.119	0.115	0.131	0.122	0.122	0.106	0.106	0.102
C92995	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92996	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92997	0.134	0.128	0.123	SPIILLED	0.127	SPIILLED	SPIILLED	0.124	0.129	0.120

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 3 - 2 PPM										
C92998	0.143	0.139	0.135	0.136	0.135	0.139	0.123	0.124	0.125	0.106
C92999	SPIILLED	SPIILLED	0.134	SPIILLED	0.150	SPIILLED	SPIILLED	0.109	0.117	0.112
C93000	0.129	0.148	0.123	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93001	0.141	0.146	0.133	0.129	0.132	0.131	0.139	0.145	0.142	0.121
C93002	0.137	0.143	0.130	0.133	0.118	0.133	0.131	0.119	0.124	0.120
C93003	0.109	0.123	0.118	0.114	0.121	0.111	0.127	0.108	0.123	0.094
C93004	0.132	0.133	0.125	0.123	0.126	0.120	0.112	0.105	0.094	0.101
C93005	0.133	0.133	0.138	0.146	0.141	0.128	0.149	0.133	0.116	0.116
C93006	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93007	0.132	SPIILLED	0.115	0.129	0.132	0.118	0.116	0.114	0.112	0.101
C93008	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93009	SPIILLED	0.171	0.128	0.139	0.122	0.123	0.117	0.122	0.139	0.116
C93010	0.152	0.147	0.139	SPIILLED	0.145	0.169	0.130	0.117	0.110	0.124
C93011	0.125	0.117	0.110	0.115	0.113	0.118	0.103	0.099	0.096	0.105
C93012	0.132	0.120	0.121	0.122	0.128	0.124	0.121	0.114	0.114	0.106
C93013	0.138	0.147	0.124	0.145	0.124	0.133	0.115	0.142	0.108	0.110
C93014	0.123	0.140	0.122	0.116	0.124	0.112	0.113	0.093	0.107	0.105
C93015	0.128	SPIILLED	SPIILLED	SPIILLED	0.128	SPIILLED	SPIILLED	SPIILLED	0.111	0.122
C93016	0.128	SPIILLED	0.143	0.142	SPIILLED	0.171	SPIILLED	SPIILLED	0.206	0.167
C93017	0.152	0.148	0.147	0.149	0.137	0.135	0.128	0.112	0.120	0.114
C93018	0.135	0.127	0.123	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93019	0.132	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.127	0.123	SPIILLED	0.110	0.105
C93020	0.132	0.196	0.134	0.146	0.132	0.126	0.128	0.132	0.122	0.096
C93021	0.132	0.114	0.119	0.121	0.108	0.117	0.128	0.110	0.102	0.098
C93022	0.125	0.112	0.112	0.119	0.106	0.112	0.103	0.099	0.092	0.099
C93023	SPIILLED	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93024	0.144	0.141	0.128	0.128	0.143	0.129	0.119	0.118	0.118	0.110
C93025	0.147	0.146	0.137	0.132	0.141	0.104	0.129	0.109	0.119	0.103
C93026	0.142	0.137	0.122	0.108	0.120	0.120	0.127	0.124	0.118	0.120
C93027	0.127	0.136	0.128	0.154	0.118	0.120	0.115	0.114	0.108	0.104
C93028	0.139	0.128	SPIILLED	SPIILLED	SPIILLED	0.131	SPIILLED	0.120	SPIILLED	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 3 - 2 PPM										
C93029	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.165	SPILLED
C93030	0.146	SPILLED	0.131	0.119	0.142	SPILLED	0.125	0.121	0.104	0.111
C93031	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93032	0.131	0.138	0.128	0.117	0.124	0.130	0.127	0.119	0.116	0.110
C93033	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.159	SPILLED	0.121
C93034	0.147	SPILLED	0.133	0.123	0.119	0.127	0.107	0.117	0.116	0.113
C93035	0.142	0.134	0.125	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93036	SPILLED	0.131	0.121	SPILLED	0.127	0.109	0.117	0.116	0.103	0.090
C93037	0.133	0.134	0.127	0.128	0.124	0.146	0.104	0.101	0.108	0.100
C93038	SPILLED	SPILLED	0.149	0.148	0.149	0.153	0.135	0.132	0.121	0.121
C93039	0.146	0.134	0.134	0.127	0.119	0.112	0.112	0.109	0.108	0.100
C93040	SPILLED	SPILLED	SPILLED	0.151	SPILLED	SPILLED	0.131	0.155	0.161	0.142
C93041	0.165	SPILLED	0.158	SPILLED	0.137	0.143	0.148	0.147	0.129	0.115
C93042	0.133	0.132	0.125	0.133	0.115	0.101	0.143	0.126	0.122	0.105
C93043	0.145	0.150	0.142	0.132	0.142	0.131	0.119	0.129	0.111	0.115
C93044	0.140	0.126	0.122	0.129	0.130	SPILLED	0.122	SPILLED	0.178	SPILLED
C93045	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93046	0.107	0.156	0.135	0.123	0.125	0.145	0.124	0.126	TECH SPILL	SPILLED
C93047	0.134	0.128	0.117	0.121	0.124	0.117	0.106	0.093	0.099	0.107
C93048	0.154	SPILLED	0.155	0.144	0.144	0.162	0.144	0.137	SPILLED	0.125
C93049	0.137	0.133	0.131	0.129	0.126	0.129	0.122	0.112	0.114	0.108
C93050	0.145	SPILLED	0.151	SPILLED	0.140	0.154	0.137	0.138	0.126	0.124
GROUP: FEMALE 4 - 5 PPM										
C93051	0.351	0.397	0.358	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93052	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.282	SPILLED
C93053	0.385	0.345	0.332	0.357	0.330	0.366	0.326	0.301	0.272	0.262
C93054	SPILLED	SPILLED	0.358	0.379	0.337	SPILLED	0.331	0.325	0.320	0.307
C93055	SPILLED	0.471	0.328	SPILLED	0.312	0.307	0.300	0.268	0.286	0.296
C93056	0.321	0.322	0.321	0.305	0.311	0.311	0.322	0.293	0.314	0.299

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 4 - 5 PPM										
C93057	0.366	0.359	0.362	0.351	0.353	0.325	0.312	0.322	0.304	0.304
C93058	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93059	0.348	0.346	0.320	0.325	0.315	0.338	0.307	0.278	0.267	0.280
C93060	0.360	0.345	0.313	0.319	0.319	0.296	0.277	0.279	0.249	0.270
C93061	0.348	0.296	0.314	0.298	0.319	0.304	0.321	0.312	0.296	0.278
C93062	0.347	0.327	0.319	0.310	0.314	0.305	0.308	0.293	0.298	SPIILLED
C93063	0.319	0.293	0.324	0.297	0.306	0.290	0.265	0.251	0.251	0.260
C93064	0.372	0.340	0.331	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93065	0.380	0.417	0.360	0.368	0.356	0.367	0.340	0.323	0.304	0.272
C93066	0.367	0.333	0.326	0.321	0.330	0.317	SPIILLED	SPIILLED	0.335	SPIILLED
C93067	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93068	0.336	0.338	0.315	0.314	0.309	0.310	0.294	0.296	0.250	0.284
C93069	0.313	0.307	0.306	0.289	0.278	0.280	0.286	0.298	0.251	0.261
C93070	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93071	0.340	0.329	0.316	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93072	0.420	0.413	SPIILLED	0.348	SPIILLED	0.349	0.348	0.322	0.318	0.293
C93073	0.371	0.365	0.363	0.336	0.349	0.357	0.335	0.316	0.306	0.288
C93074	0.431	SPIILLED	0.361	SPIILLED	0.351	0.369	0.357	0.303	0.272	0.242
C93075	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93076	SPIILLED	0.322	SPIILLED	0.260	SPIILLED	SPIILLED	0.306	0.287	0.273	0.235
C93077	0.324	0.300	0.288	0.270	0.262	0.266	0.299	0.277	0.263	0.252
C93078	0.360	0.455	SPIILLED	SPIILLED	0.353	0.366	0.401	0.306	0.309	0.310
C93079	0.345	0.361	0.351	0.330	0.366	0.316	0.311	0.264	0.277	0.253
C93080	0.343	0.335	0.317	0.296	0.320	0.293	0.384	0.311	SPIILLED	SPIILLED
C93081	0.323	0.329	0.332	0.303	0.319	0.288	0.304	0.277	0.304	0.266
C93082	0.295	0.295	0.294	0.285	0.291	0.304	0.305	0.316	0.265	0.261
C93083	0.343	0.342	0.349	0.336	0.346	0.334	0.305	0.294	0.294	0.267
C93084	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93085	0.345	0.338	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93086	0.314	0.373	0.303	SPIILLED	0.309	0.306	0.305	0.268	0.271	0.248
C93087	0.362	0.364	0.303	0.314	0.313	0.326	0.317	0.283	0.273	0.297

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 36

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 4 - 5 PPM										
C93088	0.300	0.359	0.326	0.335	0.323	0.340	0.327	0.300	0.314	0.293
C93089	0.355	0.317	0.296	0.268	0.314	0.295	0.310	0.280	0.265	0.279
C93090	0.345	0.311	0.316	0.284	0.334	0.298	0.292	0.262	0.262	0.247
C93091	0.303	0.308	0.288	0.298	0.286	0.267	0.295	0.278	0.281	0.231
C93092	0.365	0.350	0.307	0.322	0.329	0.320	0.366	0.315	0.311	0.325
C93093	0.293	0.292	0.335	0.237	0.322	0.331	SPIILLED	SPIILLED	0.220	0.265
C93094	0.345	0.349	0.310	0.304	0.319	0.334	0.313	0.267	0.276	0.275
C93095	0.337	SPIILLED	0.349	0.316	0.317	0.316	0.302	0.255	0.251	0.242
C93096	0.345	0.361	0.343	SPIILLED	0.323	0.311	0.320	0.296	0.250	NOT TAKEN
C93097	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.329	0.304	0.289
C93098	0.332	0.351	0.309	0.349	0.297	0.308	0.312	0.286	0.254	0.266
C93099	0.322	0.289	0.301	0.283	0.280	0.291	0.260	0.292	0.277	0.270
C93100	0.399	0.374	0.381	0.346	0.353	0.369	0.376	0.316	0.284	0.290
C93101	0.326	0.300	0.267	0.290	0.300	0.285	SPIILLED	0.257	0.264	0.253
C93102	SPIILLED	SPIILLED	0.329	SPIILLED	0.335	0.331	0.347	0.302	SPIILLED	0.302
C93103	0.346	0.324	0.335	0.302	0.286	0.290	0.318	0.212	0.288	0.372
C93104	SPIILLED	0.404	0.355	SPIILLED	SPIILLED	0.322	0.305	0.285	0.255	0.243
C93105	0.337	0.346	0.318	0.290	0.299	0.299	0.298	0.261	0.248	0.252
C93106	0.338	0.307	0.298	0.292	0.313	0.295	0.310	0.289	0.294	0.272
C93107	0.325	0.300	0.275	0.283	0.289	0.286	0.285	0.250	0.253	0.254
C93108	0.324	SPIILLED	0.298	0.282	0.298	0.300	SPIILLED	0.275	0.244	0.242
C93109	0.351	0.334	0.291	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93110	0.379	0.362	0.366	SPIILLED	0.326	SPIILLED	0.291	0.288	0.282	0.223
GROUP: FEMALE 5 - 20 PPM										
C93111	1.235	1.190	1.065	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93112	1.298	1.219	1.118	1.208	1.149	1.197	SPIILLED	1.114	1.123	1.093
C93113	1.511	1.411	1.276	1.315	1.498	1.420	1.347	1.249	1.191	1.231
C93114	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93115	1.445	1.486	1.406	1.395	1.331	1.346	1.323	1.271	1.150	1.087

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 37

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 5 - 20 PPM										
C93116	SPIILLED	1.405	1.259	1.232	1.311	1.282	1.265	1.280	1.177	1.231
C93117	1.326	1.374	1.173	1.257	SPIILLED	1.258	SPIILLED	1.190	1.232	1.209
C93118	1.416	1.373	1.381	1.417	1.417	1.498	1.401	1.258	0.955	1.197
C93119	1.455	1.442	1.351	1.317	1.378	1.266	1.303	1.190	1.228	1.202
C93120	1.276	1.491	1.370	1.204	1.443	1.257	1.355	1.291	1.229	1.196
C93121	1.321	1.386	1.286	1.257	1.273	1.261	1.319	1.215	1.134	1.101
C93122	1.263	1.280	0.968	1.202	1.199	1.197	1.185	1.076	1.152	1.180
C93123	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93124	1.451	1.404	1.441	1.086	1.113	1.277	1.218	1.279	1.055	0.985
C93125	1.533	1.581	1.562	1.579	1.469	1.441	1.499	1.234	1.232	1.198
C93126	1.356	1.224	1.182	1.277	1.292	1.284	1.315	1.219	1.223	1.189
C93127	1.366	1.429	1.252	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93128	1.374	1.454	1.385	1.316	1.295	1.306	1.265	1.153	1.039	1.219
C93129	1.481	1.382	1.336	1.394	1.283	1.466	1.544	1.604	1.177	1.270
C93130	1.434	1.493	1.332	1.321	1.382	1.367	1.317	1.208	1.022	1.212
C93131	1.338	1.202	1.202	1.196	1.172	SPIILLED	1.168	1.157	1.121	1.095
C93132	1.347	1.257	1.192	1.256	1.287	1.286	1.385	1.178	1.109	1.068
C93133	1.369	1.385	1.246	1.420	1.386	1.457	SPIILLED	SPIILLED	SPIILLED	1.200
C93134	1.240	1.238	1.131	1.199	1.176	1.156	1.220	1.054	1.058	0.982
C93135	1.349	1.381	1.366	1.195	1.452	1.299	1.168	1.049	1.154	1.312
C93136	1.420	1.434	1.298	1.377	1.410	1.405	1.410	1.419	1.324	1.317
C93137	1.453	1.497	1.443	1.513	1.483	1.409	1.467	1.301	1.224	1.185
C93138	1.175	1.310	1.223	1.193	1.194	1.213	1.234	1.143	1.106	1.001
C93139	1.575	1.497	1.471	1.483	1.429	1.378	SPIILLED	1.235	1.234	1.242
C93140	1.538	1.473	1.321	1.371	1.470	1.464	1.376	1.233	1.091	1.135
C93141	1.448	1.389	1.434	1.287	1.342	1.491	1.301	1.168	1.214	1.078
C93142	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93143	SPIILLED	1.824	1.813	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93144	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93145	1.673	1.488	SPIILLED	1.593	1.750	1.755	1.423	SPIILLED	1.778	SPIILLED
C93146	1.370	1.363	1.373	SPIILLED	1.224	1.316	1.458	1.165	0.993	1.129

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 38

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 5 - 20 PPM										
C93147	1.237	1.380	1.297	1.277	1.308	1.301	1.291	1.213	1.125	1.107
C93148	1.399	1.332	1.385	1.239	1.285	1.277	1.278	1.261	1.150	1.092
C93149	1.392	SPIILLED	SPIILLED	1.614	1.303	1.269	1.273	1.125	1.098	1.133
C93150	SPIILLED	1.611	1.453	1.275	1.506	1.313	1.398	1.319	1.320	1.236
C93151	1.336	1.319	1.260	1.252	1.285	1.243	1.334	1.274	1.161	1.130
C93152	1.331	1.366	1.299	1.328	1.349	1.266	SPIILLED	SPIILLED	SPIILLED	1.231
C93153	SPIILLED	2.495	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	1.312	1.438	1.176
C93154	1.303	1.266	1.299	1.224	1.270	1.241	1.184	1.106	1.081	1.141
C93155	SPIILLED	SPIILLED	2.449	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93156	1.323	1.267	1.249	1.205	1.228	1.211	1.194	1.142	1.120	1.142
C93157	1.487	1.519	1.329	1.299	1.350	1.322	1.383	1.212	1.291	1.188
C93158	1.312	1.305	1.330	1.302	1.270	1.318	1.337	1.278	1.227	1.193
C93159	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93160	1.327	1.445	1.346	1.317	1.311	1.264	1.302	1.136	1.336	1.308
C93161	1.352	1.293	SPIILLED	1.183	1.368	1.212	1.227	1.117	1.113	1.087
C93162	SPIILLED	SPIILLED	1.266	1.030	1.211	SPIILLED	SPIILLED	SPIILLED	1.162	1.196
C93163	1.269	1.293	1.269	1.245	1.223	1.200	1.573	1.375	1.088	1.068
C93164	1.332	1.372	1.325	1.234	1.328	1.375	1.262	1.247	1.175	1.164
C93165	1.233	1.313	1.221	1.283	1.256	1.235	1.195	1.120	1.081	1.092
C93166	1.214	1.282	1.163	1.087	1.255	1.100	1.195	1.179	SPIILLED	0.977
C93167	1.285	1.276	1.233	1.252	1.224	1.214	1.121	1.118	1.030	0.946
C93168	1.257	SPIILLED	1.340	1.383	1.343	1.414	SPIILLED	1.078	1.141	1.149
C93169	1.408	1.380	1.310	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93170	SPIILLED	1.834	1.326	SPIILLED	1.714	1.516	SPIILLED	SPIILLED	1.992	1.671
C93171	SPIILLED	SPIILLED	1.218	SPIILLED	1.400	1.222	1.143	1.087	1.117	1.151
C93172	1.289	1.314	1.389	SPIILLED	1.257	1.245	1.278	1.324	1.218	1.067
C93173	1.309	1.288	SPIILLED	1.173	1.228	1.227	1.156	1.352	1.133	0.998
C93174	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93175	1.294	1.417	1.233	1.281	1.248	1.243	1.235	1.183	1.064	1.104
C93176	1.294	1.304	1.281	1.271	1.201	1.237	1.275	1.182	1.104	1.028
C93177	SPIILLED	SPIILLED	1.315	1.256	1.336	1.301	SPIILLED	1.573	1.191	1.146

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 39

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 5 - 20 PPM										
C93178	1.304	1.306	1.347	1.161	1.412	1.309	1.344	1.162	1.096	1.031
C93179	1.485	1.506	1.571	1.274	1.328	1.517	1.352	1.172	1.219	1.221
C93180	1.218	1.288	1.285	1.309	1.400	1.280	1.372	1.203	1.115	1.094
GROUP: FEMALE 6 - 20 PPM										
C93181	1.431	1.412	1.467	1.347	1.346	1.308	1.423	1.284	1.221	1.181
C93182	1.220	1.254	1.355	1.236	1.253	1.143	1.318	1.105	1.056	1.076
C93183	1.248	1.250	1.264	1.210	1.261	1.159	1.187	1.095	1.046	0.939
C93184	1.383	1.365	1.345	1.331	1.361	1.372	1.415	1.374	1.268	1.202
C93185	1.339	1.509	SPIILLED	1.416	1.322	1.459	1.379	1.373	0.656	1.350
C93186	1.359	1.322	1.336	1.501	1.366	1.379	1.485	1.225	1.128	1.295
C93187	1.469	1.354	1.362	1.309	1.383	SPIILLED	1.543	1.271	1.154	1.032
C93188	1.293	1.271	1.311	1.222	1.227	1.343	1.347	1.248	1.197	1.085
C93189	1.443	1.393	1.355	1.556	1.304	1.417	1.416	1.275	1.191	1.252
C93190	1.396	1.399	1.293	1.322	1.338	1.255	1.270	1.215	1.186	1.243
C93191	1.165	1.172	1.168	1.183	1.156	1.206	1.231	1.178	1.067	1.131
C93192	1.471	1.492	1.358	1.321	1.388	1.385	SPIILLED	1.201	1.214	1.241
C93193	1.392	1.384	1.379	1.429	1.302	1.376	1.409	1.339	1.142	1.110
C93194	1.523	1.556	1.536	SPIILLED	1.447	1.612	SPIILLED	1.051	1.072	1.131
C93195	1.257	1.229	1.224	1.197	1.196	1.141	SPIILLED	1.102	1.138	1.103
C93196	1.488	1.366	1.429	1.510	1.411	1.417	1.376	1.380	1.184	1.206
C93197	1.317	1.438	1.316	1.347	1.322	1.213	SPIILLED	SPIILLED	1.088	1.159
C93198	1.294	1.453	1.415	1.313	1.286	1.277	1.328	1.151	1.105	1.151
C93199	1.324	1.320	1.292	1.186	1.199	1.201	1.236	1.124	1.094	1.114
C93200	SPIILLED	SPIILLED	SPIILLED	SPIILLED	2.005	SPIILLED	1.592	1.381	1.189	1.194
C93201	1.338	1.629	1.497	1.364	1.417	SPIILLED	SPIILLED	SPIILLED	1.790	1.665
C93202	1.257	1.324	SPIILLED	SPIILLED	1.202	1.669	1.272	1.133	1.058	1.074
C93203	1.325	1.321	1.204	1.403	1.490	1.324	1.528	1.213	1.212	1.126
C93204	1.451	1.384	1.395	1.415	1.328	1.324	1.322	1.200	1.156	1.147
C93205	1.672	1.297	1.249	1.286	1.319	1.177	1.239	1.084	1.029	1.049

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 40

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 11	WEEK 12	WEEK 13	WEEK 14	WEEK 15	WEEK 16	WEEK 20	WEEK 24	WEEK 28	WEEK 32
GROUP: FEMALE 6 - 20 PPM										
C93206	1.571	SPIILLED	1.345	SPIILLED	1.461	SPIILLED	SPIILLED	SPIILLED	1.285	1.221
C93207	1.468	1.597	1.458	1.307	1.313	1.290	1.361	1.194	1.190	1.257
C93208	1.440	1.342	1.174	1.228	1.229	1.186	1.179	1.058	1.095	1.033
C93209	SPIILLED	SPIILLED	SPIILLED	SPIILLED	1.308	SPIILLED	SPIILLED	SPIILLED	1.702	1.795
C93210	1.306	1.341	1.439	1.272	1.207	1.320	SPIILLED	1.224	1.204	1.170
C93211	1.324	1.374	1.297	1.342	1.222	1.302	1.323	1.138	1.119	1.112
C93212	1.600	1.381	1.220	1.266	1.343	1.325	1.338	1.113	1.083	1.150
C93213	1.423	1.232	1.353	1.266	1.143	1.124	SPIILLED	SPIILLED	1.015	1.022
C93214	1.423	1.365	1.323	1.364	1.309	1.331	1.350	1.262	1.187	1.132
C93215	1.291	1.284	1.213	1.224	1.200	1.155	1.279	1.116	1.040	0.995
C93216	1.289	1.236	1.210	1.158	1.232	1.124	1.258	1.202	1.158	1.163
C93217	1.399	SPIILLED	SPIILLED	SPIILLED	SPIILLED	1.328	SPIILLED	SPIILLED	1.098	1.104
C93218	1.666	1.621	1.614	SPIILLED	1.549	1.466	SPIILLED	SPIILLED	1.342	1.106
C93219	1.298	1.028	1.433	1.191	1.135	1.148	1.254	1.090	1.027	1.150
C93220	1.566	SPIILLED	1.804	SPIILLED	1.718	SPIILLED	SPIILLED	SPIILLED	1.072	1.127

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 41

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 2 - 0.5 PPM										
C92571	0.019	0.019	0.018	0.018	0.017	0.017	0.017	0.016	0.017	0.014
C92572	0.020	0.020	0.018	0.018	0.016	0.019	0.019	SPIILLED	0.018	0.017
C92573	0.016	0.014	0.017	0.017	0.015	0.016	0.015	0.015	0.010	0.016
C92574	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92575	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92576	0.019	0.018	0.017	0.017	0.017	0.018	0.017	0.017	0.017	0.016
C92577	0.018	0.016	0.016	0.015	0.016	0.016	0.016	0.015	0.015	0.015
C92578	0.018	0.018	0.017	0.017	0.016	0.017	0.017	0.016	0.016	0.016
C92579	0.018	0.017	0.017	0.016	0.017	0.017	0.017	0.017	0.016	0.014
C92580	0.018	0.018	0.019	0.018	0.017	0.018	0.018	0.017	0.019	0.013
C92581	0.018	0.017	0.017	0.017	0.017	0.018	0.018	0.017	0.018	0.018
C92582	0.019	0.018	0.019	0.020	0.018	0.018	0.019	0.018	SPIILLED	0.017
C92583	0.019	0.019	0.019	0.018	0.018	0.018	0.018	0.018	0.017	0.018
C92584	0.023	0.021	0.024	0.024	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92585	0.004	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92586	0.019	0.018	0.017	0.016	0.015	0.016	0.015	0.016	0.005	0.000
C92587	0.019	0.017	0.018	0.017	0.016	0.018	0.018	0.017	0.018	0.017
C92588	0.019	0.018	0.019	0.018	0.017	0.019	0.019	0.019	0.019	0.018
C92589	0.018	0.018	0.018	0.017	0.017	0.018	0.018	0.017	0.018	0.017
C92590	0.018	0.018	0.018	0.017	0.017	0.017	0.017	0.017	0.018	0.017
C92591	0.018	0.018	0.017	0.018	0.017	0.017	0.016	0.017	0.017	0.016
C92592	0.018	0.017	0.018	0.016	0.016	0.018	0.017	0.016	0.017	0.016
C92593	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92594	0.020	0.019	0.019	0.019	0.018	0.019	0.020	0.018	0.020	0.018
C92595	0.019	0.018	0.018	0.017	0.018	0.017	0.017	0.018	0.016	0.017
C92596	0.019	0.018	0.019	0.019	0.018	0.018	0.018	0.017	0.005	NOT TAKEN
C92597	0.021	0.022	0.022	0.022	0.020	0.020	0.019	0.018	0.019	0.019
C92598	0.020	0.020	0.020	0.019	0.018	0.018	0.018	0.017	0.017	0.017
C92599	0.020	0.020	0.020	0.018	0.017	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92600	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92601	0.020	0.019	0.019	0.018	0.018	0.018	0.017	0.017	0.018	0.017

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 42

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 2 - 0.5 PPM										
C92602	0.022	0.020	0.021	0.021	0.021	0.021	0.023	0.023	0.024	0.023
C92603	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92604	0.018	0.018	0.017	0.017	0.017	0.017	0.017	0.016	0.015	0.012
C92605	0.017	0.017	0.015	0.015	0.015	0.017	0.016	0.016	0.015	0.016
C92606	0.019	0.019	0.018	0.017	0.017	0.019	0.018	0.018	0.018	0.019
C92607	0.021	0.021	0.019	0.019	0.017	0.019	0.021	0.019	0.019	0.019
C92608	0.016	0.019	0.017	0.019	0.019	0.018	0.017	0.016	0.017	0.009
C92609	0.020	0.020	0.020	0.018	0.018	0.019	0.018	0.018	0.018	0.018
C92610	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92611	0.018	0.018	0.017	0.018	0.018	0.018	0.017	0.018	0.018	0.017
C92612	0.019	0.017	0.017	0.016	0.016	0.017	0.016	0.016	0.015	0.013
C92613	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92614	SPIILLED	SPIILLED	0.025	0.024	SPIILLED	SPIILLED	0.026	SPIILLED	SPIILLED	SPIILLED
C92615	0.018	0.018	0.016	0.017	0.016	0.016	0.016	0.014	0.016	0.015
C92616	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92617	0.018	0.018	0.017	0.016	0.016	0.019	0.020	0.019	0.022	0.021
C92618	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92619	0.018	0.019	0.020	0.020	0.018	SPIILLED	0.019	0.019	0.020	0.019
C92620	0.020	0.020	0.019	0.020	0.021	0.020	0.019	0.020	0.021	0.019
C92621	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92622	0.019	0.017	0.017	0.017	0.016	0.017	0.017	0.017	0.017	0.016
C92623	0.018	0.017	0.016	0.017	0.017	0.017	0.016	0.017	0.017	0.016
C92624	0.019	0.019	0.017	0.018	0.018	0.018	0.019	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92625	0.018	0.017	0.017	0.017	0.015	0.017	0.017	0.016	0.016	0.016
C92626	0.016	0.021	0.018	0.020	0.020	0.017	0.017	0.020	0.021	0.014
C92627	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92628	0.022	SPIILLED	0.023	0.023	0.012	SPIILLED	0.006	SPIILLED	0.015	0.016
C92629	0.019	0.018	0.018	0.017	0.016	0.017	0.017	0.016	0.015	0.012
C92630	0.021	0.021	0.020	0.020	0.019	0.020	0.019	0.020	0.019	0.020

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 43

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 3 - 2 PPM										
C92631	0.081	0.078	0.077	0.075	0.071	0.075	0.073	0.073	0.075	0.074
C92632	0.071	0.065	0.064	0.065	0.063	0.064	0.057	0.052	0.066	0.076
C92633	0.072	0.077	0.068	0.070	0.064	0.068	0.069	0.068	0.070	0.065
C92634	0.077	0.075	0.077	0.074	0.071	0.078	0.075	0.071	0.070	0.071
C92635	0.077	0.075	0.074	0.069	0.071	0.073	0.073	0.064	0.073	0.067
C92636	0.072	0.071	0.075	0.078	0.081	0.082	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92637	0.085	0.084	0.079	0.080	0.078	0.076	0.081	0.077	0.079	0.073
C92638	0.070	0.070	0.064	0.068	0.064	0.063	0.066	0.063	0.065	0.064
C92639	0.073	0.072	0.071	0.069	0.067	0.070	0.072	0.070	0.066	0.054
C92640	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92641	0.075	0.084	0.076	0.075	0.084	0.073	0.047	0.073	0.081	0.067
C92642	0.066	0.064	0.064	0.065	0.066	0.065	0.066	0.060	0.065	0.079
C92643	0.082	0.081	0.080	0.086	0.083	SPIILLED	0.090	SPIILLED	SPIILLED	0.092
C92644	0.083	0.081	0.077	0.079	0.077	0.081	0.081	0.077	0.077	0.078
C92645	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92646	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92647	0.072	0.074	0.073	0.070	0.067	0.071	0.068	0.070	0.071	0.072
C92648	0.078	0.075	0.076	0.070	0.069	0.075	0.072	0.072	0.069	0.067
C92649	0.097	0.090	0.093	SPIILLED	0.087	0.100	0.089	0.078	0.091	0.086
C92650	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92651	0.075	0.074	0.074	0.075	0.077	0.077	0.078	0.067	0.066	0.061
C92652	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92653	0.073	0.071	0.070	0.064	0.069	0.062	0.074	0.051	0.070	0.068
C92654	0.079	0.077	0.073	0.070	0.072	0.077	0.080	0.086	0.075	0.073
C92655	0.077	0.082	0.076	0.075	0.075	SPIILLED	0.073	0.070	0.078	0.075
C92656	0.069	0.069	0.067	0.063	0.064	0.068	0.066	0.067	0.066	0.064
C92657	0.077	0.072	0.072	0.070	0.071	0.075	0.070	0.072	0.072	0.071
C92658	0.075	0.073	0.073	0.071	0.067	0.073	0.075	0.069	0.070	0.067
C92659	0.076	0.077	0.079	0.076	0.077	0.081	0.081	0.079	0.077	0.082
C92660	0.099	SPIILLED	0.099	0.103	SPIILLED	SPIILLED	SPIILLED	0.098	0.090	0.082
C92661	0.067	0.076	0.074	0.072	0.073	0.074	0.075	0.081	0.078	0.077

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 44

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 3 - 2 PPM										
C92662	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92663	0.075	0.072	0.071	0.070	0.069	0.070	TECH SPILL	SPILLED	0.072	0.066
C92664	0.076	0.076	0.075	0.074	0.070	0.074	0.074	0.073	0.077	0.066
C92665	0.071	0.070	0.071	0.065	0.064	0.067	0.069	SPILLED	0.069	0.068
C92666	0.090	0.085	0.076	0.072	0.071	0.071	0.073	0.068	0.046	0.049
C92667	0.074	0.075	0.070	0.068	0.064	0.070	0.068	0.067	0.069	0.065
C92668	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92669	0.076	0.076	0.071	0.074	0.068	0.072	0.071	0.071	0.068	0.072
C92670	0.081	0.079	0.077	0.075	0.074	0.081	0.088	0.106	0.111	0.100
C92671	0.081	0.079	0.077	0.076	0.074	0.083	0.076	0.069	0.077	0.072
C92672	0.069	0.073	0.066	0.065	0.065	0.067	0.068	0.068	0.066	0.070
C92673	0.070	0.070	0.072	0.064	0.064	0.072	0.073	0.071	0.070	0.066
C92674	0.067	0.070	0.067	0.063	0.068	0.067	0.067	0.065	0.067	0.065
C92675	0.085	0.085	0.080	0.079	0.077	0.081	0.076	0.077	0.075	0.074
C92676	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92677	0.083	0.082	0.077	0.079	0.076	0.080	0.083	0.078	0.082	0.073
C92678	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92679	0.079	0.078	0.078	0.081	0.070	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92680	0.070	0.073	0.069	0.070	0.067	0.074	0.070	0.068	0.042	0.052
C92681	0.075	0.078	0.075	0.070	0.071	0.075	0.072	0.071	0.069	0.066
C92682	0.074	0.074	0.071	0.070	0.068	0.070	0.071	0.067	0.068	0.066
C92683	0.073	0.073	0.070	0.068	0.067	0.062	0.067	0.074	0.070	0.065
C92684	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92685	0.069	0.070	0.066	0.067	0.063	0.070	0.070	0.068	0.065	0.045
C92686	0.077	0.078	0.073	0.074	0.070	0.077	0.078	0.077	0.072	0.072
C92687	0.060	0.080	0.067	0.058	0.066	0.064	0.066	0.049	0.024	NOT TAKEN
C92688	0.095	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.087	0.080	0.077	SPILLED
C92689	0.071	0.079	0.074	0.070	0.064	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92690	0.071	0.071	0.068	0.072	0.070	0.072	0.069	0.069	0.066	0.065

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 45

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 4 - 5 PPM										
C92691	0.189	0.183	0.181	0.181	0.170	0.170	0.189	0.170	0.172	0.165
C92692	0.172	0.178	0.142	0.156	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92693	0.185	0.171	0.182	0.177	0.171	0.173	0.176	0.172	0.167	0.161
C92694	0.181	0.177	0.167	0.163	0.160	0.165	0.171	0.161	0.166	0.161
C92695	0.199	0.197	0.182	0.181	0.178	0.170	0.196	0.187	0.182	0.182
C92696	0.219	0.206	0.195	0.198	0.194	0.197	0.196	0.196	0.177	0.190
C92697	0.215	0.199	0.203	0.196	0.185	0.192	0.187	0.121	NOT TAKEN	NOT TAKEN
C92698	0.173	0.177	0.173	0.171	0.167	0.165	0.160	0.168	0.164	0.156
C92699	0.209	0.198	0.205	0.195	0.201	0.207	0.227	0.199	0.198	0.209
C92700	0.268	0.246	0.239	0.219	0.217	0.226	SPIILLED	SPIILLED	0.220	0.209
C92701	0.181	0.183	0.181	0.159	0.043	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92702	0.197	0.198	0.190	0.184	0.185	0.189	0.206	0.197	0.194	0.195
C92703	0.199	0.203	0.174	0.181	0.180	0.186	0.066	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92704	0.173	0.170	0.163	0.167	0.162	0.167	0.168	0.155	0.161	0.169
C92705	0.195	0.202	0.194	0.185	0.180	0.172	0.180	0.169	0.172	0.167
C92706	0.166	0.176	0.175	0.169	0.161	0.166	0.183	0.151	0.167	0.173
C92707	0.186	0.190	0.190	0.184	0.181	0.183	0.203	0.180	0.186	0.180
C92708	0.194	0.193	0.195	0.185	0.180	0.169	0.172	0.174	0.189	0.174
C92709	0.182	0.206	0.198	0.196	0.173	0.179	0.197	0.182	0.181	0.180
C92710	0.195	0.198	0.197	0.189	0.183	0.197	0.191	0.183	0.183	NOT TAKEN
C92711	0.181	0.180	0.179	0.176	0.164	0.172	0.170	0.172	0.170	0.157
C92712	0.190	0.202	0.200	0.184	0.181	0.201	0.200	0.174	SPIILLED	0.189
C92713	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92714	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92715	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92716	0.180	0.275	SPIILLED	0.232	SPIILLED	SPIILLED	SPIILLED	0.151	0.524	SPIILLED
C92717	0.193	0.194	0.192	0.185	0.185	0.187	0.190	0.188	0.191	0.198
C92718	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92719	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92720	0.199	0.203	0.191	0.184	0.171	0.180	0.167	0.176	0.172	0.174
C92721	0.195	0.210	0.229	0.229	0.200	0.206	0.222	0.213	0.208	0.202

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 46

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 4 - 5 PPM										
C92722	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92723	0.220	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.227	0.179	0.208	0.210
C92724	0.203	0.196	0.207	0.189	0.176	0.169	0.184	0.170	0.176	0.166
C92725	0.193	0.187	0.176	0.166	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92726	0.212	0.209	0.204	0.198	0.197	0.193	0.181	0.181	0.186	0.193
C92727	0.188	0.195	0.182	0.189	0.170	0.184	0.184	0.169	0.167	0.167
C92728	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92729	0.190	0.183	0.180	0.172	0.168	0.181	0.161	0.148	0.126	0.124
C92730	0.189	0.181	0.184	0.183	0.170	0.176	0.183	0.182	0.171	0.176
C92731	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92732	0.198	0.190	0.183	0.175	0.170	0.172	0.188	0.170	0.168	0.170
C92733	0.238	0.236	0.212	0.217	0.213	0.218	0.217	0.205	0.213	0.209
C92734	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92735	0.191	0.192	0.191	0.183	0.177	0.187	0.192	0.179	0.171	0.178
C92736	0.183	0.184	0.180	0.177	0.162	0.171	0.183	0.168	0.165	0.153
C92737	0.180	0.189	0.179	0.180	0.172	0.170	0.184	0.172	0.171	0.167
C92738	0.220	0.201	0.191	0.189	0.180	0.193	0.181	0.182	0.187	0.188
C92739	0.214	0.225	0.208	0.208	0.198	0.211	0.203	0.192	0.197	0.195
C92740	0.175	0.185	0.183	0.178	0.180	0.179	0.175	0.168	0.176	0.181
C92741	0.269	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	SPILLED	0.170
C92742	0.167	0.168	0.169	0.163	0.156	0.159	0.164	0.160	0.163	0.152
C92743	0.185	0.178	0.177	0.167	0.161	0.175	0.161	0.140	0.156	0.163
C92744	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92745	0.192	0.174	0.173	0.160	0.160	0.163	0.164	0.152	0.156	0.149
C92746	0.173	0.185	0.170	0.175	0.168	0.179	0.172	0.168	0.181	0.173
C92747	0.185	0.202	0.188	0.183	0.178	0.190	0.185	0.176	0.171	0.170
C92748	0.211	0.224	0.223	SPILLED	SPILLED	0.213	0.210	SPILLED	SPILLED	0.141
C92749	0.190	0.202	0.194	0.178	0.173	0.176	0.173	0.169	0.179	0.169
C92750	0.194	0.184	0.177	0.182	0.167	0.182	0.173	0.170	0.169	0.165

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 47

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 5 - 20 PPM										
C92751	0.642	0.708	0.733	0.666	0.626	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92752	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92753	0.878	0.893	0.892	0.622	0.852	0.822	0.816	0.846	0.826	0.825
C92754	0.827	0.834	0.815	0.825	0.795	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92755	0.733	0.752	0.732	0.729	0.691	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92756	0.829	0.859	0.806	0.810	0.759	0.749	0.745	0.681	0.661	0.719
C92757	0.880	SPILED	SPILED	0.949	SPILED	0.954	SPILED	SPILED	0.948	0.854
C92758	0.741	0.755	0.705	0.638	0.549	0.524	0.586	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92759	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92760	0.841	0.845	0.838	0.812	0.771	0.766	0.795	0.733	0.524	0.345
C92761	0.967	0.938	0.921	0.903	0.848	0.859	0.850	0.861	0.954	0.882
C92762	0.878	0.831	0.809	0.803	0.772	0.741	0.731	0.745	0.688	0.716
C92763	0.725	0.690	0.666	0.651	0.614	0.640	0.626	0.563	0.633	0.600
C92764	0.901	0.943	0.904	SPILED	0.850	0.843	0.864	0.782	0.666	0.392
C92765	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92766	0.848	0.800	0.798	0.726	0.710	0.813	0.887	0.788	0.846	0.789
C92767	0.804	0.744	SPILED	SPILED	0.604	0.636	SPILED	0.695	SPILED	0.630
C92768	0.819	0.810	0.759	0.758	0.759	0.769	0.755	0.702	0.707	0.695
C92769	0.820	0.833	0.807	0.800	0.745	0.844	0.775	0.714	0.749	0.740
C92770	0.774	0.785	0.740	0.728	0.633	0.733	0.717	0.649	0.651	0.633
C92771	0.740	0.757	0.690	0.640	0.675	0.710	0.752	0.660	0.659	0.634
C92772	0.900	0.832	0.845	0.784	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92773	0.959	0.928	0.886	0.892	0.852	0.840	0.861	0.861	0.915	0.854
C92774	0.746	0.751	0.680	0.680	0.699	0.706	0.698	0.649	0.692	0.649
C92775	0.809	0.808	0.581	0.781	0.750	0.683	0.761	0.750	0.744	0.694
C92776	0.766	0.782	0.767	0.737	0.715	0.775	0.770	0.630	0.754	0.708
C92777	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92778	0.769	0.703	0.740	0.700	0.533	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92779	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92780	0.993	1.001	0.970	0.947	0.941	0.871	0.962	0.938	1.016	0.951
C92781	0.780	0.779	0.793	0.748	0.717	0.743	0.732	0.774	0.806	0.116

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 48

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 5 - 20 PPM										
C92782	0.784	0.756	0.726	0.719	0.680	0.702	0.745	0.687	0.679	0.643
C92783	0.738	0.724	0.721	0.677	0.662	0.713	0.706	0.646	0.677	0.596
C92784	0.839	0.811	0.781	0.784	0.723	0.782	0.733	0.786	0.763	0.806
C92785	0.823	0.801	0.803	0.770	0.744	0.789	0.801	0.732	0.774	0.758
C92786	0.815	0.788	0.761	0.761	0.710	0.786	0.767	0.744	0.782	0.720
C92787	0.985	1.064	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92788	0.833	0.819	0.781	0.768	0.693	0.723	0.797	0.729	0.678	0.698
C92789	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92790	0.769	0.788	0.741	0.744	0.738	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92791	0.898	0.850	0.846	0.813	0.736	0.754	0.791	0.727	0.744	0.704
C92792	0.749	0.757	0.802	0.756	0.712	0.776	0.750	0.749	0.765	0.777
C92793	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92794	0.797	0.755	0.762	0.733	0.698	0.290	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92795	0.789	0.804	0.764	0.744	0.617	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92796	0.850	0.860	0.850	0.840	0.677	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92797	0.895	0.855	0.864	0.762	0.783	0.798	0.841	0.792	0.825	0.777
C92798	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92799	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92800	0.797	0.745	0.819	0.744	0.734	0.717	0.790	0.775	0.799	0.803
C92801	0.760	0.719	0.676	0.681	0.580	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92802	0.830	0.797	0.850	0.773	0.724	0.786	0.774	0.721	0.740	0.701
C92803	0.821	0.790	0.836	0.771	0.763	0.768	0.796	0.754	0.757	0.727
C92804	0.823	0.813	0.803	0.782	0.717	0.711	0.784	0.739	0.744	0.689
C92805	0.669	0.705	0.739	0.694	0.647	0.694	0.765	0.646	0.408	NOT TAKEN
C92806	0.662	0.747	0.800	0.696	0.695	0.739	0.838	0.816	0.784	0.743
C92807	0.739	0.695	0.747	0.718	0.637	0.717	0.731	0.661	0.679	0.669
C92808	0.839	0.783	0.800	0.780	0.771	0.794	0.818	0.799	0.788	0.741
C92809	0.806	0.805	0.781	0.776	0.724	0.737	0.777	0.738	0.722	0.729
C92810	0.795	0.787	0.777	0.762	0.708	0.736	0.799	0.734	0.782	0.758
C92811	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92812	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 49

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 5 - 20 PPM										
C92813	0.847	0.885	0.850	0.817	0.763	0.793	0.793	0.805	0.813	0.769
C92814	0.834	0.772	0.815	0.788	0.773	0.808	0.794	0.746	0.730	0.753
C92815	SPIILLED	1.137	SPIILLED	SPIILLED	SPIILLED	SPIILLED	1.058	TECH SPILL	1.027	0.965
C92816	0.707	0.748	0.739	0.716	0.681	0.747	0.746	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92817	0.742	0.733	0.748	0.706	0.500	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92818	0.824	0.804	0.801	0.815	0.737	0.815	0.794	0.753	0.797	0.759
C92819	0.844	0.823	0.863	0.830	0.779	0.820	0.801	0.768	0.777	0.748
C92820	1.133	1.034	0.720	1.054	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
GROUP: MALE 6 - 20 PPM										
C92821	0.831	0.803	0.734	0.759	0.733	0.000	0.000	0.000	0.000	0.000
C92822	0.737	0.731	0.729	0.732	0.710	0.000	SPIILLED	0.000	0.000	0.000
C92823	0.834	0.816	0.832	0.837	0.773	0.000	0.000	0.000	SPIILLED	0.000
C92824	0.867	0.750	0.810	0.787	0.777	0.000	0.000	0.000	0.000	0.000
C92825	0.817	0.793	0.786	SPIILLED	SPIILLED	0.000	0.000	SPIILLED	SPIILLED	0.000
C92826	0.862	0.835	0.840	0.849	0.779	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92827	0.873	0.819	0.844	0.807	0.704	0.000	0.000	0.000	0.000	0.000
C92828	0.801	0.835	0.835	0.845	0.787	0.000	0.000	0.000	0.000	0.000
C92829	0.814	0.734	0.861	0.777	SPIILLED	0.000	0.000	0.000	SPIILLED	0.000
C92830	0.819	0.913	0.915	0.905	0.679	0.000	0.000	0.000	SPIILLED	0.000
C92831	0.737	0.735	0.759	0.744	0.732	0.000	0.000	0.000	0.000	0.000
C92832	0.793	0.801	0.789	0.786	0.741	0.000	0.000	0.000	0.000	NOT TAKEN
C92833	0.744	0.752	0.730	0.739	0.644	0.000	0.000	0.000	0.000	0.000
C92834	0.826	0.830	0.835	0.815	0.795	0.000	0.000	0.000	0.000	0.000
C92835	0.778	0.780	0.780	0.756	0.680	0.000	0.000	0.000	0.000	0.000
C92836	0.761	0.822	0.780	0.730	0.710	0.000	SPIILLED	0.000	0.000	0.000
C92837	0.784	0.792	0.824	0.802	0.746	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C92838	0.835	0.808	0.820	0.779	0.711	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C92839	0.813	0.771	0.735	SPIILLED	0.643	SPIILLED	0.000	0.000	SPIILLED	0.000
C92840	0.775	0.790	0.765	0.759	0.708	0.000	0.000	0.000	0.000	0.000

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 50

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: MALE 6 - 20 PPM										
C92841	0.805	0.743	0.791	0.725	0.693	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C92842	0.775	0.752	0.763	0.736	0.656	0.000	0.000	0.000	0.000	0.000
C92843	0.783	0.763	0.756	0.713	0.667	SPIILLED	0.000	0.000	0.000	0.000
C92844	0.818	0.746	0.848	0.837	0.816	0.000	0.000	0.000	0.000	0.000
C92845	0.872	0.902	0.889	0.850	0.803	0.000	0.000	0.000	0.000	0.000
C92846	0.820	0.707	0.809	0.778	0.711	0.000	0.000	0.000	0.000	0.000
C92847	0.793	0.754	0.733	0.729	0.698	0.000	0.000	0.000	0.000	0.000
C92848	0.817	0.820	0.869	0.820	0.739	0.000	0.000	0.000	0.000	0.000
C92849	0.919	0.858	0.858	0.780	0.836	0.000	0.000	0.000	0.000	NOT TAKEN
C92850	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.000	SPIILLED	0.000	0.000
C92851	0.801	0.808	0.793	0.748	0.737	0.000	0.000	0.000	0.000	0.000
C92852	0.903	0.889	0.880	0.852	0.757	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C92853	0.788	0.835	0.756	0.754	0.689	0.000	0.000	0.000	0.000	0.000
C92854	0.753	0.761	0.785	0.719	0.691	0.000	0.000	0.000	0.000	0.000
C92855	0.744	0.822	0.826	0.708	0.823	0.000	0.000	SPIILLED	0.000	NOT TAKEN
C92856	0.835	0.862	0.844	0.836	0.778	0.000	0.000	0.000	0.000	0.000
C92857	0.743	0.715	0.658	0.718	0.685	SPIILLED	0.000	SPIILLED	SPIILLED	0.000
C92858	0.712	0.706	0.711	0.733	0.678	0.000	0.000	0.000	0.000	0.000
C92859	0.792	0.816	0.825	0.805	0.759	0.000	0.000	0.000	0.000	NOT TAKEN
C92860	0.823	0.790	0.831	0.806	0.807	0.000	0.000	0.000	0.000	0.000
GROUP: FEMALE 2 - 0.5 PPM										
C92931	0.021	0.022	0.018	0.018	0.019	0.019	0.020	0.018	0.015	NOT TAKEN
C92932	0.017	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92933	0.023	0.022	SPIILLED	0.020	0.021	0.021	0.023	0.019	0.022	0.018
C92934	0.026	0.027	0.024	0.023	0.024	0.025	0.022	0.015	0.023	0.022
C92935	0.020	0.022	0.020	0.019	0.019	0.019	0.020	0.020	0.020	0.019
C92936	0.024	0.022	0.022	0.021	0.022	0.024	0.021	0.023	0.024	0.023
C92937	0.030	0.028	0.026	0.025	0.026	0.013	0.022	0.017	NOT TAKEN	NOT TAKEN
C92938	0.026	0.022	0.023	0.022	0.022	0.021	0.020	0.021	0.019	0.017

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 51

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 2 - 0.5 PPM										
C92939	0.030	0.029	0.026	0.024	0.025	0.025	0.024	0.028	0.026	NOT TAKEN
C92940	0.027	0.029	0.027	0.026	0.026	0.026	0.021	0.024	0.026	SPILLED
C92941	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92942	0.030	0.028	SPILLED	0.029	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92943	0.025	0.024	0.021	0.021	0.021	0.023	0.019	0.022	0.023	0.021
C92944	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92945	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92946	0.026	0.024	0.022	0.019	0.018	0.017	0.018	0.022	0.021	0.020
C92947	0.025	0.023	0.025	0.020	0.022	0.022	0.024	0.022	0.023	0.021
C92948	0.025	0.024	0.022	0.020	0.022	0.023	0.018	0.019	0.020	0.017
C92949	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92950	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92951	0.030	0.030	0.026	0.024	0.025	0.045	0.024	0.030	0.023	0.025
C92952	0.027	SPILLED	0.022	0.022	0.021	0.022	0.021	TECH SPILL	NOT TAKEN	NOT TAKEN
C92953	0.024	0.028	0.023	0.024	0.021	0.021	0.022	0.022	0.022	0.021
C92954	0.030	0.030	0.029	0.028	0.024	0.027	0.028	0.029	0.025	0.025
C92955	0.023	0.021	0.019	0.020	0.021	0.022	0.020	0.020	0.020	0.018
C92956	0.023	0.021	0.023	0.020	0.022	0.022	0.019	0.020	0.020	0.019
C92957	0.026	SPILLED	0.027	0.023	0.022	0.026	0.022	0.023	0.022	0.020
C92958	0.028	0.026	0.025	0.024	0.023	0.025	0.021	0.020	0.020	0.020
C92959	0.035	0.029	SPILLED	0.032	SPILLED	0.025	0.010	0.024	0.022	0.022
C92960	0.033	0.024	0.027	0.024	0.024	0.022	0.021	0.023	0.021	0.018
C92961	0.022	0.020	0.021	0.018	0.020	0.021	0.019	0.019	0.019	0.018
C92962	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92963	0.029	0.026	0.029	0.024	0.026	0.023	0.026	0.022	0.024	0.019
C92964	0.025	SPILLED	0.025	0.023	0.022	0.023	0.022	SPILLED	0.023	0.022
C92965	0.029	0.031	0.028	0.028	0.029	0.027	0.025	0.021	0.021	0.021
C92966	0.027	0.026	0.026	0.023	0.024	0.025	0.025	0.027	0.016	NOT TAKEN
C92967	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92968	0.025	0.022	0.012	0.019	0.021	0.017	0.025	0.022	NOT TAKEN	NOT TAKEN
C92969	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 52

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 2 - 0.5 PPM										
C92970	0.021	0.022	0.020	0.020	0.020	0.020	0.019	0.020	0.019	0.017
C92971	0.027	0.028	0.025	0.024	0.025	0.027	0.024	0.025	0.026	0.021
C92972	0.026	0.026	0.023	0.025	0.025	0.025	0.020	0.023	0.022	0.023
C92973	0.028	0.027	0.026	0.023	0.022	0.020	0.023	0.020	0.023	0.021
C92974	0.026	0.026	0.023	0.024	0.023	0.024	0.022	0.023	0.021	0.022
C92975	0.027	0.028	0.027	0.024	0.025	0.025	0.024	0.026	0.028	0.025
C92976	0.026	0.026	0.024	0.019	0.024	0.022	0.016	0.019	0.024	0.023
C92977	0.028	0.028	0.023	0.025	0.024	0.024	0.022	0.020	0.023	0.023
C92978	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92979	0.024	0.023	0.019	0.020	0.017	0.022	0.021	0.020	0.020	0.018
C92980	0.025	0.023	0.024	0.021	0.022	0.019	0.022	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92981	0.023	0.024	0.022	0.021	0.021	0.022	0.022	0.022	0.015	NOT TAKEN
C92982	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92983	0.024	0.025	0.022	0.022	0.018	0.023	0.021	0.022	0.022	0.022
C92984	0.023	0.024	0.024	0.022	0.022	0.021	0.018	0.023	0.019	0.023
C92985	0.022	0.026	0.022	0.020	0.017	0.022	0.019	0.021	0.025	0.021
C92986	0.026	0.026	0.025	0.023	0.022	0.024	0.022	0.026	0.022	0.022
C92987	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92988	0.026	0.027	0.024	0.024	0.022	0.020	0.021	0.021	0.021	0.019
C92989	0.029	SPIILLED	0.029	0.026	SPIILLED	0.028	0.026	0.026	0.025	0.021
C92990	0.031	0.030	0.028	0.026	0.017	0.024	0.021	0.023	0.024	0.022
GROUP: FEMALE 3 - 2 PPM										
C92991	0.120	0.113	0.093	0.096	0.098	0.097	0.085	0.095	0.089	0.087
C92992	0.129	0.113	0.101	0.098	0.107	0.091	0.092	0.090	0.094	0.087
C92993	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92994	0.096	0.121	0.081	0.099	0.100	0.095	0.071	0.104	0.097	0.096
C92995	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92996	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92997	0.112	0.112	0.102	0.109	0.107	0.104	0.098	0.101	0.099	0.092

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 3 - 2 PPM										
C92998	0.095	0.035	TECH SPILL	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92999	0.099	0.100	0.095	0.087	0.088	0.088	0.092	0.090	0.100	0.083
C93000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93001	0.112	0.121	0.097	0.109	0.096	0.094	0.098	0.091	0.094	0.087
C93002	0.110	0.108	0.104	0.107	0.108	0.101	0.109	0.099	0.102	0.091
C93003	0.098	0.108	0.087	0.078	0.095	0.089	0.088	0.088	0.094	0.078
C93004	0.087	0.111	0.094	0.092	0.081	0.086	0.083	0.079	0.058	0.070
C93005	0.122	0.096	0.091	0.097	0.101	0.104	0.094	0.084	0.097	0.090
C93006	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93007	0.101	0.100	0.089	0.090	0.092	0.090	0.085	0.088	0.080	0.073
C93008	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93009	SPIILLED	0.106	SPIILLED	0.092	0.091	0.092	0.083	0.083	0.081	0.079
C93010	0.118	0.114	0.078	0.084	0.089	0.093	0.083	0.083	0.080	0.083
C93011	0.090	0.088	0.089	0.084	0.081	0.082	0.080	0.077	0.087	0.079
C93012	0.117	0.107	0.103	0.108	0.101	0.104	0.098	0.101	0.089	SPIILLED
C93013	0.097	0.106	0.092	0.089	0.091	0.085	0.088	0.084	0.084	0.078
C93014	0.102	0.098	0.091	0.081	0.076	0.076	0.081	0.074	0.048	0.044
C93015	0.108	0.110	0.106	0.098	0.114	0.098	0.104	0.090	0.072	0.108
C93016	0.132	0.123	0.114	0.124	0.107	0.122	0.117	0.072	0.125	SPIILLED
C93017	0.104	0.100	0.103	0.106	0.099	0.104	0.103	SPIILLED	0.109	0.101
C93018	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93019	0.087	0.084	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93020	0.114	0.117	0.077	0.097	0.081	0.091	0.064	0.026	NOT TAKEN	NOT TAKEN
C93021	0.094	0.102	0.088	0.090	0.082	0.042	0.041	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93022	0.085	0.099	0.083	0.072	0.066	0.083	0.079	0.078	0.078	0.051
C93023	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93024	0.106	0.108	0.106	0.104	0.100	0.092	0.093	0.089	0.092	0.082
C93025	0.105	0.108	0.087	0.099	0.091	0.087	0.089	0.068	0.086	SPIILLED
C93026	0.121	0.118	0.105	0.101	0.104	0.099	0.101	0.100	0.074	0.103
C93027	0.104	0.106	0.098	0.105	0.090	0.101	0.087	0.085	0.090	0.085
C93028	0.113	0.117	0.107	0.107	0.109	0.093	0.090	0.103	0.092	0.083

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 54

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 3 - 2 PPM										
C93029	SPILLED	SPILLED	SPILLED	0.129	SPILLED	0.126	0.130	SPILLED	SPILLED	NOT TAKEN
C93030	0.098	0.091	0.088	0.082	0.082	0.081	0.077	0.077	0.084	0.072
C93031	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93032	0.101	0.105	0.093	0.103	0.094	0.092	0.089	0.085	0.087	0.075
C93033	0.120	0.106	0.126	0.125	0.067	0.131	SPILLED	0.070	NOT TAKEN	NOT TAKEN
C93034	0.104	0.110	0.098	0.103	0.103	0.108	0.103	0.105	0.109	0.095
C93035	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93036	0.092	0.102	0.101	0.097	0.089	0.079	0.087	0.080	0.077	0.076
C93037	0.098	0.108	0.084	0.098	0.094	0.081	0.080	0.053	NOT TAKEN	NOT TAKEN
C93038	0.116	0.121	0.105	0.104	0.109	0.104	0.088	0.078	0.079	NOT TAKEN
C93039	0.098	0.103	0.088	0.083	0.098	0.083	0.083	0.079	0.083	0.080
C93040	0.128	0.125	0.145	0.123	0.113	0.107	0.127	0.126	SPILLED	0.122
C93041	0.104	0.109	0.102	0.105	0.100	0.104	0.097	0.096	0.095	0.090
C93042	0.098	0.095	0.091	0.087	0.078	0.093	0.088	0.087	0.078	0.082
C93043	0.109	0.103	0.112	0.115	0.123	SPILLED	0.108	0.105	SPILLED	SPILLED
C93044	0.121	0.108	0.103	0.100	0.102	0.094	0.042	0.048	NOT TAKEN	NOT TAKEN
C93045	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93046	0.110	0.117	0.109	0.110	0.087	0.104	0.100	0.093	0.087	0.081
C93047	0.087	0.097	0.091	0.078	0.075	0.084	0.074	0.080	0.076	0.076
C93048	CNTMD	0.125	0.105	0.106	0.098	0.118	0.108	0.104	0.104	0.095
C93049	0.103	0.096	0.089	0.101	0.091	0.089	0.093	0.048	0.042	NOT TAKEN
C93050	0.127	0.115	0.108	0.107	0.107	0.102	0.098	0.094	0.094	0.081
GROUP: FEMALE 4 - 5 PPM										
C93051	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93052	0.237	0.254	0.229	0.225	0.226	0.203	0.181	0.123	0.117	NOT TAKEN
C93053	0.250	0.232	0.213	0.221	0.225	0.229	0.121	0.153	NOT TAKEN	NOT TAKEN
C93054	0.309	0.314	0.275	0.281	0.263	0.248	0.215	0.203	0.259	NOT TAKEN
C93055	0.221	0.258	0.232	0.229	0.221	0.197	0.201	0.201	0.192	0.187
C93056	0.286	0.277	0.266	0.260	0.246	0.251	0.233	0.238	0.248	0.229

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 55

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 4 - 5 PPM										
C93057	0.263	0.268	0.223	0.250	0.226	0.227	0.223	0.225	0.244	0.225
C93058	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93059	0.269	0.259	0.235	0.247	0.217	0.225	0.234	0.223	0.213	0.202
C93060	0.239	0.296	0.257	0.267	0.298	0.262	0.251	0.235	0.259	0.180
C93061	0.269	0.254	0.260	0.249	0.249	0.266	0.263	SPIILLED	0.272	0.221
C93062	0.291	0.276	0.259	0.259	0.261	0.251	0.248	0.242	0.233	0.225
C93063	0.249	0.242	0.223	0.227	0.206	0.216	0.206	0.201	0.223	0.189
C93064	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93065	0.306	0.291	0.282	0.295	0.282	0.259	0.261	0.268	0.257	0.212
C93066	SPIILLED	SPIILLED	SPIILLED	0.274	SPIILLED	0.289	0.222	SPIILLED	SPIILLED	SPIILLED
C93067	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93068	0.270	0.273	0.251	0.262	0.243	0.260	0.228	0.233	0.238	0.242
C93069	0.240	0.255	0.249	0.236	0.245	0.220	0.216	0.214	0.224	0.190
C93070	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93071	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93072	0.253	0.234	0.226	0.242	0.232	0.212	0.202	0.224	0.236	0.226
C93073	0.278	0.296	0.269	SPIILLED	0.328	0.286	0.257	0.238	0.266	0.128
C93074	0.216	0.217	0.126	0.275	0.219	0.204	0.188	0.187	0.182	0.168
C93075	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93076	0.269	0.256	0.255	0.221	0.210	0.234	0.212	0.180	0.250	0.211
C93077	0.254	0.240	0.248	0.231	0.193	0.226	0.186	0.273	0.255	0.238
C93078	0.289	0.266	0.268	0.257	0.247	0.340	0.225	0.236	0.240	0.235
C93079	0.244	0.250	0.267	0.249	0.239	0.230	0.187	0.219	0.222	0.192
C93080	SPIILLED	SPIILLED	SPIILLED	0.257	SPIILLED	0.223	SPIILLED	0.223	0.256	SPIILLED
C93081	0.236	0.255	0.223	0.251	0.230	0.265	0.225	0.201	0.220	0.194
C93082	0.237	0.240	0.219	0.231	0.196	0.210	0.222	0.226	0.217	0.215
C93083	0.252	0.273	0.262	0.244	0.235	0.226	0.212	0.217	0.232	0.225
C93084	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93085	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93086	0.267	0.257	0.255	0.231	0.224	0.216	0.222	0.231	0.209	0.220
C93087	0.246	0.273	0.264	0.232	0.231	0.236	0.214	0.222	0.250	0.207

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 56

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 4 - 5 PPM										
C93088	0.282	0.291	0.251	0.262	0.290	0.293	0.285	0.293	0.208	0.166
C93089	0.260	0.289	0.213	0.273	0.253	0.268	0.236	0.233	0.232	0.246
C93090	0.253	0.261	0.267	0.247	0.226	0.237	0.242	0.249	0.244	0.222
C93091	0.251	0.258	0.233	0.244	0.235	0.228	0.225	0.221	0.218	0.240
C93092	0.298	0.314	0.272	0.276	0.271	0.269	0.237	SPIILLED	0.266	0.125
C93093	0.274	0.260	0.232	0.254	0.213	0.225	0.210	0.206	0.192	0.223
C93094	0.258	0.275	0.242	0.233	0.231	0.235	0.208	0.228	0.210	0.200
C93095	0.254	0.246	0.245	0.235	0.223	0.222	0.216	0.209	0.228	0.207
C93096	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93097	0.295	0.276	0.256	0.249	SPIILLED	0.230	0.234	0.227	0.267	0.207
C93098	0.261	0.228	0.228	0.204	0.202	0.224	0.245	0.210	0.211	0.209
C93099	0.250	0.239	0.221	0.222	0.223	0.215	0.201	0.199	0.192	0.183
C93100	0.256	0.313	0.273	0.268	0.241	0.251	0.247	0.256	0.238	0.230
C93101	0.241	0.227	0.262	0.255	0.207	0.204	0.205	0.192	0.191	0.217
C93102	0.296	0.284	0.281	0.281	0.269	0.254	0.241	0.289	0.261	0.225
C93103	0.316	0.304	0.257	0.257	0.234	0.231	0.234	0.230	0.229	0.211
C93104	0.248	0.215	0.227	0.227	0.210	0.221	0.211	0.202	0.167	0.231
C93105	0.266	0.269	0.257	0.260	0.246	0.252	0.238	0.253	0.247	SPIILLED
C93106	0.257	0.247	0.256	0.241	0.203	0.204	0.228	0.210	0.216	0.229
C93107	0.226	0.255	0.219	SPIILLED	0.228	0.210	0.224	0.232	0.222	0.209
C93108	0.242	0.243	0.214	0.221	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93109	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93110	0.241	0.252	0.246	0.216	0.248	0.210	0.250	0.201	0.188	0.223
GROUP: FEMALE 5 - 20 PPM										
C93111	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93112	1.040	1.061	SPIILLED	1.137	0.855	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93113	1.173	1.266	1.108	1.043	1.127	1.032	0.959	1.006	0.969	0.980
C93114	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93115	1.257	1.215	1.116	1.080	1.067	1.034	0.968	0.997	0.978	0.863

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 57

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 5 - 20 PPM										
C93116	1.220	1.242	1.212	1.203	1.116	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93117	1.229	1.198	1.104	SPIILLED	1.398	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93118	1.058	1.163	1.129	1.081	1.006	0.980	1.014	1.093	1.287	1.120
C93119	1.143	1.199	1.123	1.116	1.173	1.092	1.028	SPIILLED	1.245	1.268
C93120	1.207	1.255	1.141	1.112	0.991	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93121	1.050	1.117	SPIILLED	1.067	1.111	1.081	1.090	3.483	1.118	0.857
C93122	1.034	1.122	1.049	1.126	1.040	0.967	0.989	0.961	1.006	1.038
C93123	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93124	1.030	1.074	1.215	1.119	1.151	1.080	1.087	1.101	1.026	1.022
C93125	1.216	1.266	1.257	1.163	1.189	1.163	1.210	1.179	1.179	1.084
C93126	1.103	1.169	1.065	1.059	1.024	0.599	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93127	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93128	1.004	1.134	1.105	1.043	1.013	0.957	0.959	1.108	1.043	0.985
C93129	1.208	1.314	1.255	1.251	1.294	1.156	1.091	SPIILLED	1.396	1.163
C93130	1.049	1.140	0.973	0.999	1.031	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93131	1.097	1.019	1.028	0.993	0.959	0.919	0.835	0.856	0.940	0.856
C93132	1.049	0.983	0.931	0.972	0.811	0.900	0.909	0.905	0.947	0.806
C93133	1.070	1.414	SPIILLED	1.183	0.896	1.171	0.837	0.987	1.047	0.935
C93134	1.066	0.998	0.990	1.007	1.011	0.897	0.650	0.658	NOT TAKEN	NOT TAKEN
C93135	1.257	1.321	1.140	1.195	1.180	1.301	SPIILLED	1.314	1.401	SPIILLED
C93136	1.242	1.298	1.201	1.232	1.256	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93137	1.246	1.180	1.192	1.171	1.030	0.914	1.066	0.927	1.003	0.974
C93138	0.957	1.018	0.889	0.944	1.028	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93139	1.326	1.172	1.072	1.123	1.070	1.005	1.034	0.983	0.931	0.974
C93140	1.123	1.095	0.922	0.924	0.987	0.952	0.977	0.981	0.965	0.887
C93141	1.118	1.123	1.023	0.955	1.020	0.963	0.894	1.105	0.960	0.936
C93142	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93143	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93144	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93145	SPIILLED	SPIILLED	SPIILLED	1.354	SPIILLED	1.240	SPIILLED	1.133	1.059	1.270
C93146	0.984	1.207	1.055	1.400	1.115	1.126	1.194	1.133	1.253	1.173

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 58

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 5 - 20 PPM										
C93147	1.043	1.113	1.052	0.980	1.073	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93148	1.164	1.189	1.182	1.171	1.115	1.149	1.156	1.068	1.022	0.982
C93149	1.026	1.212	1.042	1.014	0.984	0.975	0.988	0.984	1.060	0.903
C93150	1.310	1.252	1.240	1.202	1.211	1.120	1.161	1.184	1.201	1.175
C93151	1.162	1.437	1.042	1.036	1.077	1.060	1.109	1.111	1.147	1.124
C93152	1.151	1.194	1.164	1.241	1.358	1.020	1.043	1.071	NOT TAKEN	NOT TAKEN
C93153	1.224	1.287	1.262	1.262	1.243	1.089	1.136	1.153	1.248	1.201
C93154	1.199	1.166	1.014	1.093	0.967	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93155	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93156	1.127	1.078	1.024	1.022	0.971	1.003	0.972	1.061	0.948	0.958
C93157	1.154	1.215	1.101	1.011	1.029	0.982	0.959	0.960	0.934	0.862
C93158	1.130	1.526	1.137	1.100	1.140	1.017	0.975	0.953	0.955	0.939
C93159	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93160	1.203	1.245	1.192	SPIILLED	SPIILLED	1.190	1.112	SPIILLED	SPIILLED	0.081
C93161	1.152	0.996	1.040	1.086	1.025	0.964	0.868	0.986	0.765	0.981
C93162	1.053	1.121	0.809	0.999	1.008	1.074	1.119	1.030	1.095	SPIILLED
C93163	1.118	1.133	0.950	1.016	0.924	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93164	1.055	1.147	1.210	1.181	1.192	1.041	1.112	1.064	1.133	1.015
C93165	1.126	1.061	0.975	0.996	1.004	0.988	0.965	1.004	1.004	0.941
C93166	0.867	1.182	0.772	0.807	1.055	0.812	0.893	0.975	0.852	0.857
C93167	0.907	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93168	1.105	1.170	1.049	1.091	1.177	1.114	1.051	1.118	1.070	1.005
C93169	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93170	0.858	SPIILLED	SPIILLED	1.624	1.200	1.265	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C93171	1.108	1.715	1.054	1.014	0.927	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93172	1.046	1.075	1.005	1.012	0.972	1.096	0.892	1.075	0.948	0.425
C93173	1.041	1.137	1.013	0.999	0.947	1.058	0.964	SPIILLED	0.964	0.941
C93174	SPIILLED	SPIILLED	SPIILLED	1.420	1.376	SPIILLED	0.958	SPIILLED	1.078	0.918
C93175	1.091	1.107	1.065	1.060	1.072	1.019	1.028	1.051	0.989	1.028
C93176	1.051	0.995	0.888	0.874	0.899	0.924	0.831	0.879	0.899	0.753
C93177	1.167	1.172	1.109	1.116	1.120	1.255	1.113	1.146	1.275	1.073

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 59

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 5 - 20 PPM										
C93178	1.033	1.024	0.907	0.995	0.918	0.909	0.886	0.928	0.885	0.882
C93179	1.156	1.207	1.050	1.073	1.015	1.135	1.011	1.035	1.029	1.012
C93180	1.082	1.106	1.011	1.130	1.043	0.911	0.666	NOT TAKEN	NOT TAKEN	NOT TAKEN
GROUP: FEMALE 6 - 20 PPM										
C93181	1.134	1.171	1.071	1.094	1.131	0.000	0.000	0.000	0.000	0.000
C93182	1.097	1.122	1.027	1.052	1.076	0.000	0.000	0.000	0.000	0.000
C93183	1.031	0.859	0.784	0.957	0.933	0.000	0.000	0.000	0.000	0.000
C93184	1.231	1.214	1.190	1.164	1.132	0.000	0.000	0.000	0.000	0.000
C93185	1.137	1.112	1.149	1.087	1.046	0.000	0.000	0.000	0.000	0.000
C93186	1.209	1.222	1.362	1.199	1.202	0.000	0.000	0.000	0.000	SPIILLED
C93187	1.036	1.054	0.964	0.935	0.963	0.000	0.000	0.000	0.000	0.000
C93188	1.055	1.091	1.017	0.958	0.952	0.000	0.000	0.000	0.000	0.000
C93189	1.049	1.255	1.571	1.320	1.262	0.000	0.000	0.000	0.000	0.000
C93190	1.156	1.193	1.125	1.155	1.108	0.000	0.000	0.000	0.000	0.000
C93191	1.288	1.210	1.095	0.984	0.964	0.000	0.000	0.000	SPIILLED	0.000
C93192	1.238	1.296	1.155	1.180	1.114	0.000	0.000	0.000	0.000	0.000
C93193	1.016	1.134	0.972	0.951	0.895	0.000	0.000	0.000	0.000	0.000
C93194	1.082	1.074	1.014	0.968	1.053	0.000	0.000	0.000	0.000	0.000
C93195	1.065	1.124	1.045	1.009	0.998	0.000	0.000	0.000	0.000	NOT TAKEN
C93196	1.111	1.135	1.118	1.050	1.098	0.000	0.000	0.000	0.000	0.000
C93197	1.140	1.275	1.093	1.265	1.254	SPIILLED	SPIILLED	SPIILLED	0.000	0.000
C93198	0.983	1.017	1.001	0.955	0.960	0.000	0.000	0.000	0.000	0.000
C93199	1.118	1.097	1.056	1.026	0.999	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C93200	1.174	1.204	1.102	1.114	1.133	0.000	0.000	0.000	0.000	0.000
C93201	1.047	1.263	1.061	1.410	1.052	0.000	0.000	SPIILLED	0.000	0.000
C93202	1.044	0.973	0.986	1.013	0.930	0.000	0.000	0.000	0.000	0.000
C93203	1.119	1.065	0.998	0.993	1.127	0.000	0.000	0.000	0.000	0.000
C93204	1.100	1.129	1.099	1.141	1.076	0.000	0.000	0.000	0.000	0.000
C93205	1.070	1.044	0.975	1.071	1.037	0.000	0.000	0.000	0.000	0.000

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 60

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 36	WEEK 40	WEEK 44	WEEK 48	WEEK 52	WEEK 56	WEEK 60	WEEK 64	WEEK 68	WEEK 72
GROUP: FEMALE 6 - 20 PPM										
C93206	1.156	1.206	1.186	1.167	1.103	0.000	0.000	0.000	0.000	0.000
C93207	1.211	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93208	1.225	1.054	1.073	1.057	0.910	0.000	0.000	0.000	0.000	0.000
C93209	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.000	0.000	0.000
C93210	0.987	1.043	1.006	0.954	0.994	SPIILLED	0.000	0.000	0.000	SPIILLED
C93211	1.169	1.192	1.135	1.163	1.112	SPIILLED	0.000	0.000	0.000	0.000
C93212	1.096	1.185	1.072	0.998	0.978	0.000	0.000	0.000	0.000	0.000
C93213	1.061	1.076	0.854	0.874	1.240	0.000	0.000	0.000	0.000	0.000
C93214	1.146	1.158	1.098	1.010	1.026	0.000	0.000	0.000	0.000	0.000
C93215	1.000	1.039	0.983	0.906	0.975	0.000	0.000	0.000	0.000	0.000
C93216	1.095	1.051	1.024	0.992	1.013	0.000	0.000	0.000	0.000	0.000
C93217	1.141	1.107	1.014	0.998	1.000	0.000	0.000	0.000	0.000	0.000
C93218	1.073	1.151	1.039	1.020	1.076	0.000	0.000	0.000	0.000	0.000
C93219	0.938	1.004	0.997	0.924	0.918	0.000	0.000	0.000	0.000	0.000
C93220	0.983	1.042	0.976	0.936	0.928	0.000	0.000	0.000	0.000	0.000

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 61

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 2 - 0.5 PPM								
C92571	0.017	0.018	0.017	0.017	0.016	0.009	SPIILLED	NOT TAKEN
C92572	0.016	0.017	0.017	0.018	0.018	0.019	0.008	NOT TAKEN
C92573	0.015	0.009	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92574	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92575	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92576	0.016	0.014	0.016	0.016	0.017	0.011	NOT TAKEN	NOT TAKEN
C92577	0.014	0.012	0.015	0.015	0.015	0.014	0.014	0.013
C92578	0.014	0.012	0.006	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92579	0.013	0.010	0.013	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92580	0.005	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92581	0.018	0.015	0.017	0.016	0.014	0.011	0.023	0.000
C92582	0.017	0.014	0.017	0.017	0.016	0.014	SPIILLED	NOT TAKEN
C92583	0.017	0.015	0.017	0.018	0.017	0.018	0.016	0.015
C92584	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92585	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92586	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92587	0.017	0.016	0.011	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92588	0.019	0.018	0.021	0.021	0.023	0.020	0.011	NOT TAKEN
C92589	0.019	0.016	0.017	0.018	0.016	0.013	NOT TAKEN	NOT TAKEN
C92590	0.017	0.016	0.017	0.017	0.017	0.017	0.018	0.018
C92591	0.017	0.016	0.016	0.016	0.015	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92592	0.015	0.015	0.016	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92593	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92594	0.018	0.017	0.018	0.018	0.017	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92595	0.016	0.015	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92596	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92597	0.017	0.018	0.018	0.014	0.017	0.017	0.017	SPIILLED
C92598	0.017	0.017	0.017	0.017	0.017	0.017	0.016	0.015
C92599	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92600	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92601	0.016	0.018	0.017	0.016	0.017	0.017	0.017	0.016

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 62

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 2 - 0.5 PPM								
C92602	0.022	0.026	0.023	0.022	0.020	0.019	0.018	0.019
C92603	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92604	0.009	0.012	0.012	0.013	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92605	0.015	0.016	0.016	0.016	0.014	0.011	0.014	NOT TAKEN
C92606	0.018	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92607	0.018	0.018	0.010	0.011	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92608	0.003	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92609	0.017	0.018	0.018	0.017	0.017	0.018	0.017	NOT TAKEN
C92610	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92611	0.018	0.016	0.015	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92612	0.004	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92613	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92614	SPIILLED	SPIILLED	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92615	0.014	0.014	0.013	0.005	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92616	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92617	0.013	0.008	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92618	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92619	0.018	0.018	0.018	0.018	0.019	0.018	0.019	0.018
C92620	0.020	0.020	0.024	0.022	0.015	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92621	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92622	0.016	0.014	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92623	0.016	0.015	0.016	0.016	0.016	0.016	0.016	0.017
C92624	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92625	0.015	0.011	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92626	0.017	0.018	0.019	SPIILLED	SPIILLED	0.018	SPIILLED	0.014
C92627	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92628	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92629	0.011	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92630	0.020	0.017	0.008	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 63

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 3 - 2 PPM								
C92631	0.071	0.073	0.073	0.069	0.073	0.073	0.071	0.070
C92632	0.066	0.063	0.065	0.063	SPILLED	0.069	0.070	NOT TAKEN
C92633	0.069	0.067	0.066	0.063	0.066	0.072	0.070	0.082
C92634	0.068	0.069	0.067	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92635	0.013	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92636	SPILLED	SPILLED	0.063	SPILLED	SPILLED	SPILLED	NOT TAKEN	NOT TAKEN
C92637	0.075	0.072	0.073	0.075	0.077	0.075	0.090	0.115
C92638	0.065	0.065	0.048	0.056	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92639	0.047	0.089	0.020	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92640	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92641	0.064	0.063	0.066	0.066	0.072	0.080	SPILLED	0.035
C92642	0.060	0.061	0.066	0.063	0.066	0.065	0.067	0.067
C92643	0.084	0.082	0.085	0.072	0.074	0.082	0.072	0.073
C92644	0.076	0.077	0.075	0.079	0.078	0.072	0.071	0.060
C92645	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92646	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92647	0.060	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92648	0.062	0.063	SPILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92649	0.079	SPILLED	0.077	0.082	0.088	0.082	0.079	0.079
C92650	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92651	0.045	0.030	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92652	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92653	0.065	0.065	0.066	0.060	0.063	0.061	0.062	0.036
C92654	0.041	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92655	0.072	0.072	0.071	0.059	0.049	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92656	0.066	0.064	0.070	0.069	0.040	0.020	NOT TAKEN	NOT TAKEN
C92657	0.070	0.065	0.071	0.071	0.075	0.072	0.070	0.067
C92658	0.063	0.069	0.069	0.064	0.061	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92659	0.070	0.072	SPILLED	0.057	0.063	SPILLED	SPILLED	SPILLED
C92660	0.091	0.084	0.089	0.079	SPILLED	0.087	0.085	0.082
C92661	0.084	0.096	0.010	0.076	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 64

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 3 - 2 PPM								
C92662	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92663	0.071	0.067	0.064	0.070	0.061	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92664	0.032	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92665	0.065	0.065	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92666	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92667	0.002	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92668	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92669	0.065	0.069	0.071	0.067	0.070	0.070	0.070	0.059
C92670	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92671	0.075	0.070	0.084	0.075	0.068	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92672	0.064	0.062	0.070	0.064	0.052	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92673	0.072	0.073	0.069	0.064	0.058	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92674	0.066	0.064	0.034	0.060	0.060	0.064	0.062	0.060
C92675	0.071	0.070	0.071	0.067	0.061	0.053	0.040	NOT TAKEN
C92676	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92677	0.076	0.068	0.074	0.075	0.075	0.077	NOT TAKEN	NOT TAKEN
C92678	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92679	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92680	0.074	0.057	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92681	0.071	0.069	0.071	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92682	0.067	0.073	0.068	0.076	0.071	0.063	0.070	0.069
C92683	0.063	0.066	0.064	0.065	0.061	0.061	0.059	SPIILLED
C92684	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92685	0.051	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92686	0.074	0.054	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92687	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92688	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.048	0.061	NOT TAKEN	NOT TAKEN
C92689	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92690	0.065	0.065	0.057	0.068	0.063	0.062	0.065	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 65

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 4 - 5 PPM								
C92691	0.160	0.166	0.169	0.176	0.159	0.173	0.172	0.153
C92692	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92693	SPIILLED	0.168	0.173	0.174	0.170	0.140	0.140	0.148
C92694	0.157	0.161	0.164	0.157	0.158	0.157	0.151	0.152
C92695	0.172	0.180	0.177	0.185	0.168	0.176	0.176	0.185
C92696	0.169	0.203	0.201	0.198	0.184	0.191	0.187	0.188
C92697	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92698	0.151	0.152	0.163	0.159	0.152	0.141	0.096	0.013
C92699	0.210	0.198	0.189	0.181	0.179	0.176	0.191	0.185
C92700	0.190	0.209	0.223	0.201	0.231	0.210	0.176	0.149
C92701	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92702	0.184	0.184	0.190	0.176	0.184	0.191	0.127	0.117
C92703	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92704	0.159	0.160	0.171	0.165	0.157	0.164	0.154	0.148
C92705	0.167	0.158	0.164	0.163	0.164	0.169	0.183	0.175
C92706	0.162	SPIILLED	0.163	0.192	SPIILLED	0.139	NOT TAKEN	NOT TAKEN
C92707	0.174	0.176	0.179	0.032	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92708	0.177	0.157	0.197	0.200	0.180	0.180	0.179	0.197
C92709	0.175	0.162	0.137	0.162	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92710	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92711	0.152	0.165	0.174	0.094	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92712	0.170	0.154	0.150	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92713	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92714	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92715	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92716	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.232	SPIILLED	SPIILLED
C92717	0.196	0.186	0.193	0.199	0.188	0.173	0.176	0.193
C92718	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92719	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92720	0.171	0.123	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92721	0.217	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 66

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 4 - 5 PPM								
C92722	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92723	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92724	0.160	0.149	0.165	0.172	0.168	0.168	0.154	0.164
C92725	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92726	0.189	0.188	0.187	0.191	0.183	SPIILLED	0.219	0.203
C92727	0.164	0.160	0.161	0.115	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92728	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92729	0.118	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92730	0.173	0.168	0.170	0.162	0.165	0.138	0.115	0.106
C92731	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92732	0.163	0.161	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92733	0.191	0.199	0.108	0.036	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92734	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92735	0.178	0.174	0.177	0.173	0.163	0.168	0.169	0.171
C92736	0.162	0.156	0.162	0.153	0.149	0.155	0.175	0.160
C92737	0.166	0.164	0.155	0.067	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92738	0.201	0.215	0.221	0.285	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92739	0.192	0.193	0.196	0.184	0.187	0.193	0.186	0.158
C92740	0.169	0.187	0.180	0.177	0.155	0.168	0.172	0.170
C92741	SPIILLED	SPIILLED	0.145	0.037	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92742	SPIILLED	0.150	0.146	0.151	0.159	0.157	0.156	0.143
C92743	0.163	0.154	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92744	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92745	0.154	0.144	0.084	0.049	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92746	0.188	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92747	0.173	0.159	0.167	SPIILLED	SPIILLED	SPIILLED	SPIILLED	CNTMD
C92748	SPIILLED	0.217	0.205	0.139	0.188	0.176	0.182	0.137
C92749	0.171	0.176	0.180	0.168	0.167	0.173	0.171	NOT TAKEN
C92750	0.173	0.163	0.169	0.168	0.159	0.172	0.159	0.098

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 67

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 5 - 20 PPM								
C92751	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92752	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92753	0.823	0.748	0.851	0.812	0.765	0.795	0.656	0.582
C92754	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92755	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92756	0.711	0.671	0.313	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92757	0.867	0.767	0.766	0.760	0.666	0.584	0.643	0.461
C92758	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92759	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92760	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92761	0.840	0.863	0.816	0.965	0.881	1.029	1.251	SPIILLED
C92762	0.670	0.624	0.660	0.690	0.680	0.667	0.654	0.676
C92763	SPIILLED	0.547	0.575	0.557	0.203	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92764	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92765	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92766	0.864	0.726	0.770	0.720	0.750	0.778	0.727	NOT TAKEN
C92767	0.449	0.609	0.617	0.697	0.541	0.128	NOT TAKEN	NOT TAKEN
C92768	0.712	0.696	0.692	0.683	0.508	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92769	0.720	0.753	0.738	0.602	0.771	0.723	0.560	NOT TAKEN
C92770	0.661	SPIILLED	SPIILLED	0.703	0.653	0.678	0.395	NOT TAKEN
C92771	0.627	0.095	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92772	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92773	0.921	0.942	0.852	0.904	0.950	0.939	0.993	0.879
C92774	0.661	0.609	0.665	0.695	0.649	0.645	0.694	0.621
C92775	0.670	0.685	0.724	0.667	0.648	0.613	0.573	0.174
C92776	0.715	0.681	0.755	0.763	0.769	0.728	0.690	0.735
C92777	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92778	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92779	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92780	SPIILLED	0.946	SPIILLED	0.952	0.986	0.802	0.578	0.357
C92781	0.310	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 68

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 5 - 20 PPM								
C92782	0.667	0.677	0.618	0.631	0.610	0.719	0.658	0.601
C92783	0.393	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92784	0.506	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92785	0.693	0.730	0.722	0.663	0.678	0.625	NOT TAKEN	NOT TAKEN
C92786	0.730	0.710	0.706	0.704	0.711	0.692	0.712	0.695
C92787	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92788	0.745	0.690	0.745	0.722	0.682	0.682	0.649	0.691
C92789	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92790	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92791	0.737	0.709	0.748	0.690	0.698	0.711	0.683	0.699
C92792	0.716	0.696	0.753	0.688	0.667	0.691	0.695	0.573
C92793	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92794	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92795	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92796	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92797	0.753	0.701	0.819	0.640	0.115	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92798	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92799	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92800	0.771	0.721	0.750	0.679	0.654	0.710	0.652	0.680
C92801	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92802	0.687	0.678	0.685	0.621	0.637	0.653	0.637	0.574
C92803	0.710	0.688	0.722	0.712	0.732	0.691	0.710	0.731
C92804	0.685	0.675	0.726	0.675	0.641	0.650	0.699	0.695
C92805	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92806	0.723	0.734	0.664	0.740	0.680	0.617	NOT TAKEN	NOT TAKEN
C92807	0.656	0.483	0.407	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92808	0.800	0.776	0.791	0.805	0.796	0.844	0.783	0.776
C92809	0.703	0.711	0.744	0.725	0.757	0.773	0.658	0.564
C92810	0.737	0.728	0.765	0.550	0.381	0.196	NOT TAKEN	NOT TAKEN
C92811	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92812	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 69

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 5 - 20 PPM								
C92813	0.785	0.678	0.753	0.673	0.775	0.720	NOT TAKEN	NOT TAKEN
C92814	0.735	0.774	0.716	0.741	0.766	0.730	0.688	0.729
C92815	SPIILLED	0.937	SPIILLED	0.941	SPIILLED	SPIILLED	0.944	0.925
C92816	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92817	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92818	0.704	0.709	0.737	0.778	0.741	0.734	0.714	0.720
C92819	0.730	0.744	0.791	0.788	0.834	SPIILLED	0.811	NOT TAKEN
C92820	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
GROUP: MALE 6 - 20 PPM								
C92821	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92822	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92823	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92824	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92825	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92826	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92827	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92828	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92829	0.000	0.000	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.000
C92830	0.000	0.000	0.000	SPIILLED	0.000	0.000	NOT TAKEN	NOT TAKEN
C92831	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92832	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92833	0.000	0.000	0.000	0.000	SPIILLED	SPIILLED	SPIILLED	0.000
C92834	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92835	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92836	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92837	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92838	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92839	0.000	SPIILLED	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92840	0.000	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 70

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: MALE 6 - 20 PPM								
C92841	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92842	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92843	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92844	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92845	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92846	0.000	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN
C92847	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C92848	0.000	0.000	0.000	0.000	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92849	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92850	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92851	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92852	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92853	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92854	0.000	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN
C92855	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92856	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C92857	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92858	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
C92859	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92860	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN
GROUP: FEMALE 2 - 0.5 PPM								
C92931	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92932	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92933	0.018	0.017	0.020	0.019	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92934	0.020	0.018	0.013	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92935	0.014	0.008	0.011	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92936	0.024	0.022	0.024	0.019	0.018	0.020	0.017	SPIILLED
C92937	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92938	0.019	0.019	0.019	0.018	0.018	0.020	0.017	SPIILLED

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 71

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 2 - 0.5 PPM								
C92939	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92940	0.028	SPIILLED	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92941	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92942	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92943	0.019	0.019	0.011	0.011	0.011	0.015	NOT TAKEN	NOT TAKEN
C92944	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92945	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92946	0.020	0.018	0.020	0.018	0.018	0.018	0.019	0.017
C92947	0.021	0.024	0.022	0.017	0.009	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92948	0.019	0.021	0.023	0.023	0.020	0.003	NOT TAKEN	NOT TAKEN
C92949	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92950	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92951	0.023	0.028	0.022	0.019	0.022	0.025	0.022	NOT TAKEN
C92952	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92953	0.022	0.020	0.020	0.020	0.021	0.019	0.018	0.022
C92954	0.026	0.022	0.025	0.023	SPIILLED	0.022	0.001	NOT TAKEN
C92955	0.018	0.018	0.017	0.018	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92956	0.020	0.020	0.018	0.018	0.018	0.016	0.013	NOT TAKEN
C92957	0.022	0.022	0.020	0.022	0.018	SPIILLED	SPIILLED	SPIILLED
C92958	0.023	0.022	0.016	0.015	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92959	0.022	0.024	0.025	0.024	0.024	0.010	NOT TAKEN	NOT TAKEN
C92960	0.019	0.019	0.020	0.019	SPIILLED	SPIILLED	SPIILLED	SPIILLED
C92961	0.018	SPIILLED	SPIILLED	0.017	0.014	SPIILLED	NOT TAKEN	NOT TAKEN
C92962	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92963	0.021	0.022	0.023	0.025	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92964	0.023	0.025	0.026	0.022	0.021	0.019	0.022	SPIILLED
C92965	0.023	0.004	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92966	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92967	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92968	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92969	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 72

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 2 - 0.5 PPM								
C92970	0.019	0.019	0.018	0.016	0.016	0.016	0.007	0.010
C92971	0.028	0.027	0.027	0.024	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92972	0.021	0.021	0.025	0.022	0.010	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92973	0.020	0.020	0.021	0.020	0.019	0.017	0.018	0.012
C92974	0.022	0.022	0.023	0.023	0.022	0.021	0.016	0.018
C92975	0.026	0.028	0.027	0.021	0.024	0.020	0.018	0.022
C92976	0.024	0.021	0.017	0.018	0.015	0.016	0.005	NOT TAKEN
C92977	0.021	0.023	0.023	0.022	0.021	0.019	NOT TAKEN	NOT TAKEN
C92978	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92979	0.018	0.020	0.018	0.001	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92980	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92981	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92982	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92983	0.020	0.018	0.020	0.017	0.019	0.017	0.013	0.009
C92984	0.022	0.022	0.022	0.017	0.016	0.018	0.014	0.015
C92985	0.019	0.020	0.017	0.014	0.012	0.007	NOT TAKEN	NOT TAKEN
C92986	0.022	0.021	0.024	0.021	0.021	0.019	0.021	0.021
C92987	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92988	0.021	0.018	0.020	0.018	0.019	0.018	0.020	0.019
C92989	0.027	0.022	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92990	0.022	0.020	0.019	0.018	0.019	NOT TAKEN	NOT TAKEN	NOT TAKEN
GROUP: FEMALE 3 - 2 PPM								
C92991	0.091	0.090	0.077	0.078	0.077	0.079	0.070	NOT TAKEN
C92992	0.083	0.077	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92993	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92994	0.087	0.014	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92995	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92996	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92997	0.085	0.068	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 73

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 3 - 2 PPM								
C92998	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C92999	0.074	0.076	0.073	0.098	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93001	0.077	0.038	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93002	0.085	0.026	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93003	0.103	0.089	0.097	SPILLED	SPILLED	0.072	0.056	NOT TAKEN
C93004	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93005	0.081	0.051	0.103	0.105	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93006	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93007	0.080	0.076	0.079	0.085	0.092	0.079	0.083	NOT TAKEN
C93008	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93009	0.078	0.071	0.073	0.063	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93010	0.079	0.071	0.060	0.028	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93011	0.075	0.083	0.082	0.074	0.073	0.071	0.073	NOT TAKEN
C93012	0.066	SPILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93013	0.046	0.040	0.062	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93014	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93015	0.092	0.091	0.097	0.088	0.097	0.052	0.123	NOT TAKEN
C93016	SPILLED	0.109	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93017	0.104	0.094	0.113	0.071	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93018	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93019	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93020	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93021	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93022	0.077	0.074	0.071	0.062	0.061	0.063	0.057	NOT TAKEN
C93023	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93024	0.083	0.041	0.074	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93025	0.075	0.076	0.078	0.077	0.076	0.071	0.064	NOT TAKEN
C93026	0.113	0.090	0.091	0.100	0.096	0.078	0.087	NOT TAKEN
C93027	0.079	0.081	0.061	0.016	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93028	0.091	0.078	0.060	0.061	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 74

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 3 - 2 PPM								
C93029	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93030	0.076	0.068	0.073	0.062	0.070	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93031	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93032	0.045	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93033	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93034	0.090	0.114	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93035	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93036	0.076	0.072	0.047	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93037	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93038	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93039	0.073	0.067	0.070	0.069	0.069	0.084	0.071	NOT TAKEN
C93040	0.093	0.107	0.100	0.106	0.055	0.131	0.088	NOT TAKEN
C93041	0.079	0.048	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93042	0.076	0.078	0.064	0.063	0.044	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93043	SPIILLED	SPIILLED	0.083	0.070	0.073	SPIILLED	NOT TAKEN	NOT TAKEN
C93044	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93045	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93046	0.094	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93047	0.074	0.071	0.068	0.065	0.069	0.067	0.064	NOT TAKEN
C93048	0.099	0.092	0.090	0.076	0.086	0.087	0.090	NOT TAKEN
C93049	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93050	0.084	0.079	0.088	0.100	0.089	0.042	NOT TAKEN	NOT TAKEN
GROUP: FEMALE 4 - 5 PPM								
C93051	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93052	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93053	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93054	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93055	0.009	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93056	0.226	0.231	0.211	0.201	0.136	0.113	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 75

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 4 - 5 PPM								
C93057	0.214	0.221	0.224	0.220	0.141	0.171	NOT TAKEN	NOT TAKEN
C93058	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93059	0.226	0.209	0.210	0.211	0.205	0.189	0.189	0.182
C93060	0.221	0.239	0.226	0.239	0.184	0.199	0.152	0.199
C93061	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93062	0.215	0.231	0.220	0.219	0.234	0.234	0.229	0.203
C93063	0.244	0.208	0.217	0.207	0.214	0.210	0.207	0.167
C93064	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93065	0.135	0.241	0.311	0.281	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93066	SPIILLED	0.228	0.200	0.195	0.194	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93067	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93068	0.256	0.224	0.251	0.237	0.228	0.239	0.173	NOT TAKEN
C93069	0.204	0.184	0.217	0.237	0.237	0.246	0.157	NOT TAKEN
C93070	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93071	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93072	0.209	0.223	0.205	0.202	0.205	0.200	0.197	0.212
C93073	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93074	0.182	0.068	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93075	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93076	0.219	0.184	0.219	0.138	0.059	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93077	0.232	0.227	0.223	0.195	0.182	0.176	0.164	0.179
C93078	0.196	0.231	0.212	0.247	0.243	0.243	0.249	0.245
C93079	0.181	0.201	0.211	0.199	0.175	0.192	0.204	0.183
C93080	0.233	0.255	SPIILLED	0.225	0.189	SPIILLED	SPIILLED	0.265
C93081	0.203	0.195	0.197	0.208	0.197	0.201	SPIILLED	0.207
C93082	0.203	0.203	0.227	0.209	0.183	0.044	NOT TAKEN	NOT TAKEN
C93083	0.213	0.227	0.248	0.215	0.193	0.192	0.177	0.224
C93084	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93085	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93086	0.105	0.143	0.240	0.234	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93087	0.199	0.226	0.232	0.219	0.231	0.204	NOT TAKEN	NOT TAKEN

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 76

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 4 - 5 PPM								
C93088	0.242	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93089	0.224	0.227	0.236	0.240	0.118	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93090	0.234	0.209	0.229	0.215	0.209	0.206	0.198	0.143
C93091	0.154	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93092	0.132	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93093	0.221	0.203	0.194	0.218	0.213	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93094	0.180	0.211	0.206	0.167	0.191	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93095	0.205	0.234	0.210	0.169	0.244	0.186	0.180	0.028
C93096	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93097	0.232	0.211	0.226	0.230	0.243	0.196	NOT TAKEN	NOT TAKEN
C93098	0.196	0.195	0.205	0.182	0.198	0.180	0.173	0.181
C93099	0.209	0.183	0.182	0.148	0.139	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93100	0.216	0.217	0.221	0.208	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93101	0.218	0.182	0.200	0.192	0.212	0.186	0.194	0.211
C93102	0.230	0.254	0.265	0.254	SPIILLED	SPIILLED	SPIILLED	0.286
C93103	0.224	0.223	0.169	0.192	0.183	0.075	NOT TAKEN	NOT TAKEN
C93104	0.006	0.267	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93105	0.221	SPIILLED	0.125	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93106	0.212	0.202	0.202	0.195	0.175	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93107	0.184	0.228	0.223	0.217	0.158	0.205	0.201	0.201
C93108	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93109	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93110	0.205	0.226	0.193	0.119	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
GROUP: FEMALE 5 - 20 PPM								
C93111	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93112	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93113	0.872	1.059	0.898	0.957	0.938	0.716	0.836	0.849
C93114	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93115	1.001	0.923	0.930	0.868	0.865	0.853	0.692	0.662

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 77

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 5 - 20 PPM								
C93116	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93117	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93118	1.075	0.904	SPIILLED	1.309	1.213	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93119	1.229	1.363	1.305	1.268	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93120	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93121	0.979	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93122	0.838	1.035	1.052	0.788	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93123	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93124	1.024	1.047	1.044	1.408	1.121	1.161	1.312	1.178
C93125	1.058	1.148	1.178	1.033	1.108	1.093	SPIILLED	SPIILLED
C93126	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93127	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93128	0.956	1.068	1.022	1.000	0.958	0.919	NOT TAKEN	NOT TAKEN
C93129	1.118	1.127	1.134	0.953	0.693	0.542	NOT TAKEN	NOT TAKEN
C93130	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93131	0.852	0.727	0.958	0.867	0.473	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93132	0.858	0.805	0.831	0.836	0.698	0.835	1.291	0.020
C93133	0.993	0.916	0.928	0.871	0.846	0.919	0.899	0.901
C93134	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93135	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	SPIILLED	0.559
C93136	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93137	0.945	1.140	1.026	0.830	0.926	0.614	0.884	0.758
C93138	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93139	0.976	1.081	1.041	SPIILLED	0.953	1.057	1.036	1.171
C93140	0.935	0.903	0.913	0.904	0.912	0.879	0.852	0.700
C93141	0.885	0.994	0.941	0.863	0.877	0.714	NOT TAKEN	NOT TAKEN
C93142	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93143	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93144	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93145	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93146	1.224	1.208	1.207	1.194	1.071	1.003	1.054	0.846

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 78

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 5 - 20 PPM								
C93147	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93148	0.977	1.048	1.037	0.982	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93149	0.884	0.917	0.917	0.985	0.830	0.945	0.394	0.773
C93150	1.177	1.231	1.082	1.182	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93151	1.117	1.123	1.072	1.013	1.049	0.876	0.948	0.784
C93152	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93153	1.158	1.040	1.145	1.108	0.965	1.223	0.845	SPIILLED
C93154	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93155	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93156	0.464	1.602	1.161	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93157	0.896	0.868	0.893	0.850	0.805	0.820	0.753	0.761
C93158	0.757	0.909	0.936	0.916	0.863	0.901	0.925	0.859
C93159	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93160	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93161	0.938	0.692	0.951	SPIILLED	0.897	0.875	0.880	0.870
C93162	0.981	0.952	0.983	0.923	0.913	0.844	0.791	SPIILLED
C93163	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93164	1.198	1.080	1.122	1.073	1.168	1.190	0.907	0.988
C93165	0.955	0.945	0.927	0.795	0.897	0.951	0.822	0.782
C93166	0.845	0.768	0.916	0.754	0.822	0.783	0.824	0.775
C93167	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93168	1.006	1.002	1.048	1.286	0.944	0.898	0.842	0.911
C93169	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93170	SPIILLED	1.275	1.058	0.756	0.741	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93171	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93172	0.770	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93173	0.979	0.889	0.805	1.088	0.933	0.794	0.562	NOT TAKEN
C93174	0.986	1.027	SPIILLED	0.862	0.868	SPIILLED	0.870	0.866
C93175	1.065	0.952	0.985	1.026	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93176	0.826	0.736	0.567	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93177	1.190	1.366	1.146	0.980	0.942	1.040	1.100	1.195

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 79

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 5 - 20 PPM								
C93178	0.863	0.841	0.901	0.864	0.825	0.846	0.749	0.870
C93179	1.005	1.049	0.995	1.033	1.062	1.068	0.831	1.202
C93180	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
GROUP: FEMALE 6 - 20 PPM								
C93181	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93182	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93183	0.000	0.000	0.000	0.000	0.000	0.000	0.000	SPIILLED
C93184	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93185	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93186	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93187	0.000	0.000	0.000	0.000	SPIILLED	0.000	0.000	NOT TAKEN
C93188	0.000	0.000	0.000	0.000	0.000	SPIILLED	SPIILLED	0.000
C93189	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93190	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93191	0.000	0.000	0.000	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93193	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93194	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93195	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93196	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93197	0.000	0.000	0.000	SPIILLED	SPIILLED	0.000	0.000	0.000
C93198	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93199	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93200	0.000	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93201	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93202	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93203	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93204	0.000	0.000	0.000	SPIILLED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93205	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Appendix 4

Individual Test Material Consumption Data (mg/kg/day)

PAGE: 80

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WEEK 76	WEEK 80	WEEK 84	WEEK 88	WEEK 92	WEEK 96	WEEK 100	WEEK 104
GROUP: FEMALE 6 - 20 PPM								
C93206	0.000	0.000	0.000	0.000	0.000	0.000	0.000	NOT TAKEN
C93207	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93208	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93209	0.000	0.000	0.000	0.000	0.000	SPILED	0.000	0.000
C93210	0.000	0.000	0.000	0.000	0.000	SPILED	0.000	0.000
C93211	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93212	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93213	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93214	0.000	0.000	0.000	0.000	0.000	SPILED	NOT TAKEN	NOT TAKEN
C93215	0.000	0.000	SPILED	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93216	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93217	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93218	0.000	0.000	0.000	0.000	NOT TAKEN	NOT TAKEN	NOT TAKEN	NOT TAKEN
C93219	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
C93220	0.000	0.000	0.000	0.000	0.000	SPILED	0.000	0.000

APPENDIX 5

Individual Clinical Hematology Data
Individual Clinical Chemistry Data
Individual Clinical Urinalysis Data
Individual Urine Chemistry Data

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92505	6.96	14.5	42.0	60.3	20.8	34.6	1086
C92506	7.13	15.1	44.7	62.7	21.2	33.7	1208
C92524	8.05	16.4	47.6	59.1	20.4	34.6	1021
C92526	7.86	16.2	47.4	60.4	20.6	34.1	941
C92529	7.61	15.1	45.3	59.5	19.9	33.4	1057
C92542	7.22	14.2	41.9	58.0	19.6	33.8	909
C92543	7.59	15.1	45.1	59.4	19.9	33.4	1181
C92546	8.09	16.1	48.0	59.2	19.9	33.6	914
C92548	6.73	14.5	42.1	62.5	21.6	34.6	1022
C92553	7.48	14.4	43.8	58.6	19.3	32.9	1145
MEAN	7.47	15.2	44.8	60.0	20.3	33.9	1048
S.D.	.459	.81	2.35	1.56	.73	.59	107.7
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92573	7.14	14.5	42.5	59.5	20.4	34.2	993
C92574	8.02	15.9	47.6	59.4	19.9	33.4	1028
C92575	6.58	14.0	40.8	62.1	21.3	34.4	1349
C92585	7.14	13.8	41.4	58.0	19.3	33.3	1138
C92586	7.45	14.9	44.1	59.2	19.9	33.7	1096
C92587	6.80	13.9	40.7	59.8	20.5	34.2	1033
C92610	7.19	15.6	46.0	64.0	21.6	33.8	1071
C92613	7.65	15.6	45.8	59.9	20.4	34.0	952
C92615	6.97	14.2	41.6	59.7	20.3	34.1	1022
C92618	7.22	14.8	43.9	60.7	20.5	33.7	1139
MEAN	7.22	14.7	43.4	60.2	20.4	33.9	1082
S.D.	.414	.77	2.43	1.69	.67	.36	111.4
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92632	6.27	13.6	39.3	62.7	21.7	34.6	942
C92646	8.26	17.3	50.4	61.1	20.9	34.2	1075
C92650	8.07	16.2	48.4	60.0	20.1	33.5	1006
C92652	7.80	16.5	48.1	61.6	21.2	34.3	974
C92657	7.21	14.5	42.6	59.1	20.1	34.1	1048
C92668	7.93	15.6	46.8	59.1	19.6	33.3	1011
C92676	7.59	15.0	43.8	57.7	19.8	34.3	1040
C92678	7.82	15.3	46.0	58.8	19.5	33.1	968
C92684	7.57	14.7	43.9	58.0	19.4	33.5	1186
C92686	6.90	14.7	42.1	61.1	21.4	35.0	1033
MEAN	7.54	15.3	45.1	59.9	20.4	34.0	1028
S.D.	.599	1.09	3.39	1.65	.85	.61	68.7
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C92709	7.39	15.0	43.8	59.3	20.3	34.2	998
C92715	8.70	16.6	49.2	56.5	19.1	33.8	1095
C92716	6.87	14.4	40.9	59.5	20.9	35.2	1043
C92718	7.81	16.4	47.9	61.3	21.0	34.2	956
C92725	6.91	14.7	43.2	62.5	21.2	34.0	994
C92731	7.89	16.3	48.0	60.8	20.7	34.0	794
C92732	6.93	14.3	41.9	60.5	20.7	34.1	1092
C92734	7.39	16.0	46.9	63.5	21.7	34.1	1076
C92744	7.71	16.2	48.0	62.3	21.0	33.7	1208
C92746	6.66	13.8	40.5	60.7	20.8	34.2	875
MEAN	7.43	15.4	45.0	60.7	20.7	34.1	1013
S.D.	.622	1.04	3.32	1.97	.68	.41	118.6
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C92752	7.83	15.6	46.7	59.6	19.9	33.5	995
C92759	7.17	15.0	44.4	61.9	20.9	33.8	935
C92779	7.46	15.6	46.4	62.1	20.9	33.6	1224
C92784	7.01	14.2	41.6	59.4	20.2	34.1	1120
C92793	7.22	14.9	43.5	60.3	20.6	34.2	831
C92798	7.11	15.0	44.8	63.1	21.1	33.4	1051
C92799	7.47	15.1	44.6	59.7	20.3	33.9	1145
C92805	7.26	14.6	42.7	58.8	20.1	34.2	1170
C92807	7.24	14.7	43.4	59.9	20.3	33.9	999
C92811	7.21	15.3	44.1	61.2	21.2	34.6	1044
MEAN	7.30	15.0	44.2	60.6	20.6	33.9	1051
S.D.	.234	.44	1.56	1.40	.45	.37	118.1
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92505	10.7	.6	9.2	.7	.1	.0	6	86	6	1	0
C92506	10.7	1.2	8.8	.6	.0	.0	12	82	5	0	0
C92524	8.4	.8	7.0	.5	.1	.0	9	84	5	1	0
C92526	12.0	.6	10.7	.6	.1	.0	5	89	5	1	0
C92529	8.8	.6	7.6	.5	.1	.0	7	86	6	1	0
C92542	6.6	.5	5.4	.6	.1	.0	8	82	9	1	0
C92543	7.1	.9	5.7	.4	.0	.0	13	81	6	1	0
C92546	5.7	.2	5.1	.3	.1	.0	4	89	6	1	0
C92548	9.0	1.0	7.2	.6	.1	.0	11	80	7	1	0
C92553	7.2	1.0	5.1	.9	.2	.0	14	71	12	2	0
MEAN	8.6	.7	7.2	.6	.1	.0	9	83	7	1	0
S.D.	2.03	.30	1.92	.16	.06	.00	3.5	5.3	2.2	.5	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92573	7.8	.6	6.6	.5	.1	.0	8	85	6	1	0
C92574	7.1	.5	6.3	.2	.0	.0	8	90	2	1	0
C92575	15.1	4.9	8.8	1.2	.1	.0	33	58	8	1	0
C92585	9.8	1.1	7.7	.8	.1	.0	11	79	9	1	0
C92586	10.7	1.3	8.6	.7	.1	.0	12	80	7	1	0
C92587	8.2	.9	6.4	.7	.2	.0	11	78	9	2	0
C92610	7.2	.6	6.2	.3	.0	.0	9	86	4	1	0
C92613	8.5	.6	7.5	.3	.0	.0	8	88	3	1	0
C92615	11.2	.8	9.7	.6	.1	.0	8	86	5	1	0
C92618	7.0	.7	6.0	.3	.1	.0	9	85	4	1	0
MEAN	9.3	1.2	7.4	.6	.1	.0	12	82	6	1	0
S.D.	2.54	1.32	1.29	.31	.06	.00	7.6	9.1	2.5	.3	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92632	12.9	1.0	10.7	1.0	.1	.0	8	83	8	1	0
C92646	9.1	.5	8.0	.5	.1	.0	6	88	6	1	0
C92650	5.6	.5	4.8	.2	.0	.0	8	86	4	1	0
C92652	7.7	.3	6.8	.4	.1	.0	4	90	5	1	0
C92657	11.8	1.0	10.1	.6	.1	.0	8	86	5	1	0
C92668	8.2	.5	7.4	.2	.1	.0	7	90	3	1	0
C92676	9.4	.7	7.9	.7	.0	.0	8	84	7	0	0
C92678	7.2	.6	5.7	.8	.1	.0	9	79	11	1	0
C92684	9.6	.7	7.9	.8	.2	.0	7	83	8	2	0
C92686	11.8	.8	10.2	.7	.1	.0	6	86	6	1	0
MEAN	9.3	.7	8.0	.6	.1	.0	7	86	6	1	0
S.D.	2.30	.23	1.94	.26	.06	.00	1.4	3.4	2.3	.5	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C92709	7.6	.8	5.3	.9	.5	.0	11	70	12	7	0
C92715	5.8	.4	5.1	.2	.1	.0	6	88	4	2	0
C92716	6.8	.6	5.6	.5	.1	.0	9	82	7	1	0
C92718	7.0	.5	6.3	.2	.0	.0	6	90	3	0	0
C92725	9.3	1.0	7.4	.7	.1	.0	11	80	8	1	0
C92731	5.6	.3	4.9	.3	.0	.0	5	89	5	1	0
C92732	8.2	.7	7.1	.3	.1	.0	8	87	4	1	0
C92734	7.7	.4	7.0	.3	.0	.0	5	90	4	1	0
C92744	7.9	.5	7.1	.2	.0	.0	7	90	3	0	0
C92746	6.3	.6	5.1	.5	.1	.0	10	81	8	1	0
MEAN	7.2	.6	6.1	.4	.1	.0	8	85	6	2	0
S.D.	1.15	.21	.99	.24	.15	.00	2.3	6.5	2.9	2.0	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C92752	5.6	.6	4.6	.4	.0	.0	11	82	7	1	0
C92759	6.7	.8	5.8	.1	.0	.0	12	86	2	1	0
C92779	3.9	.4	3.2	.2	.0	.0	10	83	6	1	0
C92784	12.1	1.8	8.6	1.4	.2	.0	15	72	11	2	0
C92793	6.5	.4	5.8	.2	.1	.0	7	89	4	1	0
C92798	7.3	.4	6.3	.5	.1	.0	6	87	6	1	0
C92799	7.8	.9	6.2	.6	.1	.0	12	79	7	2	0
C92805	11.4	1.4	9.3	.5	.2	.0	12	82	4	1	0
C92807	10.9	.9	9.0	.8	.1	.0	8	83	7	1	0
C92811	11.4	.9	9.7	.8	.1	.0	8	85	7	1	0
MEAN	8.4	.8	6.8	.6	.1	.0	10	83	6	1	0
S.D.	2.87	.46	2.19	.38	.07	.00	2.8	4.8	2.4	.4	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295		
C92505	-	-	-	-	-
C92506	-	-	-	-	-
C92524	-	-	-	-	-
C92526	-	-	-	-	-
C92529	-	-	-	-	-
C92542	-	-	-	-	-
C92543	-	-	-	-	-
C92546	-	-	-	-	-
C92548	-	-	-	-	-
C92553	-	-	-	-	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295		
C92573	-	-	-	-	-
C92574	-	-	-	-	-
C92575	-	-	-	-	-
C92585	-	-	-	-	-
C92586	-	-	-	-	-
C92587	-	-	-	-	-
C92610	-	-	-	-	-
C92613	-	-	-	-	-
C92615	-	-	-	-	-
C92618	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92632	-	-	-	-	-
C92646	-	-	-	-	-
C92650	-	-	-	-	-
C92652	-	-	-	-	-
C92657	-	-	-	-	-
C92668	-	-	-	-	-
C92676	-	-	-	-	-
C92678	-	-	-	-	-
C92684	-	-	-	-	-
C92686	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C92709	-	-	-	-	-
C92715	-	-	-	-	-
C92716	-	-	-	-	-
C92718	-	-	-	-	-
C92725	-	-	-	-	-
C92731	-	-	-	-	-
C92732	-	-	-	-	-
C92734	-	-	-	-	-
C92744	-	-	-	-	-
C92746	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C92752	-	-	-	-	-
C92759	-	-	-	-	-
C92779	-	-	-	-	-
C92784	-	-	-	-	-
C92793	-	-	-	-	-
C92798	-	-	-	-	-
C92799	-	-	-	-	-
C92805	-	-	-	-	-
C92807	-	-	-	-	-
C92811	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92861	7.48	15.5	46.1	61.6	20.7	33.6	1199
C92864	6.77	14.4	42.8	63.2	21.3	33.8	983
C92876	7.39	15.7	46.4	62.9	21.2	33.8	1058
C92877	7.18	15.4	45.5	63.4	21.4	33.8	874
C92882	7.13	15.2	45.3	63.6	21.3	33.5	1146
C92883	7.26	15.0	45.2	62.3	20.7	33.1	1222
C92914	7.62	15.2	44.2	58.1	19.9	34.3	1083
C92919	6.97	15.0	44.1	63.3	21.5	34.0	1208
C92925	7.43	14.6	44.4	59.8	19.7	32.9	1103
C92926	7.61	15.8	46.7	61.4	20.7	33.8	1153
MEAN	7.28	15.2	45.1	62.0	20.8	33.7	1103
S.D.	.276	.45	1.20	1.80	.63	.41	109.6
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92941	6.97	14.6	43.6	62.5	20.9	33.4	1182
C92945	7.38	15.2	45.0	60.9	20.6	33.9	1595
C92950	7.78	16.3	47.7	61.3	20.9	34.1	1061
C92953	6.99	14.6	44.1	63.1	20.9	33.1	1095
C92959	6.94	14.6	43.9	63.2	21.0	33.3	983
C92964	7.48	15.9	46.7	62.4	21.3	34.1	955
C92968	7.32	15.0	45.6	62.4	20.6	32.9	1106
C92969	7.36	15.8	46.0	62.4	21.5	34.4	1187
C92976	7.74	15.4	46.9	60.6	19.8	32.7	1069
C92982	8.01	15.8	47.1	58.8	19.7	33.5	1023
MEAN	7.40	15.3	45.7	61.8	20.7	33.5	1126
S.D.	.367	.62	1.46	1.36	.58	.57	181.3
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92993	7.25	14.8	44.5	61.3	20.3	33.2	973
C92996	7.84	16.0	46.6	59.4	20.4	34.3	1189
C92998	7.43	14.8	45.4	61.2	20.0	32.7	1096
C93004	7.72	15.1	45.6	59.1	19.6	33.1	1273
C93006	7.82	15.4	45.5	58.2	19.7	33.8	951
C93008	7.65	16.2	47.4	61.9	21.1	34.1	1127
C93023	7.76	15.1	45.4	58.5	19.5	33.2	1175
C93031	6.79	14.6	43.0	63.3	21.4	33.9	856
C93033	6.99	13.8	42.1	60.2	19.7	32.8	1068
C93045	7.66	15.6	46.7	60.9	20.4	33.5	979
MEAN	7.49	15.1	45.2	60.4	20.2	33.5	1069
S.D.	.367	.70	1.64	1.62	.64	.55	128.2
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C93058	8.08	15.7	47.2	58.4	19.4	33.2	1324
C93067	7.30	15.8	45.8	62.8	21.6	34.5	1085
C93070	7.37	15.5	46.5	63.1	21.1	33.3	1046
C93074	6.98	15.3	45.8	65.7	22.0	33.5	893
C93075	8.01	16.2	47.2	58.9	20.2	34.3	1091
C93083	7.00	15.0	44.7	63.8	21.4	33.5	1023
C93084	7.69	15.5	46.1	60.0	20.1	33.6	1211
C93089	7.33	15.2	45.5	62.0	20.8	33.5	1115
C93094	7.21	14.8	45.0	62.4	20.5	32.8	1181
C93105	7.08	15.1	44.2	62.4	21.3	34.1	1066
MEAN	7.40	15.4	45.8	62.0	20.8	33.6	1104
S.D.	.396	.42	1.00	2.25	.79	.52	116.6
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C93114	7.27	15.2	44.5	61.3	21.0	34.2	1171
C93123	7.19	15.1	45.2	62.9	21.0	33.3	1092
C93142	7.54	15.0	45.5	60.4	19.9	32.9	1015
C93144	7.36	15.6	46.3	62.9	21.3	33.8	1155
C93151	7.57	15.3	46.4	61.3	20.2	33.0	1006
C93155	7.13	15.6	45.3	63.5	21.8	34.4	1022
C93158	6.97	15.0	44.0	63.1	21.5	34.1	1193
C93159	7.38	15.3	45.3	61.5	20.7	33.7	1042
C93164	7.68	15.3	46.1	60.0	20.0	33.3	1269
C93175	7.66	15.8	47.8	62.5	20.7	33.1	1112
MEAN	7.38	15.3	45.6	61.9	20.8	33.6	1108
S.D.	.238	.27	1.07	1.21	.64	.53	88.4
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92861	7.6	.7	6.5	.3	.1	.0	9	86	4	1	0
C92864	6.6	.5	5.9	.1	.1	.0	8	89	1	1	0
C92876	4.6	.7	3.6	.1	.2	.0	15	77	3	5	0
C92877	6.4	.9	5.2	.3	.0	.0	14	81	5	1	0
C92882	4.5	.5	3.7	.2	.1	.0	11	82	5	2	0
C92883	7.7	.8	6.2	.6	.1	.0	11	80	8	1	0
C92914	8.9	.8	7.8	.2	.0	.0	9	88	3	0	0
C92919	11.7	1.0	10.2	.5	.1	.0	8	87	4	1	0
C92925	9.9	.4	8.8	.6	.1	.0	4	88	6	1	0
C92926	6.2	.3	5.2	.5	.1	.0	5	84	8	2	0
MEAN	7.4	.7	6.3	.3	.1	.0	9	84	5	2	0
S.D.	2.27	.23	2.12	.20	.06	.00	3.5	4.0	2.2	1.4	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92941	5.5	1.1	4.2	.2	.0	.0	20	76	3	1	0
C92945	8.1	.6	7.1	.3	.1	.0	8	87	3	2	0
C92950	7.3	2.8	4.3	.2	.0	.0	38	58	3	1	0
C92953	6.1	.3	5.7	.1	.1	.0	4	94	1	1	0
C92959	5.6	.2	5.1	.2	.0	.0	4	91	4	1	0
C92964	7.8	.3	6.9	.5	.1	.0	4	89	6	1	0
C92968	6.7	.4	5.8	.4	.1	.0	6	86	6	1	0
C92969	6.2	.4	5.5	.2	.0	.0	7	89	3	0	0
C92976	6.9	.4	5.9	.4	.1	.0	6	85	6	2	0
C92982	5.1	.4	4.5	.1	.0	.0	7	89	3	1	0
MEAN	6.5	.7	5.5	.3	.0	.0	10	84	4	1	0
S.D.	1.01	.78	1.01	.13	.05	.00	10.8	10.4	1.7	.6	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92993	6.1	.7	5.0	.4	.0	.0	11	82	6	0	0
C92996	8.2	.2	7.7	.3	.1	.0	2	93	3	1	0
C92998	3.4	.5	2.8	.1	.0	.0	14	82	3	1	0
C93004	2.3	.4	1.6	.3	.0	.0	16	69	14	1	0
C93006	4.4	.2	4.1	.1	.0	.0	4	93	2	1	0
C93008	7.0	.4	6.3	.2	.0	.0	5	90	3	1	0
C93023	4.4	.5	3.4	.3	.1	.0	12	78	7	2	0
C93031	6.0	.3	5.4	.3	.1	.0	5	90	4	1	0
C93033	3.6	.5	2.8	.2	.1	.0	15	77	6	2	0
C93045	4.5	.4	4.0	.1	.0	.0	8	88	3	1	0
MEAN	5.0	.4	4.3	.2	.0	.0	9	84	5	1	0
S.D.	1.80	.15	1.83	.11	.05	.00	5.1	7.9	3.5	.6	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C93058	5.0	.6	4.0	.2	.1	.0	12	81	4	2	0
C93067	4.8	.4	4.2	.1	.0	.0	8	88	3	1	0
C93070	5.1	.4	4.5	.1	.1	.0	7	88	3	2	0
C93074	13.0	1.0	11.5	.4	.1	.0	8	88	3	1	0
C93075	6.1	.3	5.6	.2	.0	.0	6	91	2	0	0
C93083	3.4	.3	2.7	.3	.1	.0	9	80	8	2	0
C93084	7.9	.5	7.0	.4	.1	.0	6	88	5	1	0
C93089	9.2	.8	8.0	.3	.1	.0	9	86	3	1	0
C93094	5.3	.3	4.7	.2	.1	.0	6	90	4	1	0
C93105	9.0	.5	8.1	.3	.1	.0	5	90	4	1	0
MEAN	6.9	.5	6.0	.2	.1	.0	8	87	4	1	0
S.D.	2.88	.23	2.62	.11	.04	.00	2.1	3.7	1.7	.6	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C93114	6.7	.3	6.2	.1	.0	.0	5	93	2	0	0
C93123	4.6	.5	3.8	.2	.1	.0	10	84	4	1	0
C93142	6.6	.7	5.7	.2	.1	.0	10	86	2	1	0
C93144	10.9	.6	9.8	.4	.1	.0	6	90	4	1	0
C93151	6.1	.5	5.2	.4	.1	.0	7	85	6	1	0
C93155	4.8	.5	4.0	.2	.1	.0	10	84	4	2	0
C93158	5.8	.7	4.4	.5	.1	.0	12	76	9	2	0
C93159	5.3	.3	4.8	.2	.0	.0	5	90	4	1	0
C93164	6.5	.7	5.6	.1	.1	.0	10	86	2	2	0
C93175	5.2	.3	4.6	.2	.1	.0	5	88	4	2	0
MEAN	6.2	.5	5.4	.2	.1	.0	8	86	4	1	0
S.D.	1.80	.17	1.72	.14	.04	.00	2.7	4.6	2.1	.7	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295		
C92861	-	-	-	-	-
C92864	-	-	-	-	-
C92876	-	-	-	-	-
C92877	-	-	-	-	-
C92882	-	-	-	-	-
C92883	-	-	-	-	-
C92914	-	-	-	-	-
C92919	-	-	-	-	-
C92925	-	-	-	-	-
C92926	-	-	-	-	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295		
C92941	-	-	-	-	-
C92945	-	-	-	-	-
C92950	-	-	-	-	-
C92953	-	-	-	-	-
C92959	-	-	-	-	-
C92964	-	-	-	-	-
C92968	-	-	-	-	-
C92969	-	-	-	-	-
C92976	-	-	-	-	-
C92982	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92993	-	-	-	-	-
C92996	-	-	-	-	-
C92998	-	-	-	-	-
C93004	-	-	-	-	-
C93006	-	-	-	-	-
C93008	-	-	-	-	-
C93023	-	-	-	-	-
C93031	-	-	-	-	-
C93033	-	-	-	-	-
C93045	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C93058	-	-	-	-	-
C93067	-	-	-	-	-
C93070	-	-	-	-	-
C93074	-	-	-	-	-
C93075	-	-	-	-	-
C93083	-	-	-	-	-
C93084	-	-	-	-	-
C93089	-	-	-	-	-
C93094	-	-	-	-	-
C93105	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C93114	-	-	-	-	-
C93123	-	-	-	-	-
C93142	-	-	-	-	-
C93144	-	-	-	-	-
C93151	-	-	-	-	-
C93155	-	-	-	-	-
C93158	-	-	-	-	-
C93159	-	-	-	-	-
C93164	-	-	-	-	-
C93175	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92508	8.63	15.1	45.7	53.0	17.5	33.1	940
C92509	8.60	15.9	46.3	53.8	18.5	34.4	1103
C92511	8.93	16.7	48.0	53.7	18.7	34.7	1188
C92521	8.84	15.8	45.7	51.7	17.9	34.6	1157
C92527	7.98	15.4	45.2	56.6	19.3	34.2	1078
C92528	8.39	15.3	44.7	53.3	18.2	34.1	1533
C92532	9.27	16.7	48.5	52.3	18.0	34.5	1165
C92535	8.69	15.3	45.5	52.4	17.6	33.5	1173
C92537	7.74	14.5	42.0	54.3	18.7	34.4	1147
C92562	8.46	15.8	47.1	55.6	18.6	33.5	940
MEAN	8.55	15.6	45.9	53.7	18.3	34.1	1142
S.D.	.446	.69	1.83	1.52	.56	.55	164.6
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92583	8.56	15.4	46.7	54.5	18.0	32.9	1088
C92593	9.75	17.1	49.8	51.1	17.6	34.4	1141
C92598	8.77	15.4	46.2	52.6	17.6	33.4	1143
C92600	8.90	16.4	48.4	54.4	18.5	33.9	1140
C92612	8.69	15.5	45.3	52.1	17.8	34.2	1156
C92616	8.87	15.9	46.5	52.4	17.9	34.2	1135
C92621	8.09	15.5	46.0	56.9	19.1	33.6	1093
C92624	8.98	15.8	47.2	52.6	17.6	33.5	907
C92627	8.80	15.9	45.9	52.2	18.1	34.7	1218
C92629	8.32	15.3	45.0	54.1	18.3	33.9	904
MEAN	8.77	15.8	46.7	53.3	18.0	33.9	1092
S.D.	.441	.56	1.45	1.68	.48	.53	104.7
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92636	8.63	16.0	47.2	54.6	18.5	33.9	1090
C92640	9.12	15.9	46.4	50.9	17.4	34.3	1165
C92644	7.99	14.6	43.4	54.3	18.2	33.5	1156
C92645	9.01	16.7	48.6	54.0	18.5	34.3	1507
C92651	8.78	15.7	47.7	54.4	17.9	33.0	1422
C92661	8.30	15.8	47.7	57.5	19.0	33.0	905
C92662	8.79	15.8	46.8	53.2	18.0	33.8	1111
C92676	9.04	15.8	46.9	51.9	17.5	33.7	1161
C92682	7.97	14.8	43.9	55.1	18.6	33.7	922
C92684	9.22	15.8	46.1	50.0	17.1	34.2	1239
MEAN	8.68	15.7	46.5	53.6	18.1	33.7	1168
S.D.	.456	.60	1.65	2.19	.60	.47	189.6
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C92711	8.48	14.9	44.9	53.0	17.6	33.3	1091
C92713	9.13	16.3	47.5	52.1	17.9	34.4	1319
C92714	9.14	15.8	46.1	50.5	17.3	34.2	1025
C92716	7.64	14.0	41.4	54.3	18.3	33.7	1062
C92719	8.20	15.2	44.8	54.7	18.6	34.0	1161
C92722	8.76	15.1	44.6	51.0	17.3	33.9	1146
C92726	8.74	15.3	46.2	52.8	17.5	33.1	885
C92728	8.82	15.8	46.2	52.4	17.9	34.2	1279
C92741	8.71	15.2	45.3	52.0	17.4	33.5	839
C92748	8.06	14.8	44.9	55.7	18.4	33.0	977
MEAN	8.57	15.2	45.2	52.8	17.8	33.7	1078
S.D.	.478	.63	1.61	1.64	.48	.49	155.6
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C92754	7.96	15.1	45.1	56.6	19.0	33.5	1098
C92765	8.28	14.9	44.2	53.4	18.0	33.7	1287
C92767	8.11	14.8	43.8	54.0	18.3	33.8	941
C92774	7.96	14.7	44.1	55.5	18.5	33.4	1000
C92777	8.09	15.1	43.9	54.2	18.7	34.5	1061
C92784	8.21	14.3	42.8	52.1	17.4	33.5	1124
C92789	8.67	15.9	46.5	53.7	18.4	34.3	1139
C92799	8.32	15.5	45.2	54.4	18.7	34.3	1328
C92812	8.30	14.7	43.4	52.4	17.7	33.8	1261
C92820	8.41	15.8	46.8	55.6	18.8	33.8	1147
MEAN	8.23	15.1	44.6	54.2	18.4	33.9	1139
S.D.	.216	.51	1.30	1.42	.51	.38	124.3
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92508	6.2	.7	4.9	.5	.1	.0	12	79	8	1	0
C92509	7.0	.8	5.4	.7	.1	.0	12	77	9	1	0
C92511	7.2	.7	5.5	.8	.1	.0	10	76	12	2	0
C92521	5.1	.8	3.6	.5	.1	.0	17	71	10	2	0
C92527	9.2	1.1	6.9	1.0	.2	.0	12	75	11	2	0
C92528	11.8	1.3	9.0	1.2	.2	.1	11	76	10	2	0
C92532	9.4	1.6	7.0	.7	.2	.0	17	74	7	2	0
C92535	7.6	1.3	5.5	.6	.2	.0	17	72	8	2	0
C92537	9.1	1.0	6.6	1.2	.2	.0	11	73	14	2	0
C92562	9.4	1.7	6.4	1.0	.3	.0	18	68	10	3	0
MEAN	8.2	1.1	6.1	.8	.2	.0	14	74	10	2	0
S.D.	1.95	.37	1.46	.27	.07	.03	3.1	3.2	2.1	.6	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92583	7.9	1.5	5.3	.9	.1	.0	19	68	11	2	0
C92593	7.7	.7	6.3	.5	.1	.0	9	83	7	1	0
C92598	10.0	1.3	7.3	1.1	.3	.0	13	73	11	3	0
C92600	9.0	1.4	6.7	.9	.0	.0	15	74	10	0	0
C92612	10.2	1.0	7.9	1.0	.2	.0	10	78	10	2	0
C92616	6.9	1.2	4.8	.7	.1	.0	18	71	10	2	0
C92621	7.8	1.1	5.7	.7	.3	.0	14	73	9	4	0
C92624	9.8	1.6	7.0	1.0	.2	.0	16	71	10	2	0
C92627	8.7	1.6	6.3	.6	.1	.0	19	72	7	1	0
C92629	7.2	1.3	4.9	.9	.1	.0	18	68	12	2	0
MEAN	8.5	1.3	6.2	.8	.2	.0	15	73	10	2	0
S.D.	1.20	.28	1.04	.19	.10	.00	3.6	4.5	1.6	1.1	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92636	7.9	1.2	5.8	.7	.2	.0	15	73	9	2	0
C92640	8.0	1.1	5.9	.7	.2	.0	14	74	9	2	0
C92644	6.7	1.1	4.8	.7	.1	.0	16	71	11	2	0
C92645	8.0	1.0	6.6	.3	.1	.0	12	82	4	2	0
C92651	10.9	1.7	7.9	1.1	.2	.0	16	72	10	2	0
C92661	9.6	1.7	6.5	1.2	.1	.1	18	68	12	1	1
C92662	5.2	.7	3.6	.7	.1	.0	14	70	14	2	0
C92676	7.0	1.1	5.2	.6	.1	.0	16	74	9	1	0
C92682	8.7	1.2	6.2	1.1	.2	.0	14	70	13	2	0
C92684	6.4	.8	4.7	.5	.3	.0	13	74	8	5	0
MEAN	7.8	1.2	5.7	.8	.2	.0	15	73	10	2	0
S.D.	1.64	.33	1.20	.29	.07	.03	1.8	3.8	2.8	1.1	.3
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C92711	8.4	1.7	5.7	.8	.2	.0	20	68	10	2	0
C92713	5.1	.9	3.7	.4	.1	.0	18	72	7	2	0
C92714	6.6	.7	5.0	.8	.1	.0	11	75	12	2	0
C92716	6.4	1.1	4.7	.4	.1	.0	17	74	7	2	0
C92719	6.7	1.3	4.4	.8	.2	.0	20	65	12	3	0
C92722	8.9	1.7	6.0	1.0	.2	.0	19	68	11	2	0
C92726	8.0	1.0	6.2	.5	.2	.0	13	78	6	3	0
C92728	8.7	1.7	6.0	.8	.1	.0	20	69	10	2	0
C92741	12.6	.9	10.8	.6	.2	.0	7	86	5	1	0
C92748	6.5	1.2	4.6	.6	.1	.0	18	71	9	2	0
MEAN	7.8	1.2	5.7	.7	.2	.0	16	73	9	2	0
S.D.	2.08	.37	1.97	.20	.05	.00	4.5	6.1	2.5	.6	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C92754	10.2	1.3	7.5	1.2	.2	.0	13	74	11	2	0
C92765	11.5	1.8	8.7	.8	.2	.0	16	76	7	2	0
C92767	18.9	1.5	16.0	1.2	.1	.1	8	84	7	1	0
C92774	7.8	1.2	4.8	1.5	.3	.0	15	62	19	3	0
C92777	7.6	1.5	5.8	.3	.1	.0	19	76	4	1	0
C92784	13.1	2.1	9.4	1.2	.3	.0	16	72	10	2	0
C92789	8.5	1.4	6.3	.6	.1	.0	17	75	7	1	0
C92799	6.0	1.6	3.8	.5	.1	.0	27	62	8	2	0
C92812	9.7	2.2	6.7	.6	.2	.0	22	70	6	2	0
C92820	11.5	1.2	9.4	.7	.1	.0	11	82	6	1	0
MEAN	10.5	1.6	7.8	.9	.2	.0	16	73	8	2	0
S.D.	3.65	.35	3.43	.39	.08	.03	5.4	7.3	4.2	.7	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295	
C92508	-	-	-	-	-
C92509	-	-	-	-	-
C92511	-	-	-	-	-
C92521	-	-	-	-	-
C92527	-	-	-	-	-
C92528	-	-	-	-	-
C92532	-	-	-	-	-
C92535	-	-	-	-	-
C92537	-	-	-	-	-
C92562	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295	
C92583	-	-	-	-	-
C92593	-	-	-	-	-
C92598	-	-	-	-	-
C92600	-	-	-	-	-
C92612	-	-	-	-	-
C92616	-	-	-	-	-
C92621	-	-	-	-	-
C92624	-	-	-	-	-
C92627	-	-	-	-	-
C92629	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92636	-	-	-	-	-
C92640	-	-	-	-	-
C92644	-	-	-	-	-
C92645	-	-	-	-	-
C92651	-	-	-	-	-
C92661	-	-	-	-	-
C92662	-	-	-	-	-
C92676	-	-	-	-	-
C92682	-	-	-	-	-
C92684	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C92711	-	-	-	-	-
C92713	-	-	-	-	-
C92714	-	-	-	-	-
C92716	-	-	-	-	-
C92719	-	-	-	-	-
C92722	-	-	-	-	-
C92726	-	-	-	-	-
C92728	-	-	-	-	-
C92741	-	-	-	-	-
C92748	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C92754	-	-	-	-	-
C92765	-	-	-	-	-
C92767	-	-	-	-	-
C92774	-	-	-	-	-
C92777	-	-	-	-	-
C92784	-	-	-	-	-
C92789	-	-	-	-	-
C92799	-	-	-	-	-
C92812	-	-	-	-	-
C92820	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92863	8.49	15.9	47.9	56.4	18.8	33.2	1041
C92865	8.00	15.5	45.8	57.3	19.4	33.9	1022
C92871	8.90	16.8	50.3	56.5	18.9	33.5	1194
C92880	8.61	16.1	46.8	54.4	18.7	34.4	1054
C92887	7.73	14.9	43.1	55.7	19.2	34.5	1078
C92898	7.65	14.7	42.9	56.0	19.2	34.3	1094
C92903	8.13	15.7	46.0	56.6	19.4	34.2	1133
C92905	7.78	15.0	43.9	56.4	19.2	34.1	1027
C92906	7.55	14.4	43.5	57.7	19.1	33.1	1015
C92927	7.17	13.9	42.2	58.8	19.4	33.0	948
MEAN	8.00	15.3	45.2	56.6	19.1	33.8	1061
S.D.	.535	.87	2.58	1.18	.25	.57	68.5
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92935	8.37	15.0	45.8	54.7	17.9	32.7	1153
C92940	8.65	16.2	49.6	57.4	18.7	32.6	1091
C92944	8.46	15.8	46.6	55.1	18.7	33.9	1234
C92948	7.60	15.0	45.3	59.6	19.8	33.2	1136
C92956	7.90	14.5	43.9	55.6	18.3	32.9	1126
C92962	7.90	16.0	45.2	57.1	20.2	35.4	1092
C92967	7.89	14.9	43.3	54.9	18.9	34.4	1206
C92978	8.24	15.9	46.5	56.4	19.3	34.2	1009
C92986	8.40	15.9	47.6	56.6	18.9	33.3	1207
C92987	8.75	15.8	45.8	52.4	18.0	34.4	1179
MEAN	8.22	15.5	46.0	56.0	18.9	33.7	1143
S.D.	.377	.59	1.80	1.93	.74	.91	67.8
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92992	7.82	15.3	46.1	58.9	19.6	33.3	993
C92993	7.80	14.5	42.2	54.1	18.6	34.4	989
C93000	8.31	15.2	44.5	53.5	18.2	34.1	1126
C93018	7.95	15.5	45.8	57.6	19.4	33.8	1118
C93019	8.06	14.8	45.2	56.1	18.3	32.7	1070
C93023	8.38	15.1	44.8	53.5	18.0	33.7	1201
C93024	8.34	16.5	49.1	58.8	19.8	33.6	1056
C93026	7.87	14.5	44.2	56.2	18.4	32.8	1192
C93030	7.76	15.4	45.8	59.1	19.8	33.6	902
C93035	8.32	15.3	44.5	53.5	18.3	34.3	1058
MEAN	8.06	15.2	45.2	56.1	18.8	33.6	1070
S.D.	.253	.58	1.76	2.37	.72	.57	93.4
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C93051	8.40	16.0	46.8	55.7	19.0	34.2	1174
C93064	8.55	16.1	47.0	55.0	18.8	34.1	1120
C93071	7.84	15.0	44.0	56.1	19.2	34.1	1055
C93076	7.30	14.5	42.9	58.8	19.8	33.7	1088
C93078	8.09	15.2	46.5	57.5	18.8	32.7	1083
C93085	7.49	14.6	41.7	55.7	19.5	34.9	1039
C93089	7.81	14.6	44.1	56.5	18.6	33.0	1181
C93090	7.51	14.3	42.5	56.6	19.0	33.6	1025
C93093	8.15	15.8	47.4	58.1	19.3	33.2	972
C93109	8.56	15.9	46.9	54.7	18.5	33.9	1078
MEAN	7.97	15.2	45.0	56.5	19.0	33.7	1082
S.D.	.453	.70	2.17	1.32	.41	.65	64.7
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C93111	7.78	14.7	41.0	52.7	18.9	35.9	1033
C93113	8.22	15.3	46.4	56.4	18.6	33.1	1128
C93120	7.59	14.3	43.0	56.7	18.8	33.2	1188
C93127	7.90	15.5	44.2	56.0	19.6	35.0	1150
C93135	8.08	15.1	45.6	56.5	18.7	33.1	1024
C93143	8.10	16.1	46.3	57.1	19.9	34.8	1226
C93155	7.89	15.7	44.4	56.3	19.9	35.3	1180
C93162	7.44	13.8	41.9	56.3	18.5	32.9	1339
C93169	8.04	15.1	43.8	54.5	18.8	34.4	1250
C93178	7.70	15.3	45.4	59.0	19.9	33.7	921
MEAN	7.87	15.1	44.2	56.2	19.2	34.1	1144
S.D.	.247	.67	1.82	1.64	.59	1.08	122.9
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92863	4.5	.7	3.0	.6	.2	.0	15	67	14	4	0
C92865	6.4	2.1	3.4	.7	.1	.0	33	54	11	2	0
C92871	6.5	1.5	4.4	.4	.1	.0	24	68	7	1	0
C92880	2.3	.8	1.3	.1	.0	.0	34	58	5	2	0
C92887	3.5	.9	2.1	.4	.1	.0	25	60	12	2	0
C92898	6.6	1.3	4.6	.5	.2	.0	20	70	7	3	0
C92903	4.4	.7	3.3	.3	.1	.0	17	75	6	3	0
C92905	3.7	.3	3.1	.3	.0	.0	9	83	7	1	0
C92906	6.4	.7	5.1	.4	.1	.0	11	80	7	2	0
C92927	4.6	.6	3.5	.4	.1	.0	13	77	8	2	0
MEAN	4.9	1.0	3.4	.4	.1	.0	20	69	8	2	0
S.D.	1.51	.53	1.14	.17	.07	.00	8.8	9.7	2.9	.9	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92935	4.4	.8	3.0	.5	.1	.0	18	68	12	2	0
C92940	9.6	1.7	7.0	.7	.1	.0	18	73	7	1	0
C92944	9.0	1.4	7.0	.5	.1	.0	15	78	6	1	0
C92948	10.2	1.8	7.2	1.0	.1	.0	18	71	9	1	0
C92956	3.1	.9	1.6	.5	.1	.0	28	53	16	3	0
C92962	4.5	.5	3.6	.2	.1	.0	12	81	5	2	0
C92967	4.0	.7	3.0	.2	.0	.0	17	76	6	1	0
C92978	6.1	1.0	4.5	.6	.1	.0	16	73	9	2	0
C92986	5.0	.7	3.5	.7	.1	.0	15	69	13	3	0
C92987	8.6	.7	7.5	.3	.1	.0	8	87	3	1	0
MEAN	6.4	1.0	4.8	.5	.1	.0	16	73	9	2	0
S.D.	2.64	.45	2.18	.25	.03	.00	5.1	9.1	4.0	.8	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92992	4.1	.9	2.9	.3	.1	.0	21	70	7	2	0
C92993	3.8	.4	3.1	.3	.0	.0	11	80	7	1	0
C93000	3.8	.7	2.7	.3	.1	.0	18	71	8	2	0
C93018	6.4	.7	5.3	.3	.1	.0	10	83	5	2	0
C93019	3.8	.6	2.9	.3	.1	.0	15	75	8	3	0
C93023	3.0	.5	2.2	.2	.1	.0	18	74	5	3	0
C93024	4.5	.8	3.4	.3	.1	.0	17	75	6	1	0
C93026	7.7	.9	6.3	.4	.1	.0	12	81	5	1	0
C93030	4.8	.6	3.8	.3	.1	.0	12	79	7	3	0
C93035	7.4	.5	6.2	.5	.1	.0	7	85	7	1	0
MEAN	4.9	.7	3.9	.3	.1	.0	14	77	6	2	0
S.D.	1.65	.17	1.50	.08	.03	.00	4.4	5.1	1.2	.9	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C93051	6.0	.6	5.2	.2	.1	.0	10	85	3	1	0
C93064	3.2	.6	2.1	.3	.0	.0	20	68	11	1	1
C93071	5.8	.4	5.1	.2	.1	.0	7	88	4	1	0
C93076	6.5	.8	5.1	.5	.2	.0	12	78	7	3	0
C93078	5.1	1.2	3.3	.4	.1	.0	24	65	8	2	0
C93085	4.4	.5	3.5	.3	.1	.0	10	80	7	2	0
C93089	8.3	.5	6.2	1.3	.1	.1	6	75	16	1	1
C93090	9.6	2.2	6.8	.4	.1	.0	23	71	4	1	0
C93093	5.8	1.3	4.1	.3	.1	.0	23	69	6	2	0
C93109	3.8	.7	2.6	.3	.1	.0	19	69	9	3	0
MEAN	5.8	.9	4.4	.4	.1	.0	15	75	8	2	0
S.D.	1.96	.55	1.54	.32	.05	.03	7.1	7.7	3.9	.8	.4
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C93111	4.8	.8	3.7	.1	.1	.0	17	78	3	3	0
C93113	7.2	1.0	5.5	.6	.1	.0	15	76	8	1	0
C93120	5.4	.7	4.0	.6	.1	.0	13	73	12	2	1
C93127	3.1	.6	2.2	.2	.1	.0	18	72	7	3	0
C93135	5.7	1.1	4.1	.4	.1	.0	19	71	8	2	0
C93143	3.2	.7	2.0	.3	.2	.0	23	62	10	5	0
C93155	3.2	.5	2.5	.2	.1	.0	15	76	6	3	0
C93162	7.6	2.7	4.4	.4	.1	.0	35	58	6	1	0
C93169	3.4	.6	2.7	.2	.0	.0	16	78	5	1	0
C93178	4.0	.8	3.0	.3	.0	.0	19	74	7	1	0
MEAN	4.8	1.0	3.4	.3	.1	.0	19	72	7	2	0
S.D.	1.68	.64	1.12	.17	.06	.00	6.3	6.7	2.5	1.3	.3
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295		
C92863	-	-	-	-	-
C92865	-	-	-	-	-
C92871	-	-	-	-	-
C92880	-	-	-	-	-
C92887	-	-	-	-	-
C92898	-	-	-	-	-
C92903	-	-	-	-	-
C92905	-	-	-	-	-
C92906	-	-	-	-	-
C92927	-	-	-	-	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295		
C92935	-	-	-	-	-
C92940	-	-	-	-	-
C92944	-	-	-	-	-
C92948	-	-	-	-	-
C92956	-	-	-	-	-
C92962	-	-	-	-	-
C92967	-	-	-	-	-
C92978	-	-	-	-	-
C92986	-	-	-	-	-
C92987	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92992	-	-	-	-	-
C92993	-	-	-	-	-
C93000	-	-	-	-	-
C93018	-	-	-	-	-
C93019	-	-	-	-	-
C93023	-	-	-	-	-
C93024	-	-	-	-	-
C93026	-	-	-	-	-
C93030	-	-	-	-	-
C93035	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C93051	-	-	-	-	-
C93064	-	-	-	-	-
C93071	-	-	-	-	-
C93076	-	-	-	-	-
C93078	-	-	-	-	-
C93085	-	-	-	-	-
C93089	-	-	-	-	-
C93090	-	-	-	-	-
C93093	-	-	-	-	-
C93109	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C93111	-	-	-	-	-
C93113	-	-	-	-	-
C93120	-	-	-	-	-
C93127	-	-	-	-	-
C93135	-	-	-	-	-
C93143	-	-	-	-	-
C93155	-	-	-	-	-
C93162	-	-	-	-	-
C93169	-	-	-	-	-
C93178	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92505	8.48	15.6	46.3	54.5	18.3	33.6	1112
C92510	8.86	15.8	46.0	52.0	17.8	34.3	1185
C92512	8.77	16.3	48.4	55.2	18.6	33.6	965
C92525	8.82	15.2	45.3	51.4	17.3	33.6	1414
C92537	8.32	15.0	43.7	52.5	18.1	34.4	1325
C92543	8.18	14.8	42.8	52.3	18.0	34.4	1130
C92545	8.90	15.6	45.8	51.5	17.5	34.0	1040
C92563	8.51	15.8	46.2	54.3	18.6	34.3	1318
C92567	9.20	16.2	47.8	52.0	17.6	33.8	1464
C92570	9.81	16.6	49.1	50.1	16.9	33.8	1394
MEAN	8.78	15.7	46.1	52.6	17.9	34.0	1235
S.D.	.471	.58	1.96	1.60	.56	.34	171.4
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92577	9.24	16.2	48.0	52.0	17.6	33.8	1197
C92583	8.48	15.2	44.8	52.8	18.0	34.0	1249
C92585	7.82	13.7	41.3	52.9	17.6	33.2	1262
C92586	9.59	15.7	47.2	49.2	16.4	33.3	1294
C92588	8.58	15.3	45.7	53.3	17.8	33.4	1483
C92590	8.83	15.2	44.9	50.8	17.2	33.7	1291
C92601	8.11	15.0	43.9	54.1	18.5	34.1	1003
C92602	9.84	16.8	49.4	50.3	17.1	34.0	1139
C92617	9.11	15.8	46.8	51.3	17.4	33.8	1360
C92630	8.83	16.1	47.6	53.9	18.2	33.7	1424
MEAN	8.84	15.5	46.0	52.1	17.6	33.7	1270
S.D.	.629	.84	2.34	1.63	.60	.31	138.4
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92633	8.78	15.9	46.2	52.6	18.1	34.5	1325
C92644	8.46	14.9	44.2	52.2	17.6	33.8	1313
C92647	8.57	14.8	43.4	50.7	17.3	34.1	1003
C92658	8.56	14.8	43.9	51.3	17.2	33.6	1112
C92660	9.53	16.2	48.5	50.9	17.0	33.4	1219
C92667	8.87	15.7	46.7	52.7	17.8	33.7	1243
C92673	8.96	16.0	47.2	52.6	17.8	33.8	1324
C92679	8.69	15.7	45.9	52.8	18.1	34.3	1384
C92686	8.82	15.7	45.7	51.8	17.8	34.4	1097
C92687	8.92	15.0	44.5	49.9	16.8	33.6	1354
MEAN	8.82	15.5	45.6	51.8	17.5	33.9	1237
S.D.	.301	.54	1.62	1.01	.45	.38	127.7
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C92696	8.70	15.8	46.1	53.0	18.1	34.2	1227
C92698	9.46	16.6	48.4	51.2	17.5	34.2	1289
C92708	10.00	16.4	49.3	49.2	16.3	33.2	1300
C92709	9.10	16.1	47.5	52.2	17.7	33.9	1176
C92710	8.80	15.1	44.4	50.5	17.1	33.9	1397
C92725	8.63	15.4	45.6	52.8	17.9	33.8	1072
C92743	9.08	16.1	47.2	52.0	17.7	34.1	1303
C92745	9.19	15.4	46.3	50.3	16.7	33.3	1074
C92749	8.53	14.7	43.4	50.9	17.2	33.8	1062
C92750	8.95	16.1	48.1	53.7	17.9	33.4	1269
MEAN	9.04	15.8	46.6	51.6	17.4	33.8	1217
S.D.	.439	.60	1.84	1.40	.58	.36	116.4
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C92756	8.64	14.8	44.6	51.6	17.2	33.3	1362
C92761	8.64	16.4	47.6	55.1	19.0	34.5	1349
C92764	8.71	15.2	44.5	51.1	17.4	34.1	1367
C92773	9.27	15.2	44.7	48.2	16.4	34.0	1342
C92783	8.59	14.6	44.0	51.3	17.0	33.2	1068
C92788	8.28	14.9	44.6	53.8	18.0	33.4	1021
C92791	8.75	14.6	43.2	49.4	16.7	33.8	1394
C92803	8.46	14.8	44.5	52.6	17.5	33.3	1473
C92804	8.70	14.6	43.9	50.4	16.8	33.3	1087
C92820	8.66	16.0	45.9	53.0	18.5	34.8	1410
MEAN	8.67	15.1	44.7	51.6	17.4	33.8	1287
S.D.	.252	.62	1.22	2.06	.83	.57	162.9
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92505	8.0	1.2	5.6	1.0	.1	.1	16	70	13	1	1
C92510	8.9	1.2	6.0	1.3	.3	.0	14	68	15	3	0
C92512	7.4	1.7	4.6	1.0	.1	.1	23	62	14	1	1
C92525	10.6	1.6	7.6	1.2	.2	.1	15	72	11	2	1
C92537	7.6	.8	5.5	1.1	.2	.1	10	72	14	2	1
C92543	5.8	1.2	3.9	.5	.1	.0	21	68	9	2	0
C92545	6.4	1.1	4.3	.9	.1	.0	17	67	14	1	1
C92563	6.7	1.2	4.3	1.1	.1	.1	17	64	16	2	1
C92567	7.6	1.7	4.7	1.0	.3	.0	22	61	13	4	0
C92570	6.2	1.3	4.0	.7	.2	.0	21	64	11	3	1
MEAN	7.5	1.3	5.0	1.0	.2	.0	18	67	13	2	1
S.D.	1.43	.29	1.14	.23	.08	.05	4.1	3.9	2.1	1.0	.5
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92577	8.5	1.4	6.2	.7	.2	.0	16	72	8	3	0
C92583	7.6	1.6	4.6	1.1	.2	.1	22	61	15	2	1
C92585	6.5	1.4	4.2	.7	.2	.0	22	64	10	3	1
C92586	7.5	1.9	4.6	.8	.2	.0	25	61	11	3	1
C92588	8.7	1.4	6.4	.7	.2	.0	16	73	8	3	0
C92590	8.4	1.1	6.1	1.0	.2	.0	13	73	12	2	1
C92601	11.5	1.7	8.4	1.1	.2	.1	15	73	10	1	1
C92602	6.7	2.0	3.8	.7	.2	.0	29	57	10	3	0
C92617	7.8	1.3	5.2	1.1	.2	.0	16	67	14	3	1
C92630	9.1	1.1	6.7	1.1	.1	.1	12	73	12	2	1
MEAN	8.2	1.5	5.6	.9	.2	.0	19	67	11	2	1
S.D.	1.42	.31	1.40	.19	.03	.05	5.6	6.2	2.3	.7	.5
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92633	7.8	1.8	4.9	.9	.2	.0	22	64	11	2	0
C92644	5.8	1.2	3.8	.7	.1	.0	20	66	11	1	1
C92647	8.3	1.1	6.2	.8	.2	.0	13	75	9	2	0
C92658	9.4	2.4	5.5	1.2	.2	.0	26	58	13	3	0
C92660	7.6	1.1	5.5	.7	.1	.1	15	73	9	2	1
C92667	9.4	1.3	6.9	1.0	.2	.0	14	73	10	2	0
C92673	7.4	2.4	3.7	1.2	.2	.0	32	50	16	2	0
C92679	10.2	1.5	7.4	1.1	.2	.0	14	72	11	2	0
C92686	10.6	2.2	6.8	1.2	.3	.0	21	64	12	3	0
C92687	10.1	1.7	6.5	1.5	.3	.1	17	65	14	3	1
MEAN	8.7	1.7	5.7	1.0	.2	.0	19	66	12	2	0
S.D.	1.53	.52	1.28	.26	.07	.04	6.1	7.8	2.2	.6	.5
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C92696	7.6	1.2	5.6	.6	.2	.0	15	74	8	2	0
C92698	8.8	1.7	5.5	1.3	.2	.1	19	62	15	2	1
C92708	10.1	1.7	6.3	1.8	.2	.0	17	62	18	2	0
C92709	6.3	1.5	3.7	.9	.2	.0	24	59	14	2	0
C92710	9.1	2.0	5.7	1.2	.1	.0	23	62	13	2	0
C92725	9.6	2.0	6.3	1.1	.2	.1	20	66	12	2	1
C92743	12.5	1.1	9.9	1.2	.2	.1	9	79	10	1	1
C92745	8.8	1.9	5.3	1.3	.2	.1	21	61	15	2	1
C92749	6.5	1.4	4.1	.9	.1	.0	22	63	13	1	1
C92750	7.1	1.6	4.2	1.2	.1	.1	22	58	17	2	1
MEAN	8.6	1.6	5.7	1.2	.2	.0	19	65	14	2	1
S.D.	1.88	.31	1.74	.32	.05	.05	4.5	6.7	3.0	.4	.5
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C92756	6.4	1.0	4.4	.9	.1	.0	15	69	14	1	0
C92761	12.2	2.1	8.4	1.5	.1	.1	17	69	12	1	1
C92764	7.0	1.6	4.3	.9	.2	.0	22	61	14	2	1
C92773	7.0	1.2	5.0	.6	.2	.0	18	71	8	3	1
C92783	8.5	1.8	5.2	1.3	.1	.0	22	61	15	2	0
C92788	9.9	2.2	6.3	1.2	.1	.0	22	64	12	1	0
C92791	10.3	1.8	7.3	1.0	.1	.1	18	71	10	1	1
C92803	6.8	1.1	4.7	.8	.2	.0	16	70	12	2	0
C92804	9.6	1.4	6.9	1.1	.2	.0	14	72	12	2	0
C92820	9.0	1.3	6.9	.7	.1	.0	14	76	7	1	0
MEAN	8.7	1.6	5.9	1.0	.1	.0	18	68	12	2	0
S.D.	1.88	.42	1.41	.28	.05	.04	3.2	4.9	2.6	.7	.5
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295		
C92505	-	-	-	-	-
C92510	-	-	-	-	-
C92512	-	-	-	-	-
C92525	-	-	-	-	-
C92537	-	-	-	-	-
C92543	-	-	-	-	-
C92545	-	-	-	-	-
C92563	-	-	-	-	-
C92567	-	-	-	-	-
C92570	-	-	-	-	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295		
C92577	-	-	-	-	-
C92583	-	-	-	-	-
C92585	-	-	-	-	-
C92586	-	-	-	-	-
C92588	-	-	-	-	-
C92590	-	-	-	-	-
C92601	-	-	-	-	-
C92602	-	-	-	-	-
C92617	-	-	-	-	-
C92630	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92633	-	-	-	-	-
C92644	-	-	-	-	-
C92647	-	-	-	-	-
C92658	-	-	-	-	-
C92660	-	-	-	-	-
C92667	-	-	-	-	-
C92673	-	-	-	-	-
C92679	-	-	-	-	-
C92686	-	-	-	-	-
C92687	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C92696	-	-	-	-	-
C92698	-	-	-	-	-
C92708	-	-	-	-	-
C92709	-	-	-	-	-
C92710	-	-	-	-	-
C92725	-	-	-	-	-
C92743	-	-	-	-	-
C92745	-	-	-	-	-
C92749	-	-	-	-	-
C92750	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C92756	-	-	-	-	-
C92761	-	-	-	-	-
C92764	-	-	-	-	-
C92773	-	-	-	-	-
C92783	-	-	-	-	-
C92788	-	-	-	-	-
C92791	-	-	-	-	-
C92803	-	-	-	-	-
C92804	-	-	-	-	-
C92820	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92876	7.70	15.0	45.1	58.6	19.5	33.3	1168
C92878	7.02	13.7	40.6	57.8	19.5	33.8	1150
C92888	8.77	16.3	49.8	56.8	18.6	32.8	1102
C92906	6.91	13.3	39.9	57.8	19.2	33.2	841
C92916	7.04	13.6	41.4	58.8	19.3	32.8	1043
C92917	7.40	14.4	41.2	55.6	19.5	35.0	1152
C92921	7.66	14.6	44.2	57.7	19.1	33.1	1057
C92922	7.28	13.8	41.2	56.6	18.9	33.4	828
C92923	7.77	15.3	45.8	58.9	19.7	33.4	1102
C92928	8.04	15.5	45.9	57.1	19.2	33.6	1071
MEAN	7.56	14.6	43.5	57.6	19.2	33.4	1051
S.D.	.563	.97	3.16	1.06	.33	.63	121.7
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92932	6.36	14.0	40.9	64.3	22.0	34.2	797
C92935	8.39	15.3	46.1	54.9	18.2	33.2	1158
C92938	8.07	15.0	45.1	55.9	18.6	33.3	1116
C92951	7.82	14.7	43.9	56.2	18.8	33.4	1085
C92954	7.35	14.1	42.4	57.7	19.2	33.3	1001
C92956	8.16	15.0	45.7	56.0	18.4	32.9	1205
C92960	8.28	15.7	47.4	57.2	18.9	33.1	930
C92974	8.47	15.0	45.2	53.4	17.7	33.2	1025
C92979	8.30	15.1	45.5	54.9	18.2	33.2	1201
C92989	8.08	15.2	46.0	57.0	18.9	33.1	1049
MEAN	7.93	14.9	44.8	56.8	18.9	33.3	1057
S.D.	.639	.52	1.92	2.94	1.18	.35	127.0
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C93003	7.70	14.5	43.6	56.6	18.8	33.2	934
C93004	8.19	15.2	45.5	55.6	18.5	33.3	1154
C93011	8.15	15.7	46.8	57.4	19.2	33.5	1080
C93020	7.79	14.4	43.3	55.6	18.5	33.3	1123
C93027	8.59	16.2	48.9	56.9	18.8	33.1	1119
C93030	7.85	15.7	46.4	59.1	20.0	33.8	979
C93034	7.49	14.4	43.2	57.7	19.3	33.4	1070
C93046	8.22	15.4	45.7	55.6	18.8	33.7	1099
C93047	7.96	14.4	42.9	53.9	18.1	33.6	1163
C93049	8.03	15.0	45.9	57.1	18.7	32.7	1023
MEAN	8.00	15.1	45.2	56.5	18.9	33.4	1074
S.D.	.312	.66	1.94	1.44	.53	.32	75.0
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C93052	8.61	15.7	47.2	54.9	18.2	33.2	1098
C93055	8.04	15.9	46.4	57.7	19.7	34.2	1065
C93072	8.38	16.1	47.9	57.1	19.1	33.5	1358
C93080	7.74	14.3	43.4	56.1	18.5	33.0	1056
C93081	8.40	15.6	46.9	55.8	18.6	33.3	1240
C93090	7.84	14.4	43.9	56.0	18.4	32.9	1092
C93094	8.61	15.7	48.1	55.8	18.3	32.7	1160
C93095	7.69	14.9	44.8	58.3	19.4	33.3	925
C93103	7.86	15.4	45.6	57.9	19.6	33.8	1013
C93104	8.00	15.4	46.5	58.2	19.3	33.1	944
MEAN	8.12	15.3	46.1	56.8	18.9	33.3	1095
S.D.	.353	.61	1.61	1.20	.57	.44	131.4
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C93119	7.83	14.8	44.2	56.5	19.0	33.6	1040
C93131	7.52	13.9	41.6	55.4	18.5	33.3	1065
C93133	7.46	14.6	43.2	57.9	19.6	33.9	867
C93138	8.05	14.3	43.0	53.4	17.7	33.2	907
C93149	8.24	15.1	46.1	55.9	18.4	32.9	1229
C93153	7.96	14.6	44.0	55.3	18.4	33.3	1075
C93157	8.04	14.9	43.3	53.8	18.5	34.3	1081
C93160	6.97	13.3	39.7	56.9	19.1	33.6	848
C93162	7.31	14.6	43.7	59.8	20.0	33.5	1278
C93179	7.91	14.7	44.1	55.7	18.6	33.3	1233
MEAN	7.73	14.5	43.3	56.1	18.8	33.5	1062
S.D.	.398	.53	1.70	1.87	.66	.39	153.7
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92876	5.2	1.1	3.4	.5	.1	.0	22	66	10	2	0
C92878	5.5	2.0	3.0	.5	.1	.0	36	53	9	2	0
C92888	6.0	.4	4.8	.7	.1	.0	7	79	11	2	0
C92906	5.1	.9	3.8	.3	.1	.0	17	74	7	2	1
C92916	6.9	.9	5.1	.5	.4	.0	12	74	7	6	0
C92917	5.0	.4	3.8	.6	.1	.0	9	75	13	2	0
C92921	5.0	.6	3.8	.5	.2	.0	12	75	10	3	0
C92922	5.1	.3	4.4	.3	.1	.0	6	87	6	2	0
C92923	6.8	1.5	4.0	1.2	.1	.1	22	59	17	1	1
C92928	4.8	.7	3.7	.4	.1	.0	14	76	8	2	0
MEAN	5.5	.9	4.0	.6	.1	.0	16	72	10	2	0
S.D.	.77	.54	.63	.26	.10	.03	9.1	9.9	3.3	1.3	.4
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92932	19.3	4.4	13.2	1.3	.2	.1	23	69	7	1	0
C92935	3.3	.4	2.4	.4	.1	.0	11	74	13	2	0
C92938	6.2	.4	5.4	.4	.1	.0	6	87	6	1	0
C92951	2.8	.6	2.1	.1	.1	.0	21	73	4	2	0
C92954	7.6	1.2	5.8	.5	.2	.0	15	76	7	2	0
C92956	3.2	.4	2.6	.2	.1	.0	11	82	5	2	0
C92960	5.8	.8	4.5	.5	.1	.0	13	77	8	2	0
C92974	5.0	.5	4.1	.4	.1	.0	9	81	8	1	0
C92979	5.1	.8	3.6	.6	.1	.0	15	70	12	3	1
C92989	8.6	1.5	6.6	.3	.2	.0	18	77	3	2	0
MEAN	6.7	1.1	5.0	.5	.1	.0	14	77	7	2	0
S.D.	4.82	1.22	3.24	.33	.05	.03	5.3	5.6	3.2	.6	.3
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C93003	6.9	1.0	5.3	.4	.1	.0	15	77	6	1	0
C93004	5.7	1.1	3.7	.8	.1	.0	19	65	14	1	0
C93011	4.7	.5	3.9	.2	.1	.0	10	84	4	2	0
C93020	5.6	.7	4.5	.3	.1	.0	12	80	6	1	0
C93027	4.8	.7	3.6	.3	.2	.0	15	75	6	4	0
C93030	5.3	.7	4.0	.5	.1	.0	12	75	10	3	0
C93034	3.2	.5	2.5	.2	.1	.0	15	78	5	2	0
C93046	4.0	.8	2.8	.3	.1	.0	20	70	8	2	0
C93047	4.6	.8	3.3	.4	.1	.0	16	72	9	2	0
C93049	3.1	.5	2.0	.4	.1	.0	17	66	13	4	0
MEAN	4.8	.7	3.6	.4	.1	.0	15	74	8	2	0
S.D.	1.17	.21	.97	.18	.03	.00	3.1	6.0	3.4	1.1	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C93052	7.7	.9	5.8	.7	.2	.0	12	76	9	2	0
C93055	5.4	.7	4.1	.4	.1	.0	13	77	8	1	0
C93072	5.2	.7	4.1	.3	.2	.0	13	78	6	3	0
C93080	5.2	.7	3.8	.6	.1	.0	13	73	12	1	1
C93081	5.5	.5	4.6	.3	.1	.0	10	84	5	1	0
C93090	10.5	1.3	8.6	.4	.2	.0	12	82	4	2	0
C93094	4.6	.6	3.7	.3	.1	.0	13	79	6	2	0
C93095	3.9	1.0	2.6	.2	.1	.0	26	66	6	2	0
C93103	7.7	.7	6.3	.6	.1	.0	8	82	7	2	1
C93104	5.6	.9	3.6	1.0	.1	.0	16	65	17	2	0
MEAN	6.1	.8	4.7	.5	.1	.0	14	76	8	2	0
S.D.	1.95	.23	1.74	.24	.05	.00	4.8	6.5	3.9	.6	.4
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C93119	3.4	.5	2.6	.3	.1	.0	15	74	8	3	0
C93131	6.6	1.2	4.5	.6	.2	.0	19	69	9	3	1
C93133	5.0	.6	4.0	.3	.1	.0	13	80	6	1	0
C93138	5.6	.5	4.7	.2	.1	.0	9	84	4	2	0
C93149	6.2	.8	5.2	.1	.1	.0	13	84	1	2	0
C93153	8.2	1.1	6.2	.6	.2	.0	13	76	8	3	1
C93157	8.0	1.1	6.5	.3	.1	.0	13	82	4	1	0
C93160	6.3	2.3	3.3	.6	.1	.0	37	52	9	2	0
C93162	3.5	.8	2.2	.4	.1	.0	22	62	12	4	1
C93179	5.8	.5	4.8	.4	.1	.0	8	83	8	1	0
MEAN	5.9	.9	4.4	.4	.1	.0	16	75	7	2	0
S.D.	1.61	.55	1.41	.18	.04	.00	8.4	10.7	3.2	1.0	.5
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295	
C92876	-	-	-	-	-
C92878	-	-	-	-	-
C92888	-	-	-	-	-
C92906	-	-	-	-	-
C92916	-	-	-	-	-
C92917	-	-	-	-	-
C92921	-	-	-	-	-
C92922	-	-	-	-	-
C92923	-	-	-	-	-
C92928	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295	
C92932	-	-	-	-	-
C92935	-	-	-	-	-
C92938	-	-	-	-	-
C92951	-	-	-	-	-
C92954	-	-	-	-	-
C92956	-	-	-	-	-
C92960	-	-	-	-	-
C92974	-	-	-	-	-
C92979	-	-	-	-	-
C92989	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C93003	-	-	-	-	-
C93004	-	-	-	-	-
C93011	-	-	-	-	-
C93020	-	-	-	-	-
C93027	-	-	-	-	-
C93030	-	-	-	-	-
C93034	-	-	-	-	-
C93046	-	-	-	-	-
C93047	-	-	-	-	-
C93049	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C93052	-	-	-	-	-
C93055	-	-	-	-	-
C93072	-	-	-	-	-
C93080	-	-	-	-	-
C93081	-	-	-	-	-
C93090	-	-	-	-	-
C93094	-	-	-	-	-
C93095	-	-	-	-	-
C93103	-	-	-	-	-
C93104	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C93119	-	-	-	-	-
C93131	-	-	-	-	-
C93133	-	-	-	-	-
C93138	-	-	-	-	-
C93149	-	-	-	-	-
C93153	-	-	-	-	-
C93157	-	-	-	-	-
C93160	-	-	-	-	-
C93162	-	-	-	-	-
C93179	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92501	8.22	15.5	43.4	52.8	18.9	35.8	1161
C92504	8.32	15.3	43.8	52.6	18.4	35.0	971
C92507	8.64	16.0	44.0	50.9	18.5	36.3	1103
C92512	8.24	15.6	44.1	53.5	19.0	35.5	919
C92517	7.98	15.6	43.5	54.5	19.5	35.8	1206
C92523	7.77	13.7	38.5	49.6	17.6	35.6	1194
C92534	8.55	15.9	45.4	53.1	18.6	35.1	1234
C92540	8.39	15.8	44.3	52.8	18.9	35.8	890
C92562	8.59	16.2	45.9	53.5	18.9	35.4	1056
C92570	8.58	15.2	42.5	49.5	17.7	35.7	1388
MEAN	8.33	15.5	43.5	52.3	18.6	35.6	1112
S.D.	.286	.70	2.02	1.70	.59	.38	155.9
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92573	8.44	15.4	43.6	51.7	18.3	35.3	992
C92587	8.55	14.9	43.7	51.1	17.5	34.2	1414
C92592	8.73	15.4	45.0	51.5	17.7	34.3	924
C92596	8.20	15.3	43.5	53.1	18.6	35.1	1049
C92604	8.70	15.3	43.7	50.2	17.6	35.0	887
C92612	8.34	15.0	42.5	50.9	18.0	35.4	1038
C92614	8.04	15.1	42.6	53.0	18.8	35.4	1124
C92624	8.27	15.6	43.7	52.8	18.8	35.6	955
C92625	8.03	15.1	42.4	52.7	18.8	35.6	1292
C92629	8.04	15.2	43.5	54.2	19.0	35.0	915
MEAN	8.33	15.2	43.4	52.1	18.3	35.1	1059
S.D.	.266	.21	.77	1.23	.57	.49	172.9
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92634	8.23	14.2	41.4	50.3	17.3	34.4	913
C92635	8.01	15.8	44.7	55.8	19.8	35.5	830
C92643	8.26	15.2	43.0	52.0	18.4	35.4	944
C92649	8.32	14.8	42.3	50.8	17.8	35.1	938
C92653	8.25	14.9	42.2	51.1	18.0	35.2	1127
C92654	7.89	14.1	40.1	50.9	17.9	35.1	952
C92667	8.26	15.5	43.8	53.0	18.8	35.4	1053
C92669	8.16	15.6	44.2	54.2	19.1	35.3	838
C92680	7.40	14.0	40.0	54.0	18.9	34.9	963
C92686	8.35	15.0	43.5	52.1	18.0	34.6	752
MEAN	8.11	14.9	42.5	52.4	18.4	35.1	931
S.D.	.288	.64	1.63	1.79	.75	.36	108.6
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C92694	8.47	15.2	43.3	51.1	17.9	35.0	832
C92704	7.88	14.8	42.2	53.6	18.8	35.1	1037
C92710	8.59	14.7	42.6	49.5	17.2	34.7	1199
C92711	8.36	14.7	42.5	50.8	17.6	34.6	1062
C92727	9.14	15.7	45.5	49.7	17.2	34.6	1001
C92729	7.29	14.7	42.2	57.8	20.2	35.0	900
C92739	8.88	15.2	45.5	51.3	17.1	33.4	1124
C92741	8.65	15.6	44.0	50.9	18.0	35.3	910
C92742	8.81	15.9	46.4	52.6	18.0	34.3	964
C92748	8.20	15.1	42.8	52.2	18.5	35.4	1078
MEAN	8.43	15.2	43.7	52.0	18.0	34.7	1011
S.D.	.536	.45	1.56	2.41	.94	.58	111.9
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C92751	7.98	14.3	40.3	50.5	17.9	35.3	1011
C92754	8.70	15.6	43.1	49.6	18.0	36.2	1367
C92755	8.74	15.9	44.0	50.3	18.1	36.0	1367
C92778	8.14	14.3	40.6	49.9	17.6	35.3	1378
C92790	8.46	15.2	43.3	51.2	17.9	35.0	1231
C92795	8.28	14.3	40.5	48.9	17.3	35.4	1186
C92796	7.85	13.9	38.8	49.5	17.7	35.7	1246
C92817	7.81	14.8	42.4	54.2	19.0	35.0	1114
C92820	8.60	15.5	42.6	49.5	18.0	36.3	1271
MEAN	8.28	14.9	41.7	50.4	17.9	35.6	1241
S.D.	.360	.71	1.74	1.58	.47	.49	124.3
N	9	9	9	9	9	9	9

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92501	6.1	1.8	3.1	1.0	.1	.0	29	52	17	1	1
C92504	6.7	3.2	2.8	.6	.1	.0	47	42	9	2	0
C92507	6.6	1.3	4.4	.8	.1	.0	19	66	12	1	1
C92512	6.3	2.2	3.0	1.1	.1	.0	34	47	17	1	0
C92517	4.6	.8	3.0	.7	.1	.0	18	65	14	3	0
C92523	9.1	2.3	5.7	1.0	.2	.0	25	62	11	2	0
C92534	8.6	3.4	3.8	1.3	.2	.0	39	43	15	2	0
C92540	7.0	3.9	2.4	.6	.1	.0	56	34	8	2	0
C92562	7.6	2.6	3.9	1.0	.1	.0	34	52	13	2	0
C92570	8.2	2.9	3.8	1.3	.2	.0	36	47	16	2	0
MEAN	7.1	2.4	3.6	.9	.1	.0	34	51	13	2	0
S.D.	1.33	.96	.96	.26	.05	.00	11.9	10.6	3.2	.6	.4
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92573	7.1	1.8	4.1	1.0	.1	.0	25	58	14	2	0
C92587	10.2	2.3	6.4	1.3	.2	.0	22	63	13	2	0
C92592	9.4	1.9	6.0	1.3	.1	.0	20	64	14	1	1
C92596	5.2	1.4	3.2	.5	.0	.0	27	62	10	1	0
C92604	6.7	1.5	4.1	1.0	.1	.0	22	61	15	2	0
C92612	8.0	1.3	5.6	.9	.2	.0	16	70	12	2	0
C92614	6.2	1.4	3.6	1.1	.1	.0	22	58	17	2	0
C92624	8.3	1.7	5.6	.9	.1	.0	20	68	11	1	0
C92625	9.6	1.9	5.7	1.7	.2	.1	20	59	18	3	1
C92629	7.8	1.8	4.9	1.0	.1	.0	22	63	13	1	0
MEAN	7.8	1.7	4.9	1.1	.1	.0	22	63	14	2	0
S.D.	1.59	.31	1.10	.32	.06	.03	3.0	4.0	2.5	.7	.4
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92634	7.6	2.0	4.6	.9	.1	.0	26	61	11	1	0
C92635	7.1	1.3	4.8	.9	.1	.0	18	67	13	1	0
C92643	16.6	6.7	7.2	2.6	.1	.1	40	43	15	1	0
C92649	7.4	1.6	5.7	.0	.1	.0	21	77	0	1	0
C92653	9.0	1.5	6.1	1.2	.1	.0	16	68	14	1	0
C92654	6.7	1.8	3.7	1.0	.2	.0	26	55	16	2	0
C92667	8.8	1.1	6.8	.7	.1	.0	12	78	8	1	0
C92669	6.3	1.6	3.8	.8	.1	.0	25	61	12	2	0
C92680	7.4	1.5	4.9	.9	.1	.0	20	66	12	1	0
C92686	9.1	1.8	6.1	1.1	.2	.0	20	67	12	2	0
MEAN	8.6	2.1	5.4	1.0	.1	.0	22	64	11	1	0
S.D.	2.97	1.64	1.20	.65	.04	.03	7.6	10.2	4.5	.5	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C92694	9.2	2.3	5.4	1.3	.2	.0	25	58	14	2	0
C92704	8.5	1.6	6.0	.8	.1	.0	19	70	10	1	0
C92710	6.8	2.1	4.1	.5	.1	.0	31	60	7	2	0
C92711	6.9	1.6	4.4	.7	.1	.0	23	64	11	2	0
C92727	9.0	2.2	5.3	1.3	.2	.0	25	58	14	2	0
C92729	7.4	1.7	4.8	.7	.1	.0	23	66	9	2	0
C92739	11.7	3.9	6.2	1.5	.1	.0	33	52	13	1	0
C92741	10.5	1.2	8.4	.7	.1	.0	11	80	7	1	0
C92742	8.4	1.7	5.6	.9	.1	.0	21	67	11	1	0
C92748	7.0	1.9	4.1	.8	.1	.0	27	59	12	2	0
MEAN	8.5	2.0	5.4	.9	.1	.0	24	63	11	2	0
S.D.	1.63	.74	1.28	.33	.04	.00	6.2	7.9	2.6	.5	.0
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C92751	7.9	1.5	6.3	.0	.1	.0	19	80	0	1	0
C92754	10.5	6.3	2.6	1.4	.1	.1	60	25	13	1	1
C92755	7.8	1.8	4.7	1.1	.2	.0	24	60	14	2	0
C92778	7.4	2.4	3.8	1.0	.1	.0	32	52	14	1	0
C92790	4.7	1.0	3.0	.5	.1	.0	22	64	12	2	0
C92795	6.8	1.8	4.0	.8	.1	.0	27	59	12	2	0
C92796	6.6	2.4	3.0	1.2	.1	.0	36	45	18	1	0
C92817	8.6	2.1	5.5	.8	.1	.0	25	64	10	2	0
C92820	5.0	1.3	2.9	.7	.1	.0	26	58	14	2	0
MEAN	7.3	2.3	4.0	.8	.1	.0	30	56	12	2	0
S.D.	1.78	1.58	1.29	.42	.03	.03	12.3	15.1	5.0	.5	.3
N	9	9	9	9	9	9	9	9	9	9	9

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295		
C92501	-	-	-	-	-
C92504	-	-	-	-	-
C92507	-	-	-	-	-
C92512	-	-	-	-	-
C92517	-	-	-	-	-
C92523	-	-	-	-	-
C92534	-	-	-	-	-
C92540	-	-	-	-	-
C92562	-	-	-	-	-
C92570	-	-	-	-	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295		
C92573	-	-	-	-	-
C92587	-	-	-	-	-
C92592	-	-	-	-	-
C92596	-	-	-	-	-
C92604	-	-	-	-	-
C92612	-	-	-	-	-
C92614	-	-	-	-	-
C92624	-	-	-	-	-
C92625	-	-	-	-	-
C92629	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92634	-	-	-	-	-
C92635	-	-	-	-	-
C92643	-	-	-	-	-
C92649	-	-	-	-	-
C92653	-	-	-	-	-
C92654	-	-	-	-	-
C92667	-	-	-	-	-
C92669	-	-	-	-	-
C92680	-	-	-	-	-
C92686	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C92694	-	-	-	-	-
C92704	-	-	-	-	-
C92710	-	-	-	-	-
C92711	-	-	-	-	-
C92727	-	-	-	-	-
C92729	-	-	-	-	-
C92739	-	-	-	-	-
C92741	-	-	-	-	-
C92742	-	-	-	-	-
C92748	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C92751	-	-	-	-	-
C92754	-	-	-	-	-
C92755	-	-	-	-	-
C92778	-	-	-	-	-
C92790	-	-	-	-	-
C92795	-	-	-	-	-
C92796	-	-	-	-	-
C92817	-	-	-	-	-
C92820	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295				
C92862	8.39	16.3	44.6	53.2	19.4	36.5	1127
C92876	7.33	14.5	40.6	55.4	19.7	35.6	995
C92889	7.40	14.3	40.3	54.5	19.3	35.5	888
C92894	7.72	14.6	41.0	53.2	18.9	35.5	1055
C92899	7.01	13.9	39.0	55.6	19.9	35.7	1010
C92910	7.77	14.9	41.9	54.0	19.1	35.4	988
C92917	7.24	14.6	40.9	56.6	20.2	35.7	1146
C92922	7.40	13.9	38.9	52.6	18.7	35.6	947
C92923	6.99	13.9	39.2	56.0	19.9	35.5	992
C92930	6.66	13.7	38.3	57.6	20.6	35.7	941
MEAN	7.39	14.5	40.5	54.9	19.6	35.7	1009
S.D.	.485	.76	1.84	1.64	.60	.31	80.9
N	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295				
C92931	6.83	14.2	40.1	58.8	20.8	35.4	874
C92938	7.47	13.9	40.4	54.1	18.5	34.3	1010
C92946	8.40	16.4	48.0	57.1	19.5	34.2	907
C92952	6.79	13.3	38.3	56.3	19.6	34.9	1068
C92954	7.18	14.1	40.1	55.8	19.6	35.1	806
C92958	8.28	15.5	44.3	53.5	18.7	34.9	845
C92964	6.23	12.9	37.5	60.2	20.8	34.5	1012
C92972	6.61	13.9	39.7	60.1	21.1	35.0	758
C92985	7.25	13.6	39.5	54.4	18.8	34.5	938
C92990	7.53	14.5	42.3	56.2	19.2	34.2	858
MEAN	7.26	14.2	41.0	56.6	19.7	34.7	908
S.D.	.695	1.04	3.11	2.40	.94	.42	99.0
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295				
C92992	6.95	14.5	41.2	59.2	20.9	35.2	858
C92997	7.11	14.2	41.7	58.6	20.0	34.2	940
C93012	6.18	13.1	37.4	60.5	21.2	35.1	799
C93022	7.83	14.8	42.3	54.0	19.0	35.1	724
C93027	7.97	14.8	43.1	54.1	18.6	34.4	896
C93029	7.28	14.2	40.8	56.0	19.5	34.9	946
C93032	7.35	14.8	41.4	56.3	20.1	35.7	850
C93042	6.87	13.5	38.2	55.5	19.6	35.3	659
C93046	7.62	14.6	42.0	55.1	19.2	34.9	847
C93048	7.97	14.9	43.1	54.1	18.6	34.5	988
MEAN	7.31	14.3	41.1	56.3	19.7	34.9	851
S.D.	.566	.61	1.91	2.32	.89	.45	101.9
N	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295				
C93052	7.84	14.4	41.6	53.0	18.3	34.6	799
C93054	7.92	14.7	42.6	53.8	18.5	34.4	828
C93060	7.05	14.2	40.7	57.7	20.1	34.9	842
C93078	7.08	13.7	39.9	56.4	19.4	34.3	788
C93081	8.06	15.2	44.1	54.7	18.8	34.4	1042
C93083	6.87	14.5	41.0	59.7	21.1	35.4	787
C93091	7.24	14.1	40.5	56.0	19.5	34.9	883
C93095	7.27	14.3	41.4	56.9	19.7	34.6	741
C93097	7.33	14.3	41.8	57.0	19.5	34.1	774
C93110	6.58	13.1	37.5	57.0	20.0	35.1	888
MEAN	7.32	14.2	41.1	56.2	19.5	34.7	837
S.D.	.479	.56	1.73	1.96	.83	.40	85.9
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC X10 ⁶ /μL	HGB G/DL	HCT %	MCV FL	MCH PG	MCHC %	PLT X10 ³ /μL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295				
C93112	6.23	12.0	33.9	54.5	19.2	35.3	1029
C93116	7.17	14.3	40.2	56.1	20.0	35.6	819
C93117	7.17	13.6	38.3	53.4	18.9	35.4	1053
C93120	5.39	10.5	29.9	55.4	19.4	35.0	1058
C93130	7.58	14.7	41.0	54.1	19.4	35.9	1077
C93138	7.64	14.1	39.8	52.0	18.5	35.5	849
C93147	8.64	16.6	46.8	54.2	19.2	35.4	1142
C93154	6.68	12.4	35.3	52.8	18.6	35.2	1083
C93163	7.34	13.9	38.9	53.0	18.9	35.7	1158
C93171	6.66	13.1	36.5	54.7	19.6	35.9	964
MEAN	7.05	13.5	38.1	54.0	19.2	35.5	1023
S.D.	.881	1.66	4.56	1.25	.46	.29	113.7
N	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295								
C92862	3.1	1.4	1.2	.4	.1	.0	46	39	13	2	0
C92876	3.6	1.0	2.2	.4	.1	.0	27	60	11	2	0
C92889	4.7	2.4	1.9	.4	.1	.0	50	41	7	2	0
C92894	3.5	1.0	1.8	.5	.1	.0	30	52	13	4	0
C92899	5.6	2.5	2.3	.8	.1	.0	44	41	14	2	0
C92910	3.1	.9	1.6	.5	.1	.0	29	52	16	2	0
C92917	2.1	.6	1.1	.3	.1	.0	30	50	16	3	0
C92922	3.0	.8	1.8	.3	.1	.0	28	60	9	3	0
C92923	4.7	1.5	2.6	.5	.1	.0	32	55	10	2	0
C92930	8.1	4.4	2.9	.7	.1	.0	55	36	8	1	0
MEAN	4.2	1.6	1.9	.5	.1	.0	37	49	12	2	0
S.D.	1.72	1.16	.57	.16	.00	.00	10.5	8.8	3.2	.8	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295								
C92931	4.3	.8	2.7	.8	.1	.0	18	62	18	2	0
C92938	3.9	.8	2.5	.6	.1	.0	20	62	15	2	0
C92946	7.9	1.4	5.8	.6	.1	.0	18	73	8	2	0
C92952	3.5	.9	2.0	.5	.0	.0	26	57	14	1	0
C92954	5.4	1.5	3.2	.5	.1	.0	28	60	10	2	0
C92958	4.6	1.0	2.6	.9	.1	.0	22	56	19	2	1
C92964	5.2	1.1	3.6	.4	.1	.0	21	69	7	3	0
C92972	2.5	.8	1.4	.3	.1	.0	30	54	12	4	0
C92985	3.5	.6	2.4	.4	.1	.0	16	69	12	3	0
C92990	6.0	1.1	4.4	.3	.1	.0	19	74	5	2	0
MEAN	4.7	1.0	3.1	.5	.1	.0	22	64	12	2	0
S.D.	1.53	.28	1.27	.20	.03	.00	4.7	7.2	4.6	.8	.3
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295								
C92992	5.2	2.1	2.3	.7	.1	.0	40	43	14	3	0
C92997	6.1	2.4	2.9	.6	.1	.0	40	48	10	2	0
C93012	7.4	1.6	5.0	.7	.2	.0	21	68	9	2	0
C93022	5.0	.9	3.5	.4	.1	.0	19	70	9	2	0
C93027	5.3	1.4	3.4	.4	.1	.0	26	64	8	3	0
C93029	4.7	1.2	2.7	.7	.2	.0	25	57	15	4	0
C93032	4.8	1.0	3.2	.5	.1	.0	21	66	10	2	0
C93042	6.7	2.0	3.9	.6	.2	.0	31	58	9	3	0
C93046	2.8	.9	1.6	.2	.1	.0	31	59	7	3	0
C93048	4.4	1.2	2.5	.5	.1	.0	28	58	11	2	0
MEAN	5.2	1.5	3.1	.5	.1	.0	28	59	10	3	0
S.D.	1.28	.54	.94	.16	.05	.00	7.4	8.6	2.5	.7	.0
N	10	10	10	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295								
C93052	6.6	2.2	3.6	.6	.1	.0	34	55	9	2	0
C93054	4.8	1.0	3.0	.7	.1	.0	21	62	14	3	1
C93060	3.6	.9	2.4	.3	.0	.0	26	66	7	1	0
C93078	3.8	1.0	2.0	.6	.1	.0	27	53	16	3	0
C93081	3.8	.6	2.6	.4	.1	.0	16	70	11	3	0
C93083	2.5	.4	1.8	.2	.0	.0	16	74	8	2	0
C93091	5.4	1.2	3.3	.8	.1	.0	22	60	16	2	0
C93095	4.0	1.2	2.3	.5	.1	.0	29	57	13	2	0
C93097	2.7	.9	1.3	.4	.1	.0	34	48	14	3	0
C93110	5.2	2.1	2.7	.3	.1	.0	41	53	5	1	0
MEAN	4.2	1.2	2.5	.5	.1	.0	27	60	11	2	0
S.D.	1.27	.58	.70	.19	.04	.00	8.2	8.2	3.9	.8	.3
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	WBC X10 ³ /μL	N-SEG X10 ³ /μL	LYMPH X10 ³ /μL	MONO X10 ³ /μL	EOSIN X10 ³ /μL	BASO X10 ³ /μL	N-SEG%	LYMPH%	MONO%	EOSIN%	BASO%
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295								
C93112	4.6	2.0	2.0	.4	.1	.0	44	45	9	1	0
C93116	3.0	.9	1.8	.3	.1	.0	29	59	9	3	0
C93117	4.5	1.2	2.5	.6	.1	.0	27	56	14	2	0
C93120	9.9	6.6	2.3	.9	.1	.0	66	24	9	1	0
C93130	3.2	.6	2.1	.4	.1	.0	19	66	12	3	0
C93138	2.9	.5	2.1	.3	.1	.0	16	73	9	3	0
C93147	5.8	.6	4.8	.3	.1	.0	11	82	5	2	0
C93154	8.3	4.1	3.1	1.0	.1	.0	49	37	12	1	1
C93163	6.6	2.6	3.1	.8	.2	.0	39	46	12	2	0
C93171	4.9	2.2	2.0	.4	.2	.0	44	42	9	4	1
MEAN	5.4	2.1	2.6	.5	.1	.0	34	53	10	2	0
S.D.	2.33	1.94	.90	.27	.04	.00	17.1	17.6	2.5	1.0	.4
N	10	10	10	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295		
C92862	-	-	-	-	-
C92876	-	-	-	-	-
C92889	-	-	-	-	-
C92894	-	-	-	-	-
C92899	-	-	-	-	-
C92910	-	-	-	-	-
C92917	-	-	-	-	-
C92922	-	-	-	-	-
C92923	-	-	-	-	-
C92930	-	-	-	-	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295		
C92931	-	-	-	-	-
C92938	-	-	-	-	-
C92946	-	-	-	-	-
C92952	-	-	-	-	-
C92954	-	-	-	-	-
C92958	-	-	-	-	-
C92964	-	-	-	-	-
C92972	-	-	-	-	-
C92985	-	-	-	-	-
C92990	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295		
C92992	-	-	-	-	-
C92997	-	-	-	-	-
C93012	-	-	-	-	-
C93022	-	-	-	-	-
C93027	-	-	-	-	-
C93029	-	-	-	-	-
C93032	-	-	-	-	-
C93042	-	-	-	-	-
C93046	-	-	-	-	-
C93048	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295		
C93052	-	-	-	-	-
C93054	-	-	-	-	-
C93060	-	-	-	-	-
C93078	-	-	-	-	-
C93081	-	-	-	-	-
C93083	-	-	-	-	-
C93091	-	-	-	-	-
C93095	-	-	-	-	-
C93097	-	-	-	-	-
C93110	-	-	-	-	-

Appendix 5

Individual Clinical Hematology Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	ANISO	POLY	POIK	HYP0	TOXNEUT
-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295		
C93112	-	-	-	-	-
C93116	-	-	-	-	-
C93117	-	-	-	-	-
C93120	-	-	-	-	-
C93130	-	-	-	-	-
C93138	-	-	-	-	-
C93147	-	-	-	-	-
C93154	-	-	-	-	-
C93163	-	-	-	-	-
C93171	-	-	-	-	-

Appendix 5

Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92505	88	13	.6	5.5	4.2	1.3	.1	45
C92506	114	11	.7	5.9	3.8	2.1	.0	46
C92524	104	12	.7	6.8	4.5	2.3	.1	52
C92526	113	14	.6	6.2	4.5	1.7	.0	39
C92529	93	13	.5	6.1	4.5	1.6	.0	47
C92542	92	10	.7	5.9	4.3	1.6	.1	53
C92543	96	11	.5	6.3	4.5	1.8	.3	51
C92546	95	13	.8	6.9	4.8	2.1	.1	62
C92548	98	11	.4	6.0	4.5	1.5	.1	54
C92553	76	12	.2	5.9	4.4	1.5	.1	43
MEAN	97	12	.6	6.2	4.4	1.8	.1	49
S.D.	11.4	1.2	.18	.43	.26	.32	.09	6.6
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92573	98	10	.7	6.1	4.4	1.7	.2	47
C92574	97	12	.6	6.7	4.7	2.0	.1	36
C92575	91	16	.7	6.6	4.1	2.5	.0	54
C92585	91	14	.7	5.9	4.1	1.8	.2	48
C92586	93	13	.6	6.2	4.6	1.6	.0	42
C92587	104	12	.6	6.1	4.6	1.5	.2	48
C92610	91	12	.6	6.6	4.8	1.8	.0	56
C92613	105	12	.6	6.6	4.8	1.8	.1	53
C92615	98	12	.6	6.2	4.8	1.4	.2	57
C92618	99	10	.5	6.9	4.9	2.0	.0	47
MEAN	97	12	.6	6.4	4.6	1.8	.1	49
S.D.	5.2	1.8	.06	.33	.29	.31	.09	6.5
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92632	93	11	.5	5.9	4.4	1.5	.1	56
C92646	103	11	.7	6.5	4.9	1.6	.1	51
C92650	82	10	.6	6.6	5.0	1.6	.2	39
C92652	98	12	.7	6.3	4.7	1.6	.1	47
C92657	89	12	.9	5.8	4.5	1.3	.2	44
C92668	108	13	.7	6.2	4.3	1.9	.1	45
C92676	93	13	.5	5.7	4.2	1.5	.0	25
C92678	70	14	.5	6.0	4.3	1.7	.0	38
C92684	91	14	.4	5.8	4.3	1.5	.0	50
C92686	85	12	.6	5.7	4.2	1.5	.2	44
MEAN	91	12	.6	6.0	4.5	1.6	.1	44
S.D.	10.8	1.3	.14	.33	.29	.16	.08	8.6
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92709	87	15	.6	6.5	4.7	1.8	.1	67
C92715	105	13	.7	6.8	4.9	1.9	.1	53
C92716	92	12	.5	6.2	4.6	1.6	.1	36
C92718	95	16	.7	6.5	4.8	1.7	.0	35
C92725	78	13	.6	5.9	4.5	1.4	.0	55
C92731	92	13	.5	6.3	4.7	1.6	.0	22
C92732	86	10	.6	5.9	4.4	1.5	.0	35
C92734	108	10	.7	6.1	4.3	1.8	.0	53
C92744	95	10	.8	6.5	4.8	1.7	.0	70
C92746	99	13	.7	6.3	4.5	1.8	.1	52
MEAN	94	12	.6	6.3	4.6	1.7	.0	48
S.D.	8.9	2.1	.10	.29	.19	.15	.05	15.3
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92752	91	15	.5	6.5	4.9	1.6	.1	41
C92759	89	14	.6	6.4	4.8	1.6	.1	21
C92779	74	13	.6	6.6	4.7	1.9	.0	58
C92784	79	13	.6	6.3	4.6	1.7	.0	60
C92793	83	11	.3	6.0	4.5	1.5	.0	44
C92798	82	11	.5	6.4	4.6	1.8	.1	60
C92799	88	15	.5	6.3	4.6	1.7	.1	27
C92805	83	14	.5	5.9	4.3	1.6	.3	36
C92807	85	15	.7	6.2	4.4	1.8	.1	50
C92811	81	13	.7	6.0	4.5	1.5	.0	51
MEAN	84	13	.6	6.3	4.6	1.7	.1	45
S.D.	5.0	1.5	.12	.23	.18	.13	.09	13.7
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295				
C92505	107	33	0	10.3	9.3	148	5.5	105
C92506	104	26	1	11.0	10.4	150	7.1	106
C92524	104	31	1	10.9	10.5	147	6.5	103
C92526	72	31	2	11.1	10.2	145	6.4	101
C92529	153	37	0	10.3	9.7	147	6.0	102
C92542	157	27	1	10.7	10.5	146	5.7	104
C92543	122	36	4	10.4	9.5	148	6.5	104
C92546	125	30	0	11.5	10.5	150	7.7	105
C92548	146	32	0	10.3	9.1	146	5.7	104
C92553	134	31	0	10.7	9.9	148	6.0	104
MEAN	122	31	1	10.7	10.0	148	6.3	104
S.D.	26.4	3.4	1.3	.41	.54	1.6	.69	1.5
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295				
C92573	135	29	0	10.4	8.9	146	5.5	103
C92574	133	27	0	10.8	10.2	147	6.4	105
C92575	161	35	1	10.7	10.0	149	6.8	105
C92585	135	29	0	10.5	9.3	145	6.7	102
C92586	121	34	0	10.5	9.1	146	6.4	104
C92587	148	28	0	10.5	8.7	146	6.2	102
C92610	177	32	2	11.0	10.5	147	6.4	104
C92613	110	35	0	11.4	10.0	148	6.3	104
C92615	130	41	0	10.6	9.0	147	5.6	103
C92618	207	33	0	10.9	9.6	149	6.4	104
MEAN	146	32	0	10.7	9.5	147	6.3	104
S.D.	28.9	4.2	.7	.31	.62	1.3	.42	1.1
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92632	119	28	0	10.8	9.6	148	5.5	104
C92646	94	24	0	10.8	11.0	149	7.5	103
C92650	115	30	0	10.7	10.2	148	6.6	105
C92652	79	22	0	11.4	10.3	148	6.0	106
C92657	119	40	0	10.1	9.8	145	5.4	103
C92668	64	28	4	10.9	10.1	149	6.6	105
C92676	89	23	0	10.2	10.1	148	6.6	106
C92678	103	30	1	10.5	10.2	146	5.6	105
C92684	124	32	4	10.2	9.7	148	6.5	105
C92686	137	28	1	10.3	10.1	146	5.3	104
MEAN	104	28	1	10.6	10.1	148	6.2	105
S.D.	22.6	5.2	1.6	.41	.39	1.4	.71	1.1
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92709	110	31	2	11.1	10.1	146	6.0	99
C92715	83	28	0	11.1	9.7	147	6.0	104
C92716	114	29	0	10.9	10.2	146	5.1	101
C92718	126	36	1	10.6	10.0	147	6.5	104
C92725	142	36	0	10.6	9.6	146	5.8	102
C92731	106	28	0	10.6	9.1	150	6.4	107
C92732	137	31	0	10.6	9.5	145	6.0	103
C92734	104	24	1	11.2	10.7	147	7.2	105
C92744	116	27	0	11.3	10.5	148	7.0	103
C92746	107	30	0	10.7	8.7	146	5.7	104
MEAN	114	30	0	10.9	9.8	147	6.2	103
S.D.	17.2	3.8	.7	.28	.62	1.4	.62	2.2
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92752	122	30	1	10.5	10.1	150	6.6	104
C92759	170	33	0	10.2	8.5	146	6.0	103
C92779	121	35	0	10.6	9.9	147	6.2	104
C92784	143	33	4	10.9	9.7	146	5.4	102
C92793	95	33	0	10.2	9.6	146	5.1	102
C92798	118	28	0	11.2	10.7	148	7.0	104
C92799	145	38	0	10.9	10.4	149	6.5	103
C92805	137	33	1	10.6	9.5	148	5.6	105
C92807	129	29	0	10.7	9.6	149	6.3	103
C92811	133	34	0	10.5	9.9	147	5.9	103
MEAN	131	33	1	10.6	9.8	148	6.1	103
S.D.	19.9	3.0	1.3	.31	.59	1.4	.58	.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92861	110	12	.5	6.8	5.2	1.6	.3	54
C92864	115	12	.7	6.9	5.3	1.6	.0	89
C92876	105	14	.7	6.9	5.2	1.7	.2	79
C92877	111	12	.7	7.0	5.1	1.9	.0	74
C92882	106	14	.6	7.1	5.0	2.1	.1	87
C92883	127	14	.8	7.1	5.2	1.9	.0	76
C92914	118	16	.5	6.7	5.0	1.7	.1	75
C92919	123	14	.7	7.1	5.2	1.9	.2	66
C92925	111	17	.7	6.9	5.2	1.7	.1	58
C92926	112	13	.7	6.8	5.0	1.8	.1	65
MEAN	114	14	.7	6.9	5.1	1.8	.1	72
S.D.	7.1	1.7	.10	.14	.11	.16	.10	11.5
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92941	112	15	.9	7.0	5.1	1.9	.1	82
C92945	102	13	.7	6.9	4.8	2.1	.0	65
C92950	102	12	.7	7.0	4.8	2.2	.0	85
C92953	116	15	.8	6.6	4.9	1.7	.1	80
C92959	123	14	.6	6.7	5.2	1.5	.0	27
C92964	116	15	.8	7.0	5.4	1.6	.1	49
C92968	106	16	.8	6.8	5.1	1.7	.2	124
C92969	107	11	.7	6.6	5.0	1.6	.0	58
C92976	118	11	.8	6.7	5.1	1.6	.0	68
C92982	111	12	.9	6.8	5.0	1.8	.0	58
MEAN	111	13	.8	6.8	5.0	1.8	.0	70
S.D.	7.0	1.8	.09	.16	.18	.23	.07	25.8
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92993	106	13	.7	6.8	5.0	1.8	.2	75
C92996	107	16	.7	6.6	4.9	1.7	.0	41
C92998	143	15	.9	7.0	5.1	1.9	.0	60
C93004	149	16	.7	7.0	5.1	1.9	.0	61
C93006	99	12	.7	6.5	5.0	1.5	.1	32
C93008	101	13	.7	7.6	5.8	1.8	.1	86
C93023	109	15	.9	6.8	5.0	1.8	.0	45
C93031	98	12	.5	6.3	5.0	1.3	.1	79
C93033	109	17	.8	6.4	4.6	1.8	.0	73
C93045	109	13	.9	7.1	5.4	1.7	.0	55
MEAN	113	14	.8	6.8	5.1	1.7	.0	61
S.D.	17.9	1.8	.13	.39	.32	.19	.07	17.7
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93058	126	10	.8	7.3	5.2	2.1	.0	54
C93067	114	12	.9	7.6	5.7	1.9	.1	59
C93070	105	12	.7	6.8	5.1	1.7	.0	49
C93074	125	14	.7	6.9	5.2	1.7	.0	82
C93075	105	13	.7	7.1	5.1	2.0	.1	42
C93083	110	12	.7	7.6	5.9	1.7	.0	78
C93084	92	14	.6	7.1	5.1	2.0	.0	58
C93089	102	13	.7	7.2	5.3	1.9	.0	53
C93094	115	13	.8	6.8	5.1	1.7	.0	68
C93105	98	13	.7	6.5	4.9	1.6	.0	35
MEAN	109	13	.7	7.1	5.3	1.8	.0	58
S.D.	11.0	1.2	.08	.35	.31	.17	.04	14.8
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93114	111	15	.8	7.4	5.4	2.0	.1	38
C93123	116	13	.6	7.0	5.2	1.8	.0	52
C93142	113	16	.6	7.2	5.4	1.8	.0	50
C93144	113	14	.8	6.5	5.0	1.5	.1	52
C93151	100	12	.6	6.3	4.9	1.4	.3	65
C93155	105	14	.6	6.6	5.1	1.5	.0	54
C93158	100	11	.6	7.0	5.3	1.7	.0	38
C93159	97	14	.6	6.5	5.0	1.5	.0	64
C93164	118	13	.8	6.8	5.1	1.7	.0	59
C93175	100	17	.6	7.0	5.4	1.6	.0	70
MEAN	107	14	.7	6.8	5.2	1.6	.0	54
S.D.	7.7	1.8	.10	.35	.19	.18	.10	10.7
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92861	148	28	0	10.6	8.3	146	6.0	106
C92864	143	27	0	10.4	7.7	145	5.2	104
C92876	121	29	0	10.9	8.2	146	6.1	102
C92877	99	40	1	10.5	7.6	145	5.3	105
C92882	108	33	1	10.6	7.3	144	5.5	104
C92883	104	28	2	11.1	8.6	146	6.6	103
C92914	143	29	0	10.9	10.5	147	6.2	105
C92919	96	38	0	11.1	8.8	145	5.9	104
C92925	93	36	0	11.2	8.8	144	6.0	104
C92926	177	36	0	10.2	8.8	146	6.1	106
MEAN	123	32	0	10.8	8.5	145	5.9	104
S.D.	28.2	4.8	.7	.34	.90	1.0	.43	1.3
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92941	199	34	0	10.4	8.3	144	5.3	104
C92945	172	44	4	10.3	8.4	146	5.9	105
C92950	124	30	2	10.6	9.1	146	6.3	104
C92953	120	32	0	10.5	8.0	146	6.0	104
C92959	99	23	1	10.5	6.7	145	5.8	105
C92964	104	26	0	11.2	7.1	145	6.1	103
C92968	103	27	0	11.0	9.2	145	6.7	103
C92969	106	31	2	10.3	10.1	147	6.8	105
C92976	86	30	2	10.9	7.8	145	6.5	104
C92982	86	30	0	10.5	9.1	145	6.0	106
MEAN	120	31	1	10.6	8.4	145	6.1	104
S.D.	37.2	5.6	1.4	.31	1.03	.8	.45	.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92993	96	31	5	11.1	8.8	145	6.2	104
C92996	96	19	1	10.5	10.4	147	6.1	105
C92998	115	34	0	10.6	7.1	147	6.6	105
C93004	86	24	0	10.2	7.2	146	5.8	105
C93006	104	25	4	10.4	8.9	148	6.7	107
C93008	124	28	4	11.4	9.4	149	7.2	105
C93023	94	31	1	10.9	8.4	147	6.1	104
C93031	85	26	4	10.5	8.5	147	5.5	107
C93033	104	36	0	10.4	7.1	145	5.7	106
C93045	104	36	1	10.9	9.0	148	6.1	107
MEAN	101	29	2	10.7	8.5	147	6.2	106
S.D.	12.2	5.6	2.0	.37	1.08	1.3	.51	1.2
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93058	158	30	4	10.2	7.0	146	5.6	103
C93067	92	33	1	10.8	7.5	150	6.2	105
C93070	98	41	2	10.6	8.5	147	6.4	107
C93074	114	37	1	10.8	7.3	146	5.5	104
C93075	143	24	1	10.4	9.6	150	6.1	107
C93083	78	26	0	11.5	7.7	145	6.2	104
C93084	110	33	3	10.9	8.9	148	6.7	105
C93089	114	35	1	10.8	7.1	146	5.8	105
C93094	97	29	0	10.9	7.8	145	6.5	103
C93105	120	33	2	10.5	8.0	143	5.7	103
MEAN	112	32	2	10.7	7.9	147	6.1	105
S.D.	23.9	5.1	1.3	.35	.83	2.2	.41	1.5
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93114	100	30	0	10.7	11.1	150	6.2	107
C93123	129	48	0	10.3	6.4	147	5.6	105
C93142	76	36	0	10.6	6.9	146	5.2	105
C93144	90	26	0	10.9	10.0	148	7.2	105
C93151	83	39	0	10.6	8.0	144	5.9	106
C93155	73	25	2	10.6	7.8	145	5.7	105
C93158	86	31	3	10.6	7.9	145	6.0	104
C93159	92	31	0	10.3	8.0	145	5.9	105
C93164	91	31	1	10.6	6.7	146	5.6	104
C93175	103	26	0	11.1	8.7	145	6.5	103
MEAN	92	32	1	10.6	8.2	146	6.0	105
S.D.	16.0	7.1	1.1	.24	1.47	1.8	.56	1.1
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOAO IU/G -----	
Group: 1	Dose Level: 0	Dosage Unit: ppm T-6295
C92506	11	
C92524	8	
C92526	12	
C92529	8	
C92546	7	
MEAN	9	
S.D.	2.2	
N	5	
Group: 2	Dose Level: 0.5	Dosage Unit: ppm T-6295
C92574	8	
C92575	12	
C92610	10	
C92613	10	
C92618	6	
MEAN	9	
S.D.	2.3	
N	5	
Group: 3	Dose Level: 2.0	Dosage Unit: ppm T-6295
C92646	7	
C92650	3	
C92652	4	
C92668	12	
C92678	11	
MEAN	7	
S.D.	4.0	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOA0 IU/G -----	
Group: 4	Dose Level: 5.0	Dosage Unit: ppm T-6295
C92715	9	
C92718	7	
C92731	7	
C92734	8	
C92744	8	
MEAN	8	
S.D.	.8	
N	5	
Group: 5	Dose Level: 20.0	Dosage Unit: ppm T-6295
C92752	4	
C92759	6	
C92779	6	
C92793	8	
C92798	6	
MEAN	6	
S.D.	1.4	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOAO IU/G -----	
Group: 1	Dose Level: 0	Dosage Unit: ppm T-6295
C92861	4	
C92864	4	
C92914	5	
C92919	7	
C92926	3	
MEAN	5	
S.D.	1.5	
N	5	
Group: 2	Dose Level: 0.5	Dosage Unit: ppm T-6295
C92941	5	
C92945	4	
C92950	6	
C92969	6	
C92982	7	
MEAN	6	
S.D.	1.1	
N	5	
Group: 3	Dose Level: 2.0	Dosage Unit: ppm T-6295
C92996	3	
C93006	1	
C93008	3	
C93031	5	
C93045	1	
MEAN	3	
S.D.	1.7	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOA0 IU/G -----	
Group: 4	Dose Level: 5.0	Dosage Unit: ppm T-6295
C93058	4	
C93067	2	
C93070	1	
C93075	2	
C93084	2	
MEAN	2	
S.D.	1.1	
N	5	
Group: 5	Dose Level: 20.0	Dosage Unit: ppm T-6295
C93114	4	
C93123	3	
C93142	5	
C93144	4	
C93159	6	
MEAN	4	
S.D.	1.1	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92508	106	10	.4	6.7	4.5	2.2	.0	66
C92509	108	12	.6	6.9	4.8	2.1	.0	56
C92511	91	11	.4	7.2	5.2	2.0	.0	64
C92521	108	14	.7	7.1	5.1	2.0	.1	47
C92527	103	11	.3	6.6	4.8	1.8	.3	53
C92528	101	12	.4	7.4	5.2	2.2	.1	80
C92532	109	14	.6	7.6	5.0	2.6	.2	74
C92535	97	16	.4	6.6	4.5	2.1	.1	42
C92537	101	14	.3	6.5	5.0	1.5	.6	81
C92562	92	13	.3	6.4	4.7	1.7	.2	68
MEAN	102	13	.4	6.9	4.9	2.0	.2	63
S.D.	6.5	1.8	.14	.41	.26	.30	.18	13.4
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92583	92	14	.6	7.2	5.0	2.2	.3	52
C92593	117	17	.8	7.4	5.4	2.0	.0	52
C92598	116	12	.6	7.2	4.9	2.3	.2	65
C92600	87	14	.6	7.2	5.1	2.1	.3	51
C92612	108	15	.3	6.9	4.9	2.0	.2	40
C92616	99	14	.7	6.6	5.1	1.5	.1	33
C92621	117	13	.6	7.1	5.0	2.1	.0	91
C92624	104	11	.6	6.7	5.0	1.7	.0	41
C92627	101	14	.5	7.1	4.9	2.2	.0	42
C92629	118	13	.4	6.3	4.6	1.7	.4	60
MEAN	106	14	.6	7.0	5.0	2.0	.2	53
S.D.	11.2	1.6	.14	.34	.20	.26	.15	16.6
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92636	99	12	.4	6.7	4.6	2.1	.3	65
C92640	73	16	.6	6.6	4.7	1.9	.0	40
C92644	99	17	.4	6.3	4.5	1.8	.3	32
C92645	99	13	.5	7.4	5.0	2.4	.0	76
C92651	106	13	.6	7.2	4.8	2.4	.1	50
C92661	99	11	.4	6.5	4.6	1.9	.2	66
C92662	79	14	.6	6.6	4.9	1.7	.2	50
C92676	65	14	.7	6.4	4.7	1.7	.0	34
C92682	94	13	.5	6.7	4.7	2.0	.1	42
C92684	99	11	.5	6.8	4.9	1.9	.0	51
MEAN	91	13	.5	6.7	4.7	2.0	.1	51
S.D.	13.7	2.0	.10	.34	.16	.25	.12	14.5
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92711	105	18	.4	6.7	4.7	2.0	.2	48
C92713	105	14	.8	8.0	5.5	2.5	.1	52
C92714	89	14	.6	6.9	4.9	2.0	.1	53
C92716	110	13	.6	6.7	4.8	1.9	.5	58
C92719	84	14	.5	6.8	4.7	2.1	.2	59
C92722	90	14	.6	6.9	4.9	2.0	.4	70
C92726	107	15	.5	6.8	4.7	2.1	.1	53
C92728	98	14	.4	7.6	5.3	2.3	.0	50
C92741	98	13	.5	6.5	4.6	1.9	.3	63
C92748	106	14	.6	7.2	4.9	2.3	.3	63
MEAN	99	14	.6	7.0	4.9	2.1	.2	57
S.D.	8.9	1.4	.12	.46	.29	.20	.15	6.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92754	100	19	.6	6.4	4.5	1.9	.2	41
C92765	85	17	.8	6.8	4.9	1.9	.0	39
C92767	105	14	.5	7.0	4.8	2.2	.3	27
C92774	95	16	.5	6.5	4.7	1.8	.0	37
C92777	74	16	.7	6.9	5.1	1.8	.0	30
C92784	91	15	.6	7.2	5.0	2.2	.3	45
C92789	96	18	.6	6.9	4.9	2.0	.1	18
C92799	111	17	.7	7.4	5.1	2.3	.0	29
C92812	96	16	.6	7.4	5.3	2.1	.1	66
C92820	98	14	.2	6.8	4.7	2.1	.3	37
MEAN	95	16	.6	6.9	4.9	2.0	.1	37
S.D.	10.3	1.6	.16	.34	.24	.18	.13	12.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92508	116	31	1	10.1	7.3	147	6.7	106
C92509	73	36	1	11.1	8.4	147	6.2	106
C92511	149	33	0	10.6	7.5	145	6.1	103
C92521	128	33	0	10.5	7.4	146	6.3	107
C92527	122	28	4	10.2	8.1	146	6.1	104
C92528	83	37	0	10.7	7.1	146	6.6	105
C92532	110	49	0	10.4	6.3	145	5.5	104
C92535	89	37	4	10.4	7.5	146	5.7	105
C92537	125	28	1	10.5	7.8	146	6.3	106
C92562	116	46	1	10.4	7.7	146	6.0	104
MEAN	111	36	1	10.5	7.5	146	6.2	105
S.D.	23.1	7.0	1.5	.28	.57	.7	.37	1.2
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92583	123	40	1	10.4	7.9	145	6.5	102
C92593	115	48	1	11.0	8.5	154	7.3	108
C92598	92	34	1	11.0	8.3	147	6.6	102
C92600	104	40	0	10.6	8.9	146	6.6	103
C92612	122	51	1	10.2	7.6	146	6.4	104
C92616	114	43	2	10.6	7.2	146	6.3	107
C92621	140	32	0	10.5	7.0	146	6.4	105
C92624	102	36	1	10.1	7.4	146	6.3	105
C92627	131	48	0	10.5	7.1	146	6.2	106
C92629	77	39	0	10.4	7.6	145	6.2	104
MEAN	112	41	1	10.5	7.8	147	6.5	105
S.D.	18.8	6.3	.7	.29	.64	2.6	.32	2.0
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92636	118	42	0	10.5	7.9	146	7.0	104
C92640	153	37	0	10.6	8.2	146	6.2	102
C92644	141	39	3	10.3	8.5	147	6.9	103
C92645	121	33	3	10.6	7.8	147	7.1	103
C92651	89	44	1	10.5	7.6	147	6.7	105
C92661	112	36	0	10.3	7.3	146	6.0	106
C92662	142	47	0	10.5	7.9	147	5.8	105
C92676	130	39	0	10.0	8.7	147	6.1	104
C92682	109	46	2	10.6	7.3	146	6.1	105
C92684	151	45	0	10.2	6.5	152	6.3	110
MEAN	127	41	1	10.4	7.8	147	6.4	105
S.D.	20.5	4.7	1.3	.20	.64	1.8	.46	2.2
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92711	117	38	2	10.4	7.7	146	6.3	104
C92713	130	47	0	11.0	7.1	153	6.5	108
C92714	145	34	0	10.6	7.8	146	6.0	101
C92716	104	29	0	10.4	7.5	144	5.5	104
C92719	124	43	0	10.5	8.3	146	6.3	104
C92722	147	71	0	10.3	7.1	147	5.7	103
C92726	143	34	1	10.2	7.0	144	5.9	102
C92728	141	62	0	10.9	8.4	150	6.7	102
C92741	134	46	1	10.0	7.2	145	6.1	102
C92748	109	32	5	10.3	6.7	147	5.9	105
MEAN	129	44	1	10.5	7.5	147	6.1	104
S.D.	15.4	13.6	1.6	.31	.57	2.8	.37	2.0
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92754	113	67	0	10.2	8.1	145	6.1	102
C92765	293	213	0	10.6	8.1	147	6.2	104
C92767	100	57	5	10.7	7.8	144	6.4	104
C92774	111	37	1	10.6	8.3	147	7.0	103
C92777	140	40	0	10.1	7.1	147	5.9	105
C92784	79	38	0	10.5	7.3	145	5.6	104
C92789	108	57	0	10.4	6.8	147	6.7	105
C92799	131	52	0	10.7	7.9	147	6.3	102
C92812	117	44	0	10.8	8.0	145	6.4	102
C92820	88	46	0	10.6	8.7	148	7.4	106
MEAN	128	65	1	10.5	7.8	146	6.4	104
S.D.	60.7	52.9	1.6	.23	.58	1.3	.52	1.4
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92863	109	14	.7	7.6	5.5	2.1	.0	89
C92865	108	16	.5	7.4	5.2	2.2	.3	63
C92871	113	16	.8	8.4	5.8	2.6	.0	63
C92880	112	13	.6	7.5	5.4	2.1	.0	56
C92887	112	14	.6	8.0	5.9	2.1	.2	72
C92898	113	14	.5	7.3	5.3	2.0	.1	107
C92903	94	16	.8	7.3	5.3	2.0	.0	83
C92905	77	15	.7	7.7	5.5	2.2	.1	72
C92906	103	19	.5	7.6	5.8	1.8	.6	70
C92927	117	16	.6	7.7	5.8	1.9	.1	71
MEAN	106	15	.6	7.6	5.6	2.1	.1	75
S.D.	12.0	1.7	.12	.34	.25	.22	.19	14.9
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92935	107	13	.6	8.4	6.5	1.9	.1	81
C92940	113	15	.8	8.1	5.9	2.2	.4	69
C92944	88	15	.6	7.8	5.7	2.1	.1	65
C92948	106	17	.8	8.2	5.8	2.4	.2	101
C92956	109	9	.4	8.0	6.2	1.8	.3	63
C92962	112	21	.7	7.5	5.7	1.8	.4	74
C92967	110	15	.6	8.4	6.5	1.9	.0	80
C92978	92	12	.5	8.6	6.6	2.0	.1	98
C92986	117	15	.7	8.2	6.0	2.2	.2	94
C92987	105	16	.6	9.0	7.0	2.0	.3	155
MEAN	106	15	.6	8.2	6.2	2.0	.2	88
S.D.	9.1	3.2	.13	.42	.44	.19	.14	27.1
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92992	106	14	.7	7.8	5.7	2.1	.2	71
C92993	101	15	.7	7.7	5.8	1.9	.2	63
C93000	105	15	.8	7.8	5.7	2.1	.0	63
C93018	109	14	.8	7.8	6.1	1.7	.1	113
C93019	108	16	.7	7.9	6.2	1.7	.1	106
C93023	109	14	.7	7.5	5.5	2.0	.0	68
C93024	122	19	1.0	8.3	6.2	2.1	.1	98
C93026	113	18	.9	8.5	6.1	2.4	.0	131
C93030	108	16	.6	7.7	5.8	1.9	.1	71
C93035	103	11	.9	8.1	5.9	2.2	.0	88
MEAN	108	15	.8	7.9	5.9	2.0	.1	87
S.D.	5.9	2.3	.12	.30	.24	.22	.08	23.9
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93051	85	19	.7	8.0	5.9	2.1	.1	54
C93064	103	15	.8	8.7	6.4	2.3	.1	76
C93071	87	16	.5	8.0	6.3	1.7	.2	94
C93076	96	12	.6	7.8	5.3	2.5	.1	71
C93078	92	14	.3	7.4	5.2	2.2	.5	82
C93085	85	17	.6	7.8	6.0	1.8	.1	47
C93089	105	13	.7	8.6	6.1	2.5	.2	62
C93090	108	14	.6	7.4	5.7	1.7	.1	70
C93093	96	16	.5	7.9	5.5	2.4	.2	73
C93109	91	15	.7	8.3	6.3	2.0	.4	70
MEAN	95	15	.6	8.0	5.9	2.1	.2	70
S.D.	8.3	2.0	.14	.44	.43	.31	.14	13.4
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93111	104	14	.6	8.0	6.0	2.0	.0	44
C93113	102	19	.6	7.6	5.9	1.7	.4	67
C93120	92	20	.7	7.9	6.0	1.9	.1	45
C93127	87	15	.6	7.7	5.9	1.8	.2	69
C93135	94	18	.7	8.0	5.9	2.1	.3	76
C93143	104	18	.7	8.6	6.4	2.2	.1	88
C93155	103	18	.6	7.4	5.8	1.6	.2	56
C93162	93	19	.6	8.0	6.0	2.0	.2	73
C93169	102	17	.6	7.9	6.2	1.7	.0	69
C93178	107	23	.7	8.9	6.9	2.0	.4	75
MEAN	99	18	.6	8.0	6.1	1.9	.2	66
S.D.	6.7	2.5	.05	.45	.33	.19	.14	14.0
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92863	89	29	3	11.0	6.3	150	7.0	106
C92865	110	35	2	10.3	5.4	147	5.6	108
C92871	115	36	3	10.7	6.0	149	6.3	106
C92880	100	37	0	10.6	6.4	151	5.8	107
C92887	94	33	0	10.6	4.6	149	5.7	107
C92898	77	31	1	11.7	7.9	146	6.2	107
C92903	133	34	0	10.1	7.4	145	6.0	108
C92905	113	34	0	10.3	6.8	146	5.6	105
C92906	107	36	1	10.7	6.4	146	6.0	107
C92927	88	33	1	10.8	5.8	147	6.3	107
MEAN	103	34	1	10.7	6.3	148	6.0	107
S.D.	16.3	2.4	1.2	.45	.95	2.0	.43	.9
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92935	87	28	4	11.3	7.4	146	6.9	103
C92940	132	36	0	10.7	7.2	149	6.7	107
C92944	140	32	0	10.4	6.1	146	6.1	105
C92948	113	23	3	11.1	7.9	149	7.4	105
C92956	95	28	1	10.5	4.5	147	5.5	106
C92962	97	35	0	11.0	5.9	149	5.9	108
C92967	108	55	0	11.0	4.0	147	5.9	106
C92978	88	34	1	11.3	6.1	147	5.5	105
C92986	100	43	4	11.3	7.4	153	7.5	108
C92987	113	41	0	12.1	7.1	149	7.1	104
MEAN	107	36	1	11.1	6.4	148	6.4	106
S.D.	17.8	9.1	1.7	.49	1.30	2.1	.76	1.6
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92992	81	31	0	10.6	6.4	148	6.4	106
C92993	100	25	0	10.5	5.3	145	5.5	106
C93000	108	25	0	10.5	6.7	146	5.1	104
C93018	93	40	0	11.3	6.6	147	6.3	103
C93019	174	85	3	11.6	7.4	149	7.0	107
C93023	93	33	0	10.5	5.7	148	6.1	107
C93024	115	40	1	11.1	7.7	155	7.1	107
C93026	93	28	1	11.5	7.6	148	6.8	105
C93030	85	25	4	10.8	6.6	145	6.1	105
C93035	90	35	0	10.7	5.4	145	5.2	104
MEAN	103	37	1	10.9	6.5	148	6.2	105
S.D.	26.9	17.9	1.4	.43	.87	3.0	.71	1.4
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93051	144	37	0	10.7	8.1	150	6.3	108
C93064	92	37	0	11.3	6.5	150	6.6	108
C93071	105	36	2	10.7	7.4	147	5.2	106
C93076	90	34	5	10.3	6.6	145	6.1	106
C93078	90	26	0	10.4	6.3	148	6.4	108
C93085	91	29	1	10.4	8.2	145	4.6	104
C93089	101	35	1	11.3	6.6	149	6.3	107
C93090	102	37	4	9.8	4.5	146	4.7	106
C93093	100	30	4	10.7	6.5	144	6.1	104
C93109	115	42	0	11.4	5.3	153	5.9	110
MEAN	103	34	2	10.7	6.6	148	5.8	107
S.D.	16.5	4.7	1.9	.51	1.14	2.8	.72	1.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93111	66	30	1	11.0	7.1	148	6.2	106
C93113	92	43	0	10.6	6.8	149	6.2	106
C93120	85	33	1	10.4	7.0	146	6.8	106
C93127	79	28	1	10.4	6.1	145	5.1	104
C93135	137	89	4	10.5	6.7	147	5.6	106
C93143	85	40	1	11.2	6.2	153	6.6	110
C93155	77	35	0	10.7	5.5	151	6.2	111
C93162	80	27	0	10.8	7.3	145	5.8	102
C93169	88	31	0	10.7	5.0	148	6.0	110
C93178	115	37	4	11.2	7.2	150	7.0	104
MEAN	90	39	1	10.8	6.5	148	6.2	106
S.D.	20.7	18.2	1.5	.30	.77	2.6	.57	3.0
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOAO IU/G -----	
Group: 1	Dose Level: 0	Dosage Unit: ppm T-6295
C92509	4	
C92511	6	
C92521	3	
C92528	6	
C92532	4	
MEAN	5	
S.D.	1.3	
N	5	
Group: 2	Dose Level: 0.5	Dosage Unit: ppm T-6295
C92593	8	
C92600	1	
C92616	8	
C92621	5	
C92627	2	
MEAN	5	
S.D.	3.3	
N	5	
Group: 3	Dose Level: 2.0	Dosage Unit: ppm T-6295
C92640	8	
C92645	4	
C92662	8	
C92676	1	
C92684	6	
MEAN	5	
S.D.	3.0	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOA0 IU/G -----	
Group: 4	Dose Level: 5.0	Dosage Unit: ppm T-6295
C92713	2	
C92714	0	
C92719	4	
C92722	3	
C92728	0	
MEAN	2	
S.D.	1.8	
N	5	
Group: 5	Dose Level: 20.0	Dosage Unit: ppm T-6295
C92765	4	
C92777	3	
C92789	8	
C92799	6	
C92812	6	
MEAN	5	
S.D.	1.9	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOAO IU/G -----	
Group: 1	Dose Level: 0	Dosage Unit: ppm T-6295
C92880	0	
C92887	3	
C92898	4	
C92903	1	
C92905	1	
MEAN	2	
S.D.	1.6	
N	5	
Group: 2	Dose Level: 0.5	Dosage Unit: ppm T-6295
C92944	2	
C92962	4	
C92967	6	
C92978	0	
C92987	1	
MEAN	3	
S.D.	2.4	
N	5	
Group: 3	Dose Level: 2.0	Dosage Unit: ppm T-6295
C92993	2	
C93000	1	
C93018	1	
C93023	0	
C93035	1	
MEAN	1	
S.D.	.7	
N	5	

Appendix 5

Individual Clinical Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	PCOAO IU/G -----	
Group: 4	Dose Level: 5.0	Dosage Unit: ppm T-6295
C93051	0	
C93064	0	
C93071	6	
C93085	2	
C93109	0	
MEAN	2	
S.D.	2.6	
N	5	
Group: 5	Dose Level: 20.0	Dosage Unit: ppm T-6295
C93111	5	
C93127	7	
C93143	6	
C93155	0	
C93169	7	
MEAN	5	
S.D.	2.9	
N	5	

Appendix 5
Individual Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92505	107	16	.6	6.5	4.4	2.1	.2	55
C92510	125	11	.8	6.8	4.6	2.2	.1	70
C92512	119	12	.6	7.8	4.9	2.9	.1	91
C92525	126	16	.7	7.4	4.8	2.6	.3	82
C92537	120	14	.8	7.1	5.3	1.8	.4	110
C92543	105	11	.9	7.3	4.9	2.4	.3	87
C92545	107	10	.7	7.1	4.8	2.3	.2	66
C92563	121	10	.7	7.8	5.1	2.7	.4	131
C92567	108	11	.6	7.7	5.2	2.5	.2	120
C92570	111	11	.8	7.4	4.6	2.8	.1	74
MEAN	115	12	.7	7.3	4.9	2.4	.2	89
S.D.	8.1	2.3	.10	.43	.28	.34	.12	24.7
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92577	126	15	.7	7.0	4.9	2.1	.3	74
C92583	103	12	.8	7.1	4.8	2.3	.4	63
C92585	125	15	.8	6.6	4.3	2.3	.3	93
C92586	113	10	.6	7.2	5.1	2.1	.3	55
C92588	102	12	.8	6.7	4.4	2.3	.3	86
C92590	131	12	.8	7.2	4.8	2.4	.3	76
C92601	93	11	.7	6.5	4.4	2.1	.2	67
C92602	118	12	.7	7.4	5.1	2.3	.4	50
C92617	141	14	1.1	8.2	5.0	3.2	.3	148
C92630	119	14	.5	7.2	4.6	2.6	.3	129
MEAN	117	13	.8	7.1	4.7	2.4	.3	84
S.D.	14.7	1.7	.16	.48	.30	.33	.06	31.8
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92633	129	13	.9	7.4	4.6	2.8	.2	89
C92644	103	18	.7	6.9	4.7	2.2	.5	44
C92647	115	14	.8	7.2	5.0	2.2	.4	63
C92658	119	12	.7	7.4	4.9	2.5	.6	86
C92660	97	12	.8	7.2	4.7	2.5	.2	70
C92667	136	13	.8	7.5	4.7	2.8	.4	84
C92673	104	10	.6	7.2	4.8	2.4	.5	86
C92679	103	10	.8	6.8	4.7	2.1	.5	65
C92686	110	14	.7	6.9	4.8	2.1	.2	64
C92687	128	12	.7	7.7	5.4	2.3	.2	92
MEAN	114	13	.8	7.2	4.8	2.4	.4	74
S.D.	13.2	2.3	.08	.29	.23	.26	.16	15.5
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92696	98	14	.8	7.5	5.1	2.4	.3	47
C92698	91	11	.6	7.0	4.7	2.3	.4	47
C92708	113	15	.7	7.6	4.9	2.7	.2	60
C92709	118	10	.5	7.2	4.6	2.6	.1	139
C92710	116	19	1.0	7.2	4.7	2.5	.2	67
C92725	109	15	.8	7.0	4.8	2.2	.1	71
C92743	121	13	.9	8.2	5.5	2.7	.4	81
C92745	124	12	.5	7.5	4.9	2.6	.4	80
C92749	110	14	.7	6.7	4.7	2.0	.3	43
C92750	130	13	.8	7.9	5.2	2.7	.3	89
MEAN	113	14	.7	7.4	4.9	2.5	.3	72
S.D.	11.7	2.5	.16	.45	.28	.24	.12	28.2
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92756	120	17	.7	7.2	4.9	2.3	.1	46
C92761	86	19	1.1	8.1	5.5	2.6	.2	36
C92764	112	19	.6	7.2	4.7	2.5	.2	38
C92773	103	17	.7	7.8	5.2	2.6	.1	28
C92783	117	13	.7	7.8	5.0	2.8	.4	65
C92788	118	16	.9	7.1	4.9	2.2	.1	45
C92791	114	19	.8	7.9	5.5	2.4	.3	61
C92803	114	20	.9	7.5	5.1	2.4	.3	44
C92804	132	16	.9	7.3	5.1	2.2	.3	57
C92820	98	16	.9	7.5	5.1	2.4	.2	43
MEAN	111	17	.8	7.5	5.1	2.4	.2	46
S.D.	12.8	2.1	.15	.34	.25	.19	.10	11.6
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92505	80	33	0	10.6	6.8	146	6.2	105
C92510	61	40	2	10.7	6.8	148	6.7	107
C92512	101	34	0	11.4	6.9	146	7.0	104
C92525	110	43	0	11.1	7.0	145	6.9	101
C92537	74	25	1	11.1	6.9	144	6.7	105
C92543	74	33	2	10.9	6.4	146	6.4	105
C92545	108	40	1	10.7	7.0	147	6.6	104
C92563	75	40	3	11.4	5.9	146	6.7	101
C92567	64	33	4	11.7	6.4	147	6.6	106
C92570	94	46	1	11.2	6.9	146	6.8	103
MEAN	84	37	1	11.1	6.7	146	6.7	104
S.D.	17.8	6.2	1.3	.36	.36	1.1	.23	2.0
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92577	66	34	0	11.3	7.0	148	6.8	106
C92583	79	42	1	11.0	7.3	145	6.8	104
C92585	85	31	4	10.5	5.8	143	6.7	103
C92586	83	35	4	10.8	6.5	147	7.0	105
C92588	77	41	3	11.1	6.7	146	6.4	105
C92590	80	28	1	10.9	6.6	146	7.0	103
C92601	64	33	0	10.8	7.0	146	6.5	105
C92602	81	43	0	11.4	6.5	149	7.3	107
C92617	81	30	4	12.0	7.7	148	7.8	103
C92630	112	45	3	11.5	7.7	148	8.0	103
MEAN	81	36	2	11.1	6.9	147	7.0	104
S.D.	13.0	6.1	1.8	.43	.59	1.8	.53	1.4
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92633	71	39	1	11.4	7.0	148	7.1	104
C92644	124	37	1	10.8	7.2	149	7.3	107
C92647	70	53	1	11.0	6.7	146	6.3	106
C92658	103	60	1	11.3	7.3	146	7.2	104
C92660	104	44	0	10.9	7.0	147	7.3	103
C92667	65	40	2	11.5	6.7	150	7.1	105
C92673	128	54	1	10.8	6.4	147	6.4	104
C92679	88	42	1	10.9	6.8	144	6.3	102
C92686	88	34	0	10.9	6.8	145	5.8	104
C92687	82	65	0	11.4	6.4	145	6.3	103
MEAN	92	47	1	11.1	6.8	147	6.7	104
S.D.	22.0	10.5	.6	.28	.30	1.9	.54	1.5
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92696	85	42	1	11.1	6.8	149	6.7	106
C92698	92	36	0	10.8	6.8	148	6.7	104
C92708	89	47	0	11.6	8.3	150	7.5	105
C92709	71	30	1	11.8	6.9	146	7.0	104
C92710	92	41	0	11.0	7.1	147	6.8	106
C92725	82	34	3	11.3	6.6	147	7.0	106
C92743	76	45	4	12.2	8.2	151	7.5	103
C92745	69	34	0	10.9	6.8	146	6.4	102
C92749	83	28	2	10.3	6.6	145	6.0	104
C92750	65	40	1	11.8	6.9	149	7.1	105
MEAN	80	38	1	11.3	7.1	148	6.9	104
S.D.	9.7	6.3	1.4	.57	.62	1.9	.46	1.4
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92756	82	37	2	10.7	7.3	145	6.5	103
C92761	139	64	0	11.7	7.9	149	7.7	105
C92764	127	75	1	11.1	7.7	147	7.5	105
C92773	72	37	0	11.0	6.8	146	6.9	104
C92783	63	38	1	11.6	6.7	145	6.4	105
C92788	233	194	6	10.9	7.6	146	6.5	106
C92791	61	44	0	11.0	5.4	144	6.0	102
C92803	108	83	0	11.6	8.6	152	7.8	107
C92804	62	37	1	11.0	6.6	144	6.2	104
C92820	79	38	3	11.3	8.1	148	7.2	104
MEAN	103	65	1	11.2	7.3	147	6.9	104
S.D.	53.6	48.7	1.9	.34	.92	2.5	.65	1.4
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92876	92	15	1.1	8.8	6.4	2.4	.4	139
C92878	115	12	1.1	8.7	6.4	2.3	.1	82
C92888	101	13	.8	8.9	6.3	2.6	.5	79
C92906	104	15	.7	8.7	6.4	2.3	.2	100
C92916	97	16	1.1	8.3	5.6	2.7	.3	149
C92917	107	14	.9	9.6	6.8	2.8	.3	128
C92921	102	12	.8	8.6	6.1	2.5	.4	129
C92922	114	14	.9	9.3	7.1	2.2	.4	133
C92923	99	14	.9	8.9	6.4	2.5	.4	129
C92928	108	14	.6	9.1	6.8	2.3	.6	86
MEAN	104	14	.9	8.9	6.4	2.5	.4	115
S.D.	7.3	1.3	.17	.37	.41	.20	.14	26.0
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92932	89	18	1.1	7.9	6.2	1.7	.2	137
C92935	104	12	.6	9.3	7.1	2.2	.4	80
C92938	89	15	1.0	9.0	6.2	2.8	.4	110
C92951	102	17	.9	7.4	5.3	2.1	.3	73
C92954	101	16	.9	7.7	5.4	2.3	.4	92
C92956	106	13	.7	8.9	6.8	2.1	.1	68
C92960	99	16	1.2	8.0	5.8	2.2	.3	82
C92974	93	12	1.1	8.2	5.8	2.4	.3	72
C92979	92	14	.7	8.9	6.6	2.3	.4	87
C92989	101	13	1.1	9.0	6.5	2.5	.3	153
MEAN	98	15	.9	8.4	6.2	2.3	.3	95
S.D.	6.3	2.1	.21	.66	.59	.29	.10	29.0
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C93003	99	14	.8	7.7	5.2	2.5	.1	60
C93004	93	15	.9	8.0	5.4	2.6	.5	70
C93011	92	11	1.0	9.0	6.2	2.8	.2	82
C93020	97	14	.9	8.1	5.6	2.5	.4	56
C93027	102	17	1.2	8.4	5.9	2.5	.1	87
C93030	100	18	1.1	9.9	7.2	2.7	.3	94
C93034	108	16	1.1	8.9	6.9	2.0	.4	107
C93046	108	15	1.1	8.5	6.1	2.4	.2	76
C93047	106	14	.9	7.9	5.8	2.1	.2	64
C93049	82	16	.7	7.6	5.4	2.2	.2	89
MEAN	99	15	1.0	8.4	6.0	2.4	.3	78
S.D.	8.2	1.9	.16	.71	.65	.26	.13	16.3
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93052	112	14	1.1	8.4	6.2	2.2	.1	84
C93055	86	20	.8	8.4	6.3	2.1	.1	63
C93072	99	15	1.1	8.5	6.0	2.5	.2	80
C93080	111	11	.9	8.6	6.2	2.4	.2	86
C93081	89	14	1.0	8.2	5.7	2.5	.3	68
C93090	94	17	.9	8.2	6.1	2.1	.3	76
C93094	96	17	.7	7.9	5.7	2.2	.4	72
C93095	88	14	.7	8.2	6.0	2.2	.2	70
C93103	98	17	.9	7.4	5.4	2.0	.2	95
C93104	112	9	1.0	8.8	5.8	3.0	.6	94
MEAN	98	15	.9	8.3	5.9	2.3	.3	79
S.D.	10.0	3.2	.14	.39	.28	.29	.15	10.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93119	100	22	1.0	9.2	6.8	2.4	.5	75
C93131	89	16	.7	9.5	6.5	3.0	.6	90
C93133	89	19	1.0	8.5	6.6	1.9	.4	73
C93138	92	17	.7	8.1	6.0	2.1	.4	55
C93149	94	20	.7	9.0	6.6	2.4	.2	72
C93153	96	21	.9	8.1	6.0	2.1	.4	75
C93157	100	19	.8	8.1	6.0	2.1	.2	70
C93160	104	18	.9	9.0	6.4	2.6	.2	145
C93162	98	26	1.0	9.4	7.1	2.3	.2	70
C93179	81	20	.9	8.4	6.2	2.2	.4	75
MEAN	94	20	.9	8.7	6.4	2.3	.4	80
S.D.	6.8	2.8	.13	.55	.37	.31	.14	24.4
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92876	321	194	3	12.0	7.5	146	6.3	103
C92878	106	49	0	11.2	6.4	148	5.3	109
C92888	113	96	5	12.0	8.1	150	6.9	106
C92906	82	32	4	11.3	5.4	145	4.8	106
C92916	94	36	0	12.1	6.8	149	6.5	104
C92917	84	44	0	12.1	6.0	145	5.5	104
C92921	92	36	1	11.9	7.1	148	6.1	105
C92922	102	49	4	11.4	6.2	147	4.8	104
C92923	107	67	1	11.8	6.6	150	6.2	105
C92928	85	39	0	11.6	6.8	151	6.0	110
MEAN	119	64	2	11.7	6.7	148	5.8	106
S.D.	71.9	49.4	2.0	.34	.77	2.1	.71	2.3
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92932	128	31	0	12.7	5.7	145	4.9	107
C92935	79	30	1	11.8	6.8	146	6.9	104
C92938	104	30	4	11.7	7.9	152	5.8	106
C92951	97	27	3	10.6	6.4	147	5.5	111
C92954	85	34	1	11.4	6.2	144	5.9	105
C92956	79	34	0	11.9	6.3	147	6.1	105
C92960	97	28	2	11.2	5.8	146	5.9	107
C92974	130	26	1	11.1	7.2	147	6.6	107
C92979	118	54	1	12.7	7.1	145	6.5	105
C92989	102	41	4	11.5	5.6	148	4.8	106
MEAN	102	34	2	11.7	6.5	147	5.9	106
S.D.	18.6	8.4	1.5	.67	.74	2.2	.69	1.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C93003	100	30	3	10.9	6.9	146	6.1	107
C93004	468	448	6	10.9	8.0	146	5.6	105
C93011	77	30	3	11.4	5.6	148	5.9	107
C93020	97	33	1	10.9	6.0	147	5.3	110
C93027	104	54	1	11.8	7.7	154	7.1	110
C93030	87	32	1	11.9	6.0	148	5.4	107
C93034	130	49	0	11.2	4.8	147	5.1	105
C93046	110	33	4	11.0	6.0	149	5.7	108
C93047	160	29	0	11.0	6.8	147	6.2	107
C93049	93	34	0	10.9	6.5	146	5.9	106
MEAN	143	77	2	11.2	6.4	148	5.8	107
S.D.	116.7	130.6	2.0	.38	.96	2.4	.57	1.8
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93052	97	28	4	11.9	7.2	151	7.0	112
C93055	105	36	4	11.3	6.4	146	6.1	107
C93072	86	34	3	11.7	6.6	149	6.9	109
C93080	96	46	4	11.0	5.7	148	5.9	108
C93081	104	33	3	11.1	8.2	149	6.2	108
C93090	100	40	4	10.8	6.9	145	5.1	106
C93094	185	115	7	11.4	6.9	145	6.0	106
C93095	85	33	4	11.0	7.2	148	5.9	109
C93103	195	63	4	10.8	5.7	147	5.5	108
C93104	119	42	0	11.3	6.4	147	5.2	105
MEAN	117	47	4	11.2	6.7	148	6.0	108
S.D.	39.6	25.8	1.7	.37	.75	1.9	.63	2.0
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93119	79	36	0	11.3	6.9	150	6.2	107
C93131	167	130	1	12.0	6.7	146	6.0	105
C93133	116	30	0	11.3	8.2	147	5.9	106
C93138	60	24	0	11.1	6.3	145	5.3	105
C93149	97	58	2	11.3	7.0	153	5.8	109
C93153	83	32	0	10.9	6.5	147	5.6	108
C93157	95	42	1	11.0	6.9	149	5.3	109
C93160	274	196	7	11.7	6.5	144	5.5	103
C93162	80	37	4	11.8	7.4	147	6.8	105
C93179	115	51	6	12.2	10.3	152	7.4	108
MEAN	117	64	2	11.5	7.3	148	6.0	106
S.D.	62.6	55.5	2.6	.44	1.20	2.9	.67	2.0
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92501	123	11	.8	7.3	4.6	2.7	.0	226
C92504	117	9	.7	6.8	4.2	2.6	.0	85
C92507	127	11	.4	7.5	5.0	2.5	.0	133
C92512	127	11	.4	7.0	4.1	2.9	.0	110
C92517	154	10	.8	7.3	4.6	2.7	.1	143
C92523	137	12	.6	6.8	4.5	2.3	.0	79
C92534	128	8	.5	6.7	3.8	2.9	.0	92
C92540	147	12	.9	7.8	4.7	3.1	.0	146
C92562	116	9	.7	6.6	4.5	2.1	.2	99
C92570	115	9	.6	6.3	4.1	2.2	.0	88
MEAN	129	10	.6	7.0	4.4	2.6	.0	120
S.D.	13.2	1.4	.17	.46	.35	.33	.07	44.6
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92573	120	12	.7	7.4	4.7	2.7	.0	92
C92587	113	12	.7	7.6	4.5	3.1	.1	201
C92592	139	11	.8	7.3	5.0	2.3	.1	108
C92596	129	11	.6	8.0	5.4	2.6	.0	94
C92604	117	13	.7	7.4	4.8	2.6	.3	78
C92612	121	12	.7	7.4	4.7	2.7	.3	76
C92614	106	11	.6	7.1	4.8	2.3	.0	102
C92624	126	10	.8	7.4	4.9	2.5	.1	139
C92625	133	14	.9	7.7	4.6	3.1	.2	187
C92629	148	11	.7	7.2	4.6	2.6	.5	216
MEAN	125	12	.7	7.4	4.8	2.6	.2	129
S.D.	12.5	1.2	.09	.26	.26	.28	.16	53.1
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92634	108	13	.6	7.0	4.5	2.5	.0	94
C92635	136	13	.8	7.4	5.0	2.4	.0	85
C92643	107	10	.6	7.3	4.7	2.6	.1	94
C92649	104	10	.5	6.6	4.5	2.1	.0	62
C92653	137	13	.7	7.6	4.8	2.8	.2	94
C92654	118	12	.8	7.0	4.5	2.5	.2	61
C92667	140	12	.9	8.0	4.8	3.2	.1	111
C92669	111	14	.8	7.1	4.9	2.2	.0	98
C92680	121	10	.4	7.4	4.6	2.8	.0	111
C92686	132	13	.7	7.4	5.0	2.4	.2	76
MEAN	121	12	.7	7.3	4.7	2.6	.1	89
S.D.	13.8	1.5	.15	.38	.20	.32	.09	17.7
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92694	116	16	.5	7.5	5.1	2.4	.1	78
C92704	122	14	.7	7.5	4.8	2.7	.3	85
C92710	117	16	.8	7.4	4.7	2.7	.1	78
C92711	126	14	.8	7.1	4.6	2.5	.0	82
C92727	130	14	.9	8.4	5.2	3.2	.1	106
C92729	130	12	.6	7.0	4.2	2.8	.0	90
C92739	115	13	.8	8.2	5.0	3.2	.0	101
C92741	107	13	.5	7.3	4.9	2.4	.0	101
C92742	131	13	1.0	7.3	4.9	2.4	.3	75
C92748	118	15	.8	7.9	4.9	3.0	.1	122
MEAN	121	14	.7	7.6	4.8	2.7	.1	92
S.D.	8.0	1.3	.16	.46	.28	.32	.12	15.2
N	10	10	10	10	10	10	10	10

Appendix 5
Individual Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92751	109	13	.8	6.8	4.8	2.0	.0	24
C92754	108	14	.6	7.5	4.9	2.6	.0	47
C92755	94	17	.6	7.8	5.4	2.4	.0	74
C92778	116	9	.7	6.7	4.3	2.4	.0	61
C92790	117	12	.8	7.8	5.0	2.8	.0	69
C92795	107	15	.6	7.0	4.7	2.3	.1	46
C92796	127	11	.8	6.0	3.5	2.5	.0	24
C92817	115	13	.6	6.5	4.3	2.2	.0	59
C92820	97	14	.7	7.3	4.9	2.4	.0	46
MEAN	110	13	.7	7.0	4.6	2.4	.0	50
S.D.	10.2	2.3	.09	.61	.55	.23	.03	17.8
N	9	9	9	9	9	9	9	9

Appendix 5

Individual Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92501	63	26	0	11.1	6.9	150	5.8	106
C92504	92	35	0	9.9	6.0	146	5.3	107
C92507	108	38	0	10.9	6.5	148	6.1	108
C92512	131	32	0	10.2	6.1	144	5.8	105
C92517	97	29	0	10.9	6.2	147	6.3	105
C92523	111	38	0	10.3	6.7	147	6.2	108
C92534	101	26	0	10.3	6.3	145	6.7	105
C92540	154	241	0	10.7	5.8	146	6.0	103
C92562	127	41	0	10.3	5.9	146	5.5	106
C92570	74	37	0	10.2	7.0	147	5.4	109
MEAN	106	54	0	10.5	6.3	147	5.9	106
S.D.	27.0	65.8	.0	.39	.42	1.6	.44	1.8
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92573	125	58	0	11.1	6.9	149	6.5	105
C92587	177	58	0	11.4	7.8	150	7.5	107
C92592	124	70	1	11.1	6.6	149	6.7	106
C92596	99	47	0	11.4	7.0	150	6.9	106
C92604	177	205	0	11.1	7.3	148	5.8	107
C92612	102	30	1	11.3	7.3	145	5.8	108
C92614	82	45	0	11.3	6.9	151	7.0	110
C92624	143	41	0	10.8	6.8	143	6.0	103
C92625	81	26	1	12.2	7.2	149	6.5	105
C92629	67	44	0	11.9	7.2	149	6.4	106
MEAN	118	62	0	11.4	7.1	148	6.5	106
S.D.	38.8	51.8	.5	.41	.34	2.5	.55	1.9
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92634	105	57	0	10.7	7.1	150	6.5	109
C92635	134	42	2	11.4	7.4	150	6.9	108
C92643	91	30	0	11.1	7.3	149	6.8	105
C92649	119	43	1	10.3	7.0	149	6.3	110
C92653	101	38	2	11.4	8.0	151	7.3	107
C92654	107	34	0	11.2	8.0	151	7.2	109
C92667	94	40	0	11.4	7.5	153	6.9	105
C92669	143	43	0	10.4	6.2	148	5.9	107
C92680	107	33	0	10.7	6.4	146	6.0	108
C92686	112	42	0	11.3	7.2	145	5.7	106
MEAN	111	40	0	11.0	7.2	149	6.6	107
S.D.	16.6	7.5	.8	.43	.59	2.4	.56	1.7
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92694	119	39	4	11.3	8.6	153	7.5	112
C92704	167	40	0	11.5	8.1	148	6.8	107
C92710	125	44	0	11.1	7.9	147	6.6	106
C92711	166	54	1	10.6	7.2	146	7.0	110
C92727	104	55	0	11.9	8.3	155	7.5	107
C92729	116	36	0	10.4	7.5	146	6.7	107
C92739	118	49	0	11.6	7.6	150	7.1	109
C92741	113	51	0	10.5	6.5	148	5.9	106
C92742	144	34	0	10.7	7.3	145	5.6	104
C92748	130	33	0	11.7	8.4	153	7.2	105
MEAN	130	44	0	11.1	7.7	149	6.8	107
S.D.	21.9	8.3	1.3	.55	.64	3.5	.63	2.4
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92751	101	54	0	10.3	6.1	147	6.3	112
C92754	241	292	1	11.0	7.2	155	7.2	112
C92755	257	140	0	10.9	7.3	149	6.6	109
C92778	64	40	0	10.2	5.8	144	5.0	108
C92790	81	40	4	11.2	7.2	151	7.3	112
C92795	110	48	0	10.4	7.4	146	5.9	107
C92796	104	48	0	10.1	7.5	145	4.9	108
C92817	89	44	0	10.1	7.1	146	5.8	108
C92820	111	43	0	10.4	7.3	150	7.0	111
MEAN	129	83	1	10.5	7.0	148	6.2	110
S.D.	70.0	84.4	1.3	.41	.61	3.5	.89	2.1
N	9	9	9	9	9	9	9	9

Appendix 5
Individual Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92862	119	10	.7	9.1	6.4	2.7	.1	144
C92876	99	13	.7	7.1	5.1	2.0	.0	95
C92889	117	9	.8	6.1	4.3	1.8	.0	84
C92894	96	11	.7	7.4	5.5	1.9	.0	109
C92899	99	13	.9	7.3	5.3	2.0	.1	108
C92910	118	15	.7	8.8	6.5	2.3	.2	126
C92917	112	10	.6	9.3	6.5	2.8	.1	137
C92922	127	7	.6	8.0	6.1	1.9	.0	102
C92923	111	11	.6	6.9	4.8	2.1	.0	122
C92930	113	8	.6	7.4	4.7	2.7	.0	136
MEAN	111	11	.7	7.7	5.5	2.2	.0	116
S.D.	10.1	2.5	.10	1.04	.81	.38	.07	19.8
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92931	112	12	.4	7.5	5.6	1.9	.4	72
C92938	97	18	.8	8.6	6.1	2.5	.0	137
C92946	115	13	1.3	8.6	6.4	2.2	.1	88
C92952	91	15	.8	8.5	6.0	2.5	.3	150
C92954	98	13	.5	8.0	5.7	2.3	.3	97
C92958	95	12	.7	8.5	6.2	2.3	.1	92
C92964	113	14	.7	7.9	5.5	2.4	.2	106
C92972	106	12	.7	7.4	5.3	2.1	.1	91
C92985	98	11	.8	8.3	5.9	2.4	.0	106
C92990	100	10	.5	8.1	5.7	2.4	.0	142
MEAN	102	13	.7	8.1	5.8	2.3	.2	108
S.D.	8.4	2.3	.25	.44	.34	.19	.14	26.1
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL

Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92992	100	12	.8	8.1	5.3	2.8	.1	121
C92997	98	16	1.0	8.6	5.3	3.3	.0	130
C93012	70	14	.5	8.2	5.1	3.1	.2	100
C93022	103	9	.9	8.2	6.2	2.0	.0	89
C93027	92	14	.8	8.0	5.7	2.3	.1	91
C93029	85	16	.9	7.6	5.1	2.5	.3	96
C93032	117	12	.9	7.7	5.2	2.5	.0	77
C93042	100	12	.7	7.4	5.3	2.1	.2	118
C93046	107	14	1.0	8.8	6.3	2.5	.0	106
C93048	90	15	.8	7.6	5.7	1.9	.0	85
MEAN	96	13	.8	8.0	5.5	2.5	.1	101
S.D.	12.9	2.2	.15	.45	.44	.46	.11	17.2
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93052	91	18	.8	8.1	5.8	2.3	.0	81
C93054	98	15	.6	8.4	5.9	2.5	.0	90
C93060	106	15	.5	8.7	6.2	2.5	.2	155
C93078	96	11	.8	8.2	5.9	2.3	.1	115
C93081	94	16	.8	7.6	5.3	2.3	.0	58
C93083	98	13	.8	8.3	6.4	1.9	.3	86
C93091	96	13	.9	8.2	5.6	2.6	.2	96
C93095	85	10	.4	7.8	5.9	1.9	.0	80
C93097	105	17	.9	8.2	5.8	2.4	.2	104
C93110	102	10	1.0	8.4	5.5	2.9	.3	230
MEAN	97	14	.8	8.2	5.8	2.4	.1	110
S.D.	6.3	2.9	.19	.31	.32	.30	.13	49.6
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	GLU MG/DL	UN MG/DL	CREAT MG/DL	T PRO G/DL	ALB G/DL	GLOB G/DL	T BILI MG/DL	CHOL MG/DL
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93112	85	15	.7	7.5	5.3	2.2	.0	89
C93116	100	14	.6	8.4	6.8	1.6	.1	86
C93117	107	22	.7	8.9	5.9	3.0	.0	141
C93120	84	15	.6	6.6	4.4	2.2	.0	67
C93130	104	19	.8	7.7	5.8	1.9	.0	63
C93138	103	13	.9	8.5	6.2	2.3	.3	48
C93147	92	17	.9	8.7	6.5	2.2	.1	87
C93154	86	17	1.0	6.9	4.3	2.6	.0	59
C93163	109	13	.6	7.9	5.8	2.1	.0	73
C93171	105	17	.7	7.6	5.7	1.9	.0	81
MEAN	98	16	.8	7.9	5.7	2.2	.0	79
S.D.	9.8	2.8	.14	.76	.81	.39	.10	25.5
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92862	129	54	0	10.8	7.5	147	5.1	102
C92876	135	42	0	10.4	6.4	142	5.2	107
C92889	82	42	0	10.0	6.0	145	5.6	110
C92894	113	39	0	10.0	4.7	146	4.6	107
C92899	88	29	0	10.5	4.6	144	4.6	106
C92910	283	133	0	11.4	6.4	150	6.0	109
C92917	76	32	0	11.4	6.1	147	5.4	103
C92922	103	44	1	10.4	5.0	144	5.4	108
C92923	105	52	0	9.9	5.4	143	4.8	104
C92930	79	34	0	10.7	6.2	147	4.7	107
MEAN	119	50	0	10.6	5.8	146	5.1	106
S.D.	61.0	30.2	.3	.54	.90	2.4	.47	2.6
N	10	10	10	10	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92931	102	45	0	10.8	6.1	144	6.3	104
C92938	137	42	0	11.2	6.7	149	6.0	105
C92946	98	38	1	12.2	7.6	156	8.5	113
C92952	101	38	0	11.4	5.7	145	5.3	101
C92954	101	52	0	11.0	4.9	144	5.5	107
C92958	123	42	0	11.1	5.7	148	5.1	103
C92964	126	39	0	10.9	4.8	145	5.1	104
C92972	104	32	1	10.3	5.6	148	6.0	111
C92985	128	52	1	11.2	5.6	145	5.8	107
C92990	132	53	1	11.0	5.5	146	4.9	105
MEAN	115	43	0	11.1	5.8	147	5.8	106
S.D.	15.3	7.1	.5	.48	.83	3.6	1.04	3.7
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92992	85	35	0	10.4	5.1	145	4.6	106
C92997	109	40	0	11.0	6.3	151	6.0	109
C93012	148	53	0	10.7	5.9	145	4.8	107
C93022	119	66	0	10.9	5.0	149	5.2	108
C93027	137	80	0	11.1	6.7	148	5.4	108
C93029	158	64	0	10.6	5.3	147	5.3	108
C93032	107	39	3	10.8	5.2	148	4.9	103
C93042	124	65	3	10.9	5.8	145	4.6	104
C93046	115	46	0	10.9	5.1	145	4.6	103
C93048	111	52	0	10.4	5.9	149	5.3	110
MEAN	121	54	1	10.8	5.6	147	5.1	107
S.D.	21.4	14.5	1.3	.24	.58	2.1	.45	2.5
N	10	10	10	10	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93052	130	26	0	10.8	5.3	146	5.1	111
C93054	121	75	0	10.9	5.6	147	4.5	106
C93060	153	84	0	11.6	6.7	149	6.1	107
C93078	128	55	4	10.8	4.1	145	5.2	105
C93081	101	40	4	10.9	6.3	147	6.6	108
C93083	78	30	0	11.1	4.8	145	5.3	109
C93091	107	35	2	11.1	5.9	150	6.1	111
C93095	77	49	0	10.5	5.3	146	5.1	111
C93097	84	34	0	11.1	5.8	148	5.5	109
C93110	98	36	0	11.2	5.4	145	4.8	101
MEAN	108	46	1	11.0	5.5	147	5.4	108
S.D.	25.1	19.5	1.7	.29	.74	1.8	.65	3.2
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	AST/SGOT IU/L	ALT/SGPT IU/L	GGT IU/L	CA MG/DL	I PHOS MG/DL	NA MMOL/L	K MMOL/L	CL MMOL/L
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93112	99	42	0	10.5	5.2	145	4.6	108
C93116	73	36	0	11.1	5.5	148	4.8	105
C93117	88	86	0	10.9	5.9	151	5.8	109
C93120	129	63	0	10.0	6.0	145	4.8	112
C93130	77	27	0	10.9	6.8	148	6.7	112
C93138	79	37	0	10.5	6.1	144	5.8	106
C93147	98	49	0	11.2	7.1	153	7.2	112
C93154	112	49	0	9.8	5.8	146	4.8	113
C93163	80	34	1	10.5	5.9	145	4.3	109
C93171	95	36	0	10.2	5.0	144	4.5	110
MEAN	93	46	0	10.6	5.9	147	5.3	110
S.D.	17.5	17.3	.3	.47	.65	3.1	1.00	2.7
N	10	10	10	10	10	10	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 103

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 3	Dose Level: 2.0	Dosage Unit: ppm T-6295
C92991	139	101
C93003	66	247
C93007	107	73
C93011	145	285
C93022	145	211
C93039	133	174
C93040	202	108
C93047	79	180
C93048	100	143
MEAN	124	169
S.D.	41.1	70.4
N	9	9

Appendix 5

Individual Clinical Chemistry Data

Males Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL	
-----	-----	-----	
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92503	101	42	
C92505	60	124	
C92510	116	220	
C92513	136	187	
C92514	123	216	
C92518	328	207	
C92541	110	54	
C92542	187	262	
C92544	120	62	
C92551	184	590	
C92569	220	230	
MEAN	153	199	
S.D.	73.5	151.3	
N	11	11	
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92577	189	134	
C92583	239	322	
C92590	147	195	
C92597	84	108	
C92598	241	96	
C92601	125	255	
C92602	116	193	
C92619	137	306	
C92623	86	153	
C92626	76	110	
MEAN	144	187	
S.D.	60.8	82.7	
N	10	10	

Appendix 5

Individual Clinical Chemistry Data

Males Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 3	Dose Level: 2.0	Dosage Unit: ppm T-6295
C92631	121	218
C92633	147	86
C92637	202	360
C92641	134	182
C92642	123	71
C92643	181	423
C92644	153	375
C92649	89	86
C92653	198	186
C92657	117	152
C92659	75	58
C92660	128	132
C92669	139	114
C92674	81	188
C92682	91	383
C92683	94	100
C92690	123	272
MEAN	129	199
S.D.	38.4	120.6
N	17	17

Appendix 5

Individual Clinical Chemistry Data

Males Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 4	Dose Level: 5.0	Dosage Unit: ppm T-6295
C92691	125	183
C92693	86	79
C92694	97	64
C92695	114	184
C92696	102	96
C92698	103	81
C92699	87	145
C92700	98	115
C92702	135	144
C92704	129	140
C92705	153	184
C92708	144	264
C92716	101	151
C92717	268	277
C92724	154	237
C92726	127	137
C92730	154	75
C92735	119	215
C92736	157	231
C92739	67	137
C92740	77	86
C92742	163	218
C92747	49	32
C92748	145	117
C92750	126	169
MEAN	123	150
S.D.	42.7	65.3
N	25	25

Appendix 5

Individual Clinical Chemistry Data

Males Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 5	Dose Level: 20.0	Dosage Unit: ppm T-6295
C92753	97	116
C92757	102	107
C92761	163	428
C92762	99	87
C92774	126	204
C92775	96	203
C92776	43	77
C92780	139	88
C92782	134	237
C92786	185	212
C92788	80	38
C92791	201	421
C92792	91	146
C92800	98	142
C92802	33	53
C92803	67	35
C92804	90	111
C92808	150	213
C92809	214	410
C92814	62	55
C92815	213	267
C92818	102	76
MEAN	118	169
S.D.	52.2	121.9
N	22	22

Appendix 5

Individual Clinical Chemistry Data

Males Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 6	Dose Level: 20.0	Dosage Unit: ppm T-6295
C92821	94	88
C92823	175	145
C92827	173	163
C92829	104	69
C92833	125	147
C92834	200	206
C92848	85	42
C92851	168	169
C92853	155	141
C92856	174	196
MEAN	145	137
S.D.	40.1	53.9
N	10	10

Appendix 5

Individual Clinical Chemistry Data

Females Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 1	Dose Level: 0	Dosage Unit: ppm T-6295
C92866	116	52
C92867	151	149
C92868	115	101
C92869	114	98
C92871	162	203
C92873	108	102
C92874	113	91
C92877	100	138
C92881	114	181
C92882	142	123
C92885	218	234
C92890	94	80
C92892	108	108
C92895	97	72
C92896	123	101
C92897	182	46
C92906	102	51
C92907	147	405
C92909	90	188
C92911	120	118
C92912	83	44
C92913	105	55
C92925	222	98
C92927	58	118
MEAN	124	123
S.D.	39.6	78.6
N	24	24

Appendix 5

Individual Clinical Chemistry Data

Females Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	CHOL MG/DL -----	TRIG MG/DL -----
Group: 2	Dose Level: 0.5	Dosage Unit: ppm T-6295
C92936	113	51
C92938	117	89
C92946	138	399
C92953	128	100
C92957	81	29
C92960	116	116
C92964	144	130
C92970	104	34
C92973	119	67
C92974	117	61
C92975	140	282
C92983	89	30
C92984	157	110
C92986	180	104
C92988	110	111
MEAN	124	114
S.D.	25.4	100.1
N	15	15

Appendix 5

Individual Clinical Chemistry Data

Females Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER -----	CHOL MG/DL -----	TRIG MG/DL -----
Group: 4	Dose Level: 5.0	Dosage Unit: ppm T-6295
C93059	100	160
C93060	142	100
C93062	126	45
C93063	72	73
C93072	128	86
C93077	115	91
C93078	175	63
C93079	101	408
C93080	88	203
C93081	91	97
C93090	83	82
C93098	169	158
C93101	106	207
C93102	100	191
C93107	118	71
MEAN	114	136
S.D.	29.8	92.5
N	15	15

Appendix 5

Individual Clinical Chemistry Data

Females Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 5	Dose Level: 20.0	Dosage Unit: ppm T-6295
C93113	122	188
C93115	160	124
C93124	113	77
C93125	114	32
C93133	61	80
C93135	94	56
C93137	38	54
C93139	76	104
C93140	340	585
C93146	117	60
C93149	149	55
C93151	86	51
C93153	127	132
C93157	119	160
C93158	70	59
C93161	89	58
C93162	80	79
C93164	71	56
C93165	59	29
C93166	86	54
C93168	103	117
C93174	68	49
C93177	84	48
C93178	71	38
C93179	77	47
MEAN	103	96
S.D.	57.2	109.7
N	25	25

Appendix 5

Individual Clinical Chemistry Data

Females Week 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	CHOL MG/DL	TRIG MG/DL
-----	-----	-----
Group: 6	Dose Level: 20.0	Dosage Unit: ppm T-6295
C93181	110	133
C93182	122	172
C93183	78	55
C93184	81	124
C93185	129	128
C93190	139	56
C93192	141	175
C93197	118	98
C93198	94	306
C93201	79	89
C93202	77	146
C93205	145	148
C93209	86	134
C93211	101	63
C93216	111	148
C93219	124	310
C93220	118	241
MEAN	109	149
S.D.	23.3	76.2
N	17	17

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92505	11.5	1.013	7.0
C92506	34.2	1.007	7.0
C92524	48.8 a	1.005	7.0
C92526	22.6	1.007	7.0
C92529	17.5	1.010	7.0
C92542	19.2	1.010	7.0
C92543	17.4	1.010	7.5
C92546	16.5	1.015	7.0
C92548	9.5	1.016	7.0
C92553	16.8	1.012	7.0
MEAN	21.4	1.010	7.0
S.D.	11.72	.0036	.16
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92573	13.2	1.017	7.0
C92574	14.4	1.017	7.0
C92575	12.2	1.022	7.0
C92585	17.5	1.013	7.0
C92586	48.5 a	1.002	7.0
C92587	18.3	1.012	7.5
C92610	42.6	1.004	6.5
C92613	6.4	1.027	7.0
C92615	14.5	1.016	7.0
C92618	38.5	1.005	7.0
MEAN	22.6	1.014	7.0
S.D.	14.76	.0080	.24
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92632	10.3	1.021	6.5
C92646	48.1 a	1.001	7.0
C92650	48.4 a	1.000	7.0
C92652	20.2	1.010	7.0
C92657	48.3 a	1.003	7.0
C92668	23.3	1.009	7.0
C92676	16.1	1.013	6.5
C92678	9.3	1.020	7.0
C92684	14.1	1.013	7.5
C92686	15.2	1.013	7.5
MEAN	25.3	1.010	7.0
S.D.	16.35	.0073	.33
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C92709	15.5	1.015	7.0
C92715	27.3	1.010	7.5
C92716	49.9 a	1.004	7.0
C92718	49.5 a	1.002	7.0
C92725	24.5	1.008	7.0
C92731	48.0 a	1.004	7.0
C92732	23.5	1.008	7.5
C92734	11.2	1.020	7.0
C92744	42.8	1.006	7.0
C92746	25.5	1.010	7.5
MEAN	31.8	1.009	7.2
S.D.	14.52	.0055	.24
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C92752	29.0	1.006	7.0
C92759	24.0	1.009	7.0
C92779	6.0	1.029	7.0
C92784	26.7	1.010	7.0
C92793	17.0	1.016	7.0
C92798	28.6	1.009	7.0
C92799	39.7	1.006	7.0
C92805	19.9	1.013	7.0
C92807	10.2	1.017	7.0
C92811	24.7	1.009	7.0
MEAN	22.6	1.012	7.0
S.D.	9.78	.0069	.00
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92505	10	-	+	-	+	-
C92506	10	-	-	-	-	-
C92524	0	-	-	-	-	-
C92526	10	-	-	-	-	-
C92529	10	-	-	-	-	-
C92542	10	-	-	-	-	-
C92543	10	-	-	-	-	-
C92546	10	-	-	-	-	-
C92548	10	-	+	-	-	-
C92553	30	-	+	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92573	10	-	+	-	-	-
C92574	30	-	+	-	-	-
C92575	10	-	+	-	-	-
C92585	10	-	-	-	-	-
C92586	0	-	-	-	-	-
C92587	10	-	-	-	-	-
C92610	0	-	-	-	-	-
C92613	30	-	+	-	-	-
C92615	10	-	+	-	-	-
C92618	10	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C92632	10	-	+	-	-	-
C92646	0	-	-	-	-	-
C92650	0	-	-	-	-	-
C92652	10	-	-	-	-	-
C92657	10	-	-	-	-	-
C92668	10	-	-	-	-	-
C92676	10	-	-	-	-	-
C92678	10	-	-	-	-	-
C92684	10	-	+	-	+	-
C92686	10	-	-	-	-	-
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C92709	10	-	+	-	-	-
C92715	10	-	-	-	-	-
C92716	10	-	-	-	-	-
C92718	0	-	-	-	-	-
C92725	10	-	+	-	-	-
C92731	0	-	-	-	-	-
C92732	10	-	-	-	-	-
C92734	10	-	-	-	-	-
C92744	10	-	+	-	-	-
C92746	30	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295			
C92752	10	-	+	-	-	-
C92759	10	-	+	-	-	-
C92779	30	-	+	-	-	-
C92784	10	-	-	-	-	-
C92793	10	-	-	-	-	-
C92798	10	-	-	-	-	-
C92799	10	-	-	-	-	-
C92805	10	-	+	-	-	-
C92807	10	-	+	-	-	-
C92811	10	-	+	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92505	0	0	1	1	0	3D	BJ	Q
C92506	0	0	1	2	0	0	AJ	PQ
C92524	0	0	0	1	0	0	AJ	Q
C92526	0	0	1	2	0	0	BK	Q
C92529	0	0	1	1	0	4D	BJ	Q
C92542	0	0	1	1	0	4D	BK	PQ
C92543	0	0	1	1	0	4D	BJ	Q
C92546	0	0	0	2	0	4D	BK	PQ
C92548	0	0	0	2	0	3D	CJ	Q
C92553	0	0	0	1	0	4D	BJ	Q
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92573	0	0	0	3	0	4D	CK	Q
C92574	0	0	1	1	0	3D	CK	Q
C92575	0	0	1	2	0	4D	CJ	P
C92585	0	0	1	1	0	2D	BK	PQ
C92586	0	0	0	2	0	0	AJ	Q
C92587	0	0	0	1	0	0	CJ	-
C92610	0	0	1	1	0	0	BJ	Q
C92613	0	0	1	3	0	4D	CK	PQ
C92615	0	0	0	2	0	4D	CJ	PQ
C92618	0	0	1	1	0	0	AJ	-

Appendix 5
Individual Clinical Urinalysis Data
Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92632	0	0	1	2	0	0	CK	Q
C92646	0	0	0	2	0	0	AJ	Q
C92650	0	0	0	1	0	0	AJ	Q
C92652	0	0	0	1	0	0	BJ	PQ
C92657	0	0	0	2	0	1B	AJ	Q
C92668	0	0	0	2	0	2D	BJ	PQ
C92676	0	0	1	1	0	0	BJ	Q
C92678	0	0	0	3	0	4D	CK	PQ
C92684	0	0	1	1	0	4D	CK	PQ
C92686	0	0	0	1	0	4D	CJ	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92709	0	0	0	2	0	2B4D	CK	Q
C92715	0	0	0	1	0	4D	BK	PQ
C92716	0	0	1	1	0	0	AJ	Q
C92718	0	0	1	1	0	0	AJ	Q
C92725	0	0	1	1	0	1D	BJ	Q
C92731	0	0	0	3	0	0	AJ	Q
C92732	0	0	0	1	0	0	BJ	Q
C92734	0	0	0	2	0	4D	CK	PQ
C92744	0	0	0	3	0	4D	BK	PQ
C92746	0	0	1	1	0	2D	BJ	Q

Appendix 5
Individual Clinical Urinalysis Data
Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92752	0	0	1	2	0	0	AJ	PQ
C92759	0	0	0	1	0	1D	BJ	Q
C92779	0	0	1	1	0	3D	CK	Q
C92784	0	0	0	1	0	1D	BJ	PQ
C92793	0	0	0	2	0	4D	CK	PQ
C92798	0	0	0	3	0	0	BJ	Q
C92799	0	0	0	3	0	0	BJ0	Q
C92805	0	0	0	1	0	0	BJ	PQ
C92807	0	0	1	2	0	4D	CJ	PQ
C92811	0	0	0	1	0	0	BJ	Q

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92861	9.0	1.016	7.0
C92864	3.4	1.023	7.0
C92876	2.2	1.036	6.5
C92877	6.6	1.018	6.5
C92882	6.4	1.018	6.5
C92883	22.5	1.008	7.0
C92914	2.7	1.026	7.0
C92919	45.2 a	1.001	7.0
C92925	9.5	1.015	6.5
C92926	1.9	1.030	6.5
MEAN	10.9	1.019	6.8
S.D.	13.48	.0103	.26
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92941	1.5	1.036	6.5
C92945	47.5 a	1.000	7.0
C92950	15.5	1.007	7.0
C92953	6.7	1.020	7.0
C92959	10.0	1.008	6.5
C92964	7.2	1.019	7.0
C92968	9.6	1.016	7.0
C92969	3.5	1.022	7.0
C92976	42.3 a	1.003	7.0
C92982	8.5	1.017	6.5
MEAN	15.2	1.015	6.8
S.D.	16.13	.0106	.24
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92993	4.0	1.022	6.5
C92996	46.0 a	1.001	6.5
C92998	5.0	1.012	7.0
C93004	6.2	1.021	6.5
C93006	5.9	1.014	7.0
C93008	7.7	1.016	7.0
C93023	49.3 a	1.000	7.0
C93031	4.1	1.023	7.0
C93033	6.4	1.021	7.0
C93045	7.5	1.023	6.5
MEAN	14.2	1.015	6.8
S.D.	17.68	.0087	.26
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C93058	6.5	1.017	7.0
C93067	14.1	1.010	7.0
C93070	5.2	1.021	6.5
C93074	8.0	1.023	7.0
C93075	9.0	1.016	7.0
C93083	18.2	1.008	6.5
C93084	12.5	1.008	7.0
C93089	11.2	1.018	7.0
C93094	29.0	1.006	7.0
C93105	18.0	1.011	6.5
MEAN	13.2	1.014	6.8
S.D.	7.12	.0060	.24
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C93114	28.7	1.005	7.0
C93123	9.5	1.014	7.0
C93142	9.8	1.015	7.0
C93144	10.0	1.012	6.5
C93151	5.1	1.019	6.5
C93155	4.1	1.026	6.5
C93158	43.0 a	1.002	7.0
C93159	48.4 a	1.001	7.0
C93164	10.2	1.014	7.0
C93175	6.5	1.022	6.5
MEAN	17.5	1.013	6.8
S.D.	16.39	.0083	.26
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92861	0	-	-	-	-	-
C92864	10	-	-	-	-	-
C92876	10	-	-	-	-	-
C92877	0	-	-	-	-	-
C92882	10	-	-	-	-	-
C92883	0	-	-	-	-	-
C92914	10	-	-	-	-	-
C92919	0	-	-	-	-	-
C92925	0	-	-	-	-	-
C92926	10	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92941	30	-	-	-	-	-
C92945	0	-	-	-	-	-
C92950	0	-	-	-	-	-
C92953	10	-	-	-	-	-
C92959	0	-	-	-	-	-
C92964	10	-	-	-	-	-
C92968	10	-	-	-	-	-
C92969	10	-	-	-	-	-
C92976	0	-	-	-	-	-
C92982	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C92993	10	-	-	-	-	-
C92996	0	-	-	-	-	-
C92998	0	-	-	-	-	-
C93004	0	-	-	-	-	-
C93006	10	-	-	-	-	-
C93008	0	-	-	-	-	-
C93023	0	-	-	-	-	-
C93031	10	-	-	-	-	-
C93033	10	-	-	-	-	-
C93045	0	-	-	-	-	-
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C93058	10	-	-	-	-	-
C93067	0	-	-	-	-	-
C93070	10	-	-	-	-	-
C93074	10	-	-	-	-	-
C93075	0	-	-	-	-	-
C93083	0	-	-	-	-	-
C93084	0	-	-	-	-	-
C93089	0	-	-	-	-	-
C93094	0	-	-	-	-	-
C93105	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295			
C93114	0	-	-	-	-	-
C93123	0	-	-	-	-	-
C93142	0	-	-	-	-	-
C93144	0	-	-	-	-	-
C93151	10	-	-	-	-	-
C93155	0	-	-	-	-	-
C93158	0	-	-	-	-	-
C93159	0	-	-	-	-	-
C93164	0	-	-	-	-	-
C93175	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92861	0	0	0	1	0	2D	CJ	-
C92864	0	0	1	1	0	2D	CJ	-
C92876	0	0	1	1	0	2D	CK	P
C92877	0	1	1	1	0	1B1D	CJ	P
C92882	0	0	1	1	0	1D	CJ	-
C92883	0	0	1	2	0	0	AJ	-
C92914	0	0	1	2	0	4D	CJ	P
C92919	0	0	0	1	0	0	AJ	-
C92925	0	0	1	1	0	2B	CJ	-
C92926	0	1	0	1	0	0	CJ	P
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92941	0	0	1	1	0	0	CJ	P
C92945	0	0	0	1	0	0	AJ	-
C92950	0	1	1	2	0	0	BJ	P
C92953	0	0	1	1	0	3D	CK	-
C92959	0	1	0	1	0	0	BJ	-
C92964	0	1	0	1	0	2D	CJ	-
C92968	0	0	1	2	0	4D	CJ	P
C92969	0	1	0	1	0	3D	CJ	P
C92976	0	1	1	1	0	0	AJ	-
C92982	0	0	0	1	0	2D	CK	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92993	0	1	1	1	0	1D	CJ	P
C92996	0	0	1	1	0	0	AJ	-
C92998	0	1	1	1	0	0	BJ	P
C93004	0	0	1	1	0	1D	CJ	-
C93006	0	0	0	1	0	3D	BJ	-
C93008	0	0	0	1	0	2D	CJ	-
C93023	0	0	0	1	0	0	AJ	-
C93031	0	0	0	1	0	4D	CJ	P
C93033	0	0	1	1	0	4D	CK	-
C93045	0	0	1	1	0	4D	CK	P
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93058	0	0	0	1	0	4D	CK	-
C93067	0	0	0	1	0	3D	BJ	-
C93070	0	1	1	2	0	0	CK	P
C93074	0	1	1	1	0	4D	CK	P
C93075	0	1	1	1	0	4D	CJ	P
C93083	0	1	0	1	0	1B	BJ	P
C93084	0	1	1	1	0	0	BJ	P
C93089	0	1	0	1	1G	2D	CJ	P
C93094	0	1	1	2	0	0	AJ	-
C93105	0	1	1	2	0	1D	BJ	P

Appendix 5

Individual Clinical Urinalysis Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93114	0	0	0	1	0	0	BJ	-
C93123	0	0	1	1	0	4D	BJ	-
C93142	0	0	1	1	0	4D	BJ	-
C93144	0	0	1	2	0	0	BJ	P
C93151	0	0	1	1	0	2D	CJ	P
C93155	0	0	1	1	0	2D	CJ	P
C93158	0	0	0	1	0	1B	AJ	-
C93159	0	0	0	1	0	0	AJ	-
C93164	0	1	1	1	0	1D	BJ	-
C93175	0	1	1	1	0	2D	CJ	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92508	30.2	1.010	7.5
C92509	19.1	1.012	7.5
C92511	31.4	1.009	7.0
C92521	9.1	1.027	7.0
C92527	26.0	1.015	7.5
C92528	49.5 a	1.003	7.0
C92532	20.0	1.015	7.0
C92535	4.5	1.035	6.5
C92537	49.5 a	1.006	7.0
C92562	49.1 a	1.008	7.5
MEAN	28.8	1.014	7.2
S.D.	16.45	.0099	.34
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92583	16.8	1.016	7.5
C92593	46.3 a	1.003	6.5
C92598	23.5	1.014	7.0
C92600	7.4	1.022	7.0
C92612	49.3 a	1.006	7.5
C92616	28.7	1.008	7.5
C92621	3.4	1.044	6.5
C92624	17.0	1.018	7.5
C92627	35.6	1.008	7.0
C92629	7.3	1.040	7.0
MEAN	23.5	1.018	7.1
S.D.	16.23	.0140	.39
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92636	46.5 a	1.004	6.5
C92640	6.8	1.025	6.5
C92644	9.4	1.026	7.0
C92645	9.7	1.022	7.0
C92651	14.8	1.021	7.5
C92661	40.5	1.007	7.5
C92662	10.1	1.020	7.0
C92676	2.0	1.032	6.5
C92682	20.5	1.016	7.0
C92684	47.5 a	1.003	7.0
MEAN	20.8	1.018	7.0
S.D.	17.37	.0099	.37
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C92711	10.1	1.021	7.0
C92713	47.7 a	1.005	7.0
C92714	22.1	1.013	7.0
C92716	26.3	1.013	7.5
C92719	12.0	1.021	6.5
C92722	35.0	1.005	6.5
C92726	12.8	1.021	7.0
C92728	15.5	1.020	7.0
C92741	49.0 a	1.007	7.5
C92748	23.5	1.016	7.0
MEAN	25.4	1.014	7.0
S.D.	14.27	.0067	.33
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C92754	9.3	1.020	7.0
C92765	9.8	1.024	7.0
C92767	37.0	1.010	7.0
C92774	12.5	1.020	7.0
C92777	48.1	1.007	7.0
C92784	12.0	1.021	7.0
C92789	5.5	1.028	6.5
C92799	12.7	1.025	6.5
C92812	7.6	1.027	7.0
C92820	30.8	1.012	7.5
MEAN	18.5	1.019	7.0
S.D.	14.64	.0073	.28
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92508	10	-	-	-	-	-
C92509	10	-	-	-	-	-
C92511	10	-	-	-	+	-
C92521	30	-	+	-	-	-
C92527	30	-	+	-	-	-
C92528	0	-	-	-	-	-
C92532	10	-	-	-	-	-
C92535	30	-	+	-	-	-
C92537	0	-	-	-	-	-
C92562	10	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92583	30	-	-	-	-	-
C92593	0	-	-	-	-	-
C92598	10	-	-	-	-	-
C92600	30	-	-	-	-	-
C92612	0	-	-	-	-	-
C92616	10	-	-	-	-	-
C92621	30	-	+	-	+	-
C92624	30	-	+	-	-	-
C92627	10	-	-	-	-	-
C92629	30	-	+	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295			
C92636	0	-	-	-	-	-
C92640	30	-	-	-	-	-
C92644	10	-	+	-	-	-
C92645	30	-	+	-	-	-
C92651	30	-	-	-	-	-
C92661	10	-	-	-	-	-
C92662	30	-	+	-	-	-
C92676	30	-	+	-	-	-
C92682	10	-	-	-	-	-
C92684	0	-	-	-	-	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295			
C92711	30	-	+	-	-	-
C92713	10	-	-	-	-	-
C92714	10	-	+	-	-	-
C92716	10	-	+	-	-	-
C92719	10	-	-	-	-	-
C92722	10	-	-	-	-	-
C92726	30	-	+	-	-	-
C92728	30	-	+	-	-	-
C92741	10	-	-	-	-	-
C92748	10	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0			Dosage Unit: ppm T-6295		
C92754	10	-	+	-	-	-
C92765	30	-	-	-	-	-
C92767	10	-	-	-	-	-
C92774	10	-	+	-	-	-
C92777	10	-	-	-	-	-
C92784	30	-	+	-	-	-
C92789	10	-	+	-	+	-
C92799	30	-	-	-	+	-
C92812	30	-	-	-	-	-
C92820	10	-	+	-	-	-

Appendix 5
Individual Clinical Urinalysis Data
Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92508	0	0	1	1	0	4D	BJ	Q
C92509	0	0	1	1	0	4D	BJ	Q
C92511	0	1	1	1	0	1B1D	BJ	PQ
C92521	0	0	0	2	0	4D	BK	P
C92527	0	0	1	2	0	4D	BK	Q
C92528	0	0	0	1	0	0	AJ	Q
C92532	0	0	1	1	0	4D	BK	Q
C92535	0	0	1	1	0	3D	CK	Q
C92537	0	0	1	2	0	2D	AJ	Q
C92562	0	0	1	1	0	2D	AJ	Q
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92583	0	0	1	2	0	4D	BK	Q
C92593	1	0	1	1	0	0	AJ	Q
C92598	0	0	1	1	0	4D	BK	Q
C92600	1	0	0	1	0	4D	BK	PQ
C92612	0	0	1	1	0	3D	AJ	Q
C92616	0	0	0	1	0	3D	BK	Q
C92621	0	1	1	1	0	4D	DK	PQ
C92624	0	1	1	1	0	4D	BK	Q
C92627	0	0	1	1	0	3D	BJ	Q
C92629	0	0	1	2	0	3D	CK	PQ

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92636	0	0	1	2	0	0	AJ	Q
C92640	0	0	0	2	0	4D	CK	Q
C92644	0	0	1	2	0	4D	CK	Q
C92645	0	0	1	2	0	4D	BK	P
C92651	0	0	0	1	0	4D	CK	Q
C92661	0	0	1	2	0	4D	AJ	Q
C92662	0	1	0	1	0	3D	BK	PQ
C92676	0	0	1	1	0	0	BJ	Q
C92682	0	0	1	1	0	4D	BK	PQ
C92684	0	0	1	1	0	0	AJ	Q
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92711	0	0	1	1	0	4D	CK	PQ
C92713	0	0	1	1	0	0	AJ	Q
C92714	0	0	1	1	0	1D	BJ	Q
C92716	0	0	0	1	0	4D	BK	Q
C92719	0	1	1	1	0	2D	BK	PQ
C92722	0	0	1	3	0	0	AJ	Q
C92726	0	0	1	1	0	3D	BK	Q
C92728	0	2	0	2	0	4D	BK	Q
C92741	0	0	1	1	0	3D	AJ	Q
C92748	0	0	1	1	0	4D	BK	Q

Appendix 5

Individual Clinical Urinalysis Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92754	0	0	1	1	0	4D	CK	Q
C92765	0	0	0	1	0	3D	BK	Q
C92767	0	0	1	2	0	0	AJ	Q
C92774	0	0	0	1	0	4D	CJ	PQ
C92777	0	0	1	1	0	0	BJ	Q
C92784	0	0	1	2	0	1B4D	CJ	PQ
C92789	2	1	1	1	0	1D	BK	PQ
C92799	0	0	1	1	0	1D	BJ	Q
C92812	0	0	1	2	0	4D	BK	PQ
C92820	0	0	1	2	0	2B4D	BJ	PQ

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92863	4.3	1.033	7.0
C92865	7.0	1.023	7.0
C92871	.7	1.056	7.0
C92880	2.3	1.025	6.5
C92887	6.2	1.020	6.5
C92898	4.5	1.022	6.5
C92903	6.5	1.020	7.0
C92905	49.5 a	1.002	6.5
C92906	48.5 a	1.003	7.0
C92927	45.5 a	1.001	6.5
MEAN	17.5	1.020	6.8
S.D.	21.04	.0166	.26
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92935	3.2	1.030	7.0
C92940	18.5	1.006	8.0
C92944	49.9 a	1.003	7.0
C92948	7.0	1.020	6.5
C92956	12.3	1.015	7.5
C92962	49.2 a	1.003	6.5
C92967	6.9	1.021	6.5
C92978	11.5	1.019	6.5
C92986	6.5	1.018	7.0
C92987	3.1	1.022	7.0
MEAN	16.8	1.016	7.0
S.D.	17.86	.0090	.50
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92992	18.8	1.008	7.0
C92993	3.6	1.024	6.5
C93000	5.0	1.019	6.5
C93018	8.0	1.015	7.0
C93019	20.4	1.010	7.5
C93023	4.2	1.026	6.5
C93024	5.0	1.019	7.0
C93026	3.4	1.029	7.0
C93030	2.7	1.033	6.5
C93035	7.1	1.027	6.5
MEAN	7.8	1.021	6.8
S.D.	6.43	.0082	.35
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C93051	8.7	1.019	6.5
C93064	16.0	1.008	7.0
C93071	48.0 a	1.002	6.5
C93076	19.6	1.009	7.0
C93078	45.5 a	1.003	7.0
C93085	12.1	1.012	6.5
C93089	21.5	1.012	7.0
C93090	41.5	1.006	7.5
C93093	25.8	1.013	6.5
C93109	18.5	1.010	6.5
MEAN	25.7	1.009	6.8
S.D.	14.20	.0050	.35
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C93111	13.5	1.014	7.0
C93113	12.2	1.010	7.0
C93120	8.0	1.018	7.5
C93127	38.0	1.003	6.5
C93135	46.5 a	1.004	7.0
C93143	6.0	1.022	7.0
C93155	1.5	1.043	6.5
C93162	13.2	1.012	7.0
C93169	7.2	1.020	6.5
C93178	49.0 a	1.005	7.0
MEAN	19.5	1.015	6.9
S.D.	17.83	.0119	.32
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92863	30	-	-	-	-	-
C92865	10	-	-	-	-	-
C92871	30	-	-	-	-	-
C92880	10	-	-	-	-	-
C92887	10	-	-	-	-	-
C92898	10	-	-	-	-	-
C92903	10	-	-	-	-	-
C92905	0	-	-	-	-	-
C92906	0	-	-	-	-	-
C92927	0	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92935	10	-	-	-	-	-
C92940	0	-	-	-	+	-
C92944	0	-	-	-	-	-
C92948	10	-	-	-	-	-
C92956	10	-	-	-	-	-
C92962	0	-	-	-	-	-
C92967	10	-	-	-	-	-
C92978	30	-	-	-	-	-
C92986	10	-	-	-	-	-
C92987	10	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C92992	0	-	-	-	-	-
C92993	10	-	-	-	-	-
C93000	10	-	-	-	-	-
C93018	10	-	-	-	-	-
C93019	0	-	-	-	-	-
C93023	10	-	-	-	-	-
C93024	10	-	-	-	-	-
C93026	30	-	-	-	-	-
C93030	30	-	-	-	-	-
C93035	10	-	-	-	-	-
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C93051	10	-	-	-	-	-
C93064	0	-	-	-	-	-
C93071	0	-	-	-	-	-
C93076	0	-	-	-	-	-
C93078	0	-	-	-	-	-
C93085	0	-	-	-	-	-
C93089	0	-	-	-	-	-
C93090	0	-	-	-	-	-
C93093	0	-	-	-	-	-
C93109	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295			
C93111	0	-	-	-	-	-
C93113	0	-	-	-	-	-
C93120	10	-	-	-	-	-
C93127	0	-	-	-	-	-
C93135	0	-	-	-	-	-
C93143	10	-	-	-	-	-
C93155	10	-	-	-	-	-
C93162	0	-	-	-	-	-
C93169	10	-	-	-	-	-
C93178	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92863	1	0	0	1	0	0	CK	-
C92865	0	0	1	1	0	0	CJ	S
C92871 QS	-	-	-	-	-	-	DJ	-
C92880	0	0	0	2	0	0	BJ	P
C92887	0	0	1	1	0	0	BJ	-
C92898	0	0	1	1	0	1D	BJ	P
C92903	0	0	1	2	0	2D	BJ	-
C92905	0	0	1	1	0	1D	AJ	-
C92906	0	0	0	1	0	0	AJ	-
C92927	0	0	1	1	0	0	AJ	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92935	0	1	1	2	0	4D	CJ	P
C92940	0	0	0	3	0	3B4D	CJ	-
C92944	0	0	0	1	0	0	AJ	-
C92948	0	0	0	1	0	1B1D	CJ	P
C92956	0	0	1	2	0	2D	CJ	P
C92962	0	0	0	1	0	0	AJ	-
C92967	0	0	1	1	0	1D	BJ	P
C92978	0	0	1	1	0	1D	BJ	P
C92986	0	0	1	2	0	4D	CJ	P
C92987	0	0	0	1	0	4D	BJ	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92992	0	0	1	1	0	0	AJ	-
C92993	0	0	1	3	0	4B	BJ	-
C93000	0	0	1	1	0	3D	BJ	P
C93018	0	0	1	2	0	4D	BJ	P
C93019	0	1	1	1	0	1B1D	BJ	-
C93023	0	0	1	1	0	1D	CJ	P
C93024	0	0	1	1	0	1D	CJ	-
C93026	0	1	1	2	0	2D	CK	-
C93030	0	0	1	1	0	2D	CJ	P
C93035	0	1	1	1	0	4D	BJ	P
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93051	0	0	1	1	0	1D	BJ	P
C93064	0	0	0	1	0	1B	BJ	P
C93071	0	1	1	1	0	0	AJ	-
C93076	0	0	1	1	0	0	AJ	P
C93078	0	0	1	1	0	0	AJ	-
C93085	0	0	1	1	0	0	BJ	-
C93089	0	0	0	1	0	4D	BJ	-
C93090	0	1	1	1	0	1D	AJ	-
C93093	0	0	0	1	0	1D	BK	-
C93109	0	0	0	1	0	0	BJ	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93111	0	0	1	1	0	4D	BJ	P
C93113	0	0	0	1	0	0	BJ	P
C93120	0	0	0	1	0	4D	CJ	-
C93127	0	1	0	1	0	0	AJ	-
C93135	0	0	0	3	0	0	AJ	-
C93143	0	0	1	1	0	4D	BJ	P
C93155	0	0	1	1	0	4D	CJ	P
C93162	0	1	1	2	0	2B	BJ	P
C93169	0	0	1	1	0	0	BJ	-
C93178	0	0	1	1	0	0	AJ	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92505	4.5	1.028	6.5
C92510	4.6	1.047	6.5
C92512	16.2	1.017	6.5
C92525	19.0	1.017	7.5
C92537	15.4	1.022	7.0
C92543	18.4	1.016	7.0
C92545	22.2	1.014	7.0
C92563	7.5	1.031	7.0
C92567	23.5	1.014	7.0
C92570	20.4	1.016	7.0
MEAN	15.2	1.022	6.9
S.D.	7.12	.0105	.32
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92577	12.2	1.019	7.0
C92583	10.6	1.018	7.0
C92585	10.6	1.024	7.0
C92586	13.0	1.020	7.0
C92588	14.6	1.016	7.5
C92590	28.2	1.010	7.0
C92601	10.0	1.021	7.0
C92602	17.8	1.012	7.5
C92617	11.0	1.025	7.0
C92630	34.5	1.009	7.0
MEAN	16.2	1.017	7.1
S.D.	8.42	.0056	.21
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92633	17.1	1.021	7.0
C92644	10.6	1.026	7.0
C92647	30.5	1.010	6.5
C92658	11.5	1.022	7.5
C92660	9.2	1.024	7.0
C92667	21.9	1.013	7.5
C92673	10.4	1.024	6.5
C92679	17.4	1.015	7.0
C92686	12.0	1.019	7.0
C92687	20.9	1.017	6.5
MEAN	16.2	1.019	7.0
S.D.	6.79	.0053	.37
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C92696	16.1	1.017	7.0
C92698	47.7 a	1.004	6.5
C92708	11.2	1.024	7.0
C92709	23.0	1.015	7.0
C92710	8.6	1.030	7.0
C92725	14.5	1.013	7.5
C92743	20.2	1.015	7.0
C92745	8.1	1.039	7.0
C92749	5.6	1.024	7.0
C92750	49.0 a	1.006	7.0
MEAN	20.4	1.019	7.0
S.D.	15.70	.0107	.24
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C92756	16.5	1.022	7.0
C92761	7.0	1.027	6.5
C92764	1.5	1.086	6.5
C92773	16.1	1.019	7.0
C92783	8.8	1.038	6.5
C92788	47.7 a	1.007	7.0
C92791	10.4	1.030	7.0
C92803	19.5	1.014	7.0
C92804	4.9	1.037	7.0
C92820	46.8 a	1.006	6.5
MEAN	17.9	1.029	6.8
S.D.	16.42	.0231	.26
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92505	10	-	+	-	-	-
C92510	30	-	+	-	+++	-
C92512	30	-	-	-	-	-
C92525	30	-	+	-	+++	-
C92537	10	-	-	-	-	-
C92543	10	-	-	-	-	-
C92545	10	-	+	-	-	-
C92563	300	-	-	-	-	-
C92567	10	-	-	-	-	-
C92570	100	-	+	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92577	10	-	-	-	-	-
C92583	10	-	+	-	-	-
C92585	100	-	-	-	-	-
C92586	10	-	-	-	-	-
C92588	10	-	-	-	-	-
C92590	10	-	-	-	-	-
C92601	10	-	+	-	-	-
C92602	10	-	-	-	-	-
C92617	30	-	-	-	-	-
C92630	100	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C92633	10	-	+	-	-	-
C92644	10	-	-	-	-	-
C92647	0	-	-	-	-	-
C92658	30	-	-	-	-	-
C92660	30	-	+	-	-	-
C92667	10	-	-	-	+	-
C92673	10	-	-	-	-	-
C92679	10	-	+	-	-	-
C92686	10	-	-	-	-	-
C92687	100	-	-	-	-	-
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C92696	10	-	+	-	-	-
C92698	0	-	-	-	-	-
C92708	10	-	++	-	-	-
C92709	300	-	-	-	-	-
C92710	30	-	+	-	-	-
C92725	10	-	+	-	-	-
C92743	10	-	+	-	-	-
C92745	100	-	+	-	-	-
C92749	10	-	+	-	-	-
C92750	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295			
C92756	30	-	+	-	-	-
C92761	10	-	-	-	-	-
C92764	300	-	+	-	-	-
C92773	10	-	-	-	-	-
C92783	100	-	+	-	-	-
C92788	0	-	-	-	-	-
C92791	30	-	+	-	-	-
C92803	10	-	-	-	-	-
C92804	30	-	+	-	-	-
C92820	10	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92505	0	1	1	2	0	3D	BJ	PQ
C92510	4	0	1	1	0	3D	CK	Q
C92512	0	0	1	2	0	0	BJ	PQ
C92525	1	0	1	2	0	3D	BJ	PQ
C92537	0	1	0	1	0	4D	BJ	Q
C92543	0	0	0	1	0	4D	BJ	PQ
C92545	0	0	1	2	0	1B3D	BJ	Q
C92563	0	1	1	2	1G	1B1D	BJ	PQ
C92567	0	0	1	3	0	1D1E	BJ	Q
C92570	0	0	1	2	0	1D	BJ	Q
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92577	0	0	1	2	0	4D	BJ	PQ
C92583	0	1	1	2	0	4D	BJ	PQ
C92585	0	1	0	2	0	3D	BJ	PQ
C92586	0	0	1	2	0	2B2D	BJ	PQ
C92588	0	0	1	3	0	4D	BJ	PQ
C92590	0	1	1	1	0	1B1D	AJ	Q
C92601	0	1	1	2	0	2B2D	BJ	PQ
C92602	0	1	1	2	0	4D	BJ	PQ
C92617	0	0	1	1	0	2D	BJ	Q
C92630	0	1	1	1	0	1D	AJ	Q

Appendix 5
Individual Clinical Urinalysis Data
Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92633	0	1	1	2	0	2B2D	BJ	PQ
C92644	0	0	1	3	0	4D	BJ	PQ
C92647	0	1	1	2	0	1B1D	AJ	Q
C92658	0	0	1	2	0	3D	BJ	Q
C92660	0	1	1	2	0	4D	BJ	Q
C92667	0	0	0	2	0	2B2D	BJ	Q
C92673	0	0	0	1	0	1D	BJ	Q
C92679	0	0	1	1	0	1B1D	BJ	Q
C92686	0	1	1	2	0	1B1D	BJ	Q
C92687	0	1	1	2	1H	1B1D	BJ	Q
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92696	0	0	1	2	0	4D	BJ	Q
C92698	0	0	1	1	0	1D	AJ	Q
C92708	0	0	1	1	0	3D	BJ	Q
C92709	0	0	1	2	0	4D	BJ	Q
C92710	0	0	1	3	0	4D	BJ	Q
C92725	0	0	1	2	0	4D	BJ	PQ
C92743	0	1	1	2	0	1B1D	BJ	Q
C92745	0	1	1	2	0	4D	BJ	PQ
C92749	0	0	0	2	0	4D	BJ	PQ
C92750	0	0	1	1	0	1D	AJ	Q

Appendix 5

Individual Clinical Urinalysis Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92756	0	0	1	3	0	3D	BJ	PQ
C92761	1	0	1	2	0	0	BJ	Q
C92764	0	0	0	1	0	4D	CK	PQ
C92773	0	0	0	2	0	4D	BJ	Q
C92783	0	0	1	2	0	3D	BJ	PQ
C92788	0	0	1	1	0	1B	AJ	Q
C92791	0	0	0	2	0	2D	BJ	PQ
C92803	0	0	1	1	0	2D	BJ	PQ
C92804	0	1	1	2	0	2D	BJ	Q
C92820	0	1	1	1	0	1D	AJ	Q

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92876	1.8	1.046	6.5
C92878	10.5	1.014	6.5
C92888	7.0	1.022	6.5
C92906	26.4	1.004	6.5
C92916	13.6	1.018	7.0
C92917	5.2	1.031	6.5
C92921	47.4 a	1.002	6.5
C92922	47.0 a	1.002	6.5
C92923	13.1	1.012	6.5
C92928	4.0	1.006	7.0
MEAN	17.6	1.016	6.6
S.D.	17.05	.0142	.21
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92932	13.6	1.018	6.5
C92935	6.1	1.026	7.0
C92938	20.4	1.007	6.5
C92951	8.0	1.017	7.0
C92954	22.5	1.006	6.5
C92956	11.5	1.018	6.5
C92960	14.8	1.016	7.0
C92974	47.0 a	1.002	6.5
C92979	9.5	1.016	7.0
C92989	5.2	1.031	6.0
MEAN	15.9	1.016	6.6
S.D.	12.34	.0089	.34
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C93003	42.2	1.006	7.0
C93004	3.4	1.024	7.0
C93011	21.7	1.009	7.0
C93020	9.1	1.019	7.0
C93027	12.8	1.012	7.0
C93030	4.0	1.034	7.0
C93034	6.9	1.019	6.5
C93046	19.5	1.008	6.5
C93047	29.7	1.006	6.5
C93049	6.2	1.021	7.0
MEAN	15.6	1.016	6.8
S.D.	12.72	.0092	.24
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C93052	46.0 a	1.002	6.5
C93055	5.5	1.032	6.5
C93072	9.5	1.018	7.0
C93080	30.5	1.006	7.0
C93081	39.2	1.006	7.0
C93090	19.2	1.010	7.5
C93094	24.9	1.010	7.0
C93095	1.7	1.032	7.0
C93103	20.0	1.012	7.0
C93104	19.5	1.013	6.5
MEAN	21.6	1.014	6.9
S.D.	14.18	.0104	.32
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C93119	24.4	1.005	6.5
C93131	5.8	1.025	6.5
C93133	1.2	1.062	6.5
C93138	13.7	1.011	6.5
C93149	11.5	1.013	7.0
C93153	11.2	1.017	7.0
C93157	40.9	1.006	6.0
C93160	9.0	1.022	7.0
C93162	15.8	1.018	6.0
C93179	3.9	1.036	6.5
MEAN	13.7	1.022	6.6
S.D.	11.58	.0170	.37
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92876	100	-	-	-	+	-
C92878	0	-	-	-	+	-
C92888	0	-	-	-	-	-
C92906	0	-	-	-	+	-
C92916	100	-	-	-	-	-
C92917	10	-	-	-	-	-
C92921	0	-	-	-	-	-
C92922	0	-	-	-	-	-
C92923	0	-	-	-	-	-
C92928	0	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92932	0	-	-	-	-	-
C92935	10	-	-	-	-	-
C92938	0	-	-	-	-	-
C92951	10	-	-	-	-	-
C92954	0	-	-	-	-	-
C92956	0	-	-	-	-	-
C92960	0	-	-	-	-	-
C92974	0	-	-	-	-	-
C92979	10	-	-	-	-	-
C92989	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C93003	0	-	-	-	-	-
C93004	10	-	-	-	-	-
C93011	0	-	-	-	-	-
C93020	0	-	-	-	-	-
C93027	0	-	-	-	-	-
C93030	10	-	-	-	-	-
C93034	0	-	-	-	-	-
C93046	0	-	-	-	-	-
C93047	0	-	-	-	-	-
C93049	0	-	-	-	-	-
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C93052	0	-	-	-	-	-
C93055	0	-	-	-	-	-
C93072	10	-	-	-	-	-
C93080	0	-	-	-	-	-
C93081	0	-	-	-	-	-
C93090	0	-	-	-	-	-
C93094	0	-	-	-	-	-
C93095	10	-	-	-	-	-
C93103	0	-	-	-	-	-
C93104	0	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295			
C93119	0	-	-	-	-	-
C93131	10	-	-	-	-	-
C93133	30	-	-	-	-	-
C93138	0	-	-	-	-	-
C93149	0	-	-	-	-	-
C93153	0	-	-	-	-	-
C93157	0	-	-	-	-	-
C93160	10	-	-	-	-	-
C93162	0	-	-	-	-	-
C93179	10	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92876	0	0	1	1	0	0	CJ	P
C92878	0	0	0	1	0	0	BJ	P
C92888	0	0	0	1	0	1B	BJ	P
C92906	0	0	0	1	0	0	AJ	-
C92916	0	0	0	2	0	1D	BJ	P
C92917	0	0	0	1	0	0	BJ	P
C92921	0	0	1	3	0	0	AJ	-
C92922	0	0	1	1	0	0	AJ	-
C92923	0	0	1	1	0	0	BJ	P
C92928	0	0	0	1	0	0	AJ	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92932	0	1	1	1	0	0	BJ	P
C92935	0	0	1	1	0	3D	BJ	P
C92938	0	0	1	1	0	0	AJ	P
C92951	0	0	1	2	0	2B	BJ	P
C92954	0	0	1	1	0	0	AJ	P
C92956	0	1	1	3	0	0	BJ	-
C92960	0	0	1	1	0	0	BJ	-
C92974	0	0	0	2	0	0	AJ	-
C92979	0	0	0	2	0	2D	BJ	P
C92989	0	1	1	1	0	0	BJ	P

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C93003	0	0	1	1	0	2D	AJ	-
C93004	0	0	1	1	0	0	BJ	-
C93011	0	0	1	1	0	3D	AJ	P
C93020	0	0	0	1	0	0	BJ	-
C93027	0	1	1	1	0	0	AJ	P
C93030	0	0	1	3	0	4D	BJ	P
C93034	0	1	0	2	0	2B	BJ	P
C93046	0	0	1	2	0	0	AJ	P
C93047	0	0	1	2	0	0	AJ	-
C93049	0	0	1	1	0	4D	BJ	P
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93052	0	0	1	1	0	0	AJ	-
C93055	0	0	1	2	0	2B	BJ	-
C93072	0	0	1	2	0	1B	BJ	PT
C93080	0	0	1	1	0	0	AJ	-
C93081	0	0	1	1	0	0	AJ	-
C93090	0	0	1	2	0	3D	AJ	P
C93094	0	0	0	1	0	3D	AJ	P
C93095 QS	-	-	-	-	-	-	BJ	-
C93103	0	0	1	2	0	3D	BJ	P
C93104	0	0	1	2	0	1B	BJ	P

Appendix 5

Individual Clinical Urinalysis Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93119	0	0	1	1	0	0	AJ	-
C93131	0	0	0	2	0	1B	BJ	P
C93133	0	0	1	1	0	4D	CJ	P
C93138	0	0	1	1	0	0	AJ	P
C93149	0	0	1	2	0	0	BJ	P
C93153	0	0	1	1	0	0	BJ	P
C93157	0	0	0	1	0	0	AJ	-
C93160	0	0	1	1	0	0	BJ	P
C93162	0	0	1	2	0	2B	BJ	-
C93179	0	0	1	1	0	0	BJ	P

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92501	13.3	1.030	7.0
C92504	19.0	1.014	6.5
C92507	30.5	1.007	7.0
C92512	9.6	1.021	6.5
C92517	6.5	1.043	6.5
C92523	6.8	1.028	6.5
C92534	4.6	1.038	6.0
C92540	9.0	1.029	6.5
C92562	9.5	1.023	6.5
C92570	16.2	1.016	7.0
MEAN	12.5	1.025	6.6
S.D.	7.75	.0110	.32
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92573	10.2	1.034	6.5
C92587	19.0	1.024	7.0
C92592	9.6	1.030	6.5
C92596	15.8	1.023	7.0
C92604	28.0	1.015	7.0
C92612	16.0	1.020	7.0
C92614	2.1	1.050	6.5
C92624	48.0 a	1.011	6.5
C92625	6.7	1.041	6.5
C92629	24.8	1.017	6.5
MEAN	18.0	1.026	6.7
S.D.	13.20	.0123	.26
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92634	8.7	1.026	6.5
C92635	11.2	1.021	6.5
C92643	10.1	1.019	7.0
C92649	16.2	1.013	7.0
C92653	24.5	1.018	7.5
C92654	30.0	1.014	7.5
C92667	26.5	1.015	7.0
C92669	14.5	1.023	7.5
C92680	10.2	1.030	7.5
C92686	10.0	1.030	CO
MEAN	16.2	1.021	7.1
S.D.	7.90	.0063	.42
N	10	10	9
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C92694	28.5	1.011	6.5
C92704	4.0	1.051	7.0
C92710	8.5	1.025	7.0
C92711	9.0	1.028	7.5
C92727	12.6	1.025	6.5
C92729	11.0	1.025	7.0
C92739	8.2	1.034	6.5
C92741	11.4	1.021	7.5
C92742	3.2	1.074	6.5
C92748	19.8	1.021	7.0
MEAN	11.6	1.032	6.9
S.D.	7.53	.0182	.39
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C92751	9.4	1.032	7.0
C92754	11.0	1.023	7.5
C92755	3.0	1.038	6.0
C92778	12.2	1.026	7.0
C92790	6.7	1.037	7.0
C92795	17.4	1.020	6.5
C92796	16.0	1.020	6.5
C92817	9.2	1.033	7.0
C92820	14.2	1.020	7.5
MEAN	11.0	1.028	6.9
S.D.	4.55	.0074	.49
N	9	9	9

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92501	300	-	-	-	-	-
C92504	100	-	-	-	-	-
C92507	100	-	-	-	-	-
C92512	100	-	-	-	-	-
C92517	300	-	-	-	-	-
C92523	100	-	-	-	+++	-
C92534	100	-	-	-	-	-
C92540	300	-	-	-	-	-
C92562	30	-	-	-	-	-
C92570	300	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92573	300	-	-	-	-	-
C92587	300	-	-	-	-	-
C92592	100	-	-	-	-	-
C92596	100	-	-	-	-	-
C92604	30	-	-	-	-	-
C92612	30	-	-	-	-	-
C92614	300	-	-	-	-	-
C92624	300	-	-	-	-	-
C92625	300	-	-	-	-	-
C92629	300	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C92634	100	-	-	-	-	-
C92635	30	-	-	-	-	-
C92643	30	-	-	-	-	-
C92649	10	-	-	-	-	-
C92653	100	-	-	-	-	-
C92654	30	-	-	-	-	-
C92667	100	-	-	-	+++	-
C92669	30	-	-	-	-	-
C92680	300	-	-	-	-	-
C92686	C0	-	C0	C0	+++	C0
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C92694	10	-	-	-	-	-
C92704	100	-	-	-	++	-
C92710	30	-	-	-	-	-
C92711	100	-	-	-	-	-
C92727	300	-	-	-	-	-
C92729	300	-	-	-	-	-
C92739	30	-	-	-	-	-
C92741	30	-	-	-	-	-
C92742	300	-	-	-	-	-
C92748	300	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295			
C92751	30	-	-	-	-	-
C92754	30	-	+	-	-	-
C92755	100	-	-	-	+	-
C92778	100	-	-	-	-	-
C92790	300	-	+	-	-	-
C92795	30	-	-	-	-	-
C92796	30	-	-	-	-	-
C92817	30	-	-	-	-	-
C92820	30	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92501	0	0	1	3	1G	1D	BJ	P
C92504	1	1	1	1	0	0	BJ	P
C92507	0	0	0	2	0	0	AJ	P
C92512	0	0	1	1	0	0	BJ	-
C92517	0	0	1	3	0	4D	CJ	PQ
C92523	0	0	1	2	0	4D	BJ	PQ
C92534	0	0	1	1	0	0	BJ	PQ
C92540	0	1	1	3	1G	4D	BJ	PQ
C92562	0	0	1	1	0	4D	BJ	P
C92570	0	1	1	1	0	1B	BJ	P
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92573	0	0	0	2	1G	0	CK	P
C92587	0	0	0	1	0	0	CK	-
C92592	0	0	1	3	0	4D	CJ	PQ
C92596	0	1	1	2	0	1B	CK	P
C92604	0	1	0	1	0	1B1D	BJ	P
C92612	0	0	0	2	0	2D	CK	Q
C92614	0	0	0	2	0	4D	CJ	PQ
C92624	0	0	0	2	1G1H	0	AJ	P
C92625	0	1	1	2	1G	1B1D	CK	PQ
C92629	0	1	1	2	1G1I	2B	BK	PQ

Appendix 5

Individual Clinical Urinalysis Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92634	0	0	1	1	0	0	CK	PQ
C92635	0	1	0	1	0	1B	CK	PQ
C92643	0	0	1	1	0	4D	CK	PQ
C92649	0	0	1	2	0	0	BJ	PQ
C92653	0	0	0	2	0	4D	BK	Q
C92654	0	0	1	2	0	4D	BK	PQ
C92667	1	0	0	2	0	0	BK	Q
C92669	0	0	1	1	0	4D	CK	PQ
C92680	0	0	1	2	0	4D	CK	PQ
C92686	4	0	0	0	0	0	GL	-
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C92694	0	0	0	1	0	0	BJ	PQ
C92704	1	0	1	1	0	2D	DK	PQ
C92710	0	0	0	1	0	1B	CK	PQ
C92711	0	0	1	2	0	4D	CK	PQ
C92727	0	0	1	1	0	0	CK	PQ
C92729	0	0	1	2	0	2B4D	BJ	PQ
C92739	0	1	1	2	0	1B1D	CK	PS
C92741	0	0	1	2	0	4D	BJ	P
C92742	0	0	1	1	0	3D	DK	Q
C92748	0	0	1	1	0	2D	CK	PQ

Appendix 5
Individual Clinical Urinalysis Data
Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C92751	0	0	1	3	0	4D	CJ	PQ
C92754	0	0	1	2	0	4D	BJ	P
C92755	0	0	1	3	0	0	CJ	P
C92778	0	0	1	1	0	4D	BJ	P
C92790	0	1	0	2	0	2B3D	CK	PQ
C92795	0	0	1	2	0	0	BJ	P
C92796	0	1	1	1	0	2B	BJ	PQ
C92817	0	0	1	1	0	4D	CJ	P
C92820	0	2	0	2	0	1B3D	BJ	PQ

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295
C92862	6.8	1.023	6.0
C92876	8.0	1.028	6.5
C92889	10.6	1.019	7.0
C92894	8.5	1.021	6.5
C92899	7.8	1.026	6.5
C92910	9.0	1.025	6.0
C92917	14.0	1.014	6.5
C92922	8.9	1.022	7.0
C92923	8.0	1.021	6.5
C92930	9.4	1.024	6.5
MEAN	9.1	1.022	6.5
S.D.	2.00	.0039	.33
N	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295
C92931	15.3	1.020	7.5
C92938	3.0	1.036	6.5
C92946	5.7	1.025	7.0
C92952	9.5	1.020	6.5
C92954	4.7	1.030	6.5
C92958	6.5	1.026	6.0
C92964	3.8	1.035	6.0
C92972	10.7	1.016	7.0
C92985	5.7	1.025	7.0
C92990	12.5	1.017	6.0
MEAN	7.7	1.025	6.6
S.D.	4.07	.0070	.52
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295
C92992	7.0	1.027	6.5
C92997	1.9	1.051	6.5
C93012	13.8	1.023	6.5
C93022	5.0	1.024	7.0
C93027	20.2	1.012	6.5
C93029	4.8	1.034	6.5
C93032	6.4	1.023	6.0
C93042	9.1	1.025	6.0
C93046	13.9	1.010	6.5
C93048	8.0	1.023	7.0
MEAN	9.0	1.025	6.5
S.D.	5.46	.0114	.33
N	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295
C93052	3.3	1.040	6.5
C93054	2.8	1.036	6.5
C93060	5.7	1.023	6.5
C93078	2.5	1.033	6.0
C93081	8.2	1.019	7.5
C93083	43.5	1.008	7.0
C93091	4.2	1.028	6.5
C93095	1.5	1.041	6.5
C93097	4.2	1.037	6.5
C93110	7.1	1.034	7.0
MEAN	8.3	1.030	6.6
S.D.	12.54	.0105	.41
N	10	10	10

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U VOL ML	SP GR	U PH
-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295
C93112	8.7	1.025	6.0
C93116	6.2	1.024	6.0
C93117	7.3	1.021	6.5
C93120	6.5	1.024	6.0
C93130	9.8	1.022	6.5
C93138	47.5 a	1.004	6.5
C93147	4.3	1.035	6.5
C93154	2.5	1.043	6.0
C93163	3.8	1.036	6.5
C93171	4.0	1.042	6.0
MEAN	10.1	1.028	6.2
S.D.	13.35	.0117	.26
N	10	10	10

a Sample was overflowing at the time of collection.

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0			Dosage Unit: ppm T-6295		
C92862	10	-	-	-	-	-
C92876	100	-	-	-	-	-
C92889	10	-	-	-	-	-
C92894	10	-	-	-	-	-
C92899	30	-	-	-	-	-
C92910	30	-	-	-	-	-
C92917	100	-	-	-	-	-
C92922	30	-	+	-	+	-
C92923	10	-	-	-	-	-
C92930	300	-	-	-	-	-
Group: 2	Dose Level: 0.5			Dosage Unit: ppm T-6295		
C92931	10	-	-	-	+	-
C92938	100	-	-	-	-	-
C92946	30	-	-	-	-	-
C92952	30	-	-	-	-	-
C92954	30	-	-	-	-	-
C92958	30	-	-	-	-	-
C92964	100	-	-	-	-	-
C92972	10	-	-	-	-	-
C92985	300	-	-	-	-	-
C92990	10	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0			Dosage Unit: ppm T-6295		
C92992	30	-	-	-	-	-
C92997	100	-	-	-	-	-
C93012	10	-	-	-	-	-
C93022	30	-	-	-	-	-
C93027	10	-	-	-	+	-
C93029	30	-	-	-	-	-
C93032	10	-	-	-	-	-
C93042	30	-	-	-	-	-
C93046	300	-	-	-	-	-
C93048	10	-	-	-	-	-
Group: 4	Dose Level: 5.0			Dosage Unit: ppm T-6295		
C93052	30	-	-	-	-	-
C93054	30	-	-	-	-	-
C93060	10	-	-	-	-	-
C93078	30	-	-	-	-	-
C93081	10	-	-	-	-	-
C93083	10	-	-	-	-	-
C93091	30	-	-	-	-	-
C93095	30	-	-	-	-	-
C93097	30	-	-	-	-	-
C93110	300	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U PRO MG/DL	U GLU	U KET	U BILI	U BLOOD	UROBILI
-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0			Dosage Unit: ppm T-6295		
C93112	30	-	-	-	-	-
C93116	10	-	-	-	-	-
C93117	10	-	-	-	-	-
C93120	30	-	-	-	-	-
C93130	10	-	-	-	-	-
C93138	0	-	-	-	+	-
C93147	10	-	-	-	-	-
C93154	30	-	-	-	-	-
C93163	30	-	-	-	-	-
C93171	30	-	-	-	-	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295					
C92862	0	2	1	1	0	0	BJ	P
C92876	0	1	1	1	0	0	BJ	P
C92889	0	1	1	1	0	0	BJ	P
C92894	0	0	1	1	0	0	BJ	-
C92899	0	1	1	1	0	0	BJ	-
C92910	0	0	2	3	0	0	BJ	P
C92917	0	1	0	1	0	1D	BJ	P
C92922	4	0	1	2	0	4D1E	CK	P
C92923	0	1	1	1	0	0	BJ	P
C92930	0	1	0	1	0	1B	BJ	-
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295					
C92931	3	0	1	2	0	4D	CK	P
C92938	0	1	0	3	0	0	CK	P
C92946	1	1	1	1	0	3D	CK	P
C92952	0	0	1	1	0	0	BK	P
C92954	0	0	0	1	0	1B	CK	S
C92958	0	0	0	1	0	0	CJ	-
C92964	4	0	0	1	0	0	GL	-
C92972	0	0	0	1	0	1B	BK	-
C92985	0	1	1	2	0	1B1D	CK	P
C92990	0	1	0	1	0	1B	CK	-

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295					
C92992	0	0	1	1	0	0	CK	P
C92997	0	0	1	3	0	0	DJ	P
C93012	0	1	1	2	0	2B2D	CK	P
C93022	0	0	1	1	0	0	CJ	P
C93027	0	1	1	1	0	0	BJ	P
C93029	0	0	0	1	0	0	CK	P
C93032	0	0	1	1	1G	0	BJ	P
C93042	0	0	0	1	0	1B1D	CK	P
C93046	0	0	1	1	0	1B	BJ	P
C93048	0	0	1	3	0	4D	BJ	P
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295					
C93052	0	0	0	1	0	0	CJ	P
C93054	0	1	1	1	0	0	BJ	P
C93060	0	1	1	1	1G	0	BJ	P
C93078	0	0	0	1	0	1D	CJ	-
C93081	0	0	1	1	0	4D	BJ	-
C93083	0	0	1	2	0	1B2D	AJ	P
C93091	0	0	1	3	1G	0	CJ	P
C93095	0	1	1	1	0	0	CJ	P
C93097	0	1	0	1	0	1B1D	CJ	P
C93110	0	1	1	2	1G	2B2D	CK	P

Appendix 5

Individual Clinical Urinalysis Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	RBC PER HPF	WBC PER HPF	EPITH PER HPF	BACT PER HPF	CASTS PER LPF	CRYSTALS PER LPF1	URINE APP1	COMMENTS
-----	-----	-----	-----	-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295					
C93112	0	0	1	1	0	1E	BJ	P
C93116	0	0	1	2	0	0	BJ	P
C93117	1	0	1	3	0	1D	CJ	P
C93120	0	1	1	1	0	3E	CJ	P
C93130	0	0	0	2	0	0	BJ	-
C93138	0	0	0	2	0	0	AJ	-
C93147	0	1	1	1	0	1B1D	CJ	P
C93154	0	0	1	1	0	3E	BJ	P
C93163	0	1	1	1	0	1B	CJ	-
C93171	0	0	1	1	0	3E	BJ	P

Appendix 5

Individual Urine Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92505	12	80	.14	.92
C92506	12	50	.41	1.71
C92524 a	7	28	-	-
C92526	8	48	.18	1.08
C92529	9	57	.16	1.00
C92542	12	73	.23	1.40
C92543	11	71	.19	1.24
C92546	19	78	.31	1.29
C92548	13	100	.12	.95
C92553	15	61	.25	1.02
MEAN	12	65	.22	1.18
S.D.	3.5	20.2	.092	.258
N	10	10	9	9
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92573	23	111	.30	1.47
C92574	13	111	.19	1.60
C92575	22	113	.27	1.38
C92585	12	75	.21	1.31
C92586 a	8	19	-	-
C92587	28	61	.51	1.12
C92610	5	27	.21	1.15
C92613	52	192	.33	1.23
C92615	21	114	.30	1.65
C92618	7	32	.27	1.23
MEAN	19	86	.29	1.35
S.D.	13.9	53.4	.096	.191
N	10	10	9	9

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92632	20	139	.21	1.43
C92646 a	3	23	-	-
C92650 a	3	11	-	-
C92652	7	54	.14	1.09
C92657 a	7	22	-	-
C92668	11	59	.26	1.37
C92676	11	60	.18	.97
C92678	18	124	.17	1.15
C92684	34	64	.48	.90
C92686	16	90	.24	1.37
MEAN	13	65	.24	1.18
S.D.	9.5	42.5	.114	.211
N	10	10	7	7
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C92709	18	89	.28	1.38
C92715	22	60	.60	1.64
C92716 a	7	25	-	-
C92718 a	4	15	-	-
C92725	10	49	.24	1.20
C92731 a	6	21	-	-
C92732	24	48	.56	1.13
C92734	16	119	.18	1.33
C92744	7	45	.30	1.93
C92746	24	66	.61	1.68
MEAN	14	54	.40	1.47
S.D.	7.9	32.0	.186	.289
N	10	10	7	7

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C92752	6	40	.17	1.16
C92759	8	56	.19	1.34
C92779	62	163	.37	.98
C92784	14	49	.37	1.31
C92793	11	87	.19	1.48
C92798	12	50	.34	1.43
C92799	9	29	.36	1.15
C92805	11	66	.22	1.31
C92807	22	95	.22	.97
C92811	14	46	.35	1.14
MEAN	17	68	.28	1.23
S.D.	16.4	39.1	.086	.175
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92861	19	90	.17	.81
C92864	31	148	.11	.50
C92876	32	212	.07	.47
C92877	27	90	.18	.59
C92882	21	81	.13	.52
C92883	8	41	.18	.92
C92914	39	160	.11	.43
C92919 a	5	19	-	-
C92925	18	56	.17	.53
C92926	25	137	.05	.26
MEAN	22	103	.13	.56
S.D.	10.6	59.9	.049	.198
N	10	10	9	9
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92941	64	265	.10	.40
C92945 a	6	11	-	-
C92950	6	42	.09	.65
C92953	24	116	.16	.78
C92959	7	42	.07	.42
C92964	29	94	.21	.68
C92968	29	78	.28	.75
C92969	35	126	.12	.44
C92976 a	9	15	-	-
C92982	21	73	.18	.62
MEAN	23	86	.15	.59
S.D.	18.0	74.1	.071	.152
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92993	46	106	.18	.42
C92996 a	4	11	-	-
C92998	15	63	.08	.32
C93004	25	118	.16	.73
C93006	24	60	.14	.35
C93008	33	78	.25	.60
C93023 a	4	7	-	-
C93031	51	126	.21	.52
C93033	42	112	.27	.72
C93045	38	116	.28	.87
MEAN	28	80	.20	.57
S.D.	16.7	43.9	.069	.198
N	10	10	8	8
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C93058	26	106	.17	.69
C93067	12	52	.17	.73
C93070	32	96	.17	.50
C93074	42	123	.34	.98
C93075	39	84	.35	.76
C93083	11	33	.20	.60
C93084	11	30	.14	.38
C93089	24	91	.27	1.02
C93094	10	36	.29	1.04
C93105	15	46	.27	.83
MEAN	22	70	.24	.75
S.D.	12.2	34.1	.076	.222
N	10	10	10	10

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C93114	8	32	.23	.92
C93123	16	64	.15	.61
C93142	26	59	.25	.58
C93144	17	70	.17	.70
C93151	25	97	.13	.49
C93155	41	141	.17	.58
C93158 a	8	17	-	-
C93159 a	5	13	-	-
C93164	14	71	.14	.72
C93175	37	105	.24	.68
MEAN	20	67	.18	.66
S.D.	12.3	40.2	.048	.130
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92508	7	29	.21	.88
C92509	17	81	.32	1.55
C92511	23	43	.72	1.35
C92521	59	129	.54	1.17
C92527	13	43	.34	1.12
C92528 a	8	16	-	-
C92532	38	70	.76	1.40
C92535	19	159	.09	.72
C92537 a	6	12	-	-
C92562 a	6	19	-	-
MEAN	20	60	.43	1.17
S.D.	17.1	50.1	.255	.294
N	10	10	7	7
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92583	17	64	.29	1.08
C92593 a	7	16	-	-
C92598	13	45	.31	1.06
C92600	38	123	.28	.91
C92612 a	7	21	-	-
C92616	17	35	.49	1.00
C92621	57	214	.19	.73
C92624	31	69	.53	1.17
C92627	19	38	.68	1.35
C92629	41	242	.30	1.77
MEAN	25	87	.38	1.13
S.D.	16.5	80.7	.165	.314
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92636 a	3	11	-	-
C92640	20	102	.14	.69
C92644	28	119	.26	1.12
C92645	49	95	.48	.92
C92651	24	107	.36	1.58
C92661	15	33	.61	1.34
C92662	32	90	.32	.91
C92676	24	194	.05	.39
C92682	20	56	.41	1.15
C92684 a	11	12	-	-
MEAN	23	82	.33	1.01
S.D.	12.5	56.0	.180	.372
N	10	10	8	8
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C92711	28	128	.28	1.29
C92713 a	11	19	-	-
C92714	21	59	.46	1.30
C92716	16	64	.42	1.68
C92719	45	74	.54	.89
C92722	17	40	.60	1.40
C92726	32	94	.41	1.20
C92728	30	93	.46	1.44
C92741 a	6	16	-	-
C92748	14	60	.33	1.41
MEAN	22	65	.44	1.33
S.D.	11.7	34.8	.104	.226
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C92754	12	102	.11	.95
C92765	41	127	.40	1.24
C92767	12	41	.44	1.52
C92774	27	79	.34	.99
C92777	7	30	.34	1.44
C92784	35	96	.42	1.15
C92789	23	74	.13	.41
C92799	34	125	.43	1.59
C92812	47	146	.36	1.11
C92820	25	66	.77	2.03
MEAN	26	89	.37	1.24
S.D.	13.2	37.8	.182	.438
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92863	60	138	.26	.59
C92865	37	118	.26	.83
C92871 QS	-	-	-	-
C92880	65	135	.15	.31
C92887	37	84	.23	.52
C92898	34	99	.15	.45
C92903	43	87	.28	.57
C92905 a	6	12	-	-
C92906 a	5	13	-	-
C92927 a	3	8	-	-
MEAN	32	77	.22	.54
S.D.	23.2	53.0	.058	.172
N	9	9	6	6
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92935	65	142	.21	.45
C92940	9	20	.17	.37
C92944 a	11	16	-	-
C92948	28	66	.20	.46
C92956	21	52	.26	.64
C92962 a	13	20	-	-
C92967	32	101	.22	.70
C92978	27	87	.31	1.00
C92986	16	82	.10	.53
C92987	47	118	.15	.37
MEAN	27	70	.20	.56
S.D.	17.6	43.6	.065	.212
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92992	9	40	.17	.75
C92993	66	114	.24	.41
C93000	35	123	.18	.62
C93018	49	73	.39	.58
C93019	25	54	.51	1.10
C93023	39	91	.16	.38
C93024	21	94	.10	.47
C93026	48	168	.16	.57
C93030	72	171	.19	.46
C93035	67	129	.48	.92
MEAN	43	106	.26	.63
S.D.	21.2	44.1	.146	.234
N	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C93051	31	89	.27	.77
C93064	23	46	.37	.74
C93071 a	6	12	-	-
C93076	17	43	.33	.84
C93078 a	7	11	-	-
C93085	26	56	.31	.68
C93089	22	72	.47	1.55
C93090	7	23	.29	.95
C93093	10	29	.26	.75
C93109	10	42	.18	.78
MEAN	16	42	.31	.88
S.D.	9.1	25.2	.085	.281
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C93111	36	58	.49	.78
C93113	13	43	.16	.52
C93120	46	66	.37	.53
C93127	20	32	.76	1.22
C93135 a	6	16	-	-
C93143	50	86	.30	.52
C93155	143	252	.21	.38
C93162	20	50	.26	.66
C93169	31	81	.22	.58
C93178 a	4	10	-	-
MEAN	37	69	.35	.65
S.D.	40.5	68.9	.197	.259
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92505	10	113	.04	.51
C92510	59	288	.27	1.32
C92512	16	78	.26	1.26
C92525	15	81	.28	1.54
C92537	24	124	.37	1.91
C92543	15	110	.28	2.02
C92545	9	68	.20	1.51
C92563	24	154	.18	1.16
C92567	18	60	.42	1.41
C92570	30	81	.61	1.65
MEAN	22	116	.29	1.43
S.D.	14.5	67.1	.153	.422
N	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92577	16	96	.20	1.17
C92583	18	76	.19	.81
C92585	16	113	.17	1.20
C92586	13	89	.17	1.16
C92588	12	62	.18	.91
C92590	8	46	.23	1.30
C92601	9	71	.09	.71
C92602	16	55	.28	.98
C92617	42	124	.46	1.36
C92630	7	40	.24	1.38
MEAN	16	77	.22	1.10
S.D.	10.0	28.1	.098	.234
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92633	40	94	.68	1.61
C92644	34	117	.36	1.24
C92647 TE	-	-	-	-
C92658	28	110	.32	1.26
C92660	25	125	.23	1.15
C92667	18	53	.39	1.16
C92673	18	105	.19	1.09
C92679	14	59	.24	1.03
C92686	10	75	.12	.90
C92687	30	95	.63	1.99
MEAN	24	93	.35	1.27
S.D.	9.9	25.3	.192	.333
N	9	9	9	9
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C92696	22	62	.35	1.00
C92698 a	2	11	-	-
C92708	24	113	.27	1.27
C92709	17	63	.39	1.45
C92710	26	158	.22	1.36
C92725	13	56	.19	.81
C92743	17	70	.34	1.41
C92745	60	228	.49	1.85
C92749	19	110	.11	.62
C92750 a	9	20	-	-
MEAN	21	89	.30	1.22
S.D.	15.5	65.7	.122	.394
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C92756	23	136	.38	2.24
C92761	38	116	.27	.81
C92764	142	414	.21	.62
C92773	30	91	.48	1.47
C92783	67	187	.59	1.65
C92788 a	6	25	-	-
C92791	83	153	.86	1.59
C92803	13	58	.25	1.13
C92804	47	192	.23	.94
C92820 a	6	18	-	-
MEAN	46	139	.41	1.31
S.D.	42.4	114.5	.226	.532
N	10	10	8	8

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92876	54	227	.10	.41
C92878	9	61	.09	.64
C92888	32	90	.22	.63
C92906	5	18	.13	.48
C92916	10	61	.14	.83
C92917	40	142	.21	.74
C92921 a	1	9	-	-
C92922 a	3	14	-	-
C92923	17	62	.22	.81
C92928	8	27	.03	.11
MEAN	18	71	.14	.58
S.D.	18.0	68.2	.070	.241
N	10	10	8	8
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92932	17	75	.23	1.02
C92935	35	154	.21	.94
C92938	8	30	.16	.61
C92951	12	70	.10	.56
C92954	5	22	.11	.50
C92956	13	80	.15	.92
C92960	9	71	.13	1.05
C92974 a	2	14	-	-
C92979	25	66	.24	.63
C92989	19	163	.10	.85
MEAN	14	74	.16	.79
S.D.	9.9	50.2	.055	.212
N	10	10	9	9

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C93003	4	20	.17	.84
C93004	42	108	.14	.37
C93011	13	31	.28	.67
C93020	29	86	.26	.78
C93027	11	46	.14	.59
C93030	54	182	.22	.73
C93034	6	82	.04	.57
C93046	6	30	.12	.58
C93047	10	30	.30	.89
C93049	39	86	.24	.53
MEAN	21	70	.19	.66
S.D.	18.1	49.9	.083	.158
N	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C93052 a	3	10	-	-
C93055	54	152	.30	.84
C93072	27	80	.26	.76
C93080	5	23	.15	.70
C93081	3	17	.12	.67
C93090	11	44	.21	.84
C93094	21	48	.52	1.20
C93095	38	180	.06	.31
C93103	13	56	.26	1.12
C93104	5	58	.10	1.13
MEAN	18	67	.22	.84
S.D.	17.2	56.7	.139	.280
N	10	10	9	9

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Females Week 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C93119	5	20	.12	.49
C93131	36	103	.21	.60
C93133	133	319	.16	.38
C93138	7	38	.10	.52
C93149	28	91	.32	1.05
C93153	32	71	.36	.80
C93157	3	24	.12	.98
C93160	20	100	.18	.90
C93162	28	71	.44	1.12
C93179	32	124	.12	.48
MEAN	32	96	.21	.73
S.D.	37.4	85.7	.119	.270
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92501	47	171	.63	2.27
C92504	20	71	.38	1.35
C92507	10	37	.30	1.13
C92512	36	116	.35	1.11
C92517	59	228	.38	1.48
C92523	16	130	.11	.88
C92534	38	236	.17	1.09
C92540	45	160	.40	1.44
C92562	28	105	.27	1.00
C92570	22	80	.36	1.30
MEAN	32	133	.34	1.30
S.D.	15.5	65.6	.141	.390
N	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92573	18	174	.18	1.77
C92587	32	108	.61	2.05
C92592	46	160	.44	1.54
C92596	17	108	.27	1.71
C92604	10	68	.28	1.90
C92612	12	107	.19	1.71
C92614	61	378	.13	.79
C92624 a	4	22	-	-
C92625	20	245	.13	1.64
C92629	9	70	.22	1.74
MEAN	23	144	.27	1.65
S.D.	18.2	103.4	.158	.354
N	10	10	9	9

a Unable to calculate due to inaccurate urine volume.

Appendix 5

Individual Urine Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92634	24	111	.21	.97
C92635	19	96	.21	1.08
C92643	9	78	.09	.79
C92649	15	73	.24	1.18
C92653	11	82	.27	2.01
C92654	19	56	.57	1.68
C92667	10	62	.26	1.64
C92669	44	128	.64	1.86
C92680	31	144	.32	1.47
C92686	32	129	.32	1.29
MEAN	21	96	.31	1.40
S.D.	11.4	30.6	.168	.401
N	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C92694	5	61	.14	1.74
C92704	58	335	.23	1.34
C92710	19	127	.16	1.08
C92711	29	138	.26	1.24
C92727	12	99	.15	1.25
C92729	26	146	.29	1.61
C92739	32	166	.26	1.36
C92741	39	143	.44	1.63
C92742	77	380	.25	1.22
C92748	24	84	.48	1.66
MEAN	32	168	.27	1.41
S.D.	21.5	105.3	.115	.228
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Males Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C92751	85	155	.80	1.46
C92754	51	135	.56	1.48
C92755	20	135	.06	.40
C92778	54	130	.66	1.59
C92790	48	192	.32	1.29
C92795	31	111	.54	1.93
C92796	23	111	.37	1.78
C92817	58	215	.53	1.98
C92820	41	119	.58	1.69
MEAN	46	145	.49	1.51
S.D.	20.0	36.4	.215	.473
N	9	9	9	9

Appendix 5

Individual Urine Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 1	Dose Level: 0		Dosage Unit: ppm T-6295	
C92862	30	99	.20	.67
C92876	51	167	.41	1.34
C92889	37	91	.39	.96
C92894	29	100	.25	.85
C92899	74	186	.58	1.45
C92910	25	144	.22	1.30
C92917	32	85	.45	1.19
C92922	53	209	.47	1.86
C92923	37	129	.30	1.03
C92930	37	136	.35	1.28
MEAN	40	135	.36	1.19
S.D.	14.8	42.4	.122	.337
N	10	10	10	10
Group: 2	Dose Level: 0.5		Dosage Unit: ppm T-6295	
C92931	40	99	.61	1.51
C92938	28	228	.08	.68
C92946	59	119	.34	.68
C92952	16	94	.15	.89
C92954	20	140	.09	.66
C92958	35	182	.23	1.18
C92964	17	166	.06	.63
C92972	22	70	.24	.75
C92985	26	152	.15	.87
C92990	16	70	.20	.88
MEAN	28	132	.22	.87
S.D.	13.6	51.3	.163	.278
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 3	Dose Level: 2.0		Dosage Unit: ppm T-6295	
C92992	14	125	.10	.88
C92997	32	304	.06	.58
C93012	24	119	.33	1.64
C93022	22	126	.11	.63
C93027	9	56	.18	1.13
C93029	24	182	.12	.87
C93032	39	176	.25	1.13
C93042	21	133	.19	1.21
C93046	15	68	.21	.95
C93048	26	111	.21	.89
MEAN	23	140	.18	.99
S.D.	8.8	69.9	.081	.307
N	10	10	10	10
Group: 4	Dose Level: 5.0		Dosage Unit: ppm T-6295	
C93052	59	254	.19	.84
C93054	47	261	.13	.73
C93060	53	146	.30	.83
C93078	18	139	.04	.35
C93081	40	94	.33	.77
C93083	12	24	.52	1.04
C93091	31	155	.13	.65
C93095	34	283	.05	.42
C93097	37	211	.16	.89
C93110	39	153	.28	1.09
MEAN	37	172	.21	.76
S.D.	14.5	80.9	.147	.239
N	10	10	10	10

Appendix 5

Individual Urine Chemistry Data

Females Week 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE
SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS

ANIMAL NUMBER	U NA MMOL/L	U K MMOL/L	NA EXC MMOL	K EXC MMOL
-----	-----	-----	-----	-----
Group: 5	Dose Level: 20.0		Dosage Unit: ppm T-6295	
C93112	27	149	.23	1.30
C93116	21	133	.13	.82
C93117	40	130	.29	.95
C93120	14	102	.09	.66
C93130	73	120	.72	1.18
C93138 a	10	23	-	-
C93147	60	158	.26	.68
C93154	61	300	.15	.75
C93163	48	246	.18	.93
C93171	64	275	.26	1.10
MEAN	42	164	.26	.93
S.D.	22.7	85.4	.186	.226
N	10	10	9	9

a Unable to calculate due to inaccurate urine volume.



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume V of IX

Page 1748 of 4068

CONTENTS

VOLUME V OF IX	Page
APPENDIX 6.....	1750
Individual Anatomic Pathology Data	1751

APPENDIX 6

Individual Anatomic Pathology Data

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92501 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 850.2 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:33 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0462	.0054 %	.0207	WEIGHT TAKEN
RT ADRENAL (AD1)	.0172	.0020 %	.0077	WEIGHT TAKEN
BRAIN (BR)	2.2353	.2629 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.4173	.2843 %	1.0814	WEIGHT TAKEN
RT KIDNEY (KD1)	2.4867	.2925 %	1.1125	WEIGHT TAKEN
LIVER (LI)	25.4814	2.9971 %	11.3995	WEIGHT TAKEN
LUNG (LU)	2.3481	.2762 %	1.0505	WEIGHT TAKEN
SPLEEN (SP)	1.1213	.1319 %	.5016	WEIGHT TAKEN
LF TESTIS (TE0)	1.8183	.2139 %	.8134	WEIGHT TAKEN
RT TESTIS (TE1)	1.7568	.2066 %	.7859	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0346	.0041 %	.0155	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0258	.0030 %	.0115	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92501 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 850.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:33 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PANCREAS (PA) :
-ZYMOGEN GRANULES, DECREASED, -SLIGHT
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
THYROID (TY) :
-M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 3

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92501 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 850.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:33 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 4

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92502 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/04/99 STUDY DAY OF DEATH: 533 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 495.7 GRAMS
DATE AND TIME OF NECROPSY: 10/04/99 14:45 PROSECTOR: LAURIE J. SCHULLER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 9 X 7 X 6 MM, RED, DARK RED, TAN, AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -HYALINE DROPLETS, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOHISTIOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 5

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92502 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/04/99 STUDY DAY OF DEATH: 533 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 495.7 GRAMS
DATE AND TIME OF NECROPSY: 10/04/99 14:45 PROSECTOR: LAURIE J. SCHULLER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SEMINAL VESICLES (SV) :
-LARGE; BILATERAL: EACH IS 25 X 14 X 3
MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: DARK RED DRY
MATERIAL
-ANIMAL THIN

JEJUNUM (JE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
SEMINAL VESICLES (SV) :
>UNREMARKABLE
>NOTE:>SEE COAGULATING GLAND
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
COAGULATING GL (CG) :
-SECRETORY MATERIAL, INCREASED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 6

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92502 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/04/99 STUDY DAY OF DEATH: 533 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 495.7 GRAMS
DATE AND TIME OF NECROPSY: 10/04/99 14:45 PROSECTOR: LAURIE J. SCHULLER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 7

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92503 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 419.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:10 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-PROXIMAL; WEEK 72; 15 X 10MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); TAIL-PROXIMAL; WEEK 105; 15 X 10MM BOTTOM; VERIFIED AT NECROPSY: OBSERVED	TESTIS (TE) : -SMALL; LEFT: 18 X 9 X 5 MM (RIGHT IS 25 X 11 X 10 MM) THYMUS (TH) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE MASS, 30 X 26 X 15 MM, RED, DARK RED, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (MEDIASTINAL) NOT IDENTIFIED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYMUS (TH) : >UNREMARKABLE >NOTE:>SEE CAVITY, THORACIC FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 8

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92503 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 419.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:10 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); LEFT ASPECT:
SINGLE DARK RED FOCUS, 1 MM IN
DIAMETER
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 2 X 1
MM
PROSTATE (PR) :
-SMALL; 10 MM IN DIAMETER
SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 19 X 12 X 3
MM

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
SEMINAL VESICLES (SV) :
-SECRETION, INCREASED, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
COAGULATING GL (CG) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
TAIL (TI) :
-CYST, EPIDERMAL INCLUSION, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 9

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92503 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 419.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:10 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TAIL (TI) : -MASS(ES); NEAR BASE OF TAIL: TWO MASSES, EACH IS 12 X 7 X 5 MM, EACH IS TAN AND FIRM; SAME ON CUT SECTIONS; COLLECTED; REGIONAL LN (SEE LUMBAR) LN, LUMBAR/ILIAC (LM) : -DIFFUSELY RED; LEFT: DARK RED (CAP 23)	LN, LUMBAR/ILIAC (LM) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL CAVITY, THORACIC (TA) : -B-AORTIC BODY TUMOR, -NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 10

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92503 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 419.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:10 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 11

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92504 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 650.0 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0300	.0046 %	.0143	WEIGHT TAKEN
RT ADRENAL (AD1)	.0306	.0047 %	.0146	WEIGHT TAKEN
BRAIN (BR)	2.0966	.3226 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.2133	.3405 %	1.0557	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1217	.3264 %	1.0120	WEIGHT TAKEN
LIVER (LI)	16.8986	2.5998 %	8.0600	WEIGHT TAKEN
LUNG (LU)	2.0480	.3151 %	.9768	WEIGHT TAKEN
SPLEEN (SP)	.8682	.1336 %	.4141	WEIGHT TAKEN
LF TESTIS (TE0)	2.1700	.3338 %	1.0350	WEIGHT TAKEN
RT TESTIS (TE1)	2.2147	.3407 %	1.0563	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0181	.0028 %	.0086	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0171	.0026 %	.0082	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>APPEARANCE; MALOCCLUSION; VERIFIED AT
 NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 -FOCUS, ALTERED HEPATOCELLULAR, CLEAR /
 EOSINOPHILIC CELL, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 MINIMAL
 -MINERALIZATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 12

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92504 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 650.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SPLEEN (SP) :
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL: UPPER
INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 13

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92504 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 650.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 14

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92505 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 644.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT LIVER-OIL RED O (LI0) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFLAMMATION, VASCULAR, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 15

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92505 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 644.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYROID (TY) : -LARGE; RIGHT: 9 X 7 X 6 MM (LEFT IS 7 X 3 X 3 MM) -DIFFUSELY DARK; RIGHT: DARK BROWN	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATELY SEVERE
	JEJUNUM (JE) : -THICKENED WALL; DIFFUSE	DUODENUM (DU) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE JEJUNUM (JE) : >UNREMARKABLE
	ILEUM (IL) : -THICKENED WALL; DIFFUSE	ILEUM (IL) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE CECUM (CE) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
		COLON (CO) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE >NOTE:>EOSINOPHILS PREDOMINATE RECTUM (RE) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 16

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92505 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 644.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
EPIDIDYMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 17

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92505 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 644.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 18

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92506 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 330.0 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:54 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	10.8663	3.2924 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 19

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92506 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 330.0 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:54 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 20

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92507 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 636.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:49 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0224	.0035 %	.0094	WEIGHT TAKEN
RT ADRENAL (AD1)	.0247	.0039 %	.0104	WEIGHT TAKEN
BRAIN (BR)	2.3724	.3727 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1481	.3375 %	.9055	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1112	.3317 %	.8899	WEIGHT TAKEN
LIVER (LI)	20.1131	3.1600 %	8.4780	WEIGHT TAKEN
LUNG (LU)	2.1448	.3370 %	.9041	WEIGHT TAKEN
SPLEEN (SP)	.9408	.1478 %	.3966	WEIGHT TAKEN
LF TESTIS (TE0)	1.8775	.2950 %	.7914	WEIGHT TAKEN
RT TESTIS (TE1)	1.7754	.2789 %	.7484	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0301	.0047 %	.0127	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0303	.0048 %	.0128	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 21

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92507 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 636.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:49 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 22

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92507 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 636.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:49 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 23

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92508 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/08/99 STUDY DAY OF DEATH: 537 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/08/99 8:23 PROSECTOR: NOT AVAILABLE RECORDER: NOT AVAILABLE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: NOT AVAILABLE WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 11 X 8 X 6 MM, RED, DARK RED, TAN AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 24

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
ANIMAL NUMBER: C92508 DATE OF DEATH: 10/08/99 DATE AND TIME OF NECROPSY: 10/08/99 8:23 POST-FIX WEIGHER: NOT AVAILABLE	SEX: MALE STUDY DAY OF DEATH: 537 DOSE GROUP: 1 PROSECTOR: NOT AVAILABLE PATHOLOGIST: NOT AVAILABLE	SACRIFICE STATUS: UNSCHEDULED (D) TERMINAL BODY WEIGHT: NOT ENTERED RECORDED: NOT AVAILABLE WEIGHER: NOT AVAILABLE
	URINARY BLADDER (UB) : -CALCULUS(I); WITHIN LUMEN: SINGLE WHITE, FIRM CALCULI, 6 MM IN DIAMETER	URINARY BLADDER (UB) : >AUTOLYTIC
	GENERAL COMMENT (GC) : -DISCHARGE-OCULAR; BILATERAL: DARK RED, DRY MATERIAL -DISCHARGE-NASAL; RED, DRY MATERIAL	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 25

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92508 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/08/99 STUDY DAY OF DEATH: 537 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/08/99 8:23 PROSECTOR: NOT AVAILABLE RECORDER: NOT AVAILABLE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: NOT AVAILABLE WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 26

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92509 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 491.0 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:18 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0322	.0066 %	.0140	WEIGHT TAKEN
RT ADRENAL (AD1)	.0308	.0063 %	.0134	WEIGHT TAKEN
BRAIN (BR)	2.3068	.4698 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.7786	.3622 %	.7710	WEIGHT TAKEN
RT KIDNEY (KD1)	1.8602	.3789 %	.8064	WEIGHT TAKEN
LIVER (LI)	14.5106	2.9553 %	6.2904	WEIGHT TAKEN
LUNG (LU)	1.7988	.3664 %	.7798	WEIGHT TAKEN
SPLEEN (SP)	.8923	.1817 %	.3868	WEIGHT TAKEN
LF TESTIS (TE0)	1.8453	.3758 %	.7999	WEIGHT TAKEN
RT TESTIS (TE1)	1.8482	.3764 %	.8012	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0131	.0027 %	.0057	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0128	.0026 %	.0055	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	GENERAL COMMENT (GC) : -NO MACROSCOPIC LESIONS -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 27

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92509 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 491.0 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:18 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 28

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92510 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 765.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:22 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 29

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92510 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 765.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:22 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 30

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92510 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 765.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:22 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 31

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92511 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 506.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 12:55 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0348	.0069 %	.0169	WEIGHT TAKEN
RT ADRENAL (AD1)	.0213	.0042 %	.0103	WEIGHT TAKEN
BRAIN (BR)	2.0610	.4067 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.9719	.3891 %	.9568	WEIGHT TAKEN
RT KIDNEY (KD1)	1.9652	.3878 %	.9535	WEIGHT TAKEN
LIVER (LI)	16.1948	3.1955 %	7.8577	WEIGHT TAKEN
LUNG (LU)	2.1768	.4295 %	1.0562	WEIGHT TAKEN
SPLEEN (SP)	.7816	.1542 %	.3792	WEIGHT TAKEN
LF TESTIS (TE0)	1.9467	.3841 %	.9445	WEIGHT TAKEN
RT TESTIS (TE1)	1.9871	.3921 %	.9641	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0109	.0022 %	.0053	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0139	.0027 %	.0067	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

THYMUS (TH) :
 -RED FOCUS(I)/AREA(S); DIFFUSE:
 MULTIPLE RED PINPOINT FOCI

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 THYMUS (TH) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 32

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92511 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 506.8 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 12:55 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 33

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92512 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 654.1 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 8:48 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0380	.0058 %	.0157	WEIGHT TAKEN
RT ADRENAL (AD1)	.0269	.0041 %	.0111	WEIGHT TAKEN
BRAIN (BR)	2.4142	.3691 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.4170	.3695 %	1.0012	WEIGHT TAKEN
RT KIDNEY (KD1)	2.3030	.3521 %	.9539	WEIGHT TAKEN
LIVER (LI)	19.0310	2.9095 %	7.8829	WEIGHT TAKEN
LUNG (LU)	2.0416	.3121 %	.8457	WEIGHT TAKEN
SPLEEN (SP)	.8649	.1322 %	.3583	WEIGHT TAKEN
LF TESTIS (TE0)	2.4547	.3753 %	1.0168	WEIGHT TAKEN
RT TESTIS (TE1)	1.8193	.2781 %	.7536	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0165	.0025 %	.0068	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0216	.0033 %	.0089	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 -FOCUS, ALTERED HEPATOCELLULAR, CLEAR /
 EOSINOPHILIC CELL, -MINIMAL
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 -HEMATOPOIESIS, EXTRAMEDULLARY,
 INCREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 34

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92512 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 654.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:48 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SLIGHT
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 35

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92512 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 654.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:48 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 36

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92513 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 751.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:27 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 37

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92513 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 751.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:27 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -SLIGHT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 38

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92513 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 751.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:27 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 39

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92514 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 1041.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:40 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 40

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92514 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 1041.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:40 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
		PARATHYROID (PT) : -B-ADENOMA, -NEOPLASM PRESENT
		PITUITARY (PI) : -HYPERPLASIA, -MODERATE
	STOMACH, GL (ST) : -THICKENED WALL; ALL REGIONS DIFFUSE	STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT
		COLON (CO) : -PARASITISM, -PRESENT
		RECTUM (RE) : -PARASITISM, -PRESENT
		EPIDIDYIMIDES (EP) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
		CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -ANIMAL OBESE	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 41

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92514 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 1041.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:40 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), KIDNEY (KD), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 42

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92515 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/12/00 STUDY DAY OF DEATH: 693 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/12/00 13:12 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -HYPERPLASIA, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 43

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92515 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/12/00 STUDY DAY OF DEATH: 693 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/12/00 13:12 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
EPIDIDYMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 44

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92515 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/12/00 STUDY DAY OF DEATH: 693 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/12/00 13:12 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 45

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92516 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/11/99 STUDY DAY OF DEATH: 326 STUDY WEEK OF DEATH: 47 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/11/99 7:46 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MINIMAL -CONGESTION, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -CONGESTION, -PRESENT LN, MESENTERIC (MS) : >TISSUE MISSING MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -CONGESTION, -PRESENT HEART (HT) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FIBROSIS, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 46

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92516 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/11/99 STUDY DAY OF DEATH: 326 STUDY WEEK OF DEATH: 47 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/11/99 7:46 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS

DUODENUM (DU) :
>AUTOLYTIC
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 47

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92516 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/11/99 STUDY DAY OF DEATH: 326 STUDY WEEK OF DEATH: 47 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/11/99 7:46 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 48

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92517 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 913.7 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:04 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0325	.0036 %	.0138	WEIGHT TAKEN
RT ADRENAL (AD1)	.0365	.0040 %	.0155	WEIGHT TAKEN
BRAIN (BR)	2.3607	.2584 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.6614	.2913 %	1.1274	WEIGHT TAKEN
RT KIDNEY (KD1)	2.6775	.2930 %	1.1342	WEIGHT TAKEN
LIVER (LI)	24.8245	2.7169 %	10.5157	WEIGHT TAKEN
LUNG (LU)	2.5656	.2808 %	1.0868	WEIGHT TAKEN
SPLEEN (SP)	1.1036	.1208 %	.4675	WEIGHT TAKEN
LF TESTIS (TE0)	1.8990	.2078 %	.8044	WEIGHT TAKEN
RT TESTIS (TE1)	1.9440	.2128 %	.8235	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0289	.0032 %	.0122	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0308	.0034 %	.0130	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -FOCUS, ALTERED HEPATOCELLULAR, CLEAR /
 EOSINOPHILIC CELL, -MINIMAL
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 SLIGHT
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 -HEMATOPOIESIS, EXTRAMEDULLARY,
 INCREASED, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 49

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92517 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 913.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:04 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-DARK FOCUS(I)/AREA(S); LEFT LOBE:
SINGLE BLACK FOCUS, 2 MM IN DIAMETER

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-HYPERPLASIA, ISLET CELLS, -MINIMAL
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MODERATE
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-CONGESTION, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 50

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92517 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 913.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:04 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 51

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92518 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 841.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE DARK RED AREA, 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 52

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92518 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 841.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); RIGHT MID
ASPECT: SINGLE DARK RED AREA, 2 MM IN
DIAMETER

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PARATHYROID (PT) :
-HYPERPLASIA, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 53

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92518 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 841.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:38 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 54

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92519 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/28/99 10:37 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -UNILATERALLY EXAMINED, -PRESENT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL
	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 6 X 4 X 3 MM (LEFT IS 3 X 2 X 2 MM)	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 55

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92519 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/28/99 10:37 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 6 X 6 MM, DARK RED,
GREY, AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 56

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92519 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/28/99 10:37 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 57

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92520 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 13:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; LIMITED USE; LIMB-HIND-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; SWOLLEN; DIGIT(S)-HIND-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -LARGE; BILATERAL: EACH ARE 33 X 23 X 10 MM; BOTH ARE SOFT SPLEEN (SP) : -ADHESION(S); CRANIAL END ADHERED TO DIAPHRAGM: MULTIPLE GRAY, FIBROUS ADHESIONS; COLLECTED INTACT PANCREAS (PA) : -LARGE VESSELS; ALONG DUODENUM: UP TO 5 MM IN DIAMETER; COLLECTED INTACT WITH DUODENUM	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -DILATATION, PELVIC, -MODERATE -MINERALIZATION, TUBULAR, -MINIMAL -ECTASIA, TUBULAR, -SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -FIBROSIS, CORTICAL, -SLIGHT SPLEEN (SP) : -FIBROSIS, CAPSULAR, -PRESENT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL -INFLAMMATION, VASCULAR, -MODERATE -THROMBUS, -PRESENT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL LN, MESENTERIC (MS) : -MINERALIZATION, VASCULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 58

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92520 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 13:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT -MINERALIZATION, VASCULAR, -SLIGHT -MINERALIZATION, -MINIMAL THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -MODERATE STOMACH, GL (ST) : >UNREMARKABLE DUODENUM (DU) : -INFLAMMATION, VASCULAR, -MODERATE CECUM (CE) : >AUTOLYTIC URINARY BLADDER (UB) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
	THYROID (TY) : -LARGE; RIGHT: 6 X 4 X 3 MM (LEFT IS 5 X 3 X 3 MM)	
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN PINPOINT FOCI	
	URINARY BLADDER (UB) : -DIFFUSELY RED; DARK RED	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 59

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92520	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99	STUDY DAY OF DEATH: 578	STUDY WEEK OF DEATH: 83	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 13:45	PROSECTOR: MICHELE MARGGI	RECORDED: MICHELE MARGGI	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN AND NODULAR

SEMINAL VESICLES (SV) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT

GENERAL COMMENT (GC) :
-URINARY BLADDER-LARGE LUMEN;
DISTENDED TO 35 X 25 X 15 MM WITH A
DARK GREEN FLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 60

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92520 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 13:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), JEJUNUM (JE), ILEUM (IL), COLON (CO),
RECTUM (RE), SKIN (SK), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 61

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92521 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 467.7 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:33 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0329	.0070 %	.0146	WEIGHT TAKEN
RT ADRENAL (AD1)	.0340	.0073 %	.0151	WEIGHT TAKEN
BRAIN (BR)	2.2509	.4813 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.0805	.4448 %	.9243	WEIGHT TAKEN
RT KIDNEY (KD1)	2.0278	.4336 %	.9009	WEIGHT TAKEN
LIVER (LI)	16.3067	3.4866 %	7.2445	WEIGHT TAKEN
LUNG (LU)	1.8853	.4031 %	.8376	WEIGHT TAKEN
SPLEEN (SP)	.7612	.1628 %	.3382	WEIGHT TAKEN
LF TESTIS (TE0)	1.9720	.4216 %	.8761	WEIGHT TAKEN
RT TESTIS (TE1)	1.8773	.4014 %	.8340	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0130	.0028 %	.0058	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0164	.0035 %	.0073	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 62

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92521	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 467.7 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:33	PROSECTOR: TROY ELLENBECKER	RECORDED: KIMBERLY DURLAND	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 63

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92522 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/29/00 STUDY DAY OF DEATH: 681 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 639.8 GRAMS
DATE AND TIME OF NECROPSY: 02/29/00 14:29 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DARK FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 7 X 5 MM, COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 64

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92522 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/29/00 STUDY DAY OF DEATH: 681 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 639.8 GRAMS
DATE AND TIME OF NECROPSY: 02/29/00 14:29 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 8 X 4 MM, DARK RED,
BROWN, AND FIRM

SKIN (SK) :

-CRUSTED AREA(S); VENTRAL ABDOMEN,
OVERLYING RIGHT PREPUTIAL GLAND:
SINGLE BROWN CRUSTED AREA, 2 X 3 MM
(CAP 22)

FOOT/FOOTPAD (FP) :

-ABRASION(S)/ULCERATION(S); BILATERAL,
HIND FEET: SINGLE DRY, RED, AND TAN
AREA ON EACH, LEFT IS 11 X 7 MM, RIGHT
IS 7 MM IN DIAMETER; COLLECTED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
DRY MATERIAL

PARATHYROID (PT) :

-HYPERPLASIA, -SLIGHT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :

-ACANTHOSIS/HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-INFLAMMATION / INFECTION, -PRESENT

FOOT/FOOTPAD (FP) :

-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 65

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92522 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/29/00 STUDY DAY OF DEATH: 681 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 639.8 GRAMS
DATE AND TIME OF NECROPSY: 02/29/00 14:29 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 66

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92523 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 771.0 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:24 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0280	.0036 %	.0110	WEIGHT TAKEN
RT ADRENAL (AD1)	.0276	.0036 %	.0108	WEIGHT TAKEN
BRAIN (BR)	2.5515	.3309 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.2588	.2930 %	.8853	WEIGHT TAKEN
RT KIDNEY (KD1)	2.4189	.3137 %	.9480	WEIGHT TAKEN
LIVER (LI)	19.4596	2.5239 %	7.6267	WEIGHT TAKEN
LUNG (LU)	1.8566	.2408 %	.7277	WEIGHT TAKEN
SPLEEN (SP)	1.0752	.1395 %	.4214	WEIGHT TAKEN
LF TESTIS (TE0)	1.8292	.2373 %	.7169	WEIGHT TAKEN
RT TESTIS (TE1)	1.7216	.2233 %	.6747	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0214	.0028 %	.0084	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0273	.0035 %	.0107	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -HYPERPLASIA, ISLET CELLS, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 67

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92523 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 771.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:24 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 68

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92523 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 771.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:24 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 69

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92524 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 366.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:59 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	14.3739	3.9212 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 70

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92524 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 366.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:59 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92525	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/30/99	STUDY DAY OF DEATH: 498	STUDY WEEK OF DEATH: 72	TERMINAL BODY WEIGHT: 474.0 GRAMS
DATE AND TIME OF NECROPSY: 08/30/99 13:54	PROSECTOR: WENDY CHERRY	RECORDER: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

>MASS(ES); VENTRAL-ABDOMINAL; WEEK 61;
10 X 10MM; VERIFIED AT NECROPSY:
OBSERVED
>APPEARANCE; THIN; VERIFIED AT
NECROPSY: NOT OBSERVED
>SKIN & PELAGE; ROUGH HAIR COAT;
VERIFIED AT NECROPSY: NOT APPLICABLE
>EXCRETION; NO FECES; VERIFIED AT
NECROPSY: NOT APPLICABLE
>BEHAVIOR; HYPOACTIVE; MODERATE;
VERIFIED AT NECROPSY: NOT APPLICABLE

BRAIN (BR) :
-COMPRESSED (HYPOTHALAMUS)

PITUITARY (PI) :
-MASS(ES); 17 X 12 X 10 MM, TAN,
BROWN, DARK RED AND SOFT

HISTOPATHOLOGY

BRAIN (BR) :
-COMPRESSION, VENTRAL, -PRESENT
LIVER (LI) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
MINIMAL
-MINERALIZATION, PELVIC, -MINIMAL
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -SLIGHT
PANCREAS (PA) :
-ZYMOMEN GRANULES, DECREASED, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SKIN (SK) :
-CYST, EPIDERMAL INCLUSION, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 72

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92525 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/30/99 STUDY DAY OF DEATH: 498 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 474.0 GRAMS
DATE AND TIME OF NECROPSY: 08/30/99 13:54 PROSECTOR: WENDY CHERRY RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :

-SMALL; 10 X 10 X 6 MM

SEMINAL VESICLES (SV) :

-SMALL; BILATERAL: EACH IS 15 X 8 X 2
MM

MAMMARY, MALE (MM) :

-MASS(ES); MID ABDOMINAL REGION:
SINGLE MASS, 17 X 12 X 10 MM, TAN,
BROWN AND FIRM; CUT SURFACE CONTAINS A
TAN AND CASEOUS SEMISOLID; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

SEMINAL VESICLES (SV) :

-SECRETION, DECREASED, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

MAMMARY, MALE (MM) :

>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR HISTOLOGIC
DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 73

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92525 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/30/99 STUDY DAY OF DEATH: 498 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 474.0 GRAMS
DATE AND TIME OF NECROPSY: 08/30/99 13:54 PROSECTOR: WENDY CHERRY RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 74

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92526 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 325.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:33 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	12.0558	3.7028 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 75

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92526 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 325.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:33 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 76

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92527 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 561.4 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 8:24 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; LIMITED USE; LIMB-HIND- RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED; POSSIBLE REMNANTS COLLECTED	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -M-ASTROCYTOMA, -NEOPLASM PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 77

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92527 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 561.4 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 8:24 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 8 X 5 MM, DARK RED,
RED, TAN AND SOFT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

PARATHYROID (PT) :
-HYPERPLASIA, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 78

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92527 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 561.4 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 8:24 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 79

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92528 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 430.7 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:32 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0347	.0081 %	.0154	WEIGHT TAKEN
RT ADRENAL (AD1)	.0315	.0073 %	.0140	WEIGHT TAKEN
BRAIN (BR)	2.2548	.5235 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.5393	.3574 %	.6827	WEIGHT TAKEN
RT KIDNEY (KD1)	1.6264	.3776 %	.7213	WEIGHT TAKEN
LIVER (LI)	14.8186	3.4406 %	6.5720	WEIGHT TAKEN
LUNG (LU)	1.8216	.4229 %	.8079	WEIGHT TAKEN
SPLEEN (SP)	.6689	.1553 %	.2967	WEIGHT TAKEN
LF TESTIS (TE0)	1.4100	.3274 %	.6253	WEIGHT TAKEN
RT TESTIS (TE1)	1.4018	.3255 %	.6217	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0105	.0024 %	.0047	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0112	.0026 %	.0050	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	GENERAL COMMENT (GC) : -NO MACROSCOPIC LESIONS -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 80

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92528 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 430.7 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:32 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 81

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92529 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 272.4 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:39 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	10.2021	3.7449 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 82

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92529 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 272.4 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:39 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 83

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92530 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 597.0 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 8:02 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -RED FOCUS(I)/AREA(S); PAPILLARY PROCESS: SINGLE RED AREA, 3 MM IN DIAMETER; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT
>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED		PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -MINERALIZATION, VASCULAR, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 84

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92530	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)	
DATE OF DEATH: 10/18/99	STUDY DAY OF DEATH: 547	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 597.0 GRAMS	
DATE AND TIME OF NECROPSY: 10/18/99 8:02	PROSECTOR: JARED FISHEL	RECORDED: TONE EVERTS	WEIGHED: NOT AVAILABLE	
POST-FIX WEIGHED: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED			

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 9 X 8 X 7 MM, RED, TAN, AND SOFT	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: RED AND DRY MATERIAL -STAINS - SKIN/HAIRCOAT; ENTIRE HEAD: RED AND DRY MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 85

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92530 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 597.0 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 8:02 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92531	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/03/99	STUDY DAY OF DEATH: 471	STUDY WEEK OF DEATH: 68	TERMINAL BODY WEIGHT: 522.3 GRAMS
DATE AND TIME OF NECROPSY: 08/03/99 8:06	PROSECTOR: GREGORY CODDINGTON	RECORDER: GREGORY CODDINGTON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED
AT NECROPSY: NOT APPLICABLE
>RESPIRATION; IRREGULAR; VERIFIED AT
NECROPSY: NOT APPLICABLE
>EXCRETION; NO FECES; VERIFIED AT
NECROPSY: NOT APPLICABLE
>EYES; RED DISCHARGE; EYES; VERIFIED AT
NECROPSY: OBSERVED
>EYES; SQUINTED; PERI-ORBITAL; VERIFIED
AT NECROPSY: NOT OBSERVED

BRAIN (BR) :
-COMPRESSED (HYPOTHALAMUS)

PITUITARY (PI) :
-MASS(ES); 9 X 8 X 7 MM, RED, DARK RED
AND SOFT

HISTOPATHOLOGY

BRAIN (BR) :
-DILATATION, VENTRICULAR, -PRESENT
LIVER (LI) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
-VACUOLATION, HEPATOCELLULAR,
PERIPORTAL, -MODERATE
KIDNEY (KD) :
-PIGMENT, TUBULAR, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-MINERALIZATION, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 87

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92531 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/03/99 STUDY DAY OF DEATH: 471 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: 522.3 GRAMS
DATE AND TIME OF NECROPSY: 08/03/99 8:06 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 6 X 4 MM

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 88

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92531 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/03/99 STUDY DAY OF DEATH: 471 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: 522.3 GRAMS
DATE AND TIME OF NECROPSY: 08/03/99 8:06 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 89

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92532 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 581.4 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:54 PROSECTOR: JOHN S. HALFORD RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0310	.0053 %	.0145	WEIGHT TAKEN
RT ADRENAL (AD1)	.0334	.0057 %	.0156	WEIGHT TAKEN
BRAIN (BR)	2.1402	.3681 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.2086	.3799 %	1.0320	WEIGHT TAKEN
RT KIDNEY (KD1)	2.0147	.3465 %	.9414	WEIGHT TAKEN
LIVER (LI)	17.2925	2.9743 %	8.0799	WEIGHT TAKEN
LUNG (LU)	1.9369	.3331 %	.9050	WEIGHT TAKEN
SPLEEN (SP)	.7755	.1334 %	.3623	WEIGHT TAKEN
LF TESTIS (TE0)	1.5752	.2709 %	.7360	WEIGHT TAKEN
RT TESTIS (TE1)	1.6085	.2767 %	.7516	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0336	.0058 %	.0157	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0310	.0053 %	.0145	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 90

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92532 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 581.4 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:54 PROSECTOR: JOHN S. HALFORD RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
 -DIFFUSELY RED; RIGHT: DARK RED (CAP
 21)

LN, MANDIBULAR (MN) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
 SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
 LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
 LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 91

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92533 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 881.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:37 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 69; 35 X 40MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); HEAD-MAXILLARY-RIGHT; WEEK 71; 30 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; HEAD- MAXILLARY-RIGHT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: MULTIPLE RED AREAS, UP TO 3 MM IN DIAMETER; SOME ARE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -HYALINE DROPLETS, TUBULAR EPITHELIUM, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERPLASIA, CORTICAL, -SLIGHT -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -HYPERPLASIA, MYELOID, MARROW, -MODERATE -N-FIBROSARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 92

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92533	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99	STUDY DAY OF DEATH: 589	STUDY WEEK OF DEATH: 85	TERMINAL BODY WEIGHT: 881.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:37	PROSECTOR: TERRI L. WILLIAMS	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA, DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT
	PROSTATE (PR) : -NODULAR; DIFFUSE: GREEN AND FIRM	SKIN (SK) : -M-FIBROSARCOMA, - 2 NEOPLASMS PRESENT PROSTATE (PR) : >UNREMARKABLE
		HEMATO NEOPLASIA (HN) : -M-SARCOMA, HISTIOCYTIC, -NEOPLASM PRESENT
		CAUSE OF DEATH (CD) : -NEOPLASM, SKIN/MUSCLE/SUBCUTIS, - PRESENT
	LN, MANDIBULAR (MN) : -MOTTLED; BILATERAL: RED AND TAN; COLLECTED	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
		MAMMARY, MALE (MM) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL >NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 93

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92533 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 881.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:37 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 44 X 40 X 18 MM, RED,
TAN, AND FIRM; SAME ON CUT SECTION;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
-MASS #2; RIGHT CERVICAL REGION:
SINGLE MASS, 38 X 30 X 20 MM, RED,
DARK RED, TAN, AND FIRM; SAME ON CUT
SECTION; COLLECTED; REGIONAL LN (SEE
MANDIBULAR); OVERLYING SKIN HAS A
SINGLE TAN ABRADED AREA; COLLECTED
INTACT WITH MASS
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 94

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92533 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 881.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:37 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 95

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92534 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 629.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 8:49 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0341	.0054 %	.0154	WEIGHT TAKEN
RT ADRENAL (AD1)	.0350	.0056 %	.0158	WEIGHT TAKEN
BRAIN (BR)	2.2118	.3514 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1935	.3485 %	.9917	WEIGHT TAKEN
RT KIDNEY (KD1)	2.3288	.3699 %	1.0529	WEIGHT TAKEN
LIVER (LI)	17.9201	2.8467 %	8.1020	WEIGHT TAKEN
LUNG (LU)	1.9706	.3130 %	.8909	WEIGHT TAKEN
SPLEEN (SP)	.9603	.1525 %	.4342	WEIGHT TAKEN
LF TESTIS (TE0)	1.0650	.1692 %	.4815	WEIGHT TAKEN
RT TESTIS (TE1)	2.0846	.3312 %	.9425	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0242	.0038 %	.0109	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0244	.0039 %	.0110	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 96

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92534 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 629.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:49 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-SMALL; RIGHT: 20 X 12 X 6 MM (FOR
COMPARISON, LEFT IS 14 X 10 X 10 MM);
SOFT
THYMUS (TH) :
>NOTE:>TRIMMING COMMENT: THYMUS MISSING
AT TIME OF TRIMMING

LN, MANDIBULAR (MN) :
-MOTTLED; TRIMMING COMMENT: BILATERAL:
DIFFUSELY RED AND TAN
GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

TESTIS (TE) :
-ATROPHY/DEGENERATION, -MODERATE
-GRANULOMA, SPERM, -PRESENT
THYMUS (TH) :
>TISSUE MISSING
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 97

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92534 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 629.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:49 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 98

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92535 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 747.0 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 8:01 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; DISCOLORED FECES; RED IN COLOR; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; TREMORS; LIMBS-ALL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) SPLEEN (SP) : -LIGHT FOCUS(I)/AREA(S); PARIETAL SURFACE OF CRANIAL END: SINGLE GRAY AREA, 15 X 10 MM -ADHESION(S); PARIETAL SURFACE ATTACHED TO GREATER CURVATURE OF STOMACH: MULTIPLE GRAY FIBROUS ADHESIONS; COLLECTED INTACT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -PIGMENT, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 99

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92535	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00	STUDY DAY OF DEATH: 666	STUDY WEEK OF DEATH: 96	TERMINAL BODY WEIGHT: 747.0 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 8:01	PROSECTOR: MICHELE MARGGI	RECORDER: MICHELE MARGGI	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; LEFT: 15 X 5 X 3 MM (RIGHT IS 22 X 15 X 10 MM); LEFT IS SOFT	ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL BONE, STERNUM (SB) : -HYPERPLASIA, BONE, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE THYROID (TY) : -M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -NECROSIS, -SEVERE STOMACH, GL (ST) : -EDEMA, -MODERATE -EROSION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE ILEUM (IL) : -HEMORRHAGE, -PRESENT -NECROSIS, -SLIGHT CECUM (CE) : >UNREMARKABLE
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 5 X 5 X 3 MM, RED, DARK RED, TAN, AND FIRM STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: MULTIPLE DARK BROWN, SLIGHTLY ERODED FOCI, UP TO 3 MM IN DIAMETER ILEUM (IL) : -DIFFUSELY RED; MUCOSA CECUM (CE) : -DIFFUSELY RED; MUCOSA	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 100

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92535 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 747.0 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 8:01 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	RECTUM (RE) : -DIFFUSELY RED; MUCOSA	RECTUM (RE) : -NECROSIS, -SEVERE EPIDIDYMIDES (EP) : -GRANULOMA, SPERM, -PRESENT CAUSE OF DEATH (CD) : -GI TRACT, EROSION/ULCERATION/HEMORRHAGE/INFLAMMA- TION, -PRESENT LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE ADIPOSE TISSUE (AT) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL >NOTE:>SEE EPIDIDYMIDES FOR DIAGNOSIS
	ADIPOSE TISSUE (AT) : -MASS(ES); WITHIN ADIPOSE TISSUE, NEAR LEFT TESTIS: SINGLE MASS, 10 X 6 X 6 MM, YELLOW AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (LUMBAR) NORMAL (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -GI TRACT-DARK FLUID CONTENT; ENTIRE GI TACT: DARK BROWN AND DARK RED FLUID MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 101

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92535 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 747.0 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 8:01 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
COLON (CO), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), COLON (CO),
SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 102

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92536 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 808.5 GRAMS
DATE AND TIME OF NECROPSY: 10/17/99 8:30 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; SWOLLEN; NOSE; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	LUNG (LU) : -DIFFUSELY RED; ALL LOBES	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : >UNREMARKABLE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -HYPERPLASIA, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 103

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92536 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 808.5 GRAMS
DATE AND TIME OF NECROPSY: 10/17/99 8:30 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -LIGHT FOCUS(I)/AREA(S); LEFT ASPECT: SINGLE TAN FOCUS, 1 MM IN DIAMETER STOMACH, GL (ST) : -THICKENED WALL; MUCOSA SKIN (SK) : -RED FOCUS(I)/AREA(S); SUBCUTANEOUS TISSUE SURROUNDING MUZZLE: MULTIPLE INDISTINCT RED AND DARK RED AREAS; TISSUE SURROUNDING MUZZLE APPEARS SWOLLEN; ENTIRE MUZZLE COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-NASAL; DRY, RED MATERIAL -ANIMAL OBESE -DISCHARGE-ORAL; DRY, RED MATERIAL	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL -HEMORRHAGE, -PRESENT CAUSE OF DEATH (CD) : -POSSIBLE TRAUMATIC INJURY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 104

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92536 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 808.5 GRAMS
DATE AND TIME OF NECROPSY: 10/17/99 8:30 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92537 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/14/00 9:30 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 91; 45 X 50MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>MASS(ES); DORSAL; WEEK 93; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DARK FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE DARK BROWN, SLIGHTLY DEPRESSED AREA, 8 X 8 X 1 MM; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -MODERATE
>SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LIGHT FOCUS(I)/AREA(S); CORTEX OF RIGHT KIDNEY: SINGLE TAN FOCUS, 6 MM IN DIAMETER	KIDNEY (KD) : -N-SARCOMA, -NEOPLASM PRESENT
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, DIFFUSE, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SEVERE LUNG (LU) : -N-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 106

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92537 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/14/00 9:30 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -MASS(ES); ALL LOBES: MULTIPLE MASSES, UP TO 15 MM IN DIAMETER; RED, DARK RED, TAN, FIRM, AND LOBULATED; SAME ON CUT SURFACE; COLLECTED INTACT WITH LUNGS; REGIONAL LN (TRACHEOBRONCHIAL) NOT IDENTIFIED	HEART (HT) : -N-SARCOMA, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 6 X 5 X 4 MM, RED, DARK RED, TAN, LOBULATED, AND SOFT	
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 12 X 5 MM	STOMACH, NONGL (SU) : >UNREMARKABLE
		DUODENUM (DU) : >AUTOLYTIC JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC COLON (CO) : >AUTOLYTIC RECTUM (RE) : >AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 107

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92537 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/14/00 9:30 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-MASS(ES); LEFT DORSAL SHOULDER
REGION: SINGLE MASS, 15 X 13 X 5 MM,
TAN AND BROWN; SAME ON CUT SURFACE;
COLLECTED; OVERLYING SKIN HAS A DRY
AND CRUSTED AREA, 15 X 13 MM; REGIONAL
LN (AXILLARY) NORMAL (CAP 23)

PROSTATE (PR) :

-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN, TAN, AND FIRM

MAMMARY, MALE (MM) :

-MASS(ES); LEFT CERVICAL REGION:
SINGLE MASS, 65 X 50 X 35 MM, RED,
DARK RED, GRAY, LOBULATED, AND
VASCULAR; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (MANDIBULAR)
NORMAL (CAP 22)

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT
-M-FIBROSARCOMA, -NEOPLASM PRESENT

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

CAUSE OF DEATH (CD) :

-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT

MAMMARY, MALE (MM) :

>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 108

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92537 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/14/00 9:30 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN), LN, AXILLARY (AX), LN, MANDIBULAR (MN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 109

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92538 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/14/99 STUDY DAY OF DEATH: 513 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/14/99 13:22 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; OBES; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - MODERATELY SEVERE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC COLON (CO) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 110

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92538 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/14/99 STUDY DAY OF DEATH: 513 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/14/99 13:22 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-CALCULUS(I); WITHIN LUMEN: MULTIPLE
TAN CALCULI, UP TO 6 MM IN DIAMETER

GENERAL COMMENT (GC) :
-URINARY BLADDER-LARGE LUMEN; UP TO 30
MM IN DIAMETER
-ANIMAL OBESE

URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -
MODERATELY SEVERE
-HYPERPLASIA, TRANSITIONAL CELL, -
MODERATELY SEVERE
-MINERALIZED MATERIAL, LUMEN, -PRESENT
SEMINAL VESICLES (SV) :
>AUTOLYTIC
CAUSE OF DEATH (CD) :
-INFECTION / NECROSIS / CALCULUS,
URINARY TRACT, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 111

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92538 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/14/99 STUDY DAY OF DEATH: 513 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/14/99 13:22 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), RECTUM (RE), SKIN (SK), PROSTATE (PR), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 112

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92539 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 517.8 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-PROXIMAL; WEEK 87; VERIFIED AT NECROPSY: NOT OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE -M-CARCINOMA, TUBULAR CELL, -NEOPLASM PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -INFILTRATION, FAT, INTERSTITIAL, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 113

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92539	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00	STUDY DAY OF DEATH: 680	STUDY WEEK OF DEATH: 98	TERMINAL BODY WEIGHT: 517.8 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42	PROSECTOR: JARED FISHEL	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 15 X 10 X 10 MM	ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 9 X 8 X 8 MM, DARK RED, TAN, AND SOFT	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL -METAPLASIA, OSSEOUS / CARTILAGINOUS, - SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 2 MM IN DIAMETER	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -ULCERATION, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM	PROSTATE (PR) : >UNREMARKABLE SEMINAL VESICLES (SV) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 114

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92539 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 517.8 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TAIL (TI) :
-CRUSTED AREA(S); PROXIMAL ONE-THIRD
OF TAIL: MULTIPLE DARK BROWN, AND
RAISED CRUSTED AREAS; COLLECTED WITH
TAIL
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-STAINS-PERINEUM/PERIANAL; EXTENDING
TO MID ABDOMINAL REGION: MOIST BROWN
MATERIAL

SEMINAL VESICLES (SV) :
-ATROPHY, -MODERATE
EPIDIDYMIDES (EP) :
-VACUOLATION, TUBULAR EPITHELIUM, -
MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
TAIL (TI) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 115

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92539 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 517.8 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 116

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92540 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 819.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:14 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0399	.0049 %	.0180	WEIGHT TAKEN
RT ADRENAL (AD1)	.0359	.0044 %	.0162	WEIGHT TAKEN
BRAIN (BR)	2.2165	.2704 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.3557	.2874 %	1.0628	WEIGHT TAKEN
RT KIDNEY (KD1)	2.4085	.2938 %	1.0866	WEIGHT TAKEN
LIVER (LI)	24.2163	2.9539 %	10.9255	WEIGHT TAKEN
LUNG (LU)	2.7162	.3313 %	1.2254	WEIGHT TAKEN
SPLEEN (SP)	.8689	.1060 %	.3920	WEIGHT TAKEN
LF TESTIS (TE0)	1.6604	.2025 %	.7491	WEIGHT TAKEN
RT TESTIS (TE1)	1.5733	.1919 %	.7098	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0148	.0018 %	.0067	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0223	.0027 %	.0101	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, - MODERATE -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 117

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92540 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 819.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:14 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SPINAL CORD (SC) :
>NOTE:>TRIMMING COMMENT: CERVICAL
SPINAL CORD MISSING FROM WET
TISSUE
THYMUS (TH) :
>NOTE:>TRIMMING COMMENT: MISSING FROM
WET TISSUE

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); LEFT POSTERIOR
ASPECT: SINGLE SLIGHTLY RAISED AREA, 2
MM IN DIAMETER

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
MARROW, STERNUM (SE) :
-HYPOCELLULAR, MARROW, -SLIGHT
SPINAL CORD (SC) :
>UNREMARKABLE
>NOTE:>TWO SEGMENTS EXAMINED

THYMUS (TH) :
>TISSUE MISSING

LUNG (LU) :
-HEMORRHAGE, -PRESENT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-ANGIECTASIS, -PRESENT

PROSTATE (PR) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 118

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92540 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 819.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:14 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 119

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92541 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 709.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:34 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 2 X 1 MM; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 120

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92541 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 709.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:34 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-SMALL; LEFT: 20 X 9 X 7 MM (RIGHT IS
26 X 15 X 15 MM); LEFT APPEARS SOFT

TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE
>NOTE:>UNILATERAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

PITUITARY (PI) :
-MASS(ES); 10 X 7 X 6 MM, RED, DARK
RED, TAN AND FIRM

PROSTATE (PR) :
-NODULAR; TISSUE SURROUNDING URETHRA

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 121

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92541 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 709.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:34 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 122

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92542 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 792.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); HEAD-MAXILLARY- RIGHT; WEEK 66; VERIFIED AT NECROPSY: OBSERVED >WART LIKE LESION(S); DORSAL-CERVICAL- RIGHT; WEEK 69; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); TAIL-PROXIMAL; WEEK 93; 15 X 10MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); DORSAL; WEEK 103; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES, DIFFUSE: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -B-ADENOMA, -NEOPLASM PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 123

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92542 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 792.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA: DIFFUSE

SKIN (SK) :
-CRUSTED AREA(S); RIGHT LATERAL
CERVICAL REGION: SINGLE DARK RED, TAN,
AND DRY AREA, 6 X 3 X 2 MM (CAP 24)
-MASS(ES); RIGHT DORSAL THORACIC
REGION: SINGLE MASS, 18 X 16 X 8 MM,
TAN AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 25)
-RAISED FOCUS(I)/AREA(S); RIGHT SIDE
OF MUZZLE: SINGLE DARK BROWN, TAN, AND
DRY AREA, 3 X 3 X 8 MM (CAP 23)

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-HYPERPLASIA, TYPE II PNEUMOCYTE, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE
COLON (CO) :
-PARASITISM, -PRESENT
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MODERATELY
SEVERE
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-CYST, EPIDERMAL INCLUSION, -PRESENT
-SUPERFICIAL CRUSTING, -MODERATELY
SEVERE

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
SEMINAL VESICLES (SV) :
-SECRETION, DECREASED, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 124

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92542 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 792.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-MOTTLED; BILATERAL: RED AND TAN;
COLLECTED

TAIL (TI) :
-RAISED AREA(S); 40 MM FROM BASE:
SINGLE TAN AREA, 12 X 7 X 3 MM; CUT
SURFACE EXUDES A LIGHT GREEN
SEMISOLID; COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
-HEMORRHAGE, -PRESENT
TAIL (TI) :
-CYST, EPIDERMAL INCLUSION, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 125

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92542 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 792.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 126

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92543 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/14/00 STUDY DAY OF DEATH: 695 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/14/00 7:06 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	PANCREAS (PA) : -MASS(ES); NEAR DUODENUM: SINGLE MASS, 4 MM IN DIAMETER, RED, TAN AND SOFT; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (PANCREATIC) NOT IDENTIFIED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -DIFFUSELY RED; MID ASPECT: DARK RED	ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 127

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92543 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/14/00 STUDY DAY OF DEATH: 695 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/14/00 7:06 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 128

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92543 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/14/00 STUDY DAY OF DEATH: 695 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/14/00 7:06 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 129

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92544 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:14 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >WART LIKE LESION(S); PAW-HIND-LEFT; WEEK 95; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; SWOLLEN; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); LIMB-FRONT-LEFT; WEEK 102; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; TAIL; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 130

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92544	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:14	PROSECTOR: TODD ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSSIBLY IDENTIFIED, POSSIBLE REMNANTS COLLECTED	THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT
	MUSCLE, SKELETAL (SM) : -MASS(ES); MUSCLE SURROUNDING LEFT FRONT LEG: SINGLE MASS, 40 X 20 X 25 MM, TAN, RED, DARK RED, GREY, AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (AXILLARY) NORMAL (CAP 25)	LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL MUSCLE, SKELETAL (SM) : -M-SARCOMA, UNDIFFERENTIATED, -NEOPLASM PRESENT
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ANTERIOR ASPECT: SINGLE DARK RED FOCUS, 3 MM IN DIAMETER	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	LN, MANDIBULAR (MN) : -LARGE; BILATERAL: UP TO 11 X 7 X 3 MM; COLLECTED	SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE -LYMPHANGIECTASIS, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 131

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92544 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:14 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TAIL (TI) :

-LARGE; ENTIRE TAIL: UP TO 15 MM IN
DIAMETER; COLLECTED

LN, LUMBAR/ILIAC (LM) :

-LARGE; BILATERAL: LEFT IS 7 X 6 X 4
MM, RIGHT IS 24 X 22 X 10 MM; BOTH ARE
CYSTIC (CAP 24)

JOINT, OTHER (JT) :

-LARGE; BILATERAL TARSAL JOINT: BOTH
ARE 13 MM IN DIAMETER; BOTH COLLECTED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN OFF AT BASE

TAIL (TI) :

-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT

LN, LUMBAR/ILIAC (LM) :

-LYMPHANGIECTASIS, -PRESENT

JOINT, OTHER (JT) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-FIBROSIS, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 132

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92544 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:14 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 133

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92545 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/31/00 STUDY DAY OF DEATH: 652 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/31/00 8:40 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PITUITARY (PI) : -HYPERPLASIA, -MODERATE CECUM (CE) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 134

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92545 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/31/00 STUDY DAY OF DEATH: 652 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/31/00 8:40 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS

COLON (CO) :
>AUTOLYTIC
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 135

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92545 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/31/00 STUDY DAY OF DEATH: 652 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/31/00 8:40 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), RECTUM (RE),
SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 136

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92546 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 317.9 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 12:03 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	11.0070	3.4623 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 137

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92546 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 317.9 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 12:03 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 138

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92547 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 12/21/99 STUDY DAY OF DEATH: 611 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 627.2 GRAMS
 DATE AND TIME OF NECROPSY: 12/21/99 7:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -ROUGH SURFACE, DIFFUSE; ALL LOBES SPLEEN (SP) : -LARGE; 60 X 18 X 10 MM TESTIS (TE) : -SMALL; BILATERAL: EACH IS 20 X 12 X 6 MM; BOTH ARE SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT LIVER (LI) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT SPLEEN (SP) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -B-ADENOMA, -NEOPLASM PRESENT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 139

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92547 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/21/99 STUDY DAY OF DEATH: 611 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 627.2 GRAMS
DATE AND TIME OF NECROPSY: 12/21/99 7:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 7 X 6 MM, RED, DARK
RED, AND SOFT

MARROW, FEMUR (FM) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
SPINAL CORD (SC) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
HEART (HT) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 140

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92547 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/21/99 STUDY DAY OF DEATH: 611 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 627.2 GRAMS
DATE AND TIME OF NECROPSY: 12/21/99 7:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BROWN AREAS, UP TO 1 MM IN DIAMETER STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 5 X 4 MM PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 15 X 10 X 5 MM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT HEMATO NEOPLASIA (HN) : -M-LYMPHOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, HEMATOPOIETIC, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 141

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92547 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/21/99 STUDY DAY OF DEATH: 611 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 627.2 GRAMS
DATE AND TIME OF NECROPSY: 12/21/99 7:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 142

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92548 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/22/99 10:10 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 13 X 10 X 8 MM, DARK RED, TAN AND SOFT	JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 143

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92548 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/22/99 10:10 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN AND FIRM

CECUM (CE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 144

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92548 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/22/99 10:10 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 145

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92549 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/31/99 STUDY DAY OF DEATH: 560 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/31/99 14:51 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE CECUM (CE) : >AUTOLYTIC CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT
	GENERAL COMMENT (GC) : -NO MACROSCOPIC LESIONS	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 146

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92549 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/31/99 STUDY DAY OF DEATH: 560 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/31/99 14:51 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 147

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92550 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:15 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT TESTIS (TE) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 148

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92550 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:15 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-LARGE; RIGHT HINDFOOT: 45 X 14 X 12
MM (LEFT IS 45 X 10 X 8 MM); RIGHT
APPEARS SWOLLEN; COLLECTED

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-EDEMA, ALVEOLAR, -SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
CECUM (CE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT
FOOT/FOOTPAD (FP) :
>UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 149

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92550 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:15 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 150

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92551 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 674.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:15 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SEVERE -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 151

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92551 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 674.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/19/00 8:15 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYROID (TY) : -LARGE; RIGHT: 6 X 4 X 2 MM -SMALL; LEFT: 2 X 2 X 1 MM PITUITARY (PI) : -MASS(ES); 8 X 6 X 5 MM, DARK RED, TAN AND SOFT STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM LN, AXILLARY (AX) : -MOTTLED; BILATERAL: BROWN AND TAN (CAP 23)	ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 152

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92551 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 674.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:15 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 12 X 12 X 9 MM, DARK RED,
TAN AND FIRM; CUT SURFACE EXUDES A TAN
CREAMY SEMIFLUID; COLLECTED; REGIONAL
LN (SEE AXILLARY)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 153

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92551 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 674.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:15 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 154

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92552 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/14/00 STUDY DAY OF DEATH: 726 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 450.2 GRAMS
DATE AND TIME OF NECROPSY: 04/14/00 7:35 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) TESTIS (TE) : -SMALL; BILATERAL: EACH IS 15 X 11 X 7 MM; BOTH ARE SOFT	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 155

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92552 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/14/00 STUDY DAY OF DEATH: 726 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 450.2 GRAMS
DATE AND TIME OF NECROPSY: 04/14/00 7:35 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 MM IN DIAMETER, DARK
RED, GRAY AND SOFT
PROSTATE (PR) :
-MASS(ES); RIGHT PROXIMAL REGION, NEAR
SEMINAL VESICLE: SINGLE MASS, 12 X 10
X 4 MM, GRAY, TAN AND SOFT; COLLECTED
INTACT WITH PROSTATE; REGIONAL LN
(LUMBAR) NORMAL (CAP 22)

TESTIS (TE) :
-MINERALIZATION, VASCULAR, -MINIMAL
-B-INTERSTITIAL CELL TUMOR, -NEOPLASM
PRESENT
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-HYPERPLASIA, EPITHELIAL, -MODERATELY
SEVERE
EPIDIDYIMIDES (EP) :
-HYOSPERMIA, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 156

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92552 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/14/00 STUDY DAY OF DEATH: 726 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 450.2 GRAMS
DATE AND TIME OF NECROPSY: 04/14/00 7:35 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DRY RED
MATERIAL

LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC,-
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 157

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92552 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/14/00 STUDY DAY OF DEATH: 726 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 450.2 GRAMS
DATE AND TIME OF NECROPSY: 04/14/00 7:35 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 158

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92553 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 344.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:38 PROSECTOR: KEVIN BILLINGS RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; PERINEAL AREA; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; SWOLLEN; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: NOT APPLICABLE	ESOPHAGUS (ES) : -LARGE; DIFFUSE: UP TO 8 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT -INFLAMMATION, GRANULOMATOUS, -MINIMAL ESOPHAGUS (ES) : -DILATATION, LUMINAL, -PRESENT PARATHYROID (PT) : >TISSUE MISSING PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 159

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92553 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 344.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:38 PROSECTOR: KEVIN BILLINGS RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
>NOTE:>DILATED ESOPHAGUS MAY SUGGEST
OBSTRUCTION, WITH SOME
ASPIRATION RESULTING IN THE
GRANULOMATOUS CHANGES IN THE
LUNG.

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL, LOWER
INCISORS
-GI TRACT-LARGE LUMEN; DUODENUM,
JEJUNUM, ILEUM AND CECUM: DUODENUM IS
UP TO 10 MM IN DIAMETER; JEJUNUM,
ILEUM AND CECUM ARE UP TO 20 MM IN
DIAMETER; ALL ARE DISTENDED WITH GAS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 160

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92553 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 344.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:38 PROSECTOR: KEVIN BILLINGS RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), THYROID (TY), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 161

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92554 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 510.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/07/00 14:38 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE
>SKIN & PELAGE; RED HAIR COAT; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DARK FOCUS(I)/AREA(S); LEFT LATERAL LOBE: MULTIPLE DARK BROWN AREAS, UP TO 4 X 3 MM; SOME AREAS HAVE A STELLATE PATTERN; COLLECTED ON ROUTINE SECTION	-HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL
>EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>BEHAVIOR; RECUMBENT; STERNAL; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL
		MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 162

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92554 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 510.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 14:38 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 9 X 7 MM, RED, DARK
RED, GREY, TAN AND SOFT
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA,
SURROUNDING PYLORIC VALVE: MULTIPLE
BROWN AREAS, UP TO 3 X 1 MM
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA,
SURROUNDING CARDIAC VALVE: MULTIPLE
TAN AND SLIGHTLY ERODED AREAS, UP TO 3
X 1 MM
PROSTATE (PR) :
-NODULAR; PROXIMAL, TISSUE SURROUNDING
URETHRA: GREEN
SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 14 X 5 X 4
MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
-EROSION, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

SEMINAL VESICLES (SV) :
-ATROPHY, -SEVERE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 163

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92554 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 510.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/07/00 14:38 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -STAINS - SKIN/HAIRCOAT; ALL REGIONS,
 DIFFUSE: DRY, RED MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
 LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
 MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
 BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU),
 JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
 HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 164

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92555 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/08/99 STUDY DAY OF DEATH: 415 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 540.6 GRAMS
DATE AND TIME OF NECROPSY: 06/08/99 14:30 PROSECTOR: GREGORY CODDINGTON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERPLASIA, ISLET CELLS, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 165

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92555 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/08/99 STUDY DAY OF DEATH: 415 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 540.6 GRAMS
DATE AND TIME OF NECROPSY: 06/08/99 14:30 PROSECTOR: GREGORY CODDINGTON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 8 X 8 MM, RED, DARK
RED, TAN AND SOFT
STOMACH, NONGL (SU) :
-THICKENED WALL; DIFFUSE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: DARK RED AND
DRY
-STAINS-PERINEUM/PERIANAL; MOIST
YELLOW MATERIAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 166

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92555 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/08/99 STUDY DAY OF DEATH: 415 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 540.6 GRAMS
DATE AND TIME OF NECROPSY: 06/08/99 14:30 PROSECTOR: GREGORY CODDINGTON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 167

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92556 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 402.2 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:33 PROSECTOR: JERALD W. JOHNSON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN	LIVER (LI) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		-GLYCOGEN, HEPATOCELLULAR, INCREASED, - MODERATELY SEVERE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT
		-HYALINE DROPLETS, TUBULAR EPITHELIUM, - MINIMAL
		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
		PANCREAS (PA) : >UNREMARKABLE
		>NOTE:>SEE SLIDE #17
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL
		-PIGMENT, -MINIMAL
	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 17 X 9 X 8 MM	TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 168

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92556 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 402.2 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:33 PROSECTOR: JERALD W. JOHNSON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		HEART (HT) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
	PITUITARY (PI) : -MASS(ES); 11 X 9 X 7 MM, RED, DARK RED, VASCULAR AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 10 X 4 X 1 MM	SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT
		EPIDIDYIMIDES (EP) : -HYOSPERMIA, -PRESENT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL, UPPER INCISORS -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 169

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92556 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 402.2 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:33 PROSECTOR: JERALD W. JOHNSON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 170

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92557 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 486.8 GRAMS
DATE AND TIME OF NECROPSY: 12/27/99 14:09 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) TESTIS (TE) : -CONTAINS FLUID; BILATERAL: BOTH ARE SOFT AND GELATINOUS -RED/YELLOW FOCUS(I)/AREA(S); RIGHT, BENEATH TUNICA: SINGLE YELLOW AREA, 8 X 4 MM	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE -GRANULOMA, SPERM, -PRESENT >NOTE:>BILATERAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 171

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92557 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 486.8 GRAMS
DATE AND TIME OF NECROPSY: 12/27/99 14:09 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 10 X 9 X 8 MM, RED, DARK RED, TAN, GRAY AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 3 MM IN DIAMETER	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN -STAINS - SKIN/HAIRCOAT; VENTRAL ABDOMINAL REGION: DARK RED AND MOIST	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 172

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92557 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 486.8 GRAMS
DATE AND TIME OF NECROPSY: 12/27/99 14:09 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92558	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99	STUDY DAY OF DEATH: 557	STUDY WEEK OF DEATH: 80	TERMINAL BODY WEIGHT: 470.6 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 8:02	PROSECTOR: JARED FISHEL	RECORDER: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

>EYES; SQUINTED; PERI-ORBITAL; VERIFIED
AT NECROPSY: NOT APPLICABLE
>EXCRETION; FEW FECES; VERIFIED AT
NECROPSY: NOT APPLICABLE
>APPEARANCE; THIN; VERIFIED AT
NECROPSY: OBSERVED
>APPEARANCE; HUNCHED; VERIFIED AT
NECROPSY: NOT APPLICABLE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT
NECROPSY: NOT APPLICABLE

HISTOPATHOLOGY

BRAIN (BR) :
-COMPRESSED (HYPOTHALAMUS)

PITUITARY (PI) :
-MASS(ES); 12 X 7 X 6 MM, DARK RED,
TAN, AND SOFT

BRAIN (BR) :
-COMPRESSION, VENTRAL, -PRESENT
KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
MINIMAL
-MINERALIZATION, PELVIC, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -MINIMAL
PANCREAS (PA) :
-ZYMOMEN GRANULES, DECREASED, -MODERATE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 174

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92558 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 470.6 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 8:02 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, PINPOINT AND UP TO 1
MM IN DIAMETER

STOMACH, GL (ST) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

JEJUNUM (JE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
GENERAL INFORMATION (XX) :
>NOTE:>IDENTIFICATION TRANSPONDER FOUND
WITHIN ADIPOSE TISSUE OF
ABDOMINAL CAVITY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 175

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92558 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 470.6 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 8:02 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LIVER (LI), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 176

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92559 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/22/99 15:34 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-PROXIMAL; WEEK 72; 25 X 20MM; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; TAIL-PROXIMAL; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); VENTRAL-THORACIC; WEEK 79; 20 X 20MM; VERIFIED AT NECROPSY: NOT OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: THICKENED -MOTTLED; ALL LOBES: RED, DARK RED AND TAN	LIVER (LI) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT KIDNEY (KD) : -HYALINE DROPLETS, TUBULAR EPITHELIUM, -MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL -ATROPHY, ACINAR, -SLIGHT ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MINIMAL LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL MARROW, FEMUR (FM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 177

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92559 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/22/99 15:34 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-MOTTLED; ALL LOBES: DARK RED AND TAN

SKIN (SK) :
-MASS(ES); LEFT SACRAL REGION: SINGLE
MASS, 25 MM IN DIAMETER; DARK RED, TAN
AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

MARROW, STERNUM (SE) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
-HEMORRHAGE, -PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-BACTERIAL COLONIES, -PRESENT
-SUPERFICIAL CRUSTING, -MODERATELY
SEVERE
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 178

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92559	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/22/99	STUDY DAY OF DEATH: 551	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/22/99 15:34	PROSECTOR: KEVIN BILLINGS	RECORDED: KEVIN BILLINGS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, OTHER (LN) : -LARGE; HEPATIC: UP TO 10 X 6 X 6 MM (CAP 22)	CAUSE OF DEATH (CD) : -NEOPLASM, HEMATOPOIETIC, -PRESENT LN, OTHER (LN) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 179

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92560 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/31/99 STUDY DAY OF DEATH: 560 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 588.2 GRAMS
DATE AND TIME OF NECROPSY: 10/31/99 14:18 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: TROY ELLENBECKER

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-PROXIMAL; WEEK 79; VERIFIED AT NECROPSY: OBSERVED >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 180

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92560 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/31/99 STUDY DAY OF DEATH: 560 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 588.2 GRAMS
DATE AND TIME OF NECROPSY: 10/31/99 14:18 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: TROY ELLENBECKER

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 4 X 4 MM, RED, DARK
RED, TAN AND SOFT

TAIL (TI) :

-RAISED AREA(S); NEAR BASE OF TAIL:
SINGLE SOFT AND RAISED AREA, 15 X 10 X
5 MM; COLLECTED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

TAIL (TI) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-CYST, EPIDERMAL INCLUSION, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 181

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92560 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/31/99 STUDY DAY OF DEATH: 560 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 588.2 GRAMS
DATE AND TIME OF NECROPSY: 10/31/99 14:18 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: TROY ELLENBECKER

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 182

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92561 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/29/99 STUDY DAY OF DEATH: 436 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 624.5 GRAMS
DATE AND TIME OF NECROPSY: 06/29/99 14:35 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ANGIECTASIS, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -PIGMENT, TUBULAR, -MINIMAL -HYALINE DROPLETS, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 183

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92561 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/29/99 STUDY DAY OF DEATH: 436 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 624.5 GRAMS
DATE AND TIME OF NECROPSY: 06/29/99 14:35 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 MM IN DIAMETER, DARK RED,
GRAY AND SOFT

THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-ANGIECTASIS, -PRESENT
RECTUM (RE) :
-PARASITISM, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 184

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92561 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/29/99 STUDY DAY OF DEATH: 436 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 624.5 GRAMS
DATE AND TIME OF NECROPSY: 06/29/99 14:35 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 185

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92562 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 667.7 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 8:48 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0217	.0032 %	.0094	WEIGHT TAKEN
RT ADRENAL (AD1)	.0222	.0033 %	.0096	WEIGHT TAKEN
BRAIN (BR)	2.3159	.3468 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1698	.3250 %	.9369	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1881	.3277 %	.9448	WEIGHT TAKEN
LIVER (LI)	19.3134	2.8925 %	8.3395	WEIGHT TAKEN
LUNG (LU)	1.9553	.2928 %	.8443	WEIGHT TAKEN
SPLEEN (SP)	.9195	.1377 %	.3970	WEIGHT TAKEN
LF TESTIS (TE0)	1.6813	.2518 %	.7260	WEIGHT TAKEN
RT TESTIS (TE1)	1.6647	.2493 %	.7188	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0204	.0031 %	.0088	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0190	.0028 %	.0082	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 186

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92562 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 667.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:48 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SPLEEN (SP) :
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MINIMAL
PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 187

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92562 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 667.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:48 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 188

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92563 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 493.7 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 8:04 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL BONE, STERNUM (SB) : -HYPERPLASIA, CARTILAGINOUS, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 189

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92563 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 493.7 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 8:04 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 8 X 7 MM, DARK RED,
TAN AND SOFT

STOMACH, NONGL (SU) :

-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

MAMMARY, MALE (MM) :

-GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

MAMMARY, MALE (MM) :

-CYST(S); BILATERAL PECTORAL REGIONS:
MULTIPLE TAN AND CREAMY SEMIFLUID
FILLED CYSTS, UP TO 4 MM IN DIAMETER
(CAP 22)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 190

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92563 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 493.7 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 8:04 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LIVER (LI), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 191

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92564 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/19/99 STUDY DAY OF DEATH: 487 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 681.9 GRAMS
DATE AND TIME OF NECROPSY: 08/19/99 7:55 PROSECTOR: TONY HANFELD RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		BRAIN (BR) : -M-ASTROCYTOMA, -NEOPLASM PRESENT
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED		PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -LARGE; 5 X 5 X 2 MM; APPEARS SWOLLEN	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 192

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92564 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/19/99 STUDY DAY OF DEATH: 487 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 681.9 GRAMS
DATE AND TIME OF NECROPSY: 08/19/99 7:55 PROSECTOR: TONY HANFELD RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -RAISED AREA(S); RIGHT POSTERIOR ASPECT: SINGLE TAN AREA, 1 MM IN DIAMETER	STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MINIMAL -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA, WITHIN THICKENED AREA: MULTIPLE DARK BROWN ERODED AREAS, UP TO 8 X 2 MM -THICKENED WALL; NEAR ESOPHAGEAL GROOVE: SINGLE AREA, 15 X 9 MM	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	CAUSE OF DEATH (CD) : -NEOPLASM, BRAIN, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 193

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92564 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/19/99 STUDY DAY OF DEATH: 487 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 681.9 GRAMS
DATE AND TIME OF NECROPSY: 08/19/99 7:55 PROSECTOR: TONY HANFELD RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 194

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92565 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/16/00 8:28 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; PAWS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE		EYE (EY) : -INFLAMMATION, ACUTE, -SLIGHT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 195

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92565 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/16/00 8:28 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
MUSCLE, SKELETAL (SM) :
-ATROPHY, -MODERATELY SEVERE
NERVE, SCIATIC (SN) :
-DEGENERATION, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
-INFLAMMATION, SUBACUTE, -MINIMAL
DUODENUM (DU) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
-EROSION, -MINIMAL
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
EPIDIDYMITES (EP) :
-IMMATURE SPERM FORMS, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 196

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92565	SEX: MALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/16/00	STUDY DAY OF DEATH: 637	STUDY WEEK OF DEATH: 91	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/16/00 8:28	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -DISCHARGE-OCULAR; BILATERAL: DARK RED AND MOIST -STAINS-PERINEUM/PERIANAL; YELLOW AND MOIST -DISCHARGE-NASAL; DARK RED AND MOIST -ANIMAL OBESE	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 197

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92565 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/16/00 8:28 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), JEJUNUM (JE), COLON (CO), RECTUM (RE), SKIN (SK), PROSTATE (PR),
SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 198

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92566 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/98 STUDY DAY OF DEATH: 155 STUDY WEEK OF DEATH: 23 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/21/98 10:53 PROSECTOR: JAMES T. CALLEN RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL
		BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -M-OLIGODENDROGLIOMA, -NEOPLASM PRESENT
		LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MODERATE
		KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL
		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
		LUNG (LU) : -CONGESTION, -PRESENT
		CAUSE OF DEATH (CD) : -NEOPLASM, BRAIN, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -TEETH MISSING/BROKEN/WORN; BILATERAL UPPER INCISORS: MISSING	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 199

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92566 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/98 STUDY DAY OF DEATH: 155 STUDY WEEK OF DEATH: 23 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/21/98 10:53 PROSECTOR: JAMES T. CALLEN RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; LEFT: DRY RED
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 200

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92566 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/98 STUDY DAY OF DEATH: 155 STUDY WEEK OF DEATH: 23 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/21/98 10:53 PROSECTOR: JAMES T. CALLEN RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 201

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92567 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 8:22 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 202

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92567 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 8:22 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MUSCLE, SKELETAL (SM) :
-MASS(ES); LEFT BICEPS FEMORIS: SINGLE
MASS, 40 X 20 X 20 MM, DARK RED, TAN,
LOBULATED, AND FIRM; SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(POPLITEAL) NOT IDENTIFIED
NERVE, SCIATIC (SN) :
>NOTE:>RIGHT SCIATIC NERVE COLLECTED
DUE TO SM MASS ON LEFT
THYROID (TY) :
-LARGE; RIGHT: 9 X 7 X 7 MM (LEFT IS 8
X 5 X 5 MM)
PITUITARY (PI) :
-MASS(ES); 8 X 7 X 5 MM, DARK RED,
TAN, AND SOFT

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
MUSCLE, SKELETAL (SM) :
-M-SARCOMA, UNDIFFERENTIATED, -NEOPLASM
PRESENT

THYROID (TY) :
>UNREMARKABLE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

DUODENUM (DU) :
>AUTOLYTIC
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
RECTUM (RE) :
>AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 203

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92567 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 8:22 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT

GENERAL COMMENT (GC) :
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 204

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92567 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 8:22 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 205

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92568 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/20/00 STUDY DAY OF DEATH: 701 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/20/00 13:35 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 95; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -CYST(S); RIGHT ON CORTICAL SURFACE: SINGLE CLEAR FLUID FILLED CYST, 1 MM IN DIAMETER -LARGE; BILATERAL: EACH IS 30 X 20 X 12 MM ADRENAL, CORTEX (AC) : -LARGE; LEFT:9 X 6 X 6 MM (RIGHT IS 5 X 4 X 2 MM) -MOTTLED; BILATERAL: RED, DARK RED AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -B-ADENOMA, -NEOPLASM PRESENT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT -M-MALIGNANT PHEOCHROMOCYTOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 206

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92568 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/20/00 STUDY DAY OF DEATH: 701 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/20/00 13:35 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-CRUSTED AREA(S); DORSAL THORACIC
REGION: SINGLE DARK RED, DRY SLIGHTLY
RAISED AREA, 10 X 6 X 4 MM (CAP 22)

TESTIS (TE) :
-ATROPHY/DEGENERATION, -MINIMAL
-INFLAMMATION, VASCULAR, -MODERATELY
SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PARATHYROID (PT) :
-HYPERPLASIA, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SKIN (SK) :
-M-CARCINOMA, SQUAMOUS CELL, -NEOPLASM
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
EPIDIDYMIDES (EP) :
-INFLAMMATION, VASCULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 207

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92568 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/20/00 STUDY DAY OF DEATH: 701 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/20/00 13:35 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 208

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92569 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:59 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 93; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 209

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92569 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:59 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 20 X 15 X 10 MM, RED,
TAN, GREY AND FIRM; SAME ON CUT
SURFACE; (CAP 22); REGIONAL LN
(AXILLARY) NORMAL (CAP 23)
-MASS #2; LEFT AXILLARY REGION,
CRANIAL TO MM MASS #1: SINGLE MASS, 25
X 15 X 12 MM, TAN, LOBULATED AND FIRM;
SAME ON CUT SURFACE; (CAP 24);
REGIONAL LN (AXILLARY) NORMAL (CAP 23)

ADRENAL, CORTEX (AC) :
-PIGMENT, -SLIGHT
LN, MESENTERIC (MS) :
-HEMORRHAGE, -PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
MAMMARY, MALE (MM) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-M-CARCINOMA, - 2 NEOPLASMS PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 210

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92569 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:59 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAVITY, ABDOM (PC) :
-MASS(ES); ATTACHED TO ADIPOSE TISSUE,
NEAR STOMACH: SINGLE MASS, 20 X 12 X
10 MM, YELLOW, TAN AND FIRM; (CAP 25)
REGIONAL LN (PANCREATIC) NOT
IDENTIFIED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -
MODERATELY SEVERE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 211

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92569 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:59 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 212

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92570 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 648.0 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:52 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0288	.0044 %	.0119	WEIGHT TAKEN
RT ADRENAL (AD1)	.0271	.0042 %	.0112	WEIGHT TAKEN
BRAIN (BR)	2.4190	.3733 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.6246	.4050 %	1.0850	WEIGHT TAKEN
RT KIDNEY (KD1)	2.5830	.3986 %	1.0678	WEIGHT TAKEN
LIVER (LI)	17.2061	2.6553 %	7.1129	WEIGHT TAKEN
LUNG (LU)	2.5087	.3871 %	1.0371	WEIGHT TAKEN
SPLEEN (SP)	.9586	.1479 %	.3963	WEIGHT TAKEN
LF TESTIS (TE0)	1.9006	.2933 %	.7857	WEIGHT TAKEN
RT TESTIS (TE1)	1.9018	.2935 %	.7862	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0274	.0042 %	.0113	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0279	.0043 %	.0115	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 213

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92570 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 648.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:52 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
STOMACH, GL (ST) :
-INFLAMMATION, ACUTE, -MINIMAL
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 214

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92570 SEX: MALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 648.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:52 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 215

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92571 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 645.6 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 12:32 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE -INFLAMMATION, SUPPURATIVE, PELVIC, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 216

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92571 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 645.6 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 12:32 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :

-SMALL; LEFT: 20 X 12 X 3 MM (RIGHT IS
23 X 14 X 8 MM); LEFT IS SOFT

PITUITARY (PI) :

-MASS(ES); 12 X 10 X 6 MM, RED, DARK
RED AND SOFT

URINARY BLADDER (UB) :

-SEMIFLUID MATERIAL; RED SEMIFLUID
-THICKENED WALL; DIFFUSE

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

ADRENAL, MEDULLA (MA) :

-UNILATERALLY EXAMINED, -PRESENT
-HYPERPLASIA, MEDULLARY, -MINIMAL

TESTIS (TE) :

-ATROPHY/DEGENERATION, -SEVERE
>NOTE:>UNILATERAL

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE

HEART (HT) :

-CARDIOMYOPATHY, -MINIMAL

THYROID (TY) :

-B-ADENOMA, C-CELL, -NEOPLASM PRESENT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

URINARY BLADDER (UB) :

-HEMORRHAGE, -MINIMAL
-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 217

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92571 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 645.6 GRAMS
 DATE AND TIME OF NECROPSY: 03/21/00 12:32 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -MALOCCLUSION; BILATERAL, UPPER
 INCISORS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
 TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 218

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92572 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 15:56 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -MOTTLED; BILATERAL: RED AND TAN	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 219

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92572 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 15:56 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
LN, MESENTERIC (MS) :
-MINERALIZATION, VASCULAR, -MODERATE
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SLIGHT
-INFLAMMATION, VASCULAR, -MODERATE
-HYPERPLASIA, INTERSTITIAL CELL (LEYDIG
CELL), -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
-MINERALIZATION, VASCULAR, -MODERATE
-MINERALIZATION, -MODERATE
PARATHYROID (PT) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-MINERALIZATION, GLANDULAR MUCOSA, -
SLIGHT
-MINERALIZATION, VASCULAR, -SLIGHT
CECUM (CE) :
>AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 220

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92572 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 15:56 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

COLON (CO) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-ORAL; BROWN MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 221

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92572 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 15:56 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 222

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92573 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 530.3 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 7:41 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, -SLIGHT -GLYCOGEN, HEPATOCELLULAR, INCREASED, - MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SLIGHT >NOTE:>UNILATERAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 223

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92573 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 530.3 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 7:41 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-MISSING/NOT IDENTIFIED; NOT
POSITIVELY IDENTIFIED; POSSIBLE
REMNANTS COLLECTED

PITUITARY (PI) :
-MASS(ES); 9 X 7 X 7 MM, DARK RED,
RED, TAN AND SOFT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; RIGHT UPPER INCISOR
-TEETH MISSING/BROKEN/WORN; LEFT UPPER
INCISOR: MISSING
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 224

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92573 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 530.3 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 7:41 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 225

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92574 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 330.1 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:13 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	12.0928	3.6630 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 226

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92574 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 330.1 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:13 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 227

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92575 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 288.1 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:32 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	10.4038	3.6115 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 228

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92575 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 288.1 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:32 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 229

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92576 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 792.6 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:34 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 73; 30 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT BONE, FEMUR (FE) : -HYPERPLASIA, BONE, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 230

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92576	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)	
DATE OF DEATH: 02/21/00	STUDY DAY OF DEATH: 673	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: 792.6 GRAMS	
DATE AND TIME OF NECROPSY: 02/21/00 14:34	PROSECTOR: NANCY DIEDRICH	RECORDED: NANCY DIEDRICH	WEIGHED: NOT AVAILABLE	
POST-FIX WEIGHED: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED			

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	HEART (HT) : -LIGHT FOCUS(I)/AREA(S); EPICARDIUM OF BOTH VENTRICLES: MULTIPLE TAN, INDISTINCT AREAS	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 8 X 5 X 5 MM, RED, DARK RED, AND SOFT	THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	SKIN (SK) : -CRUSTED AREA(S); DORSAL THORACIC REGION: SINGLE BLACK CRUSTED AREA, 30 X 20 MM; COLLECTED; POSSIBLY CONSISTENT WITH MASS NOTED IN CLINICAL OBSERVATIONS	SKIN (SK) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ULCERATION, -SLIGHT -B-KERATOACANTHOMA, -NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 231

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92576 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 792.6 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:34 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 232

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92577 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 895.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 69; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 101; 30 X 40MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); HEAD-MAXILLARY-LEFT; WEEK 105; VERIFIED AT NECROPSY: OBSERVED	SKIN (SK) : -MASS(ES); ATTACHED TO LOWER LEFT LIP: SINGLE MASS, 15 X 13 X 8 MM, RED, DARK RED, GRAY, AND SOFT; ON SECTION EXUDES A DARK BROWN GELATINOUS FLUID (CAP 22); REGIONAL LN (MANDIBULAR) NORMAL (CAP 23)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE -CYST, -PRESENT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT TESTIS (TE) : -INFLAMMATION, VASCULAR, -SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT SKIN (SK) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -B-KERATOACANTHOMA, -NEOPLASM PRESENT -B-FIBROMA, -NEOPLASM PRESENT -FIBROSIS, -MODERATE >NOTE:>MASS #2 IS THE KERATOACANTHOMA THE FIBROMA WAS DESCRIBED GROSSLY UNDER MAMMARY, MALE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 233

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92577 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 895.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SKIN (SK) : -MASS #2; RIGHT LUMBAR REGION: SINGLE MASS, 32 X 20 X 19 MM, RED, GRAY, TAN, CAULIFLOWER-LIKE, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (INGUINAL) NORMAL (CAP 26); OVERLYING SKIN HAS A SINGLE DRY, TAN CRUSTED AREA, 10 X 10 X 5 MM; COLLECTED INTACT WITH MASS	URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE MAMMARY, MALE (MM) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL >NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS THIS MASS IS THE FIBROMA
	MAMMARY, MALE (MM) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 53 X 45 X 18 MM, RED, GRAY, TAN, AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 24) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -ANIMAL OBESE	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 234

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92577 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 895.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), LN, INGUINAL (IN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 235

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92578 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/08/99 STUDY DAY OF DEATH: 598 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 707.7 GRAMS
DATE AND TIME OF NECROPSY: 12/08/99 12:52 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE, AT JUNCTION OF LEFT MEDIAN LOBE: SINGLE TAN AREA, 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION -RED FOCUS(I)/AREA(S); LEFT LATERAL LOBE: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOMEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 236

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92578 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/08/99 STUDY DAY OF DEATH: 598 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 707.7 GRAMS
DATE AND TIME OF NECROPSY: 12/08/99 12:52 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 6 X 5 MM, DARK RED,
TAN, SOFT AND LOBULATED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: DRY DARK RED
MATERIAL

ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SLIGHT
>NOTE:>UNILATERAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 237

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92578 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/08/99 STUDY DAY OF DEATH: 598 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 707.7 GRAMS
DATE AND TIME OF NECROPSY: 12/08/99 12:52 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 238

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92579 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/12/99 STUDY DAY OF DEATH: 602 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/12/99 14:18 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL; WEEK 86; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE, NEAR MARGIN: SINGLE TAN AREA, 5 X 4 MM; COLLECTED ON ROUTINE SECTION -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -INFLAMMATION, VASCULAR, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT LN, MESENTERIC (MS) : -MINERALIZATION, VASCULAR, -SLIGHT TESTIS (TE) : -INFLAMMATION, VASCULAR, -MINIMAL BONE, FEMUR (FE) : -OSTEODYSTROPHY, FIBROUS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 239

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92579	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/12/99	STUDY DAY OF DEATH: 602	STUDY WEEK OF DEATH: 86	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/12/99 14:18	PROSECTOR: DAVID SCHUETTE	RECORDED: DAVID SCHUETTE	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT
		MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT
		BONE, STERNUM (SB) : -OSTEODYSTROPHY, FIBROUS, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
	HEART (HT) : -DIFFUSELY LIGHT; TAN	HEART (HT) : -CARDIOMYOPATHY, -MODERATE -MINERALIZATION, VASCULAR, -MODERATE -MINERALIZATION, -MODERATE
	PARATHYROID (PT) : -LARGE; BILATERAL: EACH IS 2 MM IN DIAMETER	THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT PARATHYROID (PT) : -HYPERPLASIA, -SEVERE
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE -MINERALIZATION, GLANDULAR MUCOSA, - MODERATE
	CECUM (CE) : -DIFFUSELY RED; MUCOSA	CECUM (CE) : -EROSION, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 240

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92579 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/12/99 STUDY DAY OF DEATH: 602 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/12/99 14:18 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	CECUM (CE) : -THICKENED WALL; DIFFUSE	CECUM (CE) : -HEMORRHAGE, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	SKIN (SK) : -ABRASION(S)/ULCERATION(S); MID VENTRAL ABDOMINAL REGION: SINGLE MOIST TAN ULCERATED AREA, 5 MM IN DIAMETER (CAP 22)	SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE -ULCERATION, -MODERATE -FIBROSIS, -MODERATELY SEVERE
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		SEMINAL VESICLES (SV) : -ATROPHY, -MODERATE
		CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT
	LN, RENAL (RL) : -DIFFUSELY RED; RIGHT: DARK RED (CAP 23)	LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT -HEMORRHAGE, -PRESENT
	GENERAL COMMENT (GC) : -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 241

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92579 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/12/99 STUDY DAY OF DEATH: 602 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/12/99 14:18 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 242

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92580 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 503.8 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 11:30 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -NECROSIS, COAGULATIVE, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT HEART (HT) : -CARDIOMYOPATHY, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 243

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92580 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 503.8 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 11:30 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 MM IN DIAMETER, DARK
RED, TAN AND SOFT
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 2 X 1
MM
PROSTATE (PR) :
-SMALL; 15 X 10 X 5 MM
SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 13 X 5 X 2
MM
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: DRY AND RED
MATERIAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
SEMINAL VESICLES (SV) :
-SECRETION, DECREASED, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 244

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92580 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 503.8 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 11:30 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 245

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92581 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 363.3 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 15:34 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); LIMB-HIND-RIGHT; WEEK 93; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >WART LIKE LESION(S); DORSAL; WEEK 95; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -NECROSIS, COAGULATIVE, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -KARYOMEGALY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SLIGHT -INFLAMMATION, VASCULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 246

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92581	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00	STUDY DAY OF DEATH: 729	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 363.3 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 15:34	PROSECTOR: JODI THIEREN	RECORDED: TONY HANFELD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE
		MARROW, STERNUM (SE) : -HYPOCELLULAR, MARROW, -MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SLIGHT
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		MUSCLE, SKELETAL (SM) : -ATROPHY, -MODERATE
		NERVE, SCIATIC (SN) : -DEGENERATION, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 10 X 6 X 6 MM, DARK RED, TAN AND FIRM	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 2 X 1 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : >UNREMARKABLE
		STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 247

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92581	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00	STUDY DAY OF DEATH: 729	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 363.3 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 15:34	PROSECTOR: JODI THIEREN	RECORDED: TONY HANFELD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 3 MM IN DIAMETER	STOMACH, NONGL (SU) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	SKIN (SK) : -CRUSTED AREA(S); RIGHT LATERAL THORACIC REGION: SINGLE TAN AND DRY AREA, 8 X 5 MM (CAP 24); POSSIBLY CONSISTENT WITH WART-LIKE LESION (DORSAL) AS NOTED IN CLINICAL OBSERVATIONS	SKIN (SK) : -CYST, EPIDERMAL INCLUSION, -PRESENT -B-PAPILLOMA, SQUAMOUS CELL, -NEOPLASM PRESENT >NOTE:>PAPILLOMA IS ON SLIDE #24 BOTH MASSES ARE INCLUSION CYSTS
	-MASS(ES); RIGHT THIGH: SINGLE MASS, 17 X 12 X 8 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (POPLITEAL) NOT IDENTIFIED; OVERLYING SKIN HAS TWO TAN AND DRY ABRADED AREAS, BOTH ARE 3 MM IN DIAMETER; COLLECTED INTACT WITH MASS	
	-MASS #2; RIGHT FLANK: SINGLE MASS, 10 MM IN DIAMETER, TAN AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (INGUINAL) NOT IDENTIFIED	
	PROSTATE (PR) : -NODULAR; SURROUNDING URETHRA: BROWN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 13 X 6 X 2 MM	SEMINAL VESICLES (SV) : -ATROPHY, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 248

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92581 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 363.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/17/00 15:34 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
 -NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
 LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
 COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
 SPINAL CORD (SC), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB),
 EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 249

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92582 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 569.5 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 13:11 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); SHOULDER-LEFT; WEEK 98; 60 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; SHOULDER-LEFT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; LIMITED USE; LIMB-FRONT-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN, FIRM AREAS, UP TO 9 X 5 MM; COLLECTED ON ROUTINE SECTIONS; EXTRA SECTIONS (CAP 22)	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -HYALINE DROPLETS, TUBULAR EPITHELIUM, -MODERATELY SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, DIFFUSE, -MODERATE -PIGMENT, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT -HYPERPLASIA, MEGAKARYOCYTIC, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MEGAKARYOCYTIC, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 250

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92582 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 569.5 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 13:11 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE TAN, FIRM AREAS, UP TO 4 X 2
MM

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 4 MM IN
DIAMETER

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
ESOPHAGUS (ES) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
THYROID (TY) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
SKIN (SK) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 251

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92582 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 569.5 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 13:11 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); LEFT AXILLARY REGION
EXTENDS TO LEFT SHOULDER REGION:
SINGLE MASS, 45 X 25 X 15 MM, RED, TAN
AND FIRM; SAME ON CUT SURFACE;
OVERLYING SKIN HAS A BROWN, RED, DRY
CRUSTED AREA, 30 X 25 MM; COLLECTED;
REGIONAL LN (AXILLARY) NOT IDENTIFIED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, HEMATOPOIETIC, -PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 252

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92582 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 569.5 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 13:11 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 253

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92583 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 577.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 74; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE TAN AREA, 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -LARGE; BILATERAL: EACH IS 30 X 20 X 12 MM -DIFFUSELY LIGHT; BILATERAL: TAN ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 X 6 X 6 MM (RIGHT IS 5 X 4 X 3 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -CORTICAL TISSUE, EXTRACAPSULAR, - PRESENT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 254

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92583 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 577.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 5 X 5 X 3 MM, DARK RED, TAN AND SOFT STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE SKIN (SK) : -MASS(ES); MID DORSAL LUMBAR REGION: SINGLE MASS, 15 X 15 X 10 MM, TAN AND FIRM; SAME ON CUT SURFACE; OVERLYING SKIN HAS A SINGLE BROWN ULCERATED AREA, 7 MM IN DIAMETER; COLLECTED INTACT WITH MASS; REGIONAL LN (AXILLARY) NORMAL (CAP 25)	TESTIS (TE) : -INFLAMMATION, VASCULAR, -SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE SKIN (SK) : -M-CARCINOMA, SQUAMOUS CELL, -NEOPLASM PRESENT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE LN, RENAL (RL) : -HEMORRHAGE, -PRESENT MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT
	LN, RENAL (RL) : -LARGE; LEFT: 10 X 6 X 3 MM (RIGHT IS 5 X 4 X 3 MM) -DIFFUSELY RED; BILATERAL: DARK RED (CAP 23)	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 255

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92583 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 577.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-CYST(S); BILATERAL, PECTORAL REGIONS:
MULTIPLE TAN CREAMY FLUID FILLED
CYSTS, UP TO 15 X 12 X 5 MM (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 256

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92584 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/11/99 STUDY DAY OF DEATH: 418 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 401.8 GRAMS
DATE AND TIME OF NECROPSY: 06/11/99 13:56 PROSECTOR: MICHELE MARGGI RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT
		ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -MINIMAL
		-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 257

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92584 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/11/99 STUDY DAY OF DEATH: 418 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 401.8 GRAMS
DATE AND TIME OF NECROPSY: 06/11/99 13:56 PROSECTOR: MICHELE MARGGI RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; YELLOW
MOIST MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 258

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92584 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/11/99 STUDY DAY OF DEATH: 418 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 401.8 GRAMS
DATE AND TIME OF NECROPSY: 06/11/99 13:56 PROSECTOR: MICHELE MARGGI RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 259

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92585 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99 STUDY DAY OF DEATH: 268 STUDY WEEK OF DEATH: 39 TERMINAL BODY WEIGHT: 470.1 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 15:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >MASS(ES); VENTRAL-CERVICAL; WEEK 37; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 37; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >MASS(ES); AXILLARY REGION-LEFT; WEEK 39; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	 SPLEEN (SP) : -LARGE; 50 X 15 X 10 MM LN, MESENTERIC (MS) : -LARGE; UP TO 10 X 10 X 8 MM	 LIVER (LI) : -CONGESTION,-PRESENT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT KIDNEY (KD) : -REGENERATION, TUBULAR EPITHELIUM,- MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED,-MODERATE -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT LN, MESENTERIC (MS) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT MARROW, FEMUR (FM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT MARROW, STERNUM (SE) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT THYMUS (TH) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 260

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92585 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99 STUDY DAY OF DEATH: 268 STUDY WEEK OF DEATH: 39 TERMINAL BODY WEIGHT: 470.1 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 15:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYMUS (TH) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE MASS, 35 X 35 X 25 MM, DARK RED, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE MEDIASTINAL)	LUNG (LU) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT HEART (HT) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT SALIV GL, MANDIB (SG) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT ILEUM (IL) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 14 X 9 X 1 MM	HEMATO NEOPLASIA (HN) : -M-LYMPHOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, HEMATOPOIETIC, -PRESENT
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 20 X 20 X 15 MM (CAP 23)	LN, MEDIASTINAL (ML) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 261

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92585	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99	STUDY DAY OF DEATH: 268	STUDY WEEK OF DEATH: 39	TERMINAL BODY WEIGHT: 470.1 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 15:02	PROSECTOR: WENDY CHERRY	RECORDER: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, AXILLARY (AX) : -LARGE; BILATERAL: EACH IS UP TO 40 X 22 X 15 MM (CAP 22); POSSIBLY CONSISTENT WITH MASSES (LEFT AND RIGHT AXILLARY REGIONS) AS NOTED IN CLINICAL OBSERVATIONS	LN, AXILLARY (AX) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
	LN, INGUINAL (IN) : -LARGE; BILATERAL: EACH IS 11 X 8 X 6 MM (CAP 24)	LN, INGUINAL (IN) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
	LN, OTHER (LN) : -LARGE; HEPATIC: UP TO 25 X 15 X 15 MM (CAP 25)	LN, OTHER (LN) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
	LN, RENAL (RL) : -LARGE; BILATERAL: EACH IS 25 X 17 X 15 MM (CAP 26)	LN, RENAL (RL) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
	LN, MANDIBULAR (MN) : -LARGE; BILATERAL: EACH IS UP TO 25 X 15 X 12 MM; COLLECTED; POSSIBLY CONSISTENT WITH MASS (VENTRAL CERVICAL) NOTED IN CLINICAL OBSERVATIONS	LN, MANDIBULAR (MN) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -TEETH MISSING/BROKEN/WORN; MISSING, BILATERAL UPPER INCISORS -DISCHARGE-OCULAR; LEFT: DARK RED AND DRY -FLUID-THORACIC CAVITY; CONTAINS A LARGE AMOUNT OF RED FLUID	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 262

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92585 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99 STUDY DAY OF DEATH: 268 STUDY WEEK OF DEATH: 39 TERMINAL BODY WEIGHT: 470.1 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 15:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
EPIDIDYMIDES (EP)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 263

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92586 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/07/99 STUDY DAY OF DEATH: 506 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 518.1 GRAMS
DATE AND TIME OF NECROPSY: 09/07/99 14:10 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 9 X 8 X 8 MM, DARK RED, RED, TAN AND SOFT STOMACH, GL (ST) : -RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK RED AREAS, UP TO 2 X 1 MM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MINIMAL -PIGMENT, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 264

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92586 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/07/99 STUDY DAY OF DEATH: 506 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 518.1 GRAMS
DATE AND TIME OF NECROPSY: 09/07/99 14:10 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 2 MM IN DIAMETER -THICKENED WALL; DIFFUSE PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM SEMINAL VESICLES (SV) : -THICKENED; BILATERAL: RED, GRAY AND FIRM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE SEMINAL VESICLES (SV) : -HYPERPLASIA, EPITHELIAL, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 265

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92586 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/07/99 STUDY DAY OF DEATH: 506 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 518.1 GRAMS
DATE AND TIME OF NECROPSY: 09/07/99 14:10 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYIMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 266

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92587 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 480.5 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 11:13 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -ROUGH SURFACE, DIFFUSE; BILATERAL	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 267

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92587 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 480.5 GRAMS
 DATE AND TIME OF NECROPSY: 12/20/99 11:13 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 13 X 10 X 10 MM, RED, DARK RED, GRAY, AND SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BROWN AREAS, UP TO 2 MM IN DIAMETER MAMMARY, MALE (MM) : -CYST(S); BILATERAL PECTORAL REGIONS: MULTIPLE TAN AND CREAMY SEMIFLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER (CAP 22)	MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE URINARY BLADDER (UB) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE SEMINAL VESICLES (SV) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 268

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92587	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99	STUDY DAY OF DEATH: 610	STUDY WEEK OF DEATH: 88	TERMINAL BODY WEIGHT: 480.5 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 11:13	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -ANIMAL THIN
 -DISCHARGE-ORAL; RED AND MOIST

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 269

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92588 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 424.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 15:26 PROSECTOR: NANCY DIEDRICH RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -ATROPHY, ACINAR, -MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 270

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92588	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00	STUDY DAY OF DEATH: 715	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: 424.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 15:26	PROSECTOR: NANCY DIEDRICH	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		TESTIS (TE) : -HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL), -MINIMAL
		MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SEVERE
		MARROW, STERNUM (SE) : -HYPOCELLULAR, MARROW, -SLIGHT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -MODERATELY SEVERE
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		MUSCLE, SKELETAL (SM) : -ATROPHY, -MINIMAL
		NERVE, SCIATIC (SN) : -DEGENERATION, -MINIMAL
		PARATHYROID (PT) : >SECTION EXAMINED; TISSUE NOT PRESENT
	PITUITARY (PI) : -MASS(ES); 10 MM IN DIAMETER, RED, DARK RED AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PROSTATE (PR) : -LARGE; 35 X 20 X 10 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 40 X 20 X 5 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
		SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 271

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92588	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00	STUDY DAY OF DEATH: 715	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: 424.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 15:26	PROSECTOR: NANCY DIEDRICH	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, MALE (MM) : -THICKENED; BILATERAL, AXILLARY REGIONS: TAN AND FIRM (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; RIGHT UPPER INCISOR -TEETH MISSING/BROKEN/WORN; LEFT UPPER INCISOR: MISSING	EPIDIDYMIDES (EP) : -VACUOLATION, TUBULAR EPITHELIUM, - MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 272

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92588 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 424.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 15:26 PROSECTOR: NANCY DIEDRICH RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 273

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92589 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 394.9 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:21 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 274

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92589 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 394.9 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:21 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 15 X 10 X 7 MM, DARK RED,
TAN AND SOFT
PROSTATE (PR) :
-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 275

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92589 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 394.9 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:21 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 276

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92590 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 834.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:55 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE TESTIS (TE) : -MINERALIZATION, VASCULAR, -MINIMAL -B-INTERSTITIAL CELL TUMOR, -NEOPLASM PRESENT PITUITARY (PI) : -HYPERPLASIA, -MODERATE
	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 8 X 6 X 5 MM TESTIS (TE) : -RED/YELLOW FOCUS(I)/AREA(S); LEFT, BENEATH TUNICA: DIFFUSE -LARGE; LEFT: 40 X 22 X 17 MM (RIGHT IS 22 X 14 X 12 MM) PITUITARY (PI) : -RED FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE DARK RED AREAS, UP TO 2 X 1 MM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 277

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92590 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 834.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:55 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA: DIFFUSE

STOMACH, GL (ST) :
-EDEMA, -MODERATELY SEVERE
-INFLAMMATION, ACUTE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 278

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92591 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/18/00 7:16 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 87; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 95; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED TESTIS (TE) : -CONTAINS FLUID; LEFT: CLEAR FLUID	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE PITUITARY (PI) : -HYPERPLASIA, -MINIMAL JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 279

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92591 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/18/00 7:16 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN CREAMY SEMIFLUID FILLED
CYSTS, UP TO 16 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION; POSSIBLY
CONSISTENT WITH MASSES NOTED IN
CLINICAL OBSERVATIONS
GENERAL COMMENT (GC) :
-DISCHARGE-ORAL; YELLOW AND DRY

COLON (CO) :
>AUTOLYTIC
SKIN (SK) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
-CYST, EPIDERMAL INCLUSION, -PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 280

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92591 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/18/00 7:16 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 281

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92592 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 913.0 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -MINIMAL SPINAL CORD (SC) : -NECROSIS / HEMORRHAGE, WHITE MATTER, - MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 282

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92592 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 913.0 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-DEGENERATION/NECROSIS/HEMORRHAGE,
SPINAL CORD/BRAIN, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 283

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92592 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 913.0 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 284

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92593 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 479.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 9:38 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0279	.0058 %	.0121	WEIGHT TAKEN
RT ADRENAL (AD1)	.0154	.0032 %	.0067	WEIGHT TAKEN
BRAIN (BR)	2.3137	.4822 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.0761	.4327 %	.8973	WEIGHT TAKEN
RT KIDNEY (KD1)	1.9731	.4112 %	.8528	WEIGHT TAKEN
LIVER (LI)	15.4451	3.2191 %	6.6755	WEIGHT TAKEN
LUNG (LU)	1.6009	.3337 %	.6919	WEIGHT TAKEN
SPLEEN (SP)	.7002	.1459 %	.3026	WEIGHT TAKEN
LF TESTIS (TE0)	1.6486	.3436 %	.7125	WEIGHT TAKEN
RT TESTIS (TE1)	1.6414	.3421 %	.7094	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0144	.0030 %	.0062	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0110	.0023 %	.0048	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -DILATATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 285

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92593 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 479.8 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 9:38 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 21)
GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

LN, MANDIBULAR (MN) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 286

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92594 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/15/00 STUDY DAY OF DEATH: 667 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/15/00 13:15 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -HYPERPLASIA, CORTICAL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -HYPERPLASIA, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 287

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92594 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/15/00 STUDY DAY OF DEATH: 667 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/15/00 13:15 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-RAISED AREA(S); LEFT ASPECT: SINGLE
TAN, SLIGHTLY RAISED FOCUS, 2 MM IN
DIAMETER

ILEUM (IL) :

>AUTOLYTIC

CECUM (CE) :

>AUTOLYTIC

URINARY BLADDER (UB) :

>AUTOLYTIC

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

CAUSE OF DEATH (CD) :

-UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 288

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92594 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/15/00 STUDY DAY OF DEATH: 667 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/15/00 13:15 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 289

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92595 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 486.7 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 14:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; DORSAL- THORACIC; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); DORSAL; WEEK 73; 25 X 30MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -MASS(ES); WITHIN CEREBRUM: SINGLE MASS, 12 X 8 X 8 MM, TAN AND SOFT; COLLECTED INTACT PANCREAS (PA) : -MASS(ES); WITHIN PANCREAS: SINGLE MASS, 10 X 10 X 8 MM, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (SEE PANCREATIC)	BRAIN (BR) : -M-GRANULAR CELL TUMOR, -NEOPLASM PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -VACUOLATION, DIFFUSE, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 290

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92595 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 486.7 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 14:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-MASS(ES); MID DORSAL THORACIC REGION:
SINGLE MASS, 30 X 30 X 12 MM, DARK
RED, TAN AND FIRM; SAME ON CUT
SURFACE; COLLECTED; OVERLYING SKIN HAS
A SINGLE DARK RED AND TAN MOIST
ULCERATED AREA, 20 MM IN DIAMETER;
COLLECTED INTACT WITH MASS; REGIONAL
LN (AXILLARY) NORMAL (CAP 24)

SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 12 X 7 X 2
MM

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
SKIN (SK) :
-B-ADENOMA, BASAL
CELL/SQUAMOUS/SEBACEOUS, -NEOPLASM
PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
SEMINAL VESICLES (SV) :
-ATROPHY, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 291

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92595 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 486.7 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 14:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, ANT MES/PANC (AP) :
-MOTTLED; PANCREATIC: RED AND TAN (CAP
23)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

EPIDIDYIMIDES (EP) :
-VACUOLATION, TUBULAR EPITHELIUM, -
MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, BRAIN, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
LN, ANT MES/PANC (AP) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 292

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92595 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 486.7 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 14:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 293

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92596 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 473.4 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 10:58 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; SCROTUM; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -GLYCOGEN, HEPATOCELLULAR, INCREASED, - MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 294

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92596 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 473.4 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 10:58 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 6 X 5 MM, RED, DARK
RED, TAN AND SOFT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92596 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 473.4 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 10:58 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 296

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92597 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 670.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:17 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED	TESTIS (TE) : -LARGE; RIGHT: 25 X 17 X 10 MM (LEFT IS 20 X 13 X 9 MM); BOTH ARE SOFT FOOT/FOOTPAD (FP) : -ABRASION(S)/ULCERATION(S); LEFT HINDFOOT: SINGLE DARK RED, MOIST ABRADED AREA, 8 MM IN DIAMETER; SURROUNDING TISSUE APPEARS SWOLLEN; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE -ULCERATION, -MODERATE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -BACTERIA, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 297

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92597 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 670.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:17 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 298

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92598 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 749.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT ANTERIOR ASPECT: SINGLE DARK RED AREA, 2 MM IN DIAMETER STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE -CYST, -PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 299

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92598 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 749.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:40 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), TESTIS (TE), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 300

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92599 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 8:39 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY DARK; ALL LOBES: BROWN -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN, SLIGHTLY INDISTINCT AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS TESTIS (TE) : -CONTAINS FLUID; LEFT: CLEAR FLUID; LEFT IS ALSO SOFT	LIVER (LI) : -NECROSIS, COAGULATIVE, -SLIGHT -INFLAMMATION, SUBACUTE, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL PITUITARY (PI) : -HYPERPLASIA, -SLIGHT URINARY BLADDER (UB) : >UNREMARKABLE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 301

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92599 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 8:39 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-SEMIFLUID MATERIAL; DARK BROWN
SEMIFLUID

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 302

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92599 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 8:39 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 303

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92600 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 471.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:28 PROSECTOR: TROY ELLENBECKER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0349	.0074 %	.0156	WEIGHT TAKEN
RT ADRENAL (AD1)	.0286	.0061 %	.0128	WEIGHT TAKEN
BRAIN (BR)	2.2319	.4731 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.7574	.3725 %	.7874	WEIGHT TAKEN
RT KIDNEY (KD1)	1.7944	.3803 %	.8040	WEIGHT TAKEN
LIVER (LI)	15.0729	3.1948 %	6.7534	WEIGHT TAKEN
LUNG (LU)	1.7674	.3746 %	.7919	WEIGHT TAKEN
SPLEEN (SP)	.7466	.1582 %	.3345	WEIGHT TAKEN
LF TESTIS (TE0)	1.6879	.3578 %	.7563	WEIGHT TAKEN
RT TESTIS (TE1)	1.6725	.3545 %	.7494	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0093	.0020 %	.0042	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0112	.0024 %	.0050	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL (CAP 21) GENERAL COMMENT (GC) : -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 304

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92600 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 471.8 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:28 PROSECTOR: TROY ELLENBECKER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 305

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92601 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 827.4 GRAMS
 DATE AND TIME OF NECROPSY: 04/21/00 11:11 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 104; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -MODERATE PITUITARY (PI) : -HYPERPLASIA, -MODERATE
	PITUITARY (PI) : -LIGHT FOCUS(I)/AREA(S); LEFT ANTERIOR ASPECT: SINGLE TAN AREA, 1 MM IN DIAMETER STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 306

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92601 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 827.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:11 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SKIN (SK) : -CRUSTED AREA(S); RIGHT DORSAL SHOULDER REGION: SINGLE TAN, SLIGHTLY RAISED, CRUSTED AREA, 8 MM IN DIAMETER (CAP 22) PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 307

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92601 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 827.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:11 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 308

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92602 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 637.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	TESTIS (TE) : -SMALL; RIGHT: 20 X 13 X 3 MM (LEFT IS 22 X 16 X 9 MM) -CONTAINS FLUID; LEFT BENEATH TUNICA: CLEAR FLUID GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 309

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92602	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 637.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52	PROSECTOR: TERRI L. WILLIAMS	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 310

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92603 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/24/98 STUDY DAY OF DEATH: 127 STUDY WEEK OF DEATH: 19 TERMINAL BODY WEIGHT: 521.4 GRAMS
DATE AND TIME OF NECROPSY: 08/24/98 10:16 PROSECTOR: JOHN S. HALFORD RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JOHN S. HALFORD

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; PARALYSIS; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT KIDNEY (KD) : -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE MARROW, FEMUR (FM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT MARROW, STERNUM (SE) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT SPINAL CORD (SC) : >UNREMARKABLE >NOTE:>SEE VERTEBRA
	SPINAL CORD (SC) : -FRACTURE(S); BETWEEN L3 AND L5: SINGLE INDISTINCT FRACTURE; COLLECTED	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 311

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92603 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/24/98 STUDY DAY OF DEATH: 127 STUDY WEEK OF DEATH: 19 TERMINAL BODY WEIGHT: 521.4 GRAMS
DATE AND TIME OF NECROPSY: 08/24/98 10:16 PROSECTOR: JOHN S. HALFORD RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JOHN S. HALFORD

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
RECTUM (RE) :
-PARASITISM, -PRESENT
HEMATO NEOPLASIA (HN) :
-M-LYMPHOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, HEMATOPOIETIC, -PRESENT
VERTEBRA/MARROW (VT) :
-X-HEMATOPOIETIC NEOPLASIA (SEE HN), -
NEOPLASM PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 312

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92603 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/24/98 STUDY DAY OF DEATH: 127 STUDY WEEK OF DEATH: 19 TERMINAL BODY WEIGHT: 521.4 GRAMS
DATE AND TIME OF NECROPSY: 08/24/98 10:16 PROSECTOR: JOHN S. HALFORD RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JOHN S. HALFORD

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), BONE, STERNUM (SB), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 313

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92604 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 405.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:41 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 MM IN DIAMETER (RIGHT IS 4 X 3 X 3 MM)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : >UNREMARKABLE ADRENAL, MEDULLA (MA) : -M-MALIGNANT PHEOCHROMOCYTOMA, -NEOPLASM PRESENT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 314

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92604 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 405.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:41 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 15 X 10 X 8 MM, DARK RED,
RED, LOBULATED AND FIRM

SEMINAL VESICLES (SV) :

-LARGE; BILATERAL: EACH IS 34 X 17 X 8
MM

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; DRY BROWN
MATERIAL

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE

LUNG (LU) :

-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

HEART (HT) :

-CARDIOMYOPATHY, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

SEMINAL VESICLES (SV) :

-SECRETION, INCREASED, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 315

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92604 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 405.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:41 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 316

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92605 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
 DATE OF DEATH: 04/11/00 STUDY DAY OF DEATH: 723 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
 DATE AND TIME OF NECROPSY: 04/11/00 14:14 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 87; 40 X 50MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT
>MASS(ES); DORSAL; WEEK 79; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SEVERE
>SKIN & PELAGE; SORE/SCAB; VENTRAL-ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED	KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE
>SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: NOT OBSERVED		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT
>SKIN & PELAGE; RED HAIR COAT; HEAD-ENTIRE; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 9 MM IN DIAMETER (RIGHT IS 7 X 4 X 3 MM)	ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS PRESENT
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE		LN, MESENTERIC (MS) : -MINERALIZATION, VASCULAR, -MODERATELY SEVERE
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		TESTIS (TE) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 317

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92605 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/11/00 STUDY DAY OF DEATH: 723 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/11/00 14:14 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		BONE, FEMUR (FE) : -OSTEODYSTROPHY, FIBROUS, -MODERATE BONE, STERNUM (SB) : -OSTEODYSTROPHY, FIBROUS, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MODERATE -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT -MINERALIZATION, SEPTAL, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MODERATE -MINERALIZATION, VASCULAR, -MODERATELY SEVERE -MINERALIZATION, -MODERATE NERVE, SCIATIC (SN) : >TISSUE MISSING THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -MODERATELY SEVERE PITUITARY (PI) : -HYPERPLASIA, -SLIGHT
	LUNG (LU) : -UNCOLLAPSED; ALL LOBES	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 318

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92605 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/11/00 STUDY DAY OF DEATH: 723 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/11/00 14:14 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-MASS(ES); RIGHT DORSAL LUMBAR REGION:
SINGLE MASS, 15 MM IN DIAMETER, TAN,
FIRM AND FRIABLE; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

MAMMARY, MALE (MM) :

-MASS(ES); RIGHT ABDOMINAL REGION:
SINGLE MASS, 45 X 35 X 25 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

GENERAL COMMENT (GC) :

-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-DISCHARGE-NASAL; BILATERAL, COVERING
ENTIRE HEAD: DRY RED MATERIAL

STOMACH, GL (ST) :

-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATE

JEJUNUM (JE) :

>AUTOLYTIC

CECUM (CE) :

>AUTOLYTIC

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT
-B-LIPOMA, -NEOPLASM PRESENT
>NOTE:>LIPOMA IS MASS DESCRIBED UNDER
MAMMARY, MALE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-NEPHROPATHY, -PRESENT

MAMMARY, MALE (MM) :

>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 319

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92605	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/11/00	STUDY DAY OF DEATH: 723	STUDY WEEK OF DEATH: 104	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/11/00 14:14	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-TRACHEA-CONTENT FOAMY MATTER; WHITE
FOAMY MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), MARROW, FEMUR (FM), MARROW, STERNUM (SE), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 320

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92606 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/13/99 STUDY DAY OF DEATH: 542 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 669.7 GRAMS
DATE AND TIME OF NECROPSY: 10/13/99 9:51 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); SHOULDER-RIGHT; WEEK 66; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >WART LIKE LESION(S); NOSE; WEEK 75; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; STERNAL; VERIFIED AT NECROPSY: NOT APPLICABLE	PANCREAS (PA) : -MASS(ES); WITHIN MID PANCREAS: SINGLE MASS, 10 X 7 X 5 MM, RED, DARK RED, TAN, GRAY, FIRM, AND LOBULATED; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (PANCREATIC) NOT IDENTIFIED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL MUSCLE, SKELETAL (SM) : -ATROPHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 321

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92606 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/13/99 STUDY DAY OF DEATH: 542 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 669.7 GRAMS
DATE AND TIME OF NECROPSY: 10/13/99 9:51 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 3 X 2 MM	STOMACH, GL (ST) : >UNREMARKABLE
	SKIN (SK) : -CRUSTED AREA(S); TIP OF SNOUT: SINGLE DARK RED, DRY, SLIGHTLY RAISED CRUSTED AREA, 2 X 1 MM (CAP 24); CONSISTENT WITH WART-LIKE LESION (NOSE) AS NOTED IN CLINICAL OBSERVATIONS -MASS(ES); RIGHT SHOULDER REGION: SINGLE MASS, 20 X 18 X 6 MM, TAN AND FIRM; ON SECTION EXUDES TAN, CASEOUS SEMISOLID; COLLECTED INTACT; REGIONAL LN (SEE AXILLARY)	SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -CYST, EPIDERMAL INCLUSION, -PRESENT
	LN, AXILLARY (AX) : -MOTTLED; BILATERAL: BROWN AND TAN (CAP 23)	PROSTATE (PR) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PANCREAS, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -STAINS-PERINEUM/PERIANAL; PERINEUM: YELLOW AND MOIST	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 322

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92606 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/13/99 STUDY DAY OF DEATH: 542 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 669.7 GRAMS
DATE AND TIME OF NECROPSY: 10/13/99 9:51 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 323

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92607 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 423.8 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:30 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: BROWN AND TAN KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -ROUGH SURFACE, DIFFUSE; BILATERAL	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -GLYCOGEN, HEPATOCELLULAR, INCREASED, - MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE -DILATATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATE -PIGMENT, -MINIMAL TESTIS (TE) : -INFLAMMATION, VASCULAR, -MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 324

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92607 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 423.8 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:30 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 15 X 12 X 12 MM, DARK RED, TAN AND SOFT	HEART (HT) : -CARDIOMYOPATHY, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 10 X 5 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	PROSTATE (PR) : -NODULAR; DIFFUSE: GREEN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL EPIDIDYIMIDES (EP) : -IMMATURE SPERM FORMS, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 325

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92607 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 423.8 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:30 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 326

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92608 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/19/99 STUDY DAY OF DEATH: 548 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 386.6 GRAMS
DATE AND TIME OF NECROPSY: 10/19/99 14:16 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 327

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92608 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/19/99 STUDY DAY OF DEATH: 548 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 386.6 GRAMS
DATE AND TIME OF NECROPSY: 10/19/99 14:16 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 9 MM IN DIAMETER, DARK RED,
TAN, AND SOFT

SEMINAL VESICLES (SV) :

-SMALL; RIGHT: 20 X 10 X 3 MM (LEFT IS
34 X 18 X 5 MM)
-GELATINOUS; RIGHT: CLEAR AND SOFT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL LOWER
INCISORS
-DISCHARGE-OCULAR; LEFT: DRY RED
MATERIAL
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; BROWN AND
YELLOW MOIST MATERIAL

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

SEMINAL VESICLES (SV) :

-SECRETION, INCREASED, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 328

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92608 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/19/99 STUDY DAY OF DEATH: 548 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 386.6 GRAMS
DATE AND TIME OF NECROPSY: 10/19/99 14:16 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 329

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92609 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/12/00 STUDY DAY OF DEATH: 724 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 675.2 GRAMS
DATE AND TIME OF NECROPSY: 04/12/00 14:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); HEAD-MAXILLARY- LEFT; WEEK 98; CORNER OF LEFT EYE; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); DORSAL; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >EYES; CLEAR DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -DEPRESSED AREA(S); LEFT FRONTAL CORTEX: DUE TO MASS	EYE (EY) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL BRAIN (BR) : -M-MENINGEAL SARCOMA, -NEOPLASM PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 330

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92609	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/12/00	STUDY DAY OF DEATH: 724	STUDY WEEK OF DEATH: 104	TERMINAL BODY WEIGHT: 675.2 GRAMS
DATE AND TIME OF NECROPSY: 04/12/00 14:00	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -MOTTLED; ALL LOBES: RED AND TAN	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
	PITUITARY (PI) : -LARGE; 7 X 5 X 3 MM; APPEARS SWOLLEN	LUNG (LU) : >UNREMARKABLE HEART (HT) : -CARDIOMYOPATHY, -MODERATE
	SKIN (SK) : -MASS(ES); LEFT DORSAL THORACIC REGION: SINGLE MASS, 12 MM IN DIAMETER, TAN AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (SEE AXILLARY)	PITUITARY (PI) : -I-SARCOMA, -FROM BRAIN HARDERIAN GLAND (HG) : -I-SARCOMA, -FROM BRAIN
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM	SKIN (SK) : -B-FIBROMA, -NEOPLASM PRESENT
	LN, AXILLARY (AX) : -DIFFUSELY RED; LEFT: DARK RED (CAP 22)	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
		CAUSE OF DEATH (CD) : -NEOPLASM, BRAIN, -PRESENT
		LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
		CALVARIUM/SKULL (CA) : -I-SARCOMA, -FROM BRAIN

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 331

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92609 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/12/00 STUDY DAY OF DEATH: 724 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 675.2 GRAMS
DATE AND TIME OF NECROPSY: 04/12/00 14:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CALVARIUM/SKULL (CA) :
-MASS(ES); WITHIN CRANIAL VAULT,
ATTACHED TO MENINGES ABOVE LEFT
FRONTAL CORTEX: SINGLE MASS, 14 X 11 X
3 MM, TAN AND SOFT; COLLECTED INTACT
WITH SKULL CAP
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: CLEAR AND
MOIST MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 332

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92609 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/12/00 STUDY DAY OF DEATH: 724 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 675.2 GRAMS
DATE AND TIME OF NECROPSY: 04/12/00 14:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 333

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92610 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 318.8 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:57 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	13.5220	4.2417 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 334

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92610 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 318.8 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:57 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 335

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92611 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 988.9 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 11:47 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 85; 120 X 120MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: LIGHT BROWN	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -CYST, BILIARY, -PRESENT KIDNEY (KD) : -ECTASIA, TUBULAR, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 336

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92611 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 988.9 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 11:47 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-LARGE; LEFT: 6 X 5 X 5 MM (RIGHT IS 4
X 3 X 3 MM)
PITUITARY (PI) :
-RAISED AREA(S); MID ASPECT: SINGLE
DARK RED AND TAN AREA, 2 X 1 X 1 MM

MAMMARY, MALE (MM) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 140 X 100 X 60 MM (478.0
GRAMS), RED, DARK RED, TAN, LOBULATED,
AND FIRM; SOME SECTIONS CONTAIN A DARK
RED FLUID; PORTION COLLECTED; REGIONAL
LN (INGUINAL) NOT IDENTIFIED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 337

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92611 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 988.9 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 11:47 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92612	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99	STUDY DAY OF DEATH: 547	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 476.5 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 13:11	PROSECTOR: JARED FISHEL	RECORDER: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

>APPEARANCE; THIN; VERIFIED AT
NECROPSY: OBSERVED

>SKIN & PELAGE; ROUGH HAIR COAT;
VERIFIED AT NECROPSY: NOT APPLICABLE

>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED
AT NECROPSY: NOT APPLICABLE

>RESPIRATION; IRREGULAR; VERIFIED AT
NECROPSY: NOT APPLICABLE

>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY;
VERIFIED AT NECROPSY: NOT APPLICABLE

BRAIN (BR) :
-COMPRESSED (HYPOTHALAMUS)

HISTOPATHOLOGY

BRAIN (BR) :
-COMPRESSION, VENTRAL, -PRESENT
LIVER (LI) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
KIDNEY (KD) :
-MINERALIZATION, PELVIC, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, PELVIC, -
SLIGHT
SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-ATROPHY, ACINAR, -MINIMAL
-B-ADENOMA, ISLET CELL, -NEOPLASM
PRESENT
ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MINIMAL
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 339

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92612 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 476.5 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 13:11 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 12 X 8 X 6 MM, RED, DARK
RED, TAN, AND SOFT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, NONGL (SU) :

-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, MANDIBULAR (MN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

AUDITORY SEB GL (AS) :

-M-CARCINOMA, -NEOPLASM PRESENT

AUDITORY SEB GL (AS) :

-MASS(ES); RIGHT: SINGLE MASS, 17 X 10
X 8 MM, TAN, LOBULATED, AND FIRM; SAME
ON CUT SURFACE; COLLECTED INTACT WITH
HEAD; REGIONAL LN (MANDIBULAR) NORMAL
(CAP 22)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DRY RED
MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 340

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92612 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 476.5 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 13:11 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 341

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92613 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 319.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:28 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	13.1820	4.1251 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 342

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92613 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 319.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:28 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 343

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92614 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/19/00 7:39 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 89; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : >AUTOLYTIC LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : >AUTOLYTIC ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 344

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92614 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/19/00 7:39 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 6 X 5 X 3 MM, APPEARS SWOLLEN

SKIN (SK) :
-CRUSTED AREA(S); MID DORSAL CERVICAL
REGION: SINGLE DRY DARK RED CRUSTED
AREA, 30 X 20 MM; COLLECTED; POSSIBLY
CONSISTENT WITH MASS (DORSAL) NOTED IN
CLINICAL OBSERVATION

THYROID (TY) :
>AUTOLYTIC
PARATHYROID (PT) :
-HYPERPLASIA, -MODERATELY SEVERE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>AUTOLYTIC
DUODENUM (DU) :
>AUTOLYTIC
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
SKIN (SK) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -MODERATE
-B-FIBROMA, -NEOPLASM PRESENT

URINARY BLADDER (UB) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 345

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92614 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/19/00 7:39 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED;
COLLECTED

LN, MANDIBULAR (MN) :
-CONGESTION, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), COLON (CO), RECTUM (RE), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 346

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92615 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 633.0 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 8:04 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) TESTIS (TE) : -SMALL; RIGHT: 18 X 15 X 5 MM (LEFT IS 23 X 15 X 10 MM); BOTH ARE SOFT -CONTAINS FLUID; BILATERAL: CLEAR FLUID	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERPLASIA, ISLET CELLS, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE >NOTE:>BILATERAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 347

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92615 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 633.0 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 8:04 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 17 X 11 X 10 MM, RED, DARK
RED, GRAY, AND SOFT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-DISCHARGE-NASAL; DARK RED AND DRY

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 348

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92615 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 633.0 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 8:04 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 349

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92616 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 401.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:26 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0196	.0049 %	.0094	WEIGHT TAKEN
RT ADRENAL (AD1)	.0158	.0039 %	.0076	WEIGHT TAKEN
BRAIN (BR)	2.0788	.5181 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.5410	.3841 %	.7413	WEIGHT TAKEN
RT KIDNEY (KD1)	1.6127	.4020 %	.7758	WEIGHT TAKEN
LIVER (LI)	11.5117	2.8693 %	5.5377	WEIGHT TAKEN
LUNG (LU)	1.7953	.4475 %	.8636	WEIGHT TAKEN
SPLEEN (SP)	.5603	.1397 %	.2695	WEIGHT TAKEN
LF TESTIS (TE0)	1.5787	.3935 %	.7594	WEIGHT TAKEN
RT TESTIS (TE1)	1.5658	.3903 %	.7532	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0102	.0025 %	.0049	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0099	.0025 %	.0048	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL
	HARDERIAN GLAND (HG) : -MISSING/NOT IDENTIFIED; LEFT: NOT IDENTIFIED; RIGHT APPEARS NORMAL	KIDNEY (KD) : -DILATATION, PELVIC, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL HARDERIAN GLAND (HG) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
		STOMACH, GL (ST) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 350

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92616 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 401.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:26 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
 -DARK FOCUS(I)/AREA(S); MUCOSA:
 MULTIPLE DARK BROWN PINPOINT FOCI

CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
 PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
 TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 351

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92617 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/05/99 STUDY DAY OF DEATH: 565 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 503.2 GRAMS
DATE AND TIME OF NECROPSY: 11/05/99 7:09 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; PALE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	EYE (EY) : -WHITE INTRAOCULAR MATERIAL; BILATERAL; POSSIBLY CONSISTENT WITH PALE EYES AS NOTED IN CLINICAL OBSERVATIONS BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE TAN AREA, 17 X 11 MM; COLLECTED ON ROUTINE SECTION KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	EYE (EY) : -DEGENERATION, LENTICULAR, -MODERATE BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 352

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92617 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/05/99 STUDY DAY OF DEATH: 565 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 503.2 GRAMS
DATE AND TIME OF NECROPSY: 11/05/99 7:09 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE
		LUNG (LU) : -INFLAMMATION, SUBACUTE, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 11 X 10 X 9 MM, RED, DARK RED, GREY, TAN, LOBULATED AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -RED FOCUS(I)/AREA(S); MUCOSA, NEAR PYLORIC VALVE: SINGLE DARK RED FOCUS, 2 MM IN DIAMETER	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	SEMINAL VESICLES (SV) : -GELATINOUS; BILATERAL: CLEAR AND SOFT	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT SEMINAL VESICLES (SV) : >UNREMARKABLE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DRY, RED MATERIAL -ANIMAL THIN	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 353

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92617 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/05/99 STUDY DAY OF DEATH: 565 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 503.2 GRAMS
DATE AND TIME OF NECROPSY: 11/05/99 7:09 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 354

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92618 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 319.7 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:23 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	14.8145	4.6341 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 355

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92618 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 319.7 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:23 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 356

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92619 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 684.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:00 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERPLASIA, ISLET CELLS, -SLIGHT -ATROPHY, ACINAR, -SLIGHT -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 357

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92619 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 684.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:00 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 358

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92620 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/15/00 STUDY DAY OF DEATH: 667 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/15/00 7:23 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); SINGLE MASS, 9 X 8 X 5 MM, RED, DARK RED, TAN, GRAY AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 359

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92620 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/15/00 STUDY DAY OF DEATH: 667 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/15/00 7:23 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PREPUTIAL GLAND (PG) :
-LARGE; BILATERAL: LEFT IS 6 X 6 X 3
MM, RIGHT IS 5 X 4 X 3 MM; BOTH APPEAR
CYSTIC WITH GREEN SEMISOLID (CAP 22)
GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL: LOWER
INCISORS
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN OFF AT BASE
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
-EDEMA, -SLIGHT
-INFLAMMATION, ACUTE, -SLIGHT
COLON (CO) :
-PARASITISM, -PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
PREPUTIAL GLAND (PG) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 360

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92620 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/15/00 STUDY DAY OF DEATH: 667 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/15/00 7:23 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 361

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92621 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 526.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 9:51 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0379	.0072 %	.0175	WEIGHT TAKEN
RT ADRENAL (AD1)	.0377	.0072 %	.0174	WEIGHT TAKEN
BRAIN (BR)	2.1646	.4109 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.9881	.3774 %	.9185	WEIGHT TAKEN
RT KIDNEY (KD1)	1.8534	.3518 %	.8562	WEIGHT TAKEN
LIVER (LI)	18.7242	3.5543 %	8.6502	WEIGHT TAKEN
LUNG (LU)	1.9337	.3671 %	.8933	WEIGHT TAKEN
SPLEEN (SP)	.8626	.1637 %	.3985	WEIGHT TAKEN
LF TESTIS (TE0)	1.6258	.3086 %	.7511	WEIGHT TAKEN
RT TESTIS (TE1)	1.6364	.3106 %	.7560	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0117	.0022 %	.0054	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0145	.0028 %	.0067	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : >NOTE:>TRIMMING COMMENT: ONE ADRENAL MISSING FROM WET TISSUE AT TIME OF TRIMMING	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -UNILATERALLY EXAMINED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 362

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92621 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 526.8 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 9:51 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, MEDULLA (MA) :
>NOTE:>TRIMMING COMMENT: ONE ADRENAL
MISSING FROM WET TISSUE AT TIME
OF TRIMMING

ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 21)

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
GENERAL INFORMATION (XX) :
>NOTE:>SODIUM PENTOBARBITAL
ADMINISTERED PRIOR TO CARBON
DIOXIDE ANESTHESIA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 363

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92621 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 526.8 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 9:51 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 364

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92622 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 7:52 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -ANGIECTASIS, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS PRESENT LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT TESTIS (TE) : -MINERALIZATION, VASCULAR, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 365

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92622 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 7:52 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	HEART (HT) : -MASS(ES); INVOLVING RIGHT AND LEFT ATRIA: SINGLE MASS, 12 MM IN DIAMETER, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE MEDIASTINAL)	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -M-ATRIOCAVAL MESOTHELIOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -FIBROSIS, -SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, HEART, -PRESENT
	LN, MEDIASTINAL (ML) : -DIFFUSELY RED; DARK RED (CAP 22)	LN, MEDIASTINAL (ML) : -HEMORRHAGE, -PRESENT -INFILTRATE, MAST CELL, -MODERATE
	GENERAL INFORMATION (XX) : >NOTE:>ANIMAL IDENTIFICATION TRANSPONDER DAMAGED AT NECROPSY	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 366

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92622 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 7:52 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 367

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92623 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 703.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:59 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT POSTERIOR ASPECT: SINGLE DARK RED AREA, 2 MM IN DIAMETER STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT PITUITARY (PI) : -HYPERPLASIA, -SLIGHT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 368

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92623	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 703.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:59	PROSECTOR: TERRI L. WILLIAMS	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENTGENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 369

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92624 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 06/18/99 STUDY DAY OF DEATH: 425 STUDY WEEK OF DEATH: 61 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 06/18/99 14:44 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 10 X 7 X 6 MM, RED, DARK RED, TAN AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 370

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92624 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 06/18/99 STUDY DAY OF DEATH: 425 STUDY WEEK OF DEATH: 61 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 06/18/99 14:44 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

COLON (CO) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-NASAL; BILATERAL: RED AND
MOIST MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 371

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92624 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 06/18/99 STUDY DAY OF DEATH: 425 STUDY WEEK OF DEATH: 61 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 06/18/99 14:44 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE),
SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 372

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92625 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/28/99 STUDY DAY OF DEATH: 588 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 460.6 GRAMS
DATE AND TIME OF NECROPSY: 11/28/99 13:56 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; TREMORS; HEAD; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -CYST(S); BILATERAL, CORTICAL SURFACE: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 10 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; BILATERAL	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 373

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92625	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/28/99	STUDY DAY OF DEATH: 588	STUDY WEEK OF DEATH: 84	TERMINAL BODY WEIGHT: 460.6 GRAMS
DATE AND TIME OF NECROPSY: 11/28/99 13:56	PROSECTOR: TODD ACKER	RECORDED: TODD ACKER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MODERATELY SEVERE
		LN, MESENTERIC (MS) : >TISSUE MISSING
		TESTIS (TE) : -ATROPHY/DEGENERATION, -SLIGHT
		BONE, FEMUR (FE) : -OSTEODYSTROPHY, FIBROUS, -SLIGHT
		BONE, STERNUM (SB) : -OSTEODYSTROPHY, FIBROUS, -SLIGHT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -MODERATELY SEVERE
		HEART (HT) : -CARDIOMYOPATHY, -MODERATE
		THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
		PARATHYROID (PT) : -HYPERPLASIA, -MODERATELY SEVERE
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT POSTERIOR ASPECT: SINGLE DARK RED FOCUS, 1 MM IN DIAMETER	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -CYST, -PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA, DIFFUSE	STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 374

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92625 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/28/99 STUDY DAY OF DEATH: 588 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 460.6 GRAMS
DATE AND TIME OF NECROPSY: 11/28/99 13:56 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATELY SEVERE
CECUM (CE) :
-EROSION, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 375

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92625 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/28/99 STUDY DAY OF DEATH: 588 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 460.6 GRAMS
DATE AND TIME OF NECROPSY: 11/28/99 13:56 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), MARROW, FEMUR (FM), MARROW, STERNUM (SE), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 376

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92626 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 726.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:55 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED	FOOT/FOOTPAD (FP) : -ABRASION(S)/ULCERATION(S); LEFT HINDFOOT: SINGLE MOIST, RED ABRADED AREA, 15 MM IN DIAMETER; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ULCERATION, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 377

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92626 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 726.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:55 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

JOINT, OTHER (JT) :
-LARGE; LEFT TARSAL: UP TO 12 MM IN
DIAMETER; COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; LEFT UPPER INCISOR
-TEETH MISSING/BROKEN/WORN; RIGHT
UPPER INCISOR: MISSING
-DISCHARGE-OCULAR; RIGHT: DRY RED
MATERIAL

JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 378

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92626 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 726.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:55 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 379

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92627 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 525.3 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:32 PROSECTOR: LAURIE J. SCHULLER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0277	.0053 %	.0119	WEIGHT TAKEN
RT ADRENAL (AD1)	.0262	.0050 %	.0113	WEIGHT TAKEN
BRAIN (BR)	2.3192	.4415 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.0656	.3932 %	.8907	WEIGHT TAKEN
RT KIDNEY (KD1)	1.9527	.3717 %	.8420	WEIGHT TAKEN
LIVER (LI)	16.9241	3.2218 %	7.2974	WEIGHT TAKEN
LUNG (LU)	1.8755	.3570 %	.8087	WEIGHT TAKEN
SPLEEN (SP)	1.0427	.1985 %	.4496	WEIGHT TAKEN
LF TESTIS (TE0)	2.0320	.3868 %	.8762	WEIGHT TAKEN
RT TESTIS (TE1)	1.9782	.3766 %	.8530	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0148	.0028 %	.0064	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0192	.0037 %	.0083	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -SLIGHT
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 PANCREAS (PA) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 380

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92627 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 525.3 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:32 PROSECTOR: LAURIE J. SCHULLER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 381

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92628 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/07/99 STUDY DAY OF DEATH: 506 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 471.9 GRAMS
DATE AND TIME OF NECROPSY: 09/07/99 13:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE	EYE (EY) : >NOTE:>LEFT RUPTURED AT NECROPSY BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -SMALL; BILATERAL: EACH IS 3 X 2 X 2 MM	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT -ATROPHY, CORTICAL, -MODERATELY SEVERE MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 382

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92628 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/07/99 STUDY DAY OF DEATH: 506 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 471.9 GRAMS
DATE AND TIME OF NECROPSY: 09/07/99 13:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		MUSCLE, SKELETAL (SM) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 11 X 9 X 7 MM, DARK RED, GRAY AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: SINGLE TAN ERODED AREA, 2 X 1 MM -THICKENED WALL; DIFFUSE	STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN, BROWN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 25 X 15 X 5 MM	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 383

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92628 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/07/99 STUDY DAY OF DEATH: 506 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 471.9 GRAMS
DATE AND TIME OF NECROPSY: 09/07/99 13:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 384

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92629 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/17/99 9:10 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -LARGE; BILATERAL: EACH IS 32 X 26 X 19 MM -DIFFUSELY LIGHT; BILATERAL: TAN ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 5 MM IN DIAMETER (LEFT IS 4 MM IN DIAMETER) TESTIS (TE) : -SMALL; BILATERAL: EACH IS 19 X 15 X 15 MM; BOTH ARE SOFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -B-ADENOMA, ACINAR CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE -INFLAMMATION, VASCULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 385

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92629 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/17/99 9:10 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-RED FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE RED PINPOINT FOCI
-THICKENED WALL; MUCOSA

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-LEUKOCYTES, INCREASED, INTRAVASCULAR, -
PRESENT
-MINERALIZATION, SEPTAL, -SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
-MINERALIZATION, VASCULAR, -MODERATE
PARATHYROID (PT) :
-HYPERPLASIA, -MODERATE
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATE
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
EPIDIDYMIDES (EP) :
-IMMATURE SPERM FORMS, -SLIGHT
-HYOSPERMIA, -PRESENT
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 386

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92629 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/17/99 9:10 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

AORTA (AO) :
-LARGE; DIFFUSE: UP TO 5 MM IN
DIAMETER
-FIRM; DIFFUSE
GENERAL COMMENT (GC) :
-ANIMAL THIN
-URINARY BLADDER-LARGE LUMEN; UP TO 18
MM IN DIAMETER
-DISCHARGE-ORAL; CLEAR, MOIST MATERIAL

AORTA (AO) :
-MINERALIZATION, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 387

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92629 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/17/99 9:10 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 388

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92630 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/26/99 STUDY DAY OF DEATH: 616 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 427.7 GRAMS
DATE AND TIME OF NECROPSY: 12/26/99 7:19 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 73; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -CYST(S); BILATERAL, DIFFUSE: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER -LARGE PELVIS(ES); BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN ADRENAL, CORTEX (AC) : -LARGE; LEFT: 10 X 8 X 6 MM (RIGHT IS 5 X 4 X 4 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - SLIGHT -CYST, -PRESENT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -M-MALIGNANT PHEOCHROMOCYTOMA, -NEOPLASM PRESENT LN, MESENTERIC (MS) : >TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 389

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92630	SEX: MALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/26/99	STUDY DAY OF DEATH: 616	STUDY WEEK OF DEATH: 88	TERMINAL BODY WEIGHT: 427.7 GRAMS
DATE AND TIME OF NECROPSY: 12/26/99 7:19	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; RIGHT: 20 X 15 X 8 MM (LEFT IS 25 X 17 X 10 MM); RIGHT IS SOFT	TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE -INFLAMMATION, VASCULAR, -SLIGHT >NOTE:>UNILATERAL BONE, FEMUR (FE) : -OSTEODYSTROPHY, FIBROUS, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PARATHYROID (PT) : -HYPERPLASIA, -SEVERE PITUITARY (PI) : -HYPERPLASIA, -MINIMAL STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATELY SEVERE SKIN (SK) : -CYST, EPIDERMAL INCLUSION, -PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE SEMINAL VESICLES (SV) : -ATROPHY, -MODERATELY SEVERE
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 17 X 10 X 3 MM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 390

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92630 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/26/99 STUDY DAY OF DEATH: 616 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 427.7 GRAMS
DATE AND TIME OF NECROPSY: 12/26/99 7:19 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, RENAL (RL) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22) MAMMARY, MALE (MM) : -CYST(S); RIGHT PERINEAL REGION: TWO TAN AND CREAMY SEMIFLUID FILLED CYSTS, ONE IS 15 MM IN DIAMETER, THE OTHER IS 5 MM IN DIAMETER; COLLECTED; POSSIBLY CONSISTENT WITH MASS NOTED IN CLINICAL OBSERVATIONS LN, LUMBAR/ILIAC (LM) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 6 MM IN DIAMETER (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY -ANIMAL THIN	CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE MAMMARY, MALE (MM) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL >NOTE:>SEE SKIN FOR DIAGNOSIS LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 391

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92630 SEX: MALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/26/99 STUDY DAY OF DEATH: 616 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 427.7 GRAMS
DATE AND TIME OF NECROPSY: 12/26/99 7:19 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume VI of IX

Page 2142 of 4068

CONTENTS

VOLUME VI OF IX	Page
APPENDIX 6 (Continued)	2144
Individual Anatomic Pathology Data	2145

APPENDIX 6 (Continued)

Individual Anatomic Pathology Data

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 392

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92631 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 765.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:10 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE TESTIS (TE) : -B-INTERSTITIAL CELL TUMOR, -NEOPLASM PRESENT LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, TYPE II PNEUMOCYTE, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 393

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92631 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 765.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:10 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 394

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92631 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 765.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:10 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 395

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92632 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 650.4 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:45 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; EAR-LEFT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); EAR-LEFT; WEEK 48; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 103; 25 X 45MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 7 MM IN DIAMETER (LEFT IS 4 MM IN DIAMETER) THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT IDENTIFIED: POSSIBLE REMNANTS COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL -HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL), -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 396

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92632	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00	STUDY DAY OF DEATH: 715	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: 650.4 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:45	PROSECTOR: JOHN S. HALFORD	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE GRAY, FIRM AND SLIGHTLY RAISED AREAS, UP TO 9 X 7 X 3 MM	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -N-SARCOMA, -NEOPLASM PRESENT
	HEART (HT) : -LIGHT FOCUS(I)/AREA(S); EPICARDIUM OF LEFT VENTRICLE: SINGLE TAN AREA, 3 X 2 X 1 MM	HEART (HT) : -CARDIOMYOPATHY, -SLIGHT -N-SARCOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -LARGE; 4 X 3 X 2 MM; APPEARS SWOLLEN	THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA: DIFFUSE	SALIV GL, MANDIB (SG) : -I-SARCOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE
		SKIN (SK) : -M-FIBROSARCOMA, -NEOPLASM PRESENT
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
		CAUSE OF DEATH (CD) : -NEOPLASM, SKIN/MUSCLE/SUBCUTIS, - PRESENT
		LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
		AUDITORY SEB GL (AS) : -I-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 397

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92632 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 650.4 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:45 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	AUDITORY SEB GL (AS) : -MASS(ES); LEFT, INVOLVING ENTIRE ORGAN, EXTENDING TO LEFT VENTRAL CERVICAL REGION AND LEFT PINNA: SINGLE MASS, 57 X 23 X 18 MM, RED, DARK RED, GRAY, TAN, VASCULAR, LOBULATED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (MANDIBULAR) NORMAL (CAP 22); SKIN OVERLYING LEFT PINNA HAS A SINGLE DRY BLACK CRUSTED AREA, 28 X 25 X 19 MM; COLLECTED INTACT WITH MASS PERICARDIAL SAC (PD) : -MASS(ES); INVOLVING ENTIRE TISSUE: SINGLE MASS, 34 X 24 X 14 MM, RED, DARK RED, GRAY, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (MEDIASTINAL) NOT IDENTIFIED; PORTIONS OF MASS ADHERED TO DIAPHRAGM; COLLECTED INTACT WITH MASS GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	PERICARDIAL SAC (PD) : -N-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 398

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92632 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 650.4 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:45 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 399

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92633 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 830.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:20 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED	TESTIS (TE) : -SMALL; LEFT: 20 X 13 X 4 MM (RIGHT IS 25 X 15 X 12 MM); LEFT APPEARS SOFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - MODERATELY SEVERE TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 400

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92633 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 830.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:20 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT AND RIGHT ASPECT: SINGLE DARK RED AREA ON EACH, BOTH ARE 2 X 1 MM STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: SINGLE DARK BROWN ERODED AREA, 4 X 1 MM -THICKENED WALL; MUCOSA: DIFFUSE PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); RIGHT HINDFOOT: SINGLE DARK RED AND DRY AREA, 6 X 5 MM; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -MALOCCLUSION; BILATERAL UPPER INCISORS	THYROID (TY) : -M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -ULCERATION, -SLIGHT -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ULCERATION, -MODERATE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 401

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92633 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 830.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:20 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 402

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92634 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/13/99 7:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>BILATERAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 403

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92634 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/13/99 7:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 6 MM, RED, GREY,
TAN AND SOFT

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
RECTUM (RE) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
EPIDIDYMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 404

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92634 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/13/99 7:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), COLON (CO), SKIN (SK), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 405

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92635 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 481.8 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:50 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); HEAD-MAXILLARY-RIGHT; WEEK 76; 20 X 15MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 406

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92635	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99	STUDY DAY OF DEATH: 549	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 481.8 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:50	PROSECTOR: JARED FISHEL	RECORDED: KEVIN BILLINGS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -CONTAINS FLUID; RIGHT: CLEAR AND SOFT	ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL -B-ADENOMA, -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL MUSCLE, SKELETAL (SM) : >UNREMARKABLE >NOTE:>SEE AUDITORY SEBACEOUS GLAND FOR DIAGNOSIS
	MUSCLE, SKELETAL (SM) : -MASS(ES); RIGHT LATERAL MANDIBLE, NEAR BASE OF PINNA: SINGLE MASS, 17 MM IN DIAMETER, TAN AND FIRM; ON SECTION EXUDES A TAN, CASEOUS MATERIAL; COLLECTED INTACT; REGIONAL LN (MANDIBULAR) NORMAL (CAP 22) PITUITARY (PI) : -MASS(ES); 10 MM IN DIAMETER, DARK RED, TAN AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE EPIDIDYIMIDES (EP) : -HYOSPERMIA, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 407

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92635	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99	STUDY DAY OF DEATH: 549	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 481.8 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:50	PROSECTOR: JARED FISHEL	RECORDED: KEVIN BILLINGS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT
AUDITORY SEB GL (AS) :
-M-CARCINOMA, -NEOPLASM PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 408

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92636 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/01/00 STUDY DAY OF DEATH: 682 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/01/00 14:29 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; TESTES; VERIFIED AT NECROPSY: OBSERVED		BRAIN (BR) : -MINERALIZATION, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES, DIFFUSE: RED, DARK RED AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -CONGESTION, -PRESENT -HYPERPLASIA, BILE DUCT, -SLIGHT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		PANCREAS (PA) : -INFILTRATE, EOSINOPHILIC, -MODERATE -FIBROSIS, -SEVERE -INFLAMMATION, GRANULOMATOUS, - MODERATELY SEVERE
		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT
	LN, MESENTERIC (MS) : -MOTTLED; DIFFUSE: RED, TAN AND GREEN	LN, MESENTERIC (MS) : -INFILTRATE, EOSINOPHILIC, -MODERATE -INFLAMMATION, GRANULOMATOUS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 409

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92636 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/01/00 STUDY DAY OF DEATH: 682 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/01/00 14:29 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-CONTAINS FLUID; BILATERAL: CLEAR FLUID

PITUITARY (PI) :
-CYST(S); LEFT ASPECT: SINGLE CYST, 2
X 3 MM, FILLED WITH A DARK RED FLUID

TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT

-INFLAMMATION, GRANULOMATOUS, -SLIGHT

LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

HEART (HT) :
-CARDIOMYOPATHY, -MODERATE

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

ILEUM (IL) :
-INFILTRATE, EOSINOPHILIC, -SEVERE

-INFLAMMATION, GRANULOMATOUS, -SEVERE

COLON (CO) :
>AUTOLYTIC

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

EPIDIDYMIDES (EP) :
-INFILTRATE, EOSINOPHILIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 410

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92636	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/01/00	STUDY DAY OF DEATH: 682	STUDY WEEK OF DEATH: 98	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/01/00 14:29	PROSECTOR: DENNIS HOFFMAN	RECORDED: DENNIS HOFFMAN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 3 X 6 X 9 MM (CAP 26) -DIFFUSELY RED; DARK RED (CAP 26)	CAUSE OF DEATH (CD) : -INFLAMMATION / INFECTION, -PRESENT LN, MEDIASTINAL (ML) : -HEMORRHAGE, -PRESENT -INFLAMMATION, GRANULOMATOUS, -SEVERE -INFILTRATE, EOSINOPHILIC, -MODERATE -FIBROSIS, -MODERATE
	LN, AXILLARY (AX) : -LARGE; BILATERAL: EACH IS 3 X 5 X 8 MM (CAP 27) -DIFFUSELY RED; BILATERAL (CAP 27)	LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL (CAP 25)	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE
	LN, LUMBAR/ILIAC (LM) : -LARGE; BILATERAL: EACH IS 5 X 7 X 11 MM (CAP 28) -DIFFUSELY RED; BILATERAL (CAP 28)	LN, LUMBAR/ILIAC (LM) : -LYMPHANGIECTASIS, -PRESENT -HEMORRHAGE, -PRESENT -INFLAMMATION, SUBACUTE, -SLIGHT
	PREPUTIAL GLAND (PG) : -LARGE; LEFT: 10 X 10 X 15 MM (RIGHT IS 3 X 5 X 9 MM); LEFT IS FILLED WITH A LIGHT GREEN SEMIFLUID; OVERLYING SKIN HAS A SINGLE DRY, BROWN CRUSTED AREA, 4 X 6 MM (CAP 23)	PREPUTIAL GLAND (PG) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	ADIPOSE TISSUE (AT) : -THICKENED; ATTACHED TO BOTH VAS DEFERENS AND EPIDIDYMIDES: FIRM, RED, TAN AND FIBROUS (CAP 24)	ADIPOSE TISSUE (AT) : -INFILTRATE, EOSINOPHILIC, -MODERATE -INFLAMMATION, GRANULOMATOUS, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 411

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92636	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/01/00	STUDY DAY OF DEATH: 682	STUDY WEEK OF DEATH: 98	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/01/00 14:29	PROSECTOR: DENNIS HOFFMAN	RECORDED: DENNIS HOFFMAN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MUSCLE, OTHER (MO) : -THICKENED; MUSCLE ASSOCIATED WITH SCROTUM: UP TO 4 MM THICK (CAP 22) -DIFFUSELY RED; MUSCLE ASSOCIATED WITH SCROTUM: DARK RED (CAP 22)	MUSCLE, OTHER (MO) : -INFLAMMATION, GRANULOMATOUS, - MODERATELY SEVERE -INFILTRATE, EOSINOPHILIC, -MODERATE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), CECUM (CE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 412

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92637 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:41 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -ATROPHY, ACINAR, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT -HYPERTROPHY, FOLLICULAR CELL, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 413

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92637 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:41 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RAISED AREA(S); MID ANTERIOR ASPECT:
SINGLE TAN AREA, 1 MM IN DIAMETER

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 414

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92638 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 510.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:08 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN PANCREAS (PA) : -LARGE VESSELS; DIFFUSE: UP TO 5 MM IN DIAMETER (CAP 23)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFLAMMATION, VASCULAR, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT -FIBROSIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 415

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92638 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 510.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:08 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 9 X 7 MM; RED, TAN,
VASCULAR AND FIRM
PROSTATE (PR) :
-NODULAR; TISSUE SURROUNDING URETHRA:
GREEN AND FIRM
SEMINAL VESICLES (SV) :
-LARGE; BILATERAL: EACH IS 34 X 14 X 6
MM
-GELATINOUS; BILATERAL: CLEAR AND SOFT

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MODERATELY
SEVERE
-B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
TESTIS (TE) :
-INFLAMMATION, VASCULAR, -MODERATELY
SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PARATHYROID (PT) :
-HYPERPLASIA, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
>UNREMARKABLE
SEMINAL VESICLES (SV) :
-SECRETION, INCREASED, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 416

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92638 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 510.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:08 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, RENAL (RL) :
-LARGE; BILATERAL: EACH IS 10 X 6 X 6
MM (CAP 22)
-DIFFUSELY RED; BILATERAL: DARK RED
AORTA (AO) :
-LARGE; UP TO 5 MM IN DIAMETER;
COLLECTED
-FIRM; ALONG ENTIRE LENGTH
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

EPIDIDYIMIDES (EP) :
-VACUOLATION, TUBULAR EPITHELIUM, -
MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, RENAL (RL) :
-HEMORRHAGE, -PRESENT
-DILATATION, SINUSOIDAL, -SEVERE
AORTA (AO) :
>UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 417

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92638 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 510.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:08 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 418

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92639 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 486.0 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:10 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 419

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92639 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 486.0 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:10 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); SINGLE MASS, 14 X 8 X 7 MM,
RED, DARK RED, GRAY, TAN, LOBULATED
AND FIRM

JEJUNUM (JE) :

>TISSUE MISSING

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 420

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92639 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 486.0 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:10 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 421

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92640 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 388.9 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:27 PROSECTOR: JOHN S. HALFORD RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0426	.0110 %	.0175	WEIGHT TAKEN
RT ADRENAL (AD1)	.0356	.0092 %	.0146	WEIGHT TAKEN
BRAIN (BR)	2.4406	.6276 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.9384	.4984 %	.7942	WEIGHT TAKEN
RT KIDNEY (KD1)	1.9241	.4948 %	.7884	WEIGHT TAKEN
LIVER (LI)	12.6645	3.2565 %	5.1891	WEIGHT TAKEN
LUNG (LU)	1.8519	.4762 %	.7588	WEIGHT TAKEN
SPLEEN (SP)	.8027	.2064 %	.3289	WEIGHT TAKEN
LF TESTIS (TE0)	1.7129	.4404 %	.7018	WEIGHT TAKEN
RT TESTIS (TE1)	1.6810	.4322 %	.6888	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0298	.0077 %	.0122	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0134	.0034 %	.0055	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	GENERAL COMMENT (GC) : -NO MACROSCOPIC LESIONS -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 422

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92640 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 388.9 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:27 PROSECTOR: JOHN S. HALFORD RECORDER: MATTHEW AXTMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 423

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92641 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 613.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:05 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -MASS(ES); 9 X 7 X 6 MM, RED, DARK RED, SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -MINERALIZATION, -MINIMAL LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -INFILTRATION, FAT, INTERSTITIAL, - MODERATELY SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, - MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 424

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92641 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 613.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:05 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN OFF AT BASE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 425

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92641 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 613.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:05 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), THYROID (TY), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 426

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92642 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 799.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:32 PROSECTOR: JERALD W. JOHNSON RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); LEFT LATERAL LOBE: MULTIPLE DARK RED AREAS, UP TO 2 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION PANCREAS (PA) : -MASS(ES); NEAR DUODENUM: SINGLE MASS, 8 MM IN DIAMETER, RED, TAN, AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (SEE PANCREATIC)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 427

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92642 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 799.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:32 PROSECTOR: JERALD W. JOHNSON RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 5 X 4 X 3 MM; APPEARS SWOLLEN
-DARK FOCUS(I)/AREA(S); LEFT POSTERIOR
ASPECT: SINGLE DARK BROWN AREA, 3 X 2
MM

PREPUTIAL GLAND (PG) :
-LARGE; RIGHT: 8 X 7 X 7 MM (LEFT IS 8
X 6 X 2 MM); RIGHT CONTAINS A GREEN
SEMISOLID (CAP 24)
LN, ANT MES/PANC (AP) :
-DIFFUSELY RED; DARK RED (CAP 23)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
-CYST, -PRESENT

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

PREPUTIAL GLAND (PG) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

-ECTASIA, DUCTAL, -PRESENT
LN, ANT MES/PANC (AP) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 428

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92642 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 799.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:32 PROSECTOR: JERALD W. JOHNSON RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 429

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92643 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 714.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:47 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-THORACIC-RIGHT; WEEK 101; 60 X 60MM; VERIFIED AT NECROPSY: OBSERVED	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE DARK RED AREAS, UP TO 3 X 1 MM	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SEVERE -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, TYPE II PNEUMOCYTE, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : -B-FIBROMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 430

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92643 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 714.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:47 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 80 X 65 X 30 MM, RED,
DARK RED, TAN, AND FIRM; SAME ON CUT
SURFACE; PORTION COLLECTED; REGIONAL
LN (AXILLARY) RIGHT NOT IDENTIFIED,
LEFT IS NORMAL (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 431

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92643 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 714.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:47 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 432

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92644 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 658.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:01 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 104; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -CYST(S); LEFT WITHIN CORTEX: SINGLE CLEAR FLUID FILLED CYST, 4 X 5 MM	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -M-RENAL MESENCHYMAL TUMOR, -NEOPLASM PRESENT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : -B-ADENOMA, BASAL CELL/SQUAMOUS/SEBACEOUS, -NEOPLASM PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ANTERIOR ASPECT: SINGLE DARK RED AREA, 3 X 1 MM SKIN (SK) : -RAISED FOCUS(I)/AREA(S); LUMBAR REGION: SINGLE DARK RED AND TAN RAISED AREA, 10 X 10 X 6 MM (CAP 22); POSSIBLY CONSISTENT WITH MASS (DORSAL) AS NOTED IN CLINICAL OBSERVATIONS	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 433

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92644 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 658.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:01 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; SURROUNDING URETHRA: BROWN,
GREEN, AND FIRM

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-GI TRACT-DARK FLUID CONTENT; ILEUM
AND CECUM: DARK GREEN SEMIFLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 434

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92644 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 658.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:01 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 435

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92645 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 474.7 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:40 PROSECTOR: DONIA MEYER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0336	.0071 %	.0153	WEIGHT TAKEN
RT ADRENAL (AD1)	.0367	.0077 %	.0167	WEIGHT TAKEN
BRAIN (BR)	2.1979	.4630 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1058	.4436 %	.9581	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1132	.4452 %	.9615	WEIGHT TAKEN
LIVER (LI)	16.1865	3.4098 %	7.3645	WEIGHT TAKEN
LUNG (LU)	1.8951	.3992 %	.8622	WEIGHT TAKEN
SPLEEN (SP)	.8506	.1792 %	.3870	WEIGHT TAKEN
LF TESTIS (TE0)	1.7410	.3668 %	.7921	WEIGHT TAKEN
RT TESTIS (TE1)	1.7661	.3720 %	.8035	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0117	.0025 %	.0053	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0131	.0028 %	.0060	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	GENERAL COMMENT (GC) : -NO MACROSCOPIC LESIONS -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 436

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92645 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 474.7 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:40 PROSECTOR: DONIA MEYER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 437

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92646 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 341.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:56 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	12.3520	3.6159 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 438

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92646 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 341.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:56 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 439

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92647 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 558.5 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 9:52 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) TESTIS (TE) : -SMALL; BILATERAL: EACH IS 18 X 11 X 6 MM; BOTH ARE SOFT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT TESTIS (TE) : >UNREMARKABLE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 440

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92647 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 558.5 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 9:52 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 MM IN DIAMETER, DARK RED,
TAN, AND SOFT

STOMACH, GL (ST) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 4 MM IN
DIAMETER

PROSTATE (PR) :
-SMALL; 17 X 8 X 4 MM
SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 13 X 6 X 2
MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; MOIST
YELLOW AND BROWN MATERIAL

MUSCLE, SKELETAL (SM) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
-INFLAMMATION, ACUTE, -MINIMAL

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
SEMINAL VESICLES (SV) :
-ATROPHY, -SEVERE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 441

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92647 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 558.5 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 9:52 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 442

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92648 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/15/99 STUDY DAY OF DEATH: 605 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 411.7 GRAMS
DATE AND TIME OF NECROPSY: 12/15/99 14:08 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); VISCERAL SURFACE OF RIGHT MEDIAN LOBE, ALONG MARGIN: SINGLE TAN AREA, 4 X 3 MM; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 443

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92648 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/15/99 STUDY DAY OF DEATH: 605 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 411.7 GRAMS
DATE AND TIME OF NECROPSY: 12/15/99 14:08 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 10 X 10 X 9 MM, DARK RED AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA, DIFFUSE	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN AND BROWN ERODED AREAS, UP TO 8 X 5 MM -THICKENED WALL; MUCOSA, DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE
	PROSTATE (PR) : -LARGE; 30 X 20 X 12 MM -GELATINOUS; CLEAR AND SOFT	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -ULCERATION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 36 X 15 X 11 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 444

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92648	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/15/99	STUDY DAY OF DEATH: 605	STUDY WEEK OF DEATH: 87	TERMINAL BODY WEIGHT: 411.7 GRAMS
DATE AND TIME OF NECROPSY: 12/15/99 14:08	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHED: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHED: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENTGENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 445

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92649 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 682.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:28 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT JUNCTION OF MEDIAN LOBES: SINGLE TAN AREA, 6 X 4 MM; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 446

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92649	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 682.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:28	PROSECTOR: TROY ELLENBECKER	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 447

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92650 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 295.5 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:49 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	12.2299	4.1391 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 448

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92650 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 295.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:49 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 449

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92651 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 375.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 13:35 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; TAIL-PROXIMAL; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LN, MESENTERIC (MS) : -SMALL; UP TO 2 MM IN DIAMETER THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED; POSSIBLE REMNANTS COLLECTED	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERPLASIA, ISLET CELLS, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -MINIMAL LN, MESENTERIC (MS) : >UNREMARKABLE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 450

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92651	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99	STUDY DAY OF DEATH: 561	STUDY WEEK OF DEATH: 81	TERMINAL BODY WEIGHT: 375.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 13:35	PROSECTOR: JOHN S. HALFORD	RECORDED: DEBBIE PIRKEL	
POST-FIX WEIGHED: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHED: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 13 X 11 X 8 MM, RED, DARK RED, GRAY, TAN, LOBULATED, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN AND BROWN SLIGHTLY ERODED AREAS, UP TO 3 X 2 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : >UNREMARKABLE
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 31 X 21 X 6 MM; BOTH APPEAR GELATINOUS	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	TAIL (TI) : -LARGE; AT BASE: UP TO 15 MM IN DIAMETER; APPEARS FIRM AND RIGID; PORTION COLLECTED	EPIDIDYMIDES (EP) : >UNREMARKABLE >NOTE:>VAS DEFERENS - UNREMARKABLE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT TAIL (TI) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
		LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 451

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92651 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 375.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 13:35 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		CAVITY, ABDOM (PC) : -INFLAMMATION / NECROSIS, FAT, -MODERATE >NOTE:>GROSS RECORDED UNDER ADIPOSE TISSUE
	JOINT, OTHER (JT) : -LARGE; RIGHT, TARSAL: 15 X 11 X 11 MM (LEFT IS 10 X 9 X 8 MM); BOTH COLLECTED	JOINT, OTHER (JT) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
	ADIPOSE TISSUE (AT) : -MASS(ES); TISSUE SURROUNDING LEFT VAS DEFERENS: SINGLE FIRM AND YELLOW MASS, 17 X 8 X 3 MM; ON SECTION, EXUDES A YELLOW CASEOUS SEMIFLUID MATERIAL (CAP 22); REGIONAL LN (LUMBAR) NORMAL (CAP 23)	ADIPOSE TISSUE (AT) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
	VAS DEFERENS (VS) : -LARGE; BILATERAL: EACH IS UP TO 5 MM IN DIAMETER; BOTH APPEAR SOFT AND GELATINOUS (CAP 24)	VAS DEFERENS (VS) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 452

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92651 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 375.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 13:35 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 453

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92652 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 292.4 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:31 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	11.5416	3.9468 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 454

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92652 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 292.4 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:31 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 455

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92653 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 771.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:24 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN TESTIS (TE) : -SMALL; LEFT: 17 X 12 X 8 MM (RIGHT IS 22 X 14 X 10 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE PANCREAS (PA) : -ZYMOMEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SLIGHT -INFLAMMATION, VASCULAR, -MODERATE THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 456

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92653 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 771.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:24 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 MM IN DIAMETER, RED,
GRAY, AND SOFT
PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM
SEMINAL VESICLES (SV) :
-GELATINOUS; BILATERAL: YELLOW AND
CLEAR

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
SEMINAL VESICLES (SV) :
>UNREMARKABLE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 457

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92653 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 771.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:24 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 458

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92654 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 517.1 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:12 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; OPAQUE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >EYES; SCAB; EYE-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED >EYES; PROTRUDING; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	EYE (EY) : -OPAQUE CORNEA; LEFT -PROTRUDING; LEFT -LARGE; LEFT: 9 MM IN DIAMETER (RIGHT IS 6 MM IN DIAMETER)	EYE (EY) : -I-NEUROFIBROSARCOMA, -NEOPLASM PRESENT BRAIN (BR) : -M-NEUROFIBROSARCOMA, -NEOPLASM PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 459

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92654 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 517.1 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:12 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

HARDERIAN GLAND (HG) :
-MISSING/NOT IDENTIFIED; BILATERAL:
NOT POSITIVELY IDENTIFIED DUE TO
CALVARIUM MASS; POSSIBLE REMNANTS
COLLECTED

LN, MANDIBULAR (MN) :
-LARGE; LEFT: UP TO 12 X 8 X 4 MM
(RIGHT IS UP TO 6 X 4 X 2 MM);
COLLECTED

ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MINIMAL
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
-CYST, -PRESENT
HARDERIAN GLAND (HG) :
>TISSUE MISSING

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, BRAIN, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
-LYMPHANGIECTASIS, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 460

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92654 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 517.1 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:12 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CALVARIUM/SKULL (CA) :
-MASS(ES); BILATERAL ORBITS, EXTENDING
INTO CRANIAL VAULT: SINGLE MASS, TAN
AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: DARK RED AND
DRY MATERIAL

CALVARIUM/SKULL (CA) :
-I-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 461

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92654 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 517.1 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 10:12 PROSECTOR: JARED FISHEL RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 462

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92655 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 669.9 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:19 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-MID; WEEK 85; 20 X 25MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; TAIL-MID; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 463

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92655 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 669.9 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:19 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 5 X 5 MM, RED, DARK
RED, TAN, LOBULATED, AND SOFT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFLAMMATION, GRANULOMATOUS, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT
TAIL (TI) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -MODERATELY SEVERE
-M-NEUROFIBROSARCOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 464

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92655 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 669.9 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:19 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TAIL (TI) :

-MASS(ES); 35 MM FROM BASE: SINGLE
MASS, 35 X 32 X 20 MM, RED, DARK RED,
TAN, AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 22); OVERLYING SKIN HAS A
SINGLE, DARK RED ULCERATED AREA, 20 MM
IN DIAMETER; COLLECTED INTACT WITH
MASS

LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 465

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92655 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 669.9 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:19 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 466

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92656 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 462.2 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 13:57 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; DORSAL- THORACIC; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -CYST(S); BILATERAL, CORTICAL SURFACE: MULTIPLE PINPOINT, CLEAR FLUID FILLED CYSTS -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL -THROMBUS, -PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -ATROPHY, ACINAR, -MINIMAL -INFLAMMATION, VASCULAR, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERPLASIA, CORTICAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 467

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92656	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00	STUDY DAY OF DEATH: 673	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: 462.2 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 13:57	PROSECTOR: NANCY DIEDRICH	RECORDED: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 20 X 10 X 5 MM	ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT LN, MESENTERIC (MS) : -MINERALIZATION, VASCULAR, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL -INFLAMMATION, VASCULAR, -SLIGHT BONE, FEMUR (FE) : -OSTEODYSTROPHY, FIBROUS, -SLIGHT BONE, STERNUM (SB) : -OSTEODYSTROPHY, FIBROUS, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, SEPTAL, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MODERATELY SEVERE -MINERALIZATION, VASCULAR, -SEVERE
	HEART (HT) : -LIGHT FOCUS(I)/AREA(S); EPICARDIUM OF BOTH VENTRICLES: MULTIPLE TAN, INDISTINCT AREAS	THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -SEVERE
	PARATHYROID (PT) : -LARGE; BILATERAL: EACH IS 2 MM IN DIAMETER	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 468

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92656	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00	STUDY DAY OF DEATH: 673	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: 462.2 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 13:57	PROSECTOR: NANCY DIEDRICH	RECORDED: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 10 X 8 X 8 MM, RED, GRAY, TAN, AND SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BROWN AREAS, UP TO 3 X 2 MM -THICKENED WALL; DIFFUSE SKIN (SK) : -CRUSTED AREA(S); LEFT DORSAL THORACIC REGION: SINGLE TAN, LOBULATED CRUSTED AREA, 18 X 10 MM (CAP 25) PROSTATE (PR) : -NODULAR; DIFFUSE: GREEN AND FIRM MAMMARY, MALE (MM) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN, CREAMY SEMIFLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER (CAP 22) AORTA (AO) : -LARGE; DIFFUSE: UP TO 8 MM IN DIAMETER; COLLECTED -FIRM; DIFFUSE	STOMACH, GL (ST) : -MINERALIZATION, GLANDULAR MUCOSA, - SLIGHT SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT EPIDIDYIMIDES (EP) : -IMMATURE SPERM FORMS, -MINIMAL CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT MAMMARY, MALE (MM) : -HYPERPLASIA, CYSTIC, -MODERATE -GALACTOCELE, -PRESENT AORTA (AO) : -MINERALIZATION, -MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 469

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92656 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 462.2 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 13:57 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ARTERY, OTHER (AU) :
-LARGE; BILATERAL, CAROTID: EACH IS UP
TO 3 MM IN DIAMETER AND BOTH ARE FIRM
(CAP 23)
AORTIC ARCH (AA) :
-LARGE; UP TO 10 MM IN DIAMETER AND
FIRM (CAP 24)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

ARTERY, OTHER (AU) :
-MINERALIZATION, -MODERATELY SEVERE

AORTIC ARCH (AA) :
-MINERALIZATION, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 470

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92656 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 462.2 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 13:57 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), MARROW, FEMUR (FM), MARROW, STERNUM (SE), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 471

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92657 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 785.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:39 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); SHOULDER-LEFT; WEEK 90; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT PITUITARY (PI) : -HYPERPLASIA, -MODERATE SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT ASPECT: SINGLE DARK RED AREA, 3 MM IN DIAMETER	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 472

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92657 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 785.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:39 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-MASS(ES); LEFT LATERAL THORACIC
REGION: SINGLE MASS, 12 X 12 X 10 MM,
TAN AND HARD; SAME ON CUT SURFACE;
OVERLYING SKIN HAS A SINGLE DRY, TAN,
CRUSTED, ULCERATED AREA, 10 MM IN
DIAMETER (CAP 22); REGIONAL LN
(AXILLARY) NORMAL (CAP 23)

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 473

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92657 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 785.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:39 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 474

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92658 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 14:40 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -MINIMAL -NECROSIS, FOCAL, -MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 475

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92658 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 14:40 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 6 X 6 X 3 MM, RED, DARK
RED, GREY AND SOFT

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: LEFT IS
RED, RIGHT IS RED AND BROWN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 476

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92658 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 14:40 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 477

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92659 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 705.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:04 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT BIFURCATION OF RIGHT AND LEFT MEDIAN LOBE: SINGLE TAN AREA, 4 X 3 MM (CAP 22)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 478

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92659 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 705.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:04 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RAISED AREA(S); LEFT POSTERIOR
ASPECT: SINGLE DARK RED AREA, 2 MM IN
DIAMETER

JOINT, OTHER (JT) :
-LARGE; LEFT TARSAL JOINT: 15 MM IN
DIAMETER (RIGHT IS 9 MM IN DIAMETER);
COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MODERATE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 479

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92659 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 705.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:04 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 480

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92660 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 659.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:46 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 2 MM IN DIAMETER, COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -MASS(ES); 8 X 7 X 5 MM, RED, DARK RED, TAN, AND SOFT GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 481

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92660 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 659.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:46 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), TESTIS (TE), LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 482

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92661 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 376.6 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MASS(ES); RIGHT LATERAL LOBE: SINGLE PEDUNCULATED MASS, 40 X 20 X 10 MM, DARK RED, BROWN, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (SEE HEPATIC) -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -CYST(S); BILATERAL, DIFFUSE: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT BRAIN (BR) : -MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -NECROSIS, COAGULATIVE, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MODERATE -HEMORRHAGE, -PRESENT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 483

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92661 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 376.6 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFLAMMATION, VASCULAR, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SLIGHT >NOTE:>UNILATERAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL -MINERALIZATION, SEPTAL, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 484

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92661 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 376.6 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		HEART (HT) : -MINERALIZATION, VASCULAR, -MODERATE PARATHYROID (PT) : -HYPERPLASIA, -SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 7 X 6 X 6 MM, TAN, DARK RED, AND SOFT	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE -MINERALIZATION, GLANDULAR MUCOSA, - MODERATELY SEVERE
	STOMACH, GL (ST) : -RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK RED PINPOINT FOCI, UP TO 1 MM IN DIAMETER -THICKENED WALL; DIFFUSE	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, LIVER, -PRESENT
	LN, OTHER (LN) : -DIFFUSELY RED; DARK RED (CAP 22)	LN, OTHER (LN) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
	AORTA (AO) : -LARGE; UP TO 7 MM IN DIAMETER; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	AORTA (AO) : -MINERALIZATION, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 485

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92661 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 376.6 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 486

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92662 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 431.4 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:50 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0238	.0055 %	.0106	WEIGHT TAKEN
RT ADRENAL (AD1)	.0252	.0058 %	.0112	WEIGHT TAKEN
BRAIN (BR)	2.2508	.5217 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.6677	.3866 %	.7409	WEIGHT TAKEN
RT KIDNEY (KD1)	2.0046	.4647 %	.8906	WEIGHT TAKEN
LIVER (LI)	14.3620	3.3292 %	6.3808	WEIGHT TAKEN
LUNG (LU)	1.9229	.4457 %	.8543	WEIGHT TAKEN
SPLEEN (SP)	.6613	.1533 %	.2938	WEIGHT TAKEN
LF TESTIS (TE0)	1.6859	.3908 %	.7490	WEIGHT TAKEN
RT TESTIS (TE1)	1.7014	.3944 %	.7559	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0084	.0019 %	.0037	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0146	.0034 %	.0065	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT GENERAL COMMENT (GC) : -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -DILATATION, PELVIC, -SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 487

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92662 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 431.4 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:50 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 488

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92663 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/08/00 14:13 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); SHOULDER-LEFT; WEEK 89; 70 X 80MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
	KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT -GRANULAR MATERIAL; RIGHT: MULTIPLE TAN AND HARD GRANULES, UP TO 1 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL
	PANCREAS (PA) : -MASS(ES); DISTAL END FROM SPLEEN: SINGLE MASS, 7 MM IN DIAMETER, DARK RED AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (PANCREATIC) NOT IDENTIFIED	KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, PELVIC, -MODERATE
		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT
		PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT
		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 489

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92663	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/08/00	STUDY DAY OF DEATH: 660	STUDY WEEK OF DEATH: 95	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/08/00 14:13	PROSECTOR: GREGORY CODDINGTON	RECORDED: GREGORY CODDINGTON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 22 X 13 X 4 MM; BOTH ARE SOFT	ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE -GRANULOMA, SPERM, -PRESENT MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATELY SEVERE THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -ATROPHY, -MINIMAL JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC
	PITUITARY (PI) : -MASS(ES); 7 X 6 X 5 MM, DARK RED, TAN, GRAY AND SOFT	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 490

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92663 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/08/00 14:13 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SKIN (SK) : -MASS(ES); LEFT SHOULDER REGION: SINGLE MASS, 80 X 65 X 40 MM, RED, DARK RED, TAN, GRAY, LOBULATED AND FIRM; ON SECTION EXUDES A DARK RED FLUID; PORTION COLLECTED (CAP 25); REGIONAL LN (SEE AXILLARY)	CECUM (CE) : >AUTOLYTIC COLON (CO) : >AUTOLYTIC SKIN (SK) : -M-FIBROSARCOMA, -NEOPLASM PRESENT
	LN, AXILLARY (AX) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 24) LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22) TAIL (TI) : -CRUSTED AREA(S); ALONG ENTIRE LENGTH: MULTIPLE DARK BROWN AND DRY CRUSTED AREAS, UP TO 3 MM IN DIAMETER (CAP 26)	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT EPIDIDYMIDES (EP) : -HYOSPERMIA, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, SKIN/MUSCLE/SUBCUTIS, - PRESENT LN, AXILLARY (AX) : -CONGESTION, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT -CONGESTION, -PRESENT TAIL (TI) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -ACANTHOSIS / HYPERKERATOSIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 491

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92663 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/08/00 14:13 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
MAMMARY, MALE (MM), COAGULATING GL (CG), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 492

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92664 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/11/99 STUDY DAY OF DEATH: 540 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/11/99 8:10 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); SINGLE MASS, 10 X 8 X 8 MM, RED, DARK RED, TAN AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 493

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92664	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/11/99	STUDY DAY OF DEATH: 540	STUDY WEEK OF DEATH: 78	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/11/99 8:10	PROSECTOR: KEVIN BILLINGS	RECORDED: KEVIN BILLINGS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 494

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92665 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/24/99 8:19 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 12 X 10 X 10 MM (RIGHT IS 5 X 4 X 4 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : >UNREMARKABLE ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 495

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92665 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/24/99 8:19 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

JOINT, OTHER (JT) :
-LARGE; RIGHT TARSAL: UP TO 15 MM IN
DIAMETER; COLLECTED
GENERAL COMMENT (GC) :
-ANIMAL OBESE

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-POSSIBLE TRAUMATIC INJURY, -PRESENT
JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
-PROBABLE FRACTURE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 496

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92665 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/24/99 8:19 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 497

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92666 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 529.2 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 13:55 PROSECTOR: LYNN HORNER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 15 X 10 X 7 MM, DARK RED, RED, TAN AND SOFT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 498

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92666 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 529.2 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 13:55 PROSECTOR: LYNN HORNER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 499

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92666 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 529.2 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 13:55 PROSECTOR: LYNN HORNER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 500

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92667 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 548.9 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 13:10 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 69; 30 X 30MM; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ANGIECTASIS, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 501

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92667 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 548.9 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 13:10 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-LARGE; RIGHT: 7 X 6 X 4 MM (LEFT IS 4
X 3 X 2 MM)
PITUITARY (PI) :
-MASS(ES); 11 X 8 X 6 MM, DARK RED,
GRAY AND SOFT
URINARY BLADDER (UB) :
-SEMIFLUID MATERIAL; FILLED WITH A
REDDISH-GREEN FLUID

THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
URINARY BLADDER (UB) :
-HEMORRHAGE, -MODERATE
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: RED AND
DRY MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 502

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92667 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 548.9 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 13:10 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 503

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92668 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 310.4 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:25 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	12.3505	3.9789 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 504

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92668 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 310.4 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:25 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 505

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92669 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 812.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:18 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL -B-INTERSTITIAL CELL TUMOR, -NEOPLASM PRESENT -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE -B-ADENOMA, C-CELL, -NEOPLASM PRESENT -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 7 X 6 X 5 MM, RED, DARK RED AND SOFT	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 506

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92669 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 812.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:18 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE

MAMMARY, MALE (MM) :
-CYST(S); BILATERAL PECTORAL REGION:
MULTIPLE WHITE FLUID FILLED CYSTS, UP
TO 4 MM IN DIAMETER (CAP 22)

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MAMMARY, MALE (MM) :
-GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 507

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92669 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 812.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:18 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 508

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92670 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 374.4 GRAMS
DATE AND TIME OF NECROPSY: 09/13/99 10:52 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LARGE; ALL LOBES -MASS(ES); RIGHT MEDIAN LOBE, ALONG MARGIN: SINGLE MASS, 20 X 20 X 7 MM, RED, TAN, BROWN, AND SOFT; SAME ON CUT SURFACE; COLLECTED ON ROUTINE SECTION; REGIONAL LN (HEPATIC) NORMAL (CAP 23) -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN SPLEEN (SP) : -DIFFUSELY LIGHT; RED	BRAIN (BR) : -DEGENERATION, FOCAL, -MINIMAL LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 509

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92670 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 374.4 GRAMS
 DATE AND TIME OF NECROPSY: 09/13/99 10:52 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYMUS (TH) : -GELATINOUS; CLEAR	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYALINE MATERIAL, ALVEOLAR SEPTA, - MODERATE -HYPERPLASIA, TYPE II PNEUMOCYTE, - SLIGHT
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
		PARATHYROID (PT) : -HYPERPLASIA, -MODERATELY SEVERE
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA, CRANIAL ONE HALF, AT JUNCTION OF NONGLANDULAR	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE -MINERALIZATION, GLANDULAR MUCOSA, - MODERATE
		URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 12 X 6 X 2 MM	SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 510

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92670 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 374.4 GRAMS
DATE AND TIME OF NECROPSY: 09/13/99 10:52 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MEDIASTINAL (ML) :
-LARGE; UP TO 5 X 3 X 2 MM (CAP 22)
-MOTTLED; RED AND TAN (CAP 22)

EPIDIDYMITIS (EP) :
-IMMATURE SPERM FORMS, -MODERATE
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT
LN, MEDIASTINAL (ML) :
-HEMORRHAGE, -PRESENT
LN, OTHER (LN) :
>UNREMARKABLE
>NOTE:>HEPATIC LN

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 511

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92670 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 374.4 GRAMS
DATE AND TIME OF NECROPSY: 09/13/99 10:52 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
EPIDIDYIMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 512

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92671 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/29/00 STUDY DAY OF DEATH: 650 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/29/00 7:22 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, DIFFUSE, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 513

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92671 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/29/00 STUDY DAY OF DEATH: 650 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/29/00 7:22 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-DARK FOCUS(I)/AREA(S); MID ASPECT:
SINGLE DARK RED AREA, 5 MM IN DIAMETER

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: (CAP 22)

EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-CONGESTION, -PRESENT

GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL; LOWER
INCISORS
-DISCHARGE-OCULAR; LEFT: DRY RED
MATERIAL
-STAINS-PERINEUM/PERIANAL; PERINEUM:
MOIST BROWN FLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 514

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92671 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/29/00 STUDY DAY OF DEATH: 650 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/29/00 7:22 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 515

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92672 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 732.1 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 14:54 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >MASS(ES); DORSAL-CERVICAL-LEFT; WEEK 95; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT JUNCTION OF MEDIAN LOBES: SINGLE TAN AREA, 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 516

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92672 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 732.1 GRAMS
 DATE AND TIME OF NECROPSY: 02/13/00 14:54 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PITUITARY (PI) : -MASS(ES); 10 X 8 X 8 MM, DARK RED, GRAY AND SOFT STOMACH, NONGL (SU) : -THICKENED WALL; DIFFUSE -LIGHT FOCUS(I)/AREA(S); MUCOSA: MULTIPLE TAN AREAS, UP TO 2 X 1 MM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 517

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92672 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 732.1 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 14:54 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-MASS(ES); LEFT DORSAL THORACIC
REGION: SINGLE MASS, 12 X 8 X 6 MM,
DARK RED, TAN AND FIRM; SAME ON CUT
SURFACE (CAP 22); OVERLYING SKIN HAS A
SINGLE DARK RED AND DRY CRUSTED AREA,
1 MM IN DIAMETER; COLLECTED INTACT
WITH MASS; REGIONAL LN (AXILLARY)
NORMAL (CAP 23)

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT

URINARY BLADDER (UB) :

-HYPERPLASIA, TRANSITIONAL CELL, -
MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

SEMINAL VESICLES (SV) :

-SECRETION, DECREASED, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 518

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92672 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 732.1 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 14:54 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 519

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92673 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/07/00 STUDY DAY OF DEATH: 659 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/07/00 8:56 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 81; 50 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT JEJUNUM (JE) : >AUTOLYTIC
	PITUITARY (PI) : -MASS(ES); 10 X 8 X 8 MM, TAN AND SOFT	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 520

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92673 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/07/00 STUDY DAY OF DEATH: 659 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/07/00 8:56 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 65 X 50 X 30 MM, RED,
TAN, GRAY, LOBULATED AND FIRM; SAME ON
CUT SURFACE (CAP 23); REGIONAL LN
(AXILLARY) NORMAL (CAP 22)

ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
SKIN (SK) :
-B-FIBROMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 521

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92673 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/07/00 STUDY DAY OF DEATH: 659 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/07/00 8:56 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 522

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92674 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 930.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:21 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) TESTIS (TE) : -CONTAINS FLUID; LEFT: CLEAR FLUID -LARGE; LEFT: 45 X 25 X 20 MM (RIGHT IS 20 X 15 X 10 MM) PITUITARY (PI) : -MASS(ES); 5 X 5 X 4 MM, RED, TAN, AND FIRM STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -ATROPHY, ACINAR, -MODERATE TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MINIMAL -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 523

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92674 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 930.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:21 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 524

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92675 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 503.9 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 90; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 525

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92675 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 503.9 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 10 X 6 MM, DARK RED,
BROWN AND SOFT
SKIN (SK) :
-MASS(ES); RIGHT DORSAL LUMBAR REGION:
SINGLE MASS, 20 X 15 X 7 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

PROSTATE (PR) :
-LARGE; 30 X 20 X 18 MM

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SKIN (SK) :
-CYST, EPIDERMAL INCLUSION, -PRESENT
URINARY BLADDER (UB) :
-HYPERPLASIA, TRANSITIONAL CELL, -
MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 526

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92675 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 503.9 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PROSTATE (PR) : -GELATINOUS; DIFFUSE: LIGHT GREEN SEMINAL VESICLES (SV) : -SMALL; BILATERAL: LEFT IS 10 X 7 X 3 MM, RIGHT IS 15 X 8 X 5 MM	SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE EPIDIDYIMIDES (EP) : -VACUOLATION, TUBULAR EPITHELIUM, - SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT BILE DUCT (BD) : -CYST, -PRESENT -INFLAMMATION, CHRONIC, -MODERATELY SEVERE -THROMBUS, -PRESENT
	BILE DUCT (BD) : -LARGE; UP TO 5 MM IN DIAMETER (CAP 23)	
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; LEFT: DARK RED DRY MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 527

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92675 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 503.9 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:45 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 528

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92676 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 448.1 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 12:55 PROSECTOR: DONIA MEYER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0301	.0067 %	.0136	WEIGHT TAKEN
RT ADRENAL (AD1)	.0281	.0063 %	.0127	WEIGHT TAKEN
BRAIN (BR)	2.2089	.4929 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.8605	.4152 %	.8423	WEIGHT TAKEN
RT KIDNEY (KD1)	1.8648	.4162 %	.8442	WEIGHT TAKEN
LIVER (LI)	13.3586	2.9812 %	6.0476	WEIGHT TAKEN
LUNG (LU)	1.4477	.3231 %	.6554	WEIGHT TAKEN
SPLEEN (SP)	.6389	.1426 %	.2892	WEIGHT TAKEN
LF TESTIS (TE0)	1.7039	.3802 %	.7714	WEIGHT TAKEN
RT TESTIS (TE1)	1.6819	.3753 %	.7614	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0121	.0027 %	.0055	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0108	.0024 %	.0049	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	GENERAL COMMENT (GC) : -NO MACROSCOPIC LESIONS -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 529

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92676 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 12:55 PROSECTOR: DONIA MEYER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 530

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92677 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/09/00 STUDY DAY OF DEATH: 690 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/09/00 8:13 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 80; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 1 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -MINERALIZATION, -MINIMAL LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 531

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92677 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/09/00 STUDY DAY OF DEATH: 690 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/09/00 8:13 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-RAISED FOCUS(I)/AREA(S); DORSAL
LUMBAR REGION: SINGLE DRY TAN, CRUSTED
RAISED AREA, 10 X 10 X 7 MM (CAP 22)

MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MINIMAL
HARDERIAN GLAND (HG) :
-ATROPHY, -MINIMAL
JEJUNUM (JE) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
RECTUM (RE) :
>AUTOLYTIC
SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 532

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92677	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/09/00	STUDY DAY OF DEATH: 690	STUDY WEEK OF DEATH: 99	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/09/00 8:13	PROSECTOR: DAVID SCHUETTE	RECORDED: DAVID SCHUETTE	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), ILEUM (IL), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 533

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92678 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 274.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:54 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	10.0762	3.6700 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 534

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92678 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 274.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:54 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 535

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92679 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/07/99 STUDY DAY OF DEATH: 383 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: 698.8 GRAMS
DATE AND TIME OF NECROPSY: 05/07/99 14:08 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -HEPATIC ANOMALY (LOBULE); DIAPHRAGMATIC SURFACE AT JUNCTION OF MEDIAN LOBES: SINGLE ANOMALY, 8 X 5 X 3 MM, LIVER-LIKE IN CONSISTENCY (CAP 21)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -ANOMALY, SECONDARY TO DIAPHRAGMATIC HERNIA, -PRESENT
>RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 8 MM IN DIAMETER, RED, DARK RED, GRAY, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 536

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92679 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/07/99 STUDY DAY OF DEATH: 383 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: 698.8 GRAMS
DATE AND TIME OF NECROPSY: 05/07/99 14:08 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN AND FIRM
SEMINAL VESICLES (SV) :
-GELATINOUS; BILATERAL: CLEAR

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY, AND CRUSTED

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
SEMINAL VESICLES (SV) :
-SECRETION, INCREASED, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 537

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92679 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/07/99 STUDY DAY OF DEATH: 383 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: 698.8 GRAMS
DATE AND TIME OF NECROPSY: 05/07/99 14:08 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 538

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92680 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:03 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -ATROPHY, CORTICAL, -MODERATE TESTIS (TE) : -INFLAMMATION, VASCULAR, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 539

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92680 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:03 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 11 X 7 MM, DARK RED,
RED AND SOFT

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
SEMINAL VESICLES (SV) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ATROPHY, -MODERATELY SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 540

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92680 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:03 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 541

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92681 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/16/99 STUDY DAY OF DEATH: 606 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 444.9 GRAMS
DATE AND TIME OF NECROPSY: 12/16/99 15:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-PROXIMAL; WEEK 62; 20 X 10MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 542

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92681 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/16/99 STUDY DAY OF DEATH: 606 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 444.9 GRAMS
DATE AND TIME OF NECROPSY: 12/16/99 15:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 9 X 8 MM, RED, GREY,
TAN, LOBULATED AND SOFT

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE BROWN FOCI, UP TO 1 MM IN
DIAMETER

PROSTATE (PR) :
-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN AND FIRM
-LARGE; 31 X 15 X 8 MM

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
SEMINAL VESICLES (SV) :
-SECRETION, INCREASED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 543

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92681 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/16/99 STUDY DAY OF DEATH: 606 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 444.9 GRAMS
DATE AND TIME OF NECROPSY: 12/16/99 15:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SEMINAL VESICLES (SV) :

-LARGE; BILATERAL: EACH IS 32 X 21 X 6
MM

TAIL (TI) :

-RAISED AREA(S); ALONG ENTIRE LENGTH
OF TAIL: MULTIPLE TAN AND DARK BROWN
RAISED AREAS, UP TO 16 X 9 X 6 MM;
POSSIBLY CONSISTENT WITH MASS (TAIL)
AS NOTED IN CLINICAL OBSERVATIONS;
PORTION COLLECTED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-ANIMAL THIN

EPIDIDYMIDES (EP) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

TAIL (TI) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

-ACANTHOSIS / HYPERKERATOSIS, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 544

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92681 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/16/99 STUDY DAY OF DEATH: 606 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 444.9 GRAMS
DATE AND TIME OF NECROPSY: 12/16/99 15:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 545

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92682 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 887.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:28 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -M-CARCINOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	THYROID (TY) : -LARGE; RIGHT: 6 X 3 X 3 MM (LEFT IS 4 X 2 X 2 MM) PITUITARY (PI) : -MASS(ES); 8 X 8 X 4 MM, RED, DARK RED, TAN, LOBULATED, AND FIRM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 546

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92682 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 887.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:28 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

HARDERIAN GLAND (HG) :
-MOTTLED; BILATERAL: BLACK AND TAN
STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

PROSTATE (PR) :
-NODULAR; SURROUNDING URETHRA: GREEN,
BROWN, AND FIRM

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); RIGHT
HINDFOOT: SINGLE DARK RED, TAN, AND
DRY ABRADED AREA, 5 X 3 MM; COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

HARDERIAN GLAND (HG) :
>UNREMARKABLE
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -SLIGHT
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 547

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92682 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 887.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:28 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 548

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92683 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 922.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:13 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; LIMB-HIND-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 6 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - MODERATE PARATHYROID (PT) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 549

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92683	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 922.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:13	PROSECTOR: TERRI L. WILLIAMS	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :

- BLOOD FILM TAKEN
- BONE MARROW SMEAR TAKEN
- ANIMAL OBESE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), THYROID (TY), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 550

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92684 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 427.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 9:38 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0224	.0052 %	.0098	WEIGHT TAKEN
RT ADRENAL (AD1)	.0175	.0041 %	.0077	WEIGHT TAKEN
BRAIN (BR)	2.2858	.5346 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.8556	.4340 %	.8118	WEIGHT TAKEN
RT KIDNEY (KD1)	1.8072	.4226 %	.7906	WEIGHT TAKEN
LIVER (LI)	13.5605	3.1713 %	5.9325	WEIGHT TAKEN
LUNG (LU)	2.1432	.5012 %	.9376	WEIGHT TAKEN
SPLEEN (SP)	.6898	.1613 %	.3018	WEIGHT TAKEN
LF TESTIS (TE0)	1.5608	.3650 %	.6828	WEIGHT TAKEN
RT TESTIS (TE1)	1.5278	.3573 %	.6684	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0078	.0018 %	.0034	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0109	.0025 %	.0048	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -SLIGHT
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 551

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92684 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 427.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 9:38 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 552

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92685 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 575.8 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 8:14 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT JUNCTION OF MEDIAN LOBES: SINGLE TAN AREA, 8 X 5 MM; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE		-INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - MINIMAL
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED		PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -MINIMAL -PIGMENT, -MINIMAL
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 553

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92685	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99	STUDY DAY OF DEATH: 554	STUDY WEEK OF DEATH: 80	TERMINAL BODY WEIGHT: 575.8 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 8:14	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 8 X 6 X 6 MM, RED, DARK RED, GREY, TAN AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PROSTATE (PR) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE MASS, 33 X 33 X 23 MM, RED, DARK RED, GREY, TAN, LOBULATED, GELATINOUS AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE LUMBAR)	URINARY BLADDER (UB) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 28 X 15 X 5 MM	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	LN, RENAL (RL) : -LARGE; LEFT: UP TO 9 X 7 X 4 MM (RIGHT IS UP TO 3 X 2 X 2 MM) (CAP 23)	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 554

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92685 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 575.8 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 8:14 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-CYST(S); BILATERAL LATERAL CERVICAL
REGIONS: MULTIPLE TAN, CREAMY
SEMIFLUID FILLED CYSTS, UP TO 3 MM IN
DIAMETER (CAP 22)
LN, LUMBAR/ILIAC (LM) :
-LARGE; BILATERAL: RIGHT IS UP TO 7 X
5 X 4 MM, LEFT IS UP TO 6 X 5 X 4 MM
(CAP 24)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL
-ANIMAL THIN

MAMMARY, MALE (MM) :
-GALACTOCELE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-LYMPHANGIECTASIS, -PRESENT
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 555

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92685 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 575.8 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 8:14 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 556

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92686 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 622.1 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:00 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 557

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92686 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 622.1 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:00 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 12 X 8 X 7 MM,
RED, DARK RED, TAN, GRAY, AND SOFT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL: UPPER
INCISORS
-STAINS - SKIN/HAIRCOAT; VENTRAL
ABDOMINAL REGION, EXTENDING TO
PERIANAL REGION: BROWN AND DRY

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 558

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92686 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 622.1 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:00 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 559

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92687 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/03/99 14:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); HEAD-MAXILLARY- LEFT; WEEK 57; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EYES; DILATED PUPIL; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 560

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92687 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/03/99 14:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 7 X 7 X 5 MM, RED, DARK RED, TAN, LOBULATED AND FIRM	
	STOMACH, GL (ST) : -LIGHT FOCUS(I)/AREA(S); MUCOSA: MULTIPLE TAN AREAS, UP TO 3 X 2 MM	STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MINIMAL -EROSION, -MINIMAL
	STOMACH, NONGL (SU) : -LIGHT FOCUS(I)/AREA(S); MUCOSA: MULTIPLE TAN AREAS, UP TO 3 X 2 MM	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -ULCERATION, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	SKIN (SK) : -CRUSTED AREA(S); ALONG LOWER LEFT MANDIBLE: SINGLE TAN CRUSTED AREA, 3 X 2 MM (CAP 21)	SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -MINIMAL
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 561

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92687 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/03/99 14:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 562

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92688 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 336.4 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:15 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: DARK RED AND BROWN KIDNEY (KD) : -CYST(S); BILATERAL, CORTICAL SURFACE: MULTIPLE CLEAR FLUID FILLED CYSTS, PINPOINT AND UP TO 1 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; BILATERAL -MOTTLED; BILATERAL: RED, BROWN, AND TAN PANCREAS (PA) : -LARGE VESSELS; ALONG DUODENUM: SINGLE VESSEL, 3 MM IN DIAMETER (CAP 24)	EYE (EY) : -ATROPHY, RETINAL, -MODERATE BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -HYPERPLASIA, ISLET CELLS, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 563

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92688 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 336.4 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:15 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -INFLAMMATION, VASCULAR, -SLIGHT >NOTE:>SEE ALSO SLIDE #17
	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 5 X 4 MM (RIGHT IS 5 X 4 X 3 MM)	ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL -DEGENERATION / NECROSIS, UNILATERAL, - SEVERE
		ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT -HYPERPLASIA, MEDULLARY, -SLIGHT
		TESTIS (TE) : -INFLAMMATION, VASCULAR, -MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
		THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	PARATHYROID (PT) : -LARGE; BILATERAL: LEFT IS 2 MM IN DIAMETER, RIGHT IS 4 MM IN DIAMETER	PARATHYROID (PT) : -HYPERPLASIA, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 12 X 10 X 8 MM, RED, DARK RED, LOBULATED, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 564

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92688	SEX: MALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00	STUDY DAY OF DEATH: 677	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: 336.4 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:15	PROSECTOR: NANCY DIEDRICH	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS UP TO 2 X 1 MM	STOMACH, GL (ST) : -EROSION, -MINIMAL
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM -LARGE; 30 X 20 X 8 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: LEFT IS 35 X 15 X 5 MM, RIGHT IS 30 X 15 X 3 MM	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	LN, RENAL (RL) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 25)	CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MINIMAL -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
	MAMMARY, MALE (MM) : -CYST(S); BILATERAL, AXILLARY REGIONS: MULTIPLE TAN CREAMY SEMIFLUID FILLED CYSTS, 10 X 5 X 5 MM (CAP 22)	MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT
	LN, ANT MES/PANC (AP) : -LARGE; UP TO 5 X 3 X 2 MM (CAP 23)	LN, ANT MES/PANC (AP) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 565

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92688 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 336.4 GRAMS
 DATE AND TIME OF NECROPSY: 02/25/00 8:15 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
 MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
 MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG),
 SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
 RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
 CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 566

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92689 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/14/99 STUDY DAY OF DEATH: 390 STUDY WEEK OF DEATH: 56 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/14/99 8:26 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 8 X 5 X 5 MM, DARK RED AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT DUODENUM (DU) : >AUTOLYTIC JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC COLON (CO) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 567

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92689 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/14/99 STUDY DAY OF DEATH: 390 STUDY WEEK OF DEATH: 56 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/14/99 8:26 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL UPPER AND
LOWER INCISORS
-TEETH MISSING/BROKEN/WORN; LEFT LOWER
INCISOR: BROKEN; APPROXIMATELY ONE-
HALF OF INCISOR REMAINING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 568

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92689 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/14/99 STUDY DAY OF DEATH: 390 STUDY WEEK OF DEATH: 56 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/14/99 8:26 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), RECTUM (RE),
SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 569

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92690 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 1034.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:28 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SEVERE -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -HYPERPLASIA, ISLET CELLS, -MODERATE TESTIS (TE) : -HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL), -SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT SALIV GL, MANDIB (SG) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 570

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92690 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 1034.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:28 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SALIV GL, MANDIB (SG) :
-MASS(ES); LEFT, ATTACHED TO CRANIAL
END: SINGLE MASS, 12 X 10 X 8 MM, TAN
AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (SEE
MANDIBULAR)
-DIFFUSELY LIGHT; LEFT: TAN

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 23)
LN, LUMBAR/ILIAC (LM) :
-LARGE; LEFT: 17 X 12 X 6 MM (RIGHT IS
6 X 3 X 2 MM) (CAP 24)
FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); LEFT
HINDFOOT: SINGLE DRY BROWN ABRADED
AREA, 4 MM IN DIAMETER; COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

SALIV GL, MANDIB (SG) :
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

SKIN (SK) :
-B-FIBROMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

LN, LUMBAR/ILIAC (LM) :
-LYMPHANGIECTASIS, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 571

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92690 SEX: MALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 1034.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:28 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 572

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92691 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 736.0 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:38 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; DISCOLORED/LIGHT RED; EYE-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -RED FOCUS(I)/AREA(S); LEFT LATERAL LOBE: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -ATROPHY, ACINAR, -MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT -DILATATION / CYST, FOLLICULAR, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 573

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92691	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 736.0 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:38	PROSECTOR: GREGORY CODDINGTON	RECORDED: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -BONE MARROW SMEAR TAKEN GENERAL INFORMATION (XX) : >NOTE:>ANIMAL NECROPSIED OUT OF ORDER DUE TO MORIBUND CONDITION	
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)		

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 574

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92692 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/99 STUDY DAY OF DEATH: 365 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/99 8:00 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -CONGESTION, -PRESENT KIDNEY (KD) : -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE LUNG (LU) : -CONGESTION, -PRESENT HEART (HT) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FIBROSIS, -SLIGHT TRACHEA (TR) : -EXUDATE, LUMINAL, -PRESENT PARATHYROID (PT) : >TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 575

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92692	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/99	STUDY DAY OF DEATH: 365	STUDY WEEK OF DEATH: 53	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/99 8:00	PROSECTOR: TERRI L. WILLIAMS	RECORDED: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 9 MM IN DIAMETER, RED, DARK RED, TAN, GREY AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	SKIN (SK) : -CRUSTED AREA(S); SCROTUM: SINGLE RED, DRY CRUSTED AREA, 14 X 10 MM (CAP 21)	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: BOTH ARE 35 X 16 X 4 MM	JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -MINIMAL
	MAMMARY, MALE (MM) : -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM (CAP 22)	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	COAGULATING GL (CG) : -LARGE; LEFT: 25 X 6 X 4 MM (FOR COMPARISON, RIGHT IS 10 X 6 X 3 MM); COLLECTED INTACT WITH SEMINAL VESICLES	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -MALOCCLUSION; BILATERAL, UPPER INCISORS -DISCHARGE-OCULAR; BILATERAL: RED	MAMMARY, MALE (MM) : -HYPERPLASIA, CYSTIC, -MODERATE -SECRETORY MATERIAL IN LUMINA, -PRESENT COAGULATING GL (CG) : -SECRETORY MATERIAL, INCREASED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 576

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92692 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/99 STUDY DAY OF DEATH: 365 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/99 8:00 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 577

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92693 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 711.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:31 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 98; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLACK SKIN; DORSAL; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE NEAR JUNCTION OF LEFT MEDIAN LOBE: SINGLE TAN AREA, 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 5 MM IN DIAMETER; SOME ARE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTIONS LUNG (LU) : -MASS(ES); ALL LOBES, DIFFUSE: MULTIPLE MASSES, UP TO 15 MM IN DIAMETER, ALL ARE RED, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (TRACHEOBRONCHIAL) NOT IDENTIFIED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -N-SARCOMA, -FROM SKIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 578

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92693 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 711.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:31 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-MASS(ES); LUMBAR REGION: SINGLE MASS,
40 X 35 X 20 MM, RED, DARK RED, TAN,
AND FIRM; SAME ON CUT SURFACE;
OVERLYING SKIN HAS A SINGLE ERODED
AREA, 15 MM IN DIAMETER; COLLECTED
INTACT; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

LN, MEDIASTINAL (ML) :

-LARGE; UP TO 5 MM IN DIAMETER;
APPEARS CYSTIC (CAP 22)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

THYROID (TY) :

-DILATATION / CYST, FOLLICULAR, -PRESENT

SKIN (SK) :

-M-FIBROSARCOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, MEDIASTINAL (ML) :

-HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT
-LYMPHANGIECTASIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 579

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92693 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 711.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:31 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 580

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92694 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 918.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:04 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 581

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92694 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 918.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:04 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); RIGHT HINDFOOT:
SINGLE DARK RED AND DRY CRUSTED AREA,
4 MM IN DIAMETER; COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

FOOT/FOOTPAD (FP) :
-ULCERATION, -SLIGHT
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 582

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92694 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 918.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:04 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 583

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92695 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 727.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:21 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PARATHYROID (PT) : -HYPERPLASIA, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -CYST, -PRESENT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	PITUITARY (PI) : -LARGE; 7 X 5 X 4 MM; APPEARS SWOLLEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 584

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92695	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 727.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:21	PROSECTOR: JARED FISHEL	RECORDER: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TRIGEMINAL NERVE (TG) : -LARGE; BILATERAL: EACH IS UP TO 4 MM IN DIAMETER; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	TRIGEMINAL NERVE (TG) : -GANGLION, -PRESENT
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: PANCREAS (PA), TESTIS (TE), THYROID (TY)		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 585

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92696 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 785.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:51 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 586

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92696 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 785.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:51 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RAISED AREA(S); LEFT POSTERIOR
ASPECT: SINGLE TAN AREA, 2 MM IN
DIAMETER

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); RIGHT
HINDFOOT: SINGLE DARK RED AND TAN
ABRADED AREA, 9 MM IN DIAMETER;
COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-BACTERIA, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 587

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92696 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 785.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:51 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 588

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92697 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/28/99 STUDY DAY OF DEATH: 465 STUDY WEEK OF DEATH: 67 TERMINAL BODY WEIGHT: 523.3 GRAMS
DATE AND TIME OF NECROPSY: 07/28/99 7:35 PROSECTOR: JILL PAUS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 58; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL- THORACIC; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 589

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92697 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/28/99 STUDY DAY OF DEATH: 465 STUDY WEEK OF DEATH: 67 TERMINAL BODY WEIGHT: 523.3 GRAMS
DATE AND TIME OF NECROPSY: 07/28/99 7:35 PROSECTOR: JILL PAUS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 11 X 8 X 8 MM, RED, DARK
RED, GREY, AND SOFT

HEART (HT) :

-CARDIOMYOPATHY, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

MAMMARY, MALE (MM) :

>UNREMARKABLE

>NOTE:>SEE SKIN FOR DIAGNOSIS

MAMMARY, MALE (MM) :

-MASS(ES); LEFT DORSAL LUMBAR REGION:
SINGLE MASS, 20 X 15 X 15 MM, RED,
DARK RED, TAN, AND FIRM; SAME ON CUT
SURFACE (CAP 21); REGIONAL LN
(INGUINAL) NOT IDENTIFIED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: RED DRY
MATERIAL
-STAINS - SKIN/HAIRCOAT; ENTIRE
VENTRAL SURFACE: BROWN DRY MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 590

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92697 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/28/99 STUDY DAY OF DEATH: 465 STUDY WEEK OF DEATH: 67 TERMINAL BODY WEIGHT: 523.3 GRAMS
DATE AND TIME OF NECROPSY: 07/28/99 7:35 PROSECTOR: JILL PAUS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 591

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92698 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 741.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:30 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); AXILLARY REGION- LEFT; WEEK 82; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; BROWN HAIR COAT; PERINEAL AREA; VERIFIED AT NECROPSY: OBSERVED >EYES; PALE; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; OTHER; BLACK HAIR COAT - PERINEAL; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; LIQUID FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -MASS(ES); ALL LOBES: MULTIPLE MASSES, UP 23 X 20 X 8 MM, ALL ARE TAN, BROWN, DARK RED AND FIRM; ALL ARE SAME ON CUT SURFACE; COLLECTED ON ROUTINE SECTIONS; REGIONAL LN (SEE HEPATIC) PANCREAS (PA) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE MASS, 45 X 40 X 35 MM, DARK RED AND TAN; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE PANCREATIC)	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -N-CARCINOMA, -FROM PANCREAS KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT TESTIS (TE) : -MINERALIZATION, VASCULAR, -MINIMAL LUNG (LU) : -N-CARCINOMA, -FROM PANCREAS THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 592

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92698	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 741.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:30	PROSECTOR: TONY HANFELD	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, OTHER (LN) : -LARGE; HEPATIC: UP TO 7 X 3 X 3 MM (CAP 22) LN, ANT MES/PANC (AP) : -DIFFUSELY RED; PANCREATIC: DARK RED (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -STAINS-PERINEUM/PERIANAL; DRY BROWN MATERIAL	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, OTHER (LN) : >TISSUE MISSING LN, ANT MES/PANC (AP) : >TISSUE MISSING >NOTE:>NO LYMPH NODE; SEE PANCREAS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 593

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92698 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 741.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:30 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 594

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92699 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 636.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:52 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE -B-INTERSTITIAL CELL TUMOR, -NEOPLASM PRESENT >NOTE:>UNILATERAL
	TESTIS (TE) : -RED/YELLOW FOCUS(I)/AREA(S); RIGHT, BENEATH TUNICA: SINGLE YELLOW AREA, 11 X 10 MM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 595

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92699 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 636.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:52 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 8 X 7 X 5 MM, RED, TAN,
GREY AND SOFT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

TAIL (TI) :

-CRUSTED AREA(S); PROXIMAL ONE THIRD:
MULTIPLE BROWN AND DRY AREAS, UP TO 2
MM IN DIAMETER; COLLECTED

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

TAIL (TI) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 596

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92699 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 636.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:52 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 597

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92700 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 532.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:24 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 98; 15 X 15MM; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT -INFLAMMATION, VASCULAR, -MODERATE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 598

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92700 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 532.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:24 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 7 X 5 MM, RED, TAN,
AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 599

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92700 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 532.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:24 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 600

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92701 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 04/19/99 STUDY DAY OF DEATH: 365 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 555.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/19/99 15:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); LIMB-FRONT-RIGHT; WEEK 47; 70 X 80MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL
>SKIN & PELAGE; SORE/SCAB; LIMB-FRONT- RIGHT; VERIFIED AT NECROPSY: OBSERVED		-HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		-HYPERPLASIA, BILE DUCT, -MINIMAL
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE		-HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -MINIMAL
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE
		ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT
		LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 601

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92701 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/19/99 STUDY DAY OF DEATH: 365 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 555.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/99 15:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MUSCLE, SKELETAL (SM) :
-MASS(ES); SURROUNDING ENTIRE FRONT
RIGHT FORELIMB: SINGLE MASS, 95 X 80 X
45 MM, TAN, RED, FIRM, AND LOBULATED;
SAME ON CUT SURFACE; OVERLYING SKIN
HAS A SINGLE DRY RED CRUSTED AREA, 60
X 55 MM; COLLECTED INTACT WITH MASS;
REGIONAL LN (SEE AXILLARY)

LN, AXILLARY (AX) :
-LARGE; BILATERAL: EACH IS 7 X 4 X 2
MM (CAP 21)

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
MUSCLE, SKELETAL (SM) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-BACTERIAL COLONIES, -PRESENT

ESOPHAGUS (ES) :
-HYPERKERATOSIS, -MODERATE
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
EPIDIDYIMIDES (EP) :
-IMMATURE SPERM FORMS, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT
LN, AXILLARY (AX) :
-HEMORRHAGE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 602

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92701 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/19/99 STUDY DAY OF DEATH: 365 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 555.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/99 15:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-DIFFUSELY RED; BILATERAL: DARK RED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 603

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92701 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/19/99 STUDY DAY OF DEATH: 365 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 555.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/99 15:44 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 604

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92702 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:10 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE TAN AREA, 2 X 1 MM; COLLECTED ON ROUTINE SECTION PITUITARY (PI) : -MASS(ES); 12 X 7 X 5 MM, RED, DARK RED, TAN AND FIRM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -EROSION, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 605

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92702 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:10 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 4 X 2
MM

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 606

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92702 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:10 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 607

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92703 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 06/16/99 STUDY DAY OF DEATH: 423 STUDY WEEK OF DEATH: 61 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 06/16/99 7:48 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 11 X 9 X 6 MM, DARK RED AND SOFT	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 608

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92703 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 06/16/99 STUDY DAY OF DEATH: 423 STUDY WEEK OF DEATH: 61 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 06/16/99 7:48 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

JEJUNUM (JE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DARK RED
-DISCHARGE-NASAL; DARK RED

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 609

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92703 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 06/16/99 STUDY DAY OF DEATH: 423 STUDY WEEK OF DEATH: 61 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 06/16/99 7:48 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 610

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92704 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 860.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:35 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 90; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	LUNG (LU) : >NOTE:>TRIMMING COMMENT: MISSING FROM WET TISSUE AT TRIMMING TRACHEA (TR) : >NOTE:>TRIMMING COMMENT: MISSING FROM WET TISSUE AT TRIMMING ESOPHAGUS (ES) : >NOTE:>TRIMMING COMMENT: MISSING FROM WET TISSUE AT TRIMMING	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL LUNG (LU) : >TISSUE MISSING TRACHEA (TR) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL ESOPHAGUS (ES) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 611

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92704 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 860.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:35 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
>NOTE:>TRIMMING COMMENT: MISSING FROM
WET TISSUE AT TRIMMING
PARATHYROID (PT) :
>NOTE:>TRIMMING COMMENT: MISSING FROM
WET TISSUE AT TRIMMING
SKIN (SK) :
-MASS(ES); LEFT LATERAL ABDOMINAL
REGION: SINGLE MASS, 25 MM IN
DIAMETER, TAN AND FIRM; ON CUT SURFACE
EXUDES A TAN, CASEOUS SEMISOLID;
COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 22); OVERLYING SKIN HAS A
SINGLE DRY, TAN ULCERATED AREA, 8 MM
IN DIAMETER; COLLECTED INTACT WITH
MASS

THYROID (TY) :
>TISSUE MISSING
PARATHYROID (PT) :
>TISSUE MISSING
SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 612

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92704 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 860.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:35 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), URINARY BLADDER (UB), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 613

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92705 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 852.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:23 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; DISCOLORED/LIGHT RED; EYE-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); LEFT MEDIAN LOBE: MULTIPLE TAN FOCI, UP TO 2 MM IN DIAMETER; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 614

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92705 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 852.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:23 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-LARGE; LEFT: 6 X 4 X 3 MM (RIGHT IS 4
X 3 X 2 MM)

MAMMARY, MALE (MM) :
-MASS(ES); LEFT LATERAL THORACIC
REGION: SINGLE MASS, 20 X 15 X 7 MM,
TAN, FIRM AND LOBULATED; SAME ON CUT
SURFACE (CAP 23); REGIONAL LN
(AXILLARY) NOT IDENTIFIED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
MAMMARY, MALE (MM) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 615

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92705 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 852.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:23 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 616

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92706 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 789.7 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -M-ASTROCYTOMA, -NEOPLASM PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 617

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92706 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 789.7 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 8 X 6 MM, RED, TAN,
BROWN, AND SOFT
STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
-DISCHARGE-NASAL; BILATERAL: RED
-ANIMAL OBESE
-DISCHARGE-ORAL; CLEAR

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -MODERATE
NERVE, SCIATIC (SN) :
-DEGENERATION, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, BRAIN, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 618

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92706 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 789.7 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:42 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 619

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92707 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/06/00 STUDY DAY OF DEATH: 627 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 01/06/00 14:55 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: TAN AND BROWN KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -LIGHT FOCUS(I)/AREA(S); RIGHT CORTICAL SURFACE: MULTIPLE TAN AREAS, UP TO 1 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -CYST, BILIARY, -PRESENT KIDNEY (KD) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -BACTERIAL COLONIES, -PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 620

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92707	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/06/00	STUDY DAY OF DEATH: 627	STUDY WEEK OF DEATH: 90	TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 01/06/00 14:55	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 15 X 11 X 10 MM, DARK RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 3 MM IN DIAMETER	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE
	PROSTATE (PR) : -NODULAR; DIFFUSE: GREEN AND FIRM	-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	LN, LUMBAR/ILIAC (LM) : -MOTTLED; BILATERAL: DARK RED AND TAN (CAP 23)	SEMINAL VESICLES (SV) : -ATROPHY, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
	CAVITY, ABDOM (PC) : -MASS(ES); ATTACHED TO ADIPOSE TISSUE CRANIAL TO LEFT TESTIS: SINGLE MASS, 6 X 5 X 5 MM, YELLOW AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (SEE LUMBAR)	-HEMORRHAGE, -PRESENT CAVITY, ABDOM (PC) : -INFLAMMATION / NECROSIS, FAT, -SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 621

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92707 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/06/00 STUDY DAY OF DEATH: 627 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 01/06/00 14:55 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND MOIST
-DISCHARGE-NASAL; DARK RED AND DRY
-URINARY BLADDER-LARGE LUMEN; 25 X 20
X 20 MM; CONTAINS A GREEN FLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 622

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92707 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/06/00 STUDY DAY OF DEATH: 627 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 01/06/00 14:55 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 623

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92708 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 724.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ECTOPIC HEPATOCYTES, -PRESENT TESTIS (TE) : -B-INTERSTITIAL CELL TUMOR, -NEOPLASM PRESENT THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -MALOCCLUSION; BILATERAL UPPER INCISORS	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 624

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92708	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 724.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44	PROSECTOR: JARED FISHEL	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; RIGHT: DRY RED
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 625

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92709 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 9:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -CYST(S); TRIMMING COMMENT: BILATERAL, DIFFUSE: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 1 MM IN DIAMETER -LARGE PELVIS(ES); BILATERAL -ROUGH SURFACE, DIFFUSE; BILATERAL PANCREAS (PA) : -LARGE VESSELS; DIFFUSE: UP TO 6 MM IN DIAMETER (CAP 23) TESTIS (TE) : -SMALL; BILATERAL: LEFT IS 16 X 11 X 5 MM, RIGHT IS 20 X 12 X 6 MM; BOTH ARE SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -NECROSIS, COAGULATIVE, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFLAMMATION, VASCULAR, -SEVERE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SLIGHT -INFLAMMATION, VASCULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 626

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92709 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 9:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 4 MM, TAN, GRAY,
AND SOFT
STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

MARROW, FEMUR (FM) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-MINERALIZATION, SEPTAL, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
-MINERALIZATION, VASCULAR, -MODERATELY
SEVERE
PARATHYROID (PT) :
-HYPERPLASIA, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATELY SEVERE
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 627

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92709 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 9:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 15 X 6 X 2
MM

AORTA (AO) :
-LARGE; DIFFUSE: UP TO 6 MM IN
DIAMETER; COLLECTED
GENERAL COMMENT (GC) :
-ANIMAL THIN
-DISCHARGE-NASAL; DARK RED AND DRY

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
SEMINAL VESICLES (SV) :
-ATROPHY, -SEVERE

EPIDIDYIMIDES (EP) :
-ATROPHY/DEGENERATION, -MODERATE
-VACUOLATION, TUBULAR EPITHELIUM, -
MODERATE
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT
AORTA (AO) :
-MINERALIZATION, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 628

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92709 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/12/00 9:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 629

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92710 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/18/99 STUDY DAY OF DEATH: 486 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/18/99 15:15 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -HYPERPLASIA, ISLET CELLS, -MINIMAL -ATROPHY, ACINAR, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 630

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92710 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/18/99 STUDY DAY OF DEATH: 486 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/18/99 15:15 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PARATHYROID (PT) :
>SECTION EXAMINED; TISSUE NOT PRESENT
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 631

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92710 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/18/99 STUDY DAY OF DEATH: 486 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/18/99 15:15 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 632

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92711 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/19/00 8:04 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -HYPERPLASIA, CORTICAL, -MINIMAL -B-ADENOMA, -NEOPLASM PRESENT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE THYMUS (TH) : >TISSUE MISSING HEART (HT) : -CARDIOMYOPATHY, -SLIGHT ESOPHAGUS (ES) : -EXUDATE, LUMINAL, -PRESENT THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 633

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92711 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/19/00 8:04 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 6 MM, DARK RED,
TAN AND FIRM
STOMACH, GL (ST) :
-LIGHT FOCUS(I)/AREA(S); MUCOSA:
SINGLE TAN SLIGHTLY RAISED AREA, 8 X 5
MM
MAMMARY, MALE (MM) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 30 X 20 X 15 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-FIBROSIS, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
MAMMARY, MALE (MM) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 634

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92711 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/19/00 8:04 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 635

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92712 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 497.3 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 8:32 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); LEFT LATERAL LOBE: SINGLE TAN AREA, 5 X 3 MM; COLLECTED ON ROUTINE SECTION >NOTE:>TRIMMING COMMENT: RIGHT MEDIAN LOBE OF LIVER MISSING AT TRIMMING KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -NECROSIS, COAGULATIVE, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 636

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92712 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 497.3 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 8:32 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT
	PITUITARY (PI) : -MASS(ES); 10 X 9 X 7 MM, RED, DARK RED, GREY, TAN AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PROSTATE (PR) : -GELATINOUS; CLEAR AND SOFT	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
		SEMINAL VESICLES (SV) : -ATROPHY, -SEVERE
		EPIDIDYIMIDES (EP) : -VACUOLATION, TUBULAR EPITHELIUM, - MODERATELY SEVERE
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	LN, RENAL (RL) : -LARGE; LEFT: UP TO 4 X 4 X 3 MM (RIGHT IS UP TO 3 X 3 X 2 MM) (CAP 22) -DIFFUSELY RED; LEFT	LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 637

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92712 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 497.3 GRAMS
 DATE AND TIME OF NECROPSY: 12/13/99 8:32 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -DISCHARGE-OCULAR; BILATERAL: DRY, RED
 MATERIAL
 -ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
 SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
 LN, OTHER (LN), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
 LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
 MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 638

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92713 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 540.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 9:38 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0305	.0056 %	.0134	WEIGHT TAKEN
RT ADRENAL (AD1)	.0304	.0056 %	.0133	WEIGHT TAKEN
BRAIN (BR)	2.2845	.4226 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.8515	.3425 %	.8105	WEIGHT TAKEN
RT KIDNEY (KD1)	1.8679	.3455 %	.8176	WEIGHT TAKEN
LIVER (LI)	18.6941	3.4580 %	8.1830	WEIGHT TAKEN
LUNG (LU)	2.0157	.3729 %	.8823	WEIGHT TAKEN
SPLEEN (SP)	.6982	.1292 %	.3056	WEIGHT TAKEN
LF TESTIS (TE0)	1.6468	.3046 %	.7209	WEIGHT TAKEN
RT TESTIS (TE1)	1.6167	.2991 %	.7077	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0130	.0024 %	.0057	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0112	.0021 %	.0049	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -HYPERPLASIA, ISLET CELLS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 639

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92713	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 540.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 9:38	PROSECTOR: DONIA MEYER	RECORDED: KIMBERLY DURLAND	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENTGENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 640

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92714 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 533.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:29 PROSECTOR: MICHELE MARGGI RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0325	.0061 %	.0131	WEIGHT TAKEN
RT ADRENAL (AD1)	.0386	.0072 %	.0155	WEIGHT TAKEN
BRAIN (BR)	2.4852	.4656 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.3377	.4379 %	.9406	WEIGHT TAKEN
RT KIDNEY (KD1)	2.2096	.4139 %	.8891	WEIGHT TAKEN
LIVER (LI)	20.0992	3.7653 %	8.0876	WEIGHT TAKEN
LUNG (LU)	5.3343	.9993 %	2.1464	WEIGHT TAKEN
SPLEEN (SP)	.6615	.1239 %	.2662	WEIGHT TAKEN
LF TESTIS (TE0)	1.8935	.3547 %	.7619	WEIGHT TAKEN
RT TESTIS (TE1)	1.9044	.3568 %	.7663	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0132	.0025 %	.0053	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0217	.0041 %	.0087	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 641

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92714 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 533.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:29 PROSECTOR: MICHELE MARGGI RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PANCREAS (PA) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
 SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
 LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
 LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
 AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
 DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
 PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 642

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92715 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 323.7 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 12:06 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	11.7462	3.6290 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 643

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92715 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 323.7 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 12:06 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 644

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92716 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 429.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:40 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; DISCOLORED/LIGHT RED; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 18 X 10 X 7 MM; BOTH ARE SOFT THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED, POSSIBLE REMNANTS COLLECTED URINARY BLADDER (UB) : -THICKENED WALL; DIFFUSE PROSTATE (PR) : -NODULAR; DISTAL END: GREEN AND FIRM	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL -CYST, -PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 645

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92716 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 429.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:40 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MEDIASTINAL (ML) :
-CYST(S); SINGLE CLEAR FLUID FILLED
CYST, 3 MM IN DIAMETER (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PROSTATE (PR) :
-HYPERPLASIA, EPITHELIAL, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MEDIASTINAL (ML) :
-LYMPHANGIECTASIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 646

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92716 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 429.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:40 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), THYROID (TY), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 647

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92717 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:44 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-THORACIC-LEFT; WEEK 86; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT
>MASS(ES); DORSAL; WEEK 98; VERIFIED AT NECROPSY: NOT OBSERVED	KIDNEY (KD) : -CYST(S); BILATERAL CORTICAL SURFACES: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 1 MM IN DIAMETER, RIGHT IS 2 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN	KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SEVERE -CYST, -PRESENT -THROMBUS, -PRESENT
>SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: NOT OBSERVED		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL
	THYROID (TY) : -LARGE; TRIMMING COMMENT: BILATERAL: EACH IS 10 X 6 X 3 MM	TESTIS (TE) : -INFLAMMATION, VASCULAR, -SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT
		PARATHYROID (PT) : -HYPERPLASIA, -MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 648

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92717 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:44 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); RIGHT ANTERIOR
ASPECT, AND RIGHT POSTERIOR ASPECT:
SINGLE DARK RED AREA ON EACH, BOTH ARE
2 MM IN DIAMETER

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -SLIGHT

MAMMARY, MALE (MM) :
-MASS(ES); LEFT LATERAL THORACIC
REGION: SINGLE MASS, 35 X 30 X 20 MM,
TAN, FIRM, AND VASCULAR; SAME ON CUT
SURFACE; REGIONAL LN (AXILLARY) NORMAL
(CAP 22)

SKIN (SK) :
-B-FIBROMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 649

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92717 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:44 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

URINARY BLADDER (UB), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 650

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92718 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 278.5 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 12:00 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	9.1215	3.2752 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 651

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92718 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 278.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 12:00 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 652

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92719 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 461.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:00 PROSECTOR: MICHELE MARGGI RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0301	.0065 %	.0134	WEIGHT TAKEN
RT ADRENAL (AD1)	.0255	.0055 %	.0113	WEIGHT TAKEN
BRAIN (BR)	2.2522	.4883 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.9914	.4318 %	.8842	WEIGHT TAKEN
RT KIDNEY (KD1)	2.0458	.4436 %	.9084	WEIGHT TAKEN
LIVER (LI)	15.8391	3.4343 %	7.0327	WEIGHT TAKEN
LUNG (LU)	1.7406	.3774 %	.7728	WEIGHT TAKEN
SPLEEN (SP)	.6376	.1382 %	.2831	WEIGHT TAKEN
LF TESTIS (TE0)	1.6425	.3561 %	.7293	WEIGHT TAKEN
RT TESTIS (TE1)	1.6706	.3622 %	.7418	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0220	.0048 %	.0098	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0225	.0049 %	.0100	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

KIDNEY (KD) :
 -LARGE PELVIS(ES); BILATERAL

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -DILATATION, PELVIC, -SLIGHT
 -REGENERATION, TUBULAR EPITHELIUM, -
 MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 653

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92719 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 461.2 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:00 PROSECTOR: MICHELE MARGGI RECORDER: MATTHEW AXTMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 654

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92720 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/16/99 13:21 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 76; 140 X 130MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 655

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92720 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/16/99 13:21 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); RIGHT ABDOMINAL REGION:
SINGLE MASS, 150 X 140 X 50 MM, RED,
DARK RED, TAN, VASCULAR, AND FIRM;
SOME AREAS EXUDE A DARK BROWN FLUID;
PORTION COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED; OVERLYING
SKIN OF MASS HAS A SINGLE DARK BROWN,
DRY, CRUSTED AREA, 90 X 65 MM;
COLLECTED WITH PORTION OF MASS
CAVITY, ABDOM (PC) :
-MASS(ES); ATTACHED TO ADIPOSE TISSUE
SURROUNDING RIGHT TESTIS: SINGLE MASS,
13 X 5 X 4 MM, TAN AND FIRM; SAME ON
CUT SURFACE; (CAP 22); REGIONAL LN
(LUMBAR) NOT IDENTIFIED

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
SKIN (SK) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS

CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 656

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92720 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/16/99 13:21 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 657

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92721 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 540.6 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 8:30 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; SENSITIVE TO TOUCH; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL PANCREAS (PA) : -DIFFUSELY RED; RED	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZymoGEN GRANULES, DECREASED, - MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 658

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92721 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 540.6 GRAMS
DATE AND TIME OF NECROPSY: 10/28/99 8:30 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 12 X 6 X 6 MM, DARK RED, TAN, SOFT, AND LOBULATED	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -SLIGHT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE PINPOINT DARK BROWN AREAS -THICKENED WALL; MUCOSA: DIFFUSE	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: SINGLE DARK BROWN ERODED AREA, 4 MM IN DIAMETER -THICKENED WALL; MUCOSA: DIFFUSE -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE PINPOINT DARK BROWN AREAS	URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL, LOWER INCISORS -TEETH MISSING/BROKEN/WORN; BILATERAL, UPPER INCISORS: BROKEN OFF AT BASE	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 659

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92721 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 10/28/99 STUDY DAY OF DEATH: 557 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 540.6 GRAMS
 DATE AND TIME OF NECROPSY: 10/28/99 8:30 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -DISCHARGE-OCULAR; RIGHT: DRY RED
 MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
 BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
 LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
 PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
 COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
 LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
 MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
 MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV),
 EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 660

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92722 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 504.7 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:30 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0278	.0055 %	.0125	WEIGHT TAKEN
RT ADRENAL (AD1)	.0245	.0049 %	.0110	WEIGHT TAKEN
BRAIN (BR)	2.2279	.4414 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.7612	.3490 %	.7905	WEIGHT TAKEN
RT KIDNEY (KD1)	1.7928	.3552 %	.8047	WEIGHT TAKEN
LIVER (LI)	16.2488	3.2195 %	7.2933	WEIGHT TAKEN
LUNG (LU)	2.2034	.4366 %	.9890	WEIGHT TAKEN
SPLEEN (SP)	.6357	.1260 %	.2853	WEIGHT TAKEN
LF TESTIS (TE0)	1.5641	.3099 %	.7021	WEIGHT TAKEN
RT TESTIS (TE1)	1.5630	.3097 %	.7016	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0102	.0020 %	.0046	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0107	.0021 %	.0048	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

LN, MESENTERIC (MS) :
 >NOTE:>TRIMMING COMMENT: MESENTERIC LN
 MISSING FROM WET TISSUE AT TIME
 OF TRIMMING

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -REGENERATION, TUBULAR EPITHELIUM, -
 MINIMAL
 LN, MESENTERIC (MS) :
 >TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 661

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92722 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 504.7 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:30 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 662

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92723 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/23/99 STUDY DAY OF DEATH: 552 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 685.3 GRAMS
DATE AND TIME OF NECROPSY: 10/23/99 9:58 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 663

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92723	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/23/99	STUDY DAY OF DEATH: 552	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 685.3 GRAMS
DATE AND TIME OF NECROPSY: 10/23/99 9:58	PROSECTOR: NANCY DIEDRICH	RECORDER: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 13 X 8 X 5 MM, DARK RED AND SOFT	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE REDDISH-TAN ERODED AREAS, UP TO 4 X 2 MM -THICKENED WALL; MUCOSA: DIFFUSE	SALIV GL, MANDIB (SG) : -HYPERPLASIA, GLANDULAR, -MINIMAL STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MINIMAL STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 30 X 13 X 5 MM	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND CRUSTED	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 664

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92723	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/23/99	STUDY DAY OF DEATH: 552	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 685.3 GRAMS
DATE AND TIME OF NECROPSY: 10/23/99 9:58	PROSECTOR: NANCY DIEDRICH	RECORDED: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-STAINS - SKIN/HAIRCOAT; ENTIRE
VENTRAL SURFACE OF ANIMAL: DARK RED
AND DRY

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 665

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92724 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 975.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:12 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 73; 10 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED >WART LIKE LESION(S); DORSAL; WEEK 96; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT POSTERIOR ASPECT: SINGLE DARK RED AREA, 1 MM IN DIAMETER SKIN (SK) : -CRUSTED AREA(S); MID VENTRAL ABDOMINAL AREA: SINGLE TAN, RED, DARK RED AND DRY CRUSTED AREA, 10 X 8 MM; (CAP 22)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : -B-KERATOACANTHOMA, - 2 NEOPLASMS PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 666

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92724 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 975.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:12 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-RAISED FOCUS(I)/AREA(S); MID DORSAL
THORACIC REGION: TWO YELLOW, DARK RED
AND DRY AREAS, UP TO 9 X 3 X 2 MM (CAP
23)

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 667

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92724 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 975.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:12 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 668

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92725 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/99 STUDY DAY OF DEATH: 363 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/99 9:08 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; SENSITIVE TO TOUCH; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- MAXILLARY-LEFT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; RED HAIR COAT; HEAD- MAXILLARY-RIGHT; VERIFIED AT NECROPSY: OBSERVED	LN, MESENTERIC (MS) : -LARGE; UP TO 35 X 22 X 18 MM -DIFFUSELY RED; DARK RED	BRAIN (BR) : -HEMORRHAGE, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL LN, MESENTERIC (MS) : -M-HEMANGIOSARCOMA, -NEOPLASM PRESENT THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -CONGESTION, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 669

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92725 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/99 STUDY DAY OF DEATH: 363 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/99 9:08 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-RED FOCUS(I)/AREA(S); PYLORIC MUCOSA:
SINGLE AREA, 2 X 1 MM

URINARY BLADDER (UB) :
-DIFFUSELY RED; DARK RED

PROSTATE (PR) :
-NODULAR; DIFFUSE: GREEN AND FIRM

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY, CRUSTED MATERIAL
-DISCHARGE-NASAL; DARK RED, DRY,
CRUSTED MATERIAL; CONSISTENT WITH RED
HAIR COAT (BILATERAL, MAXILLARY) AS
NOTED IN CLINICAL OBSERVATIONS

LUNG (LU) :
-HEMORRHAGE, -PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
ESOPHAGUS (ES) :
-EXUDATE, LUMINAL, -PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
-EDEMA, -MODERATE
-INFLAMMATION, ACUTE, -MINIMAL
-HEMORRHAGE, -MINIMAL
URINARY BLADDER (UB) :
-HEMORRHAGE, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, ABDOMINAL CAVITY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 670

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92725 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/99 STUDY DAY OF DEATH: 363 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/99 9:08 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 671

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92726 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 736.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:38 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM PRESENT -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	THYROID (TY) : -LARGE; RIGHT: 10 X 6 X 4 MM (LEFT IS 7 X 3 X 2 MM)	
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); MID ASPECT: SINGLE DARK RED AREA, 4 X 3 MM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 672

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92726	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 736.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:38	PROSECTOR: TROY ELLENBECKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN GENERAL INFORMATION (XX) : >NOTE:>ANIMAL IDENTIFICATION TRANSPONDER DAMAGED AT NECROPSY	
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 673

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92727 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
 DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: NOT ENTERED
 DATE AND TIME OF NECROPSY: 01/09/00 10:04 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: DARK RED AND TAN KIDNEY (KD) : -GRANULAR MATERIAL; LEFT, WITHIN PELVIS: MULTIPLE TAN GRANULES, UP TO 2 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; BILATERAL TESTIS (TE) : -SMALL; RIGHT: 18 X 13 X 2 MM (LEFT IS 18 X 13 X 8 MM); RIGHT IS SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SLIGHT -MINERALIZATION, PELVIC, -MODERATELY SEVERE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, -MODERATE PANCREAS (PA) : -ATROPHY, ACINAR, -MODERATELY SEVERE -INFILTRATION, FAT, INTERSTITIAL, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 674

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92727 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/09/00 10:04 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 9 X 5 MM, TAN AND SOFT
STOMACH, GL (ST) :
-RED FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK RED AREAS, UP TO 2 X 1
MM

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
-FIBROSIS, -MINIMAL
-MINERALIZATION, ALVEOLAR LUMINA, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE

JEJUNUM (JE) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 675

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92727 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/09/00 10:04 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: EACH IS 15 X 8 X 1
MM

SEMINAL VESICLES (SV) :
-ATROPHY, -SEVERE

FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); LEFT HIND FOOT:
SINGLE DRY AREA, 5 MM IN DIAMETER;
COLLECTED

CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

GENERAL COMMENT (GC) :
-GI TRACT-LARGE LUMEN; ENTIRE GI
TRACT: UP TO 10 MM IN DIAMETER

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 676

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92727 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/09/00 10:04 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL),
COLON (CO), RECTUM (RE), SKIN (SK), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 677

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92728 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 580.9 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:39 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0439	.0076 %	.0207	WEIGHT TAKEN
RT ADRENAL (AD1)	.0398	.0069 %	.0188	WEIGHT TAKEN
BRAIN (BR)	2.1202	.3650 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.3132	.3982 %	1.0910	WEIGHT TAKEN
RT KIDNEY (KD1)	2.3640	.4070 %	1.1150	WEIGHT TAKEN
LIVER (LI)	23.2456	4.0017 %	10.9639	WEIGHT TAKEN
LUNG (LU)	2.0336	.3501 %	.9592	WEIGHT TAKEN
SPLEEN (SP)	.8902	.1532 %	.4199	WEIGHT TAKEN
LF TESTIS (TE0)	1.5272	.2629 %	.7203	WEIGHT TAKEN
RT TESTIS (TE1)	1.5527	.2673 %	.7323	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0132	.0023 %	.0062	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0133	.0023 %	.0063	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 21)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 678

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92728 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 580.9 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:39 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 679

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92729 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 532.7 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 13:55 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 77; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		-HYPERPLASIA, BILE DUCT, -MINIMAL
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		-INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -HYALINE DROPLETS, TUBULAR EPITHELIUM, - SLIGHT
		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
		PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
		-ATROPHY, ACINAR, -SLIGHT
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL
		TESTIS (TE) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 680

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92729 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 532.7 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 13:55 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 18 X 10 X 6 MM; EACH IS SOFT	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 9 MM IN DIAMETER, DARK RED AND SOFT	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PROSTATE (PR) : -SMALL; 15 X 10 X 5 MM	SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 10 X 5 X 2 MM	EPIDIDYIMIDES (EP) : -HYOSPERMIA, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	LN, LUMBAR/ILIAC (LM) : -CYST(S); RIGHT, INVOLVING ENTIRE NODE: SINGLE CLEAR FLUID FILLED CYST, 12 X 7 X 6 MM (CAP 22)	LN, LUMBAR/ILIAC (LM) : -LYMPHANGIECTASIS, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: RED AND DRY MATERIAL -DISCHARGE-NASAL; RED AND DRY MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 681

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92729 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 532.7 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 13:55 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 682

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92730 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 547.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:21 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); HEAD-MAXILLARY-LEFT; WEEK 105; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE PINPOINT DARK RED AREAS; COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -MASS(ES); 9 MM IN DIAMETER, RED, TAN AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT -B-ADENOMA, ISLET CELL, - 2 NEOPLASMS PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 683

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92730 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 547.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:21 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-MASS(ES); LEFT MAXILLARY REGION NEAR
COMMISSURE: SINGLE MASS, 6 X 4 X 2 MM,
GRAY AND FIRM (CAP 22); REGIONAL LN
(MANDIBULAR) NORMAL (CAP 23)

SKIN (SK) :

-ULCERATION, -MODERATE
-FIBROSIS, -MODERATE

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 684

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92730 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 547.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:21 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 685

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92731 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 321.0 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 12:13 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	11.3081	3.5232 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 686

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92731 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 321.0 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 12:13 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 687

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92732 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 13:28 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); LEFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, DIFFUSE, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 688

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92732 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 13:28 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 689

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92733 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 411.6 GRAMS
 DATE AND TIME OF NECROPSY: 12/27/99 14:38 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; LATERAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 690

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92733 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 411.6 GRAMS
DATE AND TIME OF NECROPSY: 12/27/99 14:38 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 9 X 9 MM, RED, TAN AND
SOFT

STOMACH, NONGL (SU) :
-THICKENED WALL; MULTIPLE THICKENED
AREAS

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS - SKIN/HAIRCOAT; RIGHT LATERAL
HEAD AND RIGHT LATERAL THORACIC
REGIONS: DARK RED AND DRY

ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
STOMACH, NONGL (SU) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 691

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92733 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 411.6 GRAMS
DATE AND TIME OF NECROPSY: 12/27/99 14:38 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 692

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92734 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 318.2 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 12:08 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	9.9230	3.1183 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 693

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92734 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 318.2 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 12:08 PROSECTOR: LYNN HORNER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 694

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92735 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 804.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:27 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS THYROID (TY) : -LARGE; BILATERAL: EACH IS 7 X 5 X 3 MM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MODERATE THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 695

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92735	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 804.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:27	PROSECTOR: JERALD W. JOHNSON	RECORDED: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAIC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 696

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92736 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 867.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 6 MM IN DIAMETER (LEFT IS 5 X 4 X 4 MM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 697

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92736 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 867.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-SMALL; RIGHT: 19 X 11 X 6 MM (LEFT IS
26 X 15 X 11 MM); RIGHT APPEARS SOFT

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); MID ANTERIOR
ASPECT: SINGLE FOCUS, 1 MM IN DIAMETER

STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA: DIFFUSE

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED;
COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

GENERAL INFORMATION (XX) :
>NOTE:>ANIMAL IDENTIFICATION
TRANSPONDER DAMAGED AT NECROPSY

ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS
PRESENT

TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE
-INFLAMMATION, VASCULAR, -SLIGHT
>NOTE:>UNILATERAL

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL

THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT

PITUITARY (PI) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL

STOMACH, GL (ST) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 698

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92736 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 867.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 699

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92737 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 566.2 GRAMS
DATE AND TIME OF NECROPSY: 01/16/00 8:06 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 78; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; CONVULSIONS; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZymoGen GRANULES, DECREASED, -SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 700

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92737 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 566.2 GRAMS
 DATE AND TIME OF NECROPSY: 01/16/00 8:06 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 13 X 9 X 9 MM, DARK RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 2 MM IN DIAMETER -THICKENED WALL; DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	SKIN (SK) : -RAISED FOCUS(I)/AREA(S); MID DORSAL LUMBAR REGION: SINGLE TAN AND DRY AREA, 7 X 6 X 5 MM (CAP 22); POSSIBLY CONSISTENT WITH MASS NOTED IN CLINICAL OBSERVATIONS	SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT
		URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 701

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92737 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 566.2 GRAMS
DATE AND TIME OF NECROPSY: 01/16/00 8:06 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; DARK RED AND DRY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 702

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92737 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/16/00 STUDY DAY OF DEATH: 637 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 566.2 GRAMS
DATE AND TIME OF NECROPSY: 01/16/00 8:06 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 703

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92738 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/20/00 7:58 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 10 X 8 X 6 MM (LEFT IS 5 X 4 X 3 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE ADRENAL, CORTEX (AC) : -B-ADENOMA, -NEOPLASM PRESENT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT TESTIS (TE) : -M-MALIGNANT INTERSTITIAL CELL TUMOR, - NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 704

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92738 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/20/00 7:58 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 6 X 6 MM, DARK RED,
GREY, TAN AND FIRM

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-STAINS-PERINEUM/PERIANAL; DRY BROWN
MATERIAL

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERTROPHY, FOLLICULAR CELL, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

JEJUNUM (JE) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
SEMINAL VESICLES (SV) :
-ATROPHY, -MODERATELY SEVERE
-INFILTRATE, LYMPHOHISTIOCYTIC, -
MODERATELY SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 705

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92738 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/20/00 7:58 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 706

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92739 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 736.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:50 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL -THROMBUS, -PRESENT PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT THYROID (TY) : -M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM PRESENT -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 707

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92739 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 736.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:50 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-MASS(ES); INVOLVING ENTIRE PROSTATE:
SINGLE MASS, 25 X 20 X 14 MM, GREEN,
TAN, FIRM, LOBULATED, AND GELATINOUS;
SAME ON CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (SEE LUMBAR)
SEMINAL VESICLES (SV) :
-LARGE; BILATERAL: EACH IS 25 X 10 X
10 MM; BOTH ARE FIRM
-MOTTLED; BILATERAL: TAN AND GREEN

LN, LUMBAR/ILIAC (LM) :
-LARGE; BILATERAL: LEFT IS 2 X 6 X 3
MM, RIGHT IS 10 X 6 X 3 MM (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -
MODERATE
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
-HYPERPLASIA, TRANSITIONAL CELL, -
MODERATE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

SEMINAL VESICLES (SV) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-LYMPHANGIECTASIS, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 708

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92739 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 736.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:50 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 709

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92740 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 855.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	TESTIS (TE) : -SMALL; RIGHT: 20 X 13 X 9 MM (LEFT IS 26 X 16 X 11 MM); RIGHT APPEARS SOFT STOMACH, GL (ST) : -THICKENED WALL; MUCOSA: DIFFUSE	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFLAMMATION, VASCULAR, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL STOMACH, GL (ST) : >UNREMARKABLE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, LUMBAR/ILIAC (LM) : -LYMPHANGIECTASIS, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 710

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92740 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 855.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, LUMBAR/ILIAC (LM) :
-LARGE; RIGHT: 11 X 9 X 5 MM (LEFT IS
6 X 3 X 2 MM); RIGHT APPEARS CYSTIC
(CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 711

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92741 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 449.4 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:20 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -GRANULAR MATERIAL; RIGHT, WITHIN PELVIS: MULTIPLE TAN AND FIRM GRANULES, UP TO 1 MM IN DIAMETER TESTIS (TE) : -SMALL; BILATERAL: EACH IS 20 X 11 X 3 MM; BOTH ARE SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT -ATROPHY, CORTICAL, -MODERATE TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 712

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92741	SEX: MALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00	STUDY DAY OF DEATH: 633	STUDY WEEK OF DEATH: 91	TERMINAL BODY WEIGHT: 449.4 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:20	PROSECTOR: WENDY CHERRY	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 15 X 10 X 10 MM, DARK RED, TAN AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 3 MM IN DIAMETER	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	URINARY BLADDER (UB) : -CALCULUS(I); WITHIN LUMEN: MULTIPLE TAN AND FIRM CALCULI, UP TO 9 MM IN DIAMETER -DIFFUSELY RED; MUCOSA: DARK RED -THICKENED WALL; DIFFUSE	URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, -SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 14 X 10 X 2 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE SEMINAL VESICLES (SV) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		EPIDIDYIMIDES (EP) : -VACUOLATION, TUBULAR EPITHELIUM, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 713

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92741 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 449.4 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:20 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, RENAL (RL) :
-LARGE; BILATERAL: LEFT IS UP TO 20 X
10 X 10 MM, RIGHT IS UP TO 12 X 8 X 4
MM (CAP 22)
TAIL (TI) :
-RAISED AREA(S); ALONG ENTIRE LENGTH:
MULTIPLE DARK RED AND TAN AREAS, UP TO
5 X 4 X 4 MM; COLLECTED
FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); BILATERAL HINDFEET:
SINGLE DARK RED, TAN AND DRY AREA ON
EACH, RIGHT IS 10 X 4 X 4 MM, LEFT IS
10 X 10 X 7 MM; BOTH COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-URINARY BLADDER-LARGE LUMEN; 30 X 20
X 20 MM
-STAINS - SKIN/HAIRCOAT; VENTRAL
ABDOMINAL REGION: RED AND MOIST

CAUSE OF DEATH (CD) :
-INFECTION / NECROSIS / CALCULUS,
URINARY TRACT, -PRESENT
LN, RENAL (RL) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE
-DILATATION, SINUSOIDAL, -SEVERE
TAIL (TI) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 714

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92741 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 449.4 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:20 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 715

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92742 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 896.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:41 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 66; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -MASS(ES); 8 X 4 X 2 MM, DARK RED, TAN, AND SOFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -ECTASIA, TUBULAR, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 716

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92742 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 896.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:41 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-CRUSTED AREA(S); MID DORSAL CERVICAL
REGION: SINGLE, YELLOW, DARK RED, DRY
AREA, 23 X 20 MM; COLLECTED

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT

FOOT/FOOTPAD (FP) :

-CRUSTED AREA(S); RIGHT HINDFOOT:
SINGLE RED, TAN, AND DRY AREA, 6 X 4
MM; COLLECTED

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

FOOT/FOOTPAD (FP) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 717

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92742 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 896.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:41 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 718

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92743 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/27/99 STUDY DAY OF DEATH: 587 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/27/99 14:06 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; OBES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 7 MM IN DIAMETER, DARK RED, RED, TAN AND SOFT	DUODENUM (DU) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 719

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92743 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/27/99 STUDY DAY OF DEATH: 587 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/27/99 14:06 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY

		JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC URINARY BLADDER (UB) : >AUTOLYTIC PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

	GENERAL COMMENT (GC) : -ANIMAL OBESE	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 720

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92743 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/27/99 STUDY DAY OF DEATH: 587 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/27/99 14:06 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), COLON (CO), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 721

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92744 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 302.1 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 12:11 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	11.7687	3.8962 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 722

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92744 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 302.1 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 12:11 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 723

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92745 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 663.3 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 84; 10 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MODERATE BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATELY SEVERE -NECROSIS, COAGULATIVE, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 724

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92745 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 663.3 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-SMALL; RIGHT: 18 X 10 X 3 MM (LEFT IS
20 X 13 X 6 MM); BOTH ARE SOFT

LUNG (LU) :
-RED FOCUS(I)/AREA(S); VENTRAL RIGHT
CAUDAL LOBE: SINGLE DARK RED AREA, 3
MM IN DIAMETER

ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -SLIGHT
-PIGMENT, -MINIMAL
LN, MESENTERIC (MS) :
-MINERALIZATION, VASCULAR, -MODERATE
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE
>NOTE:>UNILATERAL
BONE, FEMUR (FE) :
-HYPERPLASIA, BONE, -MODERATELY SEVERE
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
>SECTION EXAMINED; TISSUE NOT PRESENT
BONE, STERNUM (SB) :
-HYPERPLASIA, CARTILAGINOUS, -MODERATE
-HYPERPLASIA, BONE, -SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-HEMORRHAGE, -PRESENT

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
-MINERALIZATION, VASCULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 725

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92745 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 663.3 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 6 X 5 MM, DARK BROWN,
TAN AND SOFT
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 2 MM
IN DIAMETER
-THICKENED WALL; DIFFUSE
SKIN (SK) :
-CRUSTED AREA(S); MID DORSAL THORACIC
REGION: SINGLE MOIST, RED AND BROWN
CRUSTED AREA, 10 MM IN DIAMETER (CAP
22)

SEMINAL VESICLES (SV) :
-SMALL; BILATERAL: 18 X 5 X 2 MM
-GELATINOUS; BILATERAL: TAN

THYROID (TY) :
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT

PARATHYROID (PT) :
-HYPERPLASIA, -SEVERE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
-EROSION, -MINIMAL
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATE

SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
SEMINAL VESICLES (SV) :
-ATROPHY, -MODERATELY SEVERE

CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 726

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92745 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 663.3 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	FOOT/FOOTPAD (FP) : -ABRASION(S)/ULCERATION(S); BILATERAL: SINGLE MOIST AND BROWN ULCERATED AREA ON EACH, LEFT IS 6 MM IN DIAMETER, RIGHT IS 12 MM IN DIAMETER; BOTH ARE COLLECTED AORTA (AO) : -FIRM; AORTIC ARCH, DIFFUSE (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	AORTA (AO) : -MINERALIZATION, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 727

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92745 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 663.3 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 14:05 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 728

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92746 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 749.0 GRAMS
DATE AND TIME OF NECROPSY: 10/22/99 15:15 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LUNG (LU) : -MOTTLED; ALL LOBES: DARK RED AND TAN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -CONGESTION, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 729

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92746 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 749.0 GRAMS
DATE AND TIME OF NECROPSY: 10/22/99 15:15 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 8 X 6 X 6 MM, DARK RED, TAN AND SOFT	STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MINIMAL -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -ULCERATION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE RED AND TAN ERODED AREAS, UP TO 6 X 3 MM -THICKENED WALL; DIFFUSE: APPEARS GELATINOUS	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL EPIDIDYIMIDES (EP) : -HYOSPERMIA, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 730

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92746 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 749.0 GRAMS
DATE AND TIME OF NECROPSY: 10/22/99 15:15 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 731

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92747 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 716.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:38 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-FRONT-RIGHT; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE LN, AXILLARY (AX) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 732

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92747 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 716.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:38 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, LUMBAR/ILIAC (LM) :
-LARGE; RIGHT: 10 X 6 X 6 MM (LEFT IS
2 MM IN DIAMETER) (CAP 23)

JOINT, OTHER (JT) :
-LARGE; RIGHT CARPAL AND RIGHT TARSAL
JOINT: RIGHT TARSAL IS 20 X 13 X 11 MM
(LEFT IS 16 X 8 X 7 MM), RIGHT CARPAL
IS 14 X 10 X 8 MM (LEFT IS 10 X 6 X 6
MM); BOTH COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

LN, LUMBAR/ILIAC (LM) :
-LYMPHANGIECTASIS, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 733

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92747 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 716.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:38 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), TESTIS (TE), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 734

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92748 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 589.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:49 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -LARGE; BILATERAL: EACH IS 30 X 23 X 12 MM -DIFFUSELY LIGHT; BILATERAL: TAN LN, MESENTERIC (MS) : -LARGE; DIFFUSE: UP TO 5 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE PANCREAS (PA) : -INFLAMMATION, VASCULAR, -SEVERE LN, MESENTERIC (MS) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -INFLAMMATION, VASCULAR, -SEVERE TESTIS (TE) : -INFLAMMATION, VASCULAR, -MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 735

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92748 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 589.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:49 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM	PARATHYROID (PT) : -HYPERPLASIA, -MODERATE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
	LN, RENAL (RL) : -LARGE; BILATERAL: EACH IS UP TO 7 X 5 X 3 MM (CAP 22)	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
	LN, LUMBAR/ILIAC (LM) : -LARGE; BILATERAL: EACH IS UP TO 11 X 8 X 5 MM (CAP 23)	LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
	CAVITY, ABDOM (PC) : -LARGE VESSELS; INVOLVING ENTIRE MESENTERY: UP TO 2 MM IN DIAMETER (CAP 24)	CAVITY, ABDOM (PC) : -INFLAMMATION, VASCULAR, -SEVERE -THROMBUS, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 736

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92748 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 589.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:49 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 737

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92749 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 9:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	TESTIS (TE) : -SMALL; RIGHT: 18 X 14 X 10 MM (LEFT IS 25 X 17 X 14 MM); RIGHT IS SOFT	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MODERATE THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT JEJUNUM (JE) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 738

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92749 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 9:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
URINARY BLADDER (UB) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 739

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92749 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 9:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 740

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92750 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 660.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:33 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 10 X 7 X 5 MM, RED, TAN AND SOFT STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA, ALONG GREATER CURVATURE: SINGLE RED, ERODED AREA, 5 MM IN DIAMETER	STOMACH, GL (ST) : -EROSION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 741

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92750 SEX: MALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 660.4 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/00 12:33 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
 PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
 TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT)



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume VII of IX

Page 2495 of 4068

CONTENTS

VOLUME VII OF IX	Page
APPENDIX 6 (Continued)	2497
Individual Anatomic Pathology Data	2498

APPENDIX 6 (Continued)

Individual Anatomic Pathology Data

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 742

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92751 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 801.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:39 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0273	.0034 %	.0118	WEIGHT TAKEN
RT ADRENAL (AD1)	.0281	.0035 %	.0121	WEIGHT TAKEN
BRAIN (BR)	2.3191	.2893 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.4820	.3097 %	1.0702	WEIGHT TAKEN
RT KIDNEY (KD1)	2.4333	.3036 %	1.0492	WEIGHT TAKEN
LIVER (LI)	32.0284	3.9961 %	13.8107	WEIGHT TAKEN
LUNG (LU)	2.3737	.2962 %	1.0235	WEIGHT TAKEN
SPLEEN (SP)	.9244	.1153 %	.3986	WEIGHT TAKEN
LF TESTIS (TE0)	1.5886	.1982 %	.6850	WEIGHT TAKEN
RT TESTIS (TE1)	1.6268	.2030 %	.7015	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0240	.0030 %	.0103	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0264	.0033 %	.0114	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MODERATE -HYPERTROPHY, HEPATOCELLULAR, - MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -PIGMENT, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 743

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92751 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 801.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:39 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA
STOMACH, NONGL (SU) :
-THICKENED WALL; MUCOSA

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
LN, MESENTERIC (MS) :
-HEMORRHAGE, -PRESENT
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE
STOMACH, NONGL (SU) :
>UNREMARKABLE
RECTUM (RE) :
-PARASITISM, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 744

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92751 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 801.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:39 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 745

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92752 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 274.8 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:49 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	11.7254	4.2670 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 746

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92752 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 274.8 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:49 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 747

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92753 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 733.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:51 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MODERATE -THROMBUS, -PRESENT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 748

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92753 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 733.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:51 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 6 X 6 MM, RED, DARK
RED, GRAY, TAN, AND SOFT
PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN AT BASE
-ANIMAL OBESE

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 749

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92753 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 733.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:51 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 750

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92754 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 553.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0265	.0048 %	.0109	WEIGHT TAKEN
RT ADRENAL (AD1)	.0263	.0047 %	.0108	WEIGHT TAKEN
BRAIN (BR)	2.4325	.4392 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1434	.3870 %	.8812	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1609	.3902 %	.8883	WEIGHT TAKEN
LIVER (LI)	20.2188	3.6509 %	8.3119	WEIGHT TAKEN
LUNG (LU)	2.1405	.3865 %	.8800	WEIGHT TAKEN
SPLEEN (SP)	.7109	.1284 %	.2923	WEIGHT TAKEN
LF TESTIS (TE0)	1.5214	.2747 %	.6254	WEIGHT TAKEN
RT TESTIS (TE1)	1.5586	.2814 %	.6407	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0153	.0028 %	.0063	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0164	.0030 %	.0067	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 751

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92754 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 553.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-HYPERTROPHY, CORTICAL CELL, -SLIGHT
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 752

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92754 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 553.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 753

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92755 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 695.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:55 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0201	.0029 %	.0089	WEIGHT TAKEN
RT ADRENAL (AD1)	.0226	.0033 %	.0100	WEIGHT TAKEN
BRAIN (BR)	2.2492	.3235 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.3890	.3436 %	1.0622	WEIGHT TAKEN
RT KIDNEY (KD1)	2.4440	.3515 %	1.0866	WEIGHT TAKEN
LIVER (LI)	28.2494	4.0629 %	12.5598	WEIGHT TAKEN
LUNG (LU)	1.8793	.2703 %	.8355	WEIGHT TAKEN
SPLEEN (SP)	.8195	.1179 %	.3644	WEIGHT TAKEN
LF TESTIS (TE0)	1.7651	.2539 %	.7848	WEIGHT TAKEN
RT TESTIS (TE1)	1.8308	.2633 %	.8140	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0200	.0029 %	.0089	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0170	.0024 %	.0076	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 754

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92755 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 695.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:55 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-RED FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK RED AREAS, UP TO 3 X 1
MM

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-HEMORRHAGE, -PRESENT
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
-CONGESTION, -PRESENT

EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 755

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92755 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 695.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:55 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 756

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92756 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 565.5 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 7:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 84; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 757

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92756 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 565.5 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 7:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 14 X 10 X 10 MM, DARK RED,
GRAY, AND SOFT
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 5 X 4 MM
-THICKENED WALL; DIFFUSE
SKIN (SK) :
-CRUSTED AREA(S); MID DORSAL THORACIC
REGION: SINGLE TAN, DRY, AND RAISED
AREA, 7 X 7 X 6 MM; COLLECTED;
POSSIBLY CONSISTENT WITH MASS AND SCAB
NOTED IN CLINICAL OBSERVATIONS

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 758

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92756 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 565.5 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 7:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 759

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92756 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 565.5 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 7:38 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 760

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92757 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 576.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: TROY ELLENBECKER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); DORSAL; WEEK 98; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MODERATE -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 761

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92757 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 576.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: TROY ELLENBECKER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 8 X 6 MM, RED, DARK
RED, TAN, AND SOFT
SKIN (SK) :
-MASS(ES); LEFT DORSAL THORACIC
REGION: SINGLE MASS, 15 X 15 X 10 MM,
TAN AND FIRM; SAME ON CUT SURFACE;
SOME SECTIONS EXUDE A TAN CASEOUS
MATERIAL; COLLECTED; REGIONAL LN (LEFT
AXILLARY) NORMAL

KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
SLIGHT
PANCREAS (PA) :
-HYPERPLASIA, ISLET CELLS, -SLIGHT
-ATROPHY, ACINAR, -MINIMAL
ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE
>NOTE:>UNILATERAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SKIN (SK) :
-CYST, EPIDERMAL INCLUSION, -PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 762

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92757 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 576.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: TROY ELLENBECKER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :

-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

SEMINAL VESICLES (SV) :

-LARGE; BILATERAL: EACH IS UP TO 35 X
20 X 6 MM

SEMINAL VESICLES (SV) :

-SECRETION, INCREASED, -PRESENT

EPIDIDYMIDES (EP) :

-HYOSPERMIA, -PRESENT

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 763

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92757 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 576.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: TROY ELLENBECKER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 764

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92758 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/21/99 STUDY DAY OF DEATH: 428 STUDY WEEK OF DEATH: 62 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 06/21/99 15:05 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRILOBULAR, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 765

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92758 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/21/99 STUDY DAY OF DEATH: 428 STUDY WEEK OF DEATH: 62 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 06/21/99 15:05 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 8 MM, TAN, RED,
BROWN AND FIRM

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 766

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92758 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/21/99 STUDY DAY OF DEATH: 428 STUDY WEEK OF DEATH: 62 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 06/21/99 15:05 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 767

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92759 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 320.3 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:22 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	15.7536	4.9187 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 768

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92759 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 320.3 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:22 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 769

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92760 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 489.5 GRAMS
DATE AND TIME OF NECROPSY: 09/13/99 11:20 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -MOTTLED; BILATERAL: BROWN AND DARK BROWN PITUITARY (PI) : -MASS(ES); 10 X 8 X 7 MM, RED, DARK RED, TAN, BROWN, AND SOFT STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: SINGLE TAN ERODED AREA, 2 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -ANGIECTASIS, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MINIMAL -EROSION, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 770

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92760 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 489.5 GRAMS
DATE AND TIME OF NECROPSY: 09/13/99 11:20 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: RED

EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 771

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92760 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/13/99 STUDY DAY OF DEATH: 512 STUDY WEEK OF DEATH: 74 TERMINAL BODY WEIGHT: 489.5 GRAMS
DATE AND TIME OF NECROPSY: 09/13/99 11:20 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 772

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92761 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 501.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:05 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 773

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92761 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 501.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:05 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); LEFT ANTERIOR
ASPECT: SINGLE DARK RED AREA, 2 MM IN
DIAMETER

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 774

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92761 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 501.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 13:05 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 775

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92762 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 645.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:20 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MASS(ES); LEFT LATERAL LOBE: SINGLE MASS, 40 X 30 X 15 MM, DARK RED, BROWN, TAN, AND SOFT; SAME ON CUT SURFACE; COLLECTED ON ROUTINE SECTION; REGIONAL LN (HEPATIC) NORMAL (CAP 22)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT LIVER-OIL RED O (LI0) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 776

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92762	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 645.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:20	PROSECTOR: DAVID SCHUETTE	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; BILATERAL: LEFT IS 17 X 13 X 4 MM, RIGHT IS 15 X 11 X 4 MM; BOTH ARE SOFT	KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT
	PITUITARY (PI) : -MASS(ES); 9 X 8 X 5 MM, DARK RED, TAN, AND SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE DARK BROWN LINEAR AREA, 3 X 1 MM	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 777

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92762 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 645.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:20 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
EPIDIDYIMIDES (EP) :
-HYOSPERMIA, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, OTHER (LN) :
>TISSUE MISSING
>NOTE:>HEPATIC

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 778

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92762 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 645.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:20 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 779

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92763 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 803.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:48 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; PERINEAL AREA; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: DARK RED AND TAN KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY DARK; BILATERAL: DARK BROWN	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MODERATE TESTIS (TE) : -INFLAMMATION, VASCULAR, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 780

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92763	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00	STUDY DAY OF DEATH: 653	STUDY WEEK OF DEATH: 94	TERMINAL BODY WEIGHT: 803.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:48	PROSECTOR: STEVE VAN ADESTINE	RECORDED: STEVE VAN ADESTINE	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL
		LUNG (LU) : -B-ADENOMA, BRONCHIOLAR-ALVEOLAR, - NEOPLASM PRESENT
		MUSCLE, SKELETAL (SM) : -ATROPHY, -MINIMAL
		PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 4 X 2 MM -THICKENED WALL; DIFFUSE	STOMACH, GL (ST) : -EROSION, -SLIGHT -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATELY SEVERE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS UP TO 13 X 6 X 2 MM	SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT
		EPIDIDYMIDES (EP) : -IMMATURE SPERM FORMS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 781

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92763 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 803.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:48 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

EPIDIDYIMIDES (EP) :
-SMALL; BILATERAL: EACH IS 45 X 4 X 3
MM

EPIDIDYIMIDES (EP) :
-ATROPHY/DEGENERATION, -SLIGHT

JOINT, OTHER (JT) :
-LARGE; BILATERAL TARSAL JOINTS: EACH
IS UP TO 13 MM IN DIAMETER; COLLECTED

CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT
JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; PERINEUM:
BROWN, MOIST MATERIAL
-STAINS - SKIN/HAIRCOAT; ENTIRE
VENTRAL SURFACE: YELLOW AND MOIST

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 782

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92763 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 803.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 11:48 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 783

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92764 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 393.7 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:07 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; LIMBS-ALL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; TAIL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE TAN AREA, 2 X 1 MM; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 784

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92764 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 393.7 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:07 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 15 X 10 X 10
MM, RED, DARK RED, TAN AND FIRM
STOMACH, GL (ST) :
-EROSION/ULCERATION; MUCOSA, ALONG
GREATER CURVATURE: SINGLE BLACK ERODED
AREA, 2 X 1 MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 785

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92764 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 393.7 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:07 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 786

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92765 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 493.3 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 12:52 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0267	.0054 %	.0119	WEIGHT TAKEN
RT ADRENAL (AD1)	.0260	.0053 %	.0116	WEIGHT TAKEN
BRAIN (BR)	2.2505	.4562 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.6982	.3443 %	.7546	WEIGHT TAKEN
RT KIDNEY (KD1)	1.6461	.3337 %	.7314	WEIGHT TAKEN
LIVER (LI)	18.5015	3.7506 %	8.2211	WEIGHT TAKEN
LUNG (LU)	1.8585	.3767 %	.8258	WEIGHT TAKEN
SPLEEN (SP)	.8329	.1688 %	.3701	WEIGHT TAKEN
LF TESTIS (TE0)	1.6630	.3371 %	.7389	WEIGHT TAKEN
RT TESTIS (TE1)	1.7142	.3475 %	.7617	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0113	.0023 %	.0050	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0118	.0024 %	.0052	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); LEFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT KIDNEY (KD) : -DILATATION, PELVIC, -MODERATELY SEVERE -MINERALIZATION, PELVIC, -SLIGHT >NOTE:>RENAL LESIONS ARE UNILATERAL. SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 787

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92765	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 493.3 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 12:52	PROSECTOR: STEVE VAN ADESTINE	RECORDED: LYNN HORNER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 788

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92766 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:57 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); RECTUM; WEEK 99; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : - FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL - HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : - NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL - HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL SPLEEN (SP) : - PIGMENT, INCREASED, -MODERATE - HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : - INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : - HYPERTROPHY, CORTICAL CELL, -SLIGHT - PIGMENT, -MINIMAL SPINAL CORD (SC) : - MINERALIZATION, DURA, -SLIGHT THYMUS (TH) : - HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 789

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92766 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:57 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-RAISED FOCUS(I)/AREA(S); OVERLYING
RIGHT TESTIS: SINGLE RED, RAISED AREA,
4 MM IN DIAMETER (CAP 22); POSSIBLY
CONSISTENT WITH MASS (RECTUM) NOTED IN
CLINICAL OBSERVATIONS

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
DUODENUM (DU) :
>AUTOLYTIC
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
RECTUM (RE) :
>AUTOLYTIC
SKIN (SK) :
-ANGIECTASIS WITH THROMBOSIS AND
ENDOTHELIAL PROLIFERATION, -PRESENT
EPIDIDYMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 790

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92766 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:57 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; RIGHT: DARK RED,
DRY MATERIAL

CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 791

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92766 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:57 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 792

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92767 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/10/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; LATERAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; OBES; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -HYPERPLASIA, ISLET CELLS, -MODERATE -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL -HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL), -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 793

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92767 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/10/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
-METAPLASIA, OSSEOUS / CARTILAGINOUS, -
MINIMAL
DUODENUM (DU) :
>AUTOLYTIC
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MODERATELY
SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 794

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92767 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/10/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-ABRASION(S)/ULCERATION(S); LEFT
LATERAL THORACIC REGION: SINGLE MOIST
RED ULCERATED AREA, 35 X 25 MM;
COLLECTED
-CRUSTED AREA(S); RIGHT INGUINAL
REGION: SINGLE DRY BROWN CRUSTED AREA,
10 MM IN DIAMETER (CAP 22)

LN, LUMBAR/ILIA C (LM) :

-LARGE; LEFT: 15 X 11 X 10 MM (RIGHT
IS 7 X 4 X 2 MM)(CAP 24)

GENERAL COMMENT (GC) :

-ANIMAL OBESE

SKIN (SK) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -MODERATE
-BACTERIAL COLONIES, -PRESENT

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

CAUSE OF DEATH (CD) :

-INFLAMMATION / INFECTION, -PRESENT

LN, LUMBAR/ILIA C (LM) :

>UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 795

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92767 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/10/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), RECTUM (RE),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 796

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92768 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 944.6 GRAMS
DATE AND TIME OF NECROPSY: 02/08/00 8:20 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 85; 80 X 100MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLACK SKIN; DORSAL; VERIFIED AT NECROPSY: NOT OBSERVED	TESTIS (TE) : -SMALL; LEFT: 18 X 12 X 4 MM (RIGHT IS 20 X 14 X 8 MM); LEFT IS SOFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -HYALINE DROPLETS, TUBULAR EPITHELIUM, - MODERATELY SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 797

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92768 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 944.6 GRAMS
DATE AND TIME OF NECROPSY: 02/08/00 8:20 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); POSTERIOR
ASPECT: SINGLE DARK RED AREA, 1 MM IN
DIAMETER
SKIN (SK) :
-CRUSTED AREA(S); RIGHT VENTRAL
ABDOMINAL REGION: SINGLE TAN AND DRY
CRUSTED AREA, 1 MM IN DIAMETER (CAP
22)
-MASS(ES); DORSAL LUMBAR REGION:
SINGLE MASS, 100 X 85 X 60 MM, RED,
DARK RED, TAN AND FIRM; SOME SECTIONS
EXUDE A TAN FLUID (CAP 23); OVERLYING
SKIN HAS A SINGLE DARK RED, TAN AND
DRY CRUSTED AREA, 70 X 60 MM;
COLLECTED INTACT WITH MASS; REGIONAL
LN (INGUINAL) NOT IDENTIFIED

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
MUSCLE, SKELETAL (SM) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
NERVE, SCIATIC (SN) :
>TISSUE MISSING
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -SLIGHT
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MINIMAL
-M-FIBROSARCOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 798

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92768 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 944.6 GRAMS
DATE AND TIME OF NECROPSY: 02/08/00 8:20 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

EPIDIDYMIDES (EP) :
-IMMATURE SPERM FORMS, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 799

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92768 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/08/00 STUDY DAY OF DEATH: 660 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 944.6 GRAMS
DATE AND TIME OF NECROPSY: 02/08/00 8:20 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 800

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92769 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 8:20 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; LIMITED USE; PAWS-ALL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -SLIGHT KIDNEY (KD) : -DILATATION, PELVIC, -MODERATELY SEVERE -MINERALIZATION, PELVIC, -MINIMAL -NECROSIS, PAPILLARY, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 801

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92769 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 8:20 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); ATTACHED TO LEFT ASPECT: 5
MM IN DIAMETER, RED, TAN AND SOFT
STOMACH, GL (ST) :
-LIGHT FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE GREY AREAS, UP TO 2 X 1 MM

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
MUSCLE, SKELETAL (SM) :
-ATROPHY, -SEVERE
NERVE, SCIATIC (SN) :
-DEGENERATION, -MODERATE
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 802

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92769 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 8:20 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

RECTUM (RE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 803

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92769 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 8:20 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 804

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92770 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 7:26 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); PAW-FRONT-LEFT; WEEK 97; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; SWOLLEN; LIMBS-HIND; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; LIMBS-ALL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 8 X 5 X 5 MM (LEFT IS 5 X 3 X 3 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : >UNREMARKABLE ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS PRESENT THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL MUSCLE, SKELETAL (SM) : -ATROPHY, -MODERATELY SEVERE NERVE, SCIATIC (SN) : -DEGENERATION, -MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 805

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92770 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 7:26 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); LEFT
HINDFOOT: SINGLE RED, TAN MOIST
ABRADED AREA, 4 X 3 MM; COLLECTED;
POSSIBLY CONSISTENT WITH (MASS LEFT
HINDFOOT) NOTED IN CLINICAL
OBSERVATIONS
GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; LEFT: RED, BROWN
AND MOIST
-STAINS-PERINEUM/PERIANAL; YELLOW,
BROWN AND MOIST

PITUITARY (PI) :
-CYST, -PRESENT
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
RECTUM (RE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 806

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92770 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/21/00 7:26 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 807

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92771 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/07/99 STUDY DAY OF DEATH: 567 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 684.7 GRAMS
DATE AND TIME OF NECROPSY: 11/07/99 7:40 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LARGE; ALL LOBES	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIportal, -SEVERE -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -VACUOLATION, TUBULAR EPITHELIUM, - MODERATELY SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 808

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92771 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/07/99 STUDY DAY OF DEATH: 567 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 684.7 GRAMS
DATE AND TIME OF NECROPSY: 11/07/99 7:40 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 8 X 7 MM, DARK RED AND
SOFT
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE BROWN AREAS, UP TO 2 X 1 MM

THYROID (TY) :
-HYPERTROPHY, FOLLICULAR CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL
-STAINS - SKIN/HAIRCOAT; ENTIRE
VENTRAL SURFACE, EXTENDING TO ENTIRE
HEAD: DRY, RED MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 809

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92771 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/07/99 STUDY DAY OF DEATH: 567 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 684.7 GRAMS
DATE AND TIME OF NECROPSY: 11/07/99 7:40 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 810

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92772 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/14/99 STUDY DAY OF DEATH: 360 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: 670.3 GRAMS
DATE AND TIME OF NECROPSY: 04/14/99 10:00 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS ARE ROUNDED -MOTTLED; ALL LOBES: RED AND TAN KIDNEY (KD) : -MOTTLED; BILATERAL: BROWN AND TAN	LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -CONGESTION, -PRESENT -VACUOLATION, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -PIGMENT, TUBULAR, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 811

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92772 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 04/14/99 STUDY DAY OF DEATH: 360 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: 670.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/14/99 10:00 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML),
 LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
 COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
 BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
 PITUITARY (PI), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
 SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 812

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92773 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; VENTRAL-ABDOMINAL- LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED, BROWN AND TAN -MASS(ES); LEFT LATERAL LOBE AND RIGHT LATERAL LOBES: TWO MASSES, BOTH ARE 20 X 20 X 10 MM AND TAN, RED AND FIRM; SAME ON CUT SURFACE; LEFT LATERAL COLLECTED ON ROUTINE SECTION, RIGHT LATERAL COLLECTED AS EXTRA SECTION; REGIONAL LN (HEPATIC) NORMAL (CAP 22)	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, - 2 NEOPLASMS PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 813

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92773	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/00 8:00	PROSECTOR: JODI THIEREN	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MESENTERIC (MS) : -LARGE; UP TO 15 X 10 X 6 MM -DIFFUSELY RED; DARK RED	LN, MESENTERIC (MS) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -FIBROSIS, -MODERATE -ANGIECTASIS, -MODERATELY SEVERE MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE -CYST, -PRESENT THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : >TISSUE MISSING
	PITUITARY (PI) : >NOTE:>TRIMMING COMMENT: PITUITARY NOT FOUND AT TRIMMING	HARDERIAN GLAND (HG) : -DYSPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT JEJUNUM (JE) : >AUTOLYTIC CECUM (CE) : -HEMORRHAGE, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 814

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92773 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CECUM (CE) :

-MASS(ES); MID PORTION OF CECUM:
SINGLE MASS, 65 X 50 X 35 MM, RED,
DARK RED, TAN, FIRM, AND VASCULAR;
SAME ON CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (SEE MESENTERIC); POSSIBLY
CONSISTENT WITH SWOLLEN (ABDOMINAL-
VENTRAL-LEFT) AS NOTED IN CLINICAL
OBSERVATIONS

LN, LUMBAR/ILIAC (LM) :

-MOTTLED; BILATERAL: DARK RED AND TAN
(CAP 25)

CECUM (CE) :

-BACTERIA, -PRESENT
-ULCERATION, -MODERATELY SEVERE
-B-LIPOMA, -NEOPLASM PRESENT

COLON (CO) :

>AUTOLYTIC

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

CAUSE OF DEATH (CD) :

-NEOPLASM, ABDOMINAL CAVITY, -PRESENT

LN, OTHER (LN) :

-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

>NOTE:>HEPATIC LN

LN, LUMBAR/ILIAC (LM) :

-LYMPHANGIECTASIS, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL
-HEMORRHAGE, -PRESENT

CAVITY, ABDOM (PC) :

-HEMATOMA, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 815

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92773 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	CAVITY, ABDOM (PC) : -MASS(ES); ATTACHED TO ADIPOSE TISSUE NEAR HEAD OF RIGHT EPIDIDYMIS: SINGLE MASS, 23 X 13 X 5 MM, RED, DARK RED, FIRM AND LOBULATED; SAME ON CUT SURFACE (CAP 24); REGIONAL LN (SEE LUMBAR) GENERAL COMMENT (GC) : -GI TRACT-LARGE LUMEN; CECUM AND COLON: DISTENDED UP TO 13 MM; FILLED WITH A DARK RED FLUID -FLUID-ABDOMINAL CAVITY; FILLED WITH A RED FLUID -GI TRACT-DARK FLUID CONTENT; JEJUNUM, ILEUM, CECUM AND COLON: FILLED WITH A DARK RED FLUID	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 816

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92773 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/19/00 8:00 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 817

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92774 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 767.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:43 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 818

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92774 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 767.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:43 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 4 MM, RED, DARK
RED, TAN, AND SOFT
STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA: DIFFUSE
PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE
>NOTE:>UNILATERAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MUSCLE, SKELETAL (SM) :
-DEGENERATION, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 819

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92774 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 767.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:43 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 820

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92775 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 638.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 72; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE TAN FOCUS, 2 MM IN DIAMETER (CAP 22) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -LARGE; BILATERAL: EACH IS 30 X 20 X 15 MM SPLEEN (SP) : -LARGE; 60 X 16 X 8 MM	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -DEGENERATION, CYSTIC, -SLIGHT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 821

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92775 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 638.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; LEFT: 10 X 8 X 6 MM (RIGHT IS
6 X 5 X 5 MM)

TESTIS (TE) :
-SMALL; RIGHT: 20 X 11 X 7 MM (LEFT IS
21 X 15 X 11 MM)

PANCREAS (PA) :
-M-CARCINOMA, ISLET CELL, -NEOPLASM
PRESENT
ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MINIMAL
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
SLIGHT
-HYPERPLASIA, CORTICAL, -MINIMAL
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS
PRESENT
LN, MESENTERIC (MS) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SEVERE
>NOTE:>UNILATERAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 822

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92775 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 638.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -MODERATE -MINERALIZATION, VASCULAR, -MODERATELY SEVERE
	THYROID (TY) : -LARGE; BILATERAL: EACH IS 7 X 4 X 3 MM	THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL -DILATATION / CYST, FOLLICULAR, -PRESENT
	PARATHYROID (PT) : -LARGE; BILATERAL: EACH IS 3 X 2 X 1 MM	PARATHYROID (PT) : -HYPERPLASIA, -MODERATELY SEVERE
	PITUITARY (PI) : -CYST(S); LEFT ANTERIOR ASPECT: SINGLE CLEAR FLUID FILLED CYST, 1 MM IN DIAMETER	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA: DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE -MINERALIZATION, GLANDULAR MUCOSA, - MODERATELY SEVERE
		SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT -EDEMA, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 823

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92775 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 638.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SKIN (SK) : -MASS #2; LEFT LATERAL THORACIC REGION: SINGLE MASS, 15 X 15 X 8 MM, TAN AND FIRM; CUT SURFACE EXUDES A TAN CASEOUS SEMISOLID; COLLECTED; OVERLYING SKIN HAS A SINGLE DARK RED AND DRY CRUSTED AREA, 5 X 4 MM; COLLECTED INTACT WITH MASS; REGIONAL LN (AXILLARY) NORMAL (CAP 25) -SUBCUTANEOUS EDEMA; VENTRAL CERVICAL REGION: CLEAR AND GELATINOUS (CAP 23) PROSTATE (PR) : -GELATINOUS; DISTAL PORTION: CLEAR LN, RENAL (RL) : -LARGE; LEFT: 8 X 6 X 4 MM (RIGHT IS 5 X 4 X 2 MM) (CAP 24) -DIFFUSELY RED; BILATERAL: DARK RED (CAP 24)	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE SEMINAL VESICLES (SV) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL EPIDIDYIMIDES (EP) : -HYPOSERMIA, -PRESENT -VACUOLATION, TUBULAR EPITHELIUM, -SLIGHT HEMATO NEOPLASIA (HN) : -M-LYMPHOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, RENAL (RL) : -HEMORRHAGE, -PRESENT -DILATATION, SINUSOIDAL, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 824

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92775 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 638.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED)	
	NECROPSY	HISTOPATHOLOGY
	AORTA (AO) : -LARGE; DIFFUSE: UP TO 6 MM IN DIAMETER; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	AORTA (AO) : -MINERALIZATION, -MODERATE
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), LN, AXILLARY (AX)		

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 825

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92776 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 747.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:50 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); MOUTH; WEEK 102; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN, SLIGHTLY RAISED AREAS, UP TO 8 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -MASS(ES); LEFT, CORTICAL SURFACE EXTENDING INTO MEDULLA: SINGLE MASS, 10 MM IN DIAMETER, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE RENAL)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -B-LIPOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 826

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92776 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 747.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:50 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-MASS(ES); RIGHT MAXILLARY REGION:
SINGLE MASS, 4 X 2 X 2 MM, TAN AND
FIRM (CAP 22); REGIONAL LN
(MANDIBULAR) NORMAL (CAP 23)

PANCREAS (PA) :
-INFILTRATION, FAT, INTERSTITIAL, -
SLIGHT
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MINIMAL
SKIN (SK) :
>UNREMARKABLE

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 827

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92776 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 747.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:50 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, RENAL (RL) :
-LARGE; LEFT: 6 MM IN DIAMETER, RIGHT
IS 3 X 2 X 1 MM (CAP 25)

MAMMARY, MALE (MM) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 25 X 25 X 10 MM, TAN,
FIRM AND LOBULATED; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
SEMINAL VESICLES (SV) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, RENAL (RL) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>NO LYMPH NODE PRESENT MASSES
APPEAR TO BE PART OF THE KIDNEY
NEOPLASM
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
MAMMARY, MALE (MM) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 828

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92776 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 747.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:50 PROSECTOR: JARED FISHEL RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 829

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92777 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 425.4 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:15 PROSECTOR: DONIA MEYER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0202	.0047 %	.0109	WEIGHT TAKEN
RT ADRENAL (AD1)	.0180	.0042 %	.0097	WEIGHT TAKEN
BRAIN (BR)	1.8515	.4352 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.0608	.4844 %	1.1130	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1126	.4966 %	1.1410	WEIGHT TAKEN
LIVER (LI)	20.8174	4.8936 %	11.2435	WEIGHT TAKEN
LUNG (LU)	1.5024	.3532 %	.8115	WEIGHT TAKEN
SPLEEN (SP)	.6408	.1506 %	.3461	WEIGHT TAKEN
LF TESTIS (TE0)	1.5350	.3608 %	.8291	WEIGHT TAKEN
RT TESTIS (TE1)	1.5449	.3632 %	.8344	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0136	.0032 %	.0073	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0106	.0025 %	.0057	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 830

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92777	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 425.4 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:15	PROSECTOR: DONIA MEYER	RECORDED: LYNN HORNER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MESENTERIC (MS) :
-HEMORRHAGE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 831

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92778 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 676.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0286	.0042 %	.0121	WEIGHT TAKEN
RT ADRENAL (AD1)	.0286	.0042 %	.0121	WEIGHT TAKEN
BRAIN (BR)	2.3638	.3494 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.7978	.4136 %	1.1836	WEIGHT TAKEN
RT KIDNEY (KD1)	2.6827	.3966 %	1.1349	WEIGHT TAKEN
LIVER (LI)	30.0439	4.4411 %	12.7100	WEIGHT TAKEN
LUNG (LU)	2.2742	.3362 %	.9621	WEIGHT TAKEN
SPLEEN (SP)	.9348	.1382 %	.3955	WEIGHT TAKEN
LF TESTIS (TE0)	1.0030	.1483 %	.4243	WEIGHT TAKEN
RT TESTIS (TE1)	1.0456	.1546 %	.4423	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0242	.0036 %	.0102	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0422	.0062 %	.0179	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	OBSERVATIONS NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 832

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92778 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 676.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-SMALL; BILATERAL: EACH IS 18 X 13 X 8
MM; BOTH ARE SOFT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
TESTIS (TE) :
>UNREMARKABLE
EPIDIDYMIDES (EP) :
-IMMATURE SPERM FORMS, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 833

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92778 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 676.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 834

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92779 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 274.5 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:36 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	11.8757	4.3268 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 835

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92779 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 274.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:36 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 836

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92780 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 515.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE TAN AREA, 5 X 3 MM; COLLECTED ON ROUTINE SECTION -ROUGH SURFACE, DIFFUSE; ALL LOBES	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -MODERATE -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 837

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92780 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 515.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 8 X 7 MM, RED, DARK
RED, AND SOFT
PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

SPLEEN (SP) :
-PIGMENT, INCREASED, -MINIMAL
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MINIMAL
PANCREAS (PA) :
-INFILTRATION, FAT, INTERSTITIAL, -
MODERATE
ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MODERATE
-PIGMENT, -MODERATE
-B-ADENOMA, -NEOPLASM PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-HYPERPLASIA, TYPE II PNEUMOCYTE, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 838

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92780	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 515.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:30	PROSECTOR: STEVE VAN ADESTINE	RECORDER: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SEMINAL VESICLES (SV) :
-GELATINOUS; BILATERAL: YELLOW AND
CLEAR

SEMINAL VESICLES (SV) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMITES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMITES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 839

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92781 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 356.5 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 14:08 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; TREMORS; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) SPLEEN (SP) : -SMALL; 30 X 8 X 44 MM TESTIS (TE) : -SMALL; BILATERAL: EACH IS 20 X 9 X 5 MM; BOTH ARE SOFT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRILOBULAR, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MODERATE -ATROPHY, CORTICAL, -MODERATELY SEVERE TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 840

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92781	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99	STUDY DAY OF DEATH: 535	STUDY WEEK OF DEATH: 77	TERMINAL BODY WEIGHT: 356.5 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 14:08	PROSECTOR: JODI THIEREN	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		PARATHYROID (PT) : >SECTION EXAMINED; TISSUE NOT PRESENT
	PITUITARY (PI) : -MASS(ES); 7 X 7 X 6 MM, TAN AND FIRM	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -ATROPHY, -MODERATE
		STOMACH, GL (ST) : -EROSION, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE
	PROSTATE (PR) : -SMALL; 15 X 8 X 4 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ATROPHY, -MODERATELY SEVERE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 13 X 7 X 2 MM	SEMINAL VESICLES (SV) : -ATROPHY, -MODERATELY SEVERE
	EPIDIDYIMIDES (EP) : -SMALL; BILATERAL: BOTH ARE 40 X 5 X 4 MM	EPIDIDYIMIDES (EP) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 841

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92781 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 356.5 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 14:08 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 842

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92782 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 972.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:57 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 103; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 X 3 MM; SOME ARE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 843

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92782	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 972.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 12:57	PROSECTOR: JAMES T. CALLEN	RECORDER: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 6 X 6 X 4 MM, TAN AND FIRM	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; ALL REGIONS: DIFFUSE	STOMACH, GL (ST) : >UNREMARKABLE
		RECTUM (RE) : -PARASITISM, -PRESENT
	SKIN (SK) : -CRUSTED AREA(S); MID VENTRAL ABDOMINAL REGION: SINGLE DRY, RED CRUSTED AREA, 4 X 2 MM (CAP 22)	SKIN (SK) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -SUPERFICIAL CRUSTING, -SLIGHT -FIBROSIS, -MODERATE
		URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
		CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 844

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92782 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 972.9 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/00 12:57 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -URINARY BLADDER-LARGE LUMEN; 25 X 18
 X 15 MM
 -ANIMAL OBESE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
 JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
 SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
 LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
 LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
 AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
 DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
 PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
 JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 845

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92783 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 733.9 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 12:04 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; STERNAL; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN, SLIGHTLY RAISED AREAS, UP TO 20 X 12 MM; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -DIFFUSELY LIGHT; BILATERAL: TAN TESTIS (TE) : -SMALL; RIGHT: 20 X 10 X 4 MM (LEFT IS 24 X 12 X 10 MM)	EYE (EY) : -INFLAMMATION, ACUTE, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL LIVER (LI) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -HYALINE DROPLETS, TUBULAR EPITHELIUM, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 846

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92783	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99	STUDY DAY OF DEATH: 547	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 733.9 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 12:04	PROSECTOR: STEVE VAN ADESTINE	RECORDED: STEVE VAN ADESTINE	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -DARK FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK BROWN AREAS, UP TO 3 X 2 MM	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
	PITUITARY (PI) : -MASS(ES); 12 X 10 X 8 MM, RED, GRAY, AND SOFT	LUNG (LU) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -MINERALIZATION, VASCULAR, -MINIMAL -HEMORRHAGE, -PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 3 X 2 MM	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	-RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE AREAS, UP TO 7 X 4 MM	STOMACH, GL (ST) : -EDEMA, -MODERATE -EROSION, -MINIMAL -MINERALIZATION, GLANDULAR MUCOSA, - MINIMAL
	CECUM (CE) : -RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK RED AREAS, UP TO 13 X 6 MM	-FIBROSIS, -MODERATE CECUM (CE) : -EROSION, -SLIGHT -HEMORRHAGE, -SLIGHT
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
		HEMATO NEOPLASIA (HN) : -M-SARCOMA, HISTIOCYTIC, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 847

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92783 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 733.9 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 12:04 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, HEMATOPOIETIC, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DARK RED,
MOIST MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 848

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92783 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/18/99 STUDY DAY OF DEATH: 547 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 733.9 GRAMS
DATE AND TIME OF NECROPSY: 10/18/99 12:04 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 849

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92784 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/27/99 STUDY DAY OF DEATH: 556 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 576.2 GRAMS
DATE AND TIME OF NECROPSY: 10/27/99 8:28 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -DEGENERATION, CYSTIC, -MINIMAL -GLYCOGEN, HEPATOCELLULAR, INCREASED, - SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 850

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92784 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/27/99 STUDY DAY OF DEATH: 556 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 576.2 GRAMS
DATE AND TIME OF NECROPSY: 10/27/99 8:28 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 9 X 8 MM, DARK RED,
SOFT, AND LOBULATED
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 3 MM IN
DIAMETER

PROSTATE (PR) :
-NODULAR; PROXIMAL, SURROUNDING
URETHRA: GREEN AND FIRM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
URINARY BLADDER (UB) :
-HEMORRHAGE, -MINIMAL
-HYPERPLASIA, TRANSITIONAL CELL, -
MODERATE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 851

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92784 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/27/99 STUDY DAY OF DEATH: 556 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 576.2 GRAMS
DATE AND TIME OF NECROPSY: 10/27/99 8:28 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 852

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92785 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:43 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -MOTTLED; BILATERAL: RED AND TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL SPINAL CORD (SC) : >UNREMARKABLE >NOTE:>2 SECTIONS EXAMINED THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 853

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92785 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:43 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MODERATE MUSCLE, SKELETAL (SM) : -ATROPHY, -MODERATE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -CYST(S); LEFT ASPECT: SINGLE CYST, 4 MM IN DIAMETER, FILLED WITH A DARK RED FLUID	STOMACH, GL (ST) : -MINERALIZATION, VASCULAR, -MINIMAL URINARY BLADDER (UB) : >AUTOLYTIC
	URINARY BLADDER (UB) : -RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK RED AREAS, UP TO 4 X 6 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE SEMINAL VESICLES (SV) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT LN, MANDIBULAR (MN) : -HEMORRHAGE, -PRESENT
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL (CAP 22) GENERAL COMMENT (GC) : -DISCHARGE-OCULAR; BILATERAL: DRY RED MATERIAL	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 854

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92785 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:43 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-NASAL; DRY RED MATERIAL
-URINARY BLADDER-LARGE LUMEN; 22 X 22
X 40 MM, FILLED WITH A DARK RED FLUID
-STAINS - SKIN/HAIRCOAT; ENTIRE
VENTRAL SURFACE: DRY BROWN MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 855

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92785 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:43 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 856

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92786 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 829.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:16 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE LIVER-OIL RED O (LI0) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 857

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92786 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 829.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:16 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PANCREAS (PA) : -MASS(ES); ALONG DUODENUM: SINGLE MASS, 16 X 12 X 8 MM, RED, DARK RED, TAN, YELLOW, FIRM, AND LOBULATED; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (ANTERIOR MESENTERIC) NORMAL (CAP 23)	ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PARATHYROID (PT) : -HYPERPLASIA, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -MINIMAL STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE DARK BROWN AREA, 4 X 2 MM -THICKENED WALL; DIFFUSE	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -ANIMAL OBESE	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 858

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92786 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 829.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:16 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN),
LN, ANT MES/PANC (AP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 859

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92787 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/13/99 STUDY DAY OF DEATH: 328 STUDY WEEK OF DEATH: 47 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/13/99 10:30 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -DEGENERATION / NECROSIS, MIDZONAL, - MODERATE KIDNEY (KD) : -DILATATION, PELVIC, -SLIGHT -REGENERATION, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT SPINAL CORD (SC) : -HEMORRHAGE, -SLIGHT THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -CONGESTION, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 860

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92787 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/13/99 STUDY DAY OF DEATH: 328 STUDY WEEK OF DEATH: 47 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/13/99 10:30 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-ABRASION(S)/ULCERATION(S); MID
ABDOMINAL REGION: SINGLE RED AND TAN
ULCERATED AREA, 10 MM IN DIAMETER (CAP
21)
URINARY BLADDER (UB) :
-CALCULUS(I); WITHIN LUMEN: MULTIPLE
TAN AND FIRM CALCULI, UP TO 4 MM IN
DIAMETER

LN, MANDIBULAR (MN) :
-LARGE; RIGHT: 8 X 5 X 2 MM (FOR
COMPARISON LEFT IS 4 X 2 X 1 MM)

MUSCLE, SKELETAL (SM) :
-ATROPHY, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
DUODENUM (DU) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-ULCERATION, -MODERATE

URINARY BLADDER (UB) :
>AUTOLYTIC

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 861

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92787	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/13/99	STUDY DAY OF DEATH: 328	STUDY WEEK OF DEATH: 47	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/13/99 10:30	PROSECTOR: JAMES T. CALLEN	RECORDED: JAMES T. CALLEN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -URINARY BLADDER-LARGE LUMEN; 54 X 33
 X 30 MM, FILLED WITH A DARK RED FLUID

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
 STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
 RECTUM (RE), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
 LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
 AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
 DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
 PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
 BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), HEART (HT), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
 STOMACH, GL (ST), STOMACH, NONGL (SU), JEJUNUM (JE), RECTUM (RE), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
 HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 862

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92788 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 859.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:56 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, PINPOINT AND UP TO 2 X 1 MM; COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, - 2 NEOPLASMS PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 863

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92788 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 859.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:56 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :

-LARGE; RIGHT: 27 X 17 X 15 MM (LEFT
IS 21 X 15 X 11 MM); RIGHT IS SOFT

LUNG (LU) :

-LIGHT FOCUS(I)/AREA(S); ALONG CAUDAL
MARGIN OF LEFT LOBE: SINGLE TAN AREA,
4 X 3 MM

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

ADRENAL, MEDULLA (MA) :

-HYPERPLASIA, MEDULLARY, -SLIGHT

TESTIS (TE) :

-ATROPHY/DEGENERATION, -SEVERE

>NOTE:>UNILATERAL

THYMUS (TH) :

>SECTION EXAMINED; TISSUE NOT PRESENT

LUNG (LU) :

>UNREMARKABLE

HEART (HT) :

-CARDIOMYOPATHY, -SLIGHT

THYROID (TY) :

-B-ADENOMA, C-CELL, -NEOPLASM PRESENT

PITUITARY (PI) :

-HYPERPLASIA, -MODERATE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 864

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92788 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 859.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:56 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 865

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92789 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 429.3 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:12 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0241	.0056 %	.0109	WEIGHT TAKEN
RT ADRENAL (AD1)	.0290	.0068 %	.0131	WEIGHT TAKEN
BRAIN (BR)	2.2120	.5153 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.9168	.4465 %	.8665	WEIGHT TAKEN
RT KIDNEY (KD1)	1.9639	.4575 %	.8878	WEIGHT TAKEN
LIVER (LI)	17.7112	4.1256 %	8.0069	WEIGHT TAKEN
LUNG (LU)	1.7041	.3969 %	.7704	WEIGHT TAKEN
SPLEEN (SP)	.7950	.1852 %	.3594	WEIGHT TAKEN
LF TESTIS (TE0)	1.5051	.3506 %	.6804	WEIGHT TAKEN
RT TESTIS (TE1)	1.6074	.3744 %	.7267	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0108	.0025 %	.0049	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0112	.0026 %	.0051	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>APPEARANCE; MALOCCLUSION; VERIFIED AT
 NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

THYMUS (TH) :
 -RED FOCUS(I)/AREA(S); DIFFUSE:
 MULTIPLE DARK RED PINPOINT FOCI

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -VACUOLATION, HEPATOCELLULAR, MIDZONAL
 / CENTRIOBULAR, -MINIMAL
 THYMUS (TH) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 866

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92789 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 429.3 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:12 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN
 -MALOCCLUSION; BILATERAL UPPER
 INCISORS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
 SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
 COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
 LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
 MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 867

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92790 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 608.7 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:24 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0252	.0041 %	.0112	WEIGHT TAKEN
RT ADRENAL (AD1)	.0215	.0035 %	.0095	WEIGHT TAKEN
BRAIN (BR)	2.2573	.3708 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.6769	.4398 %	1.1859	WEIGHT TAKEN
RT KIDNEY (KD1)	2.5370	.4168 %	1.1239	WEIGHT TAKEN
LIVER (LI)	30.5157	5.0133 %	13.5187	WEIGHT TAKEN
LUNG (LU)	1.8934	.3111 %	.8388	WEIGHT TAKEN
SPLEEN (SP)	.7560	.1242 %	.3349	WEIGHT TAKEN
LF TESTIS (TE0)	1.5265	.2508 %	.6763	WEIGHT TAKEN
RT TESTIS (TE1)	1.5153	.2489 %	.6713	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0212	.0035 %	.0094	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0294	.0048 %	.0130	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT KIDNEY (KD) : -PIGMENT, TUBULAR, -MINIMAL -HYALINE DROPLETS, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 868

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92790 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 608.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:24 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
RECTUM (RE) :
-PARASITISM, -PRESENT
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 869

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92790 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 608.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:24 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 870

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92791 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 826.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:12 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 93; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE TAN AREA, 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 871

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92791 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 826.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:12 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-LARGE; BILATERAL: EACH IS 9 X 4 X 4
MM

SKIN (SK) :
-MASS(ES); RIGHT LUMBAR REGION: SINGLE
MASS, 30 X 25 X 15 MM, RED, TAN, AND
FIRM; CUT SURFACE EXUDES A TAN CASEOUS
SEMISOLID; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 22); OVERLYING
SKIN HAS A SINGLE DARK BROWN AND MOIST
ULCERATED AREA, 15 MM IN DIAMETER;
MASS AND OVERLYING SKIN COLLECTED
INTACT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
>UNREMARKABLE

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 872

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92791	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 826.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:12	PROSECTOR: JARED FISHEL	RECORDER: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
 URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
 LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
 COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
 MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
 SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 873

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92792 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 667.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/00 7:42 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 101; 50 X 60 MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 104; VERIFIED AT NECROPSY: NOT OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MODERATE -DILATATION, PELVIC, -MODERATE -HYALINE DROPLETS, TUBULAR EPITHELIUM, -SEVERE
>SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -ROUGH SURFACE, DIFFUSE; BILATERAL	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT
	ADRENAL, CORTEX (AC) : -DIFFUSELY DARK; BILATERAL: DARK BROWN	ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -MINIMAL BONE, STERNUM (SB) : -X-HEMATOPOIETIC NEOPLASIA (SEE HN), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 874

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92792 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 667.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:42 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MUSCLE, SKELETAL (SM) :
-MASS(ES); INVOLVING ENTIRE LEFT
FORELIMB EXTENDING TO AXILLARY REGION:
SINGLE MASS, 60 X 40 X 30 MM, RED, TAN
AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (SEE
AXILLARY); OVERLYING SKIN HAS A TAN,
DRY CRUSTED AREA, 20 X 10 MM;
COLLECTED INTACT WITH MASS

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); INVOLVING
ENTIRE LEFT ASPECT: SINGLE RED AREA, 3
MM IN DIAMETER

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
>UNREMARKABLE
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

TRACHEA (TR) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
ESOPHAGUS (ES) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
THYROID (TY) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 875

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92792 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 667.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:42 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

LN, AXILLARY (AX) :
-MOTTLED; BILATERAL: RED AND TAN (CAP
22)

HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
-HEMORRHAGE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 876

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92792 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 667.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:42 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), SPINAL CORD (SC), THYMUS (TH), NERVE, SCIATIC (SN), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 877

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92793 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 311.2 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:17 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)				NOT TAKEN
RT ADRENAL (AD1)				NOT TAKEN
BRAIN (BR)				NOT TAKEN
LF KIDNEY (KD0)				NOT TAKEN
RT KIDNEY (KD1)				NOT TAKEN
LIVER (LI)	12.6977	4.0801 %		WEIGHT TAKEN
LUNG (LU)				NOT TAKEN
SPLEEN (SP)				NOT TAKEN
LF TESTIS (TE0)				NOT TAKEN
RT TESTIS (TE1)				NOT TAKEN
LF THYROID/PARA (TT0)				NOT TAKEN
RT THYROID/PARA (TT1)				NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 878

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92793 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 311.2 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:17 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 879

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92794 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/26/99 STUDY DAY OF DEATH: 402 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/26/99 10:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - SLIGHT -NECROSIS, PAPILLARY, -MODERATELY SEVERE SPLEEN (SP) : -DEPLETION, LYMPHOCYTIC, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE LN, MESENTERIC (MS) : -MINERALIZATION, VASCULAR, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 880

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92794 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/26/99 STUDY DAY OF DEATH: 402 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/26/99 10:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
-MINERALIZATION, VASCULAR, -MODERATE
-MINERALIZATION, -MODERATE
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
SALIV GL, MANDIB (SG) :
-ATROPHY, -MODERATE
STOMACH, GL (ST) :
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATE
ILEUM (IL) :
>AUTOLYTIC
URINARY BLADDER (UB) :
-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-INFECTION / NECROSIS / CALCULUS,
URINARY TRACT, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; RIGHT: DRY, RED
MATERIAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 881

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92794 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/26/99 STUDY DAY OF DEATH: 402 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/26/99 10:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-STAINS-PERINEUM/PERIANAL; BOTH
REGIONS, EXTENDING TO VENTRAL
ABDOMINAL REGION: MOIST, BROWN
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 882

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92794 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/26/99 STUDY DAY OF DEATH: 402 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/26/99 10:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 883

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92795 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 676.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:00 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0216	.0032 %	.0090	WEIGHT TAKEN
RT ADRENAL (AD1)	.0266	.0039 %	.0111	WEIGHT TAKEN
BRAIN (BR)	2.4060	.3558 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1778	.3220 %	.9052	WEIGHT TAKEN
RT KIDNEY (KD1)	2.2393	.3311 %	.9307	WEIGHT TAKEN
LIVER (LI)	29.6021	4.3771 %	12.3034	WEIGHT TAKEN
LUNG (LU)	1.9817	.2930 %	.8236	WEIGHT TAKEN
SPLEEN (SP)	.7006	.1036 %	.2912	WEIGHT TAKEN
LF TESTIS (TE0)	2.0765	.3070 %	.8631	WEIGHT TAKEN
RT TESTIS (TE1)	2.0178	.2984 %	.8387	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0205	.0030 %	.0085	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0277	.0041 %	.0115	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATELY SEVERE
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -VACUOLATION, HEPATOCELLULAR, MIDZONAL
 / CENTRIOBULAR, -SLIGHT
 -FOCUS, ALTERED HEPATOCELLULAR,
 BASOPHILIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 884

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92795 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 676.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:00 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -SLIGHT
ADRENAL, CORTEX (AC) :
-VACUOLATION, DIFFUSE, -SLIGHT
THYMUS (TH) :
-M-THYMIC CARCINOMA, -NEOPLASM PRESENT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
-HEMORRHAGE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 885

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92795 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 676.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:00 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 886

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92796 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 543.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:00 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0276	.0051 %	.0113	WEIGHT TAKEN
RT ADRENAL (AD1)	.0283	.0052 %	.0116	WEIGHT TAKEN
BRAIN (BR)	2.4368	.4485 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.1147	.3892 %	.8678	WEIGHT TAKEN
RT KIDNEY (KD1)	2.1334	.3927 %	.8755	WEIGHT TAKEN
LIVER (LI)	20.3375	3.7433 %	8.3460	WEIGHT TAKEN
LUNG (LU)	1.9590	.3606 %	.8039	WEIGHT TAKEN
SPLEEN (SP)	.8078	.1487 %	.3315	WEIGHT TAKEN
LF TESTIS (TE0)	1.5539	.2860 %	.6377	WEIGHT TAKEN
RT TESTIS (TE1)	1.6589	.3053 %	.6808	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0163	.0030 %	.0067	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0156	.0029 %	.0064	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 887

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92796 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 543.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:00 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-LARGE; 16 X 12 X 4 MM
-GELATINOUS; DIFFUSE: DARK RED

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 888

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92796 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 543.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:00 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 889

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92797 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 1010.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:37 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 81; 120 X 110MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; LIMB-HIND- RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -DIFFUSELY DARK; ALL LOBES: BROWN -CYST(S); ALL LOBES: MULTIPLE CLEAR FLUID FILLED CYSTS, PINPOINT AND UP TO 1 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 890

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92797 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 1010.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:37 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :

-RED/YELLOW FOCUS(I)/AREA(S); LEFT,
BENEATH TUNICA: MULTIPLE RED AND
YELLOW AREAS, UP TO 6 X 5 MM

TESTIS (TE) :

-B-INTERSTITIAL CELL TUMOR, -NEOPLASM
PRESENT

MARROW, FEMUR (FM) :

-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE

MARROW, STERNUM (SE) :

-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE

LUNG (LU) :

-MINERALIZATION, VASCULAR, -MINIMAL

HEART (HT) :

-CARDIOMYOPATHY, -MINIMAL

THYROID (TY) :

-M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT

PITUITARY (PI) :

-HYPERPLASIA, -MODERATE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

EPIDIDYMIDES (EP) :

-IMMATURE SPERM FORMS, -SLIGHT

CAUSE OF DEATH (CD) :

-NEOPLASM, MAMMARY GLAND, -PRESENT

THYROID (TY) :

-LARGE; LEFT: 10 X 7 X 6 MM (RIGHT IS
8 X 4 X 3 MM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 891

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92797 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 1010.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:37 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 20 X 15 X 8 MM, TAN,
LOBULATED, AND SOFT; SAME ON CUT
SURFACE (CAP 22); REGIONAL LN
(AXILLARY) NORMAL (CAP 23)
-MASS #2; RIGHT INGUINAL REGION,
EXTENDING TO RIGHT LATERAL ABDOMINAL
REGION: SINGLE MASS, 135 X 115 X 55 MM
(410.3 GRAMS), RED, DARK RED, TAN,
GREY, LOBULATED, AND FIRM; SAME ON CUT
SURFACE; PORTION COLLECTED; REGIONAL
LN (INGUINAL) NOT IDENTIFIED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

MAMMARY, MALE (MM) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 892

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92797 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 1010.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:37 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 893

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92798 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 301.4 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:00 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	13.1989	4.3792 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF TESTIS (TE0)	-----	-----	-----	NOT TAKEN
RT TESTIS (TE1)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 894

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92798 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 301.4 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:00 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 895

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92799 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 512.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:07 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0288	.0056 %	.0118	WEIGHT TAKEN
RT ADRENAL (AD1)	.0286	.0056 %	.0117	WEIGHT TAKEN
BRAIN (BR)	2.4425	.4765 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.0511	.4001 %	.8398	WEIGHT TAKEN
RT KIDNEY (KD1)	2.0596	.4018 %	.8432	WEIGHT TAKEN
LIVER (LI)	23.1666	4.5194 %	9.4848	WEIGHT TAKEN
LUNG (LU)	1.9190	.3744 %	.7857	WEIGHT TAKEN
SPLEEN (SP)	.8479	.1654 %	.3471	WEIGHT TAKEN
LF TESTIS (TE0)	1.7019	.3320 %	.6968	WEIGHT TAKEN
RT TESTIS (TE1)	1.7440	.3402 %	.7140	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0094	.0018 %	.0038	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0104	.0020 %	.0043	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MINIMAL -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 896

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92799 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 512.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:07 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 897

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92800 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:27 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS PANCREAS (PA) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE MASS, 27 X 18 X 14 MM, RED, DARK RED, TAN, GREY, LOBULATED AND FIRM; SOME SECTIONS EXUDE A DARK RED FLUID; (CAP 22); REGIONAL LN (PANCREATIC) NOT IDENTIFIED	BRAIN (BR) : -MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, - 2 NEOPLASMS PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT -INFLAMMATION, VASCULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 898

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92800 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:27 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 5 X 4 X 3 MM; APPEARS SWOLLEN
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE BLACK AREAS, UP TO 2 X 1 MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MINIMAL
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -MODERATELY SEVERE
NERVE, SCIATIC (SN) :
-DEGENERATION, -SLIGHT
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-EROSION, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 899

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92800 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 601.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:27 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 900

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92801 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/17/99 13:49 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 53; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 56; 70 X 80MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: THICKENED -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -LARGE PELVIS(ES); LEFT -LARGE; LEFT: 30 X 20 X 15 MM (FOR COMPARISON, RIGHT IS 25 X 15 X 10 MM) TESTIS (TE) : -SMALL; LEFT: 20 X 10 X 8 MM (FOR COMPARISON, RIGHT IS 25 X 15 X 10 MM)	LIVER (LI) : -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -NECROSIS, COAGULATIVE, -MODERATE -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -SLIGHT -LEUKOCYTOSIS, SINUSOIDAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -DILATATION, PELVIC, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 901

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92801 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/17/99 13:49 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SEMINAL VESICLES (SV) :
-GELATINOUS; RIGHT: CLEAR

LN, MEDIASTINAL (ML) :
-LARGE; UP TO 5 X 3 X 2 MM (CAP 22)
-DIFFUSELY RED; DARK RED
CAVITY, ABDOM (PC) :
-MASS(ES); WITHIN ABDOMINAL CAVITY,
JUST CAUDAL TO LEFT KIDNEY: SINGLE
MASS, 100 X 80 X 60 MM (135.7 GRAMS),
RED, DARK RED, TAN, FIRM, AND
LOBULATED; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (RENAL) NOT
IDENTIFIED; POSSIBLY CONSISTENT WITH
MASS (VENTRAL HIND LEFT) NOTED IN
CLINICAL OBSERVATIONS

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
JEJUNUM (JE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
SEMINAL VESICLES (SV) :
-SECRETION, INCREASED, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, ABDOMINAL CAVITY, -PRESENT
LN, MEDIASTINAL (ML) :
-HEMORRHAGE, -PRESENT

CAVITY, ABDOM (PC) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT

PREPUTIAL GLAND (PG) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 902

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92801 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/17/99 13:49 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PREPUTIAL GLAND (PG) : -LARGE; RIGHT: 40 X 30 X 15 MM (FOR COMPARISON, LEFT IS 14 X 3 X 2 MM); RIGHT IS FILLED WITH GREEN, CREAMY SEMIFLUID (CAP 21); POSSIBLY CONSISTENT WITH MASS (VENTRAL HIND RIGHT) NOTED IN CLINICAL OBSERVATIONS GENERAL COMMENT (GC) : -FLUID-ABDOMINAL CAVITY; DARK RED SEMIFLUID -PALE MUCOUS MEMBRANES	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 903

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92801 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/17/99 13:49 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 904

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92802 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 949.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:43 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 905

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92802 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 949.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:43 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE
GENERAL INFORMATION (XX) :
>NOTE:>ANIMAL IDENTIFICATION
TRANSPONDER DAMAGED AT NECROPSY

TESTIS (TE) :
-HYPERPLASIA, INTERSTITIAL CELL (LEYDIG
CELL), -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
SEMINAL VESICLES (SV) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 906

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92802 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 949.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:43 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 907

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92803 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 703.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:43 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES, APPEAR ROUNDED -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 3 MM IN DIAMETER, COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -ANGIECTASIS, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL TESTIS (TE) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 908

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92803 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 703.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:43 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
DARK BROWN AREA, 2 X 1 MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 909

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92803 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 703.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:43 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 910

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92804 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 928.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:44 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -DEGENERATION, CYSTIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 911

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92804 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 928.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:44 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-LARGE; BILATERAL: EACH IS 9 X 7 X 4
MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

LUNG (LU) :
-HYPERPLASIA, TYPE II PNEUMOCYTE, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
>UNREMARKABLE
PITUITARY (PI) :
-HYPERPLASIA, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 912

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92804 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 928.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:44 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 913

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92805 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 555.8 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 15:24 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 914

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92805 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 555.8 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 15:24 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 12 X 9 X 7 MM, DARK RED, SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 14 X 8 X 3 MM	SEMINAL VESICLES (SV) : -ATROPHY, -MODERATELY SEVERE
	FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); LEFT HIND FOOTPAD: SINGLE DARK BROWN, TAN, DRY CRUSTED AREA, 8 X 6 MM; COLLECTED	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ULCERATION, -MODERATE -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; LEFT: DARK RED, DRY MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 915

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92805 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 555.8 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 15:24 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 916

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92806 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 515.7 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL
>APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED		BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: RED AND BROWN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED		ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 917

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92806 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 515.7 GRAMS
 DATE AND TIME OF NECROPSY: 03/10/00 13:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
		MUSCLE, SKELETAL (SM) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
		PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 9 X 7 X 6 MM, DARK RED, TAN, AND SOFT	STOMACH, GL (ST) : >UNREMARKABLE
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA: DIFFUSE	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ULCERATED AREAS, UP 1 MM IN DIAMETER	-EDEMA, -PRESENT -ULCERATION, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	SKIN (SK) : -CRUSTED AREA(S); RIGHT VENTRAL ABDOMINAL REGION: SINGLE DARK RED DRY AREA, 5 X 3 MM (CAP 22)	SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -BACTERIAL COLONIES, -PRESENT -SUPERFICIAL CRUSTING, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 918

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92806 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 515.7 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PROSTATE (PR) :
-NODULAR; PROXIMAL SURROUNDING
URETHRA: GREEN AND FIRM

URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
MAMMARY, MALE (MM) :
-GALACTOCELE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-TEETH MISSING/BROKEN/WORN; LEFT UPPER
INCISOR: MISSING RIGHT UPPER INCISOR:
BROKEN AT BASE
-GI TRACT-LARGE LUMEN; CECUM: UP 20 MM
IN DIAMETER

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 919

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92806 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 515.7 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB),
SPINAL CORD (SC), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 920

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92807 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/07/99 STUDY DAY OF DEATH: 597 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/07/99 8:28 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 921

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92807 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/07/99 STUDY DAY OF DEATH: 597 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/07/99 8:28 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 6 X 5 MM, RED, DARK
RED, TAN AND SOFT

ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 922

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92807 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/07/99 STUDY DAY OF DEATH: 597 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/07/99 8:28 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 923

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92808 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 98; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 98; 10 X 10 MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 103; 10 X 10 MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ATROPHY, ACINAR, -SEVERE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATELY SEVERE -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 924

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92808 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RAISED AREA(S); LEFT POSTERIOR
ASPECT: SINGLE DARK RED, SOFT AREA, 4
X 3 X 2 MM
STOMACH, GL (ST) :
-THICKENED WALL; DIFFUSE
SKIN (SK) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 12 X 8 X 8 MM, TAN AND
FIRM; SAME ON CUT SURFACE; OVERLYING
SKIN HAS A TAN AND DRY ULCERATED AREA,
5 X 4 MM; COLLECTED INTACT WITH MASS;
REGIONAL LN (AXILLARY) NORMAL (CAP 27)

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
SKIN (SK) :
-CYST, EPIDERMAL INCLUSION, -PRESENT
-B-KERATOACANTHOMA, -NEOPLASM PRESENT
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 925

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92808 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 23)

MAMMARY, MALE (MM) :
-CYST(S); BILATERAL PECTORAL REGIONS:
MULTIPLE TAN CREAMY FLUID FILLED
CYSTS, UP TO 8 MM IN DIAMETER (CAP 22)
-MASS(ES); LEFT VENTRAL ABDOMINAL
REGION: SINGLE MASS, 15 X 11 X 8 MM,
TAN, RED AND FIRM; SAME ON CUT
SURFACE; (CAP 24); REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 14 X 10 X 8 MM, TAN AND FIRM;
CUT SURFACE EXUDES A BROWN CREAMY
SEMIFLUID; (CAP 25); REGIONAL LN
(INGUINAL) NOT IDENTIFIED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-HEMORRHAGE, -PRESENT

MAMMARY, MALE (MM) :
-GALACTOCELE, -PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #2 IS THE ADENOMA MASS #1
IS AN EPIDERMAL INCLUSION CYST
DIAGNOSED UNDER SKIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 926

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92808 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 599.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 927

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92809 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 814.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 85; 70 X 80 MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -DEGENERATION, CYSTIC, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 928

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92809	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 814.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:37	PROSECTOR: TODD ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MESENTERIC (MS) : -MASS(ES); WITHIN CHAIN: SINGLE MASS, 6 MM IN DIAMETER, DARK RED, TAN, AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT	ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL LN, MESENTERIC (MS) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE >NOTE:>SEE PANCREAS FOR DIAGNOSIS OF MASS THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 8 X 6 X 6 MM, DARK RED, GRAY, SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BLACK AREAS, UP TO 2 X 1 MM -THICKENED WALL; MUCOSA: DIFFUSE	STOMACH, GL (ST) : -EROSION, -MINIMAL -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT SKIN (SK) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -B-LIPOMA, -NEOPLASM PRESENT URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 929

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92809 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 814.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, MALE (MM) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 80 X 80 X 25 MM, TAN AND
SOFT; SAME ON CUT SURFACE; PORTION
COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 930

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92809 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 814.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 931

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92810 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 419.9 GRAMS
 DATE AND TIME OF NECROPSY: 02/21/00 14:45 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: TAN AND BROWN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL -VACUOLATION, TUBULAR EPITHELIUM, - SLIGHT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	SPLEEN (SP) : -SMALL; 27 X 6 X 4 MM	SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 932

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92810 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 419.9 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:45 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TESTIS (TE) :
-CONTAINS FLUID; LEFT: RED FLUID
-DIFFUSELY RED; LEFT: DARK RED
-LARGE; LEFT: 30 X 17 X 15 MM (RIGHT
IS 22 X 13 X 12 MM)
-MOTTLED; RIGHT: RED AND TAN

PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
TESTIS (TE) :
>UNREMARKABLE

MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATELY
SEVERE
MARROW, STERNUM (SE) :
-HYPOCELLULAR, MARROW, -MODERATELY
SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 933

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92810 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 419.9 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:45 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MUSCLE, SKELETAL (SM) : -ATROPHY, -MINIMAL
		THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT -DILATATION / CYST, FOLLICULAR, -PRESENT
	PITUITARY (PI) : -MASS(ES); 10 MM IN DIAMETER, DARK RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 2 MM IN DIAMETER -THICKENED WALL; DIFFUSE	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: TAN, GREEN, AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 17 X 8 X 3 MM	SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT
		EPIDIDYIMIDES (EP) : -IMMATURE SPERM FORMS, -MINIMAL
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 934

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92810 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 419.9 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:45 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 935

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92811 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/25/98 STUDY DAY OF DEATH: 250 STUDY WEEK OF DEATH: 36 TERMINAL BODY WEIGHT: 608.8 GRAMS
DATE AND TIME OF NECROPSY: 12/25/98 11:31 PROSECTOR: STEVE VAN ADESTINE RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -LARGE; ALL LOBES: MARGINS ARE ROUNDED -MOTTLED; ALL LOBES: RED AND TAN SPLEEN (SP) : -LARGE; 54 X 12 X 6 MM	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MODERATELY SEVERE -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -DEGENERATION / NECROSIS, CENTRIOBULAR, -MODERATELY SEVERE KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT LN, MESENTERIC (MS) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT BONE, FEMUR (FE) : -X-HEMATOPOIETIC NEOPLASIA (SEE HN), - NEOPLASM PRESENT MARROW, FEMUR (FM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 936

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92811 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/25/98 STUDY DAY OF DEATH: 250 STUDY WEEK OF DEATH: 36 TERMINAL BODY WEIGHT: 608.8 GRAMS
DATE AND TIME OF NECROPSY: 12/25/98 11:31 PROSECTOR: STEVE VAN ADESTINE RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MEDIASTINAL (ML) :
-LARGE; UP TO 10 X 5 X 4 MM (CAP 21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

MARROW, STERNUM (SE) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
BONE, STERNUM (SB) :
-X-HEMATOPOIETIC NEOPLASIA (SEE HN), -
NEOPLASM PRESENT
HEMATO NEOPLASIA (HN) :
-M-LYMPHOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, HEMATOPOIETIC, -PRESENT
LN, MEDIASTINAL (ML) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 937

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92811 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/25/98 STUDY DAY OF DEATH: 250 STUDY WEEK OF DEATH: 36 TERMINAL BODY WEIGHT: 608.8 GRAMS
DATE AND TIME OF NECROPSY: 12/25/98 11:31 PROSECTOR: STEVE VAN ADESTINE RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), TESTIS (TE), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 938

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92812 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 490.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0252	.0051 %	.0116	WEIGHT TAKEN
RT ADRENAL (AD1)	.0249	.0051 %	.0114	WEIGHT TAKEN
BRAIN (BR)	2.1817	.4445 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.0210	.4118 %	.9263	WEIGHT TAKEN
RT KIDNEY (KD1)	1.8963	.3864 %	.8692	WEIGHT TAKEN
LIVER (LI)	21.4730	4.3751 %	9.8423	WEIGHT TAKEN
LUNG (LU)	1.8765	.3823 %	.8601	WEIGHT TAKEN
SPLEEN (SP)	.7606	.1550 %	.3486	WEIGHT TAKEN
LF TESTIS (TE0)	1.8219	.3712 %	.8351	WEIGHT TAKEN
RT TESTIS (TE1)	1.7586	.3583 %	.8061	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0121	.0025 %	.0055	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0081	.0017 %	.0037	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -VACUOLATION, HEPATOCELLULAR, MIDZONAL
 / CENTRIOBULAR, -SLIGHT
 KIDNEY (KD) :
 -DILATATION, PELVIC, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 939

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92812	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 490.8 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:30	PROSECTOR: STEVE VAN ADESTINE	RECORDED: LYNN HORNER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 940

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92813 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 463.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:45 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 87; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL -LARGE; BILATERAL: EACH IS 29 X 18 X 13 MM -DIFFUSELY LIGHT; BILATERAL: TAN PANCREAS (PA) : -MASS(ES); DIFFUSE: TWO MASSES, BOTH ARE 8 X 5 X 4 MM, BOTH ARE TAN, RED AND SOFT; BOTH ARE SAME ON CUT SURFACE (CAP 24); REGIONAL LN (PANCREATIC) NOT IDENTIFIED	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -MITOSIS, HEPATOCELLULAR, INCREASED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE -M-CARCINOMA, ISLET CELL, - 2 NEOPLASMS PRESENT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 941

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92813 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 463.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:45 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 5 X 4 MM, DARK RED, TAN
AND SOFT
SKIN (SK) :
-MASS(ES); LEFT DORSAL THORACIC
REGION: SINGLE MASS, 10 MM IN
DIAMETER, TAN, DARK RED, AND FIRM; CUT
SURFACE EXUDES A TAN, CASEOUS
SEMISOLID; COLLECTED; OVERLYING AREA
HAS A DARK RED AND DRY CRUSTED AREA, 7
X 4 MM; COLLECTED INTACT; REGIONAL LN
(SEE AXILLARY)

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MODERATELY
SEVERE
TESTIS (TE) :
-INFLAMMATION, VASCULAR, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PARATHYROID (PT) :
-HYPERPLASIA, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 942

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92813 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 463.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:45 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	LN, AXILLARY (AX) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 23)	EPIDIDYIMIDES (EP) : -IMMATURE SPERM FORMS, -MINIMAL CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE
	LN, RENAL (RL) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22)	LN, RENAL (RL) : -HEMORRHAGE, -PRESENT
	FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); RIGHT HINDFOOT: SINGLE DARK RED AND DRY AREA, 5 MM IN DIAMETER; COLLECTED	MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 943

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92813 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 463.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 13:45 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAIC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 944

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92814 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 590.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:50 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 945

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92814 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 590.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:50 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL LOWER
INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 946

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92814 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 590.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:50 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 947

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92815 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 722.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 948

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92815 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 722.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-MASS(ES); LEFT, INVOLVING ENTIRE
GLAND: 10 X 8 X 4 MM, RED, DARK RED,
TAN, AND SOFT; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (SEE
RENAL)

PARATHYROID (PT) :
-LARGE; LEFT: 3 MM IN DIAMETER (RIGHT
IS 1 MM IN DIAMETER)

PANCREAS (PA) :
-ATROPHY, ACINAR, -SLIGHT
-M-CARCINOMA, ISLET CELL, -NEOPLASM
PRESENT

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -SLIGHT
-PIGMENT, -SLIGHT

ADRENAL, MEDULLA (MA) :
-M-MALIGNANT PHEOCHROMOCYTOMA, -NEOPLASM
PRESENT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT

THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT

PARATHYROID (PT) :
>UNREMARKABLE

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 949

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92815 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 722.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-RED FOCUS(I)/AREA(S); LEFT ASPECT:
DARK RED AREA, 3 MM IN DIAMETER

LN, RENAL (RL) :

-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 22)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN OFF AT BASE

PROSTATE (PR) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, RENAL (RL) :

-HEMORRHAGE, -PRESENT
-DILATATION, SINUSOIDAL, -MODERATELY
SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 950

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92815 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 722.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 951

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92816 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/09/99 STUDY DAY OF DEATH: 446 STUDY WEEK OF DEATH: 64 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/09/99 15:29 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL THYROID (TY) : >AUTOLYTIC STOMACH, GL (ST) : >AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 952

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92816 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/09/99 STUDY DAY OF DEATH: 446 STUDY WEEK OF DEATH: 64 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/09/99 15:29 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC COLON (CO) : >AUTOLYTIC URINARY BLADDER (UB) : >AUTOLYTIC PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, THORACIC CAVITY, -PRESENT >NOTE:>DIAGNOSIS LISTED UNDER AORTA LN, MEDIASTINAL (ML) : -HEMORRHAGE, -PRESENT AORTA (AO) : -M-LIPOSARCOMA, -NEOPLASM PRESENT
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 3 X 2 X 1 MM (CAP 21) -DIFFUSELY RED; DARK RED AORTA (AO) : -MASS(ES); INVOLVING ENTIRE THORACIC AORTA: SINGLE MASS, 35 X 30 X 15 MM, RED, DARK RED, TAN, LOBULATED AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE MEDIASTINAL) GENERAL COMMENT (GC) : -FLUID-THORACIC CAVITY; CONTAINS A LARGE AMOUNT OF DARK RED FLUID	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 953

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92816 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/09/99 STUDY DAY OF DEATH: 446 STUDY WEEK OF DEATH: 64 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/09/99 15:29 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 954

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92817 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 958.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:22 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0360	.0038 %	.0151	WEIGHT TAKEN
RT ADRENAL (AD1)	.0306	.0032 %	.0128	WEIGHT TAKEN
BRAIN (BR)	2.3859	.2489 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.7116	.2829 %	1.1365	WEIGHT TAKEN
RT KIDNEY (KD1)	2.7885	.2909 %	1.1687	WEIGHT TAKEN
LIVER (LI)	31.0099	3.2353 %	12.9971	WEIGHT TAKEN
LUNG (LU)	2.1009	.2192 %	.8805	WEIGHT TAKEN
SPLEEN (SP)	1.1429	.1192 %	.4790	WEIGHT TAKEN
LF TESTIS (TE0)	1.9473	.2032 %	.8162	WEIGHT TAKEN
RT TESTIS (TE1)	1.8553	.1936 %	.7776	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0216	.0023 %	.0091	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0280	.0029 %	.0117	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATELY SEVERE -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 955

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92817 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 958.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:22 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-CYST(S); MID POSTERIOR ASPECT: SINGLE
CLEAR FLUID FILLED CYST, 2 MM IN
DIAMETER

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

SPLEEN (SP) :
-PIGMENT, INCREASED, -SLIGHT
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -SLIGHT
PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 956

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92817 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 958.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:22 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 957

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92818 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 720.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 958

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92818 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 720.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); LEFT ASPECT:
SINGLE DARK RED AREA, 3 X 2 MM
STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA: DIFFUSE

THYROID (TY) :
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -SLIGHT
STOMACH, GL (ST) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-FIBROSIS, -SLIGHT
URINARY BLADDER (UB) :
-PROTEINACEOUS MATERIAL, LUMINAL, -
PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 959

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92818 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 720.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:38 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 960

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92819 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:44 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL-CERVICAL-LEFT; WEEK 25; 60 X 50MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL- CERVICAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 22 MM IN DIAMETER (LEFT IS 5 X 3 X 2 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -DEGENERATION, CYSTIC, -SLIGHT -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -N-CARCINOMA, -FROM ADRENAL, CORTEX KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -THROMBUS, GLOMERULAR, -SEVERE -DEGENERATION TUBULAR, -MODERATELY SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATELY SEVERE -NECROSIS, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION / NECROSIS, UNILATERAL, - SEVERE -M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 961

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92819	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00	STUDY DAY OF DEATH: 727	STUDY WEEK OF DEATH: 104	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:44	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	TESTIS (TE) : -SMALL; BILATERAL: EACH IS 17 X 12 X 8 MM; BOTH ARE SOFT	TESTIS (TE) : >UNREMARKABLE
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 5 X 2 MM	MARROW, STERNUM (SE) : -N-CARCINOMA, -FROM ADRENAL, CORTEX THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -SLIGHT -N-CARCINOMA, -FROM ADRENAL, CORTEX
	PITUITARY (PI) : -LARGE; 7 X 4 X 3 MM; APPEARS SWOLLEN	HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PARATHYROID (PT) : -HYPERPLASIA, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC SKIN (SK) : -B-FIBROMA, -NEOPLASM PRESENT URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 962

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92819	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00	STUDY DAY OF DEATH: 727	STUDY WEEK OF DEATH: 104	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:44	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 15 X 7 X 2 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE SEMINAL VESICLES (SV) : -ATROPHY, -SEVERE
	LN, AXILLARY (AX) : -DIFFUSELY RED; RIGHT: DARK RED (CAP 22) (LEFT NOT IDENTIFIED)	EPIDIDYMIDES (EP) : -IMMATURE SPERM FORMS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, ADRENAL, -PRESENT
	MAMMARY, MALE (MM) : -MASS(ES); LEFT DORSAL THORACIC REGION: SINGLE MASS, 70 X 40 X 40 MM, TAN, FIRM AND LOBULATED; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (SEE AXILLARY); OVERLYING SKIN HAS A SINGLE DARK RED AND MOIST ABRADED AREA, 12 MM IN DIAMETER; COLLECTED WITH MASS	LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT MAMMARY, MALE (MM) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL >NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS
	FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); LEFT HINDFOOT: SINGLE DARK RED AND DRY CRUSTED AREA, 15 MM IN DIAMETER; COLLECTED	FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE -ULCERATION, -SEVERE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -FIBROSIS, -MODERATE -BACTERIA, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 963

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92819	SEX: MALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/15/00	STUDY DAY OF DEATH: 727	STUDY WEEK OF DEATH: 104	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/15/00 8:44	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -STAINS-PERINEUM/PERIANAL; MOIST BROWN MATERIAL	
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:		
EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:		
EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), HEMATO NEOPLASIA (HN)		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 964

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92820 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 503.2 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:17 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0240	.0048 %	.0105	WEIGHT TAKEN
RT ADRENAL (AD1)	.0229	.0046 %	.0100	WEIGHT TAKEN
BRAIN (BR)	2.2863	.4544 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	2.2802	.4531 %	.9973	WEIGHT TAKEN
RT KIDNEY (KD1)	2.2533	.4478 %	.9856	WEIGHT TAKEN
LIVER (LI)	17.6865	3.5148 %	7.7359	WEIGHT TAKEN
LUNG (LU)	1.8264	.3630 %	.7988	WEIGHT TAKEN
SPLEEN (SP)	.6612	.1314 %	.2892	WEIGHT TAKEN
LF TESTIS (TE0)	1.7905	.3558 %	.7831	WEIGHT TAKEN
RT TESTIS (TE1)	1.7871	.3551 %	.7817	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0120	.0024 %	.0052	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0131	.0026 %	.0057	WEIGHT TAKEN

LAST CLINICAL OBSERVATIONS

>APPEARANCE; MALOCCLUSION; VERIFIED AT
 NECROPSY: OBSERVED

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATELY SEVERE
 -VACUOLATION, HEPATOCELLULAR, -MINIMAL
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 MINIMAL
 -MINERALIZATION, TUBULAR, -MINIMAL
 MARROW, FEMUR (FM) :
 -HYPOCELLULAR, MARROW, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 965

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92820 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 503.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:17 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
STOMACH, GL (ST) :
-EROSION, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL: UPPER AND
LOWER INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 966

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92820 SEX: MALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 503.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:17 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 967

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92821 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 782.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:11 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ASPECT: SINGLE DARK RED AREA, 3 X 2 MM FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); LEFT HINDFOOT: SINGLE DRY BROWN CRUSTED AREA, 3 MM IN DIAMETER; JOINT APPEARS SWOLLEN; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -SLIGHT -NECROSIS, COAGULATIVE, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -FIBROSIS, -SEVERE -HYPERPLASIA, BONE, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 968

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92821 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 782.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:11 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN OFF AT BASE
-DISCHARGE-OCULAR; LEFT: DRY RED
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 969

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92822 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/06/99 STUDY DAY OF DEATH: 566 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 485.0 GRAMS
DATE AND TIME OF NECROPSY: 11/06/99 13:38 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE >NOTE:>UNILATERAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 970

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92822 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/06/99 STUDY DAY OF DEATH: 566 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 485.0 GRAMS
DATE AND TIME OF NECROPSY: 11/06/99 13:38 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 12 X 11 X 10 MM, RED, DARK RED, GREY, TAN, LOBULATED, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PROSTATE (PR) : -NODULAR; DIFFUSE: GREEN AND FIRM -LARGE; 35 X 21 X 14 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 31 X 21 X 9 MM -GELATINOUS; BILATERAL: CLEAR AND SOFT	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 971

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92822 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/06/99 STUDY DAY OF DEATH: 566 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 485.0 GRAMS
DATE AND TIME OF NECROPSY: 11/06/99 13:38 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 972

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92823 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 791.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:00 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) THYROID (TY) : -LARGE; BILATERAL: EACH IS 8 X 4 X 3 MM PITUITARY (PI) : -MASS(ES); 11 X 6 X 4 MM, RED, TAN AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -SLIGHT -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 973

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92823 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 791.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:00 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA: DIFFUSE

STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL, UPPER
INCISORS
-TEETH MISSING/BROKEN/WORN; BILATERAL,
UPPER INCISORS: BROKEN OFF AT BASE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 974

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92823 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 791.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:00 PROSECTOR: TROY ELLENBECKER RECORDER: TROY ELLENBECKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 975

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92824 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/11/00 STUDY DAY OF DEATH: 663 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/11/00 7:33 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 66; 50 X 70MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -GRANULAR MATERIAL; BILATERAL: MULTIPLE TAN AND HARD GRANULES, UP TO 1 MM IN DIAMETER -DIFFUSELY LIGHT; BILATERAL: TAN -SEMIFLUID MATERIAL-PELVIS; LEFT: LIGHT GREEN SPLEEN (SP) : -DIFFUSELY LIGHT; TAN	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -MODERATE -REGENERATION, TUBULAR EPITHELIUM, - MODERATE -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - SEVERE -ULCERATION, TRANSITIONAL EPITHELIUM, PELVIC, -SEVERE SPLEEN (SP) : >UNREMARKABLE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 976

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92824	SEX: MALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/11/00	STUDY DAY OF DEATH: 663	STUDY WEEK OF DEATH: 95	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/11/00 7:33	PROSECTOR: GREGORY CODDINGTON	RECORDED: GREGORY CODDINGTON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	HEART (HT) : -LIGHT FOCUS(I)/AREA(S); EPICARDIUM OF BOTH VENTRICLES: MULTIPLE TAN AREAS, UP TO 10 X 5 MM	MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE
	PITUITARY (PI) : -MASS(ES); 7 X 6 X 4 MM, DARK RED, TAN AND SOFT	THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BLACK AREAS, UP TO 1 MM IN DIAMETER	HEART (HT) : -CARDIOMYOPATHY, -MODERATE -MINERALIZATION, VASCULAR, -MODERATE -MINERALIZATION, -MINIMAL
	CECUM (CE) : -RED FOCUS(I)/AREA(S); MUCOSA, DIFFUSE: MULTIPLE RED AREAS, UP TO 5 X 4 MM	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		STOMACH, GL (ST) : -MINERALIZATION, GLANDULAR MUCOSA, - MINIMAL
		CECUM (CE) : >AUTOLYTIC
		COLON (CO) : >AUTOLYTIC
		URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE
		-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 977

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92824 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/11/00 STUDY DAY OF DEATH: 663 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/11/00 7:33 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		SEMINAL VESICLES (SV) : -ATROPHY, -MODERATELY SEVERE EPIDIDYMITIS (EP) : -IMMATURE SPERM FORMS, -SLIGHT CAUSE OF DEATH (CD) : -INFECTION / NECROSIS / CALCULUS, URINARY TRACT, -PRESENT LN, AXILLARY (AX) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -CONGESTION, -PRESENT LN, MANDIBULAR (MN) : -LYMPHANGIECTASIS, -PRESENT -CONGESTION, -PRESENT MAMMARY, MALE (MM) : -M-CARCINOMA, -NEOPLASM PRESENT
	LN, AXILLARY (AX) : -DIFFUSELY RED; BILATERAL (CAP 24)	
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL (CAP 22)	
	MAMMARY, MALE (MM) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 60 X 55 X 35 MM, RED, DARK RED, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (SEE AXILLARY)	
	LN, LUMBAR/ILIAC (LM) : -MOTTLED; BILATERAL: DARK BROWN AND TAN (CAP 25)	LN, LUMBAR/ILIAC (LM) : -LYMPHANGIECTASIS, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 978

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92824 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/11/00 STUDY DAY OF DEATH: 663 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/11/00 7:33 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), COAGULATING GL (CG),
TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), RECTUM (RE), SKIN (SK), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 979

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92825 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 7:57 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -DILATATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -SLIGHT TESTIS (TE) : -INFLAMMATION, VASCULAR, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 980

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92825 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 7:57 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-MASS(ES); LEFT, INVOLVING ENTIRE
GLAND: SINGLE MASS, 15 X 13 X 13 MM,
RED, DARK RED, GRAY, LOBULATED, AND
FIRM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (SEE MANDIBULAR)

LN, MEDIASTINAL (ML) :
-LARGE; UP TO 4 X 3 X 2 MM
-DIFFUSELY RED; DARK RED (CAP 22)
LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL (CAP 23)

LUNG (LU) :
-N-SARCOMA, -NEOPLASM PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-M-CARCINOMA, C-CELL, -NEOPLASM PRESENT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
CECUM (CE) :
>AUTOLYTIC
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, THORACIC CAVITY, -PRESENT
LN, MEDIASTINAL (ML) :
-HEMORRHAGE, -PRESENT

LN, MANDIBULAR (MN) :
-CONGESTION, -PRESENT
PERICARDIAL SAC (PD) :
-M-SARCOMA, UNDIFFERENTIATED, -NEOPLASM
PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 981

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92825 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 7:57 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PERICARDIAL SAC (PD) :
-MASS(ES); INVOLVING ENTIRE ORGAN:
SINGLE MASS, 53 X 45 X 38 MM, RED,
DARK RED, TAN, GRAY, AND SOFT; ON
SECTION EXUDES A DARK RED FLUID;
COLLECTED INTACT; REGIONAL LN (SEE
MEDIASTINAL)
GENERAL COMMENT (GC) :
-FLUID-THORACIC CAVITY; DARK RED,
GELATINOUS SEMIFLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 982

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92825 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/01/00 7:57 PROSECTOR: STEVE VAN ADESTINE RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PINNA (PN),
ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 983

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92826 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:01 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 45; VERIFIED AT NECROPSY: OBSERVED >DISCHARGE; CLEAR ORAL; VERIFIED AT NECROPSY: OBSERVED >RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) THYMUS (TH) : -RED FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE, DARK RED, PINPOINT FOCI	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 984

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92826 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:01 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 8 X 8 MM, RED, DARK
RED, GRAY, AND SOFT
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
BROWN AREA, 4 X 2 MM

SEMINAL VESICLES (SV) :
-GELATINOUS; BILATERAL: CLEAR

MAMMARY, MALE (MM) :
-CYST(S); LEFT INGUINAL REGION: SINGLE
GREENISH-TAN, CREAMY SEMIFLUID FILLED
CYST, 8 MM IN DIAMETER (CAP 21);
POSSIBLY CONSISTENT WITH MASS NOTED IN
CLINICAL OBSERVATIONS
GENERAL COMMENT (GC) :
-DISCHARGE-ORAL; CLEAR AND MOIST

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
>UNREMARKABLE

RECTUM (RE) :
-PARASITISM, -PRESENT

SKIN (SK) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
SEMINAL VESICLES (SV) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

MAMMARY, MALE (MM) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 985

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92826 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:01 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
URINARY BLADDER (UB), EPIDIDYIMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 986

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92827 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 745.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:35 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 92; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED AREAS, UP TO 2 X 1 MM; COLLECTED ON ROUTINE SECTIONS THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED; POSSIBLE REMNANTS COLLECTED	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -B-ADENOMA, ISLET CELL, - 2 NEOPLASMS PRESENT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT THYMUS (TH) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 987

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92827 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 745.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:35 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 8 X 6 X 4 MM, RED, DARK
RED, GRAY, TAN, CYSTIC, LOBULATED AND
SOFT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :

-MASS(ES); MID DORSAL THORACIC REGION:
SINGLE MASS, 15 X 11 X 4 MM, RED, TAN
AND FIRM; SAME ON CUT SURFACE (CAP
23); REGIONAL LN (AXILLARY) NORMAL
(CAP 24); OVERLYING SKIN HAS A SINGLE
DRY, TAN CRUSTED AREA, 14 X 10 MM;
COLLECTED WITH MASS

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT

PREPUTIAL GLAND (PG) :

-LARGE; LEFT: 9 X 4 X 4 MM (RIGHT IS 4
X 3 X 3 MM); LEFT EXUDES A GREEN
CASEOUS MATERIAL; RIGHT EXUDES A TAN
CASEOUS MATERIAL (CAP 22)

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

PREPUTIAL GLAND (PG) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ECTASIA, DUCTAL, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 988

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92827 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 745.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:35 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 989

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92828 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 12:47 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; TESTIS-LEFT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, - MODERATE -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE TESTIS (TE) : -M-HEMANGIOSARCOMA, -NEOPLASM PRESENT
	TESTIS (TE) : -MASS(ES); LEFT: SINGLE MASS, 120 X 35 X 35 MM, RED, DARK RED, TAN, GRAY AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (SEE LUMBAR)	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 990

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92828 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 12:47 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); LEFT ASPECT:
SINGLE DARK RED AREA, 3 X 2 MM
STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN FOCI, PINPOINT AND
UP TO 2 MM IN DIAMETER

MARROW, FEMUR (FM) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-LEUKOCYTES, INCREASED, INTRAVASCULAR, -
PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PARATHYROID (PT) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MODERATE
STOMACH, GL (ST) :
>UNREMARKABLE
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 991

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92828 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 12:47 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	EPIDIDYMITIS (EP) : >NOTE:>LEFT NOT IDENTIFIED DUE TO MASS ON LEFT TESTIS	CECUM (CE) : >AUTOLYTIC EPIDIDYMITIS (EP) : -UNILATERALLY EXAMINED, -PRESENT
	LN, LUMBAR/ILIAC (LM) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22)	CAUSE OF DEATH (CD) : -HEMANGIOSARCOMA, -PRESENT LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 992

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92828 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/18/99 STUDY DAY OF DEATH: 578 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/18/99 12:47 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 993

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92829 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 694.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:52 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -CYST(S); RIGHT CORTICAL SURFACE: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER PANCREAS (PA) : -MASS(ES); NEAR DUODENUM: SINGLE MASS, 22 X 15 X 10 MM, RED, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (ANTERIOR MESENTERIC) NORMAL (CAP 26) TESTIS (TE) : -SMALL; BILATERAL: EACH IS 20 X 15 X 4 MM; BOTH ARE SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -CYST, -PRESENT PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT TESTIS (TE) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 994

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92829	SEX: MALE	DOSE GROUP: 6	SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00	STUDY DAY OF DEATH: 736	STUDY WEEK OF DEATH: 106	TERMINAL BODY WEIGHT: 694.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:52	PROSECTOR: LAURIE J. SCHULLER	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 11 X 8 X 6 MM, DARK RED, GRAY AND SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 3 X 1 MM CECUM (CE) : -THICKENED WALL; DIFFUSE PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM SEMINAL VESICLES (SV) : -SMALL; BILATERAL: EACH IS 15 X 10 X 2 MM -GELATINOUS; BILATERAL: CLEAR	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE CECUM (CE) : >UNREMARKABLE PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT TAIL (TI) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ACANTHOSIS / HYPERKERATOSIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 995

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92829 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 694.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:52 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TAIL (TI) :

-CRUSTED AREA(S); ALONG ENTIRE LENGTH:
MULTIPLE BROWN, DRY AREAS, UP TO 2 X 1
MM; COLLECTED

PREPUTIAL GLAND (PG) :

-LARGE; BILATERAL: EACH IS 12 X 6 X 4
MM; BOTH CONTAIN A LIGHT GREEN
SEMISOLID MATERIAL (CAP 25); OVERLYING
SKIN HAS A DARK RED, CRUSTED AREA, 10
X 6 MM; COLLECTED INTACT WITH
PREPUTIAL GLAND

JOINT, OTHER (JT) :

-LARGE; RIGHT TARSAL JOINT: 15 MM IN
DIAMETER (LEFT IS 9 MM IN DIAMETER);
COLLECTED

LN, POPLITEAL (PP) :

-LARGE; BILATERAL: EACH IS UP TO 10 X
8 X 3 MM (CAP 24)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-GI TRACT-DARK FLUID CONTENT; DISTAL
JEJUNUM AND ILEUM: CONTAIN A DARK
GREEN SEMIFLUID

TAIL (TI) :

-SUPERFICIAL CRUSTING, -MODERATE

PREPUTIAL GLAND (PG) :

-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

JOINT, OTHER (JT) :

-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

LN, POPLITEAL (PP) :

-HYPERPLASIA, PLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 996

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92829 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 694.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:52 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN),
ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB), LN, ANT MES/PANC (AP)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 997

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92830 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/09/00 STUDY DAY OF DEATH: 690 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 335.5 GRAMS
DATE AND TIME OF NECROPSY: 03/09/00 11:50 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); EAR-RIGHT; WEEK 47; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; EAR-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; OTHER; COLD TO TOUCH; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -MASS(ES); ALL LOBES, DIFFUSE: MULTIPLE MASSES, UP TO 12 X 12 X 10 MM, TAN, RED, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (HEPATIC) NOT IDENTIFIED -ADHESION(S); LEFT LATERAL, LEFT MEDIAN, AND RIGHT MEDIAN LOBES TO EACH OTHER: MULTIPLE GREY FIBROUS ADHESIONS; COLLECTED INTACT	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL LIVER (LI) : -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -N-SARCOMA, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 998

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92830 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/09/00 STUDY DAY OF DEATH: 690 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 335.5 GRAMS
DATE AND TIME OF NECROPSY: 03/09/00 11:50 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-MISSING/NOT IDENTIFIED; NOT
POSITIVELY IDENTIFIED, POSSIBLE
REMNANTS COLLECTED
LUNG (LU) :
-MASS(ES); ATTACHED TO ALL LOBES, AND
PERICARDIUM: MULTIPLE MASSES, UP TO 25
X 15 X 10 MM, RED, TAN, SOFT, AND
LOBULATED; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN
(MEDIASTINAL) NOT IDENTIFIED

BONE, FEMUR (FE) :
-N-SARCOMA, -NEOPLASM PRESENT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
BONE, STERNUM (SB) :
-N-SARCOMA, -NEOPLASM PRESENT
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT

LUNG (LU) :
-N-SARCOMA, -NEOPLASM PRESENT

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
-N-SARCOMA, -NEOPLASM PRESENT
PITUITARY (PI) :
-CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 999

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92830 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/09/00 STUDY DAY OF DEATH: 690 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 335.5 GRAMS
DATE AND TIME OF NECROPSY: 03/09/00 11:50 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -CYST(S); LEFT POSTERIOR ASPECT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT SEMINAL VESICLES (SV) : -SECRETION, DECREASED, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, SKIN/MUSCLE/SUBCUTIS, - PRESENT LN, MANDIBULAR (MN) : -HEMORRHAGE, -PRESENT -I-SARCOMA, -NEOPLASM PRESENT PINNA (PN) : -M-SARCOMA, -NEOPLASM PRESENT
	PINNA (PN) : -MASS(ES); INVOLVING ENTIRE RIGHT PINNA: SINGLE MASS, 30 X 30 X 17 MM, BLACK, DRY, AND FIRM; CUT SURFACE BLACK, RED, TAN, AND FIRM; COLLECTED; REGIONAL LN (MANDIBULAR) NORMAL (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL UPPER INCISORS -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1000

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92830 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/09/00 STUDY DAY OF DEATH: 690 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 335.5 GRAMS
DATE AND TIME OF NECROPSY: 03/09/00 11:50 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1001

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92831 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 617.5 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; LIMITED USE; LIMBS-ALL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; STERNAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN ADRENAL, CORTEX (AC) : -DIFFUSELY RED; BILATERAL: DARK RED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL -ANGIECTASIS, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1002

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92831 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 617.5 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA,
PROXIMAL TO PYLORIC SPHINCTER:
MULTIPLE DARK RED PINPOINT FOCI
DUODENUM (DU) :
-RED FOCUS(I)/AREA(S); SEROSAL
SURFACE: MULTIPLE DARK RED AREAS, UP
TO 2 MM IN DIAMETER; COLLECTED ON
ROUTINE SECTION

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MINIMAL
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE

DUODENUM (DU) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -MODERATE

COLON (CO) :
-PARASITISM, -PRESENT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1003

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92831 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 617.5 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: BROKEN OFF AT BASE
-DISCHARGE-OCULAR; RIGHT: DARK RED,
DRY MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1004

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92831 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 617.5 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1005

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92832 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/12/99 STUDY DAY OF DEATH: 480 STUDY WEEK OF DEATH: 69 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/12/99 10:12 PROSECTOR: DENNIS HOFFMAN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOHISTIOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT THYROID (TY) : >AUTOLYTIC PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 5 X 6 X 9 MM, SOFT, RED, DARK RED, AND TAN	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1006

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92832 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/12/99 STUDY DAY OF DEATH: 480 STUDY WEEK OF DEATH: 69 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/12/99 10:12 PROSECTOR: DENNIS HOFFMAN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 21)

ILEUM (IL) :
>AUTOLYTIC
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1007

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92832 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/12/99 STUDY DAY OF DEATH: 480 STUDY WEEK OF DEATH: 69 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/12/99 10:12 PROSECTOR: DENNIS HOFFMAN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1008

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92833 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 823.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:26 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; LIMB-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL TESTIS (TE) : -HYPERPLASIA, INTERSTITIAL CELL (LEYDIG CELL), -SLIGHT THYROID (TY) : -DILATATION / CYST, FOLLICULAR, -PRESENT -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1009

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92833 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 823.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:26 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, LUMBAR/ILIAC (LM) :
-LARGE; LEFT: 13 X 8 X 8 MM (RIGHT IS
7 X 3 X 1 MM); LEFT APPEARS CYSTIC
(CAP 23)
JOINT, OTHER (JT) :
-LARGE; RIGHT TARSAL JOINT: 14 MM IN
DIAMETER (LEFT IS 10 MM IN DIAMETER);
COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

LN, LUMBAR/ILIAC (LM) :
-LYMPHANGIECTASIS, -PRESENT
JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1010

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92833 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 823.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:26 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1011

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92834 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 662.6 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:10 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); SHOULDER-RIGHT; WEEK 95; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS PITUITARY (PI) : -DARK FOCUS(I)/AREA(S); RIGHT ANTERIOR ASPECT: SINGLE BLACK FOCUS, 1 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -MODERATE PITUITARY (PI) : -HYPERPLASIA, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1012

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92834 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 662.6 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:10 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-CRUSTED AREA(S); RIGHT SHOULDER:
SINGLE DRY, TAN, RAISED, AND CRUSTED
AREA, 17 X 10 X 6 MM (CAP 23)

SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1013

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92834 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 662.6 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:10 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1014

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92835 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/23/99 STUDY DAY OF DEATH: 522 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 588.6 GRAMS
DATE AND TIME OF NECROPSY: 09/23/99 8:05 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; DORSAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); SINGLE MASS, 10 MM IN DIAMETER, RED, DARK RED, TAN, AND FIRM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DRY RED MATERIAL	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1015

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92835 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/23/99 STUDY DAY OF DEATH: 522 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 588.6 GRAMS
DATE AND TIME OF NECROPSY: 09/23/99 8:05 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1016

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92836 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/10/00 11:30 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -MASS(ES); INVOLVING ENTIRE RIGHT KIDNEY AND RIGHT ADRENAL: SINGLE MASS, 65 X 50 X 50 MM, RED, DARK RED, AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (RENAL) NOT IDENTIFIED SPLEEN (SP) : -LARGE; 50 X 17 X 15 MM ADRENAL, CORTEX (AC) : -MISSING/NOT IDENTIFIED; RIGHT: NOT IDENTIFIED DUE TO MASS	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -NECROSIS, COAGULATIVE, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -M-LIPOSARCOMA, -NEOPLASM PRESENT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -UNILATERALLY EXAMINED, -PRESENT -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1017

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92836 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/10/00 11:30 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 2 MM
IN DIAMETER

GENERAL COMMENT (GC) :
-STAINS-PERINEUM/PERIANAL; YELLOW AND
DRY
-ANIMAL OBESE

MARROW, FEMUR (FM) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
STOMACH, GL (ST) :
>UNREMARKABLE

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, KIDNEY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1018

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92836 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/10/00 11:30 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1019

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92837 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/12/99 STUDY DAY OF DEATH: 449 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 461.4 GRAMS
DATE AND TIME OF NECROPSY: 07/12/99 9:49 PROSECTOR: KEVIN BILLINGS RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -GRANULAR MATERIAL; RIGHT, WITHIN PELVIS: MULTIPLE TAN PINPOINT GRANULES	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1020

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92837 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/12/99 STUDY DAY OF DEATH: 449 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 461.4 GRAMS
DATE AND TIME OF NECROPSY: 07/12/99 9:49 PROSECTOR: KEVIN BILLINGS RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 10 X 10 X 8
MM, DARK RED, TAN, AND SOFT
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN, ERODED AREAS, UP TO 3 MM IN
DIAMETER
-RED FOCUS(I)/AREA(S); SEROSAL
SURFACE: SINGLE DARK RED AREA, 4 MM IN
DIAMETER

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -
MODERATELY SEVERE
-ULCERATION, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1021

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92837 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/12/99 STUDY DAY OF DEATH: 449 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 461.4 GRAMS
DATE AND TIME OF NECROPSY: 07/12/99 9:49 PROSECTOR: KEVIN BILLINGS RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1022

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92838 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 642.1 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 10:18 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 64; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; SCROTUM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -MOTTLED; ALL LOBES: TAN AND BROWN PITUITARY (PI) : -DIFFUSELY RED; DARK RED STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE DARK BROWN AREA, 7 X 5 MM	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ULCERATION, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1023

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92838 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 642.1 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 10:18 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 2 MM IN
DIAMETER

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
EPIDIDYIMIDES (EP) :
-HYOSPERMIA, -PRESENT
CAUSE OF DEATH (CD) :
-GI TRACT,
EROSION/ULCERATION/HEMORRHAGE/INFLAMMA-
TION, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; PERIANAL:
BROWN AND DRY
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1024

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92838 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 642.1 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 10:18 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1025

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92839 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/02/00 STUDY DAY OF DEATH: 623 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/02/00 8:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -DIFFUSELY LIGHT; TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFLAMMATION, VASCULAR, -SEVERE -THROMBUS, -PRESENT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT TESTIS (TE) : -INFLAMMATION, VASCULAR, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1026

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92839 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/02/00 STUDY DAY OF DEATH: 623 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/02/00 8:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL -INFLAMMATION, VASCULAR, -MODERATE
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE
		DUODENUM (DU) : -INFLAMMATION, VASCULAR, -SEVERE
		JEJUNUM (JE) : >AUTOLYTIC
		CECUM (CE) : >AUTOLYTIC
		COLON (CO) : -PARASITISM, -PRESENT
		CAUSE OF DEATH (CD) : -INFLAMMATION / INFECTION, -PRESENT
	LN, ANT MES/PANC (AP) : -LARGE; PANCREATIC: UP TO 12 X 5 X 5 MM (CAP 22) -DIFFUSELY RED; PANCREATIC: DARK RED (CAP 22)	LN, ANT MES/PANC (AP) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL >NOTE:>SEE PANCREAS
	GENERAL COMMENT (GC) : -DISCHARGE-OCULAR; LEFT: DARK RED AND DRY	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1027

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92839 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/02/00 STUDY DAY OF DEATH: 623 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/02/00 8:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
ILEUM (IL), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1028

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92840 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:32 PROSECTOR: NANCY DIEDRICH RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS -CYST(S); VISCERAL SURFACE OF LEFT LATERAL LOBE, NEAR HILUS: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SEVERE -CYST, BILIARY, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1029

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92840 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 531.6 GRAMS
 DATE AND TIME OF NECROPSY: 04/03/00 14:32 PROSECTOR: NANCY DIEDRICH RECORDER: JARED FISHEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -ULCERATION, -MINIMAL STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -ULCERATION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE SEMINAL VESICLES (SV) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	PITUITARY (PI) : -MASS(ES); 12 X 10 X 8 MM, RED, GRAY, TAN AND SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 2 X 1 MM STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE RED AND TAN ERODED AREAS, UP TO 5 X 2 MM -THICKENED WALL; DIFFUSE PROSTATE (PR) : -NODULAR; PROXIMAL, SURROUNDING URETHRA: GREEN AND FIRM	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1030

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92840 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:32 PROSECTOR: NANCY DIEDRICH RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; BROWN AND
MOIST MATERIAL

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1031

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92840 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 531.6 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:32 PROSECTOR: NANCY DIEDRICH RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1032

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92841 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/08/99 STUDY DAY OF DEATH: 476 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/08/99 8:16 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 8 X 7 X 7 MM, RED, DARK RED AND SOFT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1033

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92841	SEX: MALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/08/99	STUDY DAY OF DEATH: 476	STUDY WEEK OF DEATH: 68	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/08/99 8:16	PROSECTOR: GREGORY CODDINGTON	RECORDED: GREGORY CODDINGTON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

 CAUSE OF DEATH (CD) :
 -NEOPLASM, PITUITARY, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

 EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML),
 LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
 COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

 EYE (EY), KIDNEY (KD), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
 BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
 HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
 PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
 DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP),
 HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1034

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92842 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 689.8 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 7:45 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 77; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; CONVULSIONS; VERIFIED AT NECROPSY: NOT APPLICABLE	TESTIS (TE) : -SMALL; BILATERAL: LEFT IS 20 X 17 X 5 MM, RIGHT IS 20 X 14 X 4 MM; BOTH ARE SOFT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -MODERATELY SEVERE MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1035

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92842 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 689.8 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 7:45 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -UNCOLLAPSED; ALL LOBES	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MODERATE MUSCLE, SKELETAL (SM) : -ATROPHY, -SLIGHT NERVE, SCIATIC (SN) : -DEGENERATION, -SLIGHT SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT
	SKIN (SK) : -CRUSTED AREA(S); MID DORSAL THORACIC REGION: SINGLE DARK RED, DRY, AND RAISED AREA, 10 X 8 X 6 MM (CAP 22)	URINARY BLADDER (UB) : -PROTEINACEOUS MATERIAL, LUMINAL, - PRESENT PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT EPIDIDYIMIDES (EP) : -HYOSPERMIA, -PRESENT CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT CAVITY, ABDOM (PC) : -INFLAMMATION / NECROSIS, FAT, -MODERATE
	CAVITY, ABDOM (PC) : -MASS(ES); ATTACHED TO ADIPOSE TISSUE, CRANIAL TO RIGHT TESTIS: SINGLE MASS, 25 X 25 X 20 MM, YELLOW, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (LUMBAR) NORMAL (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1036

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92842	SEX: MALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00	STUDY DAY OF DEATH: 633	STUDY WEEK OF DEATH: 91	TERMINAL BODY WEIGHT: 689.8 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 7:45	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -DISCHARGE-NASAL; CLEAR AND MOIST
 -STAINS - SKIN/HAIRCOAT; ENTIRE HEAD:
 RED AND MOIST

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
 SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
 COLON (CO), RECTUM (RE), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP),
 LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
 MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS),
 PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
 LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
 LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN), LN, LUMBAR/ILIAC (LM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1037

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92843 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/08/99 STUDY DAY OF DEATH: 537 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/08/99 13:44 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -INFLAMMATION, GRANULOMATOUS, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -ANGIECTASIS, -PRESENT ILEUM (IL) : >AUTOLYTIC
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ASPECT: SINGLE DARK RED AREA, 3 MM IN DIAMETER	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1038

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92843 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/08/99 STUDY DAY OF DEATH: 537 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/08/99 13:44 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1039

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92843 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/08/99 STUDY DAY OF DEATH: 537 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/08/99 13:44 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1040

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92844 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/19/99 STUDY DAY OF DEATH: 579 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 473.5 GRAMS
DATE AND TIME OF NECROPSY: 11/19/99 9:50 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALONG MARGIN OF RIGHT MEDIAN LOBE: SINGLE TAN, SLIGHTLY RAISED AREA, 6 X 4 X 4 MM; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MODERATELY SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PARATHYROID (PT) : >SECTION EXAMINED; TISSUE NOT PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1041

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92844 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/19/99 STUDY DAY OF DEATH: 579 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 473.5 GRAMS
DATE AND TIME OF NECROPSY: 11/19/99 9:50 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 12 X 9 X 8 MM,
RED, DARK RED, TAN, GRAY, AND SOFT

SEMINAL VESICLES (SV) :
-LARGE; BILATERAL: EACH IS 30 X 20 X 5
MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DARK RED AND
DRY CRUSTED MATERIAL
-ANIMAL THIN

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
SEMINAL VESICLES (SV) :
>UNREMARKABLE

EPIDIDYIMIDES (EP) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1042

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92844 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/19/99 STUDY DAY OF DEATH: 579 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 473.5 GRAMS
DATE AND TIME OF NECROPSY: 11/19/99 9:50 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1043

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92845 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/12/00 STUDY DAY OF DEATH: 664 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 653.2 GRAMS
DATE AND TIME OF NECROPSY: 02/12/00 8:13 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE ADRENAL, CORTEX (AC) : -MINERALIZATION, -MINIMAL -FIBROSIS, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1044

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92845 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/12/00 STUDY DAY OF DEATH: 664 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 653.2 GRAMS
DATE AND TIME OF NECROPSY: 02/12/00 8:13 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 6 MM, DARK RED, TAN
AND SOFT

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MODERATE
PITUITARY (PI) :
-ANGIECTASIS, -PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
EPIDIDYMITIS (EP) :
-VACUOLATION, TUBULAR EPITHELIUM, -
SLIGHT
CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; YELLOW AND
MOIST

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1045

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92845 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/12/00 STUDY DAY OF DEATH: 664 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 653.2 GRAMS
DATE AND TIME OF NECROPSY: 02/12/00 8:13 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1046

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92846 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 7:25 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >WART LIKE LESION(S); DORSAL; WEEK 80; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN KIDNEY (KD) : -CYST(S); BILATERAL CORTICAL SURFACES, EXTENDING TO MEDULLA: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER -LARGE PELVIS(ES); BILATERAL -ROUGH SURFACE, DIFFUSE; BILATERAL -LARGE; BILATERAL: EACH IS 32 X 22 X 14 MM -DIFFUSELY LIGHT; BILATERAL: TAN PANCREAS (PA) : -LARGE VESSELS; DIFFUSE: UP TO 6 MM IN DIAMETER (CAP 24)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DILATATION, PELVIC, -SLIGHT -CYST, -PRESENT -B-PAPILLOMA, TRANSITIONAL CELL, - NEOPLASM PRESENT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFLAMMATION, VASCULAR, -SLIGHT -THROMBUS, -PRESENT ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1047

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92846 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 7:25 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-UNCOLLAPSED; ALL LOBES

HEART (HT) :
-LARGE; 30 X 20 X 14 MM

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE
-PIGMENT, -SLIGHT
ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MODERATE
LN, MESENTERIC (MS) :
-HYPERPLASIA, LYMPHOPLASMATIC, -MODERATELY SEVERE
TESTIS (TE) :
-ATROPHY/DEGENERATION, -SLIGHT
-INFLAMMATION, VASCULAR, -SLIGHT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
-MYELOFIBROSIS, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-DILATATION / CYST, FOLLICULAR, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1048

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92846	SEX: MALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00	STUDY DAY OF DEATH: 721	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 7:25	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYROID (TY) : -LARGE; BILATERAL: EACH IS 7 X 3 X 2 MM PARATHYROID (PT) : -LARGE; BILATERAL: EACH IS 2 MM IN DIAMETER PITUITARY (PI) : -LARGE; 4 X 4 X 3 MM; APPEARS SWOLLEN STOMACH, GL (ST) : -THICKENED WALL; MUCOSA	PARATHYROID (PT) : -HYPERPLASIA, -MODERATELY SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, -MODERATE -MINERALIZATION, GLANDULAR MUCOSA, -SLIGHT ILEUM (IL) : >AUTOLYTIC SKIN (SK) : -B-KERATOACANTHOMA, -NEOPLASM PRESENT
	SKIN (SK) : -CRUSTED AREA(S); RIGHT DORSAL SHOULDER REGION: SINGLE TAN, DRY AND CAULIFLOWER- LIKE CRUSTED AREA, 25 X 20 MM (CAP 30) PROSTATE (PR) : -NODULAR; PROXIMAL, TISSUE SURROUNDING URETHRA: GREEN -LARGE; 33 X 23 X 9 MM SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 43 X 33 X 22 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE SEMINAL VESICLES (SV) : >UNREMARKABLE EPIDIDYMIDES (EP) : -IMMATURE SPERM FORMS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1049

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92846	SEX: MALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00	STUDY DAY OF DEATH: 721	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 7:25	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 5 X 3 X 2 MM (CAP 22) -DIFFUSELY RED	CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT
	LN, RENAL (RL) : -LARGE; RIGHT: 4 X 3 X 3 MM (LEFT, SEE CYST COMMENT) (CAP 26) -CYST(S); INVOLVING ENTIRE LEFT: SINGLE CLEAR FLUID FILLED CYST, 6 X 3 X 3 MM (CAP 26)	LN, MEDIASTINAL (ML) : -HEMORRHAGE, -PRESENT -LYMPHANGIECTASIS, -MODERATELY SEVERE
	LN, LUMBAR/ILIAC (LM) : -CYST(S); ATTACHED TO CRANIAL END OF LEFT: SINGLE CLEAR FLUID FILLED CYST, 3 X 3 X 2 MM (RIGHT IS NORMAL) (CAP 29)	LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE -HEMORRHAGE, -PRESENT -LYMPHANGIECTASIS, -MODERATE
	CAVITY, ABDOM (PC) : -LARGE VESSELS; MESENTERY, DIFFUSE: UP TO 6 MM IN DIAMETER (CAP 25)	LN, LUMBAR/ILIAC (LM) : -LYMPHANGIECTASIS, -PRESENT -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE
	AORTA (AO) : -LARGE; DIFFUSE: UP TO 5 MM IN DIAMETER (CAP 23) -FIRM; DIFFUSE	CAVITY, ABDOM (PC) : -INFLAMMATION, VASCULAR, -MODERATE -THROMBUS, -PRESENT
	URETER (UE) : -LARGE; BILATERAL: EACH IS UP TO 2 MM IN DIAMETER (CAP 27)	AORTA (AO) : >UNREMARKABLE
	VAS DEFERENS (VS) : -LARGE; BILATERAL: EACH IS UP TO 3 MM IN DIAMETER (CAP 28)	URETER (UE) : -UNILATERALLY EXAMINED, -PRESENT
		VAS DEFERENS (VS) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1050

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92846 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/09/00 STUDY DAY OF DEATH: 721 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/09/00 7:25 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL, UPPER
INCISORS
-FLUID-ABDOMINAL CAVITY; DARK RED
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1051

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92847 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 579.0 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; LEFT -SMALL; LEFT: 20 X 10 X 10 MM (RIGHT IS 25 X 17 X 15 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -DILATATION, PELVIC, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1052

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92847 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 579.0 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	HEART (HT) : -LIGHT FOCUS(I)/AREA(S); EPICARDIUM OF LEFT VENTRICLE: MULTIPLE GREY AREAS, UP TO 5 X 2 MM	THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 12 X 9 X 9 MM, DARK RED, LOBULATED, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT
	FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); RIGHT, HIND FOOT: SINGLE RED AND DARK RED CRUSTED AREA, 11 MM IN DIAMETER, COLLECTED	PROSTATE (PR) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DRY RED MATERIAL	FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ULCERATION, -MODERATE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1053

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92847 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 579.0 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1054

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92848 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 406.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:35 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; LIMITED USE; PAW-HIND- LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ASPECT: SINGLE DARK RED FOCUS, 2 MM IN DIAMETER LN, LUMBAR/ILIAIC (LM) : -LARGE; LEFT: 11 X 9 X 6 MM (RIGHT IS 4 X 3 X 2 MM) (CAP 23) JOINT, OTHER (JT) : -LARGE; LEFT TARSAL: 16 MM IN DIAMETER; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -ANIMAL THIN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, LUMBAR/ILIAIC (LM) : -LYMPHANGIECTASIS, -PRESENT JOINT, OTHER (JT) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -FIBROSIS, -MODERATELY SEVERE -HYPERPLASIA, BONE, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1055

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92848 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 406.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:35 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1056

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92849 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 476.9 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 14:45 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; MODERATE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -GRANULAR MATERIAL; RIGHT, WITHIN PELVIS: MULTIPLE TAN PINPOINT GRANULES PITUITARY (PI) : -MASS(ES); SINGLE MASS, 10 X 8 X 8 MM, TAN, RED, DARK RED, AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -NECROSIS, COAGULATIVE, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1057

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92849 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 476.9 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 14:45 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
DARK BROWN AREA, 2 X 1 MM

STOMACH, GL (ST) :
-EDEMA, -MODERATE
-INFLAMMATION, ACUTE, -SLIGHT
-EROSION, -MINIMAL
PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1058

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92849 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 476.9 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 14:45 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1059

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92850 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/18/00 STUDY DAY OF DEATH: 730 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.8 GRAMS
DATE AND TIME OF NECROPSY: 04/18/00 7:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN SPLEEN (SP) : -MASS(ES); INVOLVING ENTIRE SPLEEN: SINGLE MASS, 55 X 33 X 33 MM, RED, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE PANCREATIC)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOLOBULAR, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE -M-HEMANGIOSARCOMA, -NEOPLASM PRESENT PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT -INFLAMMATION, VASCULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1060

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92850 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/18/00 STUDY DAY OF DEATH: 730 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.8 GRAMS
DATE AND TIME OF NECROPSY: 04/18/00 7:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 1 MM
IN DIAMETER

LN, ANT MES/PANC (AP) :
-LARGE; PANCREATIC: UP TO 7 X 5 X 5 MM
(CAP 22)
-DIFFUSELY RED; PANCREATIC: DARK RED

ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MINIMAL
-HYPERTROPHY, CORTICAL CELL, -SLIGHT
-PIGMENT, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
MUSCLE, SKELETAL (SM) :
-ATROPHY, -SLIGHT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
-CYST, -PRESENT
STOMACH, GL (ST) :
-EROSION, -MINIMAL

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
SEMINAL VESICLES (SV) :
-SECRETION, DECREASED, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, SPLEEN, -PRESENT
LN, ANT MES/PANC (AP) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE PANCREAS FOR DIAGNOSIS OF
MASS. LYMPH NODE NOT INVOLVED.

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1061

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92850 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/18/00 STUDY DAY OF DEATH: 730 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.8 GRAMS
DATE AND TIME OF NECROPSY: 04/18/00 7:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; MOIST,
YELLOW MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1062

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92850 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/18/00 STUDY DAY OF DEATH: 730 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.8 GRAMS
DATE AND TIME OF NECROPSY: 04/18/00 7:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1063

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92851 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 788.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:53 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); VENTRAL- ABDOMINAL; WEEK 102; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS SPLEEN (SP) : -ADHESION(S); PARIETAL SURFACE ATTACHED TO SURROUNDING ADIPOSE TISSUE: MULTIPLE GRAY FIBROUS ADHESIONS; COLLECTED INTACT LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 3 MM IN DIAMETER; SOME ARE FIRM	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT -FIBROSIS, CAPSULAR, -PRESENT PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1064

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92851 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 788.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:53 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-MASS(ES); RIGHT: SINGLE MASS, 6 X 4 X
3 MM, RED, TAN AND FIRM; SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(MEDIASTINAL) NORMAL (CAP 23)
SKIN (SK) :
-CRUSTED AREA(S); MID ABDOMINAL
REGION: SINGLE BROWN, TAN, DRY CRUSTED
AREA, 6 MM IN DIAMETER (CAP 24)

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL; COLLECTED

TAIL (TI) :
-CRUSTED AREA(S); ALONG ENTIRE LENGTH:
MULTIPLE DARK BROWN AREAS, UP TO 3 MM
IN DIAMETER; COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THYROID (TY) :
-M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT

SKIN (SK) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-B-PAPILLOMA, SQUAMOUS CELL, -NEOPLASM
PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (ML) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-HEMORRHAGE, -PRESENT
-LYMPHANGIECTASIS, -PRESENT

TAIL (TI) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1065

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92851 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 788.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:53 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), MAMMARY, MALE (MM), COAGULATING GL (CG),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1066

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92852 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/07/99 STUDY DAY OF DEATH: 475 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: 544.2 GRAMS
DATE AND TIME OF NECROPSY: 08/07/99 8:05 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	SURFACE OF LEFT LATERAL LOBE: MULTIPLE DARK RED AREAS, UP TO 2 X 1 MM;	-VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	COLLECTED ON ROUTINE SECTION	-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE		-DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
		ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1067

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92852 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/07/99 STUDY DAY OF DEATH: 475 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: 544.2 GRAMS
DATE AND TIME OF NECROPSY: 08/07/99 8:05 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 7 X 7 MM, RED, DARK
RED, AND SOFT

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
DARK BROWN AND BLACK ERODED AREAS, UP
TO 6 X 4 MM
-THICKENED WALL; DIFFUSE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1068

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92852 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/07/99 STUDY DAY OF DEATH: 475 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: 544.2 GRAMS
DATE AND TIME OF NECROPSY: 08/07/99 8:05 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1069

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92853 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 691.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -HYPERPLASIA, ISLET CELLS, -SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, - 2 NEOPLASMS PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 12 X 8 X 6 MM, RED, DARK RED, TAN AND FIRM STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: SINGLE DARK RED ERODED AREA, 5 MM IN DIAMETER	STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ULCERATION, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1070

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92853 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 691.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-HYPERPLASIA, EPITHELIAL, GLANDULAR, -
MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1071

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92854 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:29 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -DEGENERATION, CYSTIC, -MINIMAL -NECROSIS, COAGULATIVE, -SLIGHT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL TESTIS (TE) : -B-INTERSTITIAL CELL TUMOR, -NEOPLASM PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1072

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92854 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:29 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA: TWO
DARK BROWN AREAS, EACH IS 2 X 1 MM

LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
THYROID (TY) :
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
-CYST, -PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
RECTUM (RE) :
>AUTOLYTIC
SKIN (SK) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1073

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92854 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:29 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

EPIDIDYIMIDES (EP) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, HEMATOPOIETIC, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1074

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92854 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/24/00 STUDY DAY OF DEATH: 705 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/24/00 7:29 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV),
EPIDIDYIMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1075

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92855 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 9:46 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >WART LIKE LESION(S); VENTRAL-ABDOMINAL- LEFT; WEEK 69; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) TESTIS (TE) : -CONTAINS FLUID; BILATERAL, BENEATH TUNICA: CLEAR FLUID	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL TESTIS (TE) : -ATROPHY/DEGENERATION, -SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1076

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92855 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 9:46 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 10 X 7 X 5 MM,
RED, DARK RED, TAN, SOFT AND LOBULATED

SKIN (SK) :
-CRUSTED AREA(S); VENTRAL ABDOMINAL
REGION: SINGLE TAN AND RAISED AREA, 3
X 3 X 2 MM (CAP 21); COLLECTED;
POSSIBLY CONSISTENT WITH WART-LIKE
LESION AS NOTED IN CLINICAL
OBSERVATIONS

CAVITY, ABDOM (PC) :
-MASS(ES); ATTACHED TO ADIPOSE TISSUE
NEAR LEFT EPIDIDYMIS: SINGLE MASS, 11
X 4 X 3 MM, TAN, YELLOW AND FIRM; SAME
ON CUT SURFACE (CAP 22); REGIONAL LN
(MESENTERIC) NORMAL
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

PARATHYROID (PT) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
RECTUM (RE) :
-PARASITISM, -PRESENT
SKIN (SK) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-B-KERATOACANTHOMA, -NEOPLASM PRESENT

PROSTATE (PR) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1077

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92855 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 9:46 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-TEETH MISSING/BROKEN/WORN; BILATERAL,
UPPER INCISORS: BROKEN OFF NEAR BASE
-DISCHARGE-OCULAR; BILATERAL: RED AND
DRY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1078

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92855 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 448.1 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 9:46 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM),
COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LIVER (LI), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), URINARY BLADDER (UB), SEMINAL VESICLES (SV),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1079

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92856 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 606.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:37 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; BENT TAIL; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 99; VERIFIED AT NECROPSY: NOT OBSERVED	KIDNEY (KD) : -CYST(S); LEFT CORTICAL SURFACE: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN PANCREAS (PA) : -LARGE VESSELS; UP TO 3 MM IN DIAMETER (CAP 24) LUNG (LU) : -MOTTLED; ALL LOBES: RED AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE PANCREAS (PA) : -INFLAMMATION, VASCULAR, -SEVERE LUNG (LU) : >UNREMARKABLE THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PARATHYROID (PT) : -HYPERPLASIA, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1080

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92856 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 606.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:37 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -CYST(S); LEFT POSTERIOR ASPECT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 4 X 4 X 3 MM (CAP 22) LN, RENAL (RL) : -LARGE; BILATERAL: EACH IS UP TO 5 X 4 X 3 MM (CAP 23) -MOTTLED; BILATERAL: RED AND TAN CAVITY, ABDOM (PC) : -LARGE VESSELS; MESENTERY: UP TO 4 MM IN DIAMETER (CAP 25) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -TAIL - BENT/MISSING; 20 MM AND 40 MM FROM TIP: TWO BENT AREAS; COLLECTED -BONE MARROW SMEAR TAKEN	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MEDIASTINAL (ML) : -LYMPHANGIECTASIS, -MODERATE LN, RENAL (RL) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -LYMPHANGIECTASIS, -MODERATELY SEVERE CAVITY, ABDOM (PC) : -INFLAMMATION, VASCULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1081

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92856 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 606.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:37 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

TESTIS (TE), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1082

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92857 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 570.5 GRAMS
DATE AND TIME OF NECROPSY: 11/16/99 9:35 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; STERNAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1083

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92857 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 570.5 GRAMS
DATE AND TIME OF NECROPSY: 11/16/99 9:35 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE
		THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 9 X 8 X 7 MM, RED, DARK RED, TAN AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	URINARY BLADDER (UB) : -CALCULUS(I); WITHIN LUMEN: SINGLE TAN AND HARD CALCULUS, 6 MM IN DIAMETER	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
	PROSTATE (PR) : -NODULAR; PROXIMAL SURROUNDING URETHRA: GREEN AND FIRM	URINARY BLADDER (UB) : >UNREMARKABLE
	SEMINAL VESICLES (SV) : -LARGE; BILATERAL: EACH IS 30 X 20 X 6 MM	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	LN, LUMBAR/ILIAC (LM) : -LARGE; BILATERAL: EACH IS UP TO 12 X 7 X 4 MM (CAP 22)	SEMINAL VESICLES (SV) : -SECRETION, INCREASED, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY MATERIAL	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, LUMBAR/ILIAC (LM) : >TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1084

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92857 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 570.5 GRAMS
DATE AND TIME OF NECROPSY: 11/16/99 9:35 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1085

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92858 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 526.8 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); DORSAL; WEEK 87; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 91; 15 X 20MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: BROWN AND TAN -ROUGH SURFACE, DIFFUSE; ALL LOBES	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -HYPERPLASIA, BILE DUCT, -MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -HYPERPLASIA, ISLET CELLS, -SLIGHT -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1086

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92858 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 526.8 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 5 X 5 MM, DARK RED,
TAN, GRAY, AND SOFT

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFLAMMATION, GRANULOMATOUS, -SLIGHT
>NOTE:>SOME INFLAMMATORY FOCI CONTAIN
REFRACTILE FOREIGN MATERIAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
SKIN (SK) :
-B-KERATOACANTHOMA, -NEOPLASM PRESENT
-B-RHABDOMYOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1087

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92858 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 526.8 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SKIN (SK) : -CRUSTED AREA(S); LEFT DORSAL LUMBAR REGION: SINGLE DRY BROWN CRUSTED AREA, 5 MM IN DIAMETER; POSSIBLY CONSISTENT WITH WART-LIKE LESION NOTED IN CLINICAL OBSERVATION (CAP 26)	
	PROSTATE (PR) : -LARGE; 25 X 20 X 12 MM -GELATINOUS; DIFFUSE: TAN	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
	SEMINAL VESICLES (SV) : -GELATINOUS; BILATERAL: TAN	SEMINAL VESICLES (SV) : -EDEMA, -PRESENT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	MAMMARY, MALE (MM) : -CYST(S); BILATERAL, AXILLARY REGION: MULTIPLE TAN CREAMY SEMIFLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER (CAP 22)	MAMMARY, MALE (MM) : -GALACTOCELE, -PRESENT
	-MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 35 X 25 X 13 MM, TAN AND FIRM; SAME ON CUT SURFACE; SOME SECTIONS EXUDE A TAN CASEOUS SEMISOLID (CAP 24); REGIONAL LN (AXILLARY) NORMAL (CAP 23)	-M-CARCINOMA, -NEOPLASM PRESENT >NOTE:>MASS #1 IS THE CARCINOMA. SEE SKIN FOR DIAGNOSIS OF MASS #2.
	-MASS #2; LEFT INGUINAL REGION: SINGLE MASS, 10 X 10 X 6 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 25); REGIONAL LN (INGUINAL) NOT IDENTIFIED	
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1088

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92858 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 526.8 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB),
EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE), BONE, FEMUR (FE), MARROW, FEMUR (FM),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), EPIDIDYMIDES (EP), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1089

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92859 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 423.6 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 14:49 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREA, UP TO 3 MM IN DIAMETER; SOME AREAS APPEAR TO BE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -DEPRESSED FOCUS(I)/AREA(S); BILATERAL, CORTICAL SURFACE: MULTIPLE AREAS, UP TO 2 MM IN DIAMETER SPLEEN (SP) : -SMALL; 30 X 7 X 4 MM TESTIS (TE) : >NOTE:>TRIMMING COMMENT: ONE TESTIS MISSING FROM WET TISSUE	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL TESTIS (TE) : -UNILATERALLY EXAMINED, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1090

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92859 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 423.6 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 14:49 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
	PITUITARY (PI) : -MASS(ES); 12 X 8 X 6 MM, DARK RED, LOBULATED AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
		PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	EPIDIDYIMIDES (EP) : >NOTE:>TRIMMING COMMENT: ONE EPIDIDYMIS MISSING FROM WET TISSUE	EPIDIDYIMIDES (EP) : -UNILATERALLY EXAMINED, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1091

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92859 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 423.6 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 14:49 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), TESTIS (TE),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
PROSTATE (PR), SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), SEMINAL VESICLES (SV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1092

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92860 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/26/00 STUDY DAY OF DEATH: 678 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 580.0 GRAMS
DATE AND TIME OF NECROPSY: 02/26/00 7:35 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); VENTRAL-THORACIC- LEFT; WEEK 96; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; LIMITED USE; LIMBS-HIND; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN SPLEEN (SP) : -MASS(ES); DIFFUSE: MULTIPLE MASSES, UP TO 10 MM IN DIAMETER, RED, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE PANCREATIC) -MASS #2; INVOLVING ENTIRE CRANIAL END: SINGLE MASS, 10 MM IN DIAMETER, RED, TAN, HARD, BONE-LIKE; SAME ON CUT SURFACE, ALTHOUGH MASS WAS VERY DIFFICULT TO SECTION (CAP 25); REGIONAL LN (SEE PANCREATIC)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE -M-OSTEOSARCOMA, -NEOPLASM PRESENT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1093

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92860 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/26/00 STUDY DAY OF DEATH: 678 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 580.0 GRAMS
DATE AND TIME OF NECROPSY: 02/26/00 7:35 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PANCREAS (PA) :

-MASS(ES); ALONG SPLEEN: SINGLE MASS,
8 MM IN DIAMETER, RED, GRAY, AND SOFT;
SAME ON CUT SURFACE (CAP 23); REGIONAL
LN (SEE PANCREATIC)

ADRENAL, CORTEX (AC) :

-MASS(ES); INVOLVING APPROXIMATELY ONE-
HALF OF LEFT: SINGLE MASS, 5 MM IN
DIAMETER, TAN, HARD, AND BONE-LIKE;
MASS VERY DIFFICULT TO SECTION,
PORTION OF REMAINING ADRENAL EXUDED
OUT OF CORTEX AREA IN AN ATTEMPT TO
SECTION MASS (CAP 26); REGIONAL LN
(SEE RENAL)

TESTIS (TE) :

-SMALL; BILATERAL: EACH IS 20 X 13 X 8
MM; BOTH ARE SOFT

PANCREAS (PA) :

-M-CARCINOMA, ISLET CELL, -NEOPLASM
PRESENT
-INFILTRATION, FAT, INTERSTITIAL, -
MODERATE

ADRENAL, CORTEX (AC) :

-VACUOLATION, FOCAL, -MINIMAL
-N-SARCOMA, -NEOPLASM PRESENT

TESTIS (TE) :

-ATROPHY/DEGENERATION, -MODERATE

SPINAL CORD (SC) :

-NECROSIS / HEMORRHAGE, WHITE MATTER, -
MODERATE

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE

LUNG (LU) :

-N-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1094

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92860 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/26/00 STUDY DAY OF DEATH: 678 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 580.0 GRAMS
DATE AND TIME OF NECROPSY: 02/26/00 7:35 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -MASS(ES); ALL LOBES, INVOLVING MOST OF LUNG TISSUE: MULTIPLE MASSES, UP TO 15 X 10 X 8 MM, RED, DARK RED, TAN, AND FIRM; SAME ON CUT SURFACES; COLLECTED INTACT; REGIONAL LN (SEE TRACHEOBRONCHIAL) -MOTTLED; ALL LOBES: RED, DARK RED, AND TAN -UNCOLLAPSED; ALL LOBES	HEART (HT) : -CARDIOMYOPATHY, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -SLIGHT STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE RED AND TAN ERODED AREAS, UP TO 5 MM IN DIAMETER -THICKENED WALL; DIFFUSE	PROSTATE (PR) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT SEMINAL VESICLES (SV) : -ATROPHY, -MODERATELY SEVERE CAUSE OF DEATH (CD) : -NEOPLASM, SPLEEN, -PRESENT LN, RENAL (RL) : -N-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1095

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92860 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/26/00 STUDY DAY OF DEATH: 678 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 580.0 GRAMS
DATE AND TIME OF NECROPSY: 02/26/00 7:35 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, RENAL (RL) : -LARGE; LEFT: 10 MM IN DIAMETER (RIGHT IS 5 X 3 X 2 MM) (CAP 27) LN, ANT MES/PANC (AP) : -DIFFUSELY RED; (CAP 24)	LN, ANT MES/PANC (AP) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
	LN, TRACHEOBRON (TB) : -LARGE; UP TO 8 X 5 X 3 MM (CAP 22) -DIFFUSELY RED	LN, TRACHEOBRON (TB) : -DILATATION, SINUSOIDAL, -PRESENT -HEMORRHAGE, -SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND CRUSTED -STAINS-PERINEUM/PERIANAL; YELLOW AND MOIST	-N-SARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1096

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92860 SEX: MALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/26/00 STUDY DAY OF DEATH: 678 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 580.0 GRAMS
DATE AND TIME OF NECROPSY: 02/26/00 7:35 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), PROSTATE (PR),
SEMINAL VESICLES (SV), EPIDIDYMIDES (EP), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, MANDIBULAR (MN), MAMMARY, MALE (MM), COAGULATING GL (CG), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), PREPUTIAL GLAND (PG), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
VAS DEFERENS (VS), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), EPIDIDYMIDES (EP),
HEMATO NEOPLASIA (HN)



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume VIII of IX

Page 2853 of 4068

CONTENTS

VOLUME VIII OF IX	Page
APPENDIX 6 (Continued)	2855
Individual Anatomic Pathology Data	2856

APPENDIX 6 (Continued)

Individual Anatomic Pathology Data

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1097

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92861 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 226.3 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:46 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.8642	3.4757 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1098

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92861 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 226.3 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:46 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1099

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92862 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 281.2 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0474	.0169 %	.0231	WEIGHT TAKEN
RT ADRENAL (AD1)	.0341	.0121 %	.0166	WEIGHT TAKEN
BRAIN (BR)	2.0523	.7298 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1945	.4248 %	.5820	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2160	.4324 %	.5925	WEIGHT TAKEN
LIVER (LI)	9.3278	3.3171 %	4.5450	WEIGHT TAKEN
LUNG (LU)	1.2262	.4361 %	.5975	WEIGHT TAKEN
LF OVARY (OV0)	.0431	.0153 %	.0210	WEIGHT TAKEN
RT OVARY (OV1)	.0686	.0244 %	.0334	WEIGHT TAKEN
SPLEEN (SP)	.3610	.1284 %	.1759	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0145	.0052 %	.0071	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0135	.0048 %	.0066	WEIGHT TAKEN
UTERUS (UT)	.9292	.3304 %	.4528	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>APPEARANCE; MALOCCLUSION; VERIFIED AT
 NECROPSY: OBSERVED

HISTOPATHOLOGY

KIDNEY (KD) :
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 ADRENAL, CORTEX (AC) :
 -INFILTRATE, MACROPHAGE, PIGMENTED, -
 MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN
 -MALOCCLUSION; RIGHT UPPER INCISOR

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1100

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92862 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 281.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LIVER (LI), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1101

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92863 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 483.8 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:44 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MISSING; TAIL-DISTAL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLACK SKIN; TAIL; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT MEDIAN LOBE: SINGLE DARK RED FOCUS, 3 MM IN DIAMETER (CAP 21) SPLEEN (SP) : -IRREGULAR SHAPE -LIGHT FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE TAN AREAS, UP TO 6 X 3 MM -ADHESION(S); PARIETAL SURFACE TO LEFT OVARY: MULTIPLE TAN AND FIBROUS ADHESIONS; COLLECTED INTACT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -ANGIECTASIS, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE -FIBROSIS, CAPSULAR, -PRESENT PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1102

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92863 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 483.8 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:44 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); ATTACHED TO DORSAL SIDE OF
RIGHT ASPECT: SINGLE MASS, 5 X 3 X 2
MM, RED, DARK RED AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT PECTORAL REGION:
SINGLE MASS, 30 X 20 X 10 MM, TAN AND
SOFT; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 23)
-THICKENED; ALL REGIONS, DIFFUSE:
COLLECTED ON ROUTINE SECTION

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
-INFLAMMATION, VASCULAR, -SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

RECTUM (RE) :
-INFLAMMATION, VASCULAR, -SLIGHT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

URINARY BLADDER (UB) :
-INFLAMMATION, VASCULAR, -MINIMAL

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE

CAUSE OF DEATH (CD) :
-VASCULITIS, SYSTEMIC, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1103

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92863 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 483.8 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:44 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TAIL (TI) :
-DIFFUSELY RED; 60 MM FROM REMAINING
TIP: DARK RED; COLLECTED
LN, ANT MES/PANC (AP) :
-DIFFUSELY RED; PANCREATIC (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-TAIL - BENT/MISSING; DISTAL ONE
THIRD: MISSING; REMAINING PORTION
COLLECTED

TAIL (TI) :
-INFLAMMATION, VASCULAR, -SLIGHT
LN, ANT MES/PANC (AP) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1104

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92863 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 483.8 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:44 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), UTERUS (UT),
CERVIX (CV), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92864 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 218.1 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:53 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.3146	3.8124 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1106

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92864 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 218.1 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:53 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1107

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92865 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/12/99 STUDY DAY OF DEATH: 449 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/12/99 9:49 PROSECTOR: DAVID SCHUETTE RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER (LI) : -CONGESTION, -PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ADRENAL, CORTEX (AC) : -CONGESTION, -PRESENT -PIGMENT, -MINIMAL SPINAL CORD (SC) : -HEMORRHAGE, -MINIMAL THYMUS (TH) : -HEMORRHAGE, -PRESENT LUNG (LU) : -CONGESTION, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT
	LUNG (LU) : -DIFFUSELY RED; ALL LOBES: DARK RED PITUITARY (PI) : -MASS(ES); SINGLE MASS, 8 X 6 X 5 MM, DARK RED, TAN, AND SOFT	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1108

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92865 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/12/99 STUDY DAY OF DEATH: 449 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/12/99 9:49 PROSECTOR: DAVID SCHUETTE RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1109

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92865 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/12/99 STUDY DAY OF DEATH: 449 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/12/99 9:49 PROSECTOR: DAVID SCHUETTE RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1110

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92866 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 341.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DEGENERATION, RETINAL, -MODERATE BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT
	KIDNEY (KD) : -CYST(S); RIGHT ON CORTICAL SURFACE NEAR CAUDAL POLE: SINGLE CLEAR FLUID FILLED CYST, 1 MM IN DIAMETER	
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 8 MM IN DIAMETER	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1111

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92866 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 341.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 10 X 5 MM, DARK RED
AND SOFT

MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MINIMAL
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-DILATATION, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1112

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92866 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 341.4 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:52 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1113

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92867 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 588.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 104; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MODERATE -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1114

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92867 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 588.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 5 X 4 X 4 MM, APPEARS SWOLLEN
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT PERINEAL REGION:
SINGLE MASS, 20 X 15 X 10 MM, DARK
RED, TAN, AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED;
COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1115

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92867 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 588.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:37 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1116

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92868 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 551.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:24 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -HYPERPLASIA, CORTICAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1117

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92868 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 551.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:24 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MESENTERIC (MS) :
-DIFFUSELY DARK; DARK GREEN
OVARY (OV) :
-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 8 MM IN DIAMETER

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); RIGHT ANTERIOR
ASPECT: SINGLE DARK RED AREA, 1 MM IN
DIAMETER
MAMMARY, FEMALE (MF) :
-CYST(S); ABDOMINAL REGION: MULTIPLE
WHITE FLUID FILLED CYSTS, UP TO 10 X 6
X 2 MM (CAP 22)
UTERUS (UT) :
-CYST(S); BILATERAL WITHIN WALLS:
MULTIPLE CLEAR AND DARK RED FLUID
FILLED CYSTS, UP TO 3 MM IN DIAMETER

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

LN, MESENTERIC (MS) :
>UNREMARKABLE
OVARY (OV) :
-CYST, -PRESENT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MINIMAL

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SLIGHT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1118

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92868	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 551.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:24	PROSECTOR: TONY HANFELD	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1119

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92869 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 435.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:50 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -CYST, -PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1120

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92869 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 435.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:50 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1121

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92869 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 435.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:50 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1122

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92870 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.8 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 8:10 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 99; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >MASS(ES); INGUINAL REGION-LEFT; WEEK 105; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -CYST, BILIARY, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, -MINIMAL -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1123

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92870 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.8 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 8:10 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 4 MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 12 X 8 X 8 MM,
RED, DARK RED, GRAY AND FIRM

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 30 X 30 X 10 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 21)
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-MASS #2; PERINEAL REGION: SINGLE
MASS, 30 X 20 X 15 MM, TAN AND FIRM,
SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED;
POSSIBLY CONSISTENT WITH MASS
(INGUINAL-LEFT) AS NOTED IN CLINICAL
OBSERVATIONS

OVARY (OV) :
-CYST, -PRESENT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
-CYST, -PRESENT

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASSES 1 AND 2 ARE PRIMARILY
FIBROADENOMAS A SMALL ADENOMA
WAS ALSO NOTED IN MASS 2

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1124

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92870 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.8 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 8:10 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-CYST(S); RIGHT HORN, WITHIN WALL:
SINGLE CLEAR FLUID FILLED CYST, 18 X 5
X 5 MM

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
CONTAINS A TAN MUCOID SEMIFLUID
MATERIAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL: LOWER
INCISORS
-DISCHARGE-OCULAR; LEFT: DARK RED AND
DRY MATERIAL
-ANIMAL THIN

UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SEVERE
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MODERATE
VAGINA (VA) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1125

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92870 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.8 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 8:10 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1126

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92871 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 641.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:46 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-THORACIC-LEFT; WEEK 76; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 94; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 9 MM IN DIAMETER -SMALL; LEFT: 3 X 2 X 2 MM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1127

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92871 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 641.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:46 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 7 X 5 MM, DARK RED,
TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 70 X 60 X 30 MM, TAN,
FIRM, AND LOBULATED; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 22)
-MASS #2; LEFT PERINEAL REGION: SINGLE
MASS, DARK RED, TAN, VASCULAR, FIRM,
AND LOBULATED, 60 X 50 X 30 MM; SAME
ON CUT SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NORMAL (CAP 23); OVERLYING
SKIN HAS A SINGLE DARK RED AND MOIST
ULCERATED AREA, 10 MM IN DIAMETER;
COLLECTED WITH MASS

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -SLIGHT
-B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
>NOTE:>MASS #2 IS THE CARCINOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1128

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92871 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 641.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:46 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #3; LEFT INGUINAL REGION: SINGLE
MASS, 15 X 10 X 5 MM, TAN AND FIRM;
SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NORMAL (CAP 23)
UTERUS (UT) :
-CYST(S); BILATERAL WITHIN WALLS:
MULTIPLE CLEAR AND RED FLUID FILLED
CYSTS, UP TO 4 MM IN DIAMETER

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HEMORRHAGE, -PRESENT
LN, INGUINAL (IN) :
-N-CARCINOMA, -NEOPLASM PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
GENERAL INFORMATION (XX) :
>NOTE:>TRIMMING COMMENT: ANIMAL ID
MISSING AT TRIMMING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1129

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92871 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 641.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:46 PROSECTOR: JARED FISHEL RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1130

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92872 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 12/28/99 14:48 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 41; 80 X 70MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>MASS(ES); INGUINAL REGION-LEFT; WEEK 83; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 X 6 X 6 MM (RIGHT IS 5 MM IN DIAMETER)	KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE
	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE
		OVARY (OV) : -CYST, -PRESENT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1131

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92872 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 12/28/99 14:48 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 7 X 7 X 5 MM, DARK RED, TAN AND SOFT	LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 80 X 75 X 45 MM (138.2 GRAMS), RED, DARK RED, GREY, TAN, LOBULATED, VASCULAR AND FIRM; SAME ON CUT SURFACE; OVERLYING SKIN HAS A SINGLE DARK RED, TAN AND DRY CRUSTED AREA, 30 X 25 MM; COLLECTED INTACT WITH MASS; REGIONAL LN (INGUINAL) NORMAL (CAP 21) -MASS #2; LEFT INGUINAL REGION, CAUDAL TO MASS 1: SINGLE MASS, 25 X 25 X 20 MM, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE (COLLECTED); REGIONAL LN (INGUINAL) NORMAL (CAP 21)	RECTUM (RE) : -PARASITISM, -PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #1 IS THE FIBROADENOMA
	UTERUS (UT) : -CYST(S); PROXIMAL END OF LEFT HORN, WITHIN LUMEN: SINGLE CLEAR FLUID FILLED CYST, 9 X 5 X 5 MM	UTERUS (UT) : -DILATATION, -MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1132

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92872 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 12/28/99 14:48 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, INGUINAL (IN) :
>TISSUE MISSING

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1133

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92872 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 485.2 GRAMS
DATE AND TIME OF NECROPSY: 12/28/99 14:48 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1134

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92873 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 441.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:29 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ALOPECIA; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALONG MARGIN OF RIGHT LATERAL LOBE, NEAR HILUS: SINGLE DARK RED AREA, 10 X 5 MM (CAP 23) -CYST(S); PAPILLARY PROCESS: SINGLE CLEAR FLUID FILLED CYST, 1 MM IN DIAMETER (CAP 22)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -CYST, BILIARY, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFARCT, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1135

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92873	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 441.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:29	PROSECTOR: TERRI L. WILLIAMS	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
 -MASS(ES); 10 X 5 X 5 MM, RED, DARK
 RED, GRAY, AND SOFT
 STOMACH, GL (ST) :
 -DARK FOCUS(I)/AREA(S); MUCOSA:
 MULTIPLE BLACK AREAS, UP TO 3 X 1 MM
 SKIN (SK) :
 -ALOPECIA-DIFFUSE; ENTIRE VENTRAL
 SURFACE: COLLECTED ON ROUTINE SECTION
 MAMMARY, FEMALE (MF) :
 -CYST(S); BILATERAL INGUINAL REGIONS:
 MULTIPLE TAN CREAMY FLUID FILLED
 CYSTS, UP TO 10 MM IN DIAMETER (CAP
 24)

ADRENAL, MEDULLA (MA) :
 -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
 MARROW, FEMUR (FM) :
 -HYPOCELLULAR, MARROW, -SLIGHT
 SPINAL CORD (SC) :
 -DEGENERATION, AXONAL, -SLIGHT
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 THYMUS (TH) :
 -DEPLETION, LYMPHOCYTIC (GENERALLY
 COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
 MINIMAL
 HEART (HT) :
 -CARDIOMYOPATHY, -MINIMAL
 PITUITARY (PI) :
 -B-ADENOMA, -NEOPLASM PRESENT
 STOMACH, GL (ST) :
 >UNREMARKABLE
 SKIN (SK) :
 >UNREMARKABLE
 MAMMARY, FEMALE (MF) :
 -CYST / GALACTOCELE, -PRESENT
 -B-FIBROADENOMA, -NEOPLASM PRESENT
 UTERUS (UT) :
 -DILATATION, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1136

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92873	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 441.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:29	PROSECTOR: TERRI L. WILLIAMS	RECORDER: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-CYST(S); LEFT HORN WITHIN LUMEN:
SINGLE CLEAR FLUID FILLED CYST, 6 X 3
X 3 MM

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1137

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92873 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 441.8 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:29 PROSECTOR: TERRI L. WILLIAMS RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1138

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92874 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 544.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:26 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 93; 40 X 30MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL LIVER-OIL RED O (LI0) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SEVERE -B-LIPOMA, -NEOPLASM PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1139

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92874 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 544.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:26 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 6 X 4 MM, DARK RED,
TAN, FIRM AND LOBULATED
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 40 X 35 X 20 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1140

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92874 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 544.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:26 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1141

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92875 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/24/99 STUDY DAY OF DEATH: 553 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 261.7 GRAMS
DATE AND TIME OF NECROPSY: 10/24/99 7:25 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 X 5 X 3 MM (RIGHT IS 4 X 3 X 3 MM) LN, MESENTERIC (MS) : -DIFFUSELY DARK; GREEN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT LN, MESENTERIC (MS) : >UNREMARKABLE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1142

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92875 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/24/99 STUDY DAY OF DEATH: 553 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 261.7 GRAMS
DATE AND TIME OF NECROPSY: 10/24/99 7:25 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 13 X 8 X 5 MM, RED, DARK RED, TAN, AND SOFT STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: SINGLE BROWN, ERODED AREA, 3 MM IN DIAMETER MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN, CREAMY SEMIFLUID FILLED CYSTS, UP TO 8 MM IN DIAMETER (CAP 21) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL LOWER INCISORS -DISCHARGE-OCULAR; BILATERAL: DARK RED AND CRUSTED -ANIMAL THIN -STAINS-PERINEUM/PERIANAL; YELLOW AND MOIST -DISCHARGE-NASAL; DARK RED AND CRUSTED -STAINS - SKIN/HAIRCOAT; TOP OF HEAD: RED AND DRY	STOMACH, GL (ST) : >UNREMARKABLE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1143

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92875 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/24/99 STUDY DAY OF DEATH: 553 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 261.7 GRAMS
DATE AND TIME OF NECROPSY: 10/24/99 7:25 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1144

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92876 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 353.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 8:52 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0292	.0083 %	.0133	WEIGHT TAKEN
RT ADRENAL (AD1)	.0329	.0093 %	.0150	WEIGHT TAKEN
BRAIN (BR)	2.1997	.6223 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.3059	.3694 %	.5937	WEIGHT TAKEN
RT KIDNEY (KD1)	1.3705	.3877 %	.6230	WEIGHT TAKEN
LIVER (LI)	8.7983	2.4889 %	3.9998	WEIGHT TAKEN
LUNG (LU)	1.6995	.4808 %	.7726	WEIGHT TAKEN
LF OVARY (OV0)	.0538	.0152 %	.0245	WEIGHT TAKEN
RT OVARY (OV1)	.0463	.0131 %	.0210	WEIGHT TAKEN
SPLEEN (SP)	.5329	.1507 %	.2423	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0101	.0029 %	.0046	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0176	.0050 %	.0080	WEIGHT TAKEN
UTERUS (UT)	.5771	.1633 %	.2624	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>MASS(ES); VENTRAL-ABDOMINAL-RIGHT;
 WEEK 53; 10 X 10MM; VERIFIED AT
 NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -HYPERPLASIA, BILE DUCT, -SLIGHT
 -VACUOLATION, HEPATOCELLULAR, -MINIMAL
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 MINIMAL
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1145

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92876 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 353.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:52 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 10 X 10 X 5 MM, TAN, FIRM
AND GELATINOUS; SAME ON CUT SURFACE
(CAP 20); REGIONAL LN (INGUINAL)
NORMAL (CAP 21)

SPLEEN (SP) :
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, INGUINAL (IN) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-HEMORRHAGE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1146

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92876 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 353.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:52 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1147

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92877 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 493.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:35 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, PINPOINT AND UP TO 2 MM; COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -CONGESTION, -PRESENT -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1148

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92877 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 493.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:35 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL; COLLECTED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

GENERAL INFORMATION (XX) :

>NOTE:>ANIMAL IDENTIFICATION
TRANSPONDER DAMAGED AT NECROPSY

PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATE
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MODERATE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATELY
SEVERE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1149

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92877 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 493.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:35 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1150

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92878 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/02/99 STUDY DAY OF DEATH: 562 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 510.6 GRAMS
DATE AND TIME OF NECROPSY: 11/02/99 10:17 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC; WEEK 45; 100 X 100MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 60; 35 X 35MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	SPLEEN (SP) : -LARGE; 48 X 13 X 9 MM ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 9 X 7 X 5 MM	LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1151

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92878 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/02/99 STUDY DAY OF DEATH: 562 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 510.6 GRAMS
DATE AND TIME OF NECROPSY: 11/02/99 10:17 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 5 X 3 MM, DARK RED, TAN
AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 50 X 40 X 28 MM, RED,
DARK RED, TAN AND FIRM; ON SECTION
EXUDES A DARK RED, CREAMY SEMIFLUID;
COLLECTED INTACT; REGIONAL (INGUINAL)
NORMAL (CAP 21)
-MASS #2; MID CERVICAL REGION,
EXTENDING TO VENTRAL THORACIC REGION:
SINGLE MASS, 95 X 82 X 45 MM, RED,
DARK RED, TAN, LOBULATED, VASCULAR AND
FIRM; SAME ON CUT SURFACE; PORTIONS
COLLECTED; REGIONAL LN (SEE
MANDIBULAR)

LN, MANDIBULAR (MN) :
-LARGE; BILATERAL: EACH IS UP TO 10 X
8 X 3 MM (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #2 IS THE FIBROADENOMA

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, INGUINAL (IN) :
>TISSUE MISSING
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1152

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92878	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/02/99	STUDY DAY OF DEATH: 562	STUDY WEEK OF DEATH: 81	TERMINAL BODY WEIGHT: 510.6 GRAMS
DATE AND TIME OF NECROPSY: 11/02/99 10:17	PROSECTOR: CHANESTA ACKER	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -MALOCCLUSION; BILATERAL, UPPER
 INCISORS
 -ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
 THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
 UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
 AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
 BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1153

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92879 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 312.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 12:09 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 69; 10 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); RECTUM; WEEK 92; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 11 X 9 X 7 MM, DARK RED, TAN AND FIRM	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, -MODERATE -PIGMENT, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1154

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92879 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 312.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 12:09 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); PERIANAL REGION EXTENDING
TOWARDS LEFT INGUINAL REGION: SINGLE
MASS, 33 X 22 X 15 MM, RED, TAN AND
FIRM; ON SECTION EXUDES A TAN
SEMIFLUID; COLLECTED INTACT; REGIONAL
LN (INGUINAL) NOT IDENTIFIED

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATELY
SEVERE
-B-ADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1155

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92879 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 312.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 12:09 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1156

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92880 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 260.1 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:53 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0557	.0214 %	.0289	WEIGHT TAKEN
RT ADRENAL (AD1)	.0540	.0208 %	.0280	WEIGHT TAKEN
BRAIN (BR)	1.9264	.7406 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.0967	.4216 %	.5693	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1309	.4348 %	.5871	WEIGHT TAKEN
LIVER (LI)	8.6012	3.3069 %	4.4649	WEIGHT TAKEN
LUNG (LU)	1.3026	.5008 %	.6762	WEIGHT TAKEN
LF OVARY (OV0)	.0727	.0280 %	.0377	WEIGHT TAKEN
RT OVARY (OV1)	.0804	.0309 %	.0417	WEIGHT TAKEN
SPLEEN (SP)	.5075	.1951 %	.2634	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0060	.0023 %	.0031	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0076	.0029 %	.0039	WEIGHT TAKEN
UTERUS (UT)	1.1928	.4586 %	.6192	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 STOMACH, GL (ST) :
 -DARK FOCUS(I)/AREA(S); MUCOSA: TWO
 DARK BROWN FOCI, EACH IS 1 MM IN
 DIAMETER
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1157

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92880 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 260.1 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:53 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL:
CLEAR FLUID

UTERUS (UT) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1158

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92881 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 488.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:08 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 99; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT MEDIAN LOBE: SINGLE DARK RED AREA, 4 MM IN DIAMETER; SUNKEN WITH A STELLATE PATTERN (CAP 23) ADRENAL, CORTEX (AC) : -MASS(ES); ATTACHED TO LEFT GLAND: SINGLE MASS, 5 X 5 X 4 MM, DARK RED, BROWN, AND SOFT; COLLECTED INTACT; REGIONAL LN (SEE RENAL) OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 4 MM IN DIAMETER, RIGHT IS 2 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT OVARY (OV) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1159

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92881	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 488.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:08	PROSECTOR: TODD ACKER	RECORDER: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ANTERIOR ASPECT: SINGLE DARK RED AND SLIGHTLY RAISED AREA, 4 X 3 X 1 MM MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 35 X 25 X 20 MM, DARK RED, RED, GRAY, FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 25 X 22 X 12, TAN AND SOFT; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED LN, RENAL (RL) : -MOTTLED; BILATERAL: RED AND TAN (CAP 26)	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -HYPERPLASIA, -MODERATELY SEVERE MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE -B-ADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #2 IS THE FIBROADENOMA CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, RENAL (RL) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1160

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92881	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 488.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:08	PROSECTOR: TODD ACKER	RECORDED: TONE EVERTS	WEIGHER: NOT AVAILABLE
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED		

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
LN, MANDIBULAR (MN) : -DIFFUSELY RED; RIGHT: DARK RED; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -MALOCCLUSION; LEFT UPPER INCISOR -TEETH MISSING/BROKEN/WORN; RIGHT UPPER INCISOR: MISSING	LN, MANDIBULAR (MN) : -HEMORRHAGE, -PRESENT	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1161

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92881 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 488.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:08 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1162

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92882 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:14 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 69; 80 X 65MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -HEMORRHAGE, -SLIGHT -I-CARCINOMA, -FROM PITUITARY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 100; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 7 X 4 MM (RIGHT IS 5 X 4 X 3 MM) -DIFFUSELY DARK; LEFT: DARK BROWN	LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1163

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92882 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:14 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 8 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
		THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 7 X 7 X 4 MM, DARK RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, 3 X 1 MM	STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -SLIGHT
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 90 X 75 X 40 MM (129.0 GRAMS), TAN, RED, LOBULATED, VASCULAR, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 22)	RECTUM (RE) : >TISSUE MISSING MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1164

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92882 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:14 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #2; RIGHT AXILLARY REGION:
SINGLE MASS, 35 X 30 X 15 MM, TAN AND
FIRM; CUT SURFACE EXUDES A TAN CREAMY
SEMIFLUID MATERIAL; COLLECTED INTACT;
REGIONAL LN (AXILLARY) NORMAL (CAP 22)

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1165

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92882 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:14 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1166

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92883 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/14/99 STUDY DAY OF DEATH: 604 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 426.7 GRAMS
DATE AND TIME OF NECROPSY: 12/14/99 13:51 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 75; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT -INFLAMMATION, ACUTE, -SLIGHT BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1167

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92883	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/14/99	STUDY DAY OF DEATH: 604	STUDY WEEK OF DEATH: 87	TERMINAL BODY WEIGHT: 426.7 GRAMS
DATE AND TIME OF NECROPSY: 12/14/99 13:51	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 MM IN DIAMETER (RIGHT IS 4 MM IN DIAMETER)	ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -MODERATELY SEVERE -HYPERTROPHY, CORTICAL CELL, -SLIGHT
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); LEFT LOBE AND RIGHT CAUDAL LOBE, ALONG CAUDAL MARGINS: MULTIPLE TAN FOCI, UP TO 2 MM IN DIAMETER	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
	PITUITARY (PI) : -MASS(ES); 13 X 11 X 9 MM, RED, DARK RED, GREY, TAN, LOBULATED AND SOFT	HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA, NEAR PYLORIC VALVE: SINGLE TAN ERODED AREA, 2 X 1 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : -EDEMA, -MODERATE -INFLAMMATION, ACUTE, -SLIGHT
		MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1168

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92883 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/14/99 STUDY DAY OF DEATH: 604 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 426.7 GRAMS
DATE AND TIME OF NECROPSY: 12/14/99 13:51 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 55 X 36 X 19 MM, DARK
RED, GREY, TAN, LOBULATED AND SOFT;
SOME SECTIONS EXUDE A TAN, CREAMY
SEMIFLUID MATERIAL AND OTHER SECTIONS
EXUDE A DARK RED, MUCOID SEMIFLUID
MATERIAL; COLLECTED INTACT; REGIONAL
LN (INGUINAL) NOT IDENTIFIED
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN, CREAMY SEMIFLUID FILLED
CYSTS, UP TO 6 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION

UTERUS (UT) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
CERVIX (CV) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
VAGINA (VA) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; UPPER RIGHT INCISOR

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1169

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92883	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/14/99	STUDY DAY OF DEATH: 604	STUDY WEEK OF DEATH: 87	TERMINAL BODY WEIGHT: 426.7 GRAMS
DATE AND TIME OF NECROPSY: 12/14/99 13:51	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1170

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92884 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 328.8 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 13:36 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 65; 25 X 30MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 74; 30 X 25MM POSTERIOR; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 79; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 89; 20 X 15MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EYES; PROTRUDING; EYES; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MODERATE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1171

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92884	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00	STUDY DAY OF DEATH: 666	STUDY WEEK OF DEATH: 96	TERMINAL BODY WEIGHT: 328.8 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 13:36	PROSECTOR: MICHELE MARGGI	RECORDED: MICHELE MARGGI	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 11 X 9 X 5 MM, DARK RED, GRAY, AND SOFT MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 45 X 30 X 10 MM, TAN, GRAY, YELLOW, AND CYSTIC; ON SECTION EXUDES A TAN AND YELLOW CREAMY SEMIFLUID; COLLECTED; REGIONAL LN (INGUINAL) NORMAL (CAP 21) -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION -MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 40 X 30 X 25 MM, RED, TAN VASCULAR, AND FIRM; SOME AREAS EXUDE A BROWN, CREAMY SEMIFLUID; COLLECTED; REGIONAL LN (INGUINAL) NORMAL (CAP 21)	MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 3 NEOPLASMS PRESENT -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #1 IS THE FIBROADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1172

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92884 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 328.8 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 13:36 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN, YELLOW CREAMY SEMIFLUID
FILLED CYSTS, UP TO 10 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION
-MASS #3; RIGHT INGUINAL REGION,
POSTERIOR TO MF MASS #2: SINGLE MASS,
45 X 40 X 20 MM, RED, DARK RED, TAN,
LOBULATED, AND VASCULAR; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NORMAL
-MASS #4; LEFT AXILLARY REGION: SINGLE
MASS, 40 X 15 X 10 MM, RED, DARK RED,
BROWN, DARK BROWN AND FIRM; SAME ON
CUT SURFACE; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 22); OVERLYING
SKIN OF MASS HAS A SINGLE DARK BROWN,
DRY, CRUSTED AREA, 20 X 10 MM;
COLLECTED INTACT WITH MASS

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -SEVERE
LN, INGUINAL (IN) :
>TISSUE MISSING

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1173

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92884 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 328.8 GRAMS
 DATE AND TIME OF NECROPSY: 02/14/00 13:36 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -STAINS - SKIN/HAIRCOAT; ENTIRE
 VENTRAL SURFACE: DARK RED AND BROWN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
 BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1174

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92885 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 452.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 99; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE ALONG MARGIN: SINGLE TAN AREA, 5 X 4 MM (CAP 22) -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL,-MINIMAL -HYPERPLASIA, BILE DUCT,-MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL,-MINIMAL -ANGIECTASIS,-SLIGHT -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS),-SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE,- SLIGHT -INFLAMMATION, CHRONIC-ACTIVE,-MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED,-MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL,-MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC,- MODERATELY SEVERE -PIGMENT,-SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED,-PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1175

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92885 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 452.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); BILATERAL: SINGLE CLEAR
FLUID FILLED CYST ON EACH, LEFT IS 3
MM IN DIAMETER, RIGHT IS 8 MM IN
DIAMETER

OVARY (OV) :
-CYST, -PRESENT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT

LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
>UNREMARKABLE

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATELY
SEVERE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

PITUITARY (PI) :
-MASS(ES); 6 X 5 X 4 MM, DARK RED,
GRAY, AND SOFT

STOMACH, GL (ST) :
-THICKENED WALL; MUCOSA, DIFFUSE

MAMMARY, FEMALE (MF) :
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN, CREAMY SEMIFLUID FILLED
CYSTS, UP TO 2 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1176

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92885	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 452.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48	PROSECTOR: JOHN S. HALFORD	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAVITY, ABDOM (PC) :
-MASS(ES); ADIPOSE TISSUE SURROUNDING
LEFT KIDNEY; SINGLE MASS, 46 X 42 X 37
MM, RED, DARK RED, GRAY, TAN,
VASCULAR, LOBULATED, AND FIRM; SAME ON
CUT SURFACE; COLLECTED INTACT WITH
LEFT KIDNEY; REGIONAL LN (RENAL) NOT
IDENTIFIED; POSSIBLY CONSISTENT WITH
MASS NOTED IN CLINICAL OBSERVATIONS
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAVITY, ABDOM (PC) :
-M-LIPOSARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1177

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92885 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 452.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:48 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1178

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92886 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 676.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:50 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>APPEARANCE; SWOLLEN; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: MULTIPLE RED AREAS, UP TO 2 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT
>EYES; DISCOLORED/LIGHT RED; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -DIFFUSELY LIGHT; BILATERAL: TAN	KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>SKIN & PELAGE; BLUE SKIN; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT
	THYMUS (TH) : -GELATINOUS; DIFFUSE: DARK RED AND SOFT	THYMUS (TH) : -EDEMA, -PRESENT
	PITUITARY (PI) : -MASS(ES); 12 X 8 X 8 MM, RED, DARK RED, GRAY, TAN, FIRM, AND LOBULATED	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1179

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92886 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 676.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:50 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

-ABRASION(S)/ULCERATION(S); VENTRAL
THORACIC REGION: SINGLE RED AND MOIST
ULCERATED AREA, 5 X 3 MM (CAP 21);
POSSIBLY CONSISTENT WITH (SORE, SCAB
LEFT AXILLARY REGION) NOTED IN
CLINICAL OBSERVATIONS

MAMMARY, FEMALE (MF) :

-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

UTERUS (UT) :

-CYST(S); RIGHT, WITHIN LUMEN: SINGLE
CLEAR FLUID FILLED CYST, 2 MM IN
DIAMETER

LN, MEDIASTINAL (ML) :

-DIFFUSELY RED; DARK RED (CAP 24)

SKIN (SK) :

-ACANTHOSIS/HYPERKERATOSIS, -MODERATE
-ULCERATION, -SLIGHT
-FIBROSIS, -MODERATE
-M-CARCINOMA, SQUAMOUS CELL, -NEOPLASM
PRESENT

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

UTERUS (UT) :

-DILATATION, -MINIMAL

VAGINA (VA) :

-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, MEDIASTINAL (ML) :

-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

ADIPOSE TISSUE (AT) :

-M-LIPOSARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1180

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92886 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 676.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:50 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	ADIPOSE TISSUE (AT) : -CYST(S); INVOLVING ALL ADIPOSE TISSUE THROUGHOUT ABDOMINAL CAVITY: MULTIPLE CYSTS, SOME ARE FILLED WITH CLEAR AND OILY FLUID AND SOME ARE FILLED WITH RED AND OILY FLUID, UP TO 25 MM IN DIAMETER (CAP 22); POSSIBLY CONSISTENT WITH (SWOLLEN ABDOMEN) NOTED IN CLINICAL OBSERVATIONS DIAPHRAGM (DP) : -MASS(ES); VISCERAL SURFACE: MULTIPLE MASSES, UP TO 4 MM IN DIAMETER, TAN FIRM, AND ADIPOSE TISSUE-LIKE (CAP 23); REGIONAL LN (SEE MEDIASTINAL) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	DIAPHRAGM (DP) : -I-LIPOSARCOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1181

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92886 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 676.1 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:50 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1182

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92887 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 275.7 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:02 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0376	.0136 %	.0188	WEIGHT TAKEN
RT ADRENAL (AD1)	.0317	.0115 %	.0159	WEIGHT TAKEN
BRAIN (BR)	1.9947	.7235 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2699	.4606 %	.6366	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2956	.4699 %	.6495	WEIGHT TAKEN
LIVER (LI)	9.7028	3.5193 %	4.8643	WEIGHT TAKEN
LUNG (LU)	1.5519	.5629 %	.7780	WEIGHT TAKEN
LF OVARY (OV0)	.0775	.0281 %	.0389	WEIGHT TAKEN
RT OVARY (OV1)	.0731	.0265 %	.0366	WEIGHT TAKEN
SPLEEN (SP)	.4733	.1717 %	.2373	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0050	.0018 %	.0025	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0075	.0027 %	.0038	WEIGHT TAKEN
UTERUS (UT)	.7463	.2707 %	.3741	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

KIDNEY (KD) :
 -CYST(S); RIGHT CORTICAL SURFACE
 EXTENDING TO CORTEX: SINGLE CLEAR
 FLUID FILLED CYST, 3 MM IN DIAMETER

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1183

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92887	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 275.7 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:02	PROSECTOR: LAURIE J. SCHULLER	RECORDER: KIMBERLY DURLAND	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1184

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92888 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/24/99 STUDY DAY OF DEATH: 553 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 545.7 GRAMS
DATE AND TIME OF NECROPSY: 10/24/99 7:52 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -HYPERPLASIA, ISLET CELLS, -SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1185

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92888 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/24/99 STUDY DAY OF DEATH: 553 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 545.7 GRAMS
DATE AND TIME OF NECROPSY: 10/24/99 7:52 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 15 X 5 X 5 MM, RED, DARK
RED, TAN, AND SOFT
VAGINA (VA) :
-SEMIFLUID MATERIAL; LIGHT GREEN,
CREAMY SEMIFLUID

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DARK RED AND
CRUSTED
-ANIMAL OBESE

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1186

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92888 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/24/99 STUDY DAY OF DEATH: 553 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 545.7 GRAMS
DATE AND TIME OF NECROPSY: 10/24/99 7:52 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1187

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92889 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 367.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:49 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0321	.0087 %	.0168	WEIGHT TAKEN
RT ADRENAL (AD1)	.0277	.0075 %	.0145	WEIGHT TAKEN
BRAIN (BR)	1.9141	.5211 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1397	.3103 %	.5954	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2457	.3392 %	.6508	WEIGHT TAKEN
LIVER (LI)	9.4841	2.5821 %	4.9549	WEIGHT TAKEN
LUNG (LU)	1.9131	.5209 %	.9995	WEIGHT TAKEN
LF OVARY (OV0)	.0753	.0205 %	.0393	WEIGHT TAKEN
RT OVARY (OV1)	.0475	.0129 %	.0248	WEIGHT TAKEN
SPLEEN (SP)	.4549	.1238 %	.2377	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0284	.0077 %	.0148	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0181	.0049 %	.0095	WEIGHT TAKEN
UTERUS (UT)	.6258	.1704 %	.3269	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 -INFLAMMATION, SUBACUTE, -SLIGHT
 KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 -INFILTRATE, MACROPHAGE, PIGMENTED, -
 MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1188

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92889 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 367.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:49 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-DARK FOCUS(I)/AREA(S); RIGHT
POSTERIOR ASPECT: SINGLE DARK FOCUS, 2
MM IN DIAMETER

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

ADRENAL, CORTEX (AC) :
-UNILATERALLY EXAMINED, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-ANGIECTASIS, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1189

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92889 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 367.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:49 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1190

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92890 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 510.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:55 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -MASS(ES); RIGHT CORTICAL SURFACE: SINGLE MASS, 5 MM IN DIAMETER, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (RENAL) NORMAL (CAP 22)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -M-CARCINOMA, TUBULAR CELL, -NEOPLASM PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL OVARY (OV) : -CYST, -PRESENT
	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 7 X 7 X 5 MM (LEFT IS 5 X 4 X 3 MM)	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1191

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92890 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 510.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:55 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER	BONE, STERNUM (SB) : -HYPERPLASIA, CARTILAGINOUS, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL PITUITARY (PI) : -HYPERPLASIA, -MODERATE
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT MID ASPECT: SINGLE DARK RED AREA, 2 MM IN DIAMETER COLON (CO) : -DIVERTICULUM(A); NEAR JUNCTION OF CECUM: SINGLE BROWN DIVERTICULUM, 5 X 5 X 3 MM; COLLECTED ON ROUTINE SECTION MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS DIFFUSE: TAN; COLLECTED ON ROUTINE SECTION	COLON (CO) : -DIVERTICULUM, -PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATE CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, RENAL (RL) : -HEMORRHAGE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1192

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92890 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 510.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:55 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, RENAL (RL) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1193

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92890 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 510.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:55 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1194

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92891 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/01/99 STUDY DAY OF DEATH: 591 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 314.7 GRAMS
DATE AND TIME OF NECROPSY: 12/01/99 8:08 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE: SINGLE DARK RED FOCUS, 4 MM IN DIAMETER, SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTION PITUITARY (PI) : -MASS(ES); 10 X 10 X 8 MM, DARK RED AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -ANGIECTASIS, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1195

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92891 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/01/99 STUDY DAY OF DEATH: 591 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 314.7 GRAMS
DATE AND TIME OF NECROPSY: 12/01/99 8:08 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -SLIGHT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	LN, MEDIASTINAL (ML) : -DIFFUSELY RED; DARK RED (CAP 22)	LN, MEDIASTINAL (ML) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
	LN, MANDIBULAR (MN) : -MOTTLED; BILATERAL: DARK RED AND TAN (CAP 21)	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -HEMORRHAGE, -PRESENT
	CAVITY, THORACIC (TA) : -MASS(ES); ATTACHED TO PLEURA, BETWEEN VERTEBRAE AND RIBS: SINGLE MASS, 20 X 10 X 10 MM, RED, TAN, AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT WITH SPINAL CORD; REGIONAL LN (SEE MEDIASTINAL)	CAVITY, THORACIC (TA) : -B-HIBERNOMA, -NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1196

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92891 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/01/99 STUDY DAY OF DEATH: 591 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 314.7 GRAMS
DATE AND TIME OF NECROPSY: 12/01/99 8:08 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1197

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92892 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 688.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:50 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; OBES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1198

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92892 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 688.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:50 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 6 X 6 X 4 MM, RED, DARK RED
AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 55 X 38 X 14 MM, RED,
DARK RED, TAN AND SOFT; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MODERATE
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1199

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92892 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 688.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:50 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1200

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92893 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 367.4 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:24 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 74; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC-LEFT; WEEK 74; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) SPLEEN (SP) : -LARGE; 50 X 17 X 10 MM	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -SLIGHT OVARY (OV) : -B-GRANULOSA/THECA CELL TUMOR, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1201

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92893 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 367.4 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:24 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 4 MM, DARK RED,
TAN, GRAY, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 20 X 10 X 10 MM, DARK
RED, TAN, AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN (SEE
AXILLARY)
-MASS #2; LEFT AXILLARY REGION: SINGLE
MASS, 55 X 50 X 40 MM, DARK RED, TAN,
AND FIRM; SOME SECTIONS CONTAIN A TAN
CASEOUS SEMISOLID; COLLECTED; REGIONAL
LN (SEE AXILLARY); OVERLYING SKIN HAS
A SINGLE DARK RED AND TAN ULCERATION,
30 MM IN DIAMETER; COLLECTED

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
>NOTE:>MASS #1 IS AN ENLARGED
SUBCUTANEOUS LYMPH NODE AND
GALACTOCELES

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1202

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92893 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 367.4 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:24 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN AND CREAMY SEMIFLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION UTERUS (UT) : -THICKENED WALL; BILATERAL: DIFFUSE	UTERUS (UT) : >UNREMARKABLE CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE
	LN, AXILLARY (AX) : -LARGE; LEFT: UP TO 15 X 8 X 5 MM (RIGHT IS UP TO 7 X 6 X 3 MM) (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL, UPPER INCISORS	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1203

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92893 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/20/99 STUDY DAY OF DEATH: 610 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 367.4 GRAMS
DATE AND TIME OF NECROPSY: 12/20/99 15:24 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1204

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92894 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 335.4 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:01 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.1249	.0372 %	.0583	WEIGHT TAKEN
RT ADRENAL (AD1)	.0492	.0147 %	.0230	WEIGHT TAKEN
BRAIN (BR)	2.1413	.6384 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2732	.3796 %	.5946	WEIGHT TAKEN
RT KIDNEY (KD1)	1.3419	.4001 %	.6267	WEIGHT TAKEN
LIVER (LI)	10.7609	3.2084 %	5.0254	WEIGHT TAKEN
LUNG (LU)	1.7755	.5294 %	.8292	WEIGHT TAKEN
LF OVARY (OV0)	.0539	.0161 %	.0252	WEIGHT TAKEN
RT OVARY (OV1)	.0463	.0138 %	.0216	WEIGHT TAKEN
SPLEEN (SP)	.4753	.1417 %	.2220	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0096	.0029 %	.0045	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0161	.0048 %	.0075	WEIGHT TAKEN
UTERUS (UT)	1.4655	.4369 %	.6844	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 ADRENAL, CORTEX (AC) :
 -HEMORRHAGE, -PRESENT

ADRENAL, CORTEX (AC) :
 -LARGE; LEFT: 7 MM IN DIAMETER (FOR
 COMPARISON, RIGHT IS 4 MM IN DIAMETER)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1205

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92894 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 335.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:01 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ESOPHAGUS (ES) :
>NOTE:>TRIMMING COMMENT: NOT FOUND AT
TRIMMING

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-HEMORRHAGE, -PRESENT
ESOPHAGUS (ES) :
>TISSUE MISSING
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1206

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92894 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 335.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:01 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1207

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92895 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:10 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 87; 45 X 40MM; VERIFIED AT NECROPSY: OBSERVED		BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1208

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92895 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:10 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); LEFT: SINGLE CLEAR FLUID
FILLED CYST, 3 MM IN DIAMETER

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 50 X 40 X 14 MM, RED,
DARK RED, TAN AND SOFT; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 22)
-THICKENED; ALL REGIONS, DIFFUSE:
COLLECTED ON ROUTINE SECTION

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MODERATE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1209

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92895 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:10 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1210

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92896 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 528.7 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:48 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 76; 60 X 40MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC; WEEK 104; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1211

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92896 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 528.7 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:48 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 7 X 3 MM, TAN AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); BILATERAL VENTRAL CERVICAL
REGIONS: MULTIPLE MASSES, UP TO 10 X 9
X 9 MM, ALL ARE TAN AND FIRM; SAME ON
CUT SURFACES; REGIONAL LN (AXILLARY)
RIGHT (NORMAL) (CAP 23) LEFT (NOT
IDENTIFIED)
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 75 X 55 X 35 MM, DARK
BROWN, TAN, SOFT, LOBULATED, AND
VASCULAR; CUT SURFACE EXUDES A DARK
BROWN FLUID; COLLECTED; REGIONAL LN
(INGUINAL) NORMAL (CAP 24)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #1 IS THE ADENOMA

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1212

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92896 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 528.7 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:48 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX), LN, INGUINAL (IN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1213

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92897 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 296.7 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:46 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 X 3 MM; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT LIVER-OIL RED O (LI0) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1214

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92897 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 296.7 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:46 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 10 X 8 MM, RED, DARK
RED, TAN, LOBULATED, AND FIRM

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
GREEN MUCOID MATERIAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL THIN

ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MINIMAL
-ANGIECTASIS, -SLIGHT
-PIGMENT, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
URINARY BLADDER (UB) :
-DIVERTICULUM, -PRESENT
UTERUS (UT) :
-DILATATION, -SLIGHT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1215

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92897 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 296.7 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:46 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1216

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92898 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 284.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:52 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0386	.0136 %	.0185	WEIGHT TAKEN
RT ADRENAL (AD1)	.0332	.0117 %	.0159	WEIGHT TAKEN
BRAIN (BR)	2.0817	.7325 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	.9699	.3413 %	.4659	WEIGHT TAKEN
RT KIDNEY (KD1)	1.0336	.3637 %	.4965	WEIGHT TAKEN
LIVER (LI)	8.3705	2.9453 %	4.0210	WEIGHT TAKEN
LUNG (LU)	1.6120	.5672 %	.7744	WEIGHT TAKEN
LF OVARY (OV0)	.0858	.0302 %	.0412	WEIGHT TAKEN
RT OVARY (OV1)	.0637	.0224 %	.0306	WEIGHT TAKEN
SPLEEN (SP)	.4762	.1676 %	.2288	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0083	.0029 %	.0040	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0080	.0028 %	.0038	WEIGHT TAKEN
UTERUS (UT)	.4686	.1649 %	.2251	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -REGENERATION, TUBULAR EPITHELIUM, -
 MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1217

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92898 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 284.2 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:52 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1218

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92899 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 435.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/02/99 9:15 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0446	.0102 %	.0206	WEIGHT TAKEN
RT ADRENAL (AD1)	.0404	.0093 %	.0186	WEIGHT TAKEN
BRAIN (BR)	2.1677	.4980 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.4659	.3368 %	.6762	WEIGHT TAKEN
RT KIDNEY (KD1)	1.5078	.3464 %	.6956	WEIGHT TAKEN
LIVER (LI)	13.0348	2.9944 %	6.0132	WEIGHT TAKEN
LUNG (LU)	2.0543	.4719 %	.9477	WEIGHT TAKEN
LF OVARY (OV0)	.0505	.0116 %	.0233	WEIGHT TAKEN
RT OVARY (OV1)	.8172	.1877 %	.3770	WEIGHT TAKEN
SPLEEN (SP)	.6569	.1509 %	.3030	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0086	.0020 %	.0040	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0095	.0022 %	.0044	WEIGHT TAKEN
UTERUS (UT)	1.0497	.2411 %	.4842	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>SKIN & PELAGE; SORE/SCAB; PAW-HIND-
 LEFT; VERIFIED AT NECROPSY: NOT
 OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -VACUOLATION, HEPATOCELLULAR, -MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATELY SEVERE
 ADRENAL, CORTEX (AC) :
 -INFILTRATE, MACROPHAGE, PIGMENTED, -
 MINIMAL
 -DEGENERATION, CYSTIC / HEMORRHAGIC, -
 MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1219

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92899 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 435.3 GRAMS
DATE AND TIME OF NECROPSY: 04/02/99 9:15 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 8 MM IN DIAMETER

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

OVARY (OV) :
-CYST, -PRESENT

THYMUS (TH) :
-HEMORRHAGE, -PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
-SECRETORY MATERIAL, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1220

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92899 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 435.3 GRAMS
DATE AND TIME OF NECROPSY: 04/02/99 9:15 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1221

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92900 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/05/99 STUDY DAY OF DEATH: 504 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/05/99 13:22 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 MM IN DIAMETER (RIGHT IS 3 MM IN DIAMETER) OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, EACH IS 3 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); 10 X 6 X 5 MM, DARK RED AND FIRM	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE OVARY (OV) : -CYST, -PRESENT THYMUS (TH) : -CYST, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1222

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92900 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/05/99 STUDY DAY OF DEATH: 504 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/05/99 13:22 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL
-LARGE; BILATERAL: EACH IS 8 X 4 X 2
MM
GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL, LOWER
INCISORS
-TEETH MISSING/BROKEN/WORN; MISSING,
LEFT UPPER INCISOR

CECUM (CE) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1223

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92900 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/05/99 STUDY DAY OF DEATH: 504 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/05/99 13:22 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LIVER (LI), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1224

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92901 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 268.1 GRAMS
DATE AND TIME OF NECROPSY: 10/22/99 15:15 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); RECTUM; WEEK 76; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 12 X 8 X 6 MM, DARK RED, GRAY, SOFT AND LOBULATED	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1225

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92901 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 268.1 GRAMS
DATE AND TIME OF NECROPSY: 10/22/99 15:15 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -CYST(S); RIGHT PERIANAL REGION: SINGLE GREEN SEMIFLUID FILLED CYST, 11 MM IN DIAMETER; COLLECTED; POSSIBLY CONSISTENT WITH MASS (RECTUM) NOTED IN CLINICAL OBSERVATIONS	
	UTERUS (UT) : -CYST(S); LEFT HORN, WITHIN WALL: MULTIPLE CLEAR FLUID FILLED CYSTS; UP TO 3 MM IN DIAMETER -MASS(ES); ATTACHED TO ENDOMETRIUM OF DISTAL RIGHT HORN: SINGLE MASS, 27 X 7 X 7 MM, RED, DARK RED, GRAY AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT WITH UTERUS; REGIONAL LN (LUMBAR) NORMAL (CAP 22)	UTERUS (UT) : -DILATATION, -MINIMAL -B-POLYP, ENDOMETRIAL, STROMAL, - NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; LEFT: DRY RED MATERIAL -DISCHARGE-NASAL; BILATERAL: DRY RED MATERIAL	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1226

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92901 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/22/99 STUDY DAY OF DEATH: 551 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 268.1 GRAMS
DATE AND TIME OF NECROPSY: 10/22/99 15:15 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LIVER (LI), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1227

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92902 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/27/99 10:23 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE TAN AREA, 9 X 2 MM; COLLECTED ON ROUTINE SECTION -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: MULTIPLE DARK RED AREAS, UP TO 8 MM IN DIAMETER; SOME ARE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -NECROSIS, COAGULATIVE, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1228

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92902 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/27/99 10:23 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 6 X 5 X 4 MM; APPEARS SWOLLEN

MAMMARY, FEMALE (MF) :
-THICKENED; VENTRAL CERVICAL REGION:
TAN AND FIRM (CAP 21)

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
>NOTE:>SEE SLIDE #16
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
JEJUNUM (JE) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
-B-ADENOMA, -NEOPLASM PRESENT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PANCREAS, -PRESENT
CAVITY, ABDOM (PC) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE PANCREAS FOR DIAGNOSIS

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1229

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92902 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/27/99 10:23 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	CAVITY, ABDOM (PC) : -MASS(ES); ATTACHED TO ADIPOSE TISSUE OF COLON AND ILEUM: SINGLE MASS, 30 X 20 X 15 MM, RED, DARK RED, TAN, GRAY, VASCULAR AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (MESENTERIC) NORMAL GENERAL COMMENT (GC) : -STAINS - SKIN/HAIRCOAT; ENTIRE VENTRAL SURFACE: YELLOW, RED AND MOIST	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1230

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92902 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/27/99 STUDY DAY OF DEATH: 617 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/27/99 10:23 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1231

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92903 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 349.9 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:35 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0438	.0125 %	.0204	WEIGHT TAKEN
RT ADRENAL (AD1)	.0435	.0124 %	.0202	WEIGHT TAKEN
BRAIN (BR)	2.1518	.6150 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2498	.3572 %	.5808	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2691	.3627 %	.5898	WEIGHT TAKEN
LIVER (LI)	11.8895	3.3980 %	5.5254	WEIGHT TAKEN
LUNG (LU)	1.5288	.4369 %	.7105	WEIGHT TAKEN
LF OVARY (OV0)	.0645	.0184 %	.0300	WEIGHT TAKEN
RT OVARY (OV1)	.0745	.0213 %	.0346	WEIGHT TAKEN
SPLEEN (SP)	.5819	.1663 %	.2704	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0084	.0024 %	.0039	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0099	.0028 %	.0046	WEIGHT TAKEN
UTERUS (UT)	.7114	.2033 %	.3306	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

ADRENAL, CORTEX (AC) :
 >NOTE:>EMBEDDING COMMENT: ONE ADRENAL
 PRESENT AT EMBEDDING
 ADRENAL, MEDULLA (MA) :
 >NOTE:>EMBEDDING COMMENT: ONE ADRENAL
 PRESENT AT EMBEDDING

HISTOPATHOLOGY

SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 PANCREAS (PA) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 ADRENAL, CORTEX (AC) :
 -UNILATERALLY EXAMINED, -PRESENT
 ADRENAL, MEDULLA (MA) :
 -UNILATERALLY EXAMINED, -PRESENT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1232

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92903 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 349.9 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:35 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1233

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92904 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 470.7 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:04 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 70; 40 X 35MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>MASS(ES); VENTRAL-THORACIC-LEFT; WEEK 73; 30 X 35MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 69; 55 X 65MM; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -NECROSIS, COAGULATIVE, -SLIGHT
>WART LIKE LESION(S); MOUTH; WEEK 89; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 97; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 6 X 5 X 4 MM -MOTTLED; BILATERAL: RED, BROWN AND TAN	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1234

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92904	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00	STUDY DAY OF DEATH: 702	STUDY WEEK OF DEATH: 101	TERMINAL BODY WEIGHT: 470.7 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:04	PROSECTOR: JILL PAUS	RECORDED: JILL PAUS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 6 X 5 X 3 MM, RED, DARK RED, TAN AND SOFT	LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	SKIN (SK) : -RAISED FOCUS(I)/AREA(S); LEFT UPPER LIP: SINGLE RED, TAN, FIRM RAISED AREA, 4 X 2 X 2 MM (CAP 23) MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 45 X 40 X 22 MM, RED, TAN AND FIRM; SAME ON CUT SURFACE (CAP 24); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #2; RIGHT ABDOMINAL REGION: SINGLE MASS, 45 X 30 X 20 MM, RED, TAN, FIRM AND LOBULATED; SAME ON CUT SURFACE (CAP 25); REGIONAL LN (INGUINAL) NOT IDENTIFIED	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SKIN (SK) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -B-PAPILLOMA, SQUAMOUS CELL, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, - 3 NEOPLASMS PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1235

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92904 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 470.7 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:04 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #3; LEFT AXILLARY REGION EXTENDS LEFT INGUINAL REGION: MULTIPLE MASSES, UP TO 65 X 55 X 40 MM (130.6 GRAMS), RED, DARK RED, TAN, FIRM AND LOBULATED; SAME ON CUT SURFACE (CAP 26,27); REGIONAL LN (SEE AXILLARY)	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MODERATE
	UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 1 MM IN DIAMETER	VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT
	LN, AXILLARY (AX) : -DIFFUSELY DARK; BILATERAL: BROWN (CAP 22)	LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MODERATE
	LN, MANDIBULAR (MN) : -LARGE; LEFT: 12 X 6 X 4 MM (RIGHT IS 4 X 3 X 2 MM) (CAP 21)	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1236

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92904 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 470.7 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:04 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1237

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92905 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 250.0 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:02 PROSECTOR: JOHN S. HALFORD RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0460	.0184 %	.0219	WEIGHT TAKEN
RT ADRENAL (AD1)	.0463	.0185 %	.0221	WEIGHT TAKEN
BRAIN (BR)	2.0984	.8394 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2015	.4806 %	.5726	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2025	.4810 %	.5731	WEIGHT TAKEN
LIVER (LI)	7.9055	3.1622 %	3.7674	WEIGHT TAKEN
LUNG (LU)	1.4232	.5693 %	.6782	WEIGHT TAKEN
LF OVARY (OV0)	.1031	.0412 %	.0491	WEIGHT TAKEN
RT OVARY (OV1)	.0740	.0296 %	.0353	WEIGHT TAKEN
SPLEEN (SP)	.5258	.2103 %	.2506	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0066	.0026 %	.0031	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0153	.0061 %	.0073	WEIGHT TAKEN
UTERUS (UT)	1.2028	.4811 %	.5732	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

UTERUS (UT) :
 -LUMEN FILLED WITH FLUID; BILATERAL:
 CLEAR FLUID

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN

HISTOPATHOLOGY

SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 UTERUS (UT) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1238

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92905 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 250.0 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:02 PROSECTOR: JOHN S. HALFORD RECORDER: MATTHEW AXTMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1239

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92906 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 343.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 95; 40 X 30MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 95; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 8 MM IN DIAMETER (LEFT IS 4 MM IN DIAMETER)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MODERATE BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT OVARY (OV) : -HYPERPLASIA, GRANULOSA CELL, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1240

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92906	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 343.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41	PROSECTOR: GREGORY CODDINGTON		RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED		WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 9 X 7 X 7 MM, RED, DARK RED, TAN AND SOFT MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 30 X 25 X 18 MM, TAN AND SOFT; ON SECTION EXUDES A TAN AND CREAMY SEMIFLUID; (CAP 22); REGIONAL LN (LEFT AXILLARY) NORMAL (CAP 23) -MASS #2; RIGHT AXILLARY REGION: SINGLE MASS, 47 X 35 X 25 MM, RED, DARK RED, TAN AND FIRM; SAME ON SURFACE; (CAP 24); REGIONAL LN (SEE AXILLARY) LN, AXILLARY (AX) : -DIFFUSELY RED; RIGHT: (CAP 23)	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1241

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92906 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 343.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; RIGHT UPPER INCISOR
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

LN, AXILLARY (AX) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1242

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92906 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 343.6 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1243

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92907 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:17 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: NOT OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED AND DARK RED AREAS, UP TO 4 X 3 MM; COLLECTED ON ROUTINE SECTIONS ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 MM IN DIAMETER (RIGHT IS 4 MM IN DIAMETER)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYMUS (TH) : -HYPERPLASIA, LYMPHORETICULAR, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1244

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92907 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:17 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYMUS (TH) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE TAN AND LOBULATED MASS, 15 X 13 X 6 MM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (MEDIASTINAL) NORMAL (CAP 25)	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL
	PITUITARY (PI) : -LARGE; 5 X 4 X 3 MM, APPEARS SWOLLEN	PITUITARY (PI) : -HYPERPLASIA, -SLIGHT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
	STOMACH, GL (ST) : -LIGHT FOCUS(I)/AREA(S); MUCOSA: MULTIPLE GRAY AREAS, UP TO 2 X 1 MM	STOMACH, GL (ST) : >UNREMARKABLE
	UTERUS (UT) : -CYST(S); RIGHT HORN WITHIN WALL: MULTIPLE CLEAR FLUID FILLED CYSTS; UP TO 6 MM IN DIAMETER	ILEUM (IL) : -HYPERPLASIA, GALT (GUT ASSOCIATED LYMPHOID TISSUE), -MODERATE SKIN (SK) : -B-ADENOMA, BASAL CELL/SQUAMOUS/SEBACEOUS, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT UTERUS (UT) : -DILATATION, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1245

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92907 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:17 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 22)

CLITORAL GLAND (CL) :
-MASS(ES); INVOLVING ENTIRE ORGAN:
SINGLE MASS, 21 X 18 X 13 MM, RED,
DARK RED, BLACK, AND SOFT; SAME ON CUT
SURFACE (CAP 23); REGIONAL LN
(INGUINAL) NORMAL (CAP 24)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MEDIASTINAL (ML) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
LN, INGUINAL (IN) :
>TISSUE MISSING
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-HEMORRHAGE, -PRESENT
CLITORAL GLAND (CL) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1246

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92907 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:17 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1247

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92908 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/00 STUDY DAY OF DEATH: 646 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 349.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/00 7:19 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL; WEEK 78; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1248

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92908 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/00 STUDY DAY OF DEATH: 646 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 349.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/00 7:19 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 10 X 8 MM, RED, DARK
RED AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT VENTRAL CERVICAL
REGION: SINGLE MASS, 26 X 21 X 17 MM,
RED, DARK RED, GREY, TAN AND SOFT; ON
SECTION EXUDES A TAN, CREAMY SEMIFLUID
MATERIAL; COLLECTED; REGIONAL LN
(MANDIBULAR) NORMAL (CAP 21)
-THICKENED; ALL REGIONS, DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION

ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
HEART (HT) :
-METAPLASIA, OSSEOUS / CARTILAGINOUS, -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
UTERUS (UT) :
-DILATATION, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1249

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92908 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/00 STUDY DAY OF DEATH: 646 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 349.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/00 7:19 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DRY, RED
MATERIAL
-ANIMAL THIN

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1250

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92908 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/00 STUDY DAY OF DEATH: 646 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 349.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/00 7:19 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1251

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92909 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:06 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 98; 80 X 45MM; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -DIFFUSELY LIGHT; BILATERAL: TAN	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, PELVIC, -MINIMAL -VACUOLATION, TUBULAR EPITHELIUM, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1252

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92909 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:06 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
>NOTE:>COLLECTED FROM RIGHT INGUINAL
REGION DUE TO MF MASS
MAMMARY, FEMALE (MF) :
-MASS(ES); MID INGUINAL REGION
EXTENDING TO PERIANAL REGION: SINGLE
MASS, 120 X 50 X 35 MM (127.0 GRAMS),
RED, DARK RED, TAN, LOBULATED AND
SOFT; SAME ON CUT SURFACE; SOME
SECTIONS EXUDE A TAN SEMIFLUID
MATERIAL; COLLECTED INTACT; REGIONAL
LN (INGUINAL) NOT IDENTIFIED
>NOTE:>COLLECTED FROM RIGHT INGUINAL
REGION DUE TO MF MASS

LN, MESENTERIC (MS) :
-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
LUNG (LU) :
-N-CARCINOMA, -NEOPLASM PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1253

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92909	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 468.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:06	PROSECTOR: TROY ELLENBECKER	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, LUMBAR/ILIAC (LM) :
-MOTTLED; BILATERAL: RED AND TAN (CAP 23)
URETER (UE) :
-LARGE; BILATERAL: EACH IS UP TO 1 MM IN DIAMETER (CAP 24)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-URINARY BLADDER-LARGE LUMEN; 40 X 25 X 20 MM

VAGINA (VA) :
-I-CARCINOMA, -FROM MAMMARY, FEMALE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-N-CARCINOMA, -FROM MAMMARY, FEMALE
URETER (UE) :
>TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1254

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92909 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 468.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:06 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1255

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92910 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 387.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:35 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0472	.0122 %	.0219	WEIGHT TAKEN
RT ADRENAL (AD1)	.0441	.0114 %	.0205	WEIGHT TAKEN
BRAIN (BR)	2.1542	.5559 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.3866	.3578 %	.6437	WEIGHT TAKEN
RT KIDNEY (KD1)	1.3904	.3588 %	.6454	WEIGHT TAKEN
LIVER (LI)	10.9820	2.8341 %	5.0979	WEIGHT TAKEN
LUNG (LU)	1.7913	.4623 %	.8315	WEIGHT TAKEN
LF OVARY (OV0)	.0259	.0067 %	.0120	WEIGHT TAKEN
RT OVARY (OV1)	.0379	.0098 %	.0176	WEIGHT TAKEN
SPLEEN (SP)	.5683	.1467 %	.2638	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0124	.0032 %	.0058	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0103	.0027 %	.0048	WEIGHT TAKEN
UTERUS (UT)	1.1855	.3059 %	.5503	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>APPEARANCE; MALOCCLUSION; VERIFIED AT
 NECROPSY: OBSERVED

HISTOPATHOLOGY

KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 -HEMATOPOIESIS, EXTRAMEDULLARY,
 INCREASED, -MINIMAL
 ADRENAL, CORTEX (AC) :
 -DEGENERATION, CYSTIC / HEMORRHAGIC, -
 MODERATE
 LUNG (LU) :
 -INFILTRATE, MACROPHAGE, ALVEOLAR, -
 MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1256

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92910 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 387.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:35 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-DARK FOCUS(I)/AREA(S); MID ASPECT:
SINGLE DARK BROWN AREA, 5 X 2 MM

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 20)

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS

LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-ANGIECTASIS, -PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
-SECRETORY MATERIAL, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1257

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92910 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 387.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:35 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LIVER (LI), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1258

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92911 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 357.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:05 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE DARK RED AREA, 9 X 6 MM; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1259

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92911 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 357.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:05 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 6 X 5 X 3 MM, DARK RED,
TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 25 X 17 X 10 MM, DARK
RED, RED, TAN, FIRM, AND GELATINOUS;
SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGIONS DIFFUSE:
MULTIPLE WHITE CREAMY FLUID FILLED
CYSTS; COLLECTED ON ROUTINE SECTION

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1260

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92911 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 357.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:05 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1261

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92912 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 704.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/00 8:30 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 80; 90 X 100MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT -HYPERPLASIA, GRANULOSA CELL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1262

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92912	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 704.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:30	PROSECTOR: JAMES T. CALLEN	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 7 X 5 MM, DARK RED AND FIRM

MAMMARY, FEMALE (MF) :
-MASS(ES); EXTENDS FROM RIGHT INGUINAL TO LEFT INGUINAL REGION: SINGLE MASS, 115 X 75 X 30 MM (190.6 GRAMS), TAN, RED, LOBULATED, VASCULAR AND FIRM; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED; OVERLYING SKIN HAS A TAN DRY CRUSTED AREA, 30 X 20 MM; COLLECTED INTACT WITH MASS

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN: CONTAINS A LIGHT GREEN SEMIFLUID MATERIAL

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT

THYMUS (TH) :
>TISSUE MISSING

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1263

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92912	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 704.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:30	PROSECTOR: JAMES T. CALLEN	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENTGENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1264

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92913 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 406.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:38 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 91; 50 X 45MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 7 X 6 X 4 MM (LEFT IS 4 X 4 X 3 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1265

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92913 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 406.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:38 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 7 X 5 X 4 MM; APPEARS SWOLLEN

SKIN (SK) :
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION DUE TO
MASS

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
>UNREMARKABLE
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1266

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92913 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 406.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:38 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 55 X 35 X 30 MM, RED, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; OVERLYING SKIN HAS A SINGLE DARK RED AND MOIST ULCERATED AREA, 45 X 20 MM; COLLECTED INTACT WITH MASS; REGIONAL LN (INGUINAL) NOT IDENTIFIED >NOTE:>ROUTINE SECTION COLLECTED FROM RIGHT INGUINAL REGION DUE TO MASS	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MODERATE VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SEVERE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1267

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92913 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 406.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:38 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1268

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92914 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 181.3 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:53 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.2302	3.9878 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1269

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92914 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 181.3 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:53 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1270

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92915 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 292.7 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 8:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SEVERE -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -HYPERPLASIA, ISLET CELLS, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1271

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92915 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 292.7 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 8:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 11 X 10 X 6 MM, RED, DARK RED, TAN, GRAY, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	CERVIX (CV) : -FIRM; DIFFUSE -LARGE; 10 X 6 X 5 MM	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -SLIGHT CERVIX (CV) : >UNREMARKABLE
		VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -SLIGHT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	FOOT/FOOTPAD (FP) : -ABRASION(S)/ULCERATION(S); BILATERAL HINDFEET: SINGLE TAN AND MOIST AREA ON EACH, EACH IS 4 X 3 X 3 MM; BOTH COLLECTED	FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ULCERATION, -SLIGHT -ACANTHOSIS / HYPERKERATOSIS, -MODERATE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1272

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92915 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 292.7 GRAMS
 DATE AND TIME OF NECROPSY: 02/18/00 8:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -DISCHARGE-OCULAR; BILATERAL: DARK RED
 AND DRY

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
 MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1273

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92916 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/28/00 STUDY DAY OF DEATH: 649 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 01/28/00 11:15 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 46; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 70; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
>WART LIKE LESION(S); MOUTH; WEEK 75; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SLIGHT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 75; 50 X 40MM; VERIFIED AT NECROPSY: OBSERVED		-MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 84; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 4 X 3 X 3 MM (RIGHT IS 4 X 3 X 3 MM)	PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, -SLIGHT
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		-PIGMENT, -SLIGHT
		ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1274

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92916 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/28/00 STUDY DAY OF DEATH: 649 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 01/28/00 11:15 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 5 X 4 MM, RED, DARK
RED, GREY, TAN, LOBULATED AND SOFT;
PORTIONS ADHERED TO BRAIN WITH
MULTIPLE TAN FIBROUS ADHESIONS;
COLLECTED INTACT

SKIN (SK) :

-CRUSTED AREA(S); ATTACHED TO LOWER
RIGHT LIP: SINGLE DRY, BROWN CRUSTED
AREA, 2 X 2 X 1 MM (CAP 21)

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT AXILLARY REGION:
SINGLE TAN AND SOFT MASS, 16 X 11 X 7
MM; SAME ON CUT SURFACE (CAP 25);
REGIONAL LN (AXILLARY) NORMAL (CAP 24)

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE

LUNG (LU) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

HEART (HT) :

-CARDIOMYOPATHY, -MINIMAL

THYROID (TY) :

-B-ADENOMA, C-CELL, -NEOPLASM PRESENT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :

-B-PAPILLOMA, SQUAMOUS CELL, -NEOPLASM
PRESENT

MAMMARY, FEMALE (MF) :

-M-CARCINOMA, - 3 NEOPLASMS PRESENT

-CYST / GALACTOCELE, -PRESENT

-B-FIBROADENOMA, -NEOPLASM PRESENT

-HYPERPLASIA, GLANDULAR, -MODERATE

>NOTE:>MASS #1 IS THE FIBROADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1275

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92916 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/28/00 STUDY DAY OF DEATH: 649 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 01/28/00 11:15 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #2; RIGHT AXILLARY REGION:
SINGLE MASS, 21 X 15 X 9 MM, RED, DARK
RED, GREY, TAN, LOBULATED AND SOFT; ON
SECTION EXUDES A DARK RED FLUID (CAP
26); REGIONAL LN (AXILLARY) NORMAL
(CAP 24)
-MASS #3; LEFT INGUINAL REGION: SINGLE
MASS, 31 X 25 X 14 MM, RED, DARK RED,
GREY, TAN, LOBULATED AND SOFT; SAME ON
CUT SURFACE (CAP 27); REGIONAL LN
(INGUINAL) LEFT NOT IDENTIFIED, RIGHT
IS NORMAL (CAP 23)
-MASS #4; RIGHT INGUINAL REGION:
SINGLE MASS, 58 X 43 X 28 MM, RED,
DARK RED, GREY, TAN, LOBULATED AND
SOFT; SOME SECTIONS EXUDE A TAN,
CREAMY SEMIFLUID; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NORMAL (CAP 23)

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, INGUINAL (IN) :
>TISSUE MISSING
>NOTE:>PIECE OF TISSUE THOUGHT TO BE
LYMPH NODE IS ACTUALLY A PORTION
OF THE MAMMARY TUMOR
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-B-FIBROMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1276

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92916 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/28/00 STUDY DAY OF DEATH: 649 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 01/28/00 11:15 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); RIGHT HINDFOOT:
SINGLE DRY, DARK RED CRUSTED AREA, 6 X
5 X 3 MM; SURROUNDING TISSUE APPEARS
SWOLLEN (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1277

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92916 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/28/00 STUDY DAY OF DEATH: 649 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 407.5 GRAMS
DATE AND TIME OF NECROPSY: 01/28/00 11:15 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1278

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92917 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 523.6 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:16 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0691	.0132 %	.0319	WEIGHT TAKEN
RT ADRENAL (AD1)	.0419	.0080 %	.0194	WEIGHT TAKEN
BRAIN (BR)	2.1639	.4133 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.5698	.2998 %	.7254	WEIGHT TAKEN
RT KIDNEY (KD1)	1.5702	.2999 %	.7256	WEIGHT TAKEN
LIVER (LI)	14.4167	2.7534 %	6.6624	WEIGHT TAKEN
LUNG (LU)	1.8308	.3497 %	.8461	WEIGHT TAKEN
LF OVARY (OV0)	.0734	.0140 %	.0339	WEIGHT TAKEN
RT OVARY (OV1)	.1023	.0195 %	.0473	WEIGHT TAKEN
SPLEEN (SP)	.6282	.1200 %	.2903	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0112	.0021 %	.0052	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0154	.0029 %	.0071	WEIGHT TAKEN
UTERUS (UT)	1.5030	.2871 %	.6946	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 MINIMAL
 -MINERALIZATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATELY SEVERE
 -HEMATOPOIESIS, EXTRAMEDULLARY,
 INCREASED, -SLIGHT
 PANCREAS (PA) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1279

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92917	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99	STUDY DAY OF DEATH: 366	STUDY WEEK OF DEATH: 53	TERMINAL BODY WEIGHT: 523.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:16	PROSECTOR: JOHN S. HALFORD	RECORDED: TONY HANFELD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JARED FISHEL	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PANCREAS (PA) : -MASS(ES); AT CRANIAL END: SINGLE MASS, 19 X 15 X 8 MM, TAN LOBULATED AND FIRM; SAME ON CUT SURFACE (CAP 20); REGIONAL LN (PANCREATIC) NOT IDENTIFIED	PANCREAS (PA) : -NECROSIS / INFLAMMATION, ADIPOSE TISSUE, -PRESENT
	ADRENAL, CORTEX (AC) : -CYST(S); TRIMMING COMMENT: ADRENAL HAS A SINGLE CYST, 2 MM IN DIAMETER	ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE
	PITUITARY (PI) : -LARGE; 5 X 4 X 4 MM; APPEARS SWOLLEN	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -ANGIECTASIS, -PRESENT
	MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE WHITE AND CREAMY SEMIFLUID FILLED CYSTS, UP TO 6 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE -SECRETORY MATERIAL, -PRESENT
	UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE	UTERUS (UT) : >UNREMARKABLE
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED; COLLECTED	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -HEMORRHAGE, -PRESENT
	GENERAL COMMENT (GC) : -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1280

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92917 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 523.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:16 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1281

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92918 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/09/99 STUDY DAY OF DEATH: 508 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 347.3 GRAMS
DATE AND TIME OF NECROPSY: 09/09/99 14:24 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); SINGLE MASS, 11 X 9 X 5 MM, DARK RED, TAN AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -CYST, BILIARY, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1282

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92918 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/09/99 STUDY DAY OF DEATH: 508 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 347.3 GRAMS
DATE AND TIME OF NECROPSY: 09/09/99 14:24 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1283

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92918 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/09/99 STUDY DAY OF DEATH: 508 STUDY WEEK OF DEATH: 73 TERMINAL BODY WEIGHT: 347.3 GRAMS
DATE AND TIME OF NECROPSY: 09/09/99 14:24 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1284

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92919 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 234.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:13 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	9.0816	3.8714 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1285

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92919 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 234.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:13 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1286

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92920 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/30/99 STUDY DAY OF DEATH: 498 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 299.2 GRAMS
DATE AND TIME OF NECROPSY: 08/30/99 13:55 PROSECTOR: DENNIS HOFFMAN RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED AREAS, UP TO 3 X 4 MM; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -CYST(S); RIGHT, CORTICAL SURFACE: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); SINGLE MASS, 7 X 9 X 9 MM, SOFT, RED, DARK RED, TAN AND BROWN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1287

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92920 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/30/99 STUDY DAY OF DEATH: 498 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 299.2 GRAMS
DATE AND TIME OF NECROPSY: 08/30/99 13:55 PROSECTOR: DENNIS HOFFMAN RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 1 X 3 MM

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGION, DIFFUSE:
MULTIPLE WHITE FLUID FILLED CYSTS, UP
TO 4 MM IN DIAMETER (CAP 20)

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN MUCOID MATERIAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1288

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92920 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/30/99 STUDY DAY OF DEATH: 498 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 299.2 GRAMS
DATE AND TIME OF NECROPSY: 08/30/99 13:55 PROSECTOR: DENNIS HOFFMAN RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1289

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92921 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: 299.9 GRAMS
DATE AND TIME OF NECROPSY: 05/17/99 14:22 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 48; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD-ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 15 X 8 X 8 MM, DARK RED, GREY AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : >UNREMARKABLE >NOTE:>SEE MAMMARY GLAND FOR DIAGNOSIS

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1290

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92921 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: 299.9 GRAMS
DATE AND TIME OF NECROPSY: 05/17/99 14:22 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 30 X 20 X 18 MM, RED, TAN
AND SOFT; SAME ON CUT SURFACE;
COLLECTED INTACT; OVERLYING SKIN IS
BLACK AND CRUSTED; COLLECTED WITH
MASS; REGIONAL LN (AXILLARY) NORMAL
(CAP 20)

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
-HYPERPLASIA, GLANDULAR, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1291

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92921 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/17/99 STUDY DAY OF DEATH: 393 STUDY WEEK OF DEATH: 57 TERMINAL BODY WEIGHT: 299.9 GRAMS
DATE AND TIME OF NECROPSY: 05/17/99 14:22 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1292

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92922 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 454.9 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:53 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0303	.0067 %	.0136	WEIGHT TAKEN
RT ADRENAL (AD1)	.0315	.0069 %	.0141	WEIGHT TAKEN
BRAIN (BR)	2.2274	.4896 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.3199	.2902 %	.5926	WEIGHT TAKEN
RT KIDNEY (KD1)	1.4231	.3128 %	.6389	WEIGHT TAKEN
LIVER (LI)	11.3904	2.5039 %	5.1138	WEIGHT TAKEN
LUNG (LU)	1.6016	.3521 %	.7190	WEIGHT TAKEN
LF OVARY (OV0)	.0896	.0197 %	.0402	WEIGHT TAKEN
RT OVARY (OV1)	.0890	.0196 %	.0400	WEIGHT TAKEN
SPLEEN (SP)	.6828	.1501 %	.3065	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0105	.0023 %	.0047	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0145	.0032 %	.0065	WEIGHT TAKEN
UTERUS (UT)	.7457	.1639 %	.3348	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -VACUOLATION, HEPATOCELLULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 -HEMATOPOIESIS, EXTRAMEDULLARY,
 INCREASED, -MODERATE
 ADRENAL, CORTEX (AC) :
 -DEGENERATION, CYSTIC / HEMORRHAGIC, -
 SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1293

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92922 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 454.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:53 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-HEMORRHAGE, -PRESENT
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
-SECRETORY MATERIAL, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1294

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92922 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 454.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:53 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92923 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 374.6 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0305	.0081 %	.0143	WEIGHT TAKEN
RT ADRENAL (AD1)	.0273	.0073 %	.0128	WEIGHT TAKEN
BRAIN (BR)	2.1318	.5691 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.0985	.2932 %	.5153	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1508	.3072 %	.5398	WEIGHT TAKEN
LIVER (LI)	9.0597	2.4185 %	4.2498	WEIGHT TAKEN
LUNG (LU)	1.3671	.3649 %	.6413	WEIGHT TAKEN
LF OVARY (OV0)	.0361	.0096 %	.0169	WEIGHT TAKEN
RT OVARY (OV1)	.0412	.0110 %	.0193	WEIGHT TAKEN
SPLEEN (SP)	.5812	.1552 %	.2726	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0102	.0027 %	.0048	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0114	.0030 %	.0053	WEIGHT TAKEN
UTERUS (UT)	1.1680	.3118 %	.5479	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>SKIN & PELAGE; SORE/SCAB; DORSAL-
 THORACIC-RIGHT; VERIFIED AT NECROPSY:
 OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERPLASIA, BILE DUCT, -MINIMAL
 -INFLAMMATION, SUBACUTE, -MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATELY SEVERE
 STOMACH, GL (ST) :
 -EDEMA, -MINIMAL
 -INFLAMMATION, ACUTE, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1296

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92923 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 374.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-CRUSTED AREA(S); RIGHT DORSAL LUMBAR
REGION: SINGLE RED AND TAN AREA, 12 X
8 MM (CAP 20)

CERVIX (CV) :
-MASS(ES); RIGHT SIDE OF SEROSAL
SURFACE, SINGLE MASS, 4 MM IN
DIAMETER, TAN AND FIRM, SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(LUMBAR) NOT IDENTIFIED

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-ULCERATION, -MODERATE
MAMMARY, FEMALE (MF) :
-SECRETORY MATERIAL, -PRESENT
CERVIX (CV) :
-CYST, SQUAMOUS, -PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1297

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92923 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 374.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1298

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92924 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 477.2 GRAMS
 DATE AND TIME OF NECROPSY: 11/29/99 15:04 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); LIMB-HIND-LEFT; WEEK 83; 80 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MODERATE -B-ADENOMA, -NEOPLASM PRESENT
	ADRENAL, CORTEX (AC) : -DARK FOCUS(I)/AREA(S); RIGHT, CORTEX: TWO BROWN SLIGHTLY RAISED AREAS, EACH IS 2 MM IN DIAMETER	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1299

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92924 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 477.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:04 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MUSCLE, SKELETAL (SM) :
>NOTE:>THIGH MUSCLE: ROUTINE SECTION
TAKEN FROM RIGHT THIGH, DUE TO
MASS
NERVE, SCIATIC (SN) :
>NOTE:>ROUTINE SECTION TAKEN FROM RIGHT
SIDE DUE TO MASS
PITUITARY (PI) :
-MASS(ES); 7 X 7 X 5 MM, RED, DARK
RED, TAN, GREY, AND SOFT

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
NERVE, SCIATIC (SN) :
>TISSUE MISSING
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
SKIN (SK) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
>NOTE:>ALSO SEE CLITORAL GLAND SEE SKIN
FOR DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1300

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92924 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 477.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:04 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL AREA, EXTENDING OVER LEFT FLANK: SINGLE MASS, 70 X 70 X 55 MM, RED, DARK RED, TAN, LOBULATED, AND CYSTIC; SOME SECTIONS EXUDE A DARK RED FLUID; PORTION COLLECTED; REGIONAL LN (INGUINAL) NORMAL (CAP 21); OVERLYING SKIN HAS A SINGLE BLACK CRUSTED AREA, 40 X 25; COLLECTED INTACT WITH MASS -THICKENED; ALL REGIONS DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION -CYST(S); ALL REGIONS DIFFUSE: MULTIPLE TAN CREAMY FLUID FILLED CYSTS, UP TO 8 MM IN DIAMETER; COLLECTED	VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -MODERATELY SEVERE CAUSE OF DEATH (CD) : -NEOPLASM, SKIN/MUSCLE/SUBCUTIS, - PRESENT LN, INGUINAL (IN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT CLITORAL GLAND (CL) : -ECTASIA, DUCTAL, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1301

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92924 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/29/99 STUDY DAY OF DEATH: 589 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: 477.2 GRAMS
DATE AND TIME OF NECROPSY: 11/29/99 15:04 PROSECTOR: TERRI L. WILLIAMS RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1302

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92925 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 551.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:28 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 84; 80 X 80MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 92; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 99; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT
>SKIN & PELAGE; SORE/SCAB; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED		-HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SLIGHT -MINERALIZATION, PELVIC, -MODERATE
		-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE
		PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, -MINIMAL
		ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1303

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92925 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 551.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:28 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 8 X 6 MM, RED, DARK
RED, TAN, AND SOFT

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE BROWN LINEAR AREAS, UP TO 3 X
1 MM

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -SLIGHT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-B-ADENOMA, - 2 NEOPLASMS PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1304

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92925 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 551.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:28 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 25 X 15 X 10 MM, RED,
TAN, AND SOFT; ON SECTION EXUDES A TAN
CASEOUS SEMIFLUID (CAP 22); REGIONAL
LN (AXILLARY) NORMAL (CAP 23)
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 35 X 20 X 10 MM, RED, TAN, AND
FIRM; SAME ON CUT SURFACE (CAP 24);
REGIONAL LN (INGUINAL) NOT IDENTIFIED
-MASS #3; MID INGUINAL REGION
EXTENDING TO PERIANAL REGION: SINGLE
MASS, 110 X 85 X 30 MM (155.0 GRAMS),
RED, DARK RED, AND FIRM; SAME ON CUT
SURFACE; OVERLYING SKIN HAS MULTIPLE
MOIST BROWN ERODED AREAS, UP TO 25 MM
IN DIAMETER; COLLECTED WITH MASS;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; RIGHT; COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

MAMMARY, FEMALE (MF) :
>NOTE:>MASS #1 IS AN ADENOMA MASS #3 IS
A FIBROADENOMA MASS #2 CONTAINS
BOTH FIBROADENOMA AND ADENOMA

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1305

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92925	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 551.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:28	PROSECTOR: TROY ELLENBECKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1306

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92926 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 203.0 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:34 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.4195	3.6553 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1307

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92926 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 203.0 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:34 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1308

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92927 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 389.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/19/00 11:15 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 88; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -MINERALIZATION, -MINIMAL
>MASS(ES); VENTRAL-THORACIC-RIGHT; WEEK 91; 80 X 50MM MASSES APPEAR TO HAVE GROWN TOGETHER; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 94; 25 X 20MM; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -DIFFUSELY DARK; BILATERAL: DARK BROWN	KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -DILATATION, PELVIC, -SEVERE -DEGENERATION TUBULAR, -SLIGHT
>SKIN & PELAGE; BLACK SKIN; VENTRAL-THORACIC; VERIFIED AT NECROPSY: OBSERVED	SPLEEN (SP) : -LARGE; 57 X 15 X 8 MM	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE
>MASS(ES); INGUINAL REGION-LEFT; WEEK 105; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 9 X 7 X 7 MM (RIGHT IS 5 X 3 X 3 MM) -DIFFUSELY RED; LEFT: DARK RED	ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, -SEVERE -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1309

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92927 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 389.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:15 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 7 X 5 X 5 MM; APPEARS SWOLLEN
-RED FOCUS(1)/AREA(S); DIFFUSE:
MULTIPLE DARK RED AREAS, UP TO 1 MM IN
DIAMETER
MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL THORACIC REGION:
SINGLE MASS, 70 X 35 X 20 MM, RED,
DARK RED, TAN, GREY, LOBULATED AND
FIRM; SAME ON CUT SURFACE; OVERLYING
SKIN HAS A SINGLE ULCERATED AREA, 50 X
30 MM; COLLECTED INTACT WITH MASS (CAP
22); REGIONAL LN (SEE AXILLARY)
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -MODERATE
MAMMARY, FEMALE (MF) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
-FIBROSIS, -MODERATELY SEVERE
>NOTE:>MASS #1 CONSISTS OF INFLAMMATION
AND FIBROSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1310

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92927 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 389.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:15 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #2; RIGHT AXILLARY REGION: SINGLE MASS, 50 X 50 X 35 MM, RED, TAN, GREY, FIRM AND LOBULATED; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (SEE AXILLARY) -MASS #3; RIGHT INGUINAL REGION AND LEFT PERIANAL REGION: TWO MASSES, RIGHT INGUINAL IS 40 X 25 X 20 MM, LEFT PERIANAL IS 25 X 20 X 15 MM, BOTH ARE RED, TAN, GREY AND FIRM; BOTH ARE SAME ON CUT SURFACE; RIGHT INGUINAL COLLECTED; REGIONAL LN (LEFT INGUINAL) NORMAL (CAP 23); RIGHT NOT IDENTIFIED	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	LN, AXILLARY (AX) : -LARGE; BILATERAL: EACH IS 10 X 8 X 3 MM (CAP 24)	LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -GI TRACT-DARK FLUID CONTENT; DUODENUM, JEJUNUM, ILEUM, CECUM AND COLON: FILLED WITH A DARK GREEN SEMIFLUID MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1311

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92927 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 389.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:15 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN), LN, INGUINAL (IN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1312

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92928 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 460.4 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL -INFLAMMATION, ACUTE, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1313

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92928	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99	STUDY DAY OF DEATH: 575	STUDY WEEK OF DEATH: 83	TERMINAL BODY WEIGHT: 460.4 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:18	PROSECTOR: TODD ACKER	RECORDED: TODD ACKER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		ESOPHAGUS (ES) : -HYPERKERATOSIS, -MODERATE
		THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT
		PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 15 X 10 X 8 MM, DARK RED, RED, TAN AND SOFT	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: SINGLE RED ERODED AREA, 10 X 4 MM	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -SLIGHT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	LN, MANDIBULAR (MN) : -MOTTLED; LEFT: RED AND TAN; COLLECTED	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1314

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92928 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 460.4 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1315

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92929 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/08/99 STUDY DAY OF DEATH: 415 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 279.4 GRAMS
DATE AND TIME OF NECROPSY: 06/08/99 14:55 PROSECTOR: GREGORY CODDINGTON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 13 X 8 X 8 MM, RED, DARK RED, TAN AND SOFT GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; RIGHT UPPER INCISOR	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MINIMAL MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1316

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92929 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/08/99 STUDY DAY OF DEATH: 415 STUDY WEEK OF DEATH: 60 TERMINAL BODY WEIGHT: 279.4 GRAMS
DATE AND TIME OF NECROPSY: 06/08/99 14:55 PROSECTOR: GREGORY CODDINGTON RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1317

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92930 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 631.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0457	.0072 %	.0214	WEIGHT TAKEN
RT ADRENAL (AD1)	.0386	.0061 %	.0180	WEIGHT TAKEN
BRAIN (BR)	2.1404	.3388 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.8673	.2956 %	.8724	WEIGHT TAKEN
RT KIDNEY (KD1)	1.9836	.3140 %	.9267	WEIGHT TAKEN
LIVER (LI)	18.5142	2.9304 %	8.6499	WEIGHT TAKEN
LUNG (LU)	1.5595	.2468 %	.7286	WEIGHT TAKEN
LF OVARY (OV0)	.0605	.0096 %	.0283	WEIGHT TAKEN
RT OVARY (OV1)	.0605	.0096 %	.0283	WEIGHT TAKEN
SPLEEN (SP)	.6350	.1005 %	.2967	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0206	.0033 %	.0096	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0220	.0035 %	.0103	WEIGHT TAKEN
UTERUS (UT)	.9256	.1465 %	.4324	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS
 >SKIN & PELAGE; SORE/SCAB; DORSAL-
 THORACIC-RIGHT; VERIFIED AT NECROPSY:
 OBSERVED

BRAIN (BR) :
 -COMPRESSED (HYPOTHALAMUS)

HISTOPATHOLOGY

BRAIN (BR) :
 -COMPRESSION, VENTRAL, -PRESENT
 >NOTE:>SOME EXTENSION OF THE PITUITARY
 MASS INTO WHAT APPEARS TO BE A
 RECESS OF THE PIA MATER. THIS
 WAS NOT INTERPRETED TO BE ACTUAL
 INVASION OF THE BRAIN.
 LIVER (LI) :
 -VACUOLATION, HEPATOCELLULAR,
 PERIportal, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1318

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92930	SEX: FEMALE	DOSE GROUP: 1	SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99	STUDY DAY OF DEATH: 366	STUDY WEEK OF DEATH: 53	TERMINAL BODY WEIGHT: 631.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35	PROSECTOR: GREGORY CODDINGTON	RECORDED: TONY HANFELD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JARED FISHEL	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 8 X 7 X 5 MM; APPEARS SWOLLEN

SKIN (SK) :
-CRUSTED AREA(S); RIGHT DORSAL LUMBAR:
SINGLE TAN, DRY CRUSTED AREA, 23 X 7
MM (CAP 21)
-LIGHT AREA(S)/FOCUS(I); MID DORSAL
LUMBAR REGION: SINGLE TAN AREA, 25 X 7
MM (CAP 22)

KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
SLIGHT
-MINERALIZATION, PELVIC, -MODERATE
-MINERALIZATION, TUBULAR, -MINIMAL
-PIGMENT, TUBULAR, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MODERATE
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-INFLAMMATION, ACUTE, -MINIMAL
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-ULCERATION, -SLIGHT
-HEMORRHAGE, -PRESENT
-DEGENERATION, MUSCLE, SUBCUTANEOUS, -
SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1319

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92930 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 631.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN CREAMY SEMIFLUID FILLED
CYSTS, UP TO 12 X 10 X 8 MM (CAP 20)

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-SECRETORY MATERIAL, -PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1320

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92930 SEX: FEMALE DOSE GROUP: 1 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 631.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:35 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1321

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92931 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/22/99 STUDY DAY OF DEATH: 490 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/22/99 14:45 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 69; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -CONGESTION, -PRESENT -VACUOLATION, HEPATOCELLULAR, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -CONGESTION, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1322

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92931 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/22/99 STUDY DAY OF DEATH: 490 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/22/99 14:45 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 8 X 6 X 6 MM,
RED, GRAY, SOFT AND LOBULATED
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 15 X 10 X 8 MM, RED, TAN
AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 21)

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-B-ADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1323

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92931 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/22/99 STUDY DAY OF DEATH: 490 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/22/99 14:45 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1324

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92932 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/29/99 STUDY DAY OF DEATH: 285 STUDY WEEK OF DEATH: 41 TERMINAL BODY WEIGHT: 260.1 GRAMS
DATE AND TIME OF NECROPSY: 01/29/99 15:03 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 18; 45 X 35MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 25; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; SORE/SCAB; VENTRAL-ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 6 MM IN DIAMETER	LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -REGENERATION, TUBULAR EPITHELIUM, -MINIMAL -VACUOLATION, TUBULAR EPITHELIUM, -MINIMAL -KARYOMEGALY, TUBULAR CELL, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL LN, MESENTERIC (MS) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -MODERATE MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1325

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92932	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/29/99	STUDY DAY OF DEATH: 285	STUDY WEEK OF DEATH: 41	TERMINAL BODY WEIGHT: 260.1 GRAMS
DATE AND TIME OF NECROPSY: 01/29/99 15:03	PROSECTOR: NANCY DIEDRICH	RECORDED: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -LARGE; 5 X 5 X 3 MM, APPEARS SWOLLEN -DARK FOCUS(I)/AREA(S); MID POSTERIOR ASPECT: SINGLE GREY FOCUS, 1 MM IN DIAMETER MAMMARY, FEMALE (MF) : -MASS(ES); ENTIRE ABDOMINAL REGION, EXTENDING TO VULVA AND LEFT HIND LEG: SINGLE MASS, 90 X 50 X 30 MM, RED, DARK RED, TAN, BROWN, FIRM, AND LOBULATED; SAME ON CUT SURFACE; ON SECTION, SOME AREAS EXUDED A DARK BROWN SEMIFLUID; COLLECTED; OVERLYING SKIN HAS MULTIPLE DARK RED AND BROWN ABRADED AREAS, UP TO 40 X 20 MM; COLLECTED INTACT WITH MASS; REGIONAL LN (INGUINAL) NORMAL VAGINA (VA) : -SEMIFLUID MATERIAL; TAN AND MUCOID LN, INGUINAL (IN) : >NOTE:>INGUINAL LYMPH NODE THAT IS REGIONAL TO MAMMARY GLAND MASS IS COLLECTED (CAP 20)	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -ANGIECTASIS, -PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -CYST / GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, INGUINAL (IN) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1326

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92932	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/29/99	STUDY DAY OF DEATH: 285	STUDY WEEK OF DEATH: 41	TERMINAL BODY WEIGHT: 260.1 GRAMS
DATE AND TIME OF NECROPSY: 01/29/99 15:03	PROSECTOR: NANCY DIEDRICH	RECORDER: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1327

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92933 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 541.0 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:38 PROSECTOR: DAVID SCHUETTE RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 64; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -INFLAMMATION, ACUTE, -SLIGHT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 74; 70 X 70MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE AREAS, UP TO 5 X 4 MM; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : >UNREMARKABLE
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL-ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		-HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT
>SKIN & PELAGE; BLACK SKIN; VENTRAL-ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		-HYPERPLASIA, BILE DUCT, -SLIGHT
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MODERATE
>RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -SEVERE
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, TUBULAR, -MODERATE
>EYES; PALE; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE		-HYPERPLASIA, TRANSITIONAL CELL, -MODERATE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 X 5 X 5 MM (RIGHT IS 5 X 4 X 3 MM)	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE
		PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, -MINIMAL
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1328

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92933 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 541.0 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:38 PROSECTOR: DAVID SCHUETTE RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 7 X 6 X 4 MM
-MOTTLED; BROWN, DARK BROWN AND TAN

ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
SEVERE
-PIGMENT, -SLIGHT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-HYPERPLASIA, TYPE II PNEUMOCYTE, -
SLIGHT
-MINERALIZATION, SEPTAL, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MODERATELY SEVERE
TRACHEA (TR) :
-EXUDATE, LUMINAL, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
PARATHYROID (PT) :
-HYPERPLASIA, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1329

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92933 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 541.0 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:38 PROSECTOR: DAVID SCHUETTE RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-EROSION/ULCERATION; MUCOSA: SINGLE
DARK RED ULCERATED AREA, 4 X 2 MM

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 50 X 40 X 25 MM, TAN,
FIRM AND LOBULATED; SAME ON CUT
SURFACE; SOME SECTIONS EXUDE A TAN
CREAMY SEMIFLUID MATERIAL; COLLECTED
INTACT; REGIONAL LN (SEE AXILLARY)
-THICKENED; ALL REGIONS, DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION
-MASS #2; RIGHT INGUINAL REGION,
EXTENDING TO MID VENTRAL ABDOMINAL
REGION: SINGLE MASS, 70 X 70 X 25 MM,
DARK BROWN, BROWN, TAN, FIRM AND
LOBULATED; SAME ON CUT SURFACE; ON
SECTION EXUDES A DARK BROWN FLUID
MATERIAL; OVERLYING SKIN HAS MULTIPLE
DRY DARK BROWN CRUSTED AREAS, UP TO 6
MM IN DIAMETER; COLLECTED INTACT;
REGIONAL LN (SEE AXILLARY)

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

STOMACH, GL (ST) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-MINERALIZATION, GLANDULAR MUCOSA, -
MODERATELY SEVERE

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS 2 IS THE FIBROADENOMA

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
>NOTE:>CAUSE OF DEATH IS THE ADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1330

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92933 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 541.0 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:38 PROSECTOR: DAVID SCHUETTE RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-MOTTLED; BILATERAL: BROWN AND TAN
(CAP 22)
LN, MANDIBULAR (MN) :
-LARGE; RIGHT: 15 X 8 X 5 MM (LEFT IS
5 X 3 X 2 MM) (CAP 21)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: MOIST,
BROWN MATERIAL

LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE
-ABSCESS, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1331

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92933 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 541.0 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:38 PROSECTOR: DAVID SCHUETTE RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), ESOPHAGUS (ES), THYROID (TY), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1332

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92934 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 327.4 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 8:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 9 X 8 X 8 MM, DARK RED AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -MINIMAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1333

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92934 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 327.4 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 8:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-LARGE; RIGHT: UP TO 4 X 4 X 3 MM
(LEFT IS UP TO 3 X 2 X 2 MM) (CAP 21)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL LOWER
INCISORS
-TEETH MISSING/BROKEN/WORN; RIGHT
UPPER INCISOR: BROKEN OFF AT BASE
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL
-ANIMAL THIN
-DISCHARGE-NASAL; DRY, RED MATERIAL

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1334

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92934 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 327.4 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 8:05 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1335

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92935 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/22/99 STUDY DAY OF DEATH: 612 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 356.3 GRAMS
DATE AND TIME OF NECROPSY: 12/22/99 11:11 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); LEFT LATERAL LOBE: SINGLE DARK RED AREA, 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 13 X 10 X 10 MM (LEFT IS 4 X 3 X 3 MM)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1336

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92935 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/22/99 STUDY DAY OF DEATH: 612 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 356.3 GRAMS
DATE AND TIME OF NECROPSY: 12/22/99 11:11 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 10 X 7 MM, RED, DARK
RED, GRAY, AND SOFT

UTERUS (UT) :
-THICKENED WALL; BILATERAL, DIFFUSE
-MASS(ES); MID RIGHT HORN: SINGLE
PEDUNCULATED MASS, 9 X 6 X 6 MM, TAN,
LOBULATED, AND FIRM; SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(LUMBAR) NORMAL (CAP 21)

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

UTERUS (UT) :
-DILATATION, -SLIGHT
-B-LEIOMYOMA, -NEOPLASM PRESENT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -MODERATE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1337

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92935	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/22/99	STUDY DAY OF DEATH: 612	STUDY WEEK OF DEATH: 88	TERMINAL BODY WEIGHT: 356.3 GRAMS
DATE AND TIME OF NECROPSY: 12/22/99 11:11	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DARK RED AND
MOIST

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1338

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92936 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 328.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:30 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 63; 50 X 40MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 11 X 10 X 6 MM, DARK RED, TAN, SOFT, AND LOBULATED STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE DARK BROWN ERODED AREAS, UP TO 3 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1339

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92936 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 328.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:30 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 55 X 35 X 22 MM, TAN,
FIRM, AND LOBULATED; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 23)
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
GENERAL INFORMATION (XX) :
>NOTE:>ANIMAL NECROPSIED OUT OF ORDER
DUE TO MORIBUND CONDITION
FOLLOWING BLOOD COLLECTION

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1340

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92936 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 328.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:30 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1341

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92937 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 270.4 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 9:45 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL; WEEK 61; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 64; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 15 X 10 X 10 MM, DARK RED, TAN, AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL -VACUOLATION, FOCAL, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1342

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92937 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 270.4 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 9:45 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN, CREAMY SEMIFLUID FILLED CYSTS, UP TO 15 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION AND CAP 20; POSSIBLY CONSISTENT WITH MASSES NOTED IN CLINICAL OBSERVATIONS	CERVIX (CV) : >TISSUE MISSING VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL, UPPER INCISORS -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY -ANIMAL THIN -DISCHARGE-NASAL; DARK RED AND DRY	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1343

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92937 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 270.4 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 9:45 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LIVER (LI), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1344

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92938 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 650.9 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/00 10:32 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 8 X 5 X 5 MM (LEFT IS 5 X 4 X 4 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -MODERATELY SEVERE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 6 X 6 X 4 MM, RED, DARK RED, GREY, AND SOFT MAMMARY, FEMALE (MF) : -CYST(S); MID PERINEAL REGION: MULTIPLE TAN CREAMY SEMIFLUID FILLED CYSTS, UP TO 15 X 10 MM (CAP 22)	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1345

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92938 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 650.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:32 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); BILATERAL HINDFEET:
SINGLE RED, TAN, AND MOIST AREA ON
EACH, LEFT IS 5 X 3 MM, RIGHT IS 17 X
13 X 3 MM, SURROUNDING TISSUE APPEARS
SWOLLEN; BOTH COLLECTED
ADIPOSE TISSUE (AT) :
-GELATINOUS; TISSUE SURROUNDING BOTH
UTERINE HORNS, AND BOTH KIDNEYS: CLEAR
AND YELLOW (CAP 23)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -MODERATE
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -SEVERE
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
ADIPOSE TISSUE (AT) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE PERITONEAL CAVITY FOR
DIAGNOSIS OF MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1346

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92938 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 650.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:32 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1347

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92939 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 351.3 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 47; 30 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 63; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL
>MASS(ES); AXILLARY REGION-LEFT; WEEK 58; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL
		LUNG (LU) : -N-CARCINOMA, -FROM MAMMARY, FEMALE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1348

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92939 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 351.3 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); TRIMMING COMMENT: RIGHT CRANIAL LOBE: SINGLE TAN AREA, 3 X 4 MM; TRIMMED IN BLOCK 11 WITH ROUTINE SECTIONS PITUITARY (PI) : -MASS(ES); 6 MM IN DIAMETER, DARK RED AND SOFT; PORTION COLLECTED ON BRAIN MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT SHOULDER REGION: SINGLE MASS, 60 X 40 X 25 MM, TAN, RED, LOBULATED, FIRM AND VASCULAR; SAME ON CUT SURFACE; SKIN OVERLYING MASS HAS DARK RED AND BROWN ULCERATED AREA, 30 X 20 MM; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 20) -MASS #2; LEFT AXILLARY REGION: SINGLE MASS, 35 X 30 X 20 MM, TAN, DARK RED, RED AND LOBULATED; SAME ON CUT SURFACE; SOME SECTIONS EXUDE A TAN GELATINOUS SEMISOLID MATERIAL; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 20) -MASS #3; RIGHT VENTRAL ABDOMINAL: SINGLE MASS, 30 X 30 X 15 MM, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (INGUINAL) NOT IDENTIFIED	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 3 NEOPLASMS PRESENT -CYST / GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1349

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92939 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 351.3 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-CYST(S); BILATERAL, WITHIN WALLS:
MULTIPLE CLEAR FLUID FILLED CYSTS, UP
TO 2 MM IN DIAMETER

UTERUS (UT) :
-DILATATION, -MODERATELY SEVERE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
GENERAL INFORMATION (XX) :
>NOTE:>ANIMAL INADVERTENTLY SACRIFICED
WITH SODIUM PENTOBARBITAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1350

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92939 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 351.3 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 14:44 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1351

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92940 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99 STUDY DAY OF DEATH: 603 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 587.6 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 13:31 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 50; 100 X 90MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 73; 60 X 70MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 9 X 5 X 5 MM (RIGHT IS 5 X 3 X 3 MM) -IRREGULAR SHAPE; LEFT: LOBULATED PITUITARY (PI) : -DARK FOCUS(I)/AREA(S); MID ASPECT: SINGLE DARK BROWN FOCUS, 1 MM IN DIAMETER	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1352

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92940	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99	STUDY DAY OF DEATH: 603	STUDY WEEK OF DEATH: 87	TERMINAL BODY WEIGHT: 587.6 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 13:31	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHED: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHED: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -LIGHT FOCUS(I)/AREA(S); MUCOSA: MULTIPLE GREY, INDISTINCT AREAS MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGIONAL: SINGLE MASS, 80 X 61 X 55 MM, RED, DARK RED, GREY, TAN, LOBULATED, VASCULAR, AND FIRM; SOME SECTIONS EXUDE A TAN, CREAMY SEMIFLUID MATERIAL; COLLECTED INTACT; REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #2; LEFT AXILLARY REGION: SINGLE MASS, 128 X 91 X 73 MM (199.0 GRAMS), RED, DARK RED, GREY, TAN, VASCULAR, LOBULATED AND FIRM; SOME SECTIONS EXUDE A TAN, CREAMY SEMIFLUID MATERIAL; PORTION COLLECTED; REGIONAL LN (SEE AXILLARY) -MASS #3; LEFT LATERAL THORACIC REGION: SINGLE MASS, 15 X 11 X 9 MM, DARK BROWN, LOBULATED AND SOFT; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (INGUINAL) NOT IDENTIFIED LN, AXILLARY (AX) : -MOTTLED; LEFT: RED AND TAN (CAP 21) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	STOMACH, GL (ST) : >UNREMARKABLE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -B-ADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #3 IS THE ADENOMA CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1353

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92940	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/13/99	STUDY DAY OF DEATH: 603	STUDY WEEK OF DEATH: 87	TERMINAL BODY WEIGHT: 587.6 GRAMS
DATE AND TIME OF NECROPSY: 12/13/99 13:31	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1354

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92941 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 209.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:05 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.4862	4.0494 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1355

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92941 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 209.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:05 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1356

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92942 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/02/99 STUDY DAY OF DEATH: 348 STUDY WEEK OF DEATH: 50 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 04/02/99 15:14 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 11; 85 X 80MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 50; 35 X 25MM; VERIFIED AT NECROPSY: OBSERVED	SPLEEN (SP) : -LARGE; 12 X 17 X 75 MM LUNG (LU) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED FOCI, PINPOINT AND UP TO 1 MM IN DIAMETER	LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, - MODERATE KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE LUNG (LU) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1357

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92942 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/02/99 STUDY DAY OF DEATH: 348 STUDY WEEK OF DEATH: 50 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 04/02/99 15:14 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 23 X 28 X 40 MM, FIRM,
TAN, WHITE AND LOBULATED; SAME ON CUT
SURFACE (CAP 20); REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 50 X 60 X 70 MM, FIRM, RED, DARK
RED, TAN AND LOBULATED; SAME ON CUT
SURFACE; OVERLYING SKIN HAS A 35 X 40
MM DARK BROWN, DRY CRUSTED AREA;
COLLECTED INTACT WITH MASS; REGIONAL
LN (INGUINAL) NOT IDENTIFIED

MAMMARY, FEMALE (MF) :
>NOTE:>MASS #1 IS THE FIBROADENOMA

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1358

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92942 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/02/99 STUDY DAY OF DEATH: 348 STUDY WEEK OF DEATH: 50 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 04/02/99 15:14 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1359

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92943 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 318.7 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:38 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >MASS(ES); INGUINAL REGION-RIGHT; WEEK 92; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -CYST(S); VISCERAL SURFACE OF RIGHT MEDIAN LOBE: SINGLE CLEAR FLUID FILLED CYST, 1 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 8 MM IN DIAMETER MM (LEFT IS 5 X 3 X 2 MM) -RED FOCUS(I)/AREAS(I); RIGHT: SINGLE DARK RED AREA, 7 X 5 MM LN, MESENTERIC (MS) : -DIFFUSELY DARK; GREEN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -CYST, BILIARY, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL LN, MESENTERIC (MS) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1360

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92943	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00	STUDY DAY OF DEATH: 677	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: 318.7 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:38	PROSECTOR: NANCY DIEDRICH	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
	THYROID (TY) : -LARGE; RIGHT: 9 X 4 X 3 MM (LEFT IS 5 X 3 X 2 MM) -DIFFUSELY LIGHT; BILATERAL: TAN	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
	PITUITARY (PI) : -MASS(ES); 15 X 10 X 10 MM, RED, DARK RED, BROWN, TAN, AND SOFT	THYROID (TY) : >UNREMARKABLE
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT PERINEAL REGION: SINGLE MASS, 30 X 25 X 20 MM, RED, TAN, LOBULATED, AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NORMAL (CAP 22) -THICKENED; ALL REGIONS DIFFUSE: TAN AND FIRM (CAP 21)	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT >NOTE:>FIBROADENOMA ALSO ON SLIDE #21
	CERVIX (CV) : -LARGE; 10 MM IN DIAMETER	UTERUS (UT) : >UNREMARKABLE
		CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MODERATE
		VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1361

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92943 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 318.7 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:38 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

TAIL (TI) :
-CRUSTED AREA(S); PROXIMAL ONE-THIRD
OF TAIL: MULTIPLE BROWN DRY CRUSTED
AREAS, UP TO 3 MM IN DIAMETER;
COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
TAIL (TI) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1362

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92943 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 318.7 GRAMS
DATE AND TIME OF NECROPSY: 02/25/00 8:38 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), HEMATO NEOPLASIA (HN), LN, INGUINAL (IN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1363

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92944 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 346.5 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:16 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0428	.0124 %	.0193	WEIGHT TAKEN
RT ADRENAL (AD1)	.0403	.0116 %	.0182	WEIGHT TAKEN
BRAIN (BR)	2.2158	.6395 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2156	.3508 %	.5486	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2941	.3735 %	.5840	WEIGHT TAKEN
LIVER (LI)	10.8619	3.1347 %	4.9020	WEIGHT TAKEN
LUNG (LU)	1.4298	.4126 %	.6453	WEIGHT TAKEN
LF OVARY (OV0)	.0969	.0280 %	.0437	WEIGHT TAKEN
RT OVARY (OV1)	.1016	.0293 %	.0459	WEIGHT TAKEN
SPLEEN (SP)	.6829	.1971 %	.3082	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0137	.0040 %	.0062	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0135	.0039 %	.0061	WEIGHT TAKEN
UTERUS (UT)	.7094	.2047 %	.3202	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1364

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92944 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 346.5 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:16 PROSECTOR: TROY ELLENBECKER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1365

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92945 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 191.0 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:06 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	6.9870	3.6589 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1366

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92945 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 191.0 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:06 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1367

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92946 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 565.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:10 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 105; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -HYPERPLASIA, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 6 X 5 X 4 MM, DARK RED, TAN AND SOFT MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 25 X 15 X 12 MM, RED, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (AXILLARY) NORMAL (CAP 22)	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1368

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92946 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 565.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:10 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE:
COLLECTED ON ROUTINE SECTION

UTERUS (UT) :
-CYST(S); LEFT HORN, WITHIN LUMEN:
SINGLE CLEAR FLUID FILLED CYST, 5 X 3
X 3 MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATELY SEVERE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1369

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92946 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 565.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:10 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1370

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92947 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 349.0 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 9:45 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1371

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92947 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 349.0 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 9:45 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 7 X 6 X 5 MM, RED, DARK RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL
		CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MODERATE
	VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: LIGHT GREEN, MUCOID SEMIFLUID	VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -MODERATE
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL UPPER AND LOWER INCISORS -DISCHARGE-OCULAR; BILATERAL: DRY, RED MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1372

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92947 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 349.0 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 9:45 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1373

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92948 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 400.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL; WEEK 96; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -MOTTLED; ALL LOBES: DARK RED, AND TAN -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS SPLEEN (SP) : -LIGHT FOCUS(I)/AREA(S); ALONG MARGIN: SINGLE TAN AREA, 6 MM IN DIAMETER ADRENAL, CORTEX (AC) : -LARGE; LEFT: 23 X 20 X 17 MM (RIGHT IS 4 X 3 X 2 MM)	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -CONGESTION, -PRESENT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE -PIGMENT, -SLIGHT -B-ADENOMA, -NEOPLASM PRESENT -DEGENERATION / NECROSIS, UNILATERAL, - MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1374

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92948 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 400.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-MISSING/NOT IDENTIFIED; NOT
POSITIVELY IDENTIFIED; SUBMITTED WITH
THICKENED ADIPOSE TISSUE (CAP 23)

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT VENTRAL CERVICAL
REGION: SINGLE MASS, 30 X 17 X 10 MM,
TAN AND SOFT; SAME ON CUT SURFACE (CAP
24); REGIONAL LN (SEE MANDIBULAR)
-THICKENED; ALL REGIONS DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION

ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
THYMUS (TH) :
>TISSUE MISSING

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-EMBOLISM, ADIPOSE TISSUE, -MODERATELY
SEVERE

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -SLIGHT

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1375

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92948 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 400.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-LARGE; BILATERAL: EACH IS UP TO 17 X
10 X 4 MM (CAP 21)
LN, MANDIBULAR (MN) :
-LARGE; BILATERAL, DEEP CERVICAL: EACH
IS UP TO 15 X 7 X 4 MM (CAP 22)
ADIPOSE TISSUE (AT) :
-THICKENED; SURROUNDING THYMUS: TAN
AND SOFT (CAP 23)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-EMBOLISM, PULMONARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT
LN, MANDIBULAR (MN) :
>TISSUE MISSING
ADIPOSE TISSUE (AT) :
>UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1376

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92948 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 400.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1377

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92949 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/04/98 STUDY DAY OF DEATH: 229 STUDY WEEK OF DEATH: 33 TERMINAL BODY WEIGHT: 471.1 GRAMS
DATE AND TIME OF NECROPSY: 12/04/98 11:46 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 3; 80 X 60MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- CERVICAL-LEFT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -HYPERPLASIA, -MINIMAL MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1378

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92949 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/04/98 STUDY DAY OF DEATH: 229 STUDY WEEK OF DEATH: 33 TERMINAL BODY WEIGHT: 471.1 GRAMS
DATE AND TIME OF NECROPSY: 12/04/98 11:46 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL CERVICAL REGION,
EXTENDING TO BILATERAL SHOULDER
REGIONS: SINGLE MASS, 90 X 55 X 45 MM
(104.9 GRAMS), TAN, RED, FIRM,
LOBULATED AND VASCULAR; SAME ON CUT
SURFACE; SKIN OVERLYING MASS HAS
MULTIPLE MOIST, DARK BROWN ABRADED
AREAS, UP TO 15 MM IN DIAMETER;
COLLECTED INTACT; REGIONAL LN
(MANDIBULAR) NORMAL (CAP 20)

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1379

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92949 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/04/98 STUDY DAY OF DEATH: 229 STUDY WEEK OF DEATH: 33 TERMINAL BODY WEIGHT: 471.1 GRAMS
DATE AND TIME OF NECROPSY: 12/04/98 11:46 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1380

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92950 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 191.7 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:41 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.1161	3.7119 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1381

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92950 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 191.7 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:41 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1382

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92951 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 409.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:03 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 64; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-RIGHT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 80; 60 X 45MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) SPLEEN (SP) : -LARGE; 51 X 18 X 11 MM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1383

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92951 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 409.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:03 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 5 X 4 X 3 MM, RED, GRAY,
TAN AND SOFT

ADRENAL, CORTEX (AC) :
-PIGMENT, -MINIMAL
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
DUODENUM (DU) :
-B-LEIOMYOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
>NOTE:>THE FIBROADENOMA IS MASS #1

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1384

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92951 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 409.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:03 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT INGUINAL REGION: SINGLE MASS, 68 X 58 X 25 MM, RED, DARK RED, GRAY, TAN, VASCULAR, LOBULATED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (INGUINAL) NORMAL (CAP 21) -MASS #2; RIGHT AXILLARY REGION: SINGLE MASS, 65 X 41 X 38 MM, RED, DARK RED, GRAY, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE AXILLARY); OVERLYING SKIN HAS A SINGLE DRY RED AND TAN ULCERATED AREA, 50 X 30 X 17 MM; COLLECTED INTACT WITH MASS -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN AND WHITE CREAMY SEMIFLUID FILLED CYSTS, UP TO 2 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION CERVIX (CV) : -MASS(ES); WITHIN LUMEN, EXTENDING INTO BIFURCATION OF UTERINE HORNS: SINGLE POLYPOID MASS, 8 X 3 X 3 MM, RED, GRAY AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (LUMBAR) NORMAL (CAP 23)	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MODERATE CERVIX (CV) : -B-POLYP, STROMAL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1385

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92951 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 409.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:03 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-LARGE; RIGHT: UP TO 15 X 7 X 4 MM
(LEFT IS UP TO 4 X 3 X 1 MM) (CAP 22)

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
LN, INGUINAL (IN) :
>TISSUE MISSING
>NOTE:>TISSUE IS PART OF MAMMARY TUMOR
MASS
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL: UPPER AND
LOWER INCISORS
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1386

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92951 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 409.8 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 14:03 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1387

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92952 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 300.2 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:09 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 63; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1388

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92952 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 300.2 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:09 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 13 X 9 X 6 MM, DARK RED,
TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 17 X 15 X 9 MM, DARK RED,
TAN, AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN
(AXILLARY) NORMAL (CAP 20)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY, CRUSTED MATERIAL

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1389

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92952 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 300.2 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:09 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1390

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92953 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 439.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:23 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -MINIMAL -ANGIECTASIS, -PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HEMORRHAGE, -PRESENT
	PITUITARY (PI) : -DARK FOCUS(I)/AREA(S); LEFT POSTERIOR ASPECT: SINGLE BROWN FOCUS, 2 MM IN DIAMETER LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1391

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92953 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 439.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:23 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), PANCREAS (PA), LUNG (LU), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1392

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92954 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 422.4 GRAMS
DATE AND TIME OF NECROPSY: 03/23/00 7:54 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 77; 40 X 50MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -DIFFUSELY LIGHT; BILATERAL: BROWN ADRENAL, CORTEX (AC) : -LARGE; LEFT: 15 X 10 X 7 MM (RIGHT IS 4 MM IN DIAMETER) -MOTTLED; LEFT: RED, DARK RED AND TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1393

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92954 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 422.4 GRAMS
DATE AND TIME OF NECROPSY: 03/23/00 7:54 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PARATHYROID (PT) :
-LARGE; RIGHT: 2 X 1 X 1 MM (LEFT IS
LESS THAN 1 MM)
PITUITARY (PI) :
-MASS(ES); 8 X 6 X 6 MM, RED, DARK
RED, TAN AND SOFT
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
RED, TAN ERODED AREAS, UP TO 4 X 2 MM

ADRENAL, MEDULLA (MA) :
-M-MALIGNANT PHEOCHROMOCYTOMA, -NEOPLASM
PRESENT
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATELY
SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PARATHYROID (PT) :
-B-ADENOMA, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
-ULCERATION, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1394

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92954 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 422.4 GRAMS
DATE AND TIME OF NECROPSY: 03/23/00 7:54 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); VENTRAL CERVICAL REGION: SINGLE MASS, 50 X 45 X 15 MM, RED, DARK RED, TAN, FIRM AND LOBULATED; SAME ON CUT SURFACE; SOME SECTIONS EXUDE A TAN CREAMY SEMIFLUID; COLLECTED; REGIONAL LN (MANDIBULAR) NORMAL (CAP 21)	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -STAINS-PERINEUM/PERIANAL; YELLOW -DISCHARGE-NASAL; RED, DRY MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1395

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92954 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 422.4 GRAMS
DATE AND TIME OF NECROPSY: 03/23/00 7:54 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1396

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92955 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 331.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:21 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 75; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>SKIN & PELAGE; SORE/SCAB; DORSAL- CERVICAL; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 83; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		-INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 84; 25 X 25MM; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE
>SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED		-INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
>BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL
		BONE, FEMUR (FE) : -HYPERPLASIA, CARTILAGE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1397

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92955	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00	STUDY DAY OF DEATH: 638	STUDY WEEK OF DEATH: 92	TERMINAL BODY WEIGHT: 331.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:21	PROSECTOR: JAMES T. CALLEN	RECORDED: JAMES T. CALLEN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 11 X 10 X 7 MM, RED, TAN, VASCULAR AND SOFT SKIN (SK) : -CRUSTED AREA(S); DORSAL CERVICAL REGION: SINGLE TAN DRY CRUSTED AREA, 2 MM IN DIAMETER (CAP 21) MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 50 X 32 X 15 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 33 X 24 X 15 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #3; RIGHT INGUINAL REGION, CRANIAL TO MASS 2: SINGLE MASS, 35 X 25 X 20 MM, TAN AND FIRM; SAME ON CUT SURFACE; (CAP 24); REGIONAL LN (INGUINAL) NOT IDENTIFIED	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC, -MODERATE MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -MODERATELY SEVERE >NOTE:>MASS #3 IS THE CARCINOMA URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1398

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92955 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 331.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:21 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-THICKENED WALL; BILATERAL, DIFFUSE
-LARGE, DIFFUSE; BILATERAL: UP TO 6 MM
IN DIAMETER

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; DRY BROWN
MATERIAL

URINARY BLADDER (UB) :
-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
UTERUS (UT) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1399

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92955 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 331.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:21 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1400

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92956 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 558.7 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:50 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 82; 40 X 50MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLUE SKIN; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); LEFT LATERAL LOBE: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION KIDNEY (KD) : -DIFFUSELY DARK; BILATERAL: DARK BROWN SPLEEN (SP) : -LARGE; 65 X 15 X 13 MM -ADHESION(S); PARIETAL SURFACE OF CAUDAL END TO ADIPOSE TISSUE: MULTIPLE GRAY FIBROUS ADHESIONS; COLLECTED INTACT -MOTTLED; TAN, RED AND DARK RED	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, - MODERATE -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -VACUOLATION, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE -HEMORRHAGE, -PRESENT -NECROSIS, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1401

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92956 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 558.7 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:50 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; BILATERAL: LEFT IS 8 X 5 X 5
MM, RIGHT IS 5 X 4 X 4 MM
-MOTTLED; BILATERAL: DARK RED AND
BROWN

OVARY (OV) :
-CYST(S); LEFT: SINGLE CLEAR FLUID
FILLED CYST, 3 MM IN DIAMETER

PANCREAS (PA) :
-INFILTRATION, FAT, INTERSTITIAL, -
MODERATELY SEVERE
-INFLAMMATION, VASCULAR, -MODERATE

ADRENAL, CORTEX (AC) :
-HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT
-HYPERTROPHY, CORTICAL CELL, -SEVERE
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATELY SEVERE
-PIGMENT, -SLIGHT

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MINIMAL

OVARY (OV) :
-CYST, -PRESENT

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFLAMMATION, VASCULAR, -SLIGHT

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1402

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92956 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 558.7 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:50 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 8 X 7 X 5 MM, TAN, RED AND
SOFT

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT PERIANAL REGION
EXTENDING TO LEFT INGUINAL REGION:
SINGLE MASS, 50 X 30 X 25 MM, TAN,
GRAY, RED, DARK RED, LOBULATED AND
FIRM; SAME ON CUT SURFACE; REGIONAL LN
(SEE INGUINAL); OVERLYING SKIN IS
ULCERATED, 40 X 20 MM; COLLECTED
INTACT WITH MASS
-THICKENED; ALL REGIONS: DIFFUSE;
COLLECTED ON ROUTINE SECTION

LN, INGUINAL (IN) :

-LARGE; BILATERAL: LEFT IS 6 X 5 X 4
MM, RIGHT IS 5 X 4 X 3 MM (CAP 21)

LN, ANT MES/PANC (AP) :

-LARGE; PANCREATIC: UP TO 2 X 2 X 1 MM
(CAP 23)
-DIFFUSELY RED; PANCREATIC: DARK RED
(CAP 23)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, INGUINAL (IN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

LN, ANT MES/PANC (AP) :

-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1403

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92956 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 558.7 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:50 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1404

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92957 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 523.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:18 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 63; 100 X 80MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT LN, MESENTERIC (MS) : >UNREMARKABLE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL PITUITARY (PI) : -HYPERPLASIA, -SLIGHT
	LN, MESENTERIC (MS) : -LARGE; UP TO 10 X 6 X 5 MM	
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT POSTERIOR ASPECT: SINGLE DARK RED, SLIGHTLY RAISED AREA, 3 X 2 MM	
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 4 X 1 MM	STOMACH, GL (ST) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1405

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92957 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 523.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:18 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

COLON (CO) :
-MASS(ES); 28 MM DISTAL TO CECUM,
ATTACHED TO SEROSAL SURFACE: SINGLE
MASS, 13 X 10 X 7 MM, TAN, YELLOW, AND
FIRM; SAME ON CUT SURFACE (CAP 22);
REGIONAL LN (SEE MESENTERIC)
SKIN (SK) :
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION DUE TO
MASS ON THE LEFT INGUINAL REGION
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 120 X 95 X 40 MM (237
GRAMS), TAN, SOFT, AND LOBULATED; SAME
ON CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
-CYST(S); RIGHT INGUINAL REGION:
SINGLE TAN CREAMY FLUID FILLED CYST,
20 X 15 X 10 MM; COLLECTED ON ROUTINE
SECTION
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGIONAL DUE TO
MASS ON THE LEFT INGUINAL REGION

COLON (CO) :
-B-LEIOMYOMA, -NEOPLASM PRESENT

SKIN (SK) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-HEMORRHAGE, -PRESENT
-B-LIPOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
>NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1406

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92957 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 523.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:18 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1407

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92958 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/29/99 STUDY DAY OF DEATH: 619 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 327.2 GRAMS
DATE AND TIME OF NECROPSY: 12/29/99 10:45 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1408

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92958 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/29/99 STUDY DAY OF DEATH: 619 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 327.2 GRAMS
DATE AND TIME OF NECROPSY: 12/29/99 10:45 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 9 MM, DARK RED,
GRAY AND SOFT

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN AND MUCOID

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
-EDEMA, -MODERATE
-INFLAMMATION, ACUTE, -SLIGHT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1409

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92958 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/29/99 STUDY DAY OF DEATH: 619 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 327.2 GRAMS
DATE AND TIME OF NECROPSY: 12/29/99 10:45 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1410

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92959 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 398.9 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:41 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BROWN HAIR COAT; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES : RED AND TAN; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE -INFILTRATION, FAT, INTERSTITIAL, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1411

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92959 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 398.9 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:41 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 7 X 6 MM, SOFT, DARK
RED, AND TAN
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 1 X 2 MM

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN MUCOID MATERIAL

OVARY (OV) :
-CYST, -PRESENT
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATELY
SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATELY
SEVERE
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MODERATE
-EXUDATE, LUMINAL, -PRESENT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1412

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92959 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 398.9 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:41 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; LEFT UPPER INCISOR
-TEETH MISSING/BROKEN/WORN; RIGHT
UPPER INCISOR: MISSING
-DISCHARGE-OCULAR; BILATERAL: DARK RED
DRY MATERIAL
-STAINS-PERINEUM/PERIANAL; MOIST BROWN
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1413

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92959 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 398.9 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 14:41 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1414

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92960 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 655.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:21 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 72; 120 X 80MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -MODERATE -ANGIECTASIS, -SLIGHT
	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: LEFT IS 9 X 6 X 4 MM, RIGHT IS 7 X 6 X 4 MM	ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT
	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
	PITUITARY (PI) : -MASS(ES); 6 X 6 X 4 MM, RED, DARK RED, TAN, AND SOFT	LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL -HYPERPLASIA, TYPE II PNEUMOCYTE, - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		SKIN (SK) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1415

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92960	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 655.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:21	PROSECTOR: TODD ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :

>NOTE:>ROUTINE SECTION TAKEN FROM RIGHT
INGUINAL REGION DUE TO MASS

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 135 X 75 X 60 MM (291.7
GRAMS), RED, DARK RED, TAN, GREY, AND
FIRM, SAME ON CUT SURFACE; PORTION
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION, DUE TO
MASS

MAMMARY, FEMALE (MF) :

-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1416

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92960 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 655.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:21 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1417

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92961 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 621.8 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 76; 120 X 70MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; LIMITED USE; LIMB-HIND- LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BLUE SKIN; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 5 X 5 X 3 MM (RIGHT IS 5 X 3 X 2 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -HEMORRHAGE, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MODERATE -ATROPHY, CORTICAL, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1418

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92961 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 621.8 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 14 X 9 X 8 MM, RED, DARK
RED, TAN, AND SOFT
STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: TWO TAN
ULCERATED AREAS, ONE IS 10 X 4 MM, THE
OTHER IS 3 X 2 MM
SKIN (SK) :
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION DUE TO
MASS

ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MODERATELY SEVERE
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-B-ADENOMA, -NEOPLASM PRESENT
-FIBROSIS, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1419

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92961 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 621.8 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION, EXTENDING INTO LEFT PERIANAL REGION: SINGLE MASS, 140 X 70 X 30 MM, RED, DARK RED, TAN, AND SOFT; CUT SURFACE EXUDES A LARGE AMOUNT OF A REDDISH- BROWN SEMIFLUID; PORTION COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED >NOTE:>ROUTINE SECTION COLLECTED FROM RIGHT INGUINAL REGION DUE TO MASS UTERUS (UT) : -CYST(S); RIGHT PROXIMAL HORN, WITHIN LUMEN: SINGLE DARK RED FLUID FILLED CYST, 5 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN GENERAL INFORMATION (XX) : >NOTE:>ANIMAL IDENTIFICATION TRANSPONDER DAMAGED AT NECROPSY	UTERUS (UT) : -B-POLYP, ENDOMETRIAL, STROMAL, - NEOPLASM PRESENT -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - SLIGHT VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1420

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92961 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 621.8 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 10:56 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1421

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92962 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 252.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:17 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0267	.0106 %	.0127	WEIGHT TAKEN
RT ADRENAL (AD1)	.0248	.0098 %	.0118	WEIGHT TAKEN
BRAIN (BR)	2.1071	.8342 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	.9178	.3633 %	.4356	WEIGHT TAKEN
RT KIDNEY (KD1)	.9077	.3593 %	.4308	WEIGHT TAKEN
LIVER (LI)	7.6198	3.0165 %	3.6162	WEIGHT TAKEN
LUNG (LU)	1.4824	.5869 %	.7035	WEIGHT TAKEN
LF OVARY (OV0)	.0547	.0217 %	.0260	WEIGHT TAKEN
RT OVARY (OV1)	.0614	.0243 %	.0291	WEIGHT TAKEN
SPLEEN (SP)	.4245	.1681 %	.2015	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0071	.0028 %	.0034	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0086	.0034 %	.0041	WEIGHT TAKEN
UTERUS (UT)	.4418	.1749 %	.2097	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -VACUOLATION, HEPATOCELLULAR, MIDZONAL
 / CENTRIOBULAR, -SLIGHT
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1422

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92962 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 252.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:17 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1423

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92963 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 332.3 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 13:49 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 68; 60 X 50MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 72; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 83; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLACK SKIN; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1424

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92963 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 332.3 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 13:49 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 6 X 5 MM, RED, DARK
RED, TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 33 X 28 X 18 MM, RED,
DARK RED, TAN, FIRM, AND LOBULATED;
SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 21)
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 30 X 18 X 15 MM, TAN, FIRM, AND
LOBULATED; SOME SECTIONS EXUDE A TAN,
CASEOUS MATERIAL; COLLECTED; REGIONAL
LN (INGUINAL) NOT IDENTIFIED
-MASS #3; RIGHT INGUINAL REGION:
SINGLE MASS, 73 X 45 X 25 MM, RED,
DARK RED, TAN, LOBULATED AND FIRM;
SOME SECTIONS EXUDE A LIGHT BROWN,
CASEOUS SEMISOLID, OTHERS EXUDE A DARK
BROWN FLUID; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED; OVERLYING
SKIN HAS A SINGLE DARK RED AND TAN
ULCERATED AREA, 20 MM IN DIAMETER;
COLLECTED INTACT WITH MASS

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #3 IS THE FIBROADENOMA.
MASS #2 HAS CONSIDERABLE
SQUAMOUS METAPLASIA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1425

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92963 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 332.3 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 13:49 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-CYST(S); BILATERAL, WITHIN WALLS:
MULTIPLE CLEAR FLUID FILLED CYSTS, UP
TO 3 MM IN DIAMETER

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATELY SEVERE

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1426

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92963 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 332.3 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 13:49 PROSECTOR: TONY HANFELD RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1427

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92964 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 494.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:55 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL; WEEK 83; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 10 X 8 X 6 MM (RIGHT IS 6 X 4 X 4 MM) PITUITARY (PI) : -LARGE; 7 X 6 X 4 MM; APPEARS SWOLLEN STOMACH, GL (ST) : -THICKENED WALL; DIFFUSE	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -SLIGHT STOMACH, GL (ST) : >UNREMARKABLE MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #2 IS THE FIBROADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1428

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92964 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 494.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:55 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); MID VENTRAL CERVICAL REGION: SINGLE MASS, 35 X 30 X 20 MM, TAN, RED, FIRM AND CYSTIC; SOME AREAS EXUDE A CLEAR FLUID; COLLECTED; REGIONAL LN (MANDIBULAR) NORMAL; COLLECTED -MASS #2; LEFT INGUINAL REGION: SINGLE MASS, 32 X 22 X 10 MM, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 4 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -MALOCCLUSION; BILATERAL, UPPER INCISORS	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1429

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92964 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 494.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:55 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1430

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92965 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/13/99 STUDY DAY OF DEATH: 573 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/13/99 7:58 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 60; 45 X 60MM; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LUNG (LU) : -UNCOLLAPSED; ALL LOBES	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL MUSCLE, SKELETAL (SM) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1431

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92965	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/13/99	STUDY DAY OF DEATH: 573	STUDY WEEK OF DEATH: 82	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/13/99 7:58	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 9 X 8 X 8 X MM, DARK RED, GREY, TAN, LOBULATED AND SOFT SKIN (SK) : >NOTE:>DUE TO MASS ON LEFT INGUINAL REGION, ROUTINE SECTION TAKEN FROM RIGHT MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 58 X 43 X 42 MM, RED, GREY, TAN, VASCULAR AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (INGUINAL) NORMAL (CAP 21) -CYST(S); RIGHT INGUINAL REGION: SINGLE WHITE, CREAMY SEMIFLUID FILLED CYST, 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION (SEE NECROPSY NOTES) >NOTE:>DUE TO MASS ON LEFT INGUINAL REGION, ROUTINE SECTION TAKEN FROM RIGHT	THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT ILEUM (IL) : >AUTOLYTIC MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1432

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92965	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/13/99	STUDY DAY OF DEATH: 573	STUDY WEEK OF DEATH: 82	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/13/99 7:58	PROSECTOR: JOHN S. HALFORD	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -DISCHARGE-OCULAR; BILATERAL: DRY, RED
 MATERIAL
 -ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
 MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN), LN, INGUINAL (IN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1433

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92966 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/03/99 15:08 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 10 X 7 X 6 MM, RED, DARK RED, TAN AND FIRM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -CYST, -PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1434

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92966 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/03/99 15:08 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1435

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92967 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 285.4 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:07 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0362	.0127 %	.0201	WEIGHT TAKEN
RT ADRENAL (AD1)	.0327	.0115 %	.0182	WEIGHT TAKEN
BRAIN (BR)	1.8011	.6311 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1299	.3959 %	.6273	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1418	.4001 %	.6339	WEIGHT TAKEN
LIVER (LI)	8.5559	2.9979 %	4.7504	WEIGHT TAKEN
LUNG (LU)	1.4342	.5025 %	.7963	WEIGHT TAKEN
LF OVARY (OV0)	.0683	.0239 %	.0379	WEIGHT TAKEN
RT OVARY (OV1)	.0575	.0201 %	.0319	WEIGHT TAKEN
SPLEEN (SP)	.5138	.1800 %	.2853	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0095	.0033 %	.0053	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0090	.0032 %	.0050	WEIGHT TAKEN
UTERUS (UT)	.8051	.2821 %	.4470	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1436

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92967 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 285.4 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:07 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1437

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92968 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/09/99 STUDY DAY OF DEATH: 477 STUDY WEEK OF DEATH: 69 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/09/99 14:51 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; DILATED PUPIL; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LUNG (LU) : -UNCOLLAPSED; ALL LOBES	EYE (EY) : -INFLAMMATION, ACUTE, -SLIGHT BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -THROMBUS, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -CONGESTION, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1438

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92968 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/09/99 STUDY DAY OF DEATH: 477 STUDY WEEK OF DEATH: 69 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/09/99 14:51 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 15 X 10 X 10 MM, RED, DARK
RED, GREY, TAN, LOBULATED AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1439

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92968 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/09/99 STUDY DAY OF DEATH: 477 STUDY WEEK OF DEATH: 69 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/09/99 14:51 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1440

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92969 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 178.3 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:08 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	6.3530	3.5640 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1441

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92969 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 178.3 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:08 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1442

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92970 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 344.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:43 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 X 4 X 4 MM (RIGHT IS 5 X 3 X 3 MM) -MOTTLED; LEFT: DARK BROWN AND TAN OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 5 MM IN DIAMETER, RIGHT IS 10 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1443

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92970 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 344.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:43 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 8 X 6 MM, TAN, DARK
RED, RED, AND SOFT

FOOT/FOOTPAD (FP) :

-ABRASION(S)/ULCERATION(S); RIGHT
HINDFOOT: SINGLE MOIST TAN ULCERATED
AREA, 7 MM IN DIAMETER; COLLECTED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-HYPERPLASIA, GLANDULAR, -MODERATELY
SEVERE

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

FOOT/FOOTPAD (FP) :

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-FIBROSIS, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1444

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92970 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 344.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:43 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1445

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92971 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 564.5 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 11:07 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 67; 110 X 110MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -CYST(S); LEFT, MEDULLA: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -NECROSIS, COAGULATIVE, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1446

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92971 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 564.5 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 11:07 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; BILATERAL: EACH IS 9 X 7 X 7
MM

PITUITARY (PI) :
-MASS(ES); 9 X 9 X 8 MM, RED, TAN, AND
SOFT

PANCREAS (PA) :
-HYPERPLASIA, ISLET CELLS, -SLIGHT
ADRENAL, CORTEX (AC) :
-HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATE
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1447

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92971 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 564.5 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 11:07 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 140 X 130 X 50 MM (303.4
GRAMS), RED, TAN, GRAY, LOBULATED AND
FIRM; CUT SURFACE CONTAINS A TAN
CREAMY SEMIFLUID; PORTION COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED;
OVERLYING SKIN HAS A SINGLE DARK RED
ABRADED AREA, 50 MM IN DIAMETER;
COLLECTED INTACT
UTERUS (UT) :
-CYST(S); RIGHT HORN, WITHIN WALL:
MULTIPLE CLEAR FLUID FILLED CYSTS, UP
TO 3 MM IN DIAMETER

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1448

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92971 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 564.5 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 11:07 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1449

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92972 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 272.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 8:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); SHOULDER-RIGHT; WEEK 72; 55 X 40MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 6 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); SINGLE MASS, 11 X 10 X 9 MM, RED, DARK RED, TAN, LOBULATED, AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1450

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92972 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 272.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 8:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT DORSAL SHOULDER
REGION: SINGLE MASS, 55 X 40 X 35 MM,
RED, TAN, VASCULAR AND FIRM; SAME ON
CUT SURFACE; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 21)
VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN CREAMY SEMIFLUID MATERIAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-ANIMAL THIN

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

VAGINA (VA) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1451

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92972 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 272.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 8:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1452

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92973 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 610.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:51 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MASS(ES); ALONG MARGIN OF LEFT LATERAL LOBE: SINGLE MASS, 7 X 3 X 3 MM, RED AND TAN; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (HEPATIC) NOT IDENTIFIED LN, MESENTERIC (MS) : -DIFFUSELY RED	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT LUNG (LU) : -N-CARCINOMA, -FROM THYROID THYROID (TY) : -M-CARCINOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1453

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92973 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 610.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:51 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYROID (TY) : -MASS(ES); LEFT: SINGLE MASS, 10 MM IN DIAMETER, RED, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (MEDIASTINAL) NOT IDENTIFIED	
	PITUITARY (PI) : -MASS(ES); 10 X 6 X 4 MM, RED, DARK RED, LOBULATED, AND FIRM	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1454

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92973 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 610.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:51 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

MAMMARY, FEMALE (MF), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1455

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92974 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:50 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 104; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: LEFT IS 9 MM IN DIAMETER, RIGHT IS 6 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1456

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92974 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:50 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 9 X 9 X 8 MM, DARK RED, RED, GRAY AND FIRM MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT PECTORAL REGION: SINGLE MASS, 17 X 8 X 6 MM, TAN AND FIRM; ON CUT SECTION EXUDES A TAN CREAMY SEMIFLUID; COLLECTED; REGIONAL LN (SEE AXILLARY); POSSIBLY CONSISTENT WITH MASS (VENTRAL-CERVICAL-RIGHT) AS NOTED IN CLINICAL OBSERVATIONS UTERUS (UT) : -CYST(S); LEFT, WITHIN WALL: SINGLE CLEAR FLUID FILLED CYST, 4 MM IN DIAMETER LN, AXILLARY (AX) : -MOTTLED; BILATERAL: BROWN AND TAN (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL UTERUS (UT) : -DILATATION, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1457

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92974 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 332.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:50 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1458

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92975 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:27 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 89; 70 X 70MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATELY SEVERE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, - 2 NEOPLASMS PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	THYROID (TY) : -LARGE; LEFT: 6 X 4 X 3 MM (RIGHT IS 4 X 2 X 1 MM) PITUITARY (PI) : -MASS(ES); 9 X 6 X 5 MM, RED, DARK RED, TAN, AND FIRM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1459

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92975 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:27 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); EXTENDS FROM LEFT TO RIGHT
INGUINAL REGIONS: SINGLE MASS, 100 X
75 X 35 MM, RED, TAN, LOBULATED, AND
FIRM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1460

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92975 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:27 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1461

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92976 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 453.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 83; 50 X 50MM TWO MASSES APPEAR TO HAVE GROWN TOGETHER; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DEGENERATION, LENTICULAR, -MODERATELY SEVERE BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
>EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -GRANULAR MATERIAL; LEFT, WITHIN PELVIS: MULTIPLE TAN PINPOINT GRANULES	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZymoGEN GRANULES, DECREASED, -SLIGHT
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -UNILATERALLY EXAMINED, -PRESENT -M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1462

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92976 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 453.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	ADRENAL, CORTEX (AC) : -MASS(ES); INVOLVING ENTIRE RIGHT ADRENAL: SINGLE MASS, 25 X 20 X 17 MM, DARK RED, RED, TAN AND SOFT; SAME ON CUT SURFACE; COLLECTED AS ROUTINE SECTION; REGIONAL LN (RENAL) NORMAL (CAP 23)	ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -N-CARCINOMA, -FROM ADRENAL, CORTEX HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 14 X 7 X 6 MM, DARK RED, RED, TAN AND SOFT	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1463

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92976 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 453.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 50 X 40 X 30 MM, RED,
TAN, BROWN, LOBULATED AND FIRM; SAME
ON CUT SURFACE; PORTION COLLECTED;
REGIONAL LN (SEE INGUINAL)

LN, INGUINAL (IN) :

-LARGE; LEFT: 5 X 4 X 2 MM (RIGHT IS 3
X 2 X 1 MM) (CAP 21)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
DRY MATERIAL

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, INGUINAL (IN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

LN, RENAL (RL) :

-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1464

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92976 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 453.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 10:15 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1465

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92977 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:17 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES, DIFFUSE: RED AND TAN KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -GRANULAR MATERIAL; BILATERAL, WITHIN PELVIS: MULTIPLE HARD TAN CALCULI	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -MINIMAL -LEUKOCYTOSIS, SINUSOIDAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -DILATATION, PELVIC, -MODERATE -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1466

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92977	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00	STUDY DAY OF DEATH: 686	STUDY WEEK OF DEATH: 98	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:17	PROSECTOR: DENNIS HOFFMAN	RECORDED: DENNIS HOFFMAN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-MASS(ES); LEFT, REPLACES ENTIRE
ADRENAL: SINGLE MASS, 26 X 32 X 45 MM,
SOFT, RED, DARK RED, TAN AND
LOBULATED; SAME ON CUT SURFACE;
REGIONAL LN (RENAL) NOT IDENTIFIED

ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
MARROW, FEMUR (FM) :
-HYPERPLASIA, ERYTHROID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1467

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92977 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:17 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); RIGHT HINDFOOT:
SINGLE DRY, DARK RED AREA, 5 X 7 MM;
COLLECTED

GENERAL COMMENT (GC) :
-DISCHARGE-ORAL; CLEAR MOIST MATERIAL
-STAINS - SKIN/HAIRCOAT; ENTIRE
VENTRAL SURFACE: DRY RED MATERIAL

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, ADRENAL, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -MODERATELY SEVERE
-ACANTHOSIS / HYPERKERATOSIS, -
MODERATELY SEVERE
-BACTERIA, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1468

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92977 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/05/00 STUDY DAY OF DEATH: 686 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/05/00 13:17 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1469

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92978 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 336.5 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:29 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0367	.0109 %	.0177	WEIGHT TAKEN
RT ADRENAL (AD1)	.0305	.0091 %	.0147	WEIGHT TAKEN
BRAIN (BR)	2.0776	.6174 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1629	.3456 %	.5597	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1663	.3466 %	.5614	WEIGHT TAKEN
LIVER (LI)	9.9351	2.9525 %	4.7820	WEIGHT TAKEN
LUNG (LU)	1.4846	.4412 %	.7146	WEIGHT TAKEN
LF OVARY (OV0)	.0760	.0226 %	.0366	WEIGHT TAKEN
RT OVARY (OV1)	.0671	.0199 %	.0323	WEIGHT TAKEN
SPLEEN (SP)	.5013	.1490 %	.2413	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0086	.0026 %	.0041	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0102	.0030 %	.0049	WEIGHT TAKEN
UTERUS (UT)	.5278	.1568 %	.2540	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1470

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92978 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 336.5 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:29 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1471

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92979 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/01/00 STUDY DAY OF DEATH: 622 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 359.1 GRAMS
DATE AND TIME OF NECROPSY: 01/01/00 15:19 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 80; 40 X 35MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; GENITAL; RED IN COLOR; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE DARK RED AREA, 6 MM IN DIAMETER; SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SEVERE THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1472

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92979 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/01/00 STUDY DAY OF DEATH: 622 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 359.1 GRAMS
DATE AND TIME OF NECROPSY: 01/01/00 15:19 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 7 X 6 MM, DARK RED AND
SOFT

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: SINGLE
TAN ERODED AREA, 7 X 3 MM

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 40 X 35 X 20 MM, RED,
DARK RED, TAN, GRAY, LOBULATED AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; YELLOW,
BROWN AND MOIST

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -
MODERATELY SEVERE
-ULCERATION, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1473

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92979 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/01/00 STUDY DAY OF DEATH: 622 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: 359.1 GRAMS
DATE AND TIME OF NECROPSY: 01/01/00 15:19 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1474

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92980 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 369.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:06 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 38; 30 X 25MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); LIMB-HIND-RIGHT; WEEK 55; 60 X 55MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED -MOTTLED; ALL LOBES: RED AND TAN SPLEEN (SP) : -LARGE; 53 X 11 X 7 MM -DIFFUSELY LIGHT; LIGHT RED ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 7 MM IN DIAMETER	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE -MITOSIS, HEPATOCELLULAR, INCREASED, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1475

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92980 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 369.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:06 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 6 X 6 X 5 MM; APPEARS SWOLLEN
-RED FOCUS(I)/AREA(S); RIGHT MID
ASPECT: SINGLE DARK RED AREA, 3 X 2 MM
STOMACH, GL (ST) :
-RED FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK RED AREAS, UP TO 2 X 1
MM
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 30 X 20 X 10 MM, TAN, RED
AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (SEE AXILLARY);
OVERLYING SKIN IS ULCERATED, RED AND
TAN, 20 X 12 MM; COLLECTED INTACT WITH
MASS
-THICKENED; ALL REGIONS: DIFFUSE;
COLLECTED ON ROUTINE SECTION

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
>UNREMARKABLE
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT
-CYST / GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1476

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92980 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 369.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:06 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 70 X 40 X 35 MM, TAN,
RED, DARK RED, VASCULAR AND FIRM; SAME
ON CUT SURFACE; PORTION COLLECTED;
REGIONAL LN (INGUINAL) NORMAL (CAP 21)

LN, AXILLARY (AX) :
-LARGE; LEFT: UP TO 9 X 7 X 3 MM (FOR
COMPARISON, RIGHT IS UP TO 5 X 3 X 1
MM)(CAP 20)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL: LOWER
INCISORS

VAGINA (VA) :
>TISSUE MISSING
CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1477

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92980 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 369.7 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:06 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN), LN, INGUINAL (IN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1478

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92981 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 346.0 GRAMS
DATE AND TIME OF NECROPSY: 09/03/99 8:11 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 11 X 9 X 6 MM, RED, TAN, AND FIRM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -STAINS - SKIN/HAIRCOAT; ENTIRE HEAD: DRY RED MATERIAL	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1479

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92981 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/03/99 STUDY DAY OF DEATH: 502 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 346.0 GRAMS
DATE AND TIME OF NECROPSY: 09/03/99 8:11 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1480

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92982 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 189.9 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:22 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	6.7810	3.5707 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1481

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92982 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 189.9 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:22 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1482

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92983 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 372.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 94; 45 X 50MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL; WEEK 96; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LN, MESENTERIC (MS) : -DIFFUSELY DARK; DARK GREEN PITUITARY (PI) : -MASS(ES); 10 X 8 X 7 MM, RED, DARK RED, TAN, AND SOFT SKIN (SK) : >NOTE:>ROUTINE SECTION COLLECTED FROM RIGHT INGUINAL REGION DUE TO MASS ON LEFT INGUINAL REGION	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -SLIGHT LN, MESENTERIC (MS) : -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1483

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92983 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 372.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 58 X 45 X 25 MM, RED,
DARK RED, TAN, LOBULATED, AND FIRM;
SOME SECTIONS EXUDE A TAN CREAMY
SEMISOLID; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-THICKENED; ALL REGIONS DIFFUSE:
COLLECTED ON ROUTINE SECTION
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION DUE TO
MASS ON LEFT INGUINAL REGION

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1484

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92983 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 372.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:44 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1485

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92984 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 498.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:14 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 75; 50 X 40MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 75; 50 X 40MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, -SLIGHT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 93; 15 X 10MM; VERIFIED AT NECROPSY: OBSERVED		-VACUOLATION, HEPATOCELLULAR, PERIportal, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 104; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -FIBROSIS, PERIBILIARY, -MINIMAL
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, -MINIMAL
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1486

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92984 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 498.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:14 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 9 X 6 MM, RED, DARK
RED, TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 20 X 18 X 8 MM, TAN AND
SOFT; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 22)
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-MASS #2; RIGHT INGUINAL REGION,
EXTENDING INTO RIGHT PERIANAL REGION:
MULTIPLE MASSES, UP TO 60 X 50 X 25
MM, ALL ARE TAN, RED, DARK RED, AND
FIRM; ALL ARE SAME ON CUT SURFACE;
PORTIONS COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1487

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92984 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 498.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:14 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1488

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92985 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 561.6 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 76; 80 X 80MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 82; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 95; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC-LEFT; WEEK 95; 10 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 96; 25 X 25MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES, DIFFUSE: RED AND TAN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1489

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92985 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 561.6 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 7 X 5 MM, SOFT, RED,
AND TAN
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 27 X 18 X 15 MM, FIRM,
LOBULATED, RED, AND TAN; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; LEFT INGUINAL REGION, CAUDAL
TO MASS NUMBER ONE: SINGLE MASS, 37 X
25 X 20 MM, RED, TAN, BROWN, AND SOFT;
ON SECTION SOME AREAS CONTAIN A TAN
AND DRY SEMISOLID MATERIAL; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATE
-HYPERPLASIA, CORTICAL, -MINIMAL
-PIGMENT, -MINIMAL
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
>NOTE:>MASS #'S 1 AND 5 ARE
FIBROADENOMAS. MASS #'S 3 AND 4
ARE CARCINOMAS MASS #2: SEE
CLITORAL GLAND FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1490

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92985	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00	STUDY DAY OF DEATH: 680	STUDY WEEK OF DEATH: 98	TERMINAL BODY WEIGHT: 561.6 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08	PROSECTOR: DENNIS HOFFMAN	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #3; RIGHT INGUINAL REGION: SINGLE MASS, 22 X 14 X 11 MM, FIRM, RED, TAN, AND LOBULATED; SAME ON CUT SURFACE, COLLECTED; REGIONAL LN INGUINAL (NOT IDENTIFIED) -MASS #4; RIGHT INGUINAL, CAUDAL TO MASS NUMBER THREE: SINGLE MASS, 45 X 30 X 20 MM, FIRM, LOBULATED, RED, DARK RED, AND TAN; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #5; RIGHT AXILLARY REGION: SINGLE MASS, 75 X 75 X 55 MM, FIRM, LOBULATED, RED, DARK RED, TAN, AND VASCULAR; SAME ON CUT SURFACE; COLLECTED; OVERLYING SKIN HAS A 30 MM IN DIAMETER DRY, BROWN CRUSTED AREA; COLLECTED INTACT WITH MASS; REGIONAL LN (AXILLARY) NORMAL (CAP 23) UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: CLEAR MUCOID MATERIAL	UTERUS (UT) : -DILATATION, -SLIGHT CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MODERATE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1491

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92985 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 561.6 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
CLITORAL GLAND (CL) :
-ECTASIA, DUCTAL, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-HYPERKERATOSIS, -SEVERE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; RIGHT UPPER INCISOR
-TEETH MISSING/BROKEN/WORN; LEFT UPPER
INCISOR: MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1492

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92985 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 561.6 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 15:08 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1493

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92986 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 453.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:25 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 85; 70 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 8 X 8 X 5 MM, DARK RED, AND SOFT	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1494

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92986 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 453.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:25 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 100 X 65 X 30 MM (104.7
GRAMS), RED, TAN, LOBULATED, AND
VASCULAR; CUT SURFACE EXUDES A TAN
CREAMY SEMIFLUID MATERIAL; COLLECTED
INTACT; REGIONAL LN (INGUINAL) NORMAL
(CAP 22)
-THICKENED; ALL REGIONS DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 23 X 15 X 6 MM, TAN, AND
FIRM, SAME ON CUT SURFACE; SOME
SECTIONS EXUDE A TAN CASEOUS SEMIFLUID
(CAP 23); REGIONAL LN (INGUINAL)
NORMAL (CAP 22)
UTERUS (UT) :
-MASS(ES); LEFT HORN, WITHIN LUMEN:
SINGLE MASS, 35 X 10 X 10 MM, RED,
TAN, AND SOFT; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 25)

MAMMARY, FEMALE (MF) :
>NOTE:>SMALL ADENOMA NOTED ON REGULAR
MAMMARY GLAND SECTION MASSES 1
AND 2 WERE FIBROADENOMAS

UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, INGUINAL (IN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1495

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92986 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 453.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:25 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1496

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92987 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 273.3 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:46 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0307	.0112 %	.0134	WEIGHT TAKEN
RT ADRENAL (AD1)	.0327	.0120 %	.0143	WEIGHT TAKEN
BRAIN (BR)	2.2943	.8395 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1962	.4377 %	.5214	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1435	.4184 %	.4984	WEIGHT TAKEN
LIVER (LI)	8.9944	3.2910 %	3.9203	WEIGHT TAKEN
LUNG (LU)	1.4595	.5340 %	.6361	WEIGHT TAKEN
LF OVARY (OV0)	.0578	.0211 %	.0252	WEIGHT TAKEN
RT OVARY (OV1)	.0622	.0228 %	.0271	WEIGHT TAKEN
SPLEEN (SP)	.6245	.2285 %	.2722	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0100	.0037 %	.0044	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0135	.0049 %	.0059	WEIGHT TAKEN
UTERUS (UT)	.5091	.1863 %	.2219	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1497

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92987 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 273.3 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:46 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1498

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92988 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 585.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:42 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTION PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT ANTERIOR ASPECT: SINGLE DARK RED FOCUS, 1 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -SLIGHT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1499

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92988 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 585.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:42 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:
LUNG (LU), PARATHYROID (PT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1500

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92989 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 408.6 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:37 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	EYE (EY) : -INFLAMMATION, ACUTE, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MODERATE -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1501

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92989	SEX: FEMALE	DOSE GROUP: 2	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99	STUDY DAY OF DEATH: 582	STUDY WEEK OF DEATH: 84	TERMINAL BODY WEIGHT: 408.6 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:37	PROSECTOR: TODD ACKER	RECORDED: TODD ACKER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -LARGE; 7 X 5 X 5 MM, APPEARS SWOLLEN	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BLACK AREAS, UP TO 3 X 2 MM	HEART (HT) : -CARDIOMYOPATHY, -MODERATE
	MAMMARY, FEMALE (MF) : -MASS(ES); MID VENTRAL THORACIC REGION: SINGLE MASS, 10 X 8 X 6 MM, TAN AND SOFT; SAME ON CUT SURFACE (CAP 21); REGIONAL LN (AXILLARY) NORMAL (CAP 22)	THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT
	UTERUS (UT) : -LUMEN FILLED WITH FLUID; RIGHT HORN: FILLED WITH A BROWN FLUID	PITUITARY (PI) : -HYPERPLASIA, -SLIGHT -CYST, -PRESENT
		STOMACH, GL (ST) : -EDEMA, -SLIGHT -INFLAMMATION, ACUTE, -SLIGHT
		MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT
		URINARY BLADDER (UB) : -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
		UTERUS (UT) : -DILATATION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
		CERVIX (CV) : -M-SARCOMA, STROMAL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1502

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92989 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 408.6 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:37 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	CERVIX (CV) : -MASS(ES); WITHIN LUMEN, EXTENDING INTO PROXIMAL UTERUS AND VAGINA: - SINGLE MASS, 70 X 50 X 35 MM, DARK BROWN, RED, DARK RED, TAN, AND SOFT; - SOME AREAS EXUDE A BROWN FLUID; - COLLECTED INTACT; REGIONAL LN (LEFT LUMBAR) NORMAL, RIGHT NOT IDENTIFIED (CAP 23)	CAUSE OF DEATH (CD) : -NEOPLASM, UT/CV/VA/OV, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, RETICULOENDOTHELIAL, -SLIGHT LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL: UPPER INCISORS -DISCHARGE-OCULAR; RIGHT: DARK RED AND DRY -URINARY BLADDER-LARGE LUMEN; 30 X 15 X 15 MM -STAINS - SKIN/HAIRCOAT; VENTRAL ABDOMINAL REGION, EXTENDING TO PERIANAL REGION: BROWN AND MOIST	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1503

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92989 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/22/99 STUDY DAY OF DEATH: 582 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 408.6 GRAMS
DATE AND TIME OF NECROPSY: 11/22/99 8:37 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1504

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92990 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 547.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:05 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 73; 65 X 55MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 89; 50 X 90MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL,-MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY,-MINIMAL -HYPERPLASIA, BILE DUCT,-MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE,- MINIMAL -MINERALIZATION, PELVIC,-MODERATE -HYPERPLASIA, TRANSITIONAL CELL,- MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED,-MODERATELY SEVERE PANCREAS (PA) : -B-ADENOMA, ISLET CELL,-NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -ANGIECTASIS,-SLIGHT -HYPERTROPHY, CORTICAL CELL,-MINIMAL -HYPERPLASIA, CORTICAL,-MINIMAL -PIGMENT,-SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1505

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92990 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 547.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:05 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 3 MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); 10 X 6 X 5 MM, RED, TAN AND
FIRM
SALIV GL, MANDIB (SG) :
-MISSING/NOT IDENTIFIED; NOT
IDENTIFIED: NOT POSITIVELY IDENTIFIED;
POSSIBLY COLLECTED WITH CERVICAL MASS
NOTED

ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
OVARY (OV) :
-CYST, -PRESENT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SALIV GL, MANDIB (SG) :
-M-SCHWANNOMA, -NEOPLASM PRESENT
-UNILATERALLY EXAMINED, -PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1506

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92990 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 547.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:05 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 65 X 55 X 35 MM, TAN,
LOBULATED AND SOFT; ON SECTION, EXUDES
A TAN CREAMY SEMIFLUID; COLLECTED
INTACT; REGIONAL LN (SEE AXILLARY)
-MASS #2; EXTENDS Laterally across
ENTIRE VENTRAL CERVICAL REGION: SINGLE
MASS, 70 X 45 X 36 MM, TAN, RED,
LOBULATED, VASCULAR AND FIRM; SAME ON
CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (MANDIBULAR) NOT
IDENTIFIED

LN, AXILLARY (AX) :
-MOTTLED; BILATERAL: RED AND TAN (CAP
21)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

MAMMARY, FEMALE (MF) :
>NOTE:>MASS #1 IS A FIBROADENOMA SEE
SALIVARY GLAND FOR DIAGNOSIS OF
MASS #2

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1507

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92990 SEX: FEMALE DOSE GROUP: 2 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 547.2 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 14:05 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1508

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92991 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 568.0 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1509

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92991 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 568.0 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 5 MM, RED, TAN, AND
SOFT
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS DIFFUSE:
COLLECTED ON ROUTINE SECTION
-CYST(S); RIGHT INGUINAL REGION:
SINGLE DARK BROWN FLUID FILLED CYST,
40 X 25 X 10 MM (CAP 23)
FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); RIGHT HIND FOOT:
SINGLE DRY, RED, AND TAN CRUSTED AREA,
4 X 3 MM; COLLECTED
LN, ANT MES/PANC (AP) :
-LARGE; UP TO 8 MM IN DIAMETER (CAP
24)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PANCREAS (PA) :
-INFILTRATION, FAT, INTERSTITIAL, -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
-B-ADENOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -MINIMAL
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
LN, ANT MES/PANC (AP) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE PANCREAS FOR DIAGNOSIS OF
MASS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1510

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92991 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 568.0 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:23 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; LEFT: DARK RED DRY
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1511

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92992 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 372.2 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:21 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); DORSAL; WEEK 76; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 76; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 78; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL; WEEK 79; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC; WEEK 62; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 81; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOMEN GRANULES, DECREASED, -MODERATE -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -SLIGHT THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT LUNG (LU) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1512

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92992 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 372.2 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:21 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 10 X 7 X 5 MM, DARK RED, TAN AND SOFT	MUSCLE, SKELETAL (SM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN ERODED AREAS, UP TO 3 X 2 MM	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE
	SKIN (SK) : -MASS(ES); LEFT DORSAL LUMBAR REGION: SINGLE MASS, 25 X 20 X 10 MM, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (SEE INGUINAL); POSSIBLY CONSISTENT WITH MASS (DORSAL) AS NOTED IN CLINICAL OBSERVATIONS	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -SLIGHT SKIN (SK) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT LATERAL CERVICAL REGION: SINGLE MASS, 20 X 12 X 12 MM, DARK RED, RED, TAN, BROWN AND SOFT; CUT SURFACE EXUDES A DARK RED SEMIFLUID; COLLECTED; REGIONAL LN (SEE MANDIBULAR)	MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 3 NEOPLASMS PRESENT -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1513

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92992 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 372.2 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:21 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-MASS #2; ALL REGIONS, DIFFUSE:
MULTIPLE MASSES, UP TO 45 X 45 X 30
MM, ALL ARE TAN, RED AND SOFT; ALL
EXUDE A TAN CREAMY SEMIFLUID; PORTIONS
COLLECTED; REGIONAL LN (SEE INGUINAL)
(AXILLARY) NORMAL (CAP 23)

LN, INGUINAL (IN) :
-LARGE; LEFT: UP TO 7 X 5 X 5 MM;
APPEARS CYSTIC (CAP 22); RIGHT NOT
IDENTIFIED
LN, MANDIBULAR (MN) :
-MOTTLED; BILATERAL: RED AND TAN (CAP
21)

MAMMARY, FEMALE (MF) :
>NOTE:>CARCINOMA FOUND IN MASS #1, PART
OF MASS #2, AND ON THE SLIDE
THAT GROSSLY WAS THOUGHT TO
CONTAIN LYMPH NODE. MAJORITY OF
MASS #2 IS FIBROADENOMA. THE
CARCINOMA ON SLIDE #22 HAS
CONSIDERABLE SQUAMOUS
METAPLASIA.
HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
LN, INGUINAL (IN) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE MAMMARY, FEMALE FOR
DIAGNOSIS
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1514

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92992 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 372.2 GRAMS
 DATE AND TIME OF NECROPSY: 11/23/99 15:21 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT),
 CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
 LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
 LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
 CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
 PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
 MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
 CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1515

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92993 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 271.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:54 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0384	.0142 %	.0195	WEIGHT TAKEN
RT ADRENAL (AD1)	.0376	.0139 %	.0191	WEIGHT TAKEN
BRAIN (BR)	1.9653	.7247 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1048	.4074 %	.5622	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1773	.4341 %	.5990	WEIGHT TAKEN
LIVER (LI)	7.6933	2.8368 %	3.9146	WEIGHT TAKEN
LUNG (LU)	1.1907	.4390 %	.6059	WEIGHT TAKEN
LF OVARY (OV0)	.0548	.0202 %	.0279	WEIGHT TAKEN
RT OVARY (OV1)	.0542	.0200 %	.0276	WEIGHT TAKEN
SPLEEN (SP)	.5039	.1858 %	.2564	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0103	.0038 %	.0052	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0083	.0031 %	.0042	WEIGHT TAKEN
UTERUS (UT)	1.0577	.3900 %	.5382	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
 -NECROSIS, COAGULATIVE, -SLIGHT
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1516

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92993 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 271.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:54 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
 URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1517

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92994 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/12/99 STUDY DAY OF DEATH: 572 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: 239.6 GRAMS
DATE AND TIME OF NECROPSY: 11/21/99 7:03 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >EYES; DISCOLORED/LIGHT RED; EYE-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL -INFLAMMATION, ACUTE, -SLIGHT BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -DEPLETION, LYMPHOCYTIC, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1518

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92994 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/12/99 STUDY DAY OF DEATH: 572 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: 239.6 GRAMS
DATE AND TIME OF NECROPSY: 11/21/99 7:03 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PANCREAS (PA) : -MASS(ES); ATTACHED TO MID PORTION OF DUODENUM: SINGLE MASS, 33 X 17 X 12 MM, DARK RED, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (PANCREATIC) NOT IDENTIFIED	ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -ANGIECTASIS, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -SLIGHT
	THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED; POSSIBLE REMNANTS COLLECTED	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
	PITUITARY (PI) : -MASS(ES); 8 X 6 X 4 MM, DARK RED, TAN, GREY AND FIRM	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT STOMACH, GL (ST) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT RECTUM (RE) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1519

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92994	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/12/99	STUDY DAY OF DEATH: 572	STUDY WEEK OF DEATH: 82	TERMINAL BODY WEIGHT: 239.6 GRAMS
DATE AND TIME OF NECROPSY: 11/21/99 7:03	PROSECTOR: CHANESTA ACKER	RECORDED: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	RECTUM (RE) : -MASS(ES); ATTACHED TO SEROSAL SURFACE: SINGLE MASS, 11 X 11 X 9 MM, RED, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE ILIAC)	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL
	VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: LIGHT GREEN, CREAMY SEMIFLUID MATERIAL	VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 13 X 9 X 6 MM (CAP 21) -DIFFUSELY RED; DARK RED	HEMATO NEOPLASIA (HN) : -M-LYMPHOMA, -NEOPLASM PRESENT
	LN, LUMBAR/ILIAC (LM) : -LARGE; LEFT ILIAC: UP TO 7 X 5 X 2 MM (RIGHT ILIAC NOT IDENTIFIED) (CAP 23) -DIFFUSELY RED; LEFT: DARK RED -MASS(ES); BILATERAL, LUMBAR INVOLVING ENTIRE ORGAN: SINGLE MASS, 40 X 25 X 20 MM, RED, DARK RED, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE (CAP 25)	CAUSE OF DEATH (CD) : -NEOPLASM, HEMATOPOIETIC, -PRESENT
	LN, POPLITEAL (PP) : -LARGE; LEFT: 7 X 5 X 3 MM (RIGHT NOT IDENTIFIED) (CAP 24)	LN, MEDIASTINAL (ML) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
		LN, LUMBAR/ILIAC (LM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
		LN, POPLITEAL (PP) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1520

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92994	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/12/99	STUDY DAY OF DEATH: 572	STUDY WEEK OF DEATH: 82	TERMINAL BODY WEIGHT: 239.6 GRAMS
DATE AND TIME OF NECROPSY: 11/21/99 7:03	PROSECTOR: CHANESTA ACKER	RECORDER: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, POPLITEAL (PP) :
-DIFFUSELY RED; LEFT: DARK RED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1521

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92994 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/12/99 STUDY DAY OF DEATH: 572 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: 239.6 GRAMS
DATE AND TIME OF NECROPSY: 11/21/99 7:03 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1522

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92995 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/17/98 STUDY DAY OF DEATH: 59 STUDY WEEK OF DEATH: 9 TERMINAL BODY WEIGHT: 264.0 GRAMS
DATE AND TIME OF NECROPSY: 06/17/98 10:39 PROSECTOR: TROY ELLENBECKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; TAIL; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; TAIL-DISTAL; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; MISSING; TAIL-DISTAL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	TAIL (TI) : -ABRASION(S)/ULCERATION(S); 120 MM FROM BASE: MULTIPLE RED, TAN AND MOIST ABRADED AREAS, UP TO 7 X 6 MM; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -TAIL - BENT/MISSING; 120 MM FROM BASE: TIP MISSING; REMAINING PORTION COLLECTED	LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -ATROPHY, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE UTERUS (UT) : -DILATATION, -SLIGHT CAUSE OF DEATH (CD) : -INFLAMMATION / INFECTION, -PRESENT TAIL (TI) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ULCERATION, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1523

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92995 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/17/98 STUDY DAY OF DEATH: 59 STUDY WEEK OF DEATH: 9 TERMINAL BODY WEIGHT: 264.0 GRAMS
DATE AND TIME OF NECROPSY: 06/17/98 10:39 PROSECTOR: TROY ELLENBECKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1524

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92996 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 200.3 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:01 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.1652	3.5765 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1525

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92996 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 200.3 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:01 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1526

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92997 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 307.6 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:23 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 74; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -MOTTLED; BILATERAL: RED AND BROWN THYMUS (TH) : -RED FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE DARK RED AREAS, PINPOINT AND UP TO 1 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1527

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92997 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 307.6 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:23 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 11 X 5 X 5 MM, RED, DARK
RED, TAN AND SOFT

MAMMARY, FEMALE (MF) :

-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 40 X 20 X 20 MM, RED,
TAN, FIRM AND LOBULATED; ON SECTION,
EXUDES A TAN CREAMY SEMIFLUID;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: RED, DRY
MATERIAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1528

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92997 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 307.6 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:23 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1529

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92998 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/01/99 STUDY DAY OF DEATH: 316 STUDY WEEK OF DEATH: 46 TERMINAL BODY WEIGHT: 205.8 GRAMS
DATE AND TIME OF NECROPSY: 03/01/99 15:00 PROSECTOR: TERRI L. WILLIAMS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY DARK; DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE BROWN FOCI 2 MM IN DIAMETER	LIVER (LI) : -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>EYES; SQUINTED; PERI-ORBITAL; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -PIGMENT, TUBULAR, -MINIMAL
>SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: NOT OBSERVED		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE		MARROW, FEMUR (FM) : -CONGESTION, -PRESENT
		MARROW, STERNUM (SE) : -CONGESTION, -PRESENT
		SPINAL CORD (SC) : -AXONAL SWELLING, -MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1530

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92998 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/01/99 STUDY DAY OF DEATH: 316 STUDY WEEK OF DEATH: 46 TERMINAL BODY WEIGHT: 205.8 GRAMS
DATE AND TIME OF NECROPSY: 03/01/99 15:00 PROSECTOR: TERRI L. WILLIAMS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 MM IN DIAMETER, DARK RED,
GREY AND SOFT
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-ANGIECTASIS, -PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATE

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; MOIST
YELLOW MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1531

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92998 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/01/99 STUDY DAY OF DEATH: 316 STUDY WEEK OF DEATH: 46 TERMINAL BODY WEIGHT: 205.8 GRAMS
DATE AND TIME OF NECROPSY: 03/01/99 15:00 PROSECTOR: TERRI L. WILLIAMS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), BONE, STERNUM (SB), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1532

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92999 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/22/00 STUDY DAY OF DEATH: 643 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/22/00 15:02 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 59; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -MODERATELY SEVERE -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MODERATE -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1533

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92999 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/22/00 STUDY DAY OF DEATH: 643 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/22/00 15:02 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 7 X 4 MM, DARK RED AND
SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 45 X 35 X 16 MM, TAN,
GREEN, VASCULAR AND SOFT; ON SECTION
EXUDES A GREEN CREAMY SEMIFLUID;
COLLECTED INTACT; REGIONAL LN
(INGUINAL) NOT IDENTIFIED; POSSIBLY
CONSISTENT WITH MASS (VENTRAL
ABDOMINAL) NOTED IN CLINICAL
OBSERVATION

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

JEJUNUM (JE) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-B-ADENOMA, -NEOPLASM PRESENT

UTERUS (UT) :
-DILATATION, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1534

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92999 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/22/00 STUDY DAY OF DEATH: 643 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/22/00 15:02 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
-LARGE; BILATERAL: EACH IS 10 X 7 X 2
MM; COLLECTED
GENERAL COMMENT (GC) :
-ANIMAL THIN

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1535

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C92999 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/22/00 STUDY DAY OF DEATH: 643 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/22/00 15:02 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1536

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93000 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 267.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:56 PROSECTOR: MICHELE MARGGI RECORDER: MATTHEW AXTMAN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0366	.0137 %	.0176	WEIGHT TAKEN
RT ADRENAL (AD1)	.0430	.0161 %	.0207	WEIGHT TAKEN
BRAIN (BR)	2.0797	.7772 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1525	.4307 %	.5542	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1261	.4208 %	.5415	WEIGHT TAKEN
LIVER (LI)	9.1952	3.4362 %	4.4214	WEIGHT TAKEN
LUNG (LU)	1.4706	.5496 %	.7071	WEIGHT TAKEN
LF OVARY (OV0)	.0643	.0240 %	.0309	WEIGHT TAKEN
RT OVARY (OV1)	.0895	.0334 %	.0430	WEIGHT TAKEN
SPLEEN (SP)	.4800	.1794 %	.2308	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0115	.0043 %	.0055	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0225	.0084 %	.0108	WEIGHT TAKEN
UTERUS (UT)	.6052	.2262 %	.2910	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1537

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93000 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 267.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:56 PROSECTOR: MICHELE MARGGI RECORDER: MATTHEW AXTMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: MATTHEW AXTMAN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1538

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93001 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 321.6 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 7:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 76; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 82; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -SLIGHT
>BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -HYPERPLASIA, CORTICAL, -SLIGHT -PIGMENT, -SLIGHT
		ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1539

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93001 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 321.6 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 7:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 10 X 6 MM, DARK RED,
TAN AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 17 X 15 X 8 MM, TAN, RED
AND SOFT; CUT SURFACE EXUDES A TAN,
CREAMY SEMIFLUID (CAP 21); REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; LEFT PERIANAL REGION: SINGLE
MASS, 35 X 32 X 20 MM, DARK RED, TAN,
YELLOW AND SOFT; CUT SURFACE EXUDES A
DARK RED SEMIFLUID; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PARATHYROID (PT) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #1 IS THE FIBROADENOMA
UTERUS (UT) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1540

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93001	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/24/99	STUDY DAY OF DEATH: 584	STUDY WEEK OF DEATH: 84	TERMINAL BODY WEIGHT: 321.6 GRAMS
DATE AND TIME OF NECROPSY: 11/24/99 7:18	PROSECTOR: TODD ACKER	RECORDED: TODD ACKER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENTGENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1541

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93002 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 381.4 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:15 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 56; 70 X 55MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 70; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -MINERALIZATION, PELVIC, -MINIMAL
>RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -SLIGHT
>RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1542

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93002 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 381.4 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:15 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-MISSING/NOT IDENTIFIED; DUE TO LUNG
MASS; THYMUS NOT POSITIVELY
IDENTIFIED; POSSIBLE REMNANTS
COLLECTED
LUNG (LU) :
-MASS(ES); INVOLVING ENTIRE RIGHT
CAUDAL AND MIDDLE LOBES: SINGLE MASS,
48 X 23 X 18 MM, RED, DARK RED, GRAY,
TAN, LOBULATED, VASCULAR, AND FIRM;
SAME ON CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (TRACHEOBRONCHIAL) NORMAL
(CAP 22); PORTION OF MASS ADHERED TO
DIAPHRAGM; ADHESIONS COLLECTED WITH
MASS

PITUITARY (PI) :
-MASS(ES); 12 X 11 X 8 MM, DARK RED,
LOBULATED, AND SOFT

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-M-THYMIC CARCINOMA, -NEOPLASM PRESENT

LUNG (LU) :
>UNREMARKABLE
>NOTE:>SEE THYMUS FOR DIAGNOSIS OF MASS

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1543

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93002 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 381.4 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:15 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 48 X 30 X 18 MM, RED,
DARK RED, LOBULATED, AND SOFT; ON
SECTION EXUDES A BROWN FLUID (CAP 23);
REGIONAL LN (AXILLARY) NORMAL (CAP 24)
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 55 X 40 X 40 MM, RED,
DARK RED, BLACK, GRAY, TAN, VASCULAR,
LOBULATED, AND SOFT; ON SECTION EXUDES
A BROWN FLUID; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
UTERUS (UT) :
-CYST(S); RIGHT, WITHIN WALLS:
MULTIPLE CLEAR FLUID FILLED CYSTS, UP
TO 3 MM IN DIAMETER
VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
GREEN MUCOID SEMIFLUID MATERIAL

LN, MANDIBULAR (MN) :
-LARGE; LEFT: UP TO 8 X 5 X 3 MM
(RIGHT IS UP TO 4 X 4 X 3 MM) (CAP 21)

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

UTERUS (UT) :
-DILATATION, -MODERATELY SEVERE

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1544

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93002 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 381.4 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:15 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, TRACHEOBRON (TB) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DRY, DARK
RED MATERIAL
-ANIMAL THIN
-DISCHARGE-NASAL; DARK RED AND DRY;
POSSIBLY CONSISTENT WITH (RED HAIRCOAT
ENTIRE HEAD) NOTED IN CLINICAL
OBSERVATIONS
GENERAL INFORMATION (XX) :
>NOTE:>OCULAR DISCHARGE (LEFT EYE)
NOTED IN CLINICAL OBSERVATIONS
WAS NOT SEEN AT NECROPSY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1545

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93002 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 381.4 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:15 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1546

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93003 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 625.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JAMES T. CALLEN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 56; 90 X 90MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 X 3 MM, SOME ARE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTIONS OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -NECROSIS, COAGULATIVE, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL OVARY (OV) : >UNREMARKABLE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1547

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93003 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 625.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JAMES T. CALLEN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 105 X 105 X 45 MM, RED,
TAN, LOBULATED, AND SOFT; SAME ON CUT
SURFACE; OVERLYING SKIN HAS A MOIST
RED ULCERATED AREA, 35 X 30 MM;
COLLECTED INTACT WITH MASS;
REPRESENTATIVE PORTIONS COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 22)

THYROID (TY) :
-COLLOID, DECREASED, -SEVERE
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-STAINS-PERINEUM/PERIANAL; DRY YELLOW
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1548

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93003 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 625.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JAMES T. CALLEN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1549

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93004 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/99 STUDY DAY OF DEATH: 520 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 322.9 GRAMS
DATE AND TIME OF NECROPSY: 09/21/99 14:10 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 MM IN DIAMETER (RIGHT IS 4 X 3 X 3 MM) OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE OVARY (OV) : -CYST, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1550

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93004 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/99 STUDY DAY OF DEATH: 520 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 322.9 GRAMS
DATE AND TIME OF NECROPSY: 09/21/99 14:10 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 10 X 9 X 9 MM,
RED, DARK RED, TAN, LOBULATED AND SOFT

LN, MANDIBULAR (MN) :
-MOTTLED; BILATERAL: RED AND TAN (CAP
21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1551

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93004 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/99 STUDY DAY OF DEATH: 520 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 322.9 GRAMS
DATE AND TIME OF NECROPSY: 09/21/99 14:10 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1552

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93005 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 327.1 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:01 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 51; 40 X 45MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL LN, MESENTERIC (MS) : -HYPERPLASIA, LYMPHORETICULAR, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1553

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93005 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 327.1 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:01 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 14 X 10 X 9 MM, RED, DARK
RED, GRAY AND SOFT

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 55 X 50 X 30 MM, RED,
DARK RED, TAN, FIRM AND LOBULATED;
SOME SECTIONS EXUDE A TAN, CREAMY
SEMISOLID; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 21)
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN AND CREAMY SEMIFLUID
FILLED CYSTS, UP TO 5 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION

THYMUS (TH) :

-HYPERPLASIA, LYMPHORETICULAR, -SEVERE

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, NONGL (SU) :

-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
-EDEMA, -PRESENT
-INFLAMMATION, SUBACUTE, -MODERATE

SKIN (SK) :

-M-FIBROSARCOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
-B-ADENOMA, -NEOPLASM PRESENT

>NOTE:>SEE ALSO SKIN, AS MASS CONTAINS
TWO DISTINCT COMPONENTS. MASS 1
IS THE FIBROADENOMA

VAGINA (VA) :

-HYPERPLASIA, MUCINOUS, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1554

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93005 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 327.1 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:01 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL

LN, AXILLARY (AX) :
-HYPERPLASIA, RETICULOENDOTHELIAL, -
SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1555

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93005 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 327.1 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:01 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1556

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93006 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 193.9 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:39 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	6.9154	3.5657 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1557

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93006 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 193.9 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:39 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1558

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93007 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 510.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:23 PROSECTOR: MICHELE MARGGI RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -HYPERPLASIA, -MINIMAL SKIN (SK) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
	PITUITARY (PI) : -LARGE; 6 X 5 X 4 MM; APPEARS SWOLLEN SKIN (SK) : -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION	MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MODERATELY SEVERE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	CERVIX (CV) : -LARGE; 11 X 10 X 5 MM; FIRM	
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1559

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93007	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00	STUDY DAY OF DEATH: 719	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: 510.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:23	PROSECTOR: MICHELE MARGGI	RECORDED: JILL PAUS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1560

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93008 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 211.9 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:38 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.8828	3.7198 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1561

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93008 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 211.9 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:38 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1562

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93009 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 358.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 15:07 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 79; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	EYE (EY) : -ROUGHENED CORNEA; LEFT	EYE (EY) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE -ULCERATION, CORNEAL, -MODERATE
>MASS(ES); HEAD-MAXILLARY-LEFT; WEEK 91; 25 X 20MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL
>EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		-HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
>EYES; DISCOLORED/LIGHT RED; EYE-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL
>EYES; SCAB; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MINIMAL -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1563

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93009 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 358.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 15:07 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 7 X 5 MM, DARK RED,
TAN AND FIRM

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 25 X 19 X 12 MM, RED,
DARK RED, TAN AND SOFT; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

LN, MANDIBULAR (MN) :
-LARGE; BILATERAL: EACH IS 9 X 5 X 3
MM; COLLECTED

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
AUDITORY SEB GL (AS) :
-M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1564

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93009 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 358.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 15:07 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CALVARIUM/SKULL (CA) :
-MASS(ES); LEFT SIDE OF HEAD, NEAR
BASE OF EAR: SINGLE MASS, 25 X 24 X 18
MM, RED, TAN AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN (SEE
MANDIBULAR)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL, LOWER
INCISORS

CALVARIUM/SKULL (CA) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE AUDITORY SEBACEOUS GLAND FOR
DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1565

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93009 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 358.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 15:07 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1566

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93010 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 377.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 15:04 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>SKIN & PELAGE; BROWN HAIR COAT; PERINEAL AREA; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: BROWN AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -GRANULAR MATERIAL; LEFT, WITHIN PELVIS: MULTIPLE TAN AND FIRM GRANULES, UP TO 1 MM IN DIAMETER	SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1567

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93010	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00	STUDY DAY OF DEATH: 631	STUDY WEEK OF DEATH: 91	TERMINAL BODY WEIGHT: 377.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 15:04	PROSECTOR: WENDY CHERRY	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL -CYST, -PRESENT
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 15 X 15 X 10 MM, DARK RED, GRAY AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
		MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATE
	UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE	UTERUS (UT) : -DILATATION, -MODERATE
		CERVIX (CV) : -B-POLYP, STROMAL, -NEOPLASM PRESENT
	VAGINA (VA) : -MASS(ES); WITHIN LUMEN: SINGLE MASS, 10 X 7 X 7 MM, DARK RED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE LUMBAR)	VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT
	LN, LUMBAR/ILIAC (LM) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 4 X 3 X 3 MM (CAP 21)	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, LUMBAR/ILIAC (LM) : -LYMPHANGIECTASIS, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1568

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93010 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 377.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 15:04 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; BROWN AND
MOIST MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1569

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93010 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 377.0 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 15:04 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1570

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93011 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 626.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT CAUDAL LOBE: SINGLE TAN AREA, 2 MM IN DIAMETER; COLLECTED INTACT PITUITARY (PI) : -MASS(ES); 8 X 7 X 5 MM, DARK RED, TAN, GRAY AND FIRM UTERUS (UT) : -CYST(S); WITHIN WALL OF LEFT HORN: MULTIPLE CYSTS, SOME ARE CLEAR FLUID FILLED AND SOME ARE RED FLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -MODERATE -ANGIECTASIS, -PRESENT UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1571

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93011 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 626.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

VAGINA (VA) :
-MASS(ES); ATTACHED TO SEROSAL
SURFACE: SINGLE MASS, 12 X 6 X 2 MM,
TAN, SOFT AND VAGINA LIKE APPEARANCE;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 22)

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1572

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93011 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 626.8 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JODI THIEREN RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), MAMMARY, FEMALE (MF), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1573

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93012 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 582.3 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:40 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 37; 115 X 95MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLACK SKIN; VENTRAL- THORACIC-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MODERATELY SEVERE -DEGENERATION / NECROSIS, UNILATERAL, - SEVERE ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1574

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93012 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 582.3 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:40 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
	PITUITARY (PI) : -MASS(ES); 8 X 6 X 6 MM, RED, GRAY, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -THICKENED WALL; MUCOSA	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL STOMACH, GL (ST) : >UNREMARKABLE JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1575

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93012 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 582.3 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:40 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION, EXTENDING TO LEFT LATERAL THORACIC REGION: SINGLE MASS, 113 X 85 X 61 MM (214.0 GRAMS), RED, DARK RED, GRAY, GREEN, BLACK, TAN, LOBULATED, VASCULAR, CYSTIC, AND FIRM; SOME SECTIONS EXUDE A GREEN MUCOID SEMIFLUID MATERIAL; PORTIONS COLLECTED; REGIONAL LN (SEE AXILLARY); OVERLYING SKIN HAS A SINGLE DRY, BLACK CRUSTED AREA, 65 X 40 MM; COLLECTED WITH MASS -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION LN, AXILLARY (AX) : -LARGE; BILATERAL: LEFT IS UP TO 10 X 8 X 6 MM, RIGHT IS UP TO 7 X 5 X 4 MM (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1576

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93012 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/01/99 STUDY DAY OF DEATH: 561 STUDY WEEK OF DEATH: 81 TERMINAL BODY WEIGHT: 582.3 GRAMS
DATE AND TIME OF NECROPSY: 11/01/99 14:40 PROSECTOR: JOHN S. HALFORD RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1577

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93013 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 262.1 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:07 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATELY SEVERE -INFILTRATE, FAT, INTERSTITIAL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1578

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93013 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 262.1 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:07 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 6 X 6 MM, TAN AND SOFT
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND SOFT; COLLECTED ON ROUTINE SECTION

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY DARK
RED MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1579

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93013 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 262.1 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:07 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1580

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93014 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 253.3 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:07 PROSECTOR: JILL PAUS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 72; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 73; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -PIGMENT, TUBULAR, -MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 5 X 3 MM (RIGHT IS 4 X 2 X 2 MM) -DIFFUSELY RED; LEFT: DARK RED	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1581

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93014 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 253.3 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:07 PROSECTOR: JILL PAUS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 11 X 7 X 7 MM, RED, DARK RED, TAN AND SOFT STOMACH, NONGL (SU) : -THICKENED WALL; DIFFUSE -RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE AREAS, PINPOINT AND UP TO 2 X 1 MM MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN CREAMY FLUID FILLED CYSTS, UP TO 12 MM IN DIAMETER (CAP 21); POSSIBLY CONSISTENT WITH MASSES AS NOTED IN CLINICAL OBSERVATIONS UTERUS (UT) : -CYST(S); RIGHT, WITHIN HORN: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED DRY MATERIAL	THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -ULCERATION, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -INFLAMMATION, CHRONIC, -MODERATE UTERUS (UT) : -CYST, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1582

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93014 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 253.3 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:07 PROSECTOR: JILL PAUS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1583

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93015 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 388.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 11:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 97; 40 X 30MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 7 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1584

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93015 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 388.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 11:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 MM IN DIAMETER, DARK RED
AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); MID ABDOMINAL REGION:
SINGLE MASS, 45 X 30 X 30 MM, RED, TAN
AND LOBULATED; SOME SECTIONS EXUDE A
TAN SEMIFLUID; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
UTERUS (UT) :
-MASS(ES); WITHIN LUMEN OF LEFT HORN:
SINGLE MASS, 25 X 4 X 3 MM, RED, TAN
AND SOFT; COLLECTED INTACT WITH
UTERUS; REGIONAL LN (LUMBAR) NORMAL
(CAP 21)

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1585

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93015 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 388.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 11:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-STAINS-PERINEUM/PERIANAL; PERINEUM:
MOIST YELLOW MATERIAL

CERVIX (CV) :
-HYPERPLASIA, STROMAL, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1586

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93015 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/31/00 STUDY DAY OF DEATH: 712 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 388.7 GRAMS
DATE AND TIME OF NECROPSY: 03/31/00 11:00 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1587

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93016 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/11/99 STUDY DAY OF DEATH: 571 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/11/99 7:46 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT PANCREAS (PA) : -MASS(ES); ATTACHED TO CRANIAL PORTION OF DUODENUM: SINGLE MASS, 17 X 14 X 10 MM, RED, DARK RED, TAN AND SOFT; ON SECTION EXUDES A RED, SEMIFLUID MATERIAL (CAP 22); REGIONAL LN (SEE PANCREATIC) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 5 X 3 MM (RIGHT IS 5 X 4 X 3 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -DILATATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1588

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93016 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/11/99 STUDY DAY OF DEATH: 571 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/11/99 7:46 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-UNCOLLAPSED; ALL LOBES
PITUITARY (PI) :
-MASS(ES); 12 X 10 X 8 MM, DARK RED,
TAN, GREY AND SOFT

LN, MANDIBULAR (MN) :
-LARGE; BILATERAL: EACH IS UP TO 12 X
6 X 3 MM (CAP 21)
LN, ANT MES/PANC (AP) :
-DIFFUSELY RED; DARK RED (CAP 23)

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
>UNREMARKABLE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
LN, ANT MES/PANC (AP) :
-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1589

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93016 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/11/99 STUDY DAY OF DEATH: 571 STUDY WEEK OF DEATH: 82 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/11/99 7:46 PROSECTOR: CHANESTA ACKER RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-MALOCCLUSION; UPPER RIGHT INCISOR
-TEETH MISSING/BROKEN/WORN; UPPER LEFT
INCISOR: MISSING

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT),
DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1590

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93017 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 464.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:58 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 33; 60 X 60MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) OVARY (OV) : -CYST(S); RIGHT: SINGLE RED FLUID FILLED CYST, 1 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -PIGMENT, -SLIGHT OVARY (OV) : >UNREMARKABLE MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1591

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93017 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 464.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:58 PROSECTOR: JAMES T. CALLEN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYROID (TY) : -LARGE; LEFT: 6 X 4 X 3 MM (RIGHT IS 4 X 3 X 2 MM) PITUITARY (PI) : -MASS(ES); 10 X 7 X 6 MM, DARK RED AND FIRM SKIN (SK) : >NOTE:>SKIN AND MAMMARY SECTION TAKEN FROM RIGHT INGUINAL REGION DUE TO LEFT INGUINAL MASS MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 72 X 65 X 39 MM, TAN, RED, LOBULATED AND FIRM; SAME ON CUT SURFACE; OVERLYING SKIN HAS A RED, TAN AND MOIST ULCERATED AREA, 37 X 20 MM; COLLECTED INTACT WITH MASS; REGIONAL LN (INGUINAL) NOT IDENTIFIED UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 4 MM IN DIAMETER	THYMUS (TH) : >AUTOLYTIC HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL >NOTE:>MASS 1 IS THE CARCINOMA UTERUS (UT) : -DILATATION, -MODERATELY SEVERE VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1592

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93017	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00	STUDY DAY OF DEATH: 631	STUDY WEEK OF DEATH: 91	TERMINAL BODY WEIGHT: 464.5 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:58	PROSECTOR: JAMES T. CALLEN	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
>NOTE:>CARCINOMA

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1593

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93018 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 275.9 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:57 PROSECTOR: LAURIE J. SCHULLER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0335	.0121 %	.0163	WEIGHT TAKEN
RT ADRENAL (AD1)	.0363	.0132 %	.0177	WEIGHT TAKEN
BRAIN (BR)	2.0491	.7427 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1939	.4327 %	.5826	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1675	.4232 %	.5698	WEIGHT TAKEN
LIVER (LI)	9.0596	3.2837 %	4.4213	WEIGHT TAKEN
LUNG (LU)	1.4142	.5126 %	.6902	WEIGHT TAKEN
LF OVARY (OV0)	.0709	.0257 %	.0346	WEIGHT TAKEN
RT OVARY (OV1)	.0673	.0244 %	.0328	WEIGHT TAKEN
SPLEEN (SP)	.4924	.1785 %	.2403	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0056	.0020 %	.0027	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0105	.0038 %	.0051	WEIGHT TAKEN
UTERUS (UT)	.5391	.1954 %	.2631	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1594

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93018 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 275.9 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:57 PROSECTOR: LAURIE J. SCHULLER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
 URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1595

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93019 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/22/99 STUDY DAY OF DEATH: 309 STUDY WEEK OF DEATH: 45 TERMINAL BODY WEIGHT: 292.6 GRAMS
DATE AND TIME OF NECROPSY: 02/22/99 13:47 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE		-VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MINIMAL
		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT
		ADRENAL, CORTEX (AC) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
		MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE
		MARROW, STERNUM (SE) : -HYPOCELLULAR, MARROW, -MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1596

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93019 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/22/99 STUDY DAY OF DEATH: 309 STUDY WEEK OF DEATH: 45 TERMINAL BODY WEIGHT: 292.6 GRAMS
DATE AND TIME OF NECROPSY: 02/22/99 13:47 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 9 X 9 MM, RED, DARK
RED AND SOFT
STOMACH, NONGL (SU) :
-THICKENED WALL; DIFFUSE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; MOIST
YELLOW MATERIAL
-DISCHARGE-NASAL; BILATERAL: DARK RED
AND DRY MATERIAL

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
-EDEMA, -PRESENT
-INFLAMMATION, SUBACUTE, -MODERATE
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1597

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93019 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/22/99 STUDY DAY OF DEATH: 309 STUDY WEEK OF DEATH: 45 TERMINAL BODY WEIGHT: 292.6 GRAMS
DATE AND TIME OF NECROPSY: 02/22/99 13:47 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1598

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93020 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/24/99 STUDY DAY OF DEATH: 461 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/24/99 9:32 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -CONGESTION, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT THYMUS (TH) : -HEMORRHAGE, -PRESENT
	THYMUS (TH) : -RED FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE RED FOCI, UP TO 2 MM IN DIAMETER	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1599

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93020 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/24/99 STUDY DAY OF DEATH: 461 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/24/99 9:32 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 6 X 5 MM, RED, GRAY,
TAN, LOBULATED AND SOFT

UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL,
NEAR DISTAL ENDS: DARK GREEN, MUCOID
SEMIFLUID

LN, MEDIASTINAL (ML) :
-DIFFUSELY RED; DARK RED (CAP 20)

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

JEJUNUM (JE) :
>AUTOLYTIC

ILEUM (IL) :
>AUTOLYTIC

CECUM (CE) :
>AUTOLYTIC

COLON (CO) :
>AUTOLYTIC

MAMMARY, FEMALE (MF) :
>SECTION EXAMINED; TISSUE NOT PRESENT

UTERUS (UT) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

LN, MEDIASTINAL (ML) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1600

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93020 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 07/24/99 STUDY DAY OF DEATH: 461 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 07/24/99 9:32 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1601

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93021 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 291.5 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 13:45 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1602

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93021 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 291.5 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 13:45 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); SINGLE MASS, 12 X 8 X 6 MM;
DARK RED, TAN, GREY, SOFT AND
LOBULATED

MAMMARY, FEMALE (MF) :

-THICKENED; ALL REGIONS DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION
-CYST(S); LEFT PERIANAL REGION: SINGLE
CYST, 10 MM IN DIAMETER; FILLED WITH A
TAN CREAMY SEMIFLUID (CAP 20)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1603

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93021 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 291.5 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 13:45 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1604

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93022 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 591.1 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: TROY ELLENBECKER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 87; 60 X 50MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED FOCI, SOME SUNKEN WITH A STELLATE PATTERN, UP TO 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 MM IN DIAMETER (RIGHT IS 4 MM IN DIAMETER) -DARK FOCUS(I)/AREA(S); LEFT: SINGLE DARK BROWN AREA, 3 MM IN DIAMETER PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT ASPECT: SINGLE DARK RED AREA, 2 X 1 MM	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MODERATE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1605

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93022 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 591.1 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: TROY ELLENBECKER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 60 X 50 X 30 MM, RED,
DARK RED, TAN AND FIRM; SAME ON CUT
SURFACE (CAP 22); REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 30 X 30 X 15 MM, RED, TAN AND
FIRM; SAME ON CUT SURFACE (CAP 23);
REGIONAL LN (INGUINAL) NOT IDENTIFIED
UTERUS (UT) :
-CYST(S); RIGHT HORN, NEAR
BIFURCATION: SINGLE BROWN FLUID FILLED
CYST, 5 MM IN DIAMETER; CYST RUPTURED
AT NECROPSY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

UTERUS (UT) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1606

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93022 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 591.1 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: TROY ELLENBECKER RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1607

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93023 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 237.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0484	.0204 %	.0235	WEIGHT TAKEN
RT ADRENAL (AD1)	.0402	.0169 %	.0195	WEIGHT TAKEN
BRAIN (BR)	2.0570	.8672 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1140	.4696 %	.5416	WEIGHT TAKEN
RT KIDNEY (KD1)	1.0549	.4447 %	.5128	WEIGHT TAKEN
LIVER (LI)	7.8631	3.3150 %	3.8226	WEIGHT TAKEN
LUNG (LU)	1.1581	.4882 %	.5630	WEIGHT TAKEN
LF OVARY (OV0)	.0665	.0280 %	.0323	WEIGHT TAKEN
RT OVARY (OV1)	.0589	.0248 %	.0286	WEIGHT TAKEN
SPLEEN (SP)	.4895	.2064 %	.2380	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0077	.0032 %	.0037	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0074	.0031 %	.0036	WEIGHT TAKEN
UTERUS (UT)	.5715	.2409 %	.2778	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -SLIGHT
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -DILATATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1608

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93023 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 237.2 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
 URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1609

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93024 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/08/99 STUDY DAY OF DEATH: 598 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 313.7 GRAMS
DATE AND TIME OF NECROPSY: 12/08/99 11:39 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 61; 60 X 70MM; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1610

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93024 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/08/99 STUDY DAY OF DEATH: 598 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 313.7 GRAMS
DATE AND TIME OF NECROPSY: 12/08/99 11:39 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 10 X 4 MM, DARK RED
AND SOFT

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT VENTRAL ABDOMINAL
REGION: SINGLE MASS, 65 X 40 X 30 MM,
TAN, SOFT, VASCULAR, AND LOBULATED;
SAME ON CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY DARK
RED MATERIAL
-ANIMAL THIN

THYROID (TY) :

-HYPERPLASIA, C-CELL, -SLIGHT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

VAGINA (VA) :

-HYPERPLASIA, MUCINOUS, -MINIMAL

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1611

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93024 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/08/99 STUDY DAY OF DEATH: 598 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 313.7 GRAMS
DATE AND TIME OF NECROPSY: 12/08/99 11:39 PROSECTOR: DAVID SCHUETTE RECORDER: DAVID SCHUETTE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1612

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93025 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/23/00 15:03 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -MINIMAL -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1613

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93025 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/23/00 15:03 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL
		THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 7 X 7 X 5 MM, DARK RED, TAN AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		DUODENUM (DU) : >AUTOLYTIC
		JEJUNUM (JE) : >AUTOLYTIC
	MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATE
	CERVIX (CV) : -LARGE; 8 MM IN DIAMETER	URINARY BLADDER (UB) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
		CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MODERATE
		VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -MODERATELY SEVERE
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
	GENERAL COMMENT (GC) : -DISCHARGE-OCULAR; BILATERAL: RED, MOIST MATERIAL -DISCHARGE-NASAL; RED, DRY MATERIAL	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1614

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93025 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/23/00 STUDY DAY OF DEATH: 704 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/23/00 15:03 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1615

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93026 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 331.0 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 13:29 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 92; 40 X 30MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLUE SKIN; VENTRAL- THORACIC-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; PALE; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -GRANULAR MATERIAL; RIGHT, WITHIN PELVIS: MULTIPLE TAN PINPOINT GRANULES -DIFFUSELY LIGHT; BILATERAL: TAN SPLEEN (SP) : -LARGE; 48 X 12 X 6 MM	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -NECROSIS, COAGULATIVE, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, - MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - SLIGHT -INFLAMMATION, VASCULAR, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1616

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93026 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 331.0 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 13:29 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; LEFT: 6 MM IN DIAMETER (RIGHT
IS 4 MM IN DIAMETER)

OVARY (OV) :
-CYST(S); LEFT: SINGLE CLEAR FLUID
FILLED CYST, 4 MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); 4 X 4 X 3 MM, RED, GREY,
CYSTIC AND SOFT

ADRENAL, CORTEX (AC) :
-ANGIECTASIS, -MODERATELY SEVERE
-HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
OVARY (OV) :
-CYST, -PRESENT

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -
MODERATE
-INFLAMMATION, VASCULAR, -MODERATE
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1617

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93026	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00	STUDY DAY OF DEATH: 715	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: 331.0 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 13:29	PROSECTOR: JOHN S. HALFORD	RECORDER: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 21 X 19 X 11 MM, RED, DARK RED, GREY, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE AXILLARY); OVERLYING SKIN HAS A SINGLE DRY, RED AND TAN CRUSTED AREA, 15 X 11 MM; COLLECTED WITH MASS; POSSIBLY CONSISTENT WITH SCAB (VENTRAL-THORACIC-LEFT) AS NOTED IN CLINICAL OBSERVATIONS	CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MINIMAL VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE
	LN, AXILLARY (AX) : -LARGE; LEFT: UP TO 5 X 4 X 3 MM (RIGHT IS UP TO 4 X 3 X 2 MM) (CAP 21) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL LOWER AND UPPER INCISORS -DISCHARGE-OCULAR; LEFT: DRY, RED MATERIAL -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1618

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93026 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/03/00 STUDY DAY OF DEATH: 715 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 331.0 GRAMS
DATE AND TIME OF NECROPSY: 04/03/00 13:29 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1619

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93027 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 344.8 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:48 PROSECTOR: WENDY CHERRY RECORDER: JODI THIERN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -GRANULAR MATERIAL; LEFT, WITHIN PELVIS: MULTIPLE TAN AND FIRM GRANULES, UP TO 1 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1620

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93027 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 344.8 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:48 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 20 X 15 X 10 MM, DARK RED, TAN AND SOFT MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN AND CREAMY SEMIFLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: GREEN GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY -ANIMAL THIN	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1621

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93027 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/10/00 STUDY DAY OF DEATH: 631 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 344.8 GRAMS
DATE AND TIME OF NECROPSY: 01/10/00 14:48 PROSECTOR: WENDY CHERRY RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1622

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93028 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 338.8 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:52 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 88; 10 X10MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 91; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		-HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE -PIGMENT, -SLIGHT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1623

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93028 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 338.8 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:52 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 7 MM, DARK RED AND FIRM
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 20 MM IN DIAMETER, TAN, RED, AND FIRM; SAME ON CUT SURFACE;
(CAP 21); REGIONAL LN (INGUINAL) NOT IDENTIFIED
-MASS #2; RIGHT INGUINAL REGION
CRANIAL TO MASS 1: SINGLE MASS, 15 X 12 X 10 MM, TAN, RED AND FIRM; SAME ON CUT SURFACE; (CAP 22); REGIONAL LN (INGUINAL) NOT IDENTIFIED

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
>NOTE:>MASS #1 IS THE FIBROADENOMA

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1624

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93028 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 338.8 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 14:52 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1625

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93029 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 14:25 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL; WEEK 33; 40 X 20MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; SEVERE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -DIFFUSELY RED; BILATERAL: DARK RED OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER PITUITARY (PI) : -LARGE; 7 X 6 X 5 MM; APPEARS SWOLLEN -DARK FOCUS(I)/AREA(S); RIGHT AND LEFT ANTERIOR ASPECT: SINGLE DARK BROWN FOCUS AT EACH LOCATION, LEFT IS 1 MM IN DIAMETER, RIGHT IS 3 MM IN DIAMETER	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -FIBROSIS, CAPSULAR, -PRESENT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT OVARY (OV) : -CYST, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1626

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93029 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 14:25 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN AREAS, UP TO 2 X 1
MM

MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL CERVICAL REGION:
SINGLE MASS, 35 X 30 X 15 MM, TAN,
DARK BROWN, RED, LOBULATED AND FIRM;
SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (MANDIBULAR) NORMAL (CAP
20)
-THICKENED; ALL REGIONS: DIFFUSE;
COLLECTED ON ROUTINE SECTION
UTERUS (UT) :
-DIFFUSELY RED; BILATERAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

STOMACH, GL (ST) :
>UNREMARKABLE

RECTUM (RE) :
-PARASITISM, -PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT

UTERUS (UT) :
>UNREMARKABLE
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1627

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93029 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 14:25 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1628

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93030 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 457.8 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 9:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL -MASS(ES); LEFT, WITHIN PELVIS: SINGLE MASS, TAN AND FIRM; 15 X 13 X 6 MM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (RENAL) NOT IDENTIFIED ADRENAL, CORTEX (AC) : -SMALL; RIGHT: 5 X 3 X 3 MM (LEFT IS 6 MM IN DIAMETER)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SLIGHT -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -B-LIPOMA, -NEOPLASM PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE -INFILTRATION, FAT, INTERSTITIAL, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1629

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93030	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00	STUDY DAY OF DEATH: 670	STUDY WEEK OF DEATH: 96	TERMINAL BODY WEIGHT: 457.8 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 9:45	PROSECTOR: MICHELE MARGGI	RECORDED: MICHELE MARGGI	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 10 X 5 X 5 MM, RED, DARK RED, TAN, GRAY, AND LOBULATED	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN, SLIGHTLY ERODED AREAS, UP TO 2 X 1 MM	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	MAMMARY, FEMALE (MF) : -MASS(ES); MID PERINEUM REGION: SINGLE MASS, 20 X 15 X 10 MM, RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (LUMBAR) NORMAL (CAP 21)	CECUM (CE) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, LUMBAR/ILIAC (LM) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1630

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93030 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 457.8 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 9:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); LEFT
HINDFOOT: SINGLE TAN AND MOIST ABRADED
AREA, 3 MM IN DIAMETER; COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -MINIMAL
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-FIBROSIS, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1631

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93030 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 457.8 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 9:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1632

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93031 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 183.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:46 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.4393	4.0511 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1633

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93031 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 183.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:46 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1634

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93032 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/27/99 STUDY DAY OF DEATH: 556 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 284.3 GRAMS
DATE AND TIME OF NECROPSY: 10/27/99 7:57 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1635

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93032 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/27/99 STUDY DAY OF DEATH: 556 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 284.3 GRAMS
DATE AND TIME OF NECROPSY: 10/27/99 7:57 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 7 X 7 MM, DARK RED,
TAN, GRAY, SOFT, AND LOBULATED

UTERUS (UT) :
-CYST(S); RIGHT HORN, WITHIN WALL: TWO
CLEAR FLUID FILLED CYSTS, EACH IS 2 MM
IN DIAMETER

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

UTERUS (UT) :
>UNREMARKABLE

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1636

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93032 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/27/99 STUDY DAY OF DEATH: 556 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 284.3 GRAMS
DATE AND TIME OF NECROPSY: 10/27/99 7:57 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1637

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93033 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 211.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 45; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; CLEAR ORAL; MODERATE; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LUNG (LU) : -MOTTLED; ALL LOBES: RED AND TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE -MINERALIZATION, TUBULAR, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1638

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93033	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99	STUDY DAY OF DEATH: 456	STUDY WEEK OF DEATH: 66	TERMINAL BODY WEIGHT: 211.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:30	PROSECTOR: STEVE VAN ADESTINE	RECORDED: LYNN HORNER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 14 X 10 X 8 MM, DARK RED, BROWN, AND SOFT STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE DARK BROWN AREA, 2 X 1 MM MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 18 X 12 X 5 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 20); REGIONAL LN (SEE AXILLARY) -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION -MASS #2; RIGHT AXILLARY REGION: SINGLE MASS, 15 X 10 X 5 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 21); REGIONAL LN (SEE AXILLARY) -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN CREAMY SEMIFLUID FILLED CYSTS, PINPOINT AND UP TO 2 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION LN, AXILLARY (AX) : -MOTTLED; BILATERAL: BROWN AND TAN (CAP 22)	LUNG (LU) : -INFLAMMATION, GRANULOMATOUS, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1639

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93033 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 211.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; PERINEUM:
YELLOW AND MOIST
-GI TRACT-LARGE LUMEN; ESOPHAGUS,
DIFFUSE: UP TO 10 MM IN DIAMETER
-DISCHARGE-ORAL; PINK FLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1640

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93033 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 211.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:30 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1641

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93034 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/15/99 14:08 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 72; 15 X 15MM; VERIFIED AT NECROPSY: NOT OBSERVED	EYE (EY) : >NOTE:>TRIMMING COMMENT: ONE EYE MISSING AT TIME OF TRIMMING	EYE (EY) : -UNILATERALLY EXAMINED, -PRESENT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 73; 80 X 70MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 73; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, COAGULATIVE, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 73; VERIFIED AT NECROPSY: NOT OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: EACH IS 8 X 6 X 5 MM	SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
		LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1642

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93034 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/15/99 14:08 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 MM IN DIAMETER, RED, DARK
RED, TAN AND FIRM

HEART (HT) :
-METAPLASIA, OSSEOUS / CARTILAGINOUS,-
MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

DUODENUM (DU) :
>AUTOLYTIC

JEJUNUM (JE) :
>AUTOLYTIC

ILEUM (IL) :
>AUTOLYTIC

CECUM (CE) :
>AUTOLYTIC

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>THE FIBROADENOMA IS MASS #2

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 12 X 12 X 9 MM, RED, TAN
AND FIRM; ON SECTION, EXUDES A TAN
CREAMY SEMIFLUID (CAP 22); REGIONAL LN
(AXILLARY) NORMAL (CAP 21)
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 95 X 69 X 34 MM, RED, TAN, DARK
RED, VASCULAR AND SOFT; SAME ON CUT
SURFACE; COLLECTED INTACT; OVERLYING
SKIN HAS A DARK RED MOIST ULCERATED
AREA, 30 X 20 MM, COLLECTED INTACT
WITH MASS; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1643

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93034	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/15/99	STUDY DAY OF DEATH: 575	STUDY WEEK OF DEATH: 83	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/15/99 14:08	PROSECTOR: JAMES T. CALLEN	RECORDED: JAMES T. CALLEN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1644

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93035 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 276.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:36 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0344	.0124 %	.0175	WEIGHT TAKEN
RT ADRENAL (AD1)	.0292	.0106 %	.0148	WEIGHT TAKEN
BRAIN (BR)	1.9688	.7118 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2399	.4483 %	.6298	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2468	.4508 %	.6333	WEIGHT TAKEN
LIVER (LI)	8.2187	2.9713 %	4.1745	WEIGHT TAKEN
LUNG (LU)	1.2172	.4401 %	.6182	WEIGHT TAKEN
LF OVARY (OV0)	.0804	.0291 %	.0408	WEIGHT TAKEN
RT OVARY (OV1)	.0836	.0302 %	.0425	WEIGHT TAKEN
SPLEEN (SP)	.5892	.2130 %	.2993	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0051	.0018 %	.0026	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0094	.0034 %	.0048	WEIGHT TAKEN
UTERUS (UT)	1.4107	.5100 %	.7165	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

UTERUS (UT) :
 -LUMEN FILLED WITH FLUID; BILATERAL:
 CLEAR FLUID

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -FOCUS, ALTERED HEPATOCELLULAR, CLEAR /
 EOSINOPHILIC CELL, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 UTERUS (UT) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1645

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93035 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 276.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:36 PROSECTOR: JODI THIEREN RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
 URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 OVARY (OV)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

BRAIN (BR) :
-COMPRESSED (HYPOTHALAMUS)

HISTOPATHOLOGY

BRAIN (BR) :
-DILATATION, VENTRICULAR, -PRESENT
-COMPRESSION, VENTRAL, -PRESENT
LIVER (LI) :
-FOCUS, ALTERED HEPATOCELLULAR, CLEAR /
EOSINOPHILIC CELL, -SLIGHT
-HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL
KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
MINIMAL
-MINERALIZATION, PELVIC, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -SLIGHT
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MODERATE
ADRENAL, CORTEX (AC) :
-ANGIECTASIS, -MODERATELY SEVERE
-PIGMENT, -MINIMAL
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1647

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93036 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/02/99 STUDY DAY OF DEATH: 592 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/02/99 15:05 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 35 X 28 X 18 MM, RED,
TAN, FIRM AND LOBULATED; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN CREAMY FLUID FILLED
CYSTS, UP TO 8 MM IN DIAMETER;
COLLECTED

VAGINA (VA) :

-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN

LN, MANDIBULAR (MN) :

-MOTTLED; BILATERAL: RED AND TAN;
COLLECTED INTACT WITH MANDIBULAR
SALIVARY GLANDS

GENERAL COMMENT (GC) :

-ANIMAL OBESE

MAMMARY, FEMALE (MF) :

-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATELY
SEVERE

CERVIX (CV) :

-HYPERPLASIA, MUCINOUS, -SLIGHT

VAGINA (VA) :

-HYPERPLASIA, MUCINOUS, -MODERATELY
SEVERE

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, MANDIBULAR (MN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1648

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93036 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/02/99 STUDY DAY OF DEATH: 592 STUDY WEEK OF DEATH: 85 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/02/99 15:05 PROSECTOR: TERRI L. WILLIAMS RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1649

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93037 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/22/99 STUDY DAY OF DEATH: 459 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 370.4 GRAMS
DATE AND TIME OF NECROPSY: 07/22/99 8:05 PROSECTOR: LYNN HORNER RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 64; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; CIRCLING; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1650

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93037 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/22/99 STUDY DAY OF DEATH: 459 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 370.4 GRAMS
DATE AND TIME OF NECROPSY: 07/22/99 8:05 PROSECTOR: LYNN HORNER RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 16 X 12 X 7 MM, RED, DARK
RED, GRAY, LOBULATED AND SOFT

MAMMARY, FEMALE (MF) :

-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN, CREAMY SEMIFLUID FILLED
CYSTS, UP TO 15 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION; LARGEST
CYSTS ARE POSSIBLY CONSISTENT WITH
MASS NOTED IN CLINICAL OBSERVATIONS
(CAP 20)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-MALOCCLUSION; RIGHT LOWER INCISOR
-DISCHARGE-OCULAR; BILATERAL: DARK RED
DARK AND DRY

HARDERIAN GLAND (HG) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT

VAGINA (VA) :

-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1651

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93037 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/22/99 STUDY DAY OF DEATH: 459 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 370.4 GRAMS
DATE AND TIME OF NECROPSY: 07/22/99 8:05 PROSECTOR: LYNN HORNER RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1652

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93038 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 553.5 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 10:57 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 53; 115 X 115MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT LN, MESENTERIC (MS) : -HYPERPLASIA, RETICULOENDOTHELIAL, - SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -LARGE; 6 X 5 X 4 MM	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1653

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93038 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 553.5 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 10:57 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MOTTLED; BROWN, TAN AND DARK RED

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT LATERAL THORACIC
REGION: SINGLE MASS, 110 X 85 X 55 MM
(292.5 GRAMS), TAN, RED, SOFT,
LOBULATED AND VASCULAR; SAME ON CUT
SURFACE; PORTION COLLECTED; REGIONAL
LN (AXILLARY) NORMAL (CAP 20)

SKIN (SK) :

-B-FIBROMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
>NOTE:>SEE SKIN FOR DIAGNOSIS

UTERUS (UT) :

-CYST, -SLIGHT

CAUSE OF DEATH (CD) :

-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT

LN, AXILLARY (AX) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

GENERAL INFORMATION (XX) :

>NOTE:>ANIMAL INADVERTENTLY SACRIFICED
WITH SODIUM PENTOBARBITAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1654

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93038 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: 553.5 GRAMS
DATE AND TIME OF NECROPSY: 08/23/99 10:57 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1655

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93039 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 587.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 66; 70 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT OVARY (OV) : -UNILATERALLY EXAMINED, -PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1656

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93039 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 587.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 9 X 7 X 5 MM, RED, TAN, AND SOFT SKIN (SK) : >NOTE:>SKIN ROUTINE SECTION TAKEN FROM RIGHT INGUINAL REGION DUE TO MAMMARY MASS MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 80 X 70 X 40 MM, RED, TAN, FIRM, AND LOBULATED; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED >NOTE:>MAMMARY ROUTINE SECTION TAKEN FROM RIGHT INGUINAL REGION DUE TO MAMMARY MASS UTERUS (UT) : -CYST(S); BILATERAL WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 4 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1657

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93039 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 587.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:24 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1658

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93040 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 296.4 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:50 PROSECTOR: JAMES T. CALLEN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 76; 20 X 15MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 12 X 8 X 6 MM, DARK RED, TAN, AND FIRM MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 28 X 23 X 14 MM, RED, TAN, LOBULATED, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 22)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1659

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93040	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00	STUDY DAY OF DEATH: 719	STUDY WEEK OF DEATH: 103	TERMINAL BODY WEIGHT: 296.4 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:50	PROSECTOR: JAMES T. CALLEN	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -DISCHARGE-OCULAR; BILATERAL: DRY RED MATERIAL -ANIMAL THIN	
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB), LN, AXILLARY (AX)		

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1660

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93041 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 375.9 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 73; 10 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED >SKIN & PELAGE; RED HAIR COAT; LATERAL-THORACIC-LEFT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; RED HAIR COAT; LATERAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 82; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 11 X 9 X 5 MM, DARK RED, RED AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SEVERE -HYPERPLASIA, TRANSITIONAL CELL, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1661

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93041 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 375.9 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 10 MM IN DIAMETER, TAN,
BROWN, RED AND FIRM; SAME ON CUT
SURFACE, COLLECTED INTACT; REGIONAL LN
(AXILLARY) NORMAL (CAP 21)
UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL:
CLEAR FLUID
-CYST(S); BILATERAL, WITHIN WALLS:
MULTIPLE CLEAR FLUID FILLED CYSTS, UP
TO 3 MM IN DIAMETER

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
UTERUS (UT) :
-DILATATION, -SEVERE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS - SKIN/HAIRCOAT; ENTIRE
ABDOMINAL AND DORSAL THORACIC REGIONS:
DRY RED MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1662

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93041 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 375.9 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1663

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93042 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 394.0 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 13:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 79; 70 X 50MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -I-CARCINOMA, -FROM PITUITARY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 79; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -CYST(S); VISCERAL SURFACE OF LEFT LATERAL LOBE: SINGLE CLEAR FLUID FILLED CYST, 1 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -SLIGHT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 82; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -SLIGHT
>SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>MASS(ES); DORSAL; WEEK 92; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED		PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE	ADRENAL, CORTEX (AC) : -RED FOCUS(I)/AREAS(I); RIGHT: TWO DARK RED AND SLIGHTLY RAISED AREAS, 3 X 2 X 1 MM	ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -PIGMENT, -SLIGHT -B-ADENOMA, -NEOPLASM PRESENT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1664

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93042 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 394.0 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 13:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :

-CYST(S); BILATERAL: SINGLE CLEAR
FLUID FILLED CYST ON EACH, EACH IS 3
MM IN DIAMETER

PITUITARY (PI) :

-MASS(ES); 10 X 7 X 6 MM, DARK RED,
DARK BROWN, TAN AND SOFT

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 15 X 15 X 8 MM, DARK RED,
TAN, LOBULATED AND FIRM; SAME ON CUT
SURFACE (CAP 21); OVERLYING SKIN HAS A
SINGLE TAN AND DRY CRUSTED AREA, 8 X 5
MM; COLLECTED INTACT WITH MASS;
REGIONAL LN (AXILLARY) NORMAL (CAP 22)

MARROW, FEMUR (FM) :

-HYPERPLASIA, MYELOID, MARROW, -MODERATE

MARROW, STERNUM (SE) :

-HYPERPLASIA, MYELOID, MARROW, -MODERATE

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE

HEART (HT) :

-CARDIOMYOPATHY, -SLIGHT

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-M-CARCINOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

MAMMARY, FEMALE (MF) :

-M-CARCINOMA, - 5 NEOPLASMS PRESENT

-CYST / GALACTOCELE, -PRESENT

-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE

-HYPERPLASIA, GLANDULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1665

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93042 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 394.0 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 13:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -THICKENED; VENTRAL CERVICAL REGION: TAN AND FIRM (CAP 23) -MASS #2; LEFT PERINEAL REGION: SINGLE MASS, 70 X 45 X 25 MM, DARK RED, TAN AND FIRM; ON SECTION EXUDES A DARK RED FLUID (CAP 24); REGIONAL LN (SEE INGUINAL) -MASS #3; RIGHT INGUINAL REGION: SINGLE MASS, 25 X 25 X 15 MM, TAN, LOBULATED AND FIRM; SOME SECTIONS EXUDE A TAN AND CREAMY SEMI- FLUID (CAP 25); REGIONAL LN (SEE INGUINAL) -MASS #4; RIGHT INGUINAL REGION, CRANIAL TO MASS #3: SINGLE MASS, 17 X 14 X 9 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 27); REGIONAL LN (SEE INGUINAL) -MASS #5; DORSAL THORACIC REGION: SINGLE MASS, 15 MM IN DIAMETER, DARK RED, BROWN AND FIRM; ON SECTION EXUDES A DARK BROWN FLUID (CAP 28); REGIONAL LN (AXILLARY) NORMAL (CAP 22)	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL CERVIX (CV) : -EXUDATE, LUMINAL, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1666

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93042 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 394.0 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 13:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, INGUINAL (IN) :
-LARGE; LEFT: UP TO 12 X 8 X 7 MM;
RIGHT IS NORMAL (CAP 26)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
LN, INGUINAL (IN) :
>UNREMARKABLE
>NOTE:>MAMMARY NEOPLASM ALSO ON SLIDE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1667

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93042 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/13/00 STUDY DAY OF DEATH: 665 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 394.0 GRAMS
DATE AND TIME OF NECROPSY: 02/13/00 13:55 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1668

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93043 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 620.1 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:27 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 68; 100 X 70MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 73; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 83; 40 X 35MM; VERIFIED AT NECROPSY: OBSERVED	-RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE DARK RED AREA, 3 X 2 MM; COLLECTED ON ROUTINE SECTION	-FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
>MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 84; 50 X 55MM; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -SLIGHT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 95; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -ANGIECTASIS, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1669

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93043 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 620.1 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:27 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MESENTERIC (MS) :
-DIFFUSELY DARK; DARK GREEN
OVARY (OV) :
-CYST(S); BILATERAL: SINGLE CLEAR
FLUID FILLED CYST ON EACH, EACH IS 1
MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 8 X 6 X 5 MM,
RED, DARK RED, TAN, LOBULATED, AND
FIRM

ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
LN, MESENTERIC (MS) :
>UNREMARKABLE
OVARY (OV) :
>UNREMARKABLE

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

RECTUM (RE) :
-PARASITISM, -PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 5 NEOPLASMS PRESENT
-CYST / GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1670

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93043 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 620.1 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:27 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT VENTRAL CERVICAL
REGION: SINGLE MASS, 23 X 22 X 17 MM,
RED, DARK RED, BROWN, TAN, LOBULATED,
AND SOFT; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (MANDIBULAR)
NORMAL (CAP 23)
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-MASS #2; RIGHT VENTRAL CERVICAL
REGION: SINGLE MASS, 65 X 55 X 49 MM,
RED, DARK RED, TAN, FIRM, VASCULAR,
AND LOBULATED; ON CUT SURFACE EXUDES A
BROWN FLUID; PORTION COLLECTED;
REGIONAL LN (MANDIBULAR) NORMAL (CAP
23)
-MASS #3; RIGHT AXILLARY REGION
EXTENDING TO RIGHT INGUINAL REGION:
SINGLE MASS, 120 X 75 X 70 MM, RED,
TAN, FIRM, LOBULATED, AND VASCULAR;
SAME ON CUT SURFACE; PORTION
COLLECTED; REGIONAL LN (SEE AXILLARY)
-MASS #4; LEFT AXILLARY REGION: SINGLE
MASS, 20 X 15 X 11 MM, RED, TAN, AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (SEE AXILLARY); OVERLYING
SKIN HAS A SINGLE DRY CRUSTED AREA, 4
X 3 MM ;COLLECTED INTACT WITH MASS

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
>NOTE:>MASS #3 IS THE FIBROADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1671

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93043	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00	STUDY DAY OF DEATH: 673	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: 620.1 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:27	PROSECTOR: JODI THIEREN	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #5; PERINEAL REGION: SINGLE MASS, 43 X 32 X 22 MM, TAN, FIRM, LOBULATED, AND VASCULAR; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (SEE INGUINAL) UTERUS (UT) : -CYST(S); BILATERAL WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 17 X 10 X 10 MM -MASS(ES); RIGHT HORN WITHIN WALL: SINGLE MASS, DARK RED AND SOFT, 8 X 5 X 5 MM, SAME ON CUT SURFACE; REGIONAL LN (SEE LUMBAR)	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - SEVERE CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -SLIGHT VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SEVERE CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE LN, INGUINAL (IN) : >TISSUE MISSING >NOTE:>TISSUE IS MAMMARY GLAND WITH CARCINOMA
	LN, AXILLARY (AX) : -LARGE; LEFT: 11 X 7 X 2 MM (RIGHT IS 7 X 4 X 1 MM) (CAP 24) LN, INGUINAL (IN) : -LARGE; RIGHT: 14 X 10 X 10 MM (LEFT NOT IDENTIFIED) (CAP 33)	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1672

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93043 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 620.1 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:27 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, LUMBAR/ILIAC (LM) : -MOTTLED; BILATERAL: RED AND TAN (CAP 34)	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE -HEMORRHAGE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1673

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93043 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/21/00 STUDY DAY OF DEATH: 673 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: 620.1 GRAMS
DATE AND TIME OF NECROPSY: 02/21/00 14:27 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1674

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93044 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:37 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; HEAD-ENTIRE; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; MODERATE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 12 X 8 X 7 MM, RED, DARK RED, GRAY, TAN, SOFT AND LOBULATED SKIN (SK) : -CRUSTED AREA(S); DORSAL SURFACE OF MUZZLE: SINGLE DARK RED, DRY CRUSTED AREA, 3 X 2 MM (CAP 20)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL OVARY (OV) : -CYST, -PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT SKIN (SK) : -ACANTHOSIS/HYPERKERATOSIS, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -SUPERFICIAL CRUSTING, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1675

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93044 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:37 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN CREAMY SEMIFLUID FILLED
CYSTS, PINPOINT AND UP TO 5 MM IN
DIAMETER; COLLECTED ON ROUTINE SECTION

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
-B-ADENOMA, -NEOPLASM PRESENT
-INFLAMMATION, CHRONIC, -MODERATE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY, CRUSTED MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1676

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93044 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 15:37 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1677

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93045 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 221.5 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 11:15 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.6925	3.9251 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1678

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93045 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 221.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:15 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1679

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93046 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 500.4 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 13:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 58; 90 X 90MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 64; 30 X 25MM; VERIFIED AT NECROPSY: OBSERVED		-MITOSIS, HEPATOCELLULAR, INCREASED, - MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL- CERVICAL-LEFT; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>MASS(ES); INGUINAL REGION-LEFT; WEEK 73; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		-MINERALIZATION, PELVIC, -MINIMAL
>APPEARANCE; PROLAPSED; VAGINA; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT
>DISCHARGE; GENITAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		PITUITARY (PI) : -HYPERPLASIA, -SLIGHT
		MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, - 3 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT >NOTE:>MASS #1 CONTAINS BOTH FIBROADENOMA AND CARCINOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1680

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93046 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 500.4 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 13:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT VENTRAL CERVICAL REGION: SINGLE MASS, 41 X 25 X 20 MM, RED, DARK RED, GREY, TAN, LOBULATED AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (MANDIBULAR) NORMAL (CAP 21); OVERLYING SKIN HAS A SINGLE DRY, BROWN CRUSTED AREA, 7 X 4 MM; COLLECTED WITH MASS -MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 100 X 80 X 36 MM, RED, GREY, TAN, LOBULATED, VASCULAR AND FIRM; SOME SECTIONS EXUDE A GREEN CASEOUS MATERIAL; COLLECTED INTACT; REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #3; LEFT INGUINAL REGION: SINGLE MASS, 12 X 10 X 5 MM, RED, GREY, TAN AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (INGUINAL) NOT IDENTIFIED UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - SLIGHT VAGINA (VA) : -B-POLYP, STROMAL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1681

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93046 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 500.4 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 13:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

VAGINA (VA) :

-MASS(ES); WITHIN LUMEN: SINGLE MASS,
32 X 12 X 12 MM, DARK RED, GELATINOUS
AND SOFT; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 23); POSSIBLY CONSISTENT
WITH PROLAPSE (VAGINA) AS NOTED IN
CLINICAL OBSERVATIONS

CAUSE OF DEATH (CD) :

-NEOPLASM, MAMMARY GLAND, -PRESENT
>NOTE:>THE FIBROADENOMA IS THE CAUSE OF
DEATH

LN, MANDIBULAR (MN) :

-HYPERPLASIA, LYMPHOPLASMATIC, -
MINIMAL

LN, LUMBAR/ILIAC (LM) :

-HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; PERINEUM
REGION: DARK RED AND MOIST MATERIAL
-GI TRACT-DARK FLUID CONTENT; STOMACH:
BLACK SEMIFLUID MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1682

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93046 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/25/99 STUDY DAY OF DEATH: 554 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: 500.4 GRAMS
DATE AND TIME OF NECROPSY: 10/25/99 13:59 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1683

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93047 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 864.4 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:52 PROSECTOR: MICHELE MARGGI RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; OBES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE TAN AREA, 4 X 3 MM; COLLECTED ON ROUTINE SECTION -RED FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -MODERATELY SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1684

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93047 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 864.4 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:52 PROSECTOR: MICHELE MARGGI RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 5 MM, DARK RED,
GRAY, TAN AND SOFT
STOMACH, GL (ST) :
-LIGHT FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE TAN AREAS, UP TO 4 X 3 MM
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT ABDOMINAL REGION:
SINGLE MASS, 30 X 25 X 15 MM, RED,
TAN, VASCULAR AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(LUMBAR) NORMAL (CAP 22)
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-INFLAMMATION, ACUTE, -SLIGHT
-EROSION, -MINIMAL
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1685

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93047 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 864.4 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:52 PROSECTOR: MICHELE MARGGI RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1686

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93048 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 445.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:52 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL CERVIX (CV) : -HYPERPLASIA, STROMAL, -MODERATELY SEVERE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	CERVIX (CV) : -LARGE; 10 MM IN DIAMETER	
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1687

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93048 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/07/00 STUDY DAY OF DEATH: 719 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: 445.2 GRAMS
DATE AND TIME OF NECROPSY: 04/07/00 7:52 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1688

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93049 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99 STUDY DAY OF DEATH: 484 STUDY WEEK OF DEATH: 70 TERMINAL BODY WEIGHT: 295.5 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 14:20 PROSECTOR: TONY HANFELD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; MODERATE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -CYST(S); LEFT, CORTICAL SURFACE: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); SINGLE MASS, 8 X 8 X 5 MM, RED, DARK RED, TAN AND SOFT GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT KIDNEY (KD) : -CYST, -PRESENT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1689

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93049	SEX: FEMALE	DOSE GROUP: 3	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 08/16/99	STUDY DAY OF DEATH: 484	STUDY WEEK OF DEATH: 70	TERMINAL BODY WEIGHT: 295.5 GRAMS
DATE AND TIME OF NECROPSY: 08/16/99 14:20	PROSECTOR: TONY HANFELD	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DRY AND
RED MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LIVER (LI), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1690

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93050 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/02/00 STUDY DAY OF DEATH: 683 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 440.6 GRAMS
DATE AND TIME OF NECROPSY: 03/02/00 14:25 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 76; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 79; 65 X 60MM; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED AND DARK RED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED WITH ROUTINE SECTIONS	LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE -CYST, BILIARY, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -MODERATE -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1691

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93050 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/02/00 STUDY DAY OF DEATH: 683 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 440.6 GRAMS
DATE AND TIME OF NECROPSY: 03/02/00 14:25 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-CYST(S); MULTIPLE CYSTS, UP TO 2 MM
IN DIAMETER, FILLED WITH A DARK RED
FLUID
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 35 X 45 X 55 MM, FIRM,
RED, TAN AND LOBULATED; ON SECTION
SOME AREAS CONTAIN A TAN SEMIFLUID;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
-MASS #2; RIGHT INGUINAL REGION,
CAUDAL TO MASS 1, EXTENDS INTO
PERIANAL REGION: SINGLE MASS, 45 X 55
X 70 MM, FIRM, RED, DARK RED, TAN AND
LOBULATED; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
CERVIX (CV) :
-LARGE; 11 X 13 X 18 MM, FIRM AND
WHITE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
>NOTE:>MASS #1 IS THE FIBROADENOMA
CERVIX (CV) :
-HYPERPLASIA, STROMAL, -SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1692

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93050 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/02/00 STUDY DAY OF DEATH: 683 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 440.6 GRAMS
DATE AND TIME OF NECROPSY: 03/02/00 14:25 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, LUMBAR/ILIAC (LM) :
-DIFFUSELY RED; RIGHT: DARK RED (CAP
21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC,-
MODERATE
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1693

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93050 SEX: FEMALE DOSE GROUP: 3 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/02/00 STUDY DAY OF DEATH: 683 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 440.6 GRAMS
DATE AND TIME OF NECROPSY: 03/02/00 14:25 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), HEMATO NEOPLASIA (HN)



Sponsor:

3M
St. Paul, Minnesota

FINAL REPORT

Study Title:

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane
Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats

Author:

Peter J. Thomford, PhD

Study Completion Date:

January 2, 2002

Testing Facility:

Covance Laboratories Inc.
3301 Kinsman Boulevard
Madison, Wisconsin 53704-2595

Laboratory Study Identification:

Covance 6329-183

Sponsor Study Identification:

3M T-6295

Volume IX of IX

Page 3453 of 4068

CONTENTS

VOLUME IX OF IX	Page
APPENDIX 6 (Continued)	3455
Individual Anatomic Pathology Data	3456
APPENDIX 7	4004
Cell Proliferation Report	4005
APPENDIX 8	4029
Electron Microscopy Report	4030

APPENDIX 6 (Continued)

Individual Anatomic Pathology Data

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1694

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93051 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 239.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:14 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0353	.0147 %	.0164	WEIGHT TAKEN
RT ADRENAL (AD1)	.0352	.0147 %	.0163	WEIGHT TAKEN
BRAIN (BR)	2.1584	.9008 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.0982	.4583 %	.5088	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1061	.4616 %	.5125	WEIGHT TAKEN
LIVER (LI)	7.8763	3.2873 %	3.6491	WEIGHT TAKEN
LUNG (LU)	1.4057	.5867 %	.6513	WEIGHT TAKEN
LF OVARY (OV0)	.0840	.0351 %	.0389	WEIGHT TAKEN
RT OVARY (OV1)	.0747	.0312 %	.0346	WEIGHT TAKEN
SPLEEN (SP)	.4849	.2024 %	.2247	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0101	.0042 %	.0047	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0106	.0044 %	.0049	WEIGHT TAKEN
UTERUS (UT)	1.4870	.6206 %	.6889	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIportal, -SLIGHT
 -FOCUS, ALTERED HEPATOCELLULAR, CLEAR /
 EOSINOPHILIC CELL, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL
 PANCREAS (PA) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 UTERUS (UT) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1695

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93051 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 239.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:14 PROSECTOR: STEVE VAN ADESTINE RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL:
CLEAR FLUID

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1696

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93052 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 395.4 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 15:07 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; COLD TO TOUCH; LIMBS-ALL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) BONE, FEMUR (FE) : >NOTE:>TRIMMING COMMENT: MISSING AT TRIMMING MARROW, FEMUR (FM) : >NOTE:>TRIMMING COMMENT: MISSING AT TRIMMING PITUITARY (PI) : -MASS(ES); 12 X 9 X 7 MM, DARK RED, BROWN, LOBULATED, AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL BONE, FEMUR (FE) : >TISSUE MISSING MARROW, FEMUR (FM) : >TISSUE MISSING PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1697

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93052 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 395.4 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 15:07 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; LEFT: DARK RED, DRY
MATERIAL
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1698

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93052 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/01/99 STUDY DAY OF DEATH: 500 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 395.4 GRAMS
DATE AND TIME OF NECROPSY: 09/01/99 15:07 PROSECTOR: JERALD W. JOHNSON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93053	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/22/99	STUDY DAY OF DEATH: 459	STUDY WEEK OF DEATH: 66	TERMINAL BODY WEIGHT: 334.9 GRAMS
DATE AND TIME OF NECROPSY: 07/22/99 14:37	PROSECTOR: LYNN HORNER	RECORDER: NANCY DIEDRICH	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK
42; 70 X 55MM; VERIFIED AT NECROPSY:
OBSERVED
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED
AT NECROPSY: NOT APPLICABLE

BRAIN (BR) :
-COMPRESSED (HYPOTHALAMUS)

PITUITARY (PI) :
-MASS(ES); 10 X 8 X 5 MM, DARK RED,
GRAY, AND SOFT

HISTOPATHOLOGY

BRAIN (BR) :
-DILATATION, VENTRICULAR, -PRESENT
-COMPRESSION, VENTRAL, -PRESENT
LIVER (LI) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
-HYPERTROPHY, HEPATOCELLULAR,
PERIPORTAL, -SLIGHT
KIDNEY (KD) :
-MINERALIZATION, PELVIC, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
ADRENAL, CORTEX (AC) :
-HYPERPLASIA, CORTICAL, -MINIMAL
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1700

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93053 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/22/99 STUDY DAY OF DEATH: 459 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 334.9 GRAMS
DATE AND TIME OF NECROPSY: 07/22/99 14:37 PROSECTOR: LYNN HORNER RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 75 X 60 X 23 MM, RED,
TAN, GRAY, VASCULAR, LOBULATED AND
SOFT; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 20)
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE, TAN, CREAMY SEMIFLUID FILLED
CYSTS, UP TO 3 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1701

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93053 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/22/99 STUDY DAY OF DEATH: 459 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 334.9 GRAMS
DATE AND TIME OF NECROPSY: 07/22/99 14:37 PROSECTOR: LYNN HORNER RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1702

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93054 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/05/99 STUDY DAY OF DEATH: 504 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 336.4 GRAMS
DATE AND TIME OF NECROPSY: 09/05/99 10:52 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 71; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 12 X 8 X 7 MM, DARK RED AND FIRM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1703

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93054 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/05/99 STUDY DAY OF DEATH: 504 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 336.4 GRAMS
DATE AND TIME OF NECROPSY: 09/05/99 10:52 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 30 X 20 X 15 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1704

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93054 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/05/99 STUDY DAY OF DEATH: 504 STUDY WEEK OF DEATH: 72 TERMINAL BODY WEIGHT: 336.4 GRAMS
DATE AND TIME OF NECROPSY: 09/05/99 10:52 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1705

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93055 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/04/99 STUDY DAY OF DEATH: 533 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 508.0 GRAMS
DATE AND TIME OF NECROPSY: 10/04/99 15:17 PROSECTOR: LAURIE J. SCHULLER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 X 5 X 5 MM, RIGHT IS 3 MM IN DIAMETER -RED FOCUS(I)/AREAS(I); LEFT: SINGLE DARK RED FOCUS, 2 MM IN DIAMETER	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SEVERE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1706

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93055 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/04/99 STUDY DAY OF DEATH: 533 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 508.0 GRAMS
DATE AND TIME OF NECROPSY: 10/04/99 15:17 PROSECTOR: LAURIE J. SCHULLER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); 6 X 4 X 4 MM, RED, DARK RED, GRAY, AND SOFT MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE WHITE CREAMY SEMIFLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE -CYST(S); LEFT WITHIN WALL: SINGLE CLEAR FLUID FILLED CYST, 5 X 3 X 3 MM VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: TAN, CREAMY SEMIFLUID GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -STAINS - SKIN/HAIRCOAT; HEAD: RED DRY MATERIAL	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT UTERUS (UT) : -DILATATION, -MODERATE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1707

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93055 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/04/99 STUDY DAY OF DEATH: 533 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 508.0 GRAMS
DATE AND TIME OF NECROPSY: 10/04/99 15:17 PROSECTOR: LAURIE J. SCHULLER RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1708

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93056 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 339.4 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 95; 25 X 25MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 99; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MASS(ES); RIGHT MEDIAN LOBE, NEAR HILUS: SINGLE MASS, 7 X 5 X 5 MM, TAN, BROWN, AND SOFT; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (HEPATIC) NOT IDENTIFIED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -B-CHOLANGIOMA, -NEOPLASM PRESENT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MINIMAL
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE -PIGMENT, -MINIMAL
	OVARY (OV) : -CYST(S); RIGHT: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 2 MM IN DIAMETER	OVARY (OV) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1709

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93056	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00	STUDY DAY OF DEATH: 691	STUDY WEEK OF DEATH: 99	TERMINAL BODY WEIGHT: 339.4 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04	PROSECTOR: TODD ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT IDENTIFIED, POSSIBLE REMNANTS COLLECTED	THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT
	PITUITARY (PI) : -MASS(ES); 10 X 9 X 8 MM, DARK RED, RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); MID PERIANAL REGION: SINGLE MASS, 30 X 25 X 15 MM, DARK RED, RED, TAN, BROWN, AND SOFT; SAME ON CUT SURFACE; COLLECTED; POSSIBLY CONSISTENT WITH MASS (VENTRAL ABDOMINAL) NOTED IN CLINICAL OBSERVATION; REGIONAL LN (INGUINAL) NOT IDENTIFIED	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 2 NEOPLASMS PRESENT -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE >NOTE:>FIBROADENOMA IS ON SLIDE #19 MASSES 1 AND 2 ARE CARCINOMAS
	-MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 35 X 25 X 20 MM, DARK RED, TAN, AND FIRM, CUT SURFACE EXUDES A DARK REDDISH-BROWN SEMIFLUID; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED	
	UTERUS (UT) : -CYST(S); BILATERAL WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 2 MM IN DIAMETER	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1710

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93056 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 339.4 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1711

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93056 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 339.4 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1712

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93057 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 377.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 11:30 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 68; 75 X 60MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL; WEEK 97; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 X 6 X 3 MM (RIGHT IS 5 X 4 X 2 MM)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MODERATE -I-CARCINOMA, -NEOPLASM PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, -MODERATELY SEVERE -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1713

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93057 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 377.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 11:30 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 10 X 7 X 5 MM, RED, DARK
RED, TAN, AND SOFT

PITUITARY (PI) :

-M-CARCINOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT PERIANAL REGION:
SINGLE MASS, 30 X 25 X 20 MM, RED,
DARK RED, TAN, AND FIRM; CUT SURFACE
EXUDES A DARK RED SEMIFLUID;
COLLECTED; POSSIBLY CONSISTENT WITH
MASS (VENTRAL ABDOMINAL) NOTED IN
CLINICAL OBSERVATION; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; RIGHT AXILLARY REGION:
SINGLE MASS, 80 X 60 X 50 MM, TAN,
RED, DARK RED, AND FIRM; SAME ON CUT
SURFACE; PORTION COLLECTED; REGIONAL
LN (AXILLARY) NORMAL (CAP 21)

HARDERIAN GLAND (HG) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

MAMMARY, FEMALE (MF) :

-M-CARCINOMA, -NEOPLASM PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
>NOTE:>MASS #2 IS THE FIBROADENOMA

UTERUS (UT) :

-MASS(ES); WITHIN LUMEN OF RIGHT
DISTAL HORN: SINGLE MASS, 12 X 4 X 4
MM, TAN, RED, AND SOFT; COLLECTED
INTACT; REGIONAL LN (LUMBAR) NORMAL
(CAP 22)

UTERUS (UT) :

-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1714

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93057 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 377.9 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 11:30 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX), LN, LUMBAR/ILIAC (LM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1715

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93058 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 235.6 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:38 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.6075	3.2293 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1716

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93058 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 235.6 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:38 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1717

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93059 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 579.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:40 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1718

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93059 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 579.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:40 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1719

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93059 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 579.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:40 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1720

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93060 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 473.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:10 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 93; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT BIFURCATION OF MEDIAN LOBES: SINGLE YELLOW AREA, 4 X 3 MM (CAP 22) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 5 X 4 MM (RIGHT IS 5 X 4 X 3 MM)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -MODERATELY SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -HYPERPLASIA, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1721

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93060 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 473.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:10 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); MID LEFT ASPECT: SINGLE DARK RED FOCUS, 2 MM IN DIAMETER MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 18 X 12 X 7 MM, RED, DARK RED, TAN, AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (AXILLARY) NORMAL (CAP 23)	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL -B-ADENOMA, -NEOPLASM PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMATIC, -SLIGHT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -MALOCCLUSION; BILATERAL, UPPER INCISORS	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1722

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93060 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 473.1 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:10 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1723

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93061 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/29/99 STUDY DAY OF DEATH: 558 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/29/99 8:08 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -CYST(S); RIGHT, INVOLVING ENTIRE ORGAN: SINGLE CLEAR FLUID FILLED CYST, 40 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; LEFT -LARGE; LEFT: 28 X 17 X 17 MM (RIGHT SEE CYST COMMENT) ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 7 X 6 X 4 MM (LEFT IS 4 X 3 X 2 MM)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -VACUOLATION, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -DEGENERATION, CYSTIC, UNILATERAL, - SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1724

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93061 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/29/99 STUDY DAY OF DEATH: 558 STUDY WEEK OF DEATH: 80 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/29/99 8:08 PROSECTOR: JARED FISHEL RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYROID (TY) :
-LARGE; BILATERAL: EACH IS 7 X 3 X 3
MM
-DIFFUSELY LIGHT; BILATERAL: TAN
PITUITARY (PI) :
-MASS(ES); 8 MM IN DIAMETER, DARK RED,
TAN, AND SOFT

MARROW, FEMUR (FM) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-MINERALIZATION, GLANDULAR MUCOSA, -
SLIGHT
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1725

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93061	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/29/99	STUDY DAY OF DEATH: 558	STUDY WEEK OF DEATH: 80	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/29/99 8:08	PROSECTOR: JARED FISHEL	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -THICKENED; LEFT AND RIGHT INGUINAL REGIONS: TAN AND FIRM; COLLECTED ON ROUTINE SECTION	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -B-ADENOMA, -NEOPLASM PRESENT >NOTE:>SEE SLIDE #24
	UTERUS (UT) : -CYST(S); RIGHT, WITHIN WALL: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER	UTERUS (UT) : -DILATATION, -MODERATELY SEVERE
	LN, AXILLARY (AX) : -LARGE; LEFT: 8 MM IN DIAMETER (RIGHT IS 3 X 2 X 1 MM) (CAP 24) -DIFFUSELY RED; BILATERAL: DARK RED	CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MODERATE
	LN, RENAL (RL) : -LARGE; BILATERAL: LEFT IS 9 X 4 X 4 MM, RIGHT IS 4 X 3 X 3 MM (CAP 23) -DIFFUSELY RED; LEFT: DARK RED (CAP 23)	LN, RENAL (RL) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
	AORTA (AO) : -LARGE; DIFFUSE: UP TO 4 MM IN DIAMETER (CAP 21) -FIRM; DIFFUSE (CAP 21)	AORTA (AO) : -MINERALIZATION, -SLIGHT
	URETER (UE) : -LARGE; BILATERAL: UP TO 3 MM IN DIAMETER (CAP 22)	URETER (UE) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1726

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93061	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/29/99	STUDY DAY OF DEATH: 558	STUDY WEEK OF DEATH: 80	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/29/99 8:08	PROSECTOR: JARED FISHEL	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-GI TRACT-DARK DRY CONTENT; STOMACH:
FILLED WITH A BROWN CLOTH-LIKE
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), RECTUM (RE),
SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1727

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93062 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 401.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:51 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER THYROID (TY) : -LARGE; RIGHT: 5 X 4 X 3 MM (LEFT IS 4 X 2 X 2 MM)	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT OVARY (OV) : -CYST, -PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT -M-CARCINOMA, FOLLICULAR CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1728

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93062 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 401.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:51 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 7 X 5 MM, DARK RED,
TAN, AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1729

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93062 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 401.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:51 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1730

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93063 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 100; 40 X 30MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 101; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL; WEEK 102; 35 X 35MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 8 X 6 X 5 MM, DARK RED, TAN, AND SOFT	BRAIN (BR) : -I-CARCINOMA, -FROM PITUITARY LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1731

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93063 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :

-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 50 X 40 X 30 MM, RED,
TAN, AND FIRM; SAME ON CUT SURFACE;
SKIN OVERLYING MASS HAS A MOIST DARK
BROWN AND RED ULCERATED AREA, 25 X 15
MM; COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 22)
-MASS #2; RIGHT CERVICAL REGION:
SINGLE MASS, 45 X 30 X 20 MM, TAN,
LOBULATED, AND SOFT; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(MANDIBULAR) NORMAL (CAP 24)
-MASS #3; RIGHT ABDOMINAL REGION:
SINGLE MASS, 15 X 15 X 7 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

UTERUS (UT) :

-CYST(S); BILATERAL, WITHIN WALLS:
MULTIPLE CLEAR FLUID FILLED CYSTS, UP
TO 5 MM IN DIAMETER

MAMMARY, FEMALE (MF) :

-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS 1 IS A CARCINOMA MASS 2 IS
A FIBROADENOMA

UTERUS (UT) :

-DILATATION, -MODERATE

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, AXILLARY (AX) :

-HEMORRHAGE, -PRESENT

-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

LN, MANDIBULAR (MN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1732

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93063 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.3 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-DISCHARGE-OCULAR; RIGHT: DRY DARK RED
MATERIAL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1733

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93064 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 242.5 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:12 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0300	.0124 %	.0148	WEIGHT TAKEN
RT ADRENAL (AD1)	.0306	.0126 %	.0151	WEIGHT TAKEN
BRAIN (BR)	2.0301	.8372 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2222	.5040 %	.6020	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1563	.4768 %	.5696	WEIGHT TAKEN
LIVER (LI)	9.0107	3.7158 %	4.4385	WEIGHT TAKEN
LUNG (LU)	1.3975	.5763 %	.6884	WEIGHT TAKEN
LF OVARY (OV0)	.0856	.0353 %	.0422	WEIGHT TAKEN
RT OVARY (OV1)	.0768	.0317 %	.0378	WEIGHT TAKEN
SPLEEN (SP)	.4442	.1832 %	.2188	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0098	.0040 %	.0048	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0076	.0031 %	.0037	WEIGHT TAKEN
UTERUS (UT)	.6495	.2678 %	.3199	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

KIDNEY (KD) :
 -LARGE PELVIS(ES); BILATERAL
 -GRANULAR MATERIAL; BILATERAL:
 MULTIPLE WHITE PINPOINT GRANULES

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL
 KIDNEY (KD) :
 -DILATATION, PELVIC, -SLIGHT
 -MINERALIZATION, PELVIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1734

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93064	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 242.5 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:12	PROSECTOR: LAURIE J. SCHULLER	RECORDER: KIMBERLY DURLAND	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1735

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93065 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 338.6 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 12:35 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 83; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 86; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
>MASS(ES); AXILLARY REGION-LEFT; WEEK 87; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -SLIGHT
	ADRENAL, CORTEX (AC) : -RED FOCUS(I)/AREAS(I); LEFT: SINGLE DARK RED AREA, 4 X 3 MM	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER	PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -FIBROSIS, -SLIGHT
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -PIGMENT, -SLIGHT
		OVARY (OV) : -CYST, -PRESENT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1736

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93065	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00	STUDY DAY OF DEATH: 645	STUDY WEEK OF DEATH: 93	TERMINAL BODY WEIGHT: 338.6 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 12:35	PROSECTOR: JAMES T. CALLEN	RECORDED: JAMES T. CALLEN	
POST-FIX WEIGHED: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHED: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALONG MARGIN OF LEFT LOBE: SINGLE GREEN AREA, 5 X 4 MM	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT -HYPERPLASIA, EPITHELIAL, -MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MODERATE -INFLAMMATION, GRANULOMATOUS, -SLIGHT -HYPERPLASIA, TYPE II PNEUMOCYTE, - SLIGHT >NOTE:>SOME GRANULOMAS CONTAIN FOREIGN MATERIAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE
	PITUITARY (PI) : -MASS(ES); 15 X 7 X 7 MM, DARK RED, TAN AND FIRM MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN CREAMY FLUID FILLED CYSTS, UP TO 20 X 15 X 4 MM; COLLECTED ON ROUTINE SECTION; POSSIBLY CONSISTENT WITH ALL MASSES NOTED IN CLINICAL OBSERVATIONS	VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1737

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93065	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00	STUDY DAY OF DEATH: 645	STUDY WEEK OF DEATH: 93	TERMINAL BODY WEIGHT: 338.6 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 12:35	PROSECTOR: JAMES T. CALLEN	RECORDED: JAMES T. CALLEN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1738

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93066 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 520.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:03 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 54; 110 X 110MM MASSES ON LEFT SIDE ARE MEASURED AS ONE MASS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 70; 35 X 35MM; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL
>MASS(ES); AXILLARY REGION-LEFT; WEEK 84; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED	SPLEEN (SP) : -LARGE; 51 X 12 X 10 MM	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE
>SKIN & PELAGE; SORE/SCAB; VENTRAL-ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -MINIMAL
		MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -MODERATE
		MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1739

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93066	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00	STUDY DAY OF DEATH: 645	STUDY WEEK OF DEATH: 93	TERMINAL BODY WEIGHT: 520.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:03	PROSECTOR: JAMES T. CALLEN	RECORDED: JAMES T. CALLEN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

- LARGE; 7 X 7 X 3 MM, APPEARS SWOLLEN
- RED FOCUS(1)/AREA(S); ALL REGIONS,
- DIFFUSE: MULTIPLE RED AREAS, UP TO 3 X 2 MM

MAMMARY, FEMALE (MF) :

- MASS(ES); RIGHT INGUINAL REGION: SINGLE MASS, 40 X 30 X 25 MM, TAN, RED, GREEN, VASCULAR AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; OVERLYING SKIN HAS MULTIPLE RED MOIST ULCERATED AREAS, UP TO 11 MM IN DIAMETER; COLLECTED INTACT WITH MASS; REGIONAL LN (SEE INGUINAL); POSSIBLY CONSISTENT WITH MASS (VENTRAL ABDOMINAL RIGHT) NOTED IN CLINICAL OBSERVATIONS
- MASS #2; LEFT INGUINAL REGION: MULTIPLE MASSES, UP TO 70 X 50 X 39 MM, ALL ARE TAN, VASCULAR AND FIRM; SAME ON CUT SURFACES; ALL COLLECTED INTACT; REGIONAL LN (SEE INGUINAL); POSSIBLY CONSISTENT WITH MASS (VENTRAL ABDOMINAL LEFT) NOTED IN CLINICAL OBSERVATIONS

THYMUS (TH) :

- DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SLIGHT

PITUITARY (PI) :

- B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

- M-CARCINOMA, -NEOPLASM PRESENT
- CYST / GALACTOCELE, -PRESENT
- INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
- B-FIBROADENOMA, -NEOPLASM PRESENT
- >NOTE:>MASS #1 IS THE CARCINOMA MASS #3 IS AN INFLAMED GALACTOCELE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1740

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93066 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 520.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:03 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #3; LEFT AXILLARY REGION: SINGLE MASS, 25 X 15 X 15 MM, RED, TAN, VASCULAR AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; OVERLYING SKIN HAS A SINGLE MOIST RED ULCERATED AREA, 3 MM IN DIAMETER; COLLECTED INTACT WITH MASS; REGIONAL LN (SEE AXILLARY)	CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT
	LN, AXILLARY (AX) : -LARGE; BILATERAL: EACH IS 10 X 3 X 2 MM (CAP 22)	LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE
	LN, INGUINAL (IN) : -LARGE; RIGHT: 10 X 5 X 2 MM (LEFT NOT IDENTIFIED) (CAP 21)	LN, INGUINAL (IN) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1741

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93066 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 520.0 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:03 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1742

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93067 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 207.5 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:45 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.1068	3.9061 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1743

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93067 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 207.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:45 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1744

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93068 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 10:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ALOPECIA; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 9 X 5 X 5 MM (RIGHT IS 5 MM IN DIAMETER)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1745

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93068 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 10:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 10 X 8 MM, DARK RED,
GREY, LOBULATED AND SOFT

SKIN (SK) :
-ALOPECIA-DIFFUSE; ENTIRE VENTRAL
SURFACE; COLLECTED ON ROUTINE SECTION

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
MUSCLE, SKELETAL (SM) :
-ATROPHY, -MINIMAL
NERVE, SCIATIC (SN) :
-DEGENERATION, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
ILEUM (IL) :
>AUTOLYTIC
SKIN (SK) :
>UNREMARKABLE
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1746

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93068 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 10:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL, UPPER
INCISORS

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATELY
SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1747

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93068 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/06/00 STUDY DAY OF DEATH: 718 STUDY WEEK OF DEATH: 103 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/06/00 10:22 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1748

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93069 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 698.6 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:51 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 86; 45 X 30MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>MASS(ES); AXILLARY REGION-LEFT; WEEK 87; 60 X 50MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS ROUNDED -MOTTLED; ALL LOBES: BROWN AND TAN	LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -SEVERE
>MASS(ES); VENTRAL-THORACIC-RIGHT; WEEK 92; 40 X 35MM; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT -THROMBUS, -PRESENT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 93; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: LEFT IS 10 X 7 X 5 MM, RIGHT IS 7 X 5 X 5 MM -MOTTLED; BILATERAL: RED, BROWN AND TAN	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1749

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93069 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 698.6 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:51 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 8 X 5 X 3 MM; DARK RED, TAN
AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 60 X 45 X 15 MM, RED,
DARK RED, TAN AND FIRM; SAME ON CUT
SURFACE; SOME SECTIONS EXUDES A TAN
CREAMY SEMIFLUID (CAP 22); REGIONAL LN
(RIGHT AXILLARY) NORMAL; LEFT NOT
IDENTIFIED (CAP 21)
-MASS #2; RIGHT AXILLARY REGION:
SINGLE MASS, 65 X 39 X 15 MM, RED,
DARK RED, TAN, FIRM AND LOBULATED;
SAME ON CUT SURFACE (CAP 23); REGIONAL
LN (RIGHT AXILLARY) NORMAL; LEFT NOT
IDENTIFIED (CAP 21); CONSISTENT WITH
MASSES (AXILLARY REGION RIGHT AND
VENTRAL THORACIC RIGHT) NOTED IN
CLINICAL OBSERVATIONS

HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 3 NEOPLASMS PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1750

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93069 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 698.6 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:51 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #3; LEFT INGUINAL REGION: SINGLE
MASS, 55 X 45 X 30 MM, RED, DARK RED,
TAN, FIRM AND LOBULATED; SAME ON CUT
SURFACE (CAP 24); REGIONAL LN
(INGUINAL) NOT IDENTIFIED

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1751

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93069 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/21/00 STUDY DAY OF DEATH: 702 STUDY WEEK OF DEATH: 101 TERMINAL BODY WEIGHT: 698.6 GRAMS
DATE AND TIME OF NECROPSY: 03/21/00 14:51 PROSECTOR: JILL PAUS RECORDER: JILL PAUS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1752

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93070 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 212.8 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:21 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.9068	4.1861 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1753

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93070 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 212.8 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:21 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1754

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93071 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 223.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 13:05 PROSECTOR: LAURIE J. SCHULLER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0328	.0147 %	.0167	WEIGHT TAKEN
RT ADRENAL (AD1)	.0269	.0120 %	.0137	WEIGHT TAKEN
BRAIN (BR)	1.9629	.8779 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	.9138	.4087 %	.4655	WEIGHT TAKEN
RT KIDNEY (KD1)	.9168	.4100 %	.4671	WEIGHT TAKEN
LIVER (LI)	7.5052	3.3565 %	3.8235	WEIGHT TAKEN
LUNG (LU)	1.2561	.5618 %	.6399	WEIGHT TAKEN
LF OVARY (OV0)	.0551	.0246 %	.0281	WEIGHT TAKEN
RT OVARY (OV1)	.0550	.0246 %	.0280	WEIGHT TAKEN
SPLEEN (SP)	.4538	.2030 %	.2312	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0091	.0041 %	.0046	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0094	.0042 %	.0048	WEIGHT TAKEN
UTERUS (UT)	1.0898	.4874 %	.5552	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

ADRENAL, CORTEX (AC) :
 >NOTE:>EMBEDDING COMMENT: ONE ADRENAL
 MISSING AT EMBEDDING
 ADRENAL, MEDULLA (MA) :
 >NOTE:>EMBEDDING COMMENT: ONE ADRENAL
 MISSING AT EMBEDDING

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL
 PANCREAS (PA) :
 -ZYMOGEN GRANULES, DECREASED, -MINIMAL
 ADRENAL, CORTEX (AC) :
 -UNILATERALLY EXAMINED, -PRESENT
 ADRENAL, MEDULLA (MA) :
 -UNILATERALLY EXAMINED, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1755

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93071 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 223.6 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 13:05 PROSECTOR: LAURIE J. SCHULLER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL:
CLEAR FLUID

UTERUS (UT) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1756

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93072 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 483.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:27 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 87; 45 X 40MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -MINERALIZATION, -MINIMAL
>MASS(ES); INGUINAL REGION-LEFT; WEEK 103; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); MARGIN OF RIGHT MEDIAN LOBE: SINGLE TAN FOCUS, 3 X 5 MM; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRILOBULAR, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL -ANGIECTASIS, -SLIGHT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -MINIMAL
		PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1757

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93072 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 483.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:27 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; RIGHT: 7 X 5 X 4 MM (LEFT IS 5
X 3 X 2 MM)

ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MINIMAL
-PIGMENT, -MINIMAL
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

PITUITARY (PI) :
-MASS(ES); 7 X 5 X 3 MM, DARK RED,
TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 53 X 45 X 26, RED, TAN,
FIRM, AND LOBULATED; SOME SECTIONS
EXUDE A GREEN CREAMY SEMIFLUID;
COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 23)
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 36 X 30 X 15 MM, RED, TAN, AND
SOFT; SAME ON CUT SURFACE; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1758

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93072	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 483.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:27	PROSECTOR: CHANESTA ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :

-CYST(S); RIGHT HORN, WITHIN WALL:
SINGLE CLEAR FLUID FILLED CYST, 5 X 4
X 3 MM

LN, MANDIBULAR (MN) :

-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 22)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, MANDIBULAR (MN) :

-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1759

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93072 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 483.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:27 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), PARATHYROID (PT), URINARY BLADDER (UB), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1760

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93073 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/23/99 STUDY DAY OF DEATH: 522 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/23/99 13:53 PROSECTOR: MICHELE MARGGI RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		BRAIN (BR) : -M-ASTROCYTOMA, -NEOPLASM PRESENT
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -CONGESTION, -PRESENT -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL
		LUNG (LU) : -CONGESTION, -PRESENT -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1761

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93073 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/23/99 STUDY DAY OF DEATH: 522 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/23/99 13:53 PROSECTOR: MICHELE MARGGI RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-MASS(ES); WITHIN LUMEN OF LEFT HORN:
SINGLE MASS, 10 X 5 X 5 MM, RED, DARK
RED AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 21)

UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, BRAIN, -PRESENT
HEAD, CORONAL (HC) :
-INFLAMMATION, ACUTE, EAR, -MINIMAL

GENERAL COMMENT (GC) :
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1762

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93073 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/23/99 STUDY DAY OF DEATH: 522 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/23/99 13:53 PROSECTOR: MICHELE MARGGI RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN), LN, LUMBAR/ILIAC (LM)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1763

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93074 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 423.7 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:46 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 6 X 5 X 5 MM (LEFT IS 4 X 2 X 2 MM)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT -B-ADENOMA, -NEOPLASM PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1764

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93074 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 423.7 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:46 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); 15 X 7 X 5 MM, RED, DARK
RED, TAN AND FIRM
-RED FOCUS(I)/AREA(S); ALL REGIONS,
DIFFUSE: MULTIPLE DARK RED AREAS, UP
TO 1 MM IN DIAMETER

STOMACH, NONGL (SU) :

-LIGHT FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE TAN SLIGHTLY RAISED AREAS, UP
TO 3 X 2 MM

VAGINA (VA) :

-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN MUCOIDAL MATERIAL

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN

LUNG (LU) :

-MINERALIZATION, VASCULAR, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :

-EDEMA, -MODERATE
-INFLAMMATION, ACUTE, -SLIGHT

STOMACH, NONGL (SU) :

-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-EDEMA, -PRESENT

MAMMARY, FEMALE (MF) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

VAGINA (VA) :

-INFLAMMATION, CHRONIC, -SLIGHT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1765

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93074 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/15/99 STUDY DAY OF DEATH: 575 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: 423.7 GRAMS
DATE AND TIME OF NECROPSY: 11/15/99 13:46 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1766

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93075 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 189.8 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:46 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	6.6760	3.5171 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1767

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93075 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 189.8 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:46 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1768

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93076 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 566.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); LIMB-HIND-LEFT; WEEK 59; 120 X 125MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 84; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; SOME ARE SUNKEN WITH A STELLATE PATTERN; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL LN, MESENTERIC (MS) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1769

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93076 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 566.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 10 X 6 X 6 MM, RED, DARK
RED, TAN AND FIRM

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 130 X 100 X 40 MM, TAN,
LOBULATED AND SOFT; ON SECTION EXUDES
A TAN CREAMY SEMIFLUID; COLLECTED
INTACT; REGIONAL LN (AXILLARY) NORMAL
(CAP 21)
-MASS #2; RIGHT AXILLARY REGION:
SINGLE MASS, 70 X 50 X 30 MM, TAN,
RED, LOBULATED, VASCULAR AND FIRM;
SAME ON CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (AXILLARY) NORMAL (CAP 21)

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SKIN (SK) :
-B-LIPOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
>NOTE:>FOR DIAGNOSIS OF MASS #1, SEE
SKIN

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1770

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93076 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 566.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-TEETH MISSING/BROKEN/WORN; MISSING,
BILATERAL LOWER INCISORS
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1771

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93076 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 566.8 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1772

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93077 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 581.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:21 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); TAIL-PROXIMAL; WEEK 97; 25 X 15MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 101; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; TAIL-PROXIMAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN -ROUGH SURFACE, DIFFUSE; ALL LOBES SPLEEN (SP) : -LARGE; 57 X 16 X 11 MM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT -HYPERPLASIA, LYMPHORETICULAR, -SEVERE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1773

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93077	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 581.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:21	PROSECTOR: JAMES T. CALLEN	RECORDER: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 12 X 10 X 9 MM (RIGHT IS 5 X 3 X 3 MM)	ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, -SEVERE -PIGMENT, -SLIGHT -B-ADENOMA, -NEOPLASM PRESENT
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT OVARY (OV) : -CYST, -PRESENT
	THYROID (TY) : -LARGE; RIGHT: 6 X 5 X 4 MM (LEFT IS 5 X 2 X 2 MM)	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 8 X 6 X 4 MM, DARK RED, TAN, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 39 X 27 X 14 MM, TAN, RED, AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 22)	MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT
	UTERUS (UT) : -CYST(S); WITHIN WALLS OF LEFT HORN: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1774

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93077 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 581.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:21 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CERVIX (CV) :

-CYST(S); WITHIN LUMEN: SINGLE RED
FLUID FILLED CYST, 5 MM IN DIAMETER

CERVIX (CV) :

-HYPERPLASIA, CYSTIC, -MODERATE

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, AXILLARY (AX) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE

-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

TAIL (TI) :

-MASS(ES); 25 MM FROM BASE: 15 MM IN
DIAMETER, RED, TAN, AND SOFT; ON
SECTION EXUDES A DARK RED FLUID;
COLLECTED; REGIONAL LN (SEE LUMBAR);
OVERLYING SKIN HAS A DARK RED MOIST
ABRADED AREA, 5 MM IN DIAMETER;
COLLECTED INTACT WITH MASS

TAIL (TI) :

-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-M-LIPOSARCOMA, -NEOPLASM PRESENT

LN, LUMBAR/ILIAC (LM) :

-MOTTLED; BILATERAL: RED AND TAN (CAP
25)

LN, LUMBAR/ILIAC (LM) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1775

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93077 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 581.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:21 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1776

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93078 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
 DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 597.4 GRAMS
 DATE AND TIME OF NECROPSY: 04/19/00 12:58 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 89; 70 X 65MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 94; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
>MASS(ES); AXILLARY REGION-LEFT; WEEK 104; VERIFIED AT NECROPSY: NOT OBSERVED	KIDNEY (KD) : -DIFFUSELY DARK; BILATERAL: DARK BROWN	KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL
	ADRENAL, CORTEX (AC) : -DIFFUSELY RED; BILATERAL: DARK RED	PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE
	OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 3 MM IN DIAMETER, RIGHT IS 2 MM IN DIAMETER	ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1777

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93078 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 597.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:58 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 MM IN DIAMETER, DARK RED
AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AND RIGHT INGUINAL
REGIONS: TWO MASSES, LEFT INGUINAL IS
50 X 46 X 30 MM, RIGHT INGUINAL IS 80
X 55 X 30 MM, BOTH ARE RED, TAN, SOFT
AND LOBULATED; BOTH ARE SAME ON CUT
SURFACE; BOTH ON SECTION EXUDE A TAN
CREAMY SEMIFLUID; RIGHT INGUINAL
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1778

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93078 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 597.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:58 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1779

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93079 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 577.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:30 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 69; 70 X 80MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 101; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 90 X 75 X 40 MM, RED, TAN, LOBULATED, FIRM AND VASCULAR; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (AXILLARY) NORMAL (CAP 22) -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATELY SEVERE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATELY SEVERE THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1780

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93079 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 577.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:30 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #2; LEFT AXILLARY REGION: SINGLE
MASS, 20 X 17 X 15 MM, TAN AND FIRM;
SAME ON CUT SURFACE; REGIONAL LN
(AXILLARY) NORMAL (CAP 22)

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1781

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93079 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 577.0 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:30 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1782

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93080 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 510.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:49 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL OVARY (OV) : -CYST, -PRESENT
	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -MODERATE
	PITUITARY (PI) : -MASS(ES); 7 X 5 X 4 MM, DARK RED, TAN, AND FIRM	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1783

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93080 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 510.7 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:49 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1784

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93081 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 453.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:00 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT JUNCTION OF RIGHT AND LEFT MEDIAN LOBES: SINGLE TAN AREA, 5 X 2 MM (CAP 22) -MASS(ES); LEFT LATERAL LOBE: SINGLE MASS, 20 X 15 X 11 MM, RED, DARK RED, BROWN AND SOFT; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (HEPATIC) NOT IDENTIFIED -RED FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE: SINGLE DARK RED AREA, 2 X 1 MM; COLLECTED ON ROUTINE SECTION LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 3 X 2 MM MUSCLE, SKELETAL (SM) : -ATROPHY-FOCAL; CRANIAL ONE HALF: 10 X 4 X 2 MM	LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MODERATE MUSCLE, SKELETAL (SM) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1785

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93081 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 453.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:00 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-MASS(ES); WITHIN LUMEN OF LEFT HORN:
SINGLE MASS, 20 X 7 X 4 MM, RED, DARK
RED AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 24)

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-DILATATION, -MODERATELY SEVERE
-HEMORRHAGE, -PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1786

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93081 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 453.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:00 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB), LN, LUMBAR/ILIAC (LM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1787

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93082 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/25/00 9:46 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; PALE; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; YELLOW SKIN; PAWS-ALL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW SKIN; TAIL; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -RED FOCUS(I)/AREA(S); DORSAL SURFACE OF BOTH CEREBRAL HEMISPHERES: MULTIPLE DARK RED PINPOINT FOCI LIVER (LI) : -LARGE; ALL LOBES: MARGINS ROUNDED, LOBES THICKENED -MOTTLED; ALL LOBES: RED AND TAN -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN SLIGHTLY RAISED AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS -ROUGH SURFACE, DIFFUSE; ALL LOBES -CYST(S); ALL LOBES: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER (CAP 22) KIDNEY (KD) : -DIFFUSELY DARK; BILATERAL: DARK BROWN SPLEEN (SP) : -LARGE; 65 X 20 X 10 MM -ADHESION(S); BOTH SURFACES OF CAUDAL END: MULTIPLE TAN FIBROUS ADHESIONS; COLLECTED INTACT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -HEMORRHAGE, -PRESENT -CYST, BILIARY, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -PIGMENT, TUBULAR, -SEVERE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1788

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93082 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/25/00 9:46 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL LN, MESENTERIC (MS) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT OVARY (OV) : -CYST, -PRESENT THYMUS (TH) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT LUNG (LU) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -MINERALIZATION, VASCULAR, -MINIMAL -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MODERATE PITUITARY (PI) : -HYPERPLASIA, -MINIMAL STOMACH, GL (ST) : -EROSION, -MINIMAL
	LN, MESENTERIC (MS) : -LARGE; UP TO 8 MM IN DIAMETER -DIFFUSELY RED OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER LUNG (LU) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 5 X 4 MM PITUITARY (PI) : -RED FOCUS(I)/AREA(S); RIGHT POSTERIOR ASPECT: TWO DARK RED FOCI, ONE IS 2 MM IN DIAMETER, THE OTHER IS 1 MM IN DIAMETER	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1789

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93082	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/25/00	STUDY DAY OF DEATH: 677	STUDY WEEK OF DEATH: 97	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/25/00 9:46	PROSECTOR: NANCY DIEDRICH	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 4 X 2 MM	
	ILEUM (IL) : -DIVERTICULUM(A); SINGLE DIVERTICULUM, 8 X 5 X 3 MM (CAP 24)	ILEUM (IL) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT CECUM (CE) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT COLON (CO) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE),-NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR,-MINIMAL CERVIX (CV) : -HYPERPLASIA, MUCINOUS,-SLIGHT VAGINA (VA) : -HYPERPLASIA, MUCINOUS,-SLIGHT HEMATO NEOPLASIA (HN) : -M-SARCOMA, HISTIOCYTIC,-NEOPLASM PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, HEMATOPOIETIC,-PRESENT
	LN, MEDIASTINAL (ML) : -DIFFUSELY RED; DARK RED (CAP 21)	LN, MEDIASTINAL (ML) : -HEMORRHAGE,-PRESENT
	LN, LUMBAR/ILIAC (LM) : -LARGE; BILATERAL: EACH IS UP TO 8 X 5 X 3 MM (CAP 23)	LN, LUMBAR/ILIAC (LM) : -HEMORRHAGE,-PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1790

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93082 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/25/00 9:46 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, LUMBAR/ILIAIC (LM) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 23) LN, ILEOCECAL (IC) : -LARGE; 8 X 5 X 3 MM (CAP 25) -DIFFUSELY RED; (CAP 25) GENERAL COMMENT (GC) : -STAINS-PERINEUM/PERIANAL; YELLOW MOIST MATERIAL -STAINS - SKIN/HAIRCOAT; VENTRAL ABDOMINAL AND THORACIC REGIONS: YELLOW AND DRY MATERIAL -YELLOWISH MUCOUS MEMBRANES; ALL AREAS, INCLUDING EXTREMITIES	LN, ILEOCECAL (IC) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1791

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93082 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 02/25/00 STUDY DAY OF DEATH: 677 STUDY WEEK OF DEATH: 97 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 02/25/00 9:46 PROSECTOR: NANCY DIEDRICH RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE),
SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1792

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93083 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 491.1 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:57 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 87; 100 X 90MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 95; 15 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATELY SEVERE -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -MODERATELY SEVERE
		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE
	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 12 X 9 X 9 MM (RIGHT IS 7 X 6 X 5 MM)	ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, -SEVERE
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1793

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93083 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 491.1 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:57 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 6 X 5 X 4 MM, RED, DARK
RED, GREY AND FIRM
MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL CERVICAL EXTENDING
TO VENTRAL THORACIC: SINGLE MASS, 120
X 110 X 50 MM (209.3 GRAMS), RED, DARK
RED, TAN, GREY, LOBULATED FIRM, SOFT,
AND VASCULAR; ON SECTION SOME AREAS
EXUDE A RED FLUID, OTHERS EXUDE A TAN
CASEOUS SEMISOLID; PORTION COLLECTED;
OVERLYING SKIN HAS A DARK RED CRUSTED
AREA, 65 X 35 MM; COLLECT INTACT WITH
MASS; REGIONAL LN (MANDIBULAR) NORMAL
(CAP 21)

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1794

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93083 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 491.1 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:57 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1795

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93083 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 491.1 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:57 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1796

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93084 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 186.0 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 10:26 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	6.9911	3.7584 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1797

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93084 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 186.0 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 10:26 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1798

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93085 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 268.5 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 12:59 PROSECTOR: TROY ELLENBECKER RECORDER: LYNN HORNER
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0315	.0117 %	.0147	WEIGHT TAKEN
RT ADRENAL (AD1)	.0337	.0126 %	.0158	WEIGHT TAKEN
BRAIN (BR)	2.1358	.7955 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1824	.4404 %	.5536	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2842	.4783 %	.6013	WEIGHT TAKEN
LIVER (LI)	9.0653	3.3763 %	4.2445	WEIGHT TAKEN
LUNG (LU)	1.1579	.4312 %	.5421	WEIGHT TAKEN
LF OVARY (OV0)	.0745	.0277 %	.0349	WEIGHT TAKEN
RT OVARY (OV1)	.0707	.0263 %	.0331	WEIGHT TAKEN
SPLEEN (SP)	.4904	.1826 %	.2296	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0080	.0030 %	.0037	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0106	.0039 %	.0050	WEIGHT TAKEN
UTERUS (UT)	.5732	.2135 %	.2684	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1799

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93085 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 268.5 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 12:59 PROSECTOR: TROY ELLENBECKER RECORDER: LYNN HORNER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1800

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93086 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 351.3 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:26 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 76; 60 X 50MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; DILATED PUPIL; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 15 X 10 X 8 MM, RED, DARK RED, TAN AND SOFT MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 70 X 50 X 20 MM, RED, DARK RED, TAN, VASCULAR AND SOFT; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1801

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93086 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 351.3 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:26 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1802

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93087 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/16/00 STUDY DAY OF DEATH: 697 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 03/16/00 10:42 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 93; 40 X 30MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 95; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		-VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT
		-HYPERTROPHY, CORTICAL CELL, -MINIMAL
		ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1803

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93087 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/16/00 STUDY DAY OF DEATH: 697 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 03/16/00 10:42 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 10 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
	PITUITARY (PI) : -MASS(ES); 12 X 9 X 7 MM, RED, DARK RED, TAN, SOFT AND LOBULATED	SPINAL CORD (SC) : -DEMYELINATION, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT INGUINAL REGION: SINGLE MASS, 40 X 35 X 25 MM, TAN, RED AND SOFT; CUT SURFACE EXUDES A TAN SEMIFLUID; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 28 X 25 X 15 MM, TAN, RED AND FIRM; CUT SURFACE EXUDES A SMALL AMOUNT OF A TAN SEMIFLUID; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
		UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1804

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93087 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/16/00 STUDY DAY OF DEATH: 697 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 03/16/00 10:42 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-MOTTLED; BILATERAL: RED AND TAN;
COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-DISCHARGE-NASAL; DARK RED AND DRY

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1805

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93087 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/16/00 STUDY DAY OF DEATH: 697 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 308.1 GRAMS
DATE AND TIME OF NECROPSY: 03/16/00 10:42 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1806

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93088 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/15/99 STUDY DAY OF DEATH: 544 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/15/99 13:23 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; UNVERIFIED AT NECROPSY >APPEARANCE; HEAD TILT; LEFT; UNVERIFIED AT NECROPSY >SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; UNVERIFIED AT NECROPSY	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : >NOTE:>TRIMMING COMMENT: ONE ADRENAL MISSING FROM WET TISSUE ADRENAL, MEDULLA (MA) : >NOTE:>TRIMMING COMMENT: ONE ADRENAL MISSING FROM WET TISSUE	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -UNILATERALLY EXAMINED, -PRESENT -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1807

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93088 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/15/99 STUDY DAY OF DEATH: 544 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/15/99 13:23 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 10 X 9 MM, RED, DARK
RED, GRAY, LOBULATED, AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

UTERUS (UT) :
-CYST(S); BILATERAL, WITHIN WALLS:
MULTIPLE CLEAR FLUID FILLED CYSTS IN
EACH, UP TO 8 MM IN DIAMETER

ILEUM (IL) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
UTERUS (UT) :
-DILATATION, -MODERATE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL, UPPER AND
LOWER INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1808

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93088 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 10/15/99 STUDY DAY OF DEATH: 544 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 10/15/99 13:23 PROSECTOR: JOHN S. HALFORD RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1809

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93089 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 348.1 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 8:03 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 87; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL; WEEK 88; 25 X 25MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 92; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LN, MESENTERIC (MS) : -DIFFUSELY RED; CAUDAL END OF CHAIN: DARK RED	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -HYPERPLASIA, CORTICAL, -SLIGHT LN, MESENTERIC (MS) : -B-HEMANGIOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1810

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93089 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 348.1 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 8:03 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 7 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
	PITUITARY (PI) : -MASS(ES); 10 X 7 X 6 MM, DARK RED, TAN, AND SOFT	THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); VENTRAL CERVICAL REGION: SINGLE MASS, 40 X 30 X 30 MM, RED, DARK RED, TAN, CYSTIC, FIRM, AND LOBULATED; SOME SECTIONS EXUDE A TAN CREAMY SEMIFLUID; COLLECTED; REGIONAL LN (MANDIBULAR) NORMAL (CAP 21) -MASS #2; RIGHT AXILLARY REGION: SINGLE MASS, 35 X 25 X 15 MM, RED, TAN, LOBULATED, AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (AXILLARY) NORMAL (CAP 22)	COLON (CO) : -PARASITISM, -PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT -B-ADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #3 IS THE ADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1811

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93089 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 348.1 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 8:03 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #3; LEFT VENTRAL ABDOMINAL REGION: SINGLE MASS, 25 X 15 X 12 MM, DARK BROWN, TAN, AND FIRM; SOME SECTIONS EXUDE A BROWN CREAMY SEMIFLUID; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MODERATELY SEVERE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL: UPPER INCISORS	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1812

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93089 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/04/00 STUDY DAY OF DEATH: 656 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 348.1 GRAMS
DATE AND TIME OF NECROPSY: 02/04/00 8:03 PROSECTOR: TONY HANFELD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1813

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93090 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 423.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:53 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DARK FOCUS(I)/AREA(S); RIGHT MEDIAN LOBE: MULTIPLE DARK FOCI, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION PITUITARY (PI) : -MASS(ES); 8 X 7 X 5 MM, DARK RED, RED, TAN AND SOFT MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION CERVIX (CV) : -LARGE; 12 X 8 X 5 MM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATELY SEVERE CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -MODERATE VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1814

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93090	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 423.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:53	PROSECTOR: CHANESTA ACKER	RECORDER: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

VAGINA (VA) :

-MASS(ES); WITHIN LUMEN: SINGLE MASS,
7 X 5 X 3 MM, TAN, SOFT AND
PEDUNCULATED; ON SECTION EXUDES A
WHITE CREAMY SEMIFLUID; COLLECTED
INTACT; REGIONAL LN (LUMBAR) NORMAL
(CAP 22)

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1815

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93090 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 423.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 12:53 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB), LN, LUMBAR/ILIAC (LM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1816

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93091 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 421.0 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 13:16 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); LIMB-HIND-RIGHT; WEEK 47; 100 X 100MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; LATERAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -ROUGH SURFACE, DIFFUSE; ALL LOBES -DIFFUSELY LIGHT; ALL LOBES: TAN KIDNEY (KD) : -MOTTLED; BILATERAL: RED AND TAN SPLEEN (SP) : -LARGE; 55 X 15 X 8 MM LN, MESENTERIC (MS) : -MOTTLED; DARK RED AND TAN OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, - MODERATE -DEGENERATION / NECROSIS, CENTRIOBULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -VACUOLATION, TUBULAR EPITHELIUM, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -SEVERE LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT OVARY (OV) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1817

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93091 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 421.0 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 13:16 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-MASS(ES); ALL LOBES: MULTIPLE MASSES,
UP TO 7 X 7 X 6 MM, TAN AND FIRM; SAME
ON CUT SURFACES; COLLECTED INTACT;
REGIONAL LN (TRACHEOBRONCHIAL) NOT
IDENTIFIED
HEART (HT) :
-LARGE; 25 X 15 X 11 MM
-DIFFUSELY LIGHT; DIFFUSE: GRAY
PITUITARY (PI) :
-LARGE; 5 X 5 X 3 MM; APPEARS SWOLLEN
-DARK FOCUS(I)/AREA(S); MID ASPECT:
SINGLE DARK BROWN AREA, 4 X 2 MM

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-N-CARCINOMA, -NEOPLASM PRESENT
HEART (HT) :
>UNREMARKABLE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1818

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93091 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 421.0 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 13:16 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT LATERAL LUMBAR REGION: SINGLE MASS, 98 X 75 X 68 MM, RED, DARK RED, TAN, FIRM, AND VASCULAR; ON SECTION EXUDES A DARK RED FLUID AND A YELLOW SEMIFLUID; PORTION COLLECTED; OVERLYING SKIN HAS A DARK RED MOIST ULCERATED AREA, 25 MM IN DIAMETER; COLLECTED INTACT WITH PORTION OF MASS COLLECTED; REGIONAL LN (SEE AXILLARY) -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION UTERUS (UT) : -CYST(S); BILATERAL WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 7 X 3 X 3 MM LN, AXILLARY (AX) : -MOTTLED; BILATERAL: DARK RED AND TAN (CAP 21) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN	UTERUS (UT) : -DILATATION, -MODERATE CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, AXILLARY (AX) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1819

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93091 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 421.0 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 13:16 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1820

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93092 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 309.7 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 11:30 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 72; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 8 X 6 X 5 MM (LEFT IS 6 X 4 X 2 MM) -DARK FOCUS(I)/AREA(S); RIGHT CRANIAL END: SINGLE DARK BROWN AREA, 5 MM IN DIAMETER	EYE (EY) : -ATROPHY, RETINAL, -SLIGHT BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1821

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93092 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 309.7 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 11:30 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 9 X 9 MM, RED. DARK
RED, TAN, GRAY, SOFT, AND LOBULATED
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 28 X 20 X 13 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 21)
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE
SECTIONS
UTERUS (UT) :
-THICKENED WALL; BILATERAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY MATERIAL
-ANIMAL THIN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

UTERUS (UT) :
>UNREMARKABLE
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1822

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93092 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/06/99 STUDY DAY OF DEATH: 535 STUDY WEEK OF DEATH: 77 TERMINAL BODY WEIGHT: 309.7 GRAMS
DATE AND TIME OF NECROPSY: 10/06/99 11:30 PROSECTOR: JODI THIEREN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1823

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93093 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 425.1 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 10:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 70; 70 X 70MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 89; 45 X 45MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 91; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 94; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 94; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 10 MM IN DIAMETER (RIGHT IS 5 MM IN DIAMETER) -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 6 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT >NOTE:>SINGLE SMALL AREA OF HEMORRHAGE WITH PROTEINACEOUS-APPEARING LAMELLAR SPHERULES. SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HEMORRHAGE, -PRESENT -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1824

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93093	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00	STUDY DAY OF DEATH: 670	STUDY WEEK OF DEATH: 96	TERMINAL BODY WEIGHT: 425.1 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 10:20	PROSECTOR: MICHELE MARGGI	RECORDER: MICHELE MARGGI	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 15 X 13 X 8
MM, DARK RED AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 90 X 65 X 30 MM, RED,
TAN, VASCULAR, AND SOFT; SOME AREAS
EXUDE A TAN CREAMY SEMISOLID; PORTION
COLLECTED; REGIONAL LN (INGUINAL)
NORMAL (CAP 21)
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 40 X 40 X 20 MM, DARK
RED, DARK BROWN, AND SOFT; ON SECTION
EXUDES A CLEAR DARK BROWN FLUID;
COLLECTED; REGIONAL LN (INGUINAL)
NORMAL (CAP 21)

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

HEART (HT) :
-MINERALIZATION, VASCULAR, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASSES 1 & 5 ARE FIBROADENOMAS
MASSES 3 & 4 ARE CARCINOMAS MASS
2 IS AN ADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1825

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93093 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 425.1 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 10:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :

-MASS #3; LEFT AXILLARY REGION: SINGLE
MASS, 25 X 15 X 10 MM, DARK BROWN,
TAN, LOBULATED, AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(AXILLARY) NORMAL (CAP 22)
-MASS #4; LEFT CERVICAL REGION: SINGLE
MASS, 25 X 20 X 15 MM, TAN, FIRM AND
VASCULAR; ON SECTION EXUDES A TAN AND
GREEN CREAMY SEMIFLUID; COLLECTED;
REGIONAL LN (MANDIBULAR) NORMAL (CAP
23)
-MASS #5; RIGHT CERVICAL REGION:
SINGLE MASS, 30 X 20 X 15 MM, TAN AND
SOFT; ON SECTION EXUDES A YELLOW AND
TAN CREAMY SEMIFLUID; COLLECTED;
REGIONAL LN (MANDIBULAR) NORMAL (CAP
23)

UTERUS (UT) :

-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, AXILLARY (AX) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL

LN, INGUINAL (IN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1826

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93093 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 425.1 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 10:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL, UPPER
INCISORS
-ANIMAL THIN

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1827

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93093 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 425.1 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 10:20 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1828

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93094 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 388.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 7:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 76; 55 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -INFLAMMATION, ACUTE, -SLIGHT
>SKIN & PELAGE; SORE/SCAB; VENTRAL- CERVICAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	-RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE	LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	RED FOCUS, 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	-VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	KIDNEY (KD) : -DIFFUSELY LIGHT; BILATERAL: TAN	-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT
		-MINERALIZATION, PELVIC, -SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL
		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1829

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93094 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 388.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 7:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 10 X 9 X 6 MM,
DARK RED, TAN, AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT CERVICAL REGION:
SINGLE MASS, 60 X 40 X 30 MM, RED,
DARK RED, TAN, LOBULATED, VASCULAR,
AND FIRM; SOME AREAS EXUDE A DARK
BROWN SEMISOLID; COLLECTED; REGIONAL
LN (MANDIBULAR) NORMAL (CAP 21);
OVERLYING SKIN OF MASS HAS A SINGLE
DARK BROWN, DRY CRUSTED AREA, 12, X 10
MM; COLLECTED INTACT WITH MASS
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

ADRENAL, MEDULLA (MA) :
-HYPERPLASIA, MEDULLARY, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1830

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93094 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 388.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 7:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1831

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93094 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/18/00 STUDY DAY OF DEATH: 670 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 388.9 GRAMS
DATE AND TIME OF NECROPSY: 02/18/00 7:45 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1832

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93095 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
 DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
 DATE AND TIME OF NECROPSY: 04/17/00 16:05 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 79; 40 X 35MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL; WEEK 97; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -SLIGHT -MINERALIZATION, PELVIC, -SLIGHT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 97; 55 X 40MM; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE
>EYES; PALE; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, -SLIGHT
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		-PIGMENT, -MINIMAL
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1833

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93095 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/00 16:05 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

THYMUS (TH) :
-MISSING/NOT IDENTIFIED; DUE TO
ADHESIONS, POSSIBLE REMNANTS SUBMITTED

LUNG (LU) :
-MASS(ES); ALL LOBES: MULTIPLE TAN,
RED AND FIRM MASSES, UP TO 13 X 7 X 4
MM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (TRACHEOBRONCHIAL)
NOT IDENTIFIED
-ADHESION(S); ALL LOBES ADHERED TO
EACH OTHER, DIAPHRAGM, HEART AND
THYMUS: MULTIPLE GREY FIBROUS
ADHESIONS; COLLECTED INTACT

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 4 MM, RED , DARK
RED, TAN AND FIRM

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SEVERE
LUNG (LU) :
-N-CARCINOMA, -FROM MAMMARY, FEMALE

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
>UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1834

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93095 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/00 16:05 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 2 MM IN DIAMETER SKIN (SK) : >NOTE:>SKIN WAS TAKEN FROM RIGHT SIDE DUE TO MASS ON LEFT MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 38 X 25 X 15 MM, RED, TAN, LOBULATED AND FIRM; ON SECTION, EXUDED A TAN FLUID; COLLECTED; REGIONAL LN (SEE AXILLARY); OVERLYING SKIN HAS A DARK RED AND DRY CRUSTED AREA, 35 X 25 MM; COLLECTED INTACT WITH MASS -MASS #2; LEFT INGUINAL EXTENDING INTO VENTRAL ABDOMINAL: SINGLE MASS, 65 X 50 X 31 MM, RED, DARK RED, TAN, LOBULATED AND FIRM: SOME SECTIONS EXUDE A RED FLUID; COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED >NOTE:>MAMMARY WAS TAKEN FROM RIGHT SIDE DUE TO MASS ON LEFT UTERUS (UT) : -CYST(S); RIGHT HORN, WITHIN WALL: MULTIPLE CLEAR FLUID FILLED CYSTS, 2 MM IN DIAMETER	MAMMARY, FEMALE (MF) : -M-CARCINOMA,-NEOPLASM PRESENT -CYST / GALACTOCELE,-PRESENT -B-FIBROADENOMA,-NEOPLASM PRESENT >NOTE:>MASS #1 IS THE CARCINOMA UTERUS (UT) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1835

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93095 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/00 16:05 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

VAGINA (VA) :

-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN MUCOID MATERIAL

VAGINA (VA) :

-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -MINIMAL

CAUSE OF DEATH (CD) :

-NEOPLASM, MAMMARY GLAND, -PRESENT

LN, AXILLARY (AX) :

-LARGE; LEFT: UP TO 12 X 10 X 3 MM
(RIGHT NOT IDENTIFIED) (CAP 21)

LN, AXILLARY (AX) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE

GENERAL COMMENT (GC) :

-FLUID-THORACIC CAVITY; CLEAR FLUID

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1836

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93095 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/17/00 16:05 PROSECTOR: JODI THIEREN RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1837

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93096 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/22/98 STUDY DAY OF DEATH: 217 STUDY WEEK OF DEATH: 31 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/22/98 8:04 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -DEGENERATION / NECROSIS, CENTRIOBULAR, -SLIGHT KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MINIMAL -VACUOLATION, TUBULAR EPITHELIUM, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT LUNG (LU) : -CONGESTION, -PRESENT -MINERALIZATION, VASCULAR, -MINIMAL HEART (HT) : -MINERALIZATION, VASCULAR, -MINIMAL CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT
	GENERAL COMMENT (GC) : -MALOCCLUSION; BILATERAL, UPPER INCISORS -DISCHARGE-OCULAR; RIGHT: DARK RED AND DRY	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1838

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93096 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/22/98 STUDY DAY OF DEATH: 217 STUDY WEEK OF DEATH: 31 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/22/98 8:04 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1839

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93097 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 405.5 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 8:33 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 63; 40 X 35MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-LEFT; WEEK 69; 55 X 60MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, -MINIMAL
>MASS(ES); VENTRAL-CERVICAL; WEEK 78; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL-THORACIC-LEFT; VERIFIED AT NECROPSY: OBSERVED		-INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL
>SKIN & PELAGE; BLACK SKIN; VENTRAL-THORACIC-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL
>DISCHARGE; OTHER; AXILLARY LEFT MASS BLEEDING; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL -PIGMENT, -SLIGHT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1840

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93097 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 405.5 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 8:33 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 9 X 7 X 4 MM, RED, DARK
RED, TAN, AND FIRM
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT CERVICAL REGION,
EXTENDING INTO RIGHT AXILLARY REGION:
SINGLE MASS, 55 X 50 X 22 MM, FIRM,
LOBULATED, RED, AND TAN; ON SECTION
SOME AREAS CONTAIN A TAN CREAMY
SEMIFLUID; COLLECTED; REGIONAL LN (SEE
AXILLARY)
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 47 X 36 X 23 MM, FIRM,
LOBULATED, RED, AND TAN; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
>NOTE:>THE CARCINOMA IS MASS #3

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1841

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93097 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 405.5 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 8:33 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #3; LEFT AXILLARY REGION: SINGLE MASS, 62 X 56 X 50 MM, RED, DARK RED, TAN, FIRM, AND LOBULATED, ON SECTION, SOME AREAS CONTAIN A BROWN FLUID; COLLECTED; OVERLYING SKIN HAS A SINGLE DRY, RED, BROWN ULCERATED AREA, 30 X 45 MM, WHICH EXUDES A DARK RED FLUID; COLLECTED WITH MASS; REGIONAL LN (SEE AXILLARY)	CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -SLIGHT VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -MODERATELY SEVERE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATELY SEVERE
	LN, AXILLARY (AX) : -LARGE; BILATERAL: LEFT IS 15 X 8 X 3 MM, RIGHT IS 9 X 5 X 2 MM (CAP 21) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1842

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93097 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/28/00 STUDY DAY OF DEATH: 680 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: 405.5 GRAMS
DATE AND TIME OF NECROPSY: 02/28/00 8:33 PROSECTOR: DENNIS HOFFMAN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1843

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93098 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 469.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:08 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 100; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT OVARY (OV) : -CYST, -PRESENT
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -MINIMAL MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT
	PITUITARY (PI) : -LARGE; 6 X 5 X 3 MM, APPEARS SWOLLEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1844

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93098 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 469.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:08 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 10 X 9 X 6 MM, RED, TAN,
AND FIRM; SAME ON CUT SURFACE (CAP 22)
REGIONAL LN (INGUINAL) NOT IDENTIFIED
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGIONS DIFFUSE:
MULTIPLE WHITE CREAMY FLUID FILLED
CYSTS, UP TO 4 MM IN DIAMETER;
COLLECTED ON ROUTINE SECTION
UTERUS (UT) :
-MASS(ES); RIGHT HORN WITHIN WALL:
MULTIPLE DARK RED AND TAN PEDUNCULATED
MASSES, EACH IS UP TO 5 X 4 X 3 MM;
COLLECTED INTACT; REGIONAL LN (LUMBAR)
NORMAL (CAP 23)

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
-M-FIBROSARCOMA, -NEOPLASM PRESENT

UTERUS (UT) :
-B-ADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1845

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93098 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 469.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:08 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1846

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93099 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 420.6 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 7:39 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 79; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -MINERALIZATION, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 72; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		-HYPERPLASIA, BILE DUCT, -SLIGHT
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>DISCHARGE; GENITAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED		-MINERALIZATION, PELVIC, -SLIGHT
		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE
		-INFILTRATION, FAT, INTERSTITIAL, - SLIGHT
		ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT
		-ATROPHY, CORTICAL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1847

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93099 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 420.6 GRAMS
 DATE AND TIME OF NECROPSY: 02/19/00 7:39 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-MASS(ES); SINGLE MASS, 14 X 11 X 6
 MM, RED, DARK RED, TAN, SOFT, AND
 LOBULATED

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT INGUINAL REGION:
 SINGLE MASS, 25 X 25 X 16 MM, RED,
 TAN, AND FIRM; SAME ON CUT SURFACE;
 COLLECTED; REGIONAL LN (INGUINAL) NOT
 IDENTIFIED

-MASS #2; LEFT AXILLARY REGION: SINGLE
 MASS, 30 X 20 X 15 MM, TAN AND SOFT;
 ON SECTION EXUDES A CLEAR FLUID;
 COLLECTED; REGIONAL LN (AXILLARY) NOT
 IDENTIFIED

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
 COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
 SLIGHT

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL
 -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
 PRESENT

PARATHYROID (PT) :

>SECTION EXAMINED; TISSUE NOT PRESENT

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
 -B-FIBROADENOMA, -NEOPLASM PRESENT
 -HYPERPLASIA, GLANDULAR, -SLIGHT
 -B-ADENOMA, -NEOPLASM PRESENT
 >NOTE:>THE ADENOMA IS MASS #2

UTERUS (UT) :

-B-POLYP, ENDOMETRIAL, STROMAL, -
 NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1848

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93099 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 420.6 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 7:39 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-MASS(ES); WITHIN LUMEN OF RIGHT HORN:
SINGLE MASS, 16 X 6 X 6 MM, DARK RED,
SOFT, AND LOBULATED; SAME ON CUT
SURFACE; COLLECTED INTACT WITH UTERUS;
REGIONAL LN (LUMBAR) NORMAL (CAP 21)

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATELY SEVERE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-STAINS-PERINEUM/PERIANAL; DARK RED
AND DRY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1849

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93099 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 420.6 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 7:39 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN), LN, LUMBAR/ILIAC (LM)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1850

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93100 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/28/99 7:10 PROSECTOR: GREGORY CODDINGTON RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1851

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93100 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/28/99 7:10 PROSECTOR: GREGORY CODDINGTON RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 7 X 6 X 4 MM,
DARK RED, TAN, GRAY AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

DUODENUM (DU) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

UTERUS (UT) :
-DILATATION, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 21)

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1852

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93100 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/28/99 7:10 PROSECTOR: GREGORY CODDINGTON RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), JEJUNUM (JE), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1853

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93101 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:52 PROSECTOR: TODD ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL ADRENAL, CORTEX (AC) : -HYPERPLASIA, C-CELL, -MINIMAL -PIGMENT, -MINIMAL THYROID (TY) : -HYPERPLASIA, -SLIGHT PARATHYROID (PT) : -HYPERPLASIA, -SLIGHT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 6 X 4 X 3 MM (LEFT IS 5 X 3 X 3 MM)	
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1854

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93101	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 458.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:52	PROSECTOR: TODD ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), ADRENAL, MEDULLA (MA), LUNG (LU), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1855

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93102 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 519.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:27 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 4 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL OVARY (OV) : -CYST, -PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL -HYPERPLASIA, TYPE II PNEUMOCYTE, - MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1856

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93102 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 519.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:27 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 6 X 5 X 7 MM, RED, DARK
RED, GRAY, AND SOFT
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE:
COLLECTED ON ROUTINE SECTION
UTERUS (UT) :
-CYST(S); RIGHT WITHIN WALL: SINGLE
CLEAR FLUID FILLED CYST, 3 MM IN
DIAMETER

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-CYST, -PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1857

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93102 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 519.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:27 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1858

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93103 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 391.1 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAW-HIND- RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; BROWN HAIR COAT; VENTRAL-ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1859

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93103 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 391.1 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER BONE, FEMUR (FE) : >NOTE:>TRIMMING COMMENT: FEMUR NOT FOUND AT TIME OF TRIMMING MARROW, FEMUR (FM) : >NOTE:>TRIMMING COMMENT: FEMUR NOT FOUND AT TIME OF TRIMMING	OVARY (OV) : -CYST, -PRESENT BONE, FEMUR (FE) : >TISSUE MISSING MARROW, FEMUR (FM) : >TISSUE MISSING THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE HEART (HT) : -CARDIOMYOPATHY, -MODERATE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 12 X 9 X 5 MM, DARK RED, TAN, AND SOFT STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: SINGLE TAN ULCERATED AREA, 12 X 7 MM -THICKENED WALL; DIFFUSE	STOMACH, NONGL (SU) : -ACANTHOSIS / HYPERKERATOSIS, - MODERATELY SEVERE -ULCERATION, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE -FIBROSIS, -MODERATELY SEVERE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT
	MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS DIFFUSE: TAN; COLLECTED ON ROUTINE SECTION	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1860

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93103 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 391.1 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); BILATERAL
HINDFEET: SINGLE MOIST TAN ULCERATED
AREA ON EACH, EACH IS 6 MM IN
DIAMETER; BOTH ARE COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; UPPER RIGHT INCISOR
-TEETH MISSING/BROKEN/WORN; UPPER LEFT
INCISOR: MISSING
-STAINS - SKIN/HAIRCOAT; VENTRAL
ABDOMINAL: MOIST BROWN MATERIAL

MAMMARY, FEMALE (MF) :
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>NEOPLASM IS ON SLIDE #19
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-ULCERATION, -SLIGHT
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1861

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93103 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/10/00 STUDY DAY OF DEATH: 691 STUDY WEEK OF DEATH: 99 TERMINAL BODY WEIGHT: 391.1 GRAMS
DATE AND TIME OF NECROPSY: 03/10/00 13:04 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1862

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93104 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 316.5 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:45 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 58; 45 X 30MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATELY SEVERE -HYPERPLASIA, TRANSITIONAL CELL, - MODERATE SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1863

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93104 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 316.5 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:45 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 13 X 12 X 9 MM, DARK RED,
TAN AND SOFT

SKIN (SK) :
-CRUSTED AREA(S); LEFT LATERAL
THORACIC REGION: TWO TAN, RED AND DRY
SLIGHTLY RAISED AREAS, ONE IS 7 X 6 X
3 MM, THE OTHER IS 8 X 6 X 5 MM (CAP
22)
>NOTE:>SECTION TAKEN FROM RIGHT SIDE
DUE TO MASS

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -MODERATE
>NOTE:>SEE ALSO MAMMARY GLAND

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1864

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93104 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 316.5 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:45 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
MULTIPLE MASSES, UP TO 30 X 30 X 15
MM, SOME ARE TAN AND SOFT; SAME ON CUT
SURFACE; SOME ARE DARK RED, TAN AND
SOFT; CUT SURFACE EXUDES A DARK RED
SEMIFLUID; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
>NOTE:>SECTION TAKEN FROM RIGHT SIDE
DUE TO MASS

LN, MANDIBULAR (MN) :
-LARGE; BILATERAL: EACH IS UP TO 10 X
7 X 3 MM (CAP 21)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

MAMMARY, FEMALE (MF) :
>NOTE:>THE MASS CONTAINS BOTH CARCINOMA
AND FIBROADENOMA THE SECOND
MAMMARY CARCINOMA WAS IN THE
ULCERATED SKIN SECTION

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1865

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93104 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/23/99 STUDY DAY OF DEATH: 583 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 316.5 GRAMS
DATE AND TIME OF NECROPSY: 11/23/99 15:45 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1866

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93105 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/28/99 STUDY DAY OF DEATH: 618 STUDY WEEK OF DEATH: 89 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/28/99 7:26 PROSECTOR: GREGORY CODDINGTON RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; SWOLLEN; LIMB-HIND-RIGHT; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 10 MM IN DIAMETER (RIGHT IS 5 MM IN DIAMETER) LN, MESENTERIC (MS) : -DIFFUSELY DARK; DARK BROWN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE LN, MESENTERIC (MS) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1867

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93105	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/28/99	STUDY DAY OF DEATH: 618	STUDY WEEK OF DEATH: 89	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/28/99 7:26	PROSECTOR: GREGORY CODDINGTON	RECORDED: DENNIS HOFFMAN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 13 X 9 X 9 MM, DARK RED, GREY, TAN AND SOFT	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM (COLLECTED ON ROUTINE SECTION)	JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE
	FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); RIGHT HINDFOOT: SINGLE TAN AND DRY CRUSTED AREA, 4 X 3 MM; SURROUNDING TISSUE APPEARS SWOLLEN (COLLECTED)	UTERUS (UT) : -DILATATION, -SLIGHT VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -MINIMAL CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ULCERATION, -SLIGHT -ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1868

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93105	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 12/28/99	STUDY DAY OF DEATH: 618	STUDY WEEK OF DEATH: 89	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 12/28/99 7:26	PROSECTOR: GREGORY CODDINGTON	RECORDED: DENNIS HOFFMAN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-MALOCCLUSION; BILATERAL UPPER
INCISORS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1869

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93106 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/09/00 STUDY DAY OF DEATH: 661 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 410.2 GRAMS
DATE AND TIME OF NECROPSY: 02/09/00 11:36 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MISSING; TAIL-DISTAL; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); AT JUNCTION OF MEDIAN LOBES: SINGLE TAN AREA, 4 MM IN DIAMETER (CAP 21) -RED FOCUS(I)/AREA(S); NEAR JUNCTION OF MEDIAN LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER (CAP 21) -DARK FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF LEFT LATERAL LOBE: SINGLE GRAY, LINEAR AREA, 4 X 2 MM; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1870

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93106 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/09/00 STUDY DAY OF DEATH: 661 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 410.2 GRAMS
DATE AND TIME OF NECROPSY: 02/09/00 11:36 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 10 X 8 X 7 MM, DARK RED, GRAY AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: SMALL AMOUNT OF LIGHT GREEN SEMIFLUID	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATE VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -MODERATE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -TAIL - BENT/MISSING; TIP: MISSING; REMAINING PORTION COLLECTED -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1871

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93106 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/09/00 STUDY DAY OF DEATH: 661 STUDY WEEK OF DEATH: 95 TERMINAL BODY WEIGHT: 410.2 GRAMS
DATE AND TIME OF NECROPSY: 02/09/00 11:36 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1872

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93107 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 441.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:20 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: NOT OBSERVED >MASS(ES); VENTRAL-CERVICAL-RIGHT; WEEK 81; 70 X 80MM; VERIFIED AT NECROPSY: OBSERVED	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); LEFT ANTERIOR ASPECT: SINGLE DARK RED FOCUS, 2 MM IN DIAMETER MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT VENTRAL CERVICAL REGION: SINGLE MASS, 80 X 60 X 40 MM, TAN, RED, DARK RED AND SOFT; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (MANDIBULAR) NORMAL; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -HYPERPLASIA, -MODERATELY SEVERE MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMATIC, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1873

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93107 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 441.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 13:20 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; RIGHT UPPER INCISOR
-TEETH MISSING/BROKEN/WORN; LEFT UPPER
INCISOR, BROKEN AT BASE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1874

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93108 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/18/99 STUDY DAY OF DEATH: 364 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/18/99 14:55 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -MASS(ES); INVOLVING ENTIRE RIGHT ADRENAL, SURROUNDING RIGHT KIDNEY: SINGLE MASS, 20 MM IN DIAMETER, DARK RED AND SOFT; CUT SURFACE EXUDES A DARK RED FLUID; COLLECTED; REGIONAL LN (RENAL) NOT IDENTIFIED	KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HEMORRHAGE, -PRESENT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SLIGHT THYMUS (TH) : -HEMORRHAGE, -PRESENT DUODENUM (DU) : >AUTOLYTIC JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1875

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93108 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/18/99 STUDY DAY OF DEATH: 364 STUDY WEEK OF DEATH: 52 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/18/99 14:55 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-DILATATION, -MODERATE
CAUSE OF DEATH (CD) :
-HEMORRHAGE, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LIVER (LI), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), COLON (CO), RECTUM (RE),
SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1876

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93109 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 259.1 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 9:38 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0478	.0184 %	.0236	WEIGHT TAKEN
RT ADRENAL (AD1)	.0379	.0146 %	.0187	WEIGHT TAKEN
BRAIN (BR)	2.0285	.7829 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1768	.4542 %	.5801	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2596	.4861 %	.6210	WEIGHT TAKEN
LIVER (LI)	10.0793	3.8901 %	4.9688	WEIGHT TAKEN
LUNG (LU)	1.3962	.5389 %	.6883	WEIGHT TAKEN
LF OVARY (OV0)	.0846	.0327 %	.0417	WEIGHT TAKEN
RT OVARY (OV1)	.1074	.0415 %	.0529	WEIGHT TAKEN
SPLEEN (SP)	.5017	.1936 %	.2473	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0087	.0034 %	.0043	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0101	.0039 %	.0050	WEIGHT TAKEN
UTERUS (UT)	.8250	.3184 %	.4067	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1877

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93109	SEX: FEMALE	DOSE GROUP: 4	SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98	STUDY DAY OF DEATH: 93	STUDY WEEK OF DEATH: 14	TERMINAL BODY WEIGHT: 259.1 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 9:38	PROSECTOR: JODI THIEREN	RECORDER: KIMBERLY DURLAND	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: DR. RICHARD ALSAKER	WEIGHER: JILL PAUS	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENTGENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1878

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93110 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 330.6 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:45 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 90; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -MOTTLED; ALL LOBES: DARK RED AND TAN KIDNEY (KD) : -GRANULAR MATERIAL; BILATERAL, WITHIN PELVIS: MULTIPLE TAN GRANULES, 1 MM IN DIAMETER -ROUGH SURFACE, DIFFUSE; BILATERAL -MOTTLED; BILATERAL: DARK RED AND TAN	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL -INFLAMMATION, ACUTE, -SLIGHT BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SEVERE -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SEVERE -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1879

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93110 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 330.6 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:45 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 5 X 4 MM, DARK RED, TAN
AND SOFT

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE DARK BROWN FOCI, UP TO 2 MM
IN DIAMETER

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 30 X 20 X 10 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (SEE AXILLARY)

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
SALIV GL, MANDIB (SG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE
DUODENUM (DU) :
-INFLAMMATION, VASCULAR, -SLIGHT
SKIN (SK) :
-B-LIPOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
>NOTE:>SEE SKIN FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1880

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93110 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 330.6 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:45 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN VAGINA:
LARGE AMOUNT OF GREEN SEMIFLUID

LN, AXILLARY (AX) :
-MOTTLED; BILATERAL: DARK RED AND TAN
(CAP 21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEPHROPATHY, -PRESENT

LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MINIMAL
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1881

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93110 SEX: FEMALE DOSE GROUP: 4 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/09/00 STUDY DAY OF DEATH: 630 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 330.6 GRAMS
DATE AND TIME OF NECROPSY: 01/09/00 9:45 PROSECTOR: DONIA MEYER RECORDER: DONIA MEYER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), STOMACH, NONGL (SU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1882

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93111 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 287.5 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:01 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0325	.0113 %	.0143	WEIGHT TAKEN
RT ADRENAL (AD1)	.0326	.0113 %	.0144	WEIGHT TAKEN
BRAIN (BR)	2.2661	.7882 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1506	.4002 %	.5077	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1943	.4154 %	.5270	WEIGHT TAKEN
LIVER (LI)	10.8555	3.7758 %	4.7904	WEIGHT TAKEN
LUNG (LU)	1.4316	.4979 %	.6317	WEIGHT TAKEN
LF OVARY (OV0)	.0693	.0241 %	.0306	WEIGHT TAKEN
RT OVARY (OV1)	.0788	.0274 %	.0348	WEIGHT TAKEN
SPLEEN (SP)	.4755	.1654 %	.2098	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0096	.0033 %	.0042	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0113	.0039 %	.0050	WEIGHT TAKEN
UTERUS (UT)	.4887	.1700 %	.2157	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -VACUOLATION, HEPATOCELLULAR, MIDZONAL
 / CENTRIOLOBULAR, -SLIGHT
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1883

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93111 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 287.5 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 11:01 PROSECTOR: STEVE VAN ADESTINE RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1884

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93112 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 341.7 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:15 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0342	.0100 %	.0153	WEIGHT TAKEN
RT ADRENAL (AD1)	.0328	.0096 %	.0147	WEIGHT TAKEN
BRAIN (BR)	2.2296	.6525 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.5592	.4563 %	.6993	WEIGHT TAKEN
RT KIDNEY (KD1)	1.6358	.4787 %	.7337	WEIGHT TAKEN
LIVER (LI)	16.7616	4.9054 %	7.5178	WEIGHT TAKEN
LUNG (LU)	1.5802	.4625 %	.7087	WEIGHT TAKEN
LF OVARY (OV0)	.0394	.0115 %	.0177	WEIGHT TAKEN
RT OVARY (OV1)	.0495	.0145 %	.0222	WEIGHT TAKEN
SPLEEN (SP)	.4772	.1397 %	.2140	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0095	.0028 %	.0043	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0089	.0026 %	.0040	WEIGHT TAKEN
UTERUS (UT)	.8851	.2590 %	.3970	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -HYPERPLASIA, BILE DUCT, -MINIMAL
 -INFILTRATE, MACROPHAGE, PIGMENTED, -
 MINIMAL
 -CYST, BILIARY, -PRESENT
 KIDNEY (KD) :
 -NEPHROPATHY, CHRONIC PROGRESSIVE, -
 SLIGHT
 -MINERALIZATION, TUBULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1885

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93112 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 341.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:15 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RAISED AREA(S); MID ASPECT: SINGLE
RED AREA, 2 MM IN DIAMETER

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
PANCREAS (PA) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-ATROPHY, ACINAR, -MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MINIMAL
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
-CYST, -PRESENT
LUNG (LU) :
-HEMORRHAGE, -PRESENT
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -MINIMAL
MAMMARY, FEMALE (MF) :
-SECRETORY MATERIAL, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1886

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93112 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 341.7 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:15 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1887

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93113 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 544.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:50 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 103; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 6 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER-OIL RED O (LI0) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1888

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93113 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 544.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:50 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
		PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL
	ADRENAL, CORTEX (AC) : -MOTTLED; BILATERAL: TAN AND DARK BROWN	ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -SLIGHT
	OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 5 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT -HYPERPLASIA, GRANULOSA CELL, - MODERATELY SEVERE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL
		THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	PITUITARY (PI) : -LARGE; 7 X 7 X 5 MM; APPEARS SWOLLEN	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1889

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93113 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 544.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:50 PROSECTOR: JERALD W. JOHNSON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE
SECTION; POSSIBLY CONSISTENT WITH MASS
(VENTRAL ABDOMINAL LEFT) NOTED IN
CLINICAL OBSERVATIONS
-CYST(S); LEFT INGUINAL REGION: SINGLE
TAN FLUID FILLED CYST, 5 MM IN
DIAMETER; COLLECTED ON ROUTINE SECTION

PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
-CYST, -PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SLIGHT
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MINIMAL
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATELY
SEVERE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1890

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93113	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 544.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:50	PROSECTOR: JERALD W. JOHNSON	RECORDED: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -ANIMAL OBESE	
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:		
EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:		
EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), HEMATO NEOPLASIA (HN)		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1891

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93114 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 205.4 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:20 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.8332	3.8144 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1892

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93114 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 205.4 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:20 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1893

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93115 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 470.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:41 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1894

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93115	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 470.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:41	PROSECTOR: CHANESTA ACKER	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	ADRENAL, CORTEX (AC) : -LARGE; BILATERAL: LEFT IS 7 X 6 X 5 MM, RIGHT IS 5 X 5 X 4 MM	SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT OVARY (OV) : -HYPERPLASIA, GRANULOSA CELL, - MODERATELY SEVERE MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL HEART (HT) : -CARDIOMYOPATHY, -SLIGHT PARATHYROID (PT) : -B-ADENOMA, -NEOPLASM PRESENT
	OVARY (OV) : -LARGE; LEFT: 10 X 6 X 4 MM (RIGHT IS 6 X 5 X 3 MM)	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1895

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93115 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 470.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:41 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 5 MM, DARK RED,
TAN, AND SOFT
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1896

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93115 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 470.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:41 PROSECTOR: CHANESTA ACKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1897

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93116 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 288.9 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:22 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0353	.0122 %	.0165	WEIGHT TAKEN
RT ADRENAL (AD1)	.0364	.0126 %	.0171	WEIGHT TAKEN
BRAIN (BR)	2.1339	.7386 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.4382	.4978 %	.6740	WEIGHT TAKEN
RT KIDNEY (KD1)	1.4407	.4987 %	.6751	WEIGHT TAKEN
LIVER (LI)	13.8981	4.8107 %	6.5130	WEIGHT TAKEN
LUNG (LU)	1.4611	.5057 %	.6847	WEIGHT TAKEN
LF OVARY (OV0)	.0612	.0212 %	.0287	WEIGHT TAKEN
RT OVARY (OV1)	.0620	.0215 %	.0291	WEIGHT TAKEN
SPLEEN (SP)	.4803	.1663 %	.2251	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0085	.0029 %	.0040	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0104	.0036 %	.0049	WEIGHT TAKEN
UTERUS (UT)	1.2623	.4369 %	.5915	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -INFILTRATE, MACROPHAGE, PIGMENTED, -
 MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 -PIGMENT, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1898

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93116 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 288.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:22 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
>NOTE:>TRIMMING COMMENT: URINARY
BLADDER NOT FOUND AT TIME OF
TRIMMING

VAGINA (VA) :
>NOTE:>TRIMMING COMMENT: VAGINA NOT
FOUND AT TIME OF TRIMMING

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
SLIGHT
LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-SECRETORY MATERIAL, -PRESENT
URINARY BLADDER (UB) :
>TISSUE MISSING

VAGINA (VA) :
>TISSUE MISSING

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1899

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93116 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 288.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:22 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1900

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93117 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 390.9 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 11:04 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0325	.0083 %	.0143	WEIGHT TAKEN
RT ADRENAL (AD1)	.0369	.0094 %	.0162	WEIGHT TAKEN
BRAIN (BR)	2.2739	.5817 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.5504	.3966 %	.6818	WEIGHT TAKEN
RT KIDNEY (KD1)	1.4994	.3836 %	.6594	WEIGHT TAKEN
LIVER (LI)	16.3241	4.1760 %	7.1789	WEIGHT TAKEN
LUNG (LU)	1.6859	.4313 %	.7414	WEIGHT TAKEN
LF OVARY (OV0)	.0392	.0100 %	.0172	WEIGHT TAKEN
RT OVARY (OV1)	.0484	.0124 %	.0213	WEIGHT TAKEN
SPLEEN (SP)	.7833	.2004 %	.3445	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0150	.0038 %	.0066	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0061	.0016 %	.0027	WEIGHT TAKEN
UTERUS (UT)	1.0597	.2711 %	.4660	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1901

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93117 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 390.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:04 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 6 X 5 X 3 MM; APPEARS SWOLLEN

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
PITUITARY (PI) :
-HYPERPLASIA, -MODERATELY SEVERE
-ANGIECTASIS, -PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1902

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93117 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 390.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 11:04 PROSECTOR: TODD ACKER RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1903

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93118 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 387.8 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 49; 90 X 90MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) SPLEEN (SP) : -LARGE; 60 X 15 X 10 MM	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, - MODERATE -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -DEGENERATION, CYSTIC, -MINIMAL -INFLAMMATION, SUBACUTE, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1904

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93118 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 387.8 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); TRIMMING
COMMENT: ALL LOBES: MULTIPLE TAN
AREAS, UP TO 4 X 3 MM

PITUITARY (PI) :
-MASS(ES); 11 X 6 X 4 MM, RED, TAN AND
SOFT

PANCREAS (PA) :
-ZYMOGEN GRANULES, DECREASED, -SLIGHT
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MODERATELY
SEVERE
-HYPERPLASIA, CORTICAL, -MINIMAL
ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1905

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93118 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 387.8 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT INGUINAL REGION EXTENDING Laterally TO LEFT INGUINAL REGION: MULTIPLE MASSES, UP TO 60 X 30 X 25 MM, ALL ARE RED, TAN, GREEN, LOBULATED AND FIRM; SAME ON ALL CUT SURFACES, ALL COLLECTED INTACT; OVERLYING SKIN HAS A SINGLE MOIST RED ULCERATED AREA, 10 MM IN DIAMETER; COLLECTED INTACT WITH MASSES; REGIONAL LN (INGUINAL) NOT IDENTIFIED	CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT
	LN, MANDIBULAR (MN) : -LARGE; BILATERAL: EACH IS 9 X 6 X 3 MM; COLLECTED	LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -TEETH MISSING/BROKEN/WORN; MISSING, BILATERAL UPPER INCISORS -ANIMAL THIN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1906

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93118 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/24/00 STUDY DAY OF DEATH: 645 STUDY WEEK OF DEATH: 93 TERMINAL BODY WEIGHT: 387.8 GRAMS
DATE AND TIME OF NECROPSY: 01/24/00 13:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1907

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93119 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 260.4 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 15:17 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; SHOULDER- RIGHT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; SORE/SCAB; DORSAL; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 7 MM IN DIAMETER (LEFT IS 4 MM IN DIAMETER)	EYE (EY) : -INFLAMMATION, ACUTE, -SLIGHT BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MODERATE -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE -PIGMENT, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1908

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93119 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 260.4 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 15:17 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE TAN AREAS, UP TO 10 MM IN
DIAMETER
PITUITARY (PI) :
-MASS(ES); 10 X 8 X 5 MM, DARK RED AND
SOFT
SKIN (SK) :
-ABRASION(S)/ULCERATION(S); RIGHT
SHOULDER REGION: MULTIPLE DRY BROWN
ABRADED AREAS, UP TO 2 MM IN DIAMETER
(CAP 22)
-CRUSTED AREA(S); MID DORSAL CERVICAL
REGION: MULTIPLE DRY BROWN CRUSTED
AREAS, UP TO 2 MM IN DIAMETER (CAP 21)
VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
GREEN MUCOID MATERIAL

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
SKIN (SK) :
-INFLAMMATION, CHRONIC, -MODERATE
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
-HYPERPLASIA, MUCINOUS, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1909

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93119 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 260.4 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 15:17 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL
-LARGE; BILATERAL: EACH IS 10 X 5 X 3
MM; COLLECTED
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL, UPPER
INCISORS
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1910

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93119 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 260.4 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 15:17 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1911

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93120 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 285.3 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:15 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0343	.0120 %	.0164	WEIGHT TAKEN
RT ADRENAL (AD1)	.0334	.0117 %	.0160	WEIGHT TAKEN
BRAIN (BR)	2.0929	.7336 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2810	.4490 %	.6121	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2307	.4314 %	.5880	WEIGHT TAKEN
LIVER (LI)	12.5676	4.4050 %	6.0049	WEIGHT TAKEN
LUNG (LU)	1.6572	.5809 %	.7918	WEIGHT TAKEN
LF OVARY (OV0)	.0448	.0157 %	.0214	WEIGHT TAKEN
RT OVARY (OV1)	.0377	.0132 %	.0180	WEIGHT TAKEN
SPLEEN (SP)	.4264	.1495 %	.2037	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0083	.0029 %	.0040	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0103	.0036 %	.0049	WEIGHT TAKEN
UTERUS (UT)	1.3539	.4746 %	.6469	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -PIGMENT, HEPATOCELLULAR,
 CENTRIOLOBULAR, -MINIMAL
 -HYPERPLASIA, BILE DUCT, -MINIMAL
 -INFILTRATE, MACROPHAGE, PIGMENTED, -
 MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1912

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93120 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 285.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:15 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE TAN AREAS, UP TO 3 X 2 MM
PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); RIGHT ASPECT:
SINGLE DARK RED FOCUS, 1 MM IN
DIAMETER

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

SPLEEN (SP) :
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
PITUITARY (PI) :
-HYPERPLASIA, -MODERATE
-ANGIECTASIS, -PRESENT
MAMMARY, FEMALE (MF) :
-SECRETORY MATERIAL, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1913

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93120 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 285.3 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:15 PROSECTOR: GREGORY CODDINGTON RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1914

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93121 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 158.0 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 7:40 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; TREMORS; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) MARROW, STERNUM (SE) : >NOTE:>TRIMMING COMMENT: MISSING FROM WET TISSUE	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -PIGMENT, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL MARROW, STERNUM (SE) : >TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1915

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93121 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99 STUDY DAY OF DEATH: 549 STUDY WEEK OF DEATH: 79 TERMINAL BODY WEIGHT: 158.0 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 7:40 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	BONE, STERNUM (SB) : >NOTE:>TRIMMING COMMENT: MISSING FROM WET TISSUE	BONE, STERNUM (SB) : >TISSUE MISSING
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL
	MUSCLE, SKELETAL (SM) : -ATROPHY-DIFFUSE; COLLECTED ON ROUTINE SECTION	MUSCLE, SKELETAL (SM) : -ATROPHY,-MINIMAL
	PITUITARY (PI) : -MASS(ES); 12 X 9 X 8 MM, RED, DARK RED, GRAY, SOFT AND LOBULATED	THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 8 X 2 MM	STOMACH, GL (ST) : -EROSION, -MINIMAL
		RECTUM (RE) : -PARASITISM, -PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1916

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93121	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/20/99	STUDY DAY OF DEATH: 549	STUDY WEEK OF DEATH: 79	TERMINAL BODY WEIGHT: 158.0 GRAMS
DATE AND TIME OF NECROPSY: 10/20/99 7:40	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN -GI TRACT-DARK FLUID CONTENT; JEJUNUM: DARK GREEN SEMIFLUID	
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:		
EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:		
EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), SPINAL CORD (SC), HEART (HT), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)		

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1917

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93122 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 367.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 67; 60 X 40MM; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 71; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 72; 20 X 15MM; VERIFIED AT NECROPSY: OBSERVED		-GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MINIMAL
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 78; 20 X 20MM ANTERIOR TO OTHER MASS; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : >NOTE:>TRIMMING COMMENT: BILATERAL	-FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATELY SEVERE
>EXCRETION; DISCOLORED FECES; YELLOW IN COLOR; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -MODERATE
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 17 X 15 X 12 MM (LEFT IS 4 X 2 X 2 MM)	-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE
		ADRENAL, CORTEX (AC) : -HEMATOPOIESIS, EXTRAMEDULLARY, - MODERATE
		-DEGENERATION, CYSTIC / HEMORRHAGIC, - SEVERE
		-PIGMENT, -MODERATE
		-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1918

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93122 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 367.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); LEFT: SINGLE CLEAR FLUID
FILLED CYST, 4 MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); 9 X 7 X 6 MM, RED, TAN AND
FIRM

ADRENAL, CORTEX (AC) :
-DEGENERATION / NECROSIS, UNILATERAL, -
SEVERE
ADRENAL, MEDULLA (MA) :
-B-PHEOCHROMOCYTOMA, - 2 NEOPLASMS
PRESENT
OVARY (OV) :
-CYST, -PRESENT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -
MODERATELY SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-EROSION, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1919

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93122	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/21/00	STUDY DAY OF DEATH: 642	STUDY WEEK OF DEATH: 92	TERMINAL BODY WEIGHT: 367.8 GRAMS
DATE AND TIME OF NECROPSY: 01/21/00 14:33	PROSECTOR: JAMES T. CALLEN	RECORDER: JAMES T. CALLEN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN LINEAR AREAS, UP TO 5 X 1 MM MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT INGUINAL: SINGLE MASS, 60 X 40 X 32 MM, RED, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (INGUINAL) NOT IDENTIFIED; POSSIBLY CONSISTENT WITH ALL MASSES (RIGHT INGUINAL) NOTED IN CLINICAL OBSERVATION -MASS #2; LEFT INGUINAL: SINGLE MASS, 55 X 32 X 22 MM, RED, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE (CAP 21); REGIONAL LN (INGUINAL) NOT IDENTIFIED; POSSIBLY CONSISTENT WITH MASS (VENTRAL ABDOMINAL LEFT) NOTED IN CLINICAL OBSERVATION UTERUS (UT) : -CYST(S); LEFT, WITHIN WALL: SINGLE CLEAR FLUID FILLED CYST, 6 MM IN DIAMETER	MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT >NOTE:>MASS #1 IS PRIMARILY A CARCINOMA, HOWEVER, THERE ARE ALSO AREAS OF FIBROADENOMA UTERUS (UT) : -DILATATION, -SEVERE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1920

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93122 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
 DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 367.8 GRAMS
 DATE AND TIME OF NECROPSY: 01/21/00 14:33 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
 LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
 PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
 LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
 TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
 CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
 MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
 CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1921

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93123 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 198.8 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 8:25 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.0297	4.0391 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1922

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93123 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 198.8 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 8:25 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1923

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93124 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 369.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 72; 70 X 60 MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 94; 30 X 30 MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); SHOULDER-LEFT; WEEK 95; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 71; 30 X 40 MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC-RIGHT; WEEK 97; 20 X 15MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -NECROSIS, COAGULATIVE, -MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1924

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93124 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 369.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLUE SKIN; VENTRAL-ABDOMINAL-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; SORE/SCAB; VENTRAL-ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED	OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 4 MM IN DIAMETER, RIGHT IS 3 MM IN DIAMETER LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 4 X 3 MM PITUITARY (PI) : -MASS(ES); 7 X 6 X 4 MM, RED, TAN AND SOFT	OVARY (OV) : -CYST, -PRESENT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MODERATE -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 6 NEOPLASMS PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT >NOTE:>MASSES 6 AND 7 ARE THE FIBROADENOMAS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1925

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93124 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 369.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 23 X 16 X 11 MM, RED, TAN AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (AXILLARY) NORMAL (CAP 24) -MASS #2; LEFT AXILLARY REGION, CAUDAL TO MASS #1: SINGLE MASS, 20 X 19 X 12 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (AXILLARY) NORMAL (CAP 24) -MASS #3; LEFT INGUINAL REGION: SINGLE MASS, 44 X 34 X 25 MM, TAN, RED, LOBULATED, VASCULAR AND FIRM; ON SECTION EXUDES A BROWN SEMIFLUID (CAP 28); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #4; RIGHT AXILLARY REGION: SINGLE MASS, 40 X 31 X 15 MM, RED, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE (CAP 27); REGIONAL LN (AXILLARY) NORMAL (CAP 24); OVERLYING SKIN HAS A MOIST RED ULCERATED AREA, 17 X 15 MM; COLLECTED INTACT WITH MASS -MASS #5; RIGHT AXILLARY REGION, CAUDAL TO MASS #4: SINGLE MASS, 34 X 25 X 15 MM, TAN, LOBULATED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 24)	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1926

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93124 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 369.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #6; RIGHT INGUINAL REGION: SINGLE MASS, 75 X 65 X 34 MM, RED, DARK RED, TAN AND FIRM; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED; OVERLYING SKIN HAS A SINGLE MOIST, RED ULCERATED AREA, 20 X 11 MM; COLLECTED INTACT WITH MASS -MASS #7; RIGHT INGUINAL REGION, CAUDAL TO MASS #6: SINGLE MASS, 21 X 15 X 12 MM; RED, TAN AND FIRM; SAME ON CUT SURFACE (CAP 25); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #8; RIGHT PERIANAL REGION: SINGLE MASS, 21 X 13 X 8 MM, TAN AND FIRM; SAME ON CUT SURFACE (CAP 26); REGIONAL LN (INGUINAL) NOT IDENTIFIED	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1927

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93124	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 369.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45	PROSECTOR: JAMES T. CALLEN	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1928

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93125 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 267.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:40 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY DARK; ALL LOBES: DARK BROWN -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 4 MM IN DIAMETER -MASS(ES); INVOLVING ENTIRE RIGHT LATERAL LOBE: SINGLE MASS, 35 X 25 X 15 MM, DARK BROWN AND SOFT; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (HEPATIC) NORMAL (CAP 23)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -NECROSIS, COAGULATIVE, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -VACUOLATION, HEPATOCELLULAR, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1929

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93125	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 267.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:40	PROSECTOR: DAVID SCHUETTE	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE
		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
	ADRENAL, CORTEX (AC) : -SMALL; LEFT: 4 X 2 X 1 MM (RIGHT IS 5 X 5 X 3 MM) -DIFFUSELY DARK; BILATERAL: DARK BROWN	ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MODERATE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL
		HEART (HT) : -CARDIOMYOPATHY, -SLIGHT
		THYROID (TY) : -B-HIBERNOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 7 X 7 X 4 MM, DARK RED AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS DIFFUSE: TAN AND FIRM (CAP 24)	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1930

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93125 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 267.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:40 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CERVIX (CV) :

-MASS(ES); INVOLVING ENTIRE CERVIX:
SINGLE MASS, 23 X 17 X 17 MM, RED,
TAN, AND FIRM; SAME ON CUT SURFACE;
COLLECTED INTACT; REGIONAL LN (SEE
LUMBAR)

CERVIX (CV) :

-M-SARCOMA, STROMAL, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, OTHER (LN) :

-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MODERATELY SEVERE

>NOTE:>HEPATIC

LN, LUMBAR/ILIAC (LM) :

-DIFFUSELY RED; RIGHT: DARK RED (CAP
25)

LN, LUMBAR/ILIAC (LM) :

-HEMORRHAGE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1931

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93125 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 267.5 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 9:40 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1932

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93126 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/30/99 STUDY DAY OF DEATH: 406 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: 221.6 GRAMS
DATE AND TIME OF NECROPSY: 05/30/99 10:56 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; MODERATE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1933

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93126 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/30/99 STUDY DAY OF DEATH: 406 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: 221.6 GRAMS
DATE AND TIME OF NECROPSY: 05/30/99 10:56 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 11 X 9 MM, RED, GREY,
TAN, LOBULATED AND SOFT

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY, RED
MATERIAL
-ANIMAL THIN
-DISCHARGE-NASAL; DRY, RED MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1934

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93126 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 05/30/99 STUDY DAY OF DEATH: 406 STUDY WEEK OF DEATH: 58 TERMINAL BODY WEIGHT: 221.6 GRAMS
DATE AND TIME OF NECROPSY: 05/30/99 10:56 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1935

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93127 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 236.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:41 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0366	.0155 %	.0181	WEIGHT TAKEN
RT ADRENAL (AD1)	.0326	.0138 %	.0161	WEIGHT TAKEN
BRAIN (BR)	2.0193	.8535 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2174	.5145 %	.6029	WEIGHT TAKEN
RT KIDNEY (KD1)	1.3144	.5555 %	.6509	WEIGHT TAKEN
LIVER (LI)	11.0447	4.6681 %	5.4696	WEIGHT TAKEN
LUNG (LU)	1.3204	.5581 %	.6539	WEIGHT TAKEN
LF OVARY (OV0)	.0707	.0299 %	.0350	WEIGHT TAKEN
RT OVARY (OV1)	.0676	.0286 %	.0335	WEIGHT TAKEN
SPLEEN (SP)	.4388	.1855 %	.2173	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0078	.0033 %	.0039	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0096	.0041 %	.0048	WEIGHT TAKEN
UTERUS (UT)	1.1344	.4795 %	.5618	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR, MIDZONAL
 / CENTRIOLOBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 UTERUS (UT) :
 -LUMEN FILLED WITH FLUID; BILATERAL:
 CLEAR FLUID
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1936

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93127 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 236.6 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 11:41 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
 URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 OVARY (OV)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1937

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93128 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 385.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 7:53 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERPLASIA, CORTICAL, -SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1938

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93128 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 385.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 7:53 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); BILATERAL: SINGLE CLEAR
FLUID FILLED CYST ON EACH, BOTH ARE 1
MM IN DIAMETER
PITUITARY (PI) :
-MASS(ES); 10 X 7 X 7 MM, DARK RED AND
SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SEVERE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1939

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93128 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 385.5 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 7:53 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1940

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93129 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 296.0 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 8:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; PROTRUDING; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; DILATED PUPIL; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; DISCOLORED/LIGHT RED; EYES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); BILATERAL	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -SLIGHT -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT -FIBROSIS, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1941

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93129 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 296.0 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 8:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 10 X 7 MM, DARK RED,
RED, TAN AND SOFT

UTERUS (UT) :
-THICKENED WALL; BILATERAL, DIFFUSE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1942

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93129 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/13/00 STUDY DAY OF DEATH: 694 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 296.0 GRAMS
DATE AND TIME OF NECROPSY: 03/13/00 8:18 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1943

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93130 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 384.6 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:59 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0281	.0073 %	.0123	WEIGHT TAKEN
RT ADRENAL (AD1)	.0275	.0072 %	.0120	WEIGHT TAKEN
BRAIN (BR)	2.2869	.5946 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.3284	.3454 %	.5809	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2841	.3339 %	.5615	WEIGHT TAKEN
LIVER (LI)	13.9723	3.6329 %	6.1097	WEIGHT TAKEN
LUNG (LU)	1.5891	.4132 %	.6949	WEIGHT TAKEN
LF OVARY (OV0)	.0615	.0160 %	.0269	WEIGHT TAKEN
RT OVARY (OV1)	.0384	.0100 %	.0168	WEIGHT TAKEN
SPLEEN (SP)	.7788	.2025 %	.3405	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0135	.0035 %	.0059	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0129	.0034 %	.0056	WEIGHT TAKEN
UTERUS (UT)	.5901	.1534 %	.2580	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 UNVERIFIED AT NECROPSY

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -PIGMENT, HEPATOCELLULAR,
 CENTRIOLOBULAR, -MINIMAL
 -VACUOLATION, HEPATOCELLULAR, -MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MINIMAL
 PANCREAS (PA) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1944

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93130 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 384.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:59 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1945

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93130 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 384.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:59 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1946

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93131 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 344.2 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 14:17 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 58; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 68; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RAISED FOCUS(I)/AREA(S); ALONG MARGIN OF LEFT LATERAL LOBE: SINGLE DARK BROWN, SLIGHTLY RAISED FOCUS, 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		-VACUOLATION, HEPATOCELLULAR, PERIportal, -MODERATE
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE		-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		-HYPERPLASIA, BILE DUCT, -MINIMAL -ANGIECTASIS, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL
		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1947

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93131	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00	STUDY DAY OF DEATH: 666	STUDY WEEK OF DEATH: 96	TERMINAL BODY WEIGHT: 344.2 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 14:17	PROSECTOR: MICHELE MARGGI	RECORDED: MICHELE MARGGI	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 10 X 6 X 6 MM,
DARK RED, DARK BROWN, AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 50 X 45 X 30 MM, TAN,
FIRM, AND VASCULAR; SOME AREAS EXUDE A
WHITE CREAMY SEMIFLUID; COLLECTED;
REGIONAL LN (AXILLARY) NORMAL (CAP 21)

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MODERATELY
SEVERE
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATELY SEVERE
-PIGMENT, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1948

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93131 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 344.2 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 14:17 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 70 X 55 X 35 MM, RED,
TAN, VASCULAR, AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
MATERIAL
-ANIMAL THIN
-DISCHARGE-NASAL; BILATERAL: DARK RED
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1949

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93131 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/14/00 STUDY DAY OF DEATH: 666 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 344.2 GRAMS
DATE AND TIME OF NECROPSY: 02/14/00 14:17 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1950

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93132 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00 STUDY DAY OF DEATH: 729 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 264.9 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:24 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL; WEEK 97; 30 X 40MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT -INFLAMMATION, ACUTE, -MINIMAL BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1951

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93132	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00	STUDY DAY OF DEATH: 729	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 264.9 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:24	PROSECTOR: JODI THIEREN	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	SPLEEN (SP) : -SMALL; 13 X 5 X 3 MM PITUITARY (PI) : -MASS(ES); 8 X 8 X 4 MM, RED, DARK RED, GREY, TAN, AND FIRM	KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MODERATE SPLEEN (SP) : >UNREMARKABLE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SEVERE -ATROPHY, ACINAR, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -SLIGHT OVARY (OV) : -HYPERPLASIA, GRANULOSA CELL, - MODERATELY SEVERE THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT LUNG (LU) : -MINERALIZATION, SEPTAL, -SEVERE HEART (HT) : -CARDIOMYOPATHY, -SLIGHT -MINERALIZATION, VASCULAR, -SEVERE -MINERALIZATION, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -EROSION, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1952

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93132	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00	STUDY DAY OF DEATH: 729	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 264.9 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:24	PROSECTOR: JODI THIEREN	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK BROWN AREAS, UP TO 3 X 2 MM	STOMACH, GL (ST) : -HYPERPLASIA, EPITHELIAL, GLANDULAR, - MODERATE -MINERALIZATION, GLANDULAR MUCOSA, - MODERATE
	MAMMARY, FEMALE (MF) : -MASS(ES); PERIANAL REGION: SINGLE MASS, 35 X 35 X 28 MM, RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (INGUINAL) NORMAL (CAP 21); POSSIBLY CONSISTENT WITH MASS (VENTRAL ABDOMINAL) AS NOTED IN CLINICAL OBSERVATIONS	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MODERATELY SEVERE -B-ADENOMA, -NEOPLASM PRESENT
	CERVIX (CV) : -LARGE; 10 MM IN DIAMETER	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - SLIGHT
	VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: TAN MUCOID MATERIAL	CERVIX (CV) : -HYPERPLASIA, STROMAL, -MODERATE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -MODERATE
	FOOT/FOOTPAD (FP) : -ABRASION(S)/ULCERATION(S); LEFT HINDFOOT: SINGLE DARK RED, MOIST ABRADED AREA, 3 MM IN DIAMETER; COLLECTED	CAUSE OF DEATH (CD) : -NEPHROPATHY, -PRESENT FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1953

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93132	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/17/00	STUDY DAY OF DEATH: 729	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 264.9 GRAMS
DATE AND TIME OF NECROPSY: 04/17/00 14:24	PROSECTOR: JODI THIEREN	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN), LN, INGUINAL (IN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1954

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93133 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 399.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:08 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -SLIGHT ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1955

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93133 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 399.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:08 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 7 X 6 X 4 MM; APPEARS SWOLLEN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
ILEUM (IL) :
-HYPERPLASIA, GALT (GUT ASSOCIATED
LYMPHOID TISSUE), -MODERATE
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1956

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93133 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 399.6 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:08 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1957

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93134 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/05/99 STUDY DAY OF DEATH: 473 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/05/99 8:22 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); SHOULDER-LEFT; WEEK 48; 100 X 100MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATE THYMUS (TH) : -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1958

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93134 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/05/99 STUDY DAY OF DEATH: 473 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/05/99 8:22 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA:
MULTIPLE BROWN AREAS, UP TO 3 X 2 MM
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT LATERAL THORACIC
REGION: SINGLE MASS, 118 X 100 X 70 MM
(379.6 GRAMS), RED, DARK RED, GRAY,
TAN, LOBULATED, VASCULAR AND FIRM;
SAME ON CUT SURFACE; PORTION
COLLECTED; REGIONAL LN (AXILLARY)
NORMAL (CAP 20)

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
-INFLAMMATION, VASCULAR, -SLIGHT
PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
STOMACH, GL (ST) :
>UNREMARKABLE
MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT
URINARY BLADDER (UB) :
-HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1959

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93134 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/05/99 STUDY DAY OF DEATH: 473 STUDY WEEK OF DEATH: 68 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/05/99 8:22 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1960

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93135 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 438.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:43 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1961

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93135 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 438.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:43 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; LEFT: 10 X 8 X 5 MM (RIGHT IS
5 X 4 X 2 MM)

LIVER-OIL RED O (LIO) :
-VACUOLES, OIL RED O-POSITIVE,
HEPATOCELLULAR, -MODERATE
KIDNEY (KD) :
-NEPHROPATHY, CHRONIC PROGRESSIVE, -
MINIMAL
-MINERALIZATION, PELVIC, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -SLIGHT
PANCREAS (PA) :
-INFILTRATION, FAT, INTERSTITIAL, -
SLIGHT
ADRENAL, CORTEX (AC) :
-ANGIECTASIS, -SEVERE
-PIGMENT, -SLIGHT
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1962

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93135	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 438.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:43	PROSECTOR: CHANESTA ACKER	RECORDER: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -DARK FOCUS(I)/AREA(S); LEFT ANTERIOR ASPECT: SINGLE DARK RED AREA, 2 MM IN DIAMETER	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -MINIMAL
	MAMMARY, FEMALE (MF) : -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE TAN CREAMY FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL
	UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 3 MM IN DIAMETER	UTERUS (UT) : >UNREMARKABLE
	LN, MEDIASTINAL (ML) : -LARGE; UP TO 10 X 5 X 2 MM (CAP 23)	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MEDIASTINAL (ML) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
	FOOT/FOOTPAD (FP) : -CRUSTED AREA(S); BILATERAL, HINDFEET: EACH HAS A SINGLE DARK RED, TAN, DRY CRUSTED AREA, LEFT IS 7 X 5 MM, RIGHT IS 4 X 2; BOTH COLLECTED	FOOT/FOOTPAD (FP) : -INFLAMMATION, CHRONIC-ACTIVE, - MODERATELY SEVERE -ACANTHOSIS / HYPERKERATOSIS, -MODERATE -FIBROSIS, -MODERATELY SEVERE
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1963

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93135 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 438.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:43 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; UPPER LEFT INCISOR
-TEETH MISSING/BROKEN/WORN; UPPER
RIGHT INCISOR, BROKEN AT BASE
GENERAL INFORMATION (XX) :
>NOTE:>ANIMAL IDENTIFICATION
TRANSPONDER DAMAGED AT NECROPSY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1964

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93135 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 438.1 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:43 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1965

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93136 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:50 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES THICKENED, MARGINS ROUNDED -DIFFUSELY DARK; ALL LOBES: DARK BROWN -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE, TAN, FIRM, SLIGHTLY INDISTINCT AREAS, UP TO 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS -MASS(ES); MARGIN OF LEFT LATERAL LOBE: SINGLE MASS, 5 MM IN DIAMETER, RED, SOFT, AND VASCULAR; SAME ON CUT SURFACE; COLLECTED ON ROUTINE SECTION; REGIONAL LN (SEE ANTERIOR MESENTERIC) -ROUGH SURFACE, DIFFUSE; ALL LOBES: ENTIRE LIVER HAS A LOBULATED APPEARANCE KIDNEY (KD) : -DIFFUSELY DARK; BILATERAL: DARK BROWN SPLEEN (SP) : -CYST(S); ALONG MARGIN: MULTIPLE RED FLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER	LIVER (LI) : -FIBROSIS, PERIBILIARY, -SEVERE -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -SLIGHT -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ECTASIA, BILE DUCT, -SEVERE -STASIS, BILE, -PRESENT KIDNEY (KD) : -PIGMENT, TUBULAR, -SLIGHT -ECTASIA, TUBULAR, -MODERATE -CAST, PROTEINACEOUS, -MODERATE SPLEEN (SP) : -CYST, SEROSAL, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1966

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93136 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:50 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-MASS(ES); LEFT, INVOLVING ENTIRE
OVARY: SINGLE MASS, 20 MM IN DIAMETER,
DARK RED AND SOFT; SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(SEE RENAL)

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE TAN FOCI, UP TO 1 MM IN
DIAMETER

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: SINGLE
TAN, ERODED AREA, 2 MM IN DIAMETER

ADRENAL, CORTEX (AC) :
-VACUOLATION, FOCAL, -MINIMAL
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
OVARY (OV) :
-HEMATOMA, -PRESENT

THYMUS (TH) :
-HEMORRHAGE, -PRESENT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-EDEMA, ALVEOLAR, -SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
STOMACH, NONGL (SU) :
>UNREMARKABLE

JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1967

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93136 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:50 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MEDIASTINAL (ML) :
-LARGE; UP TO 5 X 3 X 2 MM (CAP 20)
-DIFFUSELY RED; DARK RED
LN, RENAL (RL) :
-LARGE; BILATERAL: EACH IS UP TO 8 X 5
X 3 MM (CAP 22)
-DIFFUSELY RED; BILATERAL: DARK RED
LN, ANT MES/PANC (AP) :
-LARGE; ANTERIOR MESENTERIC: UP TO 10
X 7 X 5 MM (CAP 21)
-DIFFUSELY RED; ANTERIOR MESENTERIC:
DARK RED
GENERAL COMMENT (GC) :
-AUTOLYSIS-SEVERE

CAUSE OF DEATH (CD) :
-HEPATIC ANOMALY / OBSTRUCTIVE
HEPATOPATHY, -PRESENT
LN, MEDIASTINAL (ML) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
LN, RENAL (RL) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
LN, ANT MES/PANC (AP) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1968

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93136 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 05/09/99 STUDY DAY OF DEATH: 385 STUDY WEEK OF DEATH: 55 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 05/09/99 9:50 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1969

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93137 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 430.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:35 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, PINPOINT AND UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1970

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93137 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 430.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:35 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
DARK BROWN LINEAR AREA, 2 X 1 MM

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); BILATERAL
HINDFEET: SINGLE RED ABRADED AREA ON
EACH, LEFT IS 4 MM IN DIAMETER, RIGHT
IS 2 MM IN DIAMETER; COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; UPPER RIGHT INCISOR
-TEETH MISSING/BROKEN/WORN; LEFT UPPER
INCISOR: MISSING

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -MINIMAL
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
STOMACH, GL (ST) :
>UNREMARKABLE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1971

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93137 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 430.4 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:35 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1972

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93138 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 362.1 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:35 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0282	.0078 %	.0132	WEIGHT TAKEN
RT ADRENAL (AD1)	.0301	.0083 %	.0141	WEIGHT TAKEN
BRAIN (BR)	2.1378	.5904 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.3720	.3789 %	.6418	WEIGHT TAKEN
RT KIDNEY (KD1)	1.3862	.3828 %	.6484	WEIGHT TAKEN
LIVER (LI)	13.3847	3.6964 %	6.2610	WEIGHT TAKEN
LUNG (LU)	1.6428	.4537 %	.7685	WEIGHT TAKEN
LF OVARY (OV0)	.0656	.0181 %	.0307	WEIGHT TAKEN
RT OVARY (OV1)	.0778	.0215 %	.0364	WEIGHT TAKEN
SPLEEN (SP)	.5241	.1447 %	.2452	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0173	.0048 %	.0081	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0157	.0043 %	.0073	WEIGHT TAKEN
UTERUS (UT)	.6560	.1812 %	.3069	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -SLIGHT
 KIDNEY (KD) :
 -MINERALIZATION, PELVIC, -MINIMAL
 -MINERALIZATION, TUBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1973

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93138 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 362.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:35 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); RIGHT ASPECT:
SINGLE DARK RED SLIGHTLY RAISED AREA,
2 MM IN DIAMETER

ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
THYMUS (TH) :
>SECTION EXAMINED; TISSUE NOT PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-ANGIECTASIS, -PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1974

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93138 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 362.1 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:35 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1975

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93139 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 300.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1976

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93139 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 300.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; RIGHT: 8 X 6 X 5 MM (LEFT IS 5
X 5 X 4 MM)
-RED FOCUS(I)/AREAS(I); BILATERAL:
LEFT HAS A SINGLE DARK RED AREA, 3 MM
IN DIAMETER, RIGHT HAS A MULTIPLE DARK
RED AREAS, UP TO 7 X 4 MM

PITUITARY (PI) :
-DARK FOCUS(I)/AREA(S); LEFT MID
ASPECT: SINGLE DARK BROWN FOCUS, 1 MM
IN DIAMETER

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS DIFFUSE: TAN;
COLLECTED ON ROUTINE SECTION

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

PANCREAS (PA) :
-ZYMOGEN GRANULES, DECREASED, -SLIGHT
ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATELY SEVERE
-PIGMENT, -SLIGHT

HEART (HT) :
-M-ENDOCARDIAL SCHWANNOMA, -NEOPLASM
PRESENT
THYROID (TY) :
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
>UNREMARKABLE

RECTUM (RE) :
-PARASITISM, -PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1977

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93139 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 300.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:08 PROSECTOR: DAVID SCHUETTE RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1978

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93140 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 471.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 93; 15 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-RIGHT; WEEK 104; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -MINIMAL BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE -ATROPHY, ACINAR, -MINIMAL -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1979

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93140 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 471.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT
		ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 2 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT
		HEART (HT) : -CARDIOMYOPATHY, -MODERATE
		THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL
	PITUITARY (PI) : -MASS(ES); 9 X 7 X 6 MM, RED, DARK RED, TAN, GREY, SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE BROWN AREA, 3 X 2 MM	STOMACH, GL (ST) : -INFLAMMATION, ACUTE, -MODERATE -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -ULCERATION, -SLIGHT
		MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -M-FIBROSARCOMA, - 4 NEOPLASMS PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1980

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93140 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 471.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 15 X 15 X 10 MM, TAN, SOFT, AND LOBULATED; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (AXILLARY) NORMAL (CAP 23) -MASS #2; RIGHT INGUINAL REGION: SINGLE MASS, 20 X 20 X 10 MM, TAN, SOFT, AND LOBULATED; SAME ON CUT SURFACE (CAP 24); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #3; RIGHT INGUINAL REGION, CAUDAL TO MASS #2: SINGLE MASS, 25 X 20 X 12 MM, TAN, GREY, FIRM; SAME ON CUT SURFACE (CAP 25); REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #4; RIGHT VENTRAL ABDOMINAL REGION: SINGLE MASS, 35 X 22 X 15 MM, TAN, GREY, LOBULATED, AND FIRM; SAME ON CUT SURFACE (CAP 26); REGIONAL LN (INGUINAL) NOT IDENTIFIED	UTERUS (UT) : -DILATATION, -MODERATE VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1981

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93140	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 471.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 11:09	PROSECTOR: GREGORY CODDINGTON	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :

-BONE MARROW SMEAR TAKEN
-DISCHARGE-OCULAR; RIGHT: DARK RED,
AND DRY

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN),
LN, AXILLARY (AX)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1982

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93141 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/17/00 STUDY DAY OF DEATH: 698 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 367.9 GRAMS
DATE AND TIME OF NECROPSY: 03/17/00 9:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; RED HAIR COAT; PERINEAL AREA; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -DEGENERATION, CYSTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1983

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93141 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/17/00 STUDY DAY OF DEATH: 698 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 367.9 GRAMS
DATE AND TIME OF NECROPSY: 03/17/00 9:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 10 X 7 MM, DARK RED,
RED AND SOFT

MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATELY
SEVERE
MARROW, STERNUM (SE) :
-HYPOCELLULAR, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
-ATROPHY, -MINIMAL
STOMACH, GL (ST) :
-EDEMA, -MINIMAL
-INFLAMMATION, ACUTE, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1984

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93141 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/17/00 STUDY DAY OF DEATH: 698 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 367.9 GRAMS
DATE AND TIME OF NECROPSY: 03/17/00 9:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DARK RED AND
 DRY
-STAINS-PERINEUM/PERIANAL; BROWN AND
 MOIST

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1985

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93141 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/17/00 STUDY DAY OF DEATH: 698 STUDY WEEK OF DEATH: 100 TERMINAL BODY WEIGHT: 367.9 GRAMS
DATE AND TIME OF NECROPSY: 03/17/00 9:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1986

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93142 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 210.2 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:31 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	8.2349	3.9170 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1987

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93142 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 210.2 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:31 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1988

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93143 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 264.0 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:18 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0368	.0139 %	.0168	WEIGHT TAKEN
RT ADRENAL (AD1)	.0317	.0120 %	.0145	WEIGHT TAKEN
BRAIN (BR)	2.1882	.8289 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1879	.4500 %	.5429	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2708	.4814 %	.5808	WEIGHT TAKEN
LIVER (LI)	11.0191	4.1739 %	5.0357	WEIGHT TAKEN
LUNG (LU)	1.2593	.4770 %	.5755	WEIGHT TAKEN
LF OVARY (OV0)	.1022	.0387 %	.0467	WEIGHT TAKEN
RT OVARY (OV1)	.0792	.0300 %	.0362	WEIGHT TAKEN
SPLEEN (SP)	.3885	.1472 %	.1775	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0076	.0029 %	.0035	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0087	.0033 %	.0040	WEIGHT TAKEN
UTERUS (UT)	.4416	.1673 %	.2018	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -SLIGHT
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -VACUOLATION, HEPATOCELLULAR,
 PERIPORTAL, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1989

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93143 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 264.0 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:18 PROSECTOR: JODI THIEREN RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS
-BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1990

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93144 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 175.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:10 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.9820	4.5472 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1991

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93144 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 175.5 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 11:10 PROSECTOR: JODI THIEREN RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1992

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93145 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/24/99 STUDY DAY OF DEATH: 523 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/24/99 13:57 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1993

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93145	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/24/99	STUDY DAY OF DEATH: 523	STUDY WEEK OF DEATH: 75	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/24/99 13:57	PROSECTOR: JARED FISHEL	RECORDED: JARED FISHEL	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MESENTERIC (MS) : -DIFFUSELY RED; BILATERAL: DARK RED	ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT LN, MESENTERIC (MS) : >UNREMARKABLE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT LUNG (LU) : -CONGESTION, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); SINGLE MASS, 8 X 6 X 5 MM, DARK RED, TAN AND SOFT	ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -CYST / GALACTOCELE, -PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT PERIANAL REGION: SINGLE MASS, 30 X 20 X 15 MM, RED, DARK RED, GREEN, TAN, VASCULAR AND FIRM; SOME SECTIONS EXUDE A DARK RED FLUID; COLLECTED INTACT; REGIONAL LN (INGUINAL) NOT IDENTIFIED	CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: RED; COLLECTED	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1994

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93145 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 09/24/99 STUDY DAY OF DEATH: 523 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 09/24/99 13:57 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1995

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93146 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 326.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:16 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 100; 20 X 20 MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT -DILATATION, PELVIC, -MODERATE -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1996

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93146 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 326.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:16 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-RED FOCUS(I)/AREAS(I); RIGHT CORTICAL
SURFACE: SINGLE RED AREA, 4 MM IN
DIAMETER

OVARY (OV) :
-CYST(S); RIGHT: SINGLE CLEAR FLUID
CYST, 8 MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); 10 X 8 X 6 MM, DARK RED AND
SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 20 X 15 X 7 MM, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (AXILLARY) NORMAL
(CAP 22)
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 30 X 12 X 8 MM, TAN AND FIRM;
SAME ON CUT SURFACE; SOME SECTIONS
EXUDE A TAN, CREAMY FLUID; COLLECTED
INTACT; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

ADRENAL, CORTEX (AC) :
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATE
-PIGMENT, -MINIMAL

LN, MESENTERIC (MS) :
-HEMORRHAGE, -PRESENT

OVARY (OV) :
-CYST, -PRESENT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 1997

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93146 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 326.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:16 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
>TISSUE MISSING

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1998

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93146 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 326.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 8:16 PROSECTOR: TROY ELLENBECKER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 1999

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93147 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 289.8 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 10:16 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0215	.0074 %	.0091	WEIGHT TAKEN
RT ADRENAL (AD1)	.0259	.0089 %	.0110	WEIGHT TAKEN
BRAIN (BR)	2.3568	.8133 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2275	.4236 %	.5208	WEIGHT TAKEN
RT KIDNEY (KD1)	1.2747	.4399 %	.5409	WEIGHT TAKEN
LIVER (LI)	10.1724	3.5101 %	4.3162	WEIGHT TAKEN
LUNG (LU)	1.6689	.5759 %	.7081	WEIGHT TAKEN
LF OVARY (OV0)	.0595	.0205 %	.0252	WEIGHT TAKEN
RT OVARY (OV1)	.0654	.0226 %	.0277	WEIGHT TAKEN
SPLEEN (SP)	.6045	.2086 %	.2565	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0150	.0052 %	.0064	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0175	.0060 %	.0074	WEIGHT TAKEN
UTERUS (UT)	.6163	.2127 %	.2615	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -SLIGHT
 -PIGMENT, HEPATOCELLULAR,
 CENTRIOLOBULAR, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 -HYPERPLASIA, BILE DUCT, -MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, TUBULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2000

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93147 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 289.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:16 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL: DARK RED
(CAP 20)
GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2001

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93147 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 289.8 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 10:16 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2002

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93148 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/15/00 STUDY DAY OF DEATH: 636 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/15/00 8:18 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT PANCREAS (PA) : -M-CARCINOMA, ISLET CELL, -NEOPLASM PRESENT >NOTE:>SEE SLIDE #21 ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2003

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93148 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/15/00 STUDY DAY OF DEATH: 636 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/15/00 8:18 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-RED FOCUS(I)/AREA(S); LEFT POSTERIOR
ASPECT: SINGLE DARK RED FOCUS, 1 MM IN
DIAMETER

JEJUNUM (JE) :
-MASS(ES); ATTACHED TO JEJUNUM,
PROXIMAL TO DUODENUM: SINGLE MASS, 20
X 15 X 10 MM, DARK RED, TAN, AND SOFT;
SAME ON CUT SURFACE; COLLECTED;
REGIONAL LN (MESENTERIC) NORMAL

MARROW, FEMUR (FM) :
-HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT
MARROW, STERNUM (SE) :
-HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
DUODENUM (DU) :
>AUTOLYTIC
JEJUNUM (JE) :
>AUTOLYTIC

ILEUM (IL) :
>AUTOLYTIC
CECUM (CE) :
>AUTOLYTIC
COLON (CO) :
>AUTOLYTIC

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2004

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93148	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/15/00	STUDY DAY OF DEATH: 636	STUDY WEEK OF DEATH: 91	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/15/00 8:18	PROSECTOR: WENDY CHERRY	RECORDED: WENDY CHERRY	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAUSE OF DEATH (CD) :
-NEOPLASM, PANCREAS, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), RECTUM (RE),
SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2005

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93149 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 309.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:12 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 91; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL-LEFT; WEEK 100; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER-OIL RED O (LIO) : -VACUOLES, OIL RED O-POSITIVE, HEPATOCELLULAR, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2006

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93149 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 309.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:12 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :
-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 3 MM IN DIAMETER

PITUITARY (PI) :
-MASS(ES); 10 X 7 X 7 MM, RED, DARK
RED, GREY AND SOFT

SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, -CORTICAL CELL, -MODERATELY
SEVERE
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATELY SEVERE
-PIGMENT, -MINIMAL
OVARY (OV) :
-CYST, -PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
-ULCERATION, -MINIMAL
-INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, - 2 NEOPLASMS PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2007

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93149 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 309.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:12 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 28 X 20 X 15 MM, RED,
DARK RED, TAN, BROWN AND FIRM; ON
SECTION EXUDES A BROWN FLUID; (CAP
22); REGIONAL LN (AXILLARY) NORMAL
(CAP 23)
-MASS #2; LEFT VENTRAL CERVICAL
REGION: SINGLE MASS, 25 X 15 X 12 MM,
DARK RED, BROWN, TAN AND FIRM; SAME ON
CUT SURFACE; (CAP 24); REGIONAL LN
(MANDIBULAR) NORMAL (CAP 25)

CAVITY, ABDOM (PC) :
-MASS(ES); ATTACHED TO ADIPOSE TISSUE,
NEAR RIGHT UTERINE HORN: SINGLE MASS,
20 X 10 X 8 MM, BROWN, TAN AND FIRM;
SAME ON CUT SURFACE; (CAP 26);
REGIONAL LN (LUMBAR) NORMAL (CAP 27)

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2008

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93149	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 309.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 8:12	PROSECTOR: GREGORY CODDINGTON	RECORDED: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
 LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
 MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
 CERVIX (CV), HEMATO NEOPLASIA (HN), LN, MANDIBULAR (MN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2009

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93150 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 290.3 GRAMS
DATE AND TIME OF NECROPSY: 01/19/00 14:21 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2010

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93150 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 290.3 GRAMS
DATE AND TIME OF NECROPSY: 01/19/00 14:21 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 8 X 6 MM, DARK RED,
TAN AND FIRM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-NASAL; DRY RED MATERIAL

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
-CYST, -PRESENT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2011

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93150 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/19/00 STUDY DAY OF DEATH: 640 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 290.3 GRAMS
DATE AND TIME OF NECROPSY: 01/19/00 14:21 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2012

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93151 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:31 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 79; 70 X 100MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 89; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 6 MM IN DIAMETER (RIGHT IS 4 MM IN DIAMETER) -DIFFUSELY DARK; BILATERAL: DARK BROWN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT OVARY (OV) : -CYST, -PRESENT -HYPERPLASIA, GRANULOSA CELL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2013

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93151 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:31 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :

-CYST(S); BILATERAL: SINGLE CLEAR
FLUID FILLED CYST ON EACH, LEFT IS 6
MM IN DIAMETER, RIGHT IS 4 MM IN
DIAMETER

PITUITARY (PI) :

-LARGE; 6 X 5 X 3 MM
-DARK FOCUS(I)/AREA(S); ALONG ENTIRE
LEFT ASPECT: MULTIPLE BLACK FOCI, UP
TO 2 MM IN DIAMETER

STOMACH, GL (ST) :

-DARK FOCUS(I)/AREA(S); MUCOSA: TWO
BLACK AREAS, ONE IS 3 X 1 MM, OTHER IS
2 X 1 MM

MARROW, FEMUR (FM) :

-HYPERPLASIA, ERYTHROID, MARROW, -
MODERATE

MARROW, STERNUM (SE) :

-HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT

LUNG (LU) :

-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, -SLIGHT

STOMACH, GL (ST) :

-EROSION, -MINIMAL

RECTUM (RE) :

-PARASITISM, -PRESENT

MAMMARY, FEMALE (MF) :

-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2014

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93151 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:31 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); INVOLVING ENTIRE INGUINAL REGION: SINGLE MASS, 110 X 83 X 50 MM (243.6 GRAMS), RED, DARK RED, GRAY, TAN, LOBULATED, VASCULAR, AND FIRM; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED -MASS #2; LEFT AXILLARY REGION: SINGLE MASS, 21 X 20 X 13 MM, RED, GRAY, TAN, LOBULATED, AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (SEE AXILLARY) UTERUS (UT) : -MASS(ES); LEFT WITHIN LUMEN, EXTENDING INTO BIFURCATION: SINGLE DARK RED AND GELATINOUS MASS, 11 X 10 X 9 MM; ON SECTION EXUDES A DARK RED GRANULAR MATERIAL; COLLECTED INTACT; REGIONAL LN (LUMBAR) NORMAL (CAP 25) LN, AXILLARY (AX) : -LARGE; LEFT: UP TO 6 X 4 X 3 MM (RIGHT IS UP TO 3 X 3 X 2 MM) (CAP 24) -DIFFUSELY RED; LEFT: DARK RED (CAP 24)	UTERUS (UT) : -B-POLYP, ENDOMETRIAL, STROMAL, - NEOPLASM PRESENT -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE LN, LUMBAR/ILIAC (LM) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2015

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93151 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:31 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, LUMBAR/ILIAC (LM) :
-HEMORRHAGE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2016

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93151 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 492.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:31 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2017

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93152 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 253.7 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:33 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 53; 25 X 25MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2018

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93152 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 253.7 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:33 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 15 X 8 X 5 MM, DARK RED,
GRAY, AND SOFT
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 30 X 21 X 14 MM, DARK
RED, TAN, LOBULATED, AND FIRM; SAME ON
CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (AXILLARY) NORMAL (CAP 20)
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN, CREAMY SEMIFLUID FILLED
CYSTS, UP TO 9 X 5 X 3 MM; COLLECTED
ON ROUTINE SECTION

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC, -MODERATE

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2019

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93152 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 253.7 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:33 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY, CRUSTED MATERIAL
-ANIMAL THIN
-DISCHARGE-NASAL; DARK RED, DRY
CRUSTED MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2020

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93152 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/19/99 STUDY DAY OF DEATH: 456 STUDY WEEK OF DEATH: 66 TERMINAL BODY WEIGHT: 253.7 GRAMS
DATE AND TIME OF NECROPSY: 07/19/99 11:33 PROSECTOR: LYNN HORNER RECORDER: STEVE VAN ADESTINE
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2021

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93153 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 427.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:44 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); DORSAL; WEEK 91; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2022

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93153	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 427.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:44	PROSECTOR: JAMES T. CALLEN	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
 -LARGE; 7 X 6 X 4 MM
 -RED FOCUS(I)/AREA(S); DIFFUSE:
 MULTIPLE DARK RED AREAS, UP TO 2 X 1
 MM

MAMMARY, FEMALE (MF) :
 -MASS(ES); MID DORSAL THORACIC REGION:
 SINGLE MASS, 45 X 36 X 27 MM, TAN,
 LOBULATED AND FIRM; SAME ON CUT
 SURFACE; COLLECTED INTACT; REGIONAL LN
 (MANDIBULAR) NORMAL (CAP 22)

ADRENAL, CORTEX (AC) :
 -DEGENERATION, CYSTIC / HEMORRHAGIC, -
 SLIGHT
 -PIGMENT, -SLIGHT
 THYMUS (TH) :
 -DEPLETION, LYMPHOCYTIC (GENERALLY
 COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
 MINIMAL
 LUNG (LU) :
 -INFILTRATE, MACROPHAGE, ALVEOLAR, -
 MODERATE
 -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
 HEART (HT) :
 -CARDIOMYOPATHY, -MINIMAL
 PITUITARY (PI) :
 -B-ADENOMA, -NEOPLASM PRESENT
 -HYPERPLASIA, -MODERATE

SKIN (SK) :
 -B-FIBROMA, -NEOPLASM PRESENT
 MAMMARY, FEMALE (MF) :
 -HYPERPLASIA, GLANDULAR, -MODERATE
 >NOTE:>SEE SKIN FOR DIAGNOSIS OF MASS

VAGINA (VA) :
 -HYPERPLASIA, MUCINOUS, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2023

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93153 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 427.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:44 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); BILATERAL,
HINDFEET: SINGLE RED ABRADED AREA,
LEFT IS 10 X 7 MM, RIGHT IS 3 MM IN
DIAMETER; COLLECTED
JOINT, OTHER (JT) :
-LARGE; LEFT TARSAL JOINT: UP TO 10 MM
IN DIAMETER
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATELY SEVERE
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-HYPERPLASIA, BONE, -MODERATE
JOINT, OTHER (JT) :
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2024

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93153 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 427.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 9:44 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2025

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93154 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 314.5 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:16 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0398	.0127 %	.0168	WEIGHT TAKEN
RT ADRENAL (AD1)	.0328	.0104 %	.0138	WEIGHT TAKEN
BRAIN (BR)	2.3753	.7553 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.2854	.4087 %	.5412	WEIGHT TAKEN
RT KIDNEY (KD1)	1.4335	.4558 %	.6035	WEIGHT TAKEN
LIVER (LI)	13.5315	4.3025 %	5.6968	WEIGHT TAKEN
LUNG (LU)	1.5496	.4927 %	.6524	WEIGHT TAKEN
LF OVARY (OV0)	.0476	.0151 %	.0200	WEIGHT TAKEN
RT OVARY (OV1)	.0551	.0175 %	.0232	WEIGHT TAKEN
SPLEEN (SP)	.5400	.1717 %	.2273	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0062	.0020 %	.0026	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0103	.0033 %	.0043	WEIGHT TAKEN
UTERUS (UT)	1.0091	.3209 %	.4248	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

LIVER (LI) :
 -DIFFUSELY DARK; ALL LOBES: DARK BROWN

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MODERATE
 -PIGMENT, HEPATOCELLULAR,
 CENTRIOLOBULAR, -SLIGHT
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 KIDNEY (KD) :
 -MINERALIZATION, TUBULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2026

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93154 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 314.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:16 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 5 X 5 X 3 MM; APPEARS SWOLLEN

SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
PANCREAS (PA) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
THYMUS (TH) :
-HEMORRHAGE, -PRESENT
PITUITARY (PI) :
>UNREMARKABLE
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
-SECRETORY MATERIAL, -PRESENT
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
UTERUS (UT) :
-DILATATION, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2027

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93154 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 314.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:16 PROSECTOR: NANCY DIEDRICH RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2028

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93155 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 224.4 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:57 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0387	.0172 %	.0226	WEIGHT TAKEN
RT ADRENAL (AD1)	.0397	.0177 %	.0232	WEIGHT TAKEN
BRAIN (BR)	1.7141	.7639 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.0546	.4700 %	.6152	WEIGHT TAKEN
RT KIDNEY (KD1)	1.0768	.4799 %	.6282	WEIGHT TAKEN
LIVER (LI)	9.4384	4.2061 %	5.5063	WEIGHT TAKEN
LUNG (LU)	1.3608	.6064 %	.7939	WEIGHT TAKEN
LF OVARY (OV0)	.0660	.0294 %	.0385	WEIGHT TAKEN
RT OVARY (OV1)	.0609	.0271 %	.0355	WEIGHT TAKEN
SPLEEN (SP)	.4271	.1903 %	.2492	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0073	.0033 %	.0043	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0086	.0038 %	.0050	WEIGHT TAKEN
UTERUS (UT)	.5279	.2352 %	.3080	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -SLIGHT
 CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS
 -BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2029

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93155 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 224.4 GRAMS
DATE AND TIME OF NECROPSY: 07/21/98 10:57 PROSECTOR: DONIA MEYER RECORDER: KIMBERLY DURLAND
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2030

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93156 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:21 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- CERVICAL; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-CERVICAL; WEEK 53; 40 X 50MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL; WEEK 84; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED >EYES; PROTRUDING; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >EYES; SCAB; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED >EYES; PALE; EYE-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	EYE (EY) : -PROTRUDING; RIGHT: 4 MM FROM ORBIT; TISSUE SURROUNDING EYE IS DRY AND TAN; POSSIBLY CONSISTENT WITH SCAB (RIGHT EYE) AS NOTED IN CLINICAL OBSERVATIONS LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 8 X 3 MM; COLLECTED ON ROUTINE SECTIONS	EYE (EY) : -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2031

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93156 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:21 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MESENTERIC (MS) : -LARGE; UP TO 5 MM IN DIAMETER -DIFFUSELY RED; DARK RED	ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT -HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE BONE, FEMUR (FE) : -HYPERPLASIA, CARTILAGE, -SLIGHT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -N-CARCINOMA, -FROM MAMMARY, FEMALE -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN FOCI, UP TO 3 MM IN DIAMETER PITUITARY (PI) : -LARGE; 7 X 5 X 4 MM; APPEARS SWOLLEN -RED FOCUS(I)/AREA(S); RIGHT ANTERIOR ASPECT: SINGLE DARK RED FOCUS, 4 MM IN DIAMETER	HARDERIAN GLAND (HG) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2032

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93156 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:21 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	HARDERIAN GLAND (HG) : -MASS(ES); INVOLVING ENTIRE RIGHT: SINGLE MASS, 15 X 10 X 6 MM, RED, TAN, GREY, GELATINOUS AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE MANDIBULAR) SALIV GL, MANDIB (SG) : -SMALL; LEFT: 11 X 8 X 3 MM (RIGHT IS 20 X 9 X 4 MM) MAMMARY, FEMALE (MF) : -MASS(ES); PERIANAL REGION: SINGLE TAN AND FIRM MASS, 22 X 16 X 11 MM; SAME ON CUT SURFACE (CAP 21); REGIONAL LN (INGUINAL) NOT IDENTIFIED; POSSIBLY CONSISTENT WITH MASS (VENTRAL- ABDOMINAL REGION) AS NOTED IN CLINICAL OBSERVATIONS -MASS #2; VENTRAL CERVICAL REGION, EXTENDING TO LEFT PECTORAL REGION: SINGLE MASS, 77 X 38 X 30 MM, RED, DARK RED, GREY, TAN, LOBULATED, AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (SEE MANDIBULAR); OVERLYING SKIN HAS A SINGLE MOIST, RED AND TAN ERODED AREA, 21 X 20 MM; COLLECTED WITH MASS UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE	SALIV GL, MANDIB (SG) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 2 NEOPLASMS PRESENT UTERUS (UT) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2033

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93156 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:21 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MANDIBULAR (MN) :
-LARGE; BILATERAL: EACH IS UP TO 11 X
7 X 6 MM (CAP 22)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SEVERE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2034

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93156 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 282.0 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 15:21 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, STERNUM (SB), SPINAL CORD (SC),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2035

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93157 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 537.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:12 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE PANCREAS (PA) : -B-FIBROMA, -NEOPLASM PRESENT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -UNILATERALLY EXAMINED, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2036

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93157 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 537.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:12 PROSECTOR: JAMES T. CALLEN RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-CYST(S); WITHIN WALL OF RIGHT HORN,
17 MM FROM BIFURCATION: SINGLE RED
FLUID FILLED CYST, 2 MM IN DIAMETER

CAVITY, ABDOM (PC) :
-MASS(ES); WITHIN ADIPOSE TISSUE NEAR
BIFURCATION OF UTERUS: SINGLE MASS, 25
X 20 X 14 MM, GREEN, LOBULATED, AND
FIRM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (LUMBAR) NORMAL
(CAP 22)

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
-HYPERPLASIA, TYPE II PNEUMOCYTE, -
MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
UTERUS (UT) :
>UNREMARKABLE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT
CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2037

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93157	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 537.9 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 8:12	PROSECTOR: JAMES T. CALLEN	RECORDED: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
 AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
 PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2038

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93158 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 448.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:13 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 71; 70 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MODERATE -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2039

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93158 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 448.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:13 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; LEFT: 7 X 5 X 3 MM (RIGHT IS 5
X 4 X 3 MM)
-MOTTLED; BILATERAL: DARK BROWN AND
TAN

PITUITARY (PI) :
-LARGE; 6 X 5 X 3 MM

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 90 X 60 X 25 MM (95.3
GRAMS), RED, TAN, SOFT, LOBULATED, AND
VASCULAR; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (SEE INGUINAL)
-MASS #2; RIGHT PERINEAL REGION:
SINGLE MASS, 30 X 25 X 25 MM, TAN,
DARK BROWN, AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN (SEE
INGUINAL)

PANCREAS (PA) :
-INFILTRATION, FAT, INTERSTITIAL, -
MINIMAL

ADRENAL, CORTEX (AC) :
-ANGIECTASIS, -SLIGHT
-HYPERTROPHY, CORTICAL CELL, -SLIGHT
-PIGMENT, -MINIMAL
-B-ADENOMA, -NEOPLASM PRESENT

BONE, STERNUM (SB) :
-HYPERPLASIA, CARTILAGINOUS, -MODERATE

HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
-CYST, -PRESENT

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
>NOTE:>MASS #1 IS THE CARCINOMA

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2040

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93158 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 448.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:13 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, INGUINAL (IN) :
-DIFFUSELY RED; RIGHT: DARK RED (CAP
22); LEFT (NOT IDENTIFIED)

LN, INGUINAL (IN) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MODERATE
-HEMORRHAGE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2041

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93158 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 448.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:13 PROSECTOR: DAVID SCHUETTE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2042

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93159 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
 DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 173.4 GRAMS
 DATE AND TIME OF NECROPSY: 05/15/98 9:00 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	-----	-----	-----	NOT TAKEN
RT ADRENAL (AD1)	-----	-----	-----	NOT TAKEN
BRAIN (BR)	-----	-----	-----	NOT TAKEN
LF KIDNEY (KD0)	-----	-----	-----	NOT TAKEN
RT KIDNEY (KD1)	-----	-----	-----	NOT TAKEN
LIVER (LI)	7.2825	4.2009 %	-----	WEIGHT TAKEN
LUNG (LU)	-----	-----	-----	NOT TAKEN
LF OVARY (OV0)	-----	-----	-----	NOT TAKEN
RT OVARY (OV1)	-----	-----	-----	NOT TAKEN
SPLEEN (SP)	-----	-----	-----	NOT TAKEN
LF THYROID/PARA (TT0)	-----	-----	-----	NOT TAKEN
RT THYROID/PARA (TT1)	-----	-----	-----	NOT TAKEN
UTERUS (UT)	-----	-----	-----	NOT TAKEN

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -NO MACROSCOPIC LESIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2043

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93159 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, FIRST INTERIM SACRIFICE
DATE OF DEATH: 05/15/98 STUDY DAY OF DEATH: 26 STUDY WEEK OF DEATH: 4 TERMINAL BODY WEIGHT: 173.4 GRAMS
DATE AND TIME OF NECROPSY: 05/15/98 9:00 PROSECTOR: LYNN HORNER RECORDER: DEBBIE PIRKEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: DEBBIE PIRKEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2044

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93160 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/27/99 STUDY DAY OF DEATH: 526 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 311.5 GRAMS
DATE AND TIME OF NECROPSY: 09/27/99 12:57 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); NOSE; WEEK 72; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; SWOLLEN; VENTRAL- ABDOMINAL; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -PIGMENT, TUBULAR, -MODERATE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -ANGIECTASIS, -MINIMAL -PIGMENT, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2045

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93160 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/27/99 STUDY DAY OF DEATH: 526 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 311.5 GRAMS
DATE AND TIME OF NECROPSY: 09/27/99 12:57 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SKIN (SK) :
-CRUSTED AREA(S); ATTACHED TO RIGHT
NOSTRIL: SINGLE BROWN, DRY, CRUSTED,
WART-LIKE AREA, 5 X 1 X 1 MM (CAP 21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; MOIST
YELLOW MATERIAL

THYMUS (TH) :
-CYST, -PRESENT
HEART (HT) :
-CARDIOMYOPATHY, -SLIGHT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MINIMAL
RECTUM (RE) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -MODERATE
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-SUPERFICIAL CRUSTING, -MINIMAL
CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT
>NOTE:>PERITONITIS
CAVITY, ABDOM (PC) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2046

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93160 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/27/99 STUDY DAY OF DEATH: 526 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 311.5 GRAMS
DATE AND TIME OF NECROPSY: 09/27/99 12:57 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-GI TRACT-LARGE LUMEN; INVOLVING
CECUM, COLON, AND RECTUM: DISTENDED UP
TO 27 MM IN DIAMETER AND FILLED WITH A
HARD FECAL LIKE MATERIAL; POSSIBLY
CONSISTENT WITH SWOLLEN ABDOMEN NOTED
IN CLINICAL OBSERVATIONS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2047

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93160 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/27/99 STUDY DAY OF DEATH: 526 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 311.5 GRAMS
DATE AND TIME OF NECROPSY: 09/27/99 12:57 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2048

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93161 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 706.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND- LEFT; VERIFIED AT NECROPSY: NOT OBSERVED	LIVER (LI) : -CYST(S); ALL LOBES: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 1 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS SPLEEN (SP) : -LARGE; 55 X 11 X 7 MM PANCREAS (PA) : -GELATINOUS; DIFFUSE: CLEAR AND TAN -LIGHT FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE TAN AND FIRM AREAS, UP TO 4 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -CYST, BILIARY, -PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -FIBROSIS, -SEVERE -INFLAMMATION, CHRONIC-ACTIVE, -SEVERE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2049

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93161	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00	STUDY DAY OF DEATH: 731	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 706.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41	PROSECTOR: CHANESTA ACKER	RECORDED: TERRI L. WILLIAMS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MESENTERIC (MS) : -LARGE; UP TO 20 X 13 X 11 MM; ALL APPEAR CYSTIC	LN, MESENTERIC (MS) : -LYMPHANGIECTASIS, -MODERATE
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE
	LUNG (LU) : -ADHESION(S); RIGHT MIDDLE LOBE ADHERED TO RIGHT CAUDAL LOBE: MULTIPLE GREY FIBROUS ADHESIONS	LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT -FIBROSIS, PLEURAL/SUBPLEURAL, -SLIGHT
		PARATHYROID (PT) : >SECTION EXAMINED; TISSUE NOT PRESENT
	CECUM (CE) : -LARGE; 60 X 30 X 7 MM; FILLED WITH A DARK GREEN, SOLID, FECAL-LIKE MATERIAL	ILEUM (IL) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE CECUM (CE) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		COLON (CO) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
		RECTUM (RE) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
	MAMMARY, FEMALE (MF) : -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION	MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2050

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93161 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 706.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, MEDIASTINAL (ML) :
-LARGE; UP TO 11 X 10 X 5 MM; ALL
APPEAR CYSTIC (CAP 23)
FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); RIGHT HINDFOOT:
SINGLE DARK RED, DRY CRUSTED AREA, 3 X
2 MM; COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MEDIASTINAL (ML) :
-HEMORRHAGE, -PRESENT
-LYMPHANGIECTASIS, -MODERATELY SEVERE
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ULCERATION, -SLIGHT
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-BACTERIA, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2051

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93161 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 706.9 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 7:41 PROSECTOR: CHANESTA ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2052

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93162 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 402.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:14 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MISSING; TEETH; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2053

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93162 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 402.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:14 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		PANCREAS (PA) : -B-ADENOMA, ISLET CELL, -NEOPLASM PRESENT -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL
	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 5 MM IN DIAMETER (RIGHT IS 3 MM IN DIAMETER)	ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MINIMAL
	OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 3 MM IN DIAMETER, RIGHT IS 2 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT -UNILATERALLY EXAMINED, -PRESENT
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 6 X 4 MM	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MODERATE
	PITUITARY (PI) : -RED FOCUS(I)/AREA(S); POSTERIOR ASPECT: SINGLE DARK RED AREA, 3 X 2 MM	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL PITUITARY (PI) : -ANGIECTASIS, -PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2054

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93162 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 402.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:14 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 32 X 23 X 15 MM, TAN,
RED, AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (INGUINAL)
NORMAL (CAP 22)

LN, ANT MES/PANC (AP) :
-DIFFUSELY RED; DARK RED (CAP 24)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL LOWER
INCISORS
-TEETH MISSING/BROKEN/WORN; BILATERAL
UPPER INCISORS: MISSING

MAMMARY, FEMALE (MF) :
-B-ADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

LN, INGUINAL (IN) :
>TISSUE MISSING

LN, ANT MES/PANC (AP) :
>NOT REQUIRED TO BE EXAMINED FOR ANIMAL
>NOTE:>SEE PANCREAS FOR DIAGNOSIS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2055

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93162 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 402.8 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:14 PROSECTOR: TONY HANFELD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), JOINT, OTHER (JT),
CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB),
LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA),
LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2056

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93163 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 310.9 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 9:57 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0311	.0100 %	.0147	WEIGHT TAKEN
RT ADRENAL (AD1)	.0283	.0091 %	.0133	WEIGHT TAKEN
BRAIN (BR)	2.1210	.6822 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.4342	.4613 %	.6762	WEIGHT TAKEN
RT KIDNEY (KD1)	1.4052	.4520 %	.6625	WEIGHT TAKEN
LIVER (LI)	14.7661	4.7495 %	6.9619	WEIGHT TAKEN
LUNG (LU)	1.4413	.4636 %	.6795	WEIGHT TAKEN
LF OVARY (OV0)	.0617	.0198 %	.0291	WEIGHT TAKEN
RT OVARY (OV1)	.0585	.0188 %	.0276	WEIGHT TAKEN
SPLEEN (SP)	.4675	.1504 %	.2204	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0095	.0031 %	.0045	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0100	.0032 %	.0047	WEIGHT TAKEN
UTERUS (UT)	1.4084	.4530 %	.6640	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -SLIGHT
 -PIGMENT, HEPATOCELLULAR,
 CENTRIOLOBULAR, -MINIMAL
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 KIDNEY (KD) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -DILATATION, PELVIC, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2057

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93163 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 310.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:57 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

SPLEEN (SP) :
-CYST(S); ALONG MARGIN OF CAUDAL END:
SINGLE CLEAR FLUID FILLED CYST, 2 MM
IN DIAMETER

KIDNEY (KD) :
-MINERALIZATION, PELVIC, -MINIMAL
SPLEEN (SP) :
-PIGMENT, INCREASED, -MODERATE
-FIBROSIS, CAPSULAR, -PRESENT
>NOTE:>FIBROUS TAGS POSSIBLY REMAINS OF
CYST WALLS
ADRENAL, CORTEX (AC) :
-INFILTRATE, MACROPHAGE, PIGMENTED, -
MINIMAL
PITUITARY (PI) :
-HYPERPLASIA, -SLIGHT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
-SECRETORY MATERIAL, -PRESENT
UTERUS (UT) :
-DILATATION, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2058

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93163 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 310.9 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 9:57 PROSECTOR: KEVIN BILLINGS RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2059

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93164 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:08 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 77; 65 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; BLUE SKIN; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RAISED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE DARK RED AREA, 2 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MODERATE -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MODERATE -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -CYST, BILIARY, -PRESENT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2060

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93164 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:08 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 4 MM, DARK RED, RED
AND SOFT
SKIN (SK) :
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION DUE TO
MASS
MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION,
EXTENDING INTO LEFT PERIANAL REGION:
SINGLE MASS, 65 X 45 X 30 MM, RED,
DARK RED, TAN, FIRM AND LOBULATED;
SOME AREAS EXUDE A DARK BROWN
SEMIFLUID; PORTION COLLECTED; REGIONAL
LN (INGUINAL) NOT IDENTIFIED

KIDNEY (KD) :
-HYPERPLASIA, TRANSITIONAL CELL, -
MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MODERATE
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
-B-ADENOMA, FOLLICULAR CELL, -NEOPLASM
PRESENT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
>NOTE:>FIBROADENOMA IS ON SLIDE 22; NOT
NOTED MACROSCOPICALLY MASS 1 IS
THE CARCINOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2061

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93164 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:08 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-CYST(S); RIGHT INGUINAL REGION:
MULTIPLE TAN CREAMY SEMIFLUID FILLED
CYSTS, UP TO 20 MM IN DIAMETER (CAP
22)
>NOTE:>ROUTINE SECTION COLLECTED FROM
RIGHT INGUINAL REGION DUE TO
MASS
UTERUS (UT) :
-MASS(ES); WITHIN LUMEN OF MID LEFT
HORN: SINGLE MASS, 3 MM IN DIAMETER,
TAN AND FIRM; COLLECTED INTACT;
REGIONAL LN (LUMBAR) NORMAL (CAP 24)

UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SLIGHT

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2062

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93164 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 432.4 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 10:08 PROSECTOR: TODD ACKER RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2063

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93165 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 424.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:53 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-THORACIC; WEEK 93; 30 X 30MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -MINERALIZATION, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; DORSAL- CERVICAL; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: RED AND TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MODERATE -DEGENERATION, CYSTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT
>SKIN & PELAGE; SORE/SCAB; DORSAL- CERVICAL-LEFT; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>SKIN & PELAGE; SORE/SCAB; DORSAL- CERVICAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2064

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93165 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 424.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:53 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 5 MM, RED, DARK
RED, GRAY, AND SOFT
SKIN (SK) :
-CRUSTED AREA(S); BILATERAL SHOULDER
REGIONS, DIFFUSE: MULTIPLE BROWN DRY
CRUSTED AREAS, UP TO 5 X 2 MM;
CONSISTENT WITH ALL SCABS NOTED IN
CLINICAL OBSERVATIONS (CAP 23)

SPLEEN (SP) :
-PIGMENT, INCREASED, -SLIGHT
-HEMATOPOIESIS, EXTRAMEDULLARY,
INCREASED, -SLIGHT
ADRENAL, CORTEX (AC) :
-ANGIECTASIS, -SLIGHT
-HYPERTROPHY, CORTICAL CELL, -MINIMAL
-PIGMENT, -MINIMAL
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-N-CARCINOMA, -FROM MAMMARY, FEMALE
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-ANGIECTASIS, -PRESENT
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-ULCERATION, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2065

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93165 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 424.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:53 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL CERVICAL REGION:
SINGLE MASS, 40 X 30 X 24 MM, DARK
RED, TAN, GRAY, BROWN, AND LOBULATED;
ON SECTION EXUDES A BROWN CREAMY
SEMIFLUID; COLLECTED INTACT; REGIONAL
LN (SEE MANDIBULAR)
UTERUS (UT) :
-CYST(S); BILATERAL, DIFFUSE: MULTIPLE
CLEAR FLUID FILLED CYSTS, UP TO 4 MM
IN DIAMETER
CERVIX (CV) :
-MASS(ES); INVOLVING ENTIRE ORGAN:
SINGLE MASS, 30 X 23 X 20 MM, RED,
DARK RED, TAN, GRAY, LOBULATED, SOFT,
AND GELATINOUS; ON SECTION EXUDES A
DARK RED FLUID; COLLECTED INTACT;
REGIONAL LN (LUMBAR) NORMAL (CAP 24)

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL (CAP 22)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATELY SEVERE
CERVIX (CV) :
-M-SARCOMA, STROMAL, -NEOPLASM PRESENT
-HEMORRHAGE, -PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MANDIBULAR (MN) :
>UNREMARKABLE
LN, LUMBAR/ILIAIC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2066

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93165 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 424.3 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 9:53 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), URINARY BLADDER (UB), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2067

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93166 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:11 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, PINPOINT AND UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS -RAISED FOCUS(I)/AREA(S); ONE PAPILLARY PROCESS: SINGLE BROWN AREA, 6 X 6 X 1 MM (CAP 22) ADRENAL, CORTEX (AC) : -RED FOCUS(I)/AREAS(I); RIGHT: SINGLE DARK RED AREA, 3 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2068

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93166 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:11 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, RIGHT IS 3 MM IN DIAMETER, LEFT IS 9 MM IN DIAMETER	OVARY (OV) : -CYST, -PRESENT
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE WHITE AREAS, UP TO 12 X 10 MM	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT RECTUM (RE) : -PARASITISM, -PRESENT SKIN (SK) : -CYST, EPIDERMAL INCLUSION, -PRESENT
	SKIN (SK) : -MASS(ES); RIGHT INGUINAL REGION: SINGLE MASS, 12 X 12 X 8 MM, RED, TAN, AND FIRM; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (INGUINAL) NOT IDENTIFIED	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2069

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93166 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:11 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-CYST(S); LEFT HORN, WITHIN WALLS,
NEAR BIFURCATION: SINGLE CLEAR FLUID
FILLED CYST, 13 X 5 X 5 MM

UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2070

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93166 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 482.5 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 10:11 PROSECTOR: GREGORY CODDINGTON RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), URINARY BLADDER (UB), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2071

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93167 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99 STUDY DAY OF DEATH: 268 STUDY WEEK OF DEATH: 39 TERMINAL BODY WEIGHT: 225.0 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 14:30 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: NOT OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -MOTTLED; ALL LOBES: TAN AND BROWN KIDNEY (KD) : -ROUGH SURFACE, DIFFUSE; BILATERAL SPLEEN (SP) : -SMALL; 25 X 8 X 6 MM	LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -VACUOLATION, TUBULAR EPITHELIUM, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, - MODERATELY SEVERE MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPOCELLULAR, MARROW, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2072

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93167 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99 STUDY DAY OF DEATH: 268 STUDY WEEK OF DEATH: 39 TERMINAL BODY WEIGHT: 225.0 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 14:30 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 3 X 2 MM

ESOPHAGUS (ES) :
-HYPERKERATOSIS, -SLIGHT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, SUBACUTE, -SLIGHT
-ULCERATION, -MINIMAL
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-TEETH MISSING/BROKEN/WORN; MISSING,
BILATERAL LOWER INCISORS
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; YELLOW AND
MOIST

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2073

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93167 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/99 STUDY DAY OF DEATH: 268 STUDY WEEK OF DEATH: 39 TERMINAL BODY WEIGHT: 225.0 GRAMS
DATE AND TIME OF NECROPSY: 01/12/98 14:30 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2074

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93168 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 372.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -SLIGHT -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -HYPERPLASIA, CORTICAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2075

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93168 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00 STUDY DAY OF DEATH: 732 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 372.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45 PROSECTOR: TONY HANFELD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 4 MM IN DIAMETER LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 6 X 4 MM	ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL OVARY (OV) : -CYST, -PRESENT -UNILATERALLY EXAMINED, -PRESENT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - SLIGHT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT CAVITY, ABDOM (PC) : -INFLAMMATION / NECROSIS, FAT, -MODERATE
	PITUITARY (PI) : -LARGE; 6 X 5 X 3 MM	
	CAVITY, ABDOM (PC) : -MASS(ES); ATTACHED TO ADIPOSE TISSUE OF RIGHT OVARY: SINGLE MASS, 18 X 8 X 8 MM, TAN, GREEN AND FIRM; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (LUMBAR) NORMAL (CAP 23)	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2076

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93168	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/20/00	STUDY DAY OF DEATH: 732	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 372.2 GRAMS
DATE AND TIME OF NECROPSY: 04/20/00 7:45	PROSECTOR: TONY HANFELD	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
 TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
 STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
 RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
 LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
 TAIL (TI), LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
 LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
 CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
 PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
 MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
 STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
 RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN), LN, LUMBAR/ILIAC (LM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2077

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93169 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 232.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:51 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	O R G A N S T A T U S
LF ADRENAL (AD0)	.0281	.0121 %	.0141	WEIGHT TAKEN
RT ADRENAL (AD1)	.0250	.0107 %	.0125	WEIGHT TAKEN
BRAIN (BR)	1.9996	.8589 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1705	.5028 %	.5854	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1404	.4899 %	.5703	WEIGHT TAKEN
LIVER (LI)	10.6066	4.5561 %	5.3044	WEIGHT TAKEN
LUNG (LU)	1.0841	.4657 %	.5422	WEIGHT TAKEN
LF OVARY (OV0)	.0604	.0259 %	.0302	WEIGHT TAKEN
RT OVARY (OV1)	.0631	.0271 %	.0316	WEIGHT TAKEN
SPLEEN (SP)	.4329	.1860 %	.2165	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0062	.0027 %	.0031	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0092	.0040 %	.0046	WEIGHT TAKEN
UTERUS (UT)	1.3993	.6011 %	.6998	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

STOMACH, GL (ST) :
 -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
 DARK BROWN FOCUS, 2 MM IN DIAMETER

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -SLIGHT
 -NECROSIS, INDIVIDUAL HEPATOCYTE, -
 MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 STOMACH, GL (ST) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2078

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93169 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, SECOND INTERIM SACRIFICE
 DATE OF DEATH: 07/21/98 STUDY DAY OF DEATH: 93 STUDY WEEK OF DEATH: 14 TERMINAL BODY WEIGHT: 232.8 GRAMS
 DATE AND TIME OF NECROPSY: 07/21/98 10:51 PROSECTOR: LAURIE J. SCHULLER RECORDER: KIMBERLY DURLAND
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JILL PAUS

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
 -LUMEN FILLED WITH FLUID; BILATERAL:
 CLEAR FLUID

UTERUS (UT) :
 >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN

CAUSE OF DEATH (CD) :
 -SCHEDULED SACRIFICE, -PRESENT

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
 CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV),
 VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
 LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
 AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
 ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
 OVARY (OV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2079

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93170 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00 STUDY DAY OF DEATH: 653 STUDY WEEK OF DEATH: 94 TERMINAL BODY WEIGHT: 340.0 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33 PROSECTOR: GREGORY CODDINGTON RECORDER: GREGORY CODDINGTON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY DARK; ALL LOBES: DARK BROWN -MASS(ES); ONE PAPILLARY PROCESS, INVOLVING ENTIRE LOBE: SINGLE MASS, 20 X 15 X 10 MM, RED, DARK RED, BROWN, VASCULAR AND FIRM; SAME ON CUT SURFACE (CAP 21); REGIONAL LN (HEPATIC) NORMAL (CAP 22) OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 10 MM IN DIAMETER	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -M-CARCINOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL OVARY (OV) : -CYST, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2080

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93170	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00	STUDY DAY OF DEATH: 653	STUDY WEEK OF DEATH: 94	TERMINAL BODY WEIGHT: 340.0 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33	PROSECTOR: GREGORY CODDINGTON	RECORDED: GREGORY CODDINGTON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
		MARROW, FEMUR (FM) : -HYPOCELLULAR, MARROW, -MODERATELY SEVERE
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SLIGHT
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); RIGHT CAUDAL LOBE: MULTIPLE TAN AREAS, UP TO 10 X 5 MM	LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 13 X 7 X 6 MM, RED, DARK RED, TAN, GRAY AND SOFT	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
		MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT >NOTE:>SEE SLIDE #19
		VAGINA (VA) : -LUMEN, EXUDATE, -PRESENT -HYPERPLASIA, MUCINOUS, -MODERATE
		CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT
		LN, OTHER (LN) : -INFILTRATE, MACROPHAGE, PIGMENTED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2081

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93170	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/01/00	STUDY DAY OF DEATH: 653	STUDY WEEK OF DEATH: 94	TERMINAL BODY WEIGHT: 340.0 GRAMS
DATE AND TIME OF NECROPSY: 02/01/00 13:33	PROSECTOR: GREGORY CODDINGTON	RECORDED: GREGORY CODDINGTON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: RED AND DRY

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2082

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93171 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
 DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 350.6 GRAMS
 DATE AND TIME OF NECROPSY: 04/20/99 8:35 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

ORGAN NAME	ABSOLUTE ORGAN WEIGHT (GRAMS)	ORGAN WEIGHT RELATIVE TO BODY WEIGHT (%)	ORGAN TO BRAIN WEIGHT RATIO	ORGAN STATUS
LF ADRENAL (AD0)	.0262	.0075 %	.0122	WEIGHT TAKEN
RT ADRENAL (AD1)	.0341	.0097 %	.0159	WEIGHT TAKEN
BRAIN (BR)	2.1395	.6102 %	1.0000	WEIGHT TAKEN
LF KIDNEY (KD0)	1.1620	.3314 %	.5431	WEIGHT TAKEN
RT KIDNEY (KD1)	1.1783	.3361 %	.5507	WEIGHT TAKEN
LIVER (LI)	13.5288	3.8588 %	6.3233	WEIGHT TAKEN
LUNG (LU)	1.4643	.4177 %	.6844	WEIGHT TAKEN
LF OVARY (OV0)	.0765	.0218 %	.0358	WEIGHT TAKEN
RT OVARY (OV1)	.0678	.0193 %	.0317	WEIGHT TAKEN
SPLEEN (SP)	.4089	.1166 %	.1911	WEIGHT TAKEN
LF THYROID/PARA (TT0)	.0117	.0033 %	.0055	WEIGHT TAKEN
RT THYROID/PARA (TT1)	.0214	.0061 %	.0100	WEIGHT TAKEN
UTERUS (UT)	1.2207	.3482 %	.5706	WEIGHT TAKEN

O B S E R V A T I O N S
NECROPSY

LAST CLINICAL OBSERVATIONS

>NORMAL; NO REMARKABLE OBSERVATIONS;
 VERIFIED AT NECROPSY: OBSERVED

HISTOPATHOLOGY

LIVER (LI) :
 -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
 -HYPERTROPHY, HEPATOCELLULAR,
 CENTRIOLOBULAR POLYKARYOCYTOSIS
 OCCASIONALLY NOTED, -MINIMAL
 -PIGMENT, HEPATOCELLULAR,
 CENTRIOLOBULAR, -MINIMAL
 SPLEEN (SP) :
 -PIGMENT, INCREASED, -MODERATE
 ADRENAL, CORTEX (AC) :
 -HYPERPLASIA, CORTICAL, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2083

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93171 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 350.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:35 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); RIGHT CAUDAL
LOBE: TWO TAN AREAS, ONE IS 3 X 2 MM,
THE OTHER IS 2 X 1 MM
PITUITARY (PI) :
-LARGE; 5 X 4 X 4 MM; APPEARS SWOLLEN

UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL:
CLEAR FLUID

GENERAL COMMENT (GC) :
-BONE MARROW SMEAR TAKEN

THYMUS (TH) :
-HEMORRHAGE, -PRESENT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT

PITUITARY (PI) :
>UNREMARKABLE
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
UTERUS (UT) :
-DILATATION, -MINIMAL

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2084

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93171 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, THIRD INTERIM SACRIFICE
DATE OF DEATH: 04/20/99 STUDY DAY OF DEATH: 366 STUDY WEEK OF DEATH: 53 TERMINAL BODY WEIGHT: 350.6 GRAMS
DATE AND TIME OF NECROPSY: 04/20/99 8:35 PROSECTOR: JOHN S. HALFORD RECORDER: TONY HANFELD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: JARED FISHEL

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), KIDNEY (KD), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2085

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93172 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 212.6 GRAMS
DATE AND TIME OF NECROPSY: 10/17/99 14:31 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; SQUINTED; PERI-ORBITAL-RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYE-RIGHT; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); VISCERAL SURFACE OF LEFT LATERAL LOBE: SINGLE TAN FOCUS, 1 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED; POSSIBLE REMNANTS COLLECTED	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -LIPIDOSIS, SUBCAPSULAR (TENSION LIPIDOSIS), -MINIMAL KIDNEY (KD) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL THYMUS (TH) : >SECTION EXAMINED; TISSUE NOT PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2086

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93172 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 212.6 GRAMS
DATE AND TIME OF NECROPSY: 10/17/99 14:31 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ESOPHAGUS (ES) :

-MASS(ES); 11 MM FROM EPIGLOTTIS,
ATTACHED TO WALL WITHIN LUMEN: SINGLE
TAN AND FIRM MASS, 2 X 2 X 1 MM; CUT
SURFACE HAS A FIRM PLASTIC-LIKE AREA,
1 MM IN DIAMETER; COLLECTED INTACT;
REGIONAL LN (MEDIASTINAL) NORMAL (CAP
21)

PITUITARY (PI) :

-MASS(ES); 14 X 13 X 10 MM, RED, DARK
RED, GREY, LOBULATED AND SOFT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: DRY, RED
MATERIAL
-ANIMAL THIN

LUNG (LU) :

-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL

ESOPHAGUS (ES) :

>UNREMARKABLE

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

RECTUM (RE) :

-PARASITISM, -PRESENT

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT

VAGINA (VA) :

-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :

-NEOPLASM, PITUITARY, -PRESENT

LN, MEDIASTINAL (ML) :

>TISSUE MISSING

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2087

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93172 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/17/99 STUDY DAY OF DEATH: 546 STUDY WEEK OF DEATH: 78 TERMINAL BODY WEIGHT: 212.6 GRAMS
DATE AND TIME OF NECROPSY: 10/17/99 14:31 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2088

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93173 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 394.3 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:17 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); SHOULDER-RIGHT; WEEK 88; 20 X 30MM; VERIFIED AT NECROPSY: OBSERVED >DISCHARGE; NASAL; RED IN COLOR; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -MODERATELY SEVERE -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2089

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93173 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 394.3 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:17 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	ADRENAL, CORTEX (AC) : -DIFFUSELY RED; LEFT: DARK RED -SMALL; RIGHT: 3 X 3 X 2 MM (LEFT IS 5 X 4 X 3 MM)	PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 6 MM IN DIAMETER	HEART (HT) : -CARDIOMYOPATHY, -MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT
	THYROID (TY) : -LARGE; RIGHT: 4 X 3 X 3 MM (LEFT IS 3 X 2 X 1 MM) PITUITARY (PI) : -MASS(ES); 7 MM IN DIAMETER, BROWN, RED, TAN, VASCULAR AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -RED FOCUS(I)/AREA(S); MUCOSA: MULTIPLE DARK RED AREAS, UP TO 3 X 1 MM	STOMACH, GL (ST) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2090

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93173 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 394.3 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:17 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT LATERAL CERVICAL
REGION: SINGLE MASS, 30 X 20 X 20 MM,
DARK RED, RED, TAN, VASCULAR,
LOBULATED AND FIRM; SAME ON CUT
SURFACE; SOME SECTIONS EXUDE A DARK
RED FLUID; COLLECTED; REGIONAL LN
(MANDIBULAR) NORMAL (CAP 21)
-THICKENED; ALL REGIONS: DIFFUSE;
COLLECTED ON ROUTINE SECTION
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE WHITE SEMIFLUID FILLED CYSTS,
UP TO 2 MM IN DIAMETER; COLLECTED ON
ROUTINE SECTION
VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
CONTAINS A LIGHT GREEN SEMIFLUID
MATERIAL

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK
RED, DRY MATERIAL
-DISCHARGE-NASAL; DARK RED, DRY
MATERIAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2091

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93173 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 03/28/00 STUDY DAY OF DEATH: 709 STUDY WEEK OF DEATH: 102 TERMINAL BODY WEIGHT: 394.3 GRAMS
DATE AND TIME OF NECROPSY: 03/28/00 11:17 PROSECTOR: JERALD W. JOHNSON RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL),
CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2092

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93174 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:17 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-THORACIC; WEEK 100; 30 X 20 MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOBULAR, -MODERATE -PIGMENT, HEPATOCELLULAR, CENTRIOBULAR, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -B-PHEOCHROMOCYTOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2093

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93174 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:17 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 6 X 5 MM, RED, DARK RED
AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL THORACIC REGION:
SINGLE MASS, 45 X 30 X 15 MM, TAN AND
SOFT; SAME ON CUT SURFACE; (CAP 22);
REGIONAL LN (AXILLARY) NORMAL (CAP 23)
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

CERVIX (CV) :
-LARGE; 8 MM IN DIAMETER

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :
-B-LIPOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATELY
SEVERE
>NOTE:>SEE ALSO SKIN

CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SEVERE

VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2094

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93174 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/19/00 STUDY DAY OF DEATH: 731 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 458.2 GRAMS
DATE AND TIME OF NECROPSY: 04/19/00 11:17 PROSECTOR: GREGORY CODDINGTON RECORDER: TERRI L. WILLIAMS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE),
URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2095

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93175 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 195.5 GRAMS
DATE AND TIME OF NECROPSY: 01/20/00 10:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 75; 60 X 50MM; VERIFIED AT NECROPSY: OBSERVED		EYE (EY) : -INFLAMMATION, ACUTE, -MODERATE -ULCERATION, CORNEAL, -MODERATE
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : >UNREMARKABLE
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -DIFFUSELY DARK; ALL LOBES: DARK BROWN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT
>APPEARANCE; TREMORS; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		-GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MODERATE
>BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		-PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		-HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT
		-MINERALIZATION, TUBULAR, -MODERATE
	SPLEEN (SP) : -SMALL; 24 X 5 X 3 MM	SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2096

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93175 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 195.5 GRAMS
DATE AND TIME OF NECROPSY: 01/20/00 10:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE TAN AREAS, UP TO 6 X 4 MM

PITUITARY (PI) :
-MASS(ES); 5 MM IN DIAMETER, DARK RED,
TAN AND FIRM

PANCREAS (PA) :
-ZYMOGEN GRANULES, DECREASED, -MODERATE
ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MODERATE
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATE
ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
MARROW, FEMUR (FM) :
-HYPOCELLULAR, MARROW, -MODERATE
-CONGESTION, -PRESENT
MARROW, STERNUM (SE) :
-HYPOCELLULAR, MARROW, -MODERATE
-CONGESTION, -PRESENT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MODERATE
HEART (HT) :
-CARDIOMYOPATHY, -MODERATE
-MINERALIZATION, VASCULAR, -MODERATE
-MINERALIZATION, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2097

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93175 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 195.5 GRAMS
DATE AND TIME OF NECROPSY: 01/20/00 10:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 60 X 39 X 15 MM, DARK
RED, TAN, LOBULATED AND FIRM; SAME ON
CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN MUCOID MATERIAL

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; DRY RED MATERIAL
-ANIMAL THIN
-GI TRACT-DARK FLUID CONTENT; ALONG
ENTIRE LENGTH: DARK BROWN MATERIAL

MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

VAGINA (VA) :
>UNREMARKABLE

CAUSE OF DEATH (CD) :
-NEOPLASM, MAMMARY GLAND, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2098

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93175 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/20/00 STUDY DAY OF DEATH: 641 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 195.5 GRAMS
DATE AND TIME OF NECROPSY: 01/20/00 10:20 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2099

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93176 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/23/99 STUDY DAY OF DEATH: 613 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 258.1 GRAMS
DATE AND TIME OF NECROPSY: 12/23/99 9:51 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 72; 30 X 20MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 79; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT
>SKIN & PELAGE; BLACK SKIN; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: NOT OBSERVED		-PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE		-DEGENERATION, CYSTIC, -MINIMAL
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED		-HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT
>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2100

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93176 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/23/99 STUDY DAY OF DEATH: 613 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 258.1 GRAMS
DATE AND TIME OF NECROPSY: 12/23/99 9:51 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 10 X 8 MM, DARK RED,
TAN, AND SOFT

STOMACH, NONGL (SU) :
-EROSION/ULCERATION; MUCOSA: MULTIPLE
TAN ERODED AREAS, UP TO 5 X 2 MM

ADRENAL, CORTEX (AC) :
-HYPERPLASIA, CORTICAL, -MINIMAL
-PIGMENT, -SLIGHT
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
-CYST, -PRESENT
LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, GL (ST) :
-EDEMA, -MODERATE
-INFLAMMATION, ACUTE, -SLIGHT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-ULCERATION, -MODERATE
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
-B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2101

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93176 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/23/99 STUDY DAY OF DEATH: 613 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 258.1 GRAMS
DATE AND TIME OF NECROPSY: 12/23/99 9:51 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT PERINEAL REGION:
SINGLE MASS, 25 X 25 X 15 MM, DARK
RED, TAN, AND SOFT; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; RIGHT INGUINAL REGION:
SINGLE MASS, 15 X 15 X 10 MM, RED,
DARK RED, TAN, AND SOFT; CUT SURFACE
CONTAINS A DARK RED SEMISOLID;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED

MAMMARY, FEMALE (MF) :
>NOTE:>MASS #1 IS THE CARCINOMA

UTERUS (UT) :
-DILATATION, -SLIGHT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-ANIMAL THIN
-DISCHARGE-NASAL; DARK RED AND DRY

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2102

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93176 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/23/99 STUDY DAY OF DEATH: 613 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 258.1 GRAMS
DATE AND TIME OF NECROPSY: 12/23/99 9:51 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2103

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93177 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 328.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:28 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: MULTIPLE DARK RED AREAS, UP TO 4 X 3 MM; COLLECTED ON ROUTINE SECTION	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -SLIGHT -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATELY SEVERE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2104

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93177 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 328.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:28 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, CORTEX (AC) :
-LARGE; RIGHT: 5 MM IN DIAMETER (LEFT
IS 3 MM IN DIAMETER)

PITUITARY (PI) :
-DARK FOCUS(I)/AREA(S); DIFFUSE:
MULTIPLE BLACK AREAS, UP TO 3 X 2 MM

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS

ADRENAL, CORTEX (AC) :
-HYPERTROPHY, CORTICAL CELL, -MODERATELY
SEVERE
-DEGENERATION, CYSTIC / HEMORRHAGIC, -
MODERATE
-PIGMENT, -MINIMAL
OVARY (OV) :
-HYPERPLASIA, GRANULOSA CELL, -MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MINIMAL
URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
UTERUS (UT) :
-DILATATION, -SLIGHT
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2105

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93177 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 328.2 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 11:28 PROSECTOR: JOHN S. HALFORD RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

Covance 6329-183
3M T-6295

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93178	SEX: FEMALE	DOSE GROUP: 5	SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00	STUDY DAY OF DEATH: 733	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: 365.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:49	PROSECTOR: STEVE VAN ADESTINE	RECORDER: LAURIE J. SCHULLER	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS

>EYES; RED DISCHARGE; EYE-LEFT;
VERIFIED AT NECROPSY: OBSERVED

SPLEEN (SP) :
-SMALL; 34 X 6 X 4 MM

HISTOPATHOLOGY

LIVER (LI) :

- INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
- HYPERTROPHY, HEPATOCELLULAR, CENTRILOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT
- GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRILOBULAR, -MODERATE
- PIGMENT, HEPATOCELLULAR, CENTRILOBULAR, -MINIMAL
- HYPERPLASIA, BILE DUCT, -SLIGHT
- FIBROSIS, PERIBILIARY, -SLIGHT

KIDNEY (KD) :

- NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL
- MINERALIZATION, PELVIC, -MINIMAL

SPLEEN (SP) :

- PIGMENT, INCREASED, -MODERATE

PANCREAS (PA) :

- ZYMOMEN GRANULES, DECREASED, -SLIGHT

ADRENAL, CORTEX (AC) :

- PIGMENT, -MINIMAL

THYMUS (TH) :

- DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2107

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93178 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 365.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:49 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-LARGE; 5 X 6 X 7 MM, APPEARS SWOLLEN
-DARK FOCUS(I)/AREA(S); ANTERIOR
ASPECT: MULTIPLE BLACK AREAS, UP TO 3
X 1 MM
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-DISCHARGE-OCULAR; LEFT: DARK RED,
DRY, CRUSTED MATERIAL

LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATE

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2108

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93178 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 365.0 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 7:49 PROSECTOR: STEVE VAN ADESTINE RECORDER: LAURIE J. SCHULLER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2109

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93179 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 297.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 95; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); JUNCTION OF MEDIAN LOBE: SINGLE TAN AREA, 3 X 2 MM (CAP 22)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIportal, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2110

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93179 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 297.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

ADRENAL, MEDULLA (MA) :
-UNILATERALLY EXAMINED, -PRESENT
OVARY (OV) :
-HYPERPLASIA, GRANULOSA CELL, -SEVERE
MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -MODERATE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
-B-ADENOMA, C-CELL, -NEOPLASM PRESENT
PITUITARY (PI) :
-HYPERPLASIA, -MODERATE
RECTUM (RE) :
-PARASITISM, -PRESENT
MAMMARY, FEMALE (MF) :
-M-CARCINOMA, -NEOPLASM PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2111

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93179 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 297.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION: SINGLE MASS, 40 X 25 X 20 MM, RED, TAN, AND FIRM; SAME ON CUT SURFACE; SOME SECTIONS EXUDE A TAN CASEOUS MATERIAL; OVERLYING SKIN HAS A SINGLE MOIST TAN AND ERODED AREA, 8 MM IN DIAMETER; COLLECTED INTACT WITH MASS; REGIONAL LN (SEE AXILLARY) UTERUS (UT) : -CYST(S); LEFT, WITHIN WALL: SINGLE CLEAR FLUID FILLED CYST, 10 X 5 X 5 MM LN, AXILLARY (AX) : -LARGE; LEFT: 10 X 7 X 2 MM (RIGHT IS 5 X 2 X 1 MM) (CAP 23) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	UTERUS (UT) : -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2112

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93179 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: SCHEDULED, TERMINAL SACRIFICE
DATE OF DEATH: 04/21/00 STUDY DAY OF DEATH: 733 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 297.5 GRAMS
DATE AND TIME OF NECROPSY: 04/21/00 10:16 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2113

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93180 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 578.3 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:15 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-THORACIC-LEFT; WEEK 56; 110 X 80MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LARGE; ALL LOBES: THICKENED	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -MINIMAL -PIGMENT, HEPATOCELLULAR, CENTRIOLOBULAR, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL -CYST, BILIARY, -PRESENT KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2114

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93180 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 578.3 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:15 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-LIGHT FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE LIGHT AREAS, UP TO 4 X 3 MM
PITUITARY (PI) :
-LARGE; 7 X 7 X 5 MM; APPEARS SWOLLEN
-RED FOCUS(I)/AREA(S); RIGHT ASPECT:
SINGLE DARK RED AREA, 2 MM IN DIAMETER

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY, EXTENDING TO
LEFT ABDOMINAL REGION: SINGLE MASS,
130 X 80 X 70 MM (277.8 GRAMS), RED,
TAN AND FIRM; SAME ON CUT SURFACE;
PORTION COLLECTED; REGIONAL LN
(AXILLARY) NOT IDENTIFIED

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :
-M-FIBROSARCOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
>NOTE:>SEE SKIN FOR DIAGNOSIS

CAUSE OF DEATH (CD) :
-NEOPLASM, SKIN/MUSCLE/SUBCUTIS, -
PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2115

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93180 SEX: FEMALE DOSE GROUP: 5 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 06/28/99 STUDY DAY OF DEATH: 435 STUDY WEEK OF DEATH: 63 TERMINAL BODY WEIGHT: 578.3 GRAMS
DATE AND TIME OF NECROPSY: 06/28/99 14:15 PROSECTOR: KEVIN BILLINGS RECORDER: KEVIN BILLINGS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2116

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93181 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 437.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:50 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER	OVARY (OV) : >UNREMARKABLE
	CERVIX (CV) : -MASS(ES); WITHIN LUMEN, EXTENDING INTO VAGINA: SINGLE MASS, 9 X 5 X 5 MM, DARK RED, LOBULATED AND SOFT; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (LUMBAR) NORMAL (CAP 22)	THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL CERVIX (CV) : -B-POLYP, STROMAL, -NEOPLASM PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2117

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93181	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00	STUDY DAY OF DEATH: 736	STUDY WEEK OF DEATH: 106	TERMINAL BODY WEIGHT: 437.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:50	PROSECTOR: JOHN S. HALFORD	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BONE MARROW SMEAR TAKEN
 -MALOCCLUSION; BILATERAL: UPPER
 INCISORS

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
 ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
 BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
 NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
 HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
 ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
 UTERUS (UT), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
 LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
 FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
 URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
 MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
 BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB), LN, LUMBAR/ILIAC (LM)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2118

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93182 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 506.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:05 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 102; 15 X 15MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); DIAPHRAGMATIC SURFACE OF RIGHT MEDIAN LOBE: SINGLE DARK RED FOCUS, 5 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION -CYST(S); LEFT LATERAL LOBE ALONG MARGIN: SINGLE CLEAR FLUID FILLED CYST, 3 MM IN DIAMETER; COLLECTED ON ROUTINE SECTION PITUITARY (PI) : -MASS(ES); 7 X 5 X 4 MM, DARK RED AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -CYST, BILIARY, -PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2119

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93182 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 506.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:05 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA, ALONG GREATER CURVATURE: SINGLE BLACK AREA, 2 X 1 MM MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 19 X 19 X 10 MM, RED, DARK RED, GRAY, TAN AND SOFT; SAME ON CUT SURFACE (CAP 22); REGIONAL LN (AXILLARY) NORMAL (CAP 24) -MASS #2; LEFT AXILLARY REGION: SINGLE MASS, 33 X 21 X 15 MM, RED, GRAY, TAN, LOBULATED AND SOFT; SAME ON CUT SURFACE (CAP 23); REGIONAL LN (AXILLARY) NORMAL (CAP 24) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE >NOTE:>MASS #2 IS THE FIBROADENOMA CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2120

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93182 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 506.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:05 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

OVARY (OV), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2121

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93183 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 772.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:37 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 91; 125 X 100MM; VERIFIED AT NECROPSY: OBSERVED	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 5 X 4 MM (RIGHT IS 4 MM IN DIAMETER) SKIN (SK) : >NOTE:>COLLECTED FROM RIGHT INGUINAL REGION DUE TO MF MASS	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATE -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL SKIN (SK) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2122

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93183 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 772.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:37 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT ABDOMINAL REGION EXTENDING TO LEFT INGUINAL REGION: SINGLE MASS, 150 X 100 X 50 MM (327.7 GRAMS), RED, DARK RED, TAN, FIRM, LOBULATED AND VASCULAR; SAME ON CUT SURFACE; PORTIONS COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED; OVERLYING SKIN HAS A SINGLE DARK RED, DRY CRUSTED AREA, 30 X 15 MM; COLLECTED INTACT WITH MASS -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION >NOTE:>COLLECTED FROM RIGHT INGUINAL REGION DUE TO MF MASS UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 5 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	UTERUS (UT) : -DILATATION, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2123

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93183 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 772.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:37 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2124

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93184 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 526.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:28 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>WART LIKE LESION(S); MOUTH; WEEK 102; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE RED AREAS, UP TO 4 X 3 MM; COLLECTED ON ROUTINE SECTIONS OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 12 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); 8 X 6 X 6 MM, RED, DARK RED, GRAY, TAN AND SOFT	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL OVARY (OV) : -CYST, -PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : -INFLAMMATION, CHRONIC-ACTIVE, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2125

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93184 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 526.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:28 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -EROSION/ULCERATION; MUCOSA: MULTIPLE TAN, SLIGHTLY ERODED AREAS, UP TO 2 X 1 MM SKIN (SK) : -RAISED FOCUS(I)/AREA(S); ATTACHED TO LOWER RIGHT LIP: SINGLE TAN AREA, 5 X 4 X 3 MM (CAP 22) UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 8 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	SKIN (SK) : -INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT -B-PAPILLOMA, SQUAMOUS CELL, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL UTERUS (UT) : -DILATATION, -MODERATELY SEVERE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2126

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93184 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 526.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:28 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2127

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93185 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 521.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:51 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >EYES; OPAQUE; EYE-LEFT; VERIFIED AT NECROPSY: OBSERVED	EYE (EY) : -OPAQUE CORNEA; LEFT OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 6 X 3 X 3 MM PARATHYROID (PT) : -LARGE; LEFT: 7 X 5 X 4 MM (RIGHT IS 1 MM IN DIAMETER)	EYE (EY) : -DYSTROPHY, CORNEAL IN EARLY STAGES, CONSISTS PRIMARILY OF FOCAL MINERALIZATION, -SLIGHT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT OVARY (OV) : -HYPERPLASIA, GRANULOSA CELL, -MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -M-CARCINOMA, C-CELL, -NEOPLASM PRESENT PARATHYROID (PT) : >UNREMARKABLE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2128

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93185 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 521.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:51 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-THICKENED WALL; BILATERAL, DIFFUSE

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-MALOCCLUSION; BILATERAL UPPER
INCISORS
-DISCHARGE-OCULAR; LEFT: DARK RED, DRY
MATERIAL

URINARY BLADDER (UB) :
-HEMORRHAGE, -SLIGHT
-INFILTRATE, LYMPHOHISTIOCYTIC, -
MODERATE
-HYPERPLASIA, TRANSITIONAL CELL, -
MINIMAL
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2129

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93185 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 521.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:51 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2130

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93186 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/99 STUDY DAY OF DEATH: 520 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 458.9 GRAMS
DATE AND TIME OF NECROPSY: 09/21/99 14:40 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-CERVICAL; WEEK 45; 100 X 110MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -PIGMENT, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2131

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93186 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/99 STUDY DAY OF DEATH: 520 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 458.9 GRAMS
DATE AND TIME OF NECROPSY: 09/21/99 14:40 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -CYST(S); RIGHT ASPECT: TWO DARK RED FLUID FILLED CYSTS, ONE IS 2 MM IN DIAMETER, THE OTHER IS 1 MM IN DIAMETER MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION, EXTENDS TO LEFT AXILLARY AND VENTRAL CERVICAL REGIONS: SINGLE MASS, 115 X 90 X 35 MM (187.9 GRAMS), RED, TAN, LOBULATED AND VASCULAR; SAME ON CUT SURFACE (PORTIONS COLLECTED); REGIONAL LN (AXILLARY) NORMAL (CAP 22) -CYST(S); ALL REGIONS, DIFFUSE: MULTIPLE WHITE CREAMY FLUID FILLED CYSTS, UP TO 10 X 6 X 5 MM (CAP 21) UTERUS (UT) : -THICKENED WALL; BILATERAL, DIFFUSE GENERAL COMMENT (GC) : -BLOOD FILM TAKEN	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT UTERUS (UT) : >UNREMARKABLE CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, AXILLARY (AX) : -INFILTRATE, MACROPHAGE, PIGMENTED, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2132

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93186 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 09/21/99 STUDY DAY OF DEATH: 520 STUDY WEEK OF DEATH: 75 TERMINAL BODY WEIGHT: 458.9 GRAMS
DATE AND TIME OF NECROPSY: 09/21/99 14:40 PROSECTOR: JARED FISHEL RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2133

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93187 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/13/00 STUDY DAY OF DEATH: 725 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 385.9 GRAMS
DATE AND TIME OF NECROPSY: 04/13/00 14:27 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 81; 65 X 60MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 102; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, -MINIMAL -MINERALIZATION, PELVIC, -SLIGHT
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT
>BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE		ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, -SLIGHT
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE		OVARY (OV) : -CYST, -PRESENT
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		
>SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE		
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2134

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93187 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/13/00 STUDY DAY OF DEATH: 725 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 385.9 GRAMS
DATE AND TIME OF NECROPSY: 04/13/00 14:27 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

OVARY (OV) :

-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 8 MM IN DIAMETER

THYMUS (TH) :

-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

HEART (HT) :

-CARDIOMYOPATHY, -MINIMAL

THYROID (TY) :

-HYPERPLASIA, C-CELL, -MINIMAL

PITUITARY (PI) :

-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :

-INFILTRATE, LYMPHOHISTIOCYTIC, -
MODERATE

SKIN (SK) :

>NOTE:>SKIN AND MAMMARY GLAND SECTION
TAKEN FROM RIGHT INGUINAL REGION
DUE TO MASS

MAMMARY, FEMALE (MF) :

-MASS(ES); LEFT INGUINAL REGION,
EXTENDING TO MID ABDOMINAL REGION:
SINGLE MASS, 70 X 40 X 30 MM, DARK
RED, TAN, VASCULAR AND FIRM; SOME
SECTIONS EXUDE A TAN CREAMY SEMIFLUID;
PORTION COLLECTED; REGIONAL LN
(INGUINAL) NORMAL (CAP 22)

MAMMARY, FEMALE (MF) :

-B-FIBROADENOMA, -NEOPLASM PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #1 IS THE FIBROADENOMA

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2135

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93187 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/13/00 STUDY DAY OF DEATH: 725 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 385.9 GRAMS
DATE AND TIME OF NECROPSY: 04/13/00 14:27 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #2; RIGHT AXILLARY REGION: SINGLE MASS, 15 MM IN DIAMETER, GREEN, BROWN AND SOFT; ON SECTION EXUDES A BROWN SEMIFLUID; COLLECTED INTACT; REGIONAL LN (AXILLARY) NORMAL (CAP 23) UTERUS (UT) : -CYST(S); BILATERAL, WITHIN WALLS: MULTIPLE CLEAR FLUID FILLED CYSTS, UP TO 7 MM IN DIAMETER GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -MALOCCLUSION; BILATERAL: LOWER INCISORS -DISCHARGE-OCULAR; BILATERAL: DRY RED MATERIAL	UTERUS (UT) : -INFLAMMATION, CHRONIC-ACTIVE, -MODERATE -HYPERPLASIA, CYSTIC, ENDOMETRIAL, - MODERATE VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE LN, INGUINAL (IN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2136

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93187 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/13/00 STUDY DAY OF DEATH: 725 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 385.9 GRAMS
DATE AND TIME OF NECROPSY: 04/13/00 14:27 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2137

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93188 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/22/00 8:59 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 70; 100 X 100MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES: MARGINS APPEAR ROUNDED -DIFFUSELY LIGHT; ALL LOBES: TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, COAGULATIVE, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -MODERATE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2138

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93188	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/22/00	STUDY DAY OF DEATH: 734	STUDY WEEK OF DEATH: 105	TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/22/00 8:59	PROSECTOR: JODI THIEREN	RECORDED: JODI THIEREN	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: MULTIPLE BROWN AREAS, UP TO 2 MM IN DIAMETER	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, GL (ST) : >UNREMARKABLE
	SKIN (SK) : >NOTE:>SKIN TAKEN FROM RIGHT INGUINAL REGION DUE TO MASS ON LEFT	CECUM (CE) : >AUTOLYTIC
	MAMMARY, FEMALE (MF) : -MASS(ES); LEFT AXILLARY REGION EXTENDING TO LEFT INGUINAL REGION: SINGLE MASS, 130 X 100 X 65 MM (292.7 GRAMS), RED, DARK RED, TAN, GRAY, VASCULAR, LOBULATED AND FIRM; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (SEE AXILLARY); OVERLYING SKIN HAS A SINGLE DARK RED AND DRY CRUSTED AREA, 25 X 16 MM; COLLECTED INTACT WITH MASS >NOTE:>MAMMARY SECTION TAKEN FROM RIGHT INGUINAL REGION DUE TO MASS ON LEFT	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE
		CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT LN, AXILLARY (AX) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2139

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93188 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/22/00 8:59 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-LARGE; LEFT: UP TO 10 X 7 X 3 MM
(RIGHT IS UP TO 6 X 3 X 2 MM) (CAP 21)
-MOTTLED; RIGHT: DARK RED AND TAN
-DIFFUSELY RED; LEFT
GENERAL COMMENT (GC) :
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2140

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93188 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 04/22/00 8:59 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU),
JEJUNUM (JE), ILEUM (IL), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

Covance 6329-183
3M T-6295

PAGE: 2141

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93189	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/15/99	STUDY DAY OF DEATH: 605	STUDY WEEK OF DEATH: 87	TERMINAL BODY WEIGHT: 220.8 GRAMS
DATE AND TIME OF NECROPSY: 12/15/99 13:47	PROSECTOR: JOHN S. HALFORD	RECORDER: JOHN S. HALFORD	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		-INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
>APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE		-HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL
		PANCREAS (PA) : -HYPERTROPHY / BASOPHILIA, ACINAR CELL, - MINIMAL
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MINIMAL
		-HYPERTROPHY, CORTICAL CELL, -MINIMAL
		THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE
	PITUITARY (PI) : -MASS(ES); 11 X 11 X 10 MM, RED, GREY AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2142

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93189 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/15/99 STUDY DAY OF DEATH: 605 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 220.8 GRAMS
DATE AND TIME OF NECROPSY: 12/15/99 13:47 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :
-DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
DARK BROWN FOCUS, 3 X 2 MM

STOMACH, GL (ST) :
-EROSION, -MINIMAL

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN, MUCOID MATERIAL

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MINIMAL
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SLIGHT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; UPPER RIGHT INCISOR
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2143

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93189 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/15/99 STUDY DAY OF DEATH: 605 STUDY WEEK OF DEATH: 87 TERMINAL BODY WEIGHT: 220.8 GRAMS
DATE AND TIME OF NECROPSY: 12/15/99 13:47 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2144

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93190 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
 DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 280.7 GRAMS
 DATE AND TIME OF NECROPSY: 04/24/00 10:56 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
 POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL
		KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL -INFLAMMATION, SUPPURATIVE, PELVIC, - MINIMAL
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT
	PITUITARY (PI) : -MASS(ES); 12 X 8 X 8 MM, RED, DARK RED, TAN, GREY, AND SOFT	PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	STOMACH, GL (ST) : -DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE BLACK LINEAR AREA, 2 X 1 MM	STOMACH, GL (ST) : -EROSION, -MINIMAL
		MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2145

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93190	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00	STUDY DAY OF DEATH: 736	STUDY WEEK OF DEATH: 106	TERMINAL BODY WEIGHT: 280.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:56	PROSECTOR: JODI THIEREN	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

URINARY BLADDER (UB) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL THIN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

LUNG (LU), THYROID (TY), PARATHYROID (PT)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2146

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93191 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 539.2 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:19 PROSECTOR: GREGORY CODDINGTON RECORDER: JODI THIERN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: NOT OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE	LIVER (LI) : -HEPATIC ANOMALY (LOBULE); BETWEEN MEDIAN LOBES, NEAR HILUS: SINGLE ANOMALY, 10 X 10 X 6 MM; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, MIDZONAL / CENTRIOBULAR, -SLIGHT -ANOMALY, SECONDARY TO DIAPHRAGMATIC HERNIA, -PRESENT
>RESPIRATION; LABORED; VERIFIED AT NECROPSY: NOT APPLICABLE		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL
>BEHAVIOR; RECUMBENT; LATERAL; VERIFIED AT NECROPSY: NOT APPLICABLE		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -SLIGHT
		HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2147

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93191 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 539.2 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:19 PROSECTOR: GREGORY CODDINGTON RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 7 X 7 X 6 MM, DARK RED AND
SOFT
MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION

THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
UTERUS (UT) :
-DILATATION, -MINIMAL
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -MODERATE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; RIGHT: CLEAR AND
MOIST

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2148

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93191 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/12/00 STUDY DAY OF DEATH: 633 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: 539.2 GRAMS
DATE AND TIME OF NECROPSY: 01/12/00 15:19 PROSECTOR: GREGORY CODDINGTON RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2149

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93192 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 519.3 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:05 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 91; 70 X 75MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS THYMUS (TH) : -MISSING/NOT IDENTIFIED; NOT POSITIVELY IDENTIFIED; POSSIBLE REMNANTS COLLECTED PITUITARY (PI) : -LARGE; 6 X 6 X 3 MM	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -CYST, BILIARY, -PRESENT -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -MINERALIZATION, PELVIC, -SLIGHT THYMUS (TH) : -CYST, -PRESENT -HYPERPLASIA, EPITHELIAL, -MODERATE THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2150

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93192 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 519.3 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:05 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :

-RED FOCUS(I)/AREA(S); DIFFUSE:
MULTIPLE DARK RED AREAS, UP TO 2 X 1
MM

MAMMARY, FEMALE (MF) :

-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 75 X 60 X 30 MM, TAN,
LOBULATED, VASCULAR AND FIRM; SAME ON
CUT SURFACE; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NOT IDENTIFIED

MAMMARY, FEMALE (MF) :

-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2151

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93192 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 519.3 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:05 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2152

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93193 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 420.9 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:28 PROSECTOR: LYNN HORNER RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; RED HAIR COAT; HEAD- ENTIRE; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NONFORMED FECES; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -DARK FOCUS(I)/AREA(S); LEFT: MULTIPLE DARK BROWN AREAS, UP TO 2 MM IN DIAMETER	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -SEVERE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -PIGMENT, -MINIMAL THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2153

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93193 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 420.9 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:28 PROSECTOR: LYNN HORNER RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 10 X 9 X 6 MM,
RED, TAN AND SOFT
MAMMARY, FEMALE (MF) :
-CYST(S); ALL REGIONS, DIFFUSE:
MULTIPLE TAN CREAMY SEMIFLUID FILLED
CYSTS, UP TO 6 MM IN DIAMETER (CAP 21)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL OBESE
-STAINS - SKIN/HAIRCOAT; ENTIRE HEAD:
RED AND DRY

THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2154

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93193 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 10/01/99 STUDY DAY OF DEATH: 530 STUDY WEEK OF DEATH: 76 TERMINAL BODY WEIGHT: 420.9 GRAMS
DATE AND TIME OF NECROPSY: 10/01/99 14:28 PROSECTOR: LYNN HORNER RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2155

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93194 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 311.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 13:51 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; ROUGH HAIR COAT; VERIFIED AT NECROPSY: NOT APPLICABLE		EYE (EY) : -INFLAMMATION, ACUTE, -SLIGHT
>SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL
>MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 82; 10 X 10MM; VERIFIED AT NECROPSY: NOT OBSERVED		KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MINIMAL
>SKIN & PELAGE; ALOPECIA; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		-HYPERPLASIA, LYMPHORETICULAR, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MINIMAL -ATROPHY, ACINAR, -SLIGHT
		ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE -HYPERPLASIA, CORTICAL, -MINIMAL
		OVARY (OV) : -CYST, -PRESENT
		MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE
		MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2156

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93194 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 311.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 13:51 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 6 MM IN DIAMETER, DARK RED
AND SOFT

SKIN (SK) :
-CRUSTED AREA(S); ALL REGIONS DIFFUSE:
MULTIPLE TAN DRY CRUSTED AREAS, UP TO
25 X 7 MM; COLLECTED ON ROUTINE
SECTION
-ALOPECIA-DIFFUSE; ALL REGIONS,
DIFFUSE: COLLECTED ON ROUTINE SECTION

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
SLIGHT
-INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
HARDERIAN GLAND (HG) :
-ATROPHY, -SLIGHT
RECTUM (RE) :
-PARASITISM, -PRESENT
SKIN (SK) :
-ACANTHOSIS/HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -SLIGHT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2157

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93194 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 311.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 13:51 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-LARGE; BILATERAL: LEFT IS 20 X 15 X 5
MM, RIGHT IS 13 X 10 X 4 MM (CAP 21)
-DIFFUSELY RED; RIGHT: DARK RED

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL
-LARGE; BILATERAL: UP TO 15 X 10 X 4
MM; COLLECTED

LN, LUMBAR/ILIAC (LM) :
-LARGE; LEFT: 15 X 10 X 4 MM (RIGHT IS
6 X 5 X 3 MM) (CAP 22)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

CAUSE OF DEATH (CD) :
-INFLAMMATION / INFECTION, -PRESENT

LN, AXILLARY (AX) :
-HEMORRHAGE, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
-FIBROPLASIA, PERIPHERAL, -SEVERE

LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE
-HEMORRHAGE, -PRESENT
-INFILTRATE, MACROPHAGE, PIGMENTED, -
SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE

LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2158

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93194 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/17/00 STUDY DAY OF DEATH: 638 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: 311.9 GRAMS
DATE AND TIME OF NECROPSY: 01/17/00 13:51 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2159

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93195 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/23/99 11:25 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) THYMUS (TH) : -RED FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE DARK RED AREAS, UP TO 1 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); 10 X 8 X 5 MM, DARK RED, TAN AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE -PIGMENT, -MINIMAL THYMUS (TH) : -HEMORRHAGE, -PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT -CYST / GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2160

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93195 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/23/99 11:25 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); VENTRAL THORACIC REGION:
TWO MASSES, ONE IS 15 X 12 X 6 MM, THE
OTHER IS 11 X 7 X 6 MM, BOTH ARE TAN
AND SOFT; SAME ON BOTH CUT SURFACES;
THE LARGER MASS EXUDES A TAN CASEOUS
SEMISOLID MATERIAL; BOTH COLLECTED;
REGIONAL LN (AXILLARY) NOT IDENTIFIED

MAMMARY, FEMALE (MF) :
-B-FIBROADENOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2161

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93195 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 08/23/99 STUDY DAY OF DEATH: 491 STUDY WEEK OF DEATH: 71 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 08/23/99 11:25 PROSECTOR: DAVID SCHUETTE RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2162

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93196 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 304.7 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 8:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT -HEMORRHAGE, -MINIMAL LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE -INFLAMMATION, SUPPURATIVE, PELVIC, - SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2163

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93196 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 304.7 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 8:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 7 MM, DARK RED,
RED, TAN, AND SOFT

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
CONTAINS A DARK RED SEMIFLUID

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY

ADRENAL, CORTEX (AC) :
-PIGMENT, -SLIGHT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

CERVIX (CV) :
-HYPERPLASIA, STROMAL, -MINIMAL

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2164

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93196 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/24/99 STUDY DAY OF DEATH: 614 STUDY WEEK OF DEATH: 88 TERMINAL BODY WEIGHT: 304.7 GRAMS
DATE AND TIME OF NECROPSY: 12/24/99 8:02 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2165

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93197 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 334.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAW-HIND-LEFT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 93; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); INGUINAL REGION-LEFT; WEEK 95; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-LEFT; WEEK 99; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 12 X 8 X 6 MM PITUITARY (PI) : -MASS(ES); 9 X 6 X 3 MM, RED, DARK RED, TAN, AND SOFT SKIN (SK) : >NOTE:>ROUTINE SECTION TAKEN FROM RIGHT INGUINAL REGION DUE TO MASS	BRAIN (BR) : >UNREMARKABLE LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -NECROSIS, COAGULATIVE, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL OVARY (OV) : -CYST, -PRESENT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT SKIN (SK) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2166

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93197 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 334.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 215 X 10 X 4 MM, RED,
DARK RED, AND SOFT; SAME ON CUT
SURFACE; SOME SECTIONS EXUDE A BROWN
SEMISOLID (CAP 23); REGIONAL LN
(AXILLARY) NORMAL (CAP 24)
-MASS #2; LEFT INGUINAL REGION:
MULTIPLE MASSES, UP TO 45 X 35 X 25
MM, RED, DARK RED, TAN, FIRM, AND
LOBULATED; SOME SECTIONS EXUDE A TAN
CREAMY SEMIFLUID; COLLECTED INTACT;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
>NOTE:>ROUTINE SECTION TAKEN FROM RIGHT
INGUINAL REGION DUE TO MASS

FOOT/FOOTPAD (FP) :
-ABRASION(S)/ULCERATION(S); LEFT
HINDFOOT: SINGLE MOIST AND RED AREA, 6
X 5 MM; COLLECTED

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
-B-FIBROADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS #2 IS THE FIBROADENOMA MASS
#1 CONSISTS OF GALACTOCELES

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT

FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -MODERATE
-ULCERATION, -MODERATE
-ACANTHOSIS / HYPERKERATOSIS, -MODERATE
-FIBROSIS, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2167

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93197 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 334.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB), LN, AXILLARY (AX)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2168

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93198 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 555.3 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-RIGHT; WEEK 94; 10 X 10MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCTE, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIportal, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, -MODERATE PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -CYST(S); LEFT AND RIGHT POSTERIOR ASPECTS: TWO CLEAR FLUID FILLED CYSTS, EACH IS 1 MM IN DIAMETER MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT AXILLARY REGION: SINGLE MASS, 27 X 27 X 10 MM, TAN, WHITE AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (AXILLARY) NORMAL (CAP 23) -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION	MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2169

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93198	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00	STUDY DAY OF DEATH: 736	STUDY WEEK OF DEATH: 106	TERMINAL BODY WEIGHT: 555.3 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25	PROSECTOR: LAURIE J. SCHULLER	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -ANIMAL OBESE	LN, MANDIBULAR (MN) : -HEMORRHAGE, -PRESENT
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG) THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: LUNG (LU), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB), LN, AXILLARY (AX)		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2170

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93199 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 319.8 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 8:44 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >APPEARANCE; HEAD TILT; RIGHT; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT -GRANULAR CYTOPLASM, EOSINOPHILIC, CENTRIOLOBULAR, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL -PIGMENT, -MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2171

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93199 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 319.8 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 8:44 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 10 X 10 MM, DARK RED,
TAN, AND SOFT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, -NEOPLASM PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2172

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93199 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 07/13/99 STUDY DAY OF DEATH: 450 STUDY WEEK OF DEATH: 65 TERMINAL BODY WEIGHT: 319.8 GRAMS
DATE AND TIME OF NECROPSY: 07/13/99 8:44 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2173

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93200 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 314.1 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 8:06 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; NO FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM; COLLECTED ON ROUTINE SECTIONS	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MODERATELY SEVERE -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATION, FAT, INTERSTITIAL, - MINIMAL ADRENAL, CORTEX (AC) : -VACUOLATION, FOCAL, -MODERATE -HYPERTROPHY, CORTICAL CELL, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2174

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93200 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 314.1 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 8:06 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 9 X 8 X 5 MM,
DARK RED, GRAY, TAN AND SOFT

MAMMARY, FEMALE (MF) :
-THICKENED; ALL REGIONS, DIFFUSE: TAN
AND FIRM; COLLECTED ON ROUTINE SECTION
UTERUS (UT) :
-LUMEN FILLED WITH FLUID; BILATERAL:
CLEAR FLUID
-LARGE, DIFFUSE; BILATERAL: EACH HORN
IS 50 X 13 X 10 MM

OVARY (OV) :
-HYPERPLASIA, GRANULOSA CELL, -SEVERE
THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATE
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MINIMAL
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -
MODERATELY SEVERE
MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATE
UTERUS (UT) :
-DILATATION, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2175

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93200 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 314.1 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 8:06 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DARK RED
AND DRY
-ANIMAL THIN
-STAINS-PERINEUM/PERIANAL; YELLOW AND
MOIST

CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SEVERE
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -SEVERE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2176

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93200 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 02/19/00 STUDY DAY OF DEATH: 671 STUDY WEEK OF DEATH: 96 TERMINAL BODY WEIGHT: 314.1 GRAMS
DATE AND TIME OF NECROPSY: 02/19/00 8:06 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2177

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93201 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 434.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:40 PROSECTOR: JODI THIEREN RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS OVARY (OV) : -CYST(S); BILATERAL: MULTIPLE CLEAR FLUID FILLED CYSTS ON EACH, UP TO 1 MM IN DIAMETER PITUITARY (PI) : -DARK FOCUS(I)/AREA(S); MID ASPECT: SINGLE DARK RED AREA, 2 MM IN DIAMETER LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED; COLLECTED	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -SLIGHT -ANGIECTASIS, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL OVARY (OV) : -HYPERPLASIA, GRANULOSA CELL, -SEVERE THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -MINIMAL -CYST, -PRESENT MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2178

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93201	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00	STUDY DAY OF DEATH: 736	STUDY WEEK OF DEATH: 106	TERMINAL BODY WEIGHT: 434.5 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:40	PROSECTOR: JODI THIEREN	RECORDED: TONE EVERTS	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL COMMENT (GC) :
 -BLOOD FILM TAKEN
 -BONE MARROW SMEAR TAKEN

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
 LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
 SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
 ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
 STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
 MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
 LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM),
 CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
 JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
 LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
 AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2179

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93202 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 436.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:38 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 6 X 4 MM GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL -VACUOLATION, HEPATOCELLULAR, -MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MODERATE MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MINIMAL CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2180

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93202 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 436.7 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:38 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

KIDNEY (KD), PANCREAS (PA), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2181

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93203 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 01/03/99 14:31 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 76; 15 X 25MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY LIGHT; ALL LOBES: TAN	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -MINIMAL
>SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED		-FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL
>MASS(ES); INGUINAL REGION-LEFT; WEEK 81; 25 X 30MM; VERIFIED AT NECROPSY: OBSERVED	KIDNEY (KD) : -DIFFUSELY LIGHT; BILATERAL: TAN	-HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -MINIMAL
		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
		-MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, - MINIMAL
		SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE
		ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2182

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93203 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 01/03/99 14:31 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	OVARY (OV) : -CYST(S); RIGHT: SINGLE CLEAR FLUID FILLED CYST, 4 MM IN DIAMETER	ADRENAL, CORTEX (AC) : -PIGMENT, -MINIMAL ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -SLIGHT OVARY (OV) : -CYST, -PRESENT MARROW, FEMUR (FM) : -HYPERPLASIA, MYELOID, MARROW, -SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, MYELOID, MARROW, - MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MINIMAL LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -M-CARCINOMA, - 3 NEOPLASMS PRESENT -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, -NEOPLASM PRESENT -B-ADENOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -MASS(ES); 15 X 15 X 10 MM, DARK RED, RED, TAN, AND SOFT	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2183

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93203 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 01/03/99 14:31 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 20 X 10 X 10 MM, DARK
RED, BROWN AND SOFT; CUT SECTION
CONTAINS A DARK RED FLUID; COLLECTED;
REGIONAL LN (SEE AXILLARY)
-MASS #2; LEFT AXILLARY REGION: SINGLE
MASS, 30 X 30 X 20 MM, TAN, DARK RED,
AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (SEE AXILLARY)
-CYST(S); BILATERAL PECTORAL REGION:
MULTIPLE TAN CREAMY SEMIFLUID FILLED
CYSTS, UP TO 6 MM IN DIAMETER (CAP 22)
-MASS #3; RIGHT INGUINAL REGION:
SINGLE MASS, 25 X 20 X 10 MM, BROWN,
TAN, AND SOFT; CUT SURFACE CONTAINS A
TAN CASEOUS SEMISOLID; COLLECTED;
REGIONAL LN (INGUINAL) NOT IDENTIFIED
-MASS #4; LEFT INGUINAL REGION: SINGLE
MASS, 60 X 60 X 40 MM, DARK RED, RED,
TAN, AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (INGUINAL) NOT
IDENTIFIED; OVERLYING SKIN HAS TWO
DARK RED, TAN, AND MOIST ABRADED
AREAS, BOTH ARE 15 MM IN DIAMETER;
COLLECTED INTACT; POSSIBLY CONSISTENT
WITH SORE/SCAB VENTRAL ABDOMINAL LEFT
AND RIGHT NOTED IN CLINICAL
OBSERVATIONS

MAMMARY, FEMALE (MF) :
>NOTE:>THE ADENOMA WAS DESCRIBED AS A
CYST MASS #2 IS A FIBROADENOMA
MASSES 1,3, AND 4 ARE CARCINOMA
MASS 4 ALSO HAS AREAS WITH
FEATURES OF FIBROADENOMA

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2184

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93203 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 01/03/99 14:31 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :
-THICKENED WALL; BILATERAL, DIFFUSE

LN, AXILLARY (AX) :
-LARGE; BILATERAL: LEFT IS UP TO 20 X
11 X 7 MM, RIGHT IS UP TO 12 X 10 X 5
MM (CAP 21)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

UTERUS (UT) :
-HYPERTROPHY, ENDOMETRIUM, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2185

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93203 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 406.2 GRAMS
DATE AND TIME OF NECROPSY: 01/03/99 14:31 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2186

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93204 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/21/00 7:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 66; 70 X 80MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -SLIGHT -DEGENERATION / NECROSIS, CENTRIOLOBULAR, -MODERATE KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL -MINERALIZATION, TUBULAR, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MINIMAL MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATELY SEVERE MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, - MODERATELY SEVERE THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE HEART (HT) : -CARDIOMYOPATHY, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2187

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93204 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/21/00 7:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	PITUITARY (PI) : -LARGE; 6 X 5 X 3 MM -RED FOCUS(I)/AREA(S); MID ASPECT: SINGLE DARK RED AREA, 3 X 2 MM STOMACH, NONGL (SU) : -EROSION/ULCERATION; MUCOSA: SINGLE MOIST TAN ERODED AREA, 3 MM IN DIAMETER MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT INGUINAL REGION: SINGLE MASS, 90 X 89 X 34 MM, RED, TAN, VASCULAR, LOBULATED AND FIRM; SAME ON CUT SURFACE; COLLECTED INTACT; REGIONAL LN (INGUINAL) NOT IDENTIFIED	THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT STOMACH, NONGL (SU) : >UNREMARKABLE JEJUNUM (JE) : >AUTOLYTIC ILEUM (IL) : >AUTOLYTIC CECUM (CE) : >AUTOLYTIC MAMMARY, FEMALE (MF) : -B-FIBROADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, GLANDULAR, -MODERATE CERVIX (CV) : -HYPERPLASIA, MUCINOUS, -SLIGHT VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SEVERE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2188

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93204 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/21/00 7:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

CAVITY, ABDOM (PC) :
-MASS(ES); NEAR RIGHT OVARY, ATTACHED
TO ADIPOSE TISSUE: SINGLE MASS, 25 X
12 X 10 MM, TAN, GREEN, RED AND FIRM;
SAME ON CUT SURFACE (CAP 21); REGIONAL
LN (LUMBAR) NORMAL (CAP 22)

LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
-HEMORRHAGE, -PRESENT
CAVITY, ABDOM (PC) :
-INFLAMMATION / NECROSIS, FAT, -
MODERATELY SEVERE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2189

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93204 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/21/00 STUDY DAY OF DEATH: 642 STUDY WEEK OF DEATH: 92 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/21/00 7:49 PROSECTOR: JAMES T. CALLEN RECORDER: JAMES T. CALLEN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG),
GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2190

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93205 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 428.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) LIVER (LI) : -LIGHT FOCUS(I)/AREA(S); VISCERAL SURFACE OF LEFT LATERAL LOBE: SINGLE TAN AREA, 4 X 3 MM; COLLECTED ON ROUTINE SECTION OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 11 MM IN DIAMETER PITUITARY (PI) : -MASS(ES); 7 X 5 X 2 MM, RED, DARK RED, GRAY AND SOFT	BRAIN (BR) : -I-CARCINOMA, -FROM PITUITARY LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MODERATE -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -DEGENERATION, CYSTIC, -MODERATE KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - SLIGHT OVARY (OV) : -CYST, -PRESENT THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT PITUITARY (PI) : -M-CARCINOMA, -NEOPLASM PRESENT MAMMARY, FEMALE (MF) : -HYPERPLASIA, GLANDULAR, -MODERATE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2191

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93205 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 428.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: JOHN S. HALFORD RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED)	
	NECROPSY	HISTOPATHOLOGY
	LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED (CAP 22) GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN	LN, MANDIBULAR (MN) : -HEMORRHAGE, -PRESENT
THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY: EYE (EY), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)		
THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION: PANCREAS (PA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)		

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2192

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93206 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 236.5 GRAMS
DATE AND TIME OF NECROPSY: 04/15/00 7:50 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL LIVER (LI) : -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -MODERATELY SEVERE -HYPERTROPHY, CORTICAL CELL, -MINIMAL -DEGENERATION, CYSTIC / HEMORRHAGIC, - MINIMAL -PIGMENT, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2193

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93206 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 236.5 GRAMS
DATE AND TIME OF NECROPSY: 04/15/00 7:50 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 7 MM, TAN, DARK
RED AND SOFT

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT
STOMACH, NONGL (SU) :
-ACANTHOSIS / HYPERKERATOSIS, -SLIGHT
-INFLAMMATION, CHRONIC-ACTIVE, -SLIGHT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-DISCHARGE-OCULAR; BILATERAL: DRY RED
MATERIAL
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2194

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93206 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/15/00 STUDY DAY OF DEATH: 727 STUDY WEEK OF DEATH: 104 TERMINAL BODY WEIGHT: 236.5 GRAMS
DATE AND TIME OF NECROPSY: 04/15/00 7:50 PROSECTOR: JARED FISHEL RECORDER: JARED FISHEL
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML),
LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2195

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93207 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/99 STUDY DAY OF DEATH: 281 STUDY WEEK OF DEATH: 41 TERMINAL BODY WEIGHT: 204.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/99 14:02 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); VENTRAL-THORACIC-RIGHT; WEEK 10; 55 X 55MM; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >EYES; RED DISCHARGE; EYES; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -DIFFUSELY DARK; ALL LOBES: DARK BROWN KIDNEY (KD) : -DIFFUSELY DARK; BILATERAL: DARK BROWN -MASS(ES); RIGHT, CORTICAL SURFACE, EXTENDING TO MEDULLA: MULTIPLE MASSES, UP TO 8 X 5 X 3 MM, TAN AND FIRM; SAME ON CUT SURFACES; COLLECTED INTACT; REGIONAL LN (RENAL) NOT IDENTIFIED SPLEEN (SP) : -SMALL; 29 X 5 X 3 MM	LIVER (LI) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT KIDNEY (KD) : -MINERALIZATION, TUBULAR, -MODERATE -N-CARCINOMA, -FROM MAMMARY, FEMALE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -DEPLETION, LYMPHOCYTIC, -MODERATELY SEVERE PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -MODERATE LN, MESENTERIC (MS) : -HEMORRHAGE, -PRESENT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATELY SEVERE LUNG (LU) : -N-CARCINOMA, -FROM MAMMARY, FEMALE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2196

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93207 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/99 STUDY DAY OF DEATH: 281 STUDY WEEK OF DEATH: 41 TERMINAL BODY WEIGHT: 204.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/99 14:02 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -MASS(ES); ALL LOBES: MULTIPLE MASSES, UP TO 15 X 10 X 10 MM, TAN AND FIRM; SAME ON CUT SURFACES; COLLECTED INTACT; REGIONAL LN (TRACHEOBRONCHIAL) NOT IDENTIFIED	STOMACH, NONGL (SU) : -EDEMA, -PRESENT
	MAMMARY, FEMALE (MF) : -MASS(ES); VENTRAL THORACIC REGION: SINGLE MASS, 70 X 40 X 30 MM, RED, DARK RED, TAN, BROWN, SOFT, AND LOBULATED; SAME ON CUT SURFACE; ON SECTION, SOME AREAS EXUDED A DARK BROWN, TENACIOUS SEMIFLUID; COLLECTED; REGIONAL LN (SEE AXILLARY)	MAMMARY, FEMALE (MF) : -M-CARCINOMA, -NEOPLASM PRESENT
	LN, AXILLARY (AX) : -MOTTLED; BILATERAL: DARK BROWN, RED, AND TAN (CAP 20)	CAUSE OF DEATH (CD) : -NEOPLASM, MAMMARY GLAND, -PRESENT
	GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -DISCHARGE-OCULAR; BILATERAL: DARK RED AND DRY -ANIMAL THIN -GI TRACT-LARGE LUMEN; ENTIRE GI TRACT: DISTENDED WITH GAS	LN, AXILLARY (AX) : -HEMORRHAGE, -PRESENT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2197

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93207 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/25/99 STUDY DAY OF DEATH: 281 STUDY WEEK OF DEATH: 41 TERMINAL BODY WEIGHT: 204.3 GRAMS
DATE AND TIME OF NECROPSY: 01/25/99 14:02 PROSECTOR: NANCY DIEDRICH RECORDER: NANCY DIEDRICH
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: DR. RICHARD ALSAKER WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), PITUITARY (PI),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2198

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93208 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/16/99 6:55 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>RESPIRATION; AUDIBLE; VERIFIED AT NECROPSY: NOT APPLICABLE >RESPIRATION; IRREGULAR; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; RECUMBENT; STERNAL; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) KIDNEY (KD) : -LARGE PELVIS(ES); LEFT ADRENAL, CORTEX (AC) : -SMALL; LEFT: 3 X 2 X 2 MM (RIGHT IS 5 X 4 X 4 MM) OVARY (OV) : -CYST(S); BILATERAL: SINGLE CLEAR FLUID FILLED CYST ON EACH, LEFT IS 6 MM IN DIAMETER, RIGHT IS 3 MM IN DIAMETER	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -HYPERTROPHY, HEPATOCELLULAR, CENTRIOLOBULAR POLYKARYOCYTOSIS OCCASIONALLY NOTED, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MODERATE -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE OVARY (OV) : -CYST, -PRESENT SPINAL CORD (SC) : -HEMORRHAGE, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2199

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93208 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/16/99 6:55 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); SINGLE MASS, 9 X 7 X 5 MM,
RED, TAN, LOBULATED, AND SOFT

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN CASEOUS SEMIFLUID MATERIAL

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MINIMAL

LUNG (LU) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MODERATE

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2200

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93208 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/16/99 STUDY DAY OF DEATH: 576 STUDY WEEK OF DEATH: 83 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/16/99 6:55 PROSECTOR: MICHELE MARGGI RECORDER: MICHELE MARGGI
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), MARROW, FEMUR (FM),
MARROW, STERNUM (SE), BONE, STERNUM (SB), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2201

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93209 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 604.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:50 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERTROPHY, HEPATOCELLULAR, PERIPORTAL, -SLIGHT KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL PANCREAS (PA) : -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL THYROID (TY) : -HYPERPLASIA, C-CELL, -SLIGHT -B-ADENOMA, C-CELL, -NEOPLASM PRESENT JEJUNUM (JE) : -M-CARCINOMA, -NEOPLASM PRESENT
	THYROID (TY) : -LARGE; LEFT: 6 X 5 X 5 MM (RIGHT IS 4 X 3 X 2 MM) -DIFFUSELY RED; LEFT: DARK RED	

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2202

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93209 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 604.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:50 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

JEJUNUM (JE) :
-MASS(ES); WITHIN WALL: SINGLE MASS,
17 X 11 X 10 MM, TAN, LOBULATED,
VASCULAR AND FIRM; SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(LUMBAR) NORMAL (CAP 22)

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -MODERATE
CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, LUMBAR/ILIAC (LM) :
-HEMORRHAGE, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2203

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93209 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 604.9 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:50 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), PITUITARY (PI), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2204

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93210 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 318.8 GRAMS
DATE AND TIME OF NECROPSY: 04/22/00 8:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-RIGHT; WEEK 88; 30 X 35MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT
>MASS(ES); INGUINAL REGION-LEFT; WEEK 94; 50 X 50MM; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
>SKIN & PELAGE; YELLOW HAIR COAT; VERIFIED AT NECROPSY: OBSERVED		KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL
>EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE		-MINERALIZATION, PELVIC, -MINIMAL
>APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED		SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE		-HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL
		PANCREAS (PA) : -INFLAMMATION, VASCULAR, -SEVERE
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -MODERATELY SEVERE
		-DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATE
		-PIGMENT, -MINIMAL
		ADRENAL, MEDULLA (MA) : -HYPERPLASIA, MEDULLARY, -MINIMAL

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2205

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93210 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 318.8 GRAMS
DATE AND TIME OF NECROPSY: 04/22/00 8:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 12 X 9 X 8 MM, RED, DARK
RED, TAN AND SOFT
SKIN (SK) :
>NOTE:>SKIN TAKEN FROM RIGHT INGUINAL
REGION DUE TO LARGER MASS ON
LEFT
MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT INGUINAL REGION:
SINGLE MASS, 35 X 26 X 17 MM, TAN,
RED, VASCULAR AND FIRM; SAME ON CUT
SURFACE; COLLECTED; REGIONAL LN
(INGUINAL) NOT IDENTIFIED
-MASS #2; LEFT INGUINAL REGION: SINGLE
MASS, 58 X 48 X 33 MM, RED, TAN AND
SOFT; ON CUT SECTION EXUDES A TAN
CREAMY SEMIFLUID; COLLECTED; REGIONAL
LN (INGUINAL) NOT IDENTIFIED

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
SLIGHT
LUNG (LU) :
-MINERALIZATION, VASCULAR, -MINIMAL
HEART (HT) :
-CARDIOMYOPATHY, -MINIMAL
-INFLAMMATION, VASCULAR, -SLIGHT
THYROID (TY) :
-HYPERPLASIA, C-CELL, -SLIGHT
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-B-FIBROADENOMA, - 2 NEOPLASMS PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2206

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93210 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 318.8 GRAMS
DATE AND TIME OF NECROPSY: 04/22/00 8:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : >NOTE:>MAMMARY SECTION TAKEN FROM RIGHT INGUINAL REGION DUE TO LARGER MASS ON LEFT VAGINA (VA) : -SEMIFLUID MATERIAL; WITHIN LUMEN: GREEN MUCOID SEMIFLUID MATERIAL GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -ANIMAL THIN -STAINS - SKIN/HAIRCOAT; ENTIRE VENTRAL SURFACE: YELLOW	VAGINA (VA) : >UNREMARKABLE CAUSE OF DEATH (CD) : -NEOPLASM, PITUITARY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2207

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93210 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 04/22/00 STUDY DAY OF DEATH: 734 STUDY WEEK OF DEATH: 105 TERMINAL BODY WEIGHT: 318.8 GRAMS
DATE AND TIME OF NECROPSY: 04/22/00 8:26 PROSECTOR: JODI THIEREN RECORDER: JODI THIEREN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN),
LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC),
AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2208

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93211 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 339.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); INGUINAL REGION-LEFT; WEEK 104; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) THYMUS (TH) : -MASS(ES); INVOLVING ENTIRE ORGAN: SINGLE MASS, 11 X 10 X 4 MM, RED AND FIRM; COLLECTED INTACT; REGIONAL LN (SEE MEDIASTINAL) PITUITARY (PI) : -MASS(ES); 10 X 6 X 3 MM, DARK RED, TAN AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HYPERPLASIA, BILE DUCT, -MODERATE -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL THYMUS (TH) : -HYPERPLASIA, LYMPHORETICULAR, -SEVERE LUNG (LU) : -MINERALIZATION, ALVEOLAR LUMINA, - MINIMAL THYROID (TY) : -B-ADENOMA, FOLLICULAR CELL, -NEOPLASM PRESENT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2209

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93211 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 339.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT INGUINAL REGION:
SINGLE MASS, 16 X 12 X 8 MM, TAN AND
FIRM; SAME ON CUT SURFACE (CAP 24);
REGIONAL LN (INGUINAL) NOT IDENTIFIED
UTERUS (UT) :
-THICKENED WALL; BILATERAL: DIFFUSE
-MASS(ES); ATTACHED TO WALL OF RIGHT
HORN, 8 MM FROM BIFURCATION: SINGLE
MASS, 20 X 20 X 15 MM, RED, TAN,
VASCULAR AND CYSTIC; SAME ON CUT
SURFACE; COLLECTED INTACT; REGIONAL LN
(LUMBAR) NORMAL (CAP 23)

LN, MEDIASTINAL (ML) :
-DIFFUSELY RED; (CAP 22)

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

MAMMARY, FEMALE (MF) :
-HYPERPLASIA, GLANDULAR, -SLIGHT
-B-ADENOMA, -NEOPLASM PRESENT
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATE
-M-LEIOMYOSARCOMA, -NEOPLASM PRESENT

CAUSE OF DEATH (CD) :
-SCHEDULED SACRIFICE, -PRESENT
LN, MEDIASTINAL (ML) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE
LN, LUMBAR/ILIAC (LM) :
-HYPERPLASIA, LYMPHOPLASMATIC, -
MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2210

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93211 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 339.0 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 10:25 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2211

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93212 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/24/99 8:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; PAWS-HIND; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL -FIBROSIS, PERIBILIARY, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATELY SEVERE PANCREAS (PA) : -ATROPHY, ACINAR, -MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - SLIGHT -HYPERPLASIA, CORTICAL, -MINIMAL OVARY (OV) : >UNREMARKABLE
	ADRENAL, CORTEX (AC) : -LARGE; LEFT: 8 X 6 X 4 MM -SMALL; RIGHT: 3 X 2 X 2 MM OVARY (OV) : -CYST(S); RIGHT: SINGLE RED FLUID FILLED CYST, 8 MM IN DIAMETER	

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2212

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93212 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/24/99 8:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 7 X 6 MM, DARK RED,
TAN AND SOFT
STOMACH, GL (ST) :
-RAISED AREA(S); MUCOSA, NEAR JUNCTION
OF NONGLANDULAR JUNCTION: SINGLE TAN
AREA, 2 X 2 X 1 MM

FOOT/FOOTPAD (FP) :
-CRUSTED AREA(S); LEFT HINDFOOT:
SINGLE DARK RED AND SLIGHTLY RAISED
AREA, 7 X 5 X 2 MM; COLLECTED; RIGHT
NOT IDENTIFIED
LN, POPLITEAL (PP) :
-LARGE; LEFT: 13 X 8 X 4 MM (CAP 21);
RIGHT NOT IDENTIFIED
-DIFFUSELY RED; LEFT: DARK RED

MARROW, FEMUR (FM) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SEVERE
THYROID (TY) :
-HYPERPLASIA, C-CELL, -MINIMAL
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

STOMACH, GL (ST) :
>UNREMARKABLE

MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT
FOOT/FOOTPAD (FP) :
-INFLAMMATION, CHRONIC-ACTIVE, -
MODERATELY SEVERE
-ACANTHOSIS / HYPERKERATOSIS, -
MODERATELY SEVERE
LN, POPLITEAL (PP) :
-HYPERPLASIA, PLASMACYTIC, -SEVERE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2213

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93212 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/24/99 8:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

GENERAL INFORMATION (XX) :
>NOTE:>TISSUE ON SLIDE #22 APPEARS TO
BE A NECROTIC FIBROADENOMA. AS
THERE WAS NO GROSS DESCRIPTION
OF A LARGE SUBCUTANEOUS TUMOR,
THE TISSUE CANNOT BE
DEFINITELY ASSOCIATED WITH
THIS ANIMAL.

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2214

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93212 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 11/24/99 STUDY DAY OF DEATH: 584 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 11/24/99 8:43 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), MUSCLE, OTHER (MO),
PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD),
TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2215

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93213 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/26/99 STUDY DAY OF DEATH: 586 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 265.3 GRAMS
DATE AND TIME OF NECROPSY: 11/26/99 13:11 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >APPEARANCE; THIN; VERIFIED AT NECROPSY: NOT OBSERVED >BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; TREMORS; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HUNCHED; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; HEAD TILT; LEFT; VERIFIED AT NECROPSY: NOT APPLICABLE >EXCRETION; FEW FECES; VERIFIED AT NECROPSY: NOT APPLICABLE >BEHAVIOR; COLD TO TOUCH; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE >SKIN & PELAGE; PALE; ENTIRE BODY; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 MM IN DIAMETER (RIGHT IS 5 X 4 X 3 MM)	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -NECROSIS, INDIVIDUAL HEPATOCYTE, - MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -INFLAMMATION, CHRONIC-ACTIVE, PELVIC, - MINIMAL SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATE -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MINIMAL ADRENAL, CORTEX (AC) : -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -SLIGHT LUNG (LU) : -INFILTRATE, MACROPHAGE, ALVEOLAR, - MINIMAL THYROID (TY) : -B-ADENOMA, C-CELL, -NEOPLASM PRESENT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2216

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93213 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/26/99 STUDY DAY OF DEATH: 586 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 265.3 GRAMS
DATE AND TIME OF NECROPSY: 11/26/99 13:11 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-MASS(ES); 11 X 10 X 7 MM, DARK RED,
RED, TAN, GRAY AND SOFT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

HARDERIAN GLAND (HG) :
-INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL
CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-MALOCCLUSION; BILATERAL, UPPER
INCISORS

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2217

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93213 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 11/26/99 STUDY DAY OF DEATH: 586 STUDY WEEK OF DEATH: 84 TERMINAL BODY WEIGHT: 265.3 GRAMS
DATE AND TIME OF NECROPSY: 11/26/99 13:11 PROSECTOR: TODD ACKER RECORDER: TODD ACKER
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), PARATHYROID (PT), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2218

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93214 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/03/00 STUDY DAY OF DEATH: 684 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/03/00 7:46 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -B-ADENOMA, HEPATOCELLULAR, -NEOPLASM PRESENT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -MODERATE ADRENAL, CORTEX (AC) : -ANGIECTASIS, -SLIGHT -HYPERTROPHY, CORTICAL CELL, -MODERATE THYMUS (TH) : -HEMORRHAGE, -PRESENT -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2219

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93214 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/03/00 STUDY DAY OF DEATH: 684 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/03/00 7:46 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

PITUITARY (PI) :
-CYST(S); RIGHT ASPECT: SINGLE CYST, 3
MM IN DIAMETER, FILLED WITH A DARK RED
FLUID

LUNG (LU) :
-INFILTRATE, MACROPHAGE, ALVEOLAR, -
MODERATE
PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

JEJUNUM (JE) :
>AUTOLYTIC
ILEUM (IL) :
>AUTOLYTIC
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
URINARY BLADDER (UB) :
-MINERALIZED MATERIAL, LUMEN, -PRESENT
UTERUS (UT) :
-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
SLIGHT
CERVIX (CV) :
-HYPERPLASIA, MUCINOUS, -SLIGHT
VAGINA (VA) :
-HYPERPLASIA, MUCINOUS, -MODERATE
CAUSE OF DEATH (CD) :
-UNDETERMINED MICROSCOPICALLY, -PRESENT
LN, MANDIBULAR (MN) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE
-CONGESTION, -PRESENT

LN, MANDIBULAR (MN) :
-DIFFUSELY RED; BILATERAL (CAP 21)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2220

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93214 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 03/03/00 STUDY DAY OF DEATH: 684 STUDY WEEK OF DEATH: 98 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 03/03/00 7:46 PROSECTOR: DENNIS HOFFMAN RECORDER: DENNIS HOFFMAN
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV),
VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG),
GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM),
NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), CECUM (CE), COLON (CO), RECTUM (RE),
SKIN (SK), HEMATO NEOPLASIA (HN)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2221

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93215 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 298.3 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 14:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>BEHAVIOR; HYPOACTIVE; VERIFIED AT NECROPSY: NOT APPLICABLE >APPEARANCE; THIN; VERIFIED AT NECROPSY: OBSERVED >BEHAVIOR; ATAXIC; VERIFIED AT NECROPSY: NOT APPLICABLE	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) PITUITARY (PI) : -MASS(ES); 11 X 10 X 8 MM, RED, TAN AND SOFT	BRAIN (BR) : -DILATATION, VENTRICULAR, -PRESENT -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL KIDNEY (KD) : -MINERALIZATION, PELVIC, -MODERATELY SEVERE SPLEEN (SP) : -PIGMENT, INCREASED, -MODERATELY SEVERE ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - SLIGHT PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT HARDERIAN GLAND (HG) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT VAGINA (VA) : >UNREMARKABLE

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2222

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93215 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 298.3 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 14:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

VAGINA (VA) :
-SEMIFLUID MATERIAL; WITHIN LUMEN:
LIGHT GREEN, MUCOID SEMIFLUID MATERIAL

CAUSE OF DEATH (CD) :
-NEOPLASM, PITUITARY, -PRESENT

GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN
-ANIMAL THIN

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2223

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93215 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 12/06/99 STUDY DAY OF DEATH: 596 STUDY WEEK OF DEATH: 86 TERMINAL BODY WEIGHT: 298.3 GRAMS
DATE AND TIME OF NECROPSY: 12/06/99 14:55 PROSECTOR: JOHN S. HALFORD RECORDER: JOHN S. HALFORD
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA),
LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB),
SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR),
ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST),
STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK),
MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), LN, MEDIASTINAL (ML), LN, AXILLARY (AX),
LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE),
COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2224

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93216 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 514.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:36 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); EAR-RIGHT; WEEK 61; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 81; 50 X 60MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); AXILLARY REGION-RIGHT; WEEK 93; 20 X 25MM; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-RIGHT; WEEK 96; 40 X 40MM; VERIFIED AT NECROPSY: OBSERVED >SKIN & PELAGE; SORE/SCAB; VENTRAL- ABDOMINAL-RIGHT; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL-LEFT; WEEK 101; 25 X 25MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS) ADRENAL, CORTEX (AC) : -LARGE; LEFT: 9 X 6 X 5 MM (RIGHT IS 6 X 4 X 3 MM) PITUITARY (PI) : -MASS(ES); 9 X 6 X 4 MM, RED, DARK RED, TAN, AND SOFT	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -FIBROSIS, PERIBILIARY, -SLIGHT KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -MINIMAL ADRENAL, CORTEX (AC) : >NOT REQUIRED TO BE EXAMINED FOR ANIMAL LUNG (LU) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -INFILTRATE, MACROPHAGE, PIGMENTED, - MINIMAL PITUITARY (PI) : -B-ADENOMA, -NEOPLASM PRESENT -HYPERPLASIA, -MODERATE MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2225

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93216 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 514.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:36 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

MAMMARY, FEMALE (MF) :
-MASS(ES); RIGHT AXILLARY REGION:
SINGLE MASS, 70 X 60 X 30 MM, RED,
DARK RED, TAN, AND FIRM, SAME ON CUT
SURFACE; SOME SECTIONS EXUDE A TAN
CASEOUS SEMIFLUID; COLLECTED INTACT;
REGIONAL LN (SEE AXILLARY)
-MASS #2; RIGHT AXILLARY REGION,
CAUDAL TO MASS #1: SINGLE MASS, 35 X
25 X 15 MM, RED, TAN, AND FIRM; SAME
ON CUT SURFACE; REGIONAL LN (SEE
AXILLARY)
-MASS #3; LEFT PERIANAL REGION: SINGLE
MASS, 40 X 30 X 15 MM, RED, TAN AND
FIRM; SAME ON CUT SURFACE; COLLECTED
INTACT; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
-MASS #4; RIGHT INGUINAL REGION:
SINGLE MASS, 50 X 30 X 20 MM, RED,
DARK RED, TAN, AND FIRM; SAME ON CUT
SURFACE; SOME SECTIONS EXUDE A TAN
CREAMY SEMISOLID; OVERLYING SKIN HAS A
SINGLE MOIST, BROWN, ULCERATED AREA,
20 X 15 X 4 MM; COLLECTED INTACT WITH
MASS; REGIONAL LN (INGUINAL) NOT
IDENTIFIED
UTERUS (UT) :
-CYST(S); WITHIN LUMEN OF LEFT HORN:
MULTIPLE CYSTS, UP TO 7 X 5 X 5 MM

MAMMARY, FEMALE (MF) :
-INFLAMMATION, CHRONIC-ACTIVE, -SEVERE
-B-FIBROADENOMA, - 3 NEOPLASMS PRESENT
-B-ADENOMA, -NEOPLASM PRESENT
>NOTE:>MASS 4 IS THE ADENOMA

UTERUS (UT) :
-B-POLYP, ENDOMETRIAL, STROMAL, -
NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2226

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93216 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 514.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:36 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

UTERUS (UT) :

-MASS(ES); WITHIN LUMEN OF RIGHT HORN:
SINGLE MASS, 10 X 6 X 4 MM, RED, DARK
RED, TAN, SOFT; COLLECTED INTACT;
REGIONAL LN (SEE LUMBAR)

LN, AXILLARY (AX) :

-LARGE; RIGHT: 15 X 7 X 3 MM (LEFT IS
5 X 3 X 1 MM) (CAP 25)

LN, MANDIBULAR (MN) :

-LARGE; RIGHT: 10 X 5 X 2 MM (LEFT IS
5 X 3 X 1 MM) (CAP 23)

LN, LUMBAR/ILIAC (LM) :

-CYST(S); RIGHT: SINGLE CLEAR FLUID
FILLED CYST, 2 MM IN DIAMETER (CAP 24)
-LARGE; RIGHT: 10 X 5 X 2 MM (LEFT IS
7 X 3 X 1 MM) (CAP 24)

PINNA (PN) :

-MASS(ES); RIGHT INVOLVING ENTIRE EAR
CANAL: SINGLE MASS, 12 X 10 X 6 MM,
RED, DARK RED, TAN, AND FIRM; SAME ON
CUT SURFACE (CAP 22); REGIONAL LN (SEE
MANDIBULAR)

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN

UTERUS (UT) :

-HYPERPLASIA, CYSTIC, ENDOMETRIAL, -
MODERATE

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

LN, AXILLARY (AX) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE

LN, MANDIBULAR (MN) :

-HYPERPLASIA, LYMPHOPLASMACYTIC, -SEVERE

LN, LUMBAR/ILIAC (LM) :

-LYMPHANGIECTASIS, -PRESENT
-HYPERPLASIA, LYMPHOPLASMACYTIC, -
MODERATELY SEVERE

PINNA (PN) :

-B-PAPILLOMA, SQUAMOUS CELL, -NEOPLASM
PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2227

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93216 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 514.4 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:36 PROSECTOR: TROY ELLENBECKER RECORDER: TONE EVERTS
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS),
OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC),
THYMUS (TH), LUNG (LU), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP),
JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA),
LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), ARTERY, OTHER (AU),
AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2228

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93217 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/14/00 STUDY DAY OF DEATH: 635 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/14/00 9:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>NORMAL; NO REMARKABLE OBSERVATIONS; VERIFIED AT NECROPSY: OBSERVED		LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -DILATATION, PELVIC, -SLIGHT SPLEEN (SP) : -PIGMENT, INCREASED, -SLIGHT -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SLIGHT PANCREAS (PA) : -ATROPHY, ACINAR, -SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - MODERATE ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -SLIGHT OVARY (OV) : -CORPORA LUTEA, PERSISTENT, -PRESENT MARROW, FEMUR (FM) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT MARROW, STERNUM (SE) : -HYPERPLASIA, ERYTHROID, MARROW, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2229

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93217 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/14/00 STUDY DAY OF DEATH: 635 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/14/00 9:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LUNG (LU) : -LIGHT FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE TAN AREAS, UP TO 5 X 4 MM	THYMUS (TH) : -DEPLETION, LYMPHOCYTIC (GENERALLY COMPATIBLE WITH PHYSIOLOGIC ATROPHY), - MODERATE LUNG (LU) : -MINERALIZATION, VASCULAR, -MINIMAL -INFILTRATE, MACROPHAGE, ALVEOLAR, - SLIGHT PITUITARY (PI) : -HYPERPLASIA, -SLIGHT VAGINA (VA) : -HYPERPLASIA, MUCINOUS, -SLIGHT CAUSE OF DEATH (CD) : -UNDETERMINED MICROSCOPICALLY, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2230

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93217 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (D)
DATE OF DEATH: 01/14/00 STUDY DAY OF DEATH: 635 STUDY WEEK OF DEATH: 91 TERMINAL BODY WEIGHT: NOT ENTERED
DATE AND TIME OF NECROPSY: 01/14/00 9:35 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), LIVER (LI), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, CORTEX (AC),
ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE),
BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN),
TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG),
STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO),
RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), LN, MANDIBULAR (MN),
TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO),
CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG), GENERAL COMMENT (GC)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), BRAIN (BR), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), MAMMARY, FEMALE (MF),
URINARY BLADDER (UB), UTERUS (UT), CERVIX (CV), HEMATO NEOPLASIA (HN)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2231

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93218 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 458.8 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 15:10 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>MASS(ES); AXILLARY REGION-LEFT; WEEK 50; 20 X 20MM; VERIFIED AT NECROPSY: OBSERVED	BRAIN (BR) : -COMPRESSED (HYPOTHALAMUS)	BRAIN (BR) : -COMPRESSION, VENTRAL, -PRESENT
>SKIN & PELAGE; SORE/SCAB; AXILLARY REGION-LEFT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -LARGE; ALL LOBES; MARGINS APPEAR ROUNDED -MOTTLED; ALL LOBES: BROWN AND TAN	LIVER (LI) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -HEMATOPOIESIS, EXTRAMEDULLARY, -MINIMAL -HYPERPLASIA, BILE DUCT, -SLIGHT -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
	KIDNEY (KD) : -GRANULAR MATERIAL; BILATERAL, WITHIN PELVIS: MULTIPLE TAN AND FIRM GRANULES, UP TO 1 MM IN DIAMETER	KIDNEY (KD) : -MINERALIZATION, PELVIC, -MINIMAL
	SPLEEN (SP) : -LARGE; 70 X 20 X 15 MM	SPLEEN (SP) : -HEMATOPOIESIS, EXTRAMEDULLARY, INCREASED, -SEVERE
		PANCREAS (PA) : -ZYMOGEN GRANULES, DECREASED, -SLIGHT
		ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SLIGHT -PIGMENT, -SLIGHT
		MARROW, FEMUR (FM) : -X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT -HYPERPLASIA, MYELOID, MARROW, -MODERATE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2232

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93218 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 458.8 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 15:10 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LUNG (LU) :
-RAISED FOCUS(I)/AREA(S); ALL LOBES:
MULTIPLE DARK RED AND TAN AREAS, UP TO
4 X 3 X 3 MM

PITUITARY (PI) :
-MASS(ES); 7 X 7 X 5 MM, DARK RED, TAN
AND SOFT

MAMMARY, FEMALE (MF) :
-MASS(ES); LEFT AXILLARY REGION:
SINGLE MASS, 55 X 25 X 15 MM, TAN,
GRAY AND FIRM; SAME ON CUT SURFACE;
COLLECTED; REGIONAL LN (SEE AXILLARY);
OVERLYING SKIN HAS A SINGLE DARK RED
AND TAN ABRADED AREA, 30 MM IN
DIAMETER; COLLECTED INTACT

MARROW, FEMUR (FM) :
-HYPERPLASIA, MEGAKARYOCYTIC, MARROW, -
MODERATE

MARROW, STERNUM (SE) :
-HYPERPLASIA, MYELOID, MARROW, -SLIGHT
-HYPERPLASIA, MEGAKARYOCYTIC, MARROW, -
MODERATE

THYMUS (TH) :
-DEPLETION, LYMPHOCYTIC (GENERALLY
COMPATIBLE WITH PHYSIOLOGIC ATROPHY), -
MODERATELY SEVERE

LUNG (LU) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT

PITUITARY (PI) :
-B-ADENOMA, -NEOPLASM PRESENT

SKIN (SK) :
-X-HEMATOPOIETIC NEOPLASIA (SEE "HEMATO
NEOPLASIA" FOR TYPE), -NEOPLASM PRESENT
MAMMARY, FEMALE (MF) :
-CYST / GALACTOCELE, -PRESENT
-HYPERPLASIA, GLANDULAR, -MINIMAL
>NOTE:>SEE SKIN FOR DIAGNOSIS OF TUMOR

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2233

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93218 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 458.8 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 15:10 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

LN, AXILLARY (AX) :
-LARGE; LEFT: UP TO 15 X 10 X 7 MM
(RIGHT IS UP TO 5 X 3 X 3 MM)(CAP 21)
GENERAL COMMENT (GC) :
-BLOOD FILM TAKEN

VAGINA (VA) :
-LUMEN, EXUDATE, -PRESENT
HEMATO NEOPLASIA (HN) :
-M-SARCOMA, HISTIOCYTIC, -NEOPLASM
PRESENT
CAUSE OF DEATH (CD) :
-NEOPLASM, HEMATOPOIETIC, -PRESENT
LN, AXILLARY (AX) :
-HYPERPLASIA, LYMPHOPLASMACYTIC, -SLIGHT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2234

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93218 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: UNSCHEDULED (M)
DATE OF DEATH: 01/03/00 STUDY DAY OF DEATH: 624 STUDY WEEK OF DEATH: 90 TERMINAL BODY WEIGHT: 458.8 GRAMS
DATE AND TIME OF NECROPSY: 01/03/00 15:10 PROSECTOR: WENDY CHERRY RECORDER: WENDY CHERRY
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), PANCREAS (PA), ADRENAL, CORTEX (AC), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV),
BONE, FEMUR (FE), MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH),
HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY),
PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB),
UTERUS (UT), CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL),
LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP),
AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE),
ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

EYE (EY), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), OVARY (OV), BONE, FEMUR (FE), BONE, STERNUM (SB),
SPINAL CORD (SC), HEART (HT), MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES),
THYROID (TY), PARATHYROID (PT), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU),
DUODENUM (DU), JEJUNUM (JE), ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2235

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93219 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 761.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:38 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>SKIN & PELAGE; SORE/SCAB; VENTRAL- THORACIC-RIGHT; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 5 X 4 MM; COLLECTED ON ROUTINE SECTIONS KIDNEY (KD) : -LARGE PELVIS(ES); RIGHT ADRENAL, CORTEX (AC) : -LARGE; LEFT: 7 X 5 X 5 MM (RIGHT IS 4 X 3 X 2 MM) OVARY (OV) : -CYST(S); LEFT: SINGLE CLEAR FLUID FILLED CYST, 10 MM IN DIAMETER	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -SLIGHT -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -DILATATION, PELVIC, -SEVERE -MINERALIZATION, PELVIC, -MINIMAL ADRENAL, CORTEX (AC) : -HYPERTROPHY, CORTICAL CELL, -SEVERE -DEGENERATION, CYSTIC / HEMORRHAGIC, - MODERATELY SEVERE -PIGMENT, -MINIMAL OVARY (OV) : -CYST, -PRESENT THYROID (TY) : -HYPERPLASIA, C-CELL, -MINIMAL STOMACH, GL (ST) : >UNREMARKABLE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2236

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93219 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 761.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:38 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS

O B S E R V A T I O N S (CONTINUED)
NECROPSY

HISTOPATHOLOGY

STOMACH, GL (ST) :

-DARK FOCUS(I)/AREA(S); MUCOSA: SINGLE
DARK BROWN FOCUS, LESS THAN 1 MM IN
DIAMETER

SKIN (SK) :

-CRUSTED AREA(S); RIGHT VENTRAL
ABDOMINAL REGION: SINGLE DRY, TAN, RED
CRUSTED AREA, 6 MM IN DIAMETER (CAP
22)

SKIN (SK) :

-B-KERATOACANTHOMA, -NEOPLASM PRESENT

MAMMARY, FEMALE (MF) :

-HYPERPLASIA, GLANDULAR, -MINIMAL

CAUSE OF DEATH (CD) :

-SCHEDULED SACRIFICE, -PRESENT

GENERAL COMMENT (GC) :

-BLOOD FILM TAKEN
-BONE MARROW SMEAR TAKEN
-ANIMAL OBESE

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2237

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93219 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 761.8 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 9:38 PROSECTOR: JAMES T. CALLEN RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), LN, MESENTERIC (MS), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), LUNG (LU), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
PITUITARY (PI), HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), MAMMARY, FEMALE (MF), URINARY BLADDER (UB), UTERUS (UT),
CERVIX (CV), VAGINA (VA), LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN),
LN, RENAL (RL), LN, MANDIBULAR (MN), TAIL (TI), LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS),
FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA), LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL),
URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP), CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP),
MUSCLE, OTHER (MO), PERICARDIAL SAC (PD), PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC),
BILE DUCT (BD), TRIGEMINAL NERVE (TG)

THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

PANCREAS (PA), ADRENAL, MEDULLA (MA), LUNG (LU), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2238

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93220 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 580.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

*** ORGAN WEIGHTS WERE NOT RECORDED ***

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S NECROPSY	HISTOPATHOLOGY
>APPEARANCE; MALOCCLUSION; VERIFIED AT NECROPSY: OBSERVED >MASS(ES); VENTRAL-ABDOMINAL; WEEK 97; 70 X 60MM; VERIFIED AT NECROPSY: OBSERVED	LIVER (LI) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 4 MM IN DIAMETER; COLLECTED ON ROUTINE SECTIONS ADRENAL, CORTEX (AC) : -LARGE; RIGHT: 5 MM IN DIAMETER (LEFT IS 3 MM IN DIAMETER)	LIVER (LI) : -INFILTRATE, LYMPHOHISTIOCYTIC, -MINIMAL -VACUOLATION, HEPATOCELLULAR, PERIPORTAL, -SLIGHT -FOCUS, ALTERED HEPATOCELLULAR, CLEAR / EOSINOPHILIC CELL, -MINIMAL -FOCUS, ALTERED HEPATOCELLULAR, BASOPHILIC, -MINIMAL -HYPERPLASIA, BILE DUCT, -MINIMAL KIDNEY (KD) : -NEPHROPATHY, CHRONIC PROGRESSIVE, - MINIMAL -MINERALIZATION, PELVIC, -SLIGHT -HYPERPLASIA, TRANSITIONAL CELL, -SLIGHT PANCREAS (PA) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT -INFILTRATION, FAT, INTERSTITIAL, - SLIGHT ADRENAL, CORTEX (AC) : -PIGMENT, -SLIGHT -DEGENERATION / NECROSIS, UNILATERAL, - MODERATELY SEVERE -M-CARCINOMA, -NEOPLASM PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2239

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93220	SEX: FEMALE	DOSE GROUP: 6	SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00	STUDY DAY OF DEATH: 736	STUDY WEEK OF DEATH: 106	TERMINAL BODY WEIGHT: 580.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12	PROSECTOR: LAURIE J. SCHULLER	RECORDED: JERALD W. JOHNSON	
POST-FIX WEIGHER: NOT AVAILABLE	PATHOLOGIST: AS ASSIGNED	WEIGHER: NOT AVAILABLE	

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	LN, MESENTERIC (MS) : -DIFFUSELY DARK; DARK GREEN	LN, MESENTERIC (MS) : -INFILTRATE, MACROPHAGE, PIGMENTED, - SLIGHT
	LUNG (LU) : -RED FOCUS(I)/AREA(S); ALL LOBES: MULTIPLE DARK RED AREAS, UP TO 3 X 2 MM	LUNG (LU) : -N-CARCINOMA, -NEOPLASM PRESENT
	PITUITARY (PI) : -LARGE; 6 X 5 X 3 MM; APPEARS SWOLLEN -DARK FOCUS(I)/AREA(S); DIFFUSE: MULTIPLE BROWN AREAS, UP TO 2 MM IN DIAMETER -LIGHT FOCUS(I)/AREA(S); LEFT POSTERIOR ASPECT: SINGLE WHITE FOCUS, 1 MM IN DIAMETER	PITUITARY (PI) : -HYPERPLASIA, -MODERATE
	MAMMARY, FEMALE (MF) : -MASS(ES); RIGHT INGUINAL REGION EXTENDING RIGHT PERINEAL REGION: SINGLE MASS, 105 X 70 X 18 MM, RED, DARK RED, TAN, FIRM AND LOBULATED; SAME ON CUT SURFACE; PORTION COLLECTED; REGIONAL LN (INGUINAL) NOT IDENTIFIED -THICKENED; ALL REGIONS, DIFFUSE: TAN AND FIRM; COLLECTED ON ROUTINE SECTION	MAMMARY, FEMALE (MF) : -CYST / GALACTOCELE, -PRESENT -B-FIBROADENOMA, - 2 NEOPLASMS PRESENT -HYPERPLASIA, GLANDULAR, -SLIGHT

APPENDIX 6
Individual Anatomic Pathology Data

Covance 6329-183
3M T-6295

PAGE: 2240

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93220 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 580.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

LAST CLINICAL OBSERVATIONS	O B S E R V A T I O N S (CONTINUED) NECROPSY	HISTOPATHOLOGY
	MAMMARY, FEMALE (MF) : -MASS #2; LEFT VENTRAL CERVICAL REGION: SINGLE MASS, 23 X 15 X 10 MM, RED, TAN AND FIRM; SAME ON CUT SURFACE; COLLECTED; REGIONAL LN (SEE MANDIBULAR) UTERUS (UT) : -THICKENED WALL; BILATERAL: DIFFUSE LN, MANDIBULAR (MN) : -DIFFUSELY RED; BILATERAL: DARK RED; COLLECTED GENERAL COMMENT (GC) : -BLOOD FILM TAKEN -BONE MARROW SMEAR TAKEN -MALOCCLUSION; BILATERAL: UPPER INCISORS	UTERUS (UT) : >UNREMARKABLE CAUSE OF DEATH (CD) : -SCHEDULED SACRIFICE, -PRESENT LN, MANDIBULAR (MN) : -HYPERPLASIA, LYMPHOPLASMACYTIC, - MODERATE -HEMORRHAGE, -PRESENT

APPENDIX 6

Covance 6329-183
3M T-6295

Individual Anatomic Pathology Data

PAGE: 2241

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT IN RATS

ANIMAL NUMBER: C93220 SEX: FEMALE DOSE GROUP: 6 SACRIFICE STATUS: SCHEDULED, FIRST POST-RECOV SAC
DATE OF DEATH: 04/24/00 STUDY DAY OF DEATH: 736 STUDY WEEK OF DEATH: 106 TERMINAL BODY WEIGHT: 580.2 GRAMS
DATE AND TIME OF NECROPSY: 04/24/00 8:12 PROSECTOR: LAURIE J. SCHULLER RECORDER: JERALD W. JOHNSON
POST-FIX WEIGHER: NOT AVAILABLE PATHOLOGIST: AS ASSIGNED WEIGHER: NOT AVAILABLE

THE FOLLOWING ORGANS WERE UNREMARKABLE AT NECROPSY:

EYE (EY), BRAIN (BR), KIDNEY (KD), SPLEEN (SP), PANCREAS (PA), ADRENAL, MEDULLA (MA), OVARY (OV), BONE, FEMUR (FE),
MARROW, FEMUR (FM), MARROW, STERNUM (SE), BONE, STERNUM (SB), SPINAL CORD (SC), THYMUS (TH), HEART (HT),
MUSCLE, SKELETAL (SM), NERVE, SCIATIC (SN), TRACHEA (TR), ESOPHAGUS (ES), THYROID (TY), PARATHYROID (PT),
HARDERIAN GLAND (HG), SALIV GL, MANDIB (SG), STOMACH, GL (ST), STOMACH, NONGL (SU), DUODENUM (DU), JEJUNUM (JE),
ILEUM (IL), CECUM (CE), COLON (CO), RECTUM (RE), SKIN (SK), URINARY BLADDER (UB), CERVIX (CV), VAGINA (VA),
LN, MEDIASTINAL (ML), LN, AXILLARY (AX), LN, INGUINAL (IN), LN, OTHER (LN), LN, RENAL (RL), TAIL (TI),
LN, LUMBAR/ILIAC (LM), CAVITY, ABDOM (PC), AUDITORY SEB GL (AS), FOOT/FOOTPAD (FP), AORTA (AO), CALVARIUM/SKULL (CA),
LN, ANT MES/PANC (AP), JOINT, OTHER (JT), CLITORAL GLAND (CL), URETER (UE), ADIPOSE TISSUE (AT), DIAPHRAGM (DP),
CAVITY, THORACIC (TA), LN, TRACHEOBRON (TB), LN, POPLITEAL (PP), MUSCLE, OTHER (MO), PERICARDIAL SAC (PD),
PINNA (PN), ARTERY, OTHER (AU), AORTIC ARCH (AA), LN, ILEOCECAL (IC), BILE DUCT (BD), TRIGEMINAL NERVE (TG)


THE FOLLOWING TISSUES WERE UNREMARKABLE AT MICROSCOPIC EXAMINATION:

THYROID (TY), PARATHYROID (PT), URINARY BLADDER (UB)

APPENDIX 7

Cell Proliferation Report

Note: This appendix contains information supplied by Pathology Associates International (PAI) and has been reviewed by the Quality Assurance Unit of PAI.



Pathology Associates International
A Company of Science Applications International Corporation



**FINAL
CELL PROLIFERATION REPORT**

**104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH
PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS;T-6295) IN RATS
COVANCE STUDY NUMBER 6329-183**

PREPARED FOR:

**3M
TOXICOLOGY SERVICES
BUILDING 220-2E-02, 3M CENTER
ST. PAUL, MN 55144-1000**

PREPARED BY:

**PATHOLOGY ASSOCIATES INTERNATIONAL
15 WORMAN'S MILL COURT, SUITE I
FREDERICK, MD 21701**

SEPTEMBER 15, 1999

TABLE OF CONTENTS

Contents	Section
Narrative	I
Tables	II
Figures	III
Signature Page	IV
Quality Assurance Statement	V
Appendix	VI

CELL PROLIFERATION REPORT

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS; T-6295) IN RATS COVANCE STUDY NUMBER 6329-183

PURPOSE

The purpose of the study was to assess the chronic toxicity and carcinogenicity of the test material when administered in the diet to rats for at least 104 weeks.

This report, submitted by Pathology Associates International (PAI) to the study Sponsor, 3M, represents the cell proliferation findings and interpretation for Covance Study Number 6329-183 entitled "104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats". All aspects of the tasks associated with PAI's portion of this study were conducted in compliance with the Environmental Protection Agency Good Laboratory Practice (GLP) Regulations as set forth in Title 40 of the US Code of Federal Regulations, Part 792, issued November 29, 1983 (effective December 29, 1983), and any applicable amendments with the following exception. An expired reagent was used in the BrdU immunohistochemistry staining procedure (mouse IgG, Vector, lot # PK-4002, PAI No. K351, exp. 4/9/99). The staining was judged to be satisfactory; therefore, this GLP deviation does not impact the scientific validity of the study.

MATERIALS AND METHODS

Proliferating Cell Nuclear Antigen (PCNA) Staining and Evaluation

Tissue Collection for Cell Proliferation

Five animals per sex per group in groups 1 through 5 were sacrificed at weeks 4 and 14 for hepatocellular proliferation. A section of the left lateral lobe of the liver from each of 5 rats per group (groups 1-5) was fixed in zinc formalin, processed, and embedded to paraffin block by Covance per protocol specifications. Tissue blocks were shipped to PAI for sectioning and staining. From each block, a slide was prepared for H&E evaluation and immunohistochemical detection of proliferating cell nuclear antigen (PCNA), an endogenous marker of cell proliferation.

Immunohistochemistry for Cell Proliferation

Sections of paraffin-embedded tissues were cut at 5 μ m and placed on positively charged slides (Superfrost Plus, Fisher Scientific, Pittsburgh, PA) to ensure adhesion during processing for PCNA. Standard immunohistochemical methods were used to stain tissues for PCNA [PAI's Standard Operating Procedure for Immunohistochemical Staining (SOP #707)]. Briefly, tissue sections were incubated with a monoclonal antibody to PCNA (DAKO, lot #016; PAI No.

A1899) and reagents required for the avidin-biotin peroxidase (ABC Kit; Vector, lot #PK-6100; PAI No. K 327) method for the detection of the antigen-antibody complex. PCNA expression in cells in all phases of the cell cycle (G_1 , S, G_2 and M) was localized by the chromagen 3,3'-diaminobenzidine (DAB; Sigma Chemical Co., lot #18H8201). Tissue sections were counterstained with hematoxylin.

Cell Proliferation Measurements

The percentage of proliferating cells (proliferating index, PI) was determined by scoring at least 2000 hepatocytes in at least 6 fields of liver. In most cases, at least 3000 hepatocytes were scored in 10 fields, but in four animals there was insufficient tissue present on the slide to be able to score as many cells. Slides were first perused at low magnification (100X) to judge quality of staining, processing and sectioning, and pattern of cell labeling (e.g., centrilobular or panlobular, extrahepatocellular proliferation, such as Kupffer cells, bile duct epithelium, endothelium), and histomorphologic changes. The latter was further assessed by evaluating the serial H&E slide for each animal evaluated for cell proliferation. Cell proliferation was then quantified at higher magnification (200X) as described above.

A negative control slide was included in the staining run and consisted of study tissue from animal #C93008 that was not incubated with the primary antibody.

Statistical Analysis

The Student's *t*-test (two-sided, unequal variance) was used to test for statistical significance in PI between control and treatment groups using Microsoft Excel version 5.0. A *P* value of 0.05 was judged to be statistically significant.

Bromodeoxyuridine (BrdU) Staining and Evaluation

Tissue Collection for Cell Proliferation

Seven days before the week 52 interim sacrifice, osmotic pumps containing 20 mg/ml BrdU were surgically implanted in five animals per sex per group in groups 1 and 5 for hepatocellular proliferation. A section of the liver and duodenum from each of 5 rats per group (groups 1 and 5 only) was taken at necropsy and embedded to paraffin block by Covance per protocol specifications. Tissue blocks were shipped to PAI for sectioning and staining. From each block, a slide was prepared for H&E evaluation and immunohistochemical detection of BrdU, an exogenous marker of cell proliferation.

Immunohistochemistry for Cell Proliferation

Sections of paraffin-embedded tissues were cut at 5 μ m and placed on positively charged slides (Superfrost Plus, Fisher Scientific, Pittsburgh, PA) to ensure adhesion during processing for BrdU. Standard immunohistochemical methods were used to stain tissues for BrdU [PAI's Standard Operating Procedure for Immunohistochemical Staining (SOP #707)]. Briefly, tissue sections were incubated with a monoclonal antibody to BrdU (Becton Dickinson, lot #81604;

PAI No. A2089) and reagents required for the avidin-biotin peroxidase (ABC Kit; Vector, lot #PK-6100; PAI No. K351) method for the detection of the antigen-antibody complex. BrdU incorporation into cells in S phase of the cell cycle was localized by the chromagen 3,3'-diaminobenzidine (DAB; Sigma Chemical Co., lot #108H8210). Tissue sections were counterstained with hematoxylin.

Cell Proliferation Measurements

The percentage of BrdU-labeled cells (labeling index, LI) was determined by scoring at least 2000 hepatocytes in 10 fields of liver. Slides were first perused at low magnification (100X) to judge quality of staining, processing and sectioning, pattern of cell labeling (e.g., centrilobular or panlobular, extrahepatocellular proliferation, such as Kupffer cells, bile duct epithelium, endothelium), and histomorphologic changes. The latter was further assessed by evaluating the H&E slide for each animal evaluated for cell proliferation. Cell proliferation was then quantified at higher magnification (200X) as described above.

A negative control slide was included in the staining run and consisted of study tissue from animal #C92534 that was not incubated with the primary antibody.

Statistical Analysis

The Student's *t*-test (two-sided, unequal variance) was used to test for statistical significance in LI between control and treatment groups using Microsoft Excel version 5.0. A *P* value of 0.05 was judged to be statistically significant.

RESULTS

PCNA Cell Proliferation

Individual animal and group mean PCNA cell proliferation data are presented in Section II (Tables 1-4) and graphically in Section III (Figures 1 and 2). The negative control tissue was judged to be free from background staining. At 4 and 14 weeks on study, the percentage of proliferating hepatocytes (PI) in treated animals did not differ significantly from control animals for either sex.

BrdU Cell Proliferation

Individual animal and group mean BrdU cell proliferation data are presented in Section II (Table 5) and graphically in Section III (Figure 3). The negative control tissue was judged to be free from background staining. The percentage of labeled hepatocytes (LI) in treated animal groups did not differ significantly from control animals for either sex at 52 weeks on study.

Histopathology

Sections from the same tissue blocks used for preparation of PCNA- and BrdU-stained slides were stained with hematoxylin and eosin (H&E) for histopathologic evaluation to facilitate the

interpretation of the immunostained slides. Individual animal findings and group summaries are presented in Appendix I.

The results showed that no significant changes were observed in the liver from male and female rats, which would alter the interpretation of the PCNA or BrdU staining in this study.

DISCUSSION

In the present study, cell proliferation was measured by PCNA immunohistochemistry within the liver of male and female rats from control (Group 1), low dose (Group 2), mid dose (Group 3), mid-high dose (Group 4), and high dose (Group 5) groups after 4 and 14 weeks on study, and by BrdU immunohistochemistry in the liver from control (Group 1) and high dose (Group 5) male and female rats after 52 weeks on study. The decision to use BrdU labeling to detect proliferating cells at 52 weeks was based on the increased sensitivity of continuous labeling with BrdU compared to PCNA in detecting a proliferative response in the liver of rats. In this case, BrdU was administered via osmotic pump continuously for 7 days.

A statistically significant increase in cell proliferation, as determined by the PCNA proliferating index (PI) at 4 and 14 weeks, or by the BrdU labeling index at 52 weeks, was not observed in the liver of male or female rats. Although statistical analysis did not reveal a significant cell proliferative response to the test material, biological significance was evident in individual animals. Biological significance for an individual animal is defined as a doubling in PI or LI over controls and greater than the highest control value. Thus, the data are presented in terms of severity (fold increase over controls) and incidence (number of animals showing biological significance). As seen in Text Table 1, biologically significant cell proliferation was evident in 2/5 male rats at the high dose after 4 weeks on study and in 1/5 male rats at the mid-high dose and mid dose after 4 weeks on study. This apparent and minimal proliferative response seen in male rats at 4 weeks was less than the control PI at 14 weeks, and was not sustained as evidenced by the lack of a response at week 14. Furthermore, none of the animals exhibited a proliferative response at 52 weeks. Therefore, the proliferative responses seen in these individual male animals was a possible mild response evident only at 4 weeks.

Text Table 1. Biologically Significant Cell Proliferation in Liver of Male Rats

Group	Week 4		Week 14		Week 52	
	Severity ¹	Incidence ²	Severity ¹	Incidence ²	Severity ¹	Incidence ²
Low dose	<1	0/5	<1	0/5	-	-
Mid dose	1.6	1/5	<1	0/5	-	-
Mid-high dose	1.0	1/5	<1	0/5	-	-
High dose	1.5	2/5	<1	0/5	<1	0/4

¹Fold increase over controls

²Number of animals with a PI or LI double the mean control value and greater than the highest control animal

In contrast to male rats, biologically significant cell proliferation was evident in female rats at the mid-high dose (2/5 rats) and at the high dose (2/5 rats) after 4 weeks, and at the low dose (2/5 rats) and mid dose (1/5 rats) after 14 weeks on study, as seen in Text Table 2. The degree of the proliferative response observed in females was greater than that seen in the males. The proliferative response observed at week 4 was not sustained after 14 weeks, nor was a proliferative response observed at 52 weeks. Based on the severity and incidence of the proliferative response seen in the high dose females, and the dose response relationship seen at 4 weeks, the test material is judged to induce a transient proliferative response in the liver of female rats at the high dose.

Text Table 2. Biologically Significant Cell Proliferation in Liver of Female Rats

Group	Week 4		Week 14		Week 52	
	Severity ¹	Incidence ²	Severity ¹	Incidence ²	Severity ¹	Incidence ²
Low dose	1.0	0/5	2.6	2/5	-	-
Mid dose	1.1	0/5	1.2	1/5	-	-
Mid-high dose	1.8	2/5	<1	0/5	-	-
High dose	3.5	2/5	<1	0/5	<1	0/5

¹Fold increase over controls

²Number of animals with a PI or LI double the mean control value and greater than the highest control animal

Interestingly, a rare pattern of PCNA-labeling was observed in high dose female rats at week 14, which was not seen in any other groups, nor at the earlier time point. The staining was characterized by a granular cytoplasmic staining pattern localized to the hepatocytes around central veins of the liver. The significance of this type of labeling pattern is not known; however, it has been speculated that it may represent mitochondrial DNA synthesis (unpublished observation). Recently, it has been shown that PCNA can cross-react with peroxisomal multifunctional protein (Mayer, et al., 1998). Thus, it is possible that the centrilobular staining pattern observed in the high dose animals may be associated with peroxisomes.

The cell proliferation rates in the week 14 male rats were all higher than those in the week 4 male rats. In the female rats, cell proliferation rates at week 14 were higher than at week 4 in the control, low dose and mid dose groups, but not in the mid-high or high dose groups. The reason for the consistently higher cell proliferation rates in the week 14 animals is not known. However, all slides from the 4 and 14 week time points were stained together, so variation in staining between runs can be ruled out. One possibility is that the tissues were handled differently in terms of fixation and processing, which may have affected the staining. Despite this difference, comparisons can be made between each treatment group and the control group for a specific time point.

SUMMARY

The cell proliferation seen in the liver of male rats at 4 weeks was not dose-related, was minimal in severity (high dose was less than two-fold greater than controls), occurred in two of five

Final Cell Proliferation Report
Covance Study Number 6329-183

animals in the high dose group, and was transient in nature (i.e., was not sustained at 14 weeks). In female rats, cell proliferation in the liver was dose-related at week 4 but not at week 14, greater in severity compared to male rats (greater than two-fold at the high dose), and occurred in two of five animals in both the high and mid-high dose groups. Based on these findings, cell proliferation effects seen at 4 weeks in the rats were considered to be related to test material. At 52 weeks, there was no evidence of hepatocellular proliferation in male or female rats at the high dose.

LITERATURE CITED

Mayer, D., Forstner, K., Beier, K., and Volkl, A. (1998). Monoclonal antibodies against proliferating cell nuclear antigen cross-react with the peroxisomal multifunctional protein. *Anal Biochem* 256: 135-137.

II. TABLES

Legend

BrdU, bromodeoxyuridine

LI, labeling index, percentage of cells in S phase of the cell cycle as determined by BrdU staining

ND, not determined

PCNA, proliferating cell nuclear antigen

PI, proliferating index, percentage of cells in S, G1, G2 and M phases of the cell cycle as determined by PCNA staining

SEM, standard error of the mean

COVANCE STUDY NO. 6329-183
TABLE 1. PCNA CELL PROLIFERATION IN LIVER OF MALE RATS AFTER 4 WEEKS ON STUDY

Group	Sex	Animal Number	PCNA Proliferating Index*
1 - 0 ppm PFOS (Control)	M	C92506	0.027%
1 - 0 ppm PFOS (Control)	M	C92524	0.000%
1 - 0 ppm PFOS (Control)	M	C92526	0.130%
1 - 0 ppm PFOS (Control)	M	C92529	0.000%
1 - 0 ppm PFOS (Control)	M	C92546	0.053%
		Mean	0.042%
		SEM	0.024%
2 - 0.5 ppm PFOS (Low)	M	C92574	0.000%
2 - 0.5 ppm PFOS (Low)	M	C92575	0.027%
2 - 0.5 ppm PFOS (Low)	M	C92610	0.054%
2 - 0.5 ppm PFOS (Low)	M	C92613	0.080%
2 - 0.5 ppm PFOS (Low)	M	C92618	0.027%
		Mean	0.038%
		SEM	0.014%
3 - 2.0 ppm PFOS (Mid)	M	C92646	0.026%
3 - 2.0 ppm PFOS (Mid)	M	C92650	0.027%
3 - 2.0 ppm PFOS (Mid)	M	C92652	0.027%
3 - 2.0 ppm PFOS (Mid)	M	C92668	0.098%
3 - 2.0 ppm PFOS (Mid)	M	C92678	0.166%
		Mean	0.069%
		SEM	0.028%
4 - 5.0 ppm PFOS (Mid-High)	M	C92715	0.136%
4 - 5.0 ppm PFOS (Mid-High)	M	C92718	0.053%
4 - 5.0 ppm PFOS (Mid-High)	M	C92731	0.000%
4 - 5.0 ppm PFOS (Mid-High)	M	C92734	0.027%
4 - 5.0 ppm PFOS (Mid-High)	M	C92744	0.000%
		Mean	0.043%
		SEM	0.025%
5 - 20.0 ppm PFOS (High)	M	C92752	0.027%
5 - 20.0 ppm PFOS (High)	M	C92759	0.027%
5 - 20.0 ppm PFOS (High)	M	C92779	0.000%
5 - 20.0 ppm PFOS (High)	M	C92793	0.136%
5 - 20.0 ppm PFOS (High)	M	C92798	0.133%
		Mean	0.065%
		SEM	0.029%

*Proliferating cell nuclear antigen; percentage of cells in G1, S, G2 and M

COVANCE STUDY NO. 6329-183
TABLE 2. PCNA CELL PROLIFERATION IN LIVER OF FEMALE RATS AFTER 4 WEEKS ON STUDY

Group	Sex	Animal Number	PCNA Proliferating Index*
1 - 0 ppm PFOS (Control)	F	C92861	0.080%
1 - 0 ppm PFOS (Control)	F	C92864	0.132%
1 - 0 ppm PFOS (Control)	F	C92914	0.000%
1 - 0 ppm PFOS (Control)	F	C92919	ND
1 - 0 ppm PFOS (Control)	F	C92926	0.000%
		Mean	0.053%
		SEM	0.032%
2 - 0.5 ppm PFOS (Low)	F	C92941	0.027%
2 - 0.5 ppm PFOS (Low)	F	C92945	0.056%
2 - 0.5 ppm PFOS (Low)	F	C92950	0.027%
2 - 0.5 ppm PFOS (Low)	F	C92969	0.110%
2 - 0.5 ppm PFOS (Low)	F	C92982	0.053%
		Mean	0.055%
		SEM	0.015%
3 - 2.0 ppm PFOS (Mid)	F	C92996	0.054%
3 - 2.0 ppm PFOS (Mid)	F	C93006	0.053%
3 - 2.0 ppm PFOS (Mid)	F	C93008	0.108%
3 - 2.0 ppm PFOS (Mid)	F	C93031	0.028%
3 - 2.0 ppm PFOS (Mid)	F	C93045	0.054%
		Mean	0.059%
		SEM	0.013%
4 - 5.0 ppm PFOS (Mid-High)	F	C93058	0.186%
4 - 5.0 ppm PFOS (Mid-High)	F	C93067	0.161%
4 - 5.0 ppm PFOS (Mid-High)	F	C93070	0.027%
4 - 5.0 ppm PFOS (Mid-High)	F	C93075	0.000%
4 - 5.0 ppm PFOS (Mid-High)	F	C93084	0.110%
		Mean	0.097%
		SEM	0.036%
5 - 20.0 ppm PFOS (High)	F	C93114	0.056%
5 - 20.0 ppm PFOS (High)	F	C93123	0.027%
5 - 20.0 ppm PFOS (High)	F	C93142	0.349%
5 - 20.0 ppm PFOS (High)	F	C93144	0.430%
5 - 20.0 ppm PFOS (High)	F	C93159	0.054%
		Mean	0.183%
		SEM	0.085%
*Proliferating cell nuclear antigen; percentage of cells in G1, S, G2 and M			

COVANCE STUDY NO. 6329-183
TABLE 3. PCNA CELL PROLIFERATION IN LIVER OF MALE RATS AFTER 14 WEEKS ON STUDY

Group	Sex	Animal Number	PCNA Proliferating Index*
1 - 0 ppm PFOS (Control)	M	C92509	0.323%
1 - 0 ppm PFOS (Control)	M	C92511	0.521%
1 - 0 ppm PFOS (Control)	M	C92521	0.588%
1 - 0 ppm PFOS (Control)	M	C92528	0.137%
1 - 0 ppm PFOS (Control)	M	C92532	0.247%
		Mean	0.363%
		SEM	0.084%
2 - 0.5 ppm PFOS (Low)	M	C92593	0.084%
2 - 0.5 ppm PFOS (Low)	M	C92600	0.081%
2 - 0.5 ppm PFOS (Low)	M	C92616	0.240%
2 - 0.5 ppm PFOS (Low)	M	C92621	0.296%
2 - 0.5 ppm PFOS (Low)	M	C92627	0.188%
		Mean	0.178%
		SEM	0.042%
3 - 2.0 ppm PFOS (Mid)	M	C92640	0.136%
3 - 2.0 ppm PFOS (Mid)	M	C92645	0.561%
3 - 2.0 ppm PFOS (Mid)	M	C92662	0.242%
3 - 2.0 ppm PFOS (Mid)	M	C92676	0.161%
3 - 2.0 ppm PFOS (Mid)	M	C92684	0.108%
		Mean	0.242%
		SEM	0.083%
4 - 5.0 ppm PFOS (Mid-High)	M	C92713	0.137%
4 - 5.0 ppm PFOS (Mid-High)	M	C92714	0.466%
4 - 5.0 ppm PFOS (Mid-High)	M	C92719	0.107%
4 - 5.0 ppm PFOS (Mid-High)	M	C92722	0.542%
4 - 5.0 ppm PFOS (Mid-High)	M	C92728	0.421%
		Mean	0.335%
		SEM	0.089%
5 - 20.0 ppm PFOS (High)	M	C92765	0.560%
5 - 20.0 ppm PFOS (High)	M	C92777	0.352%
5 - 20.0 ppm PFOS (High)	M	C92789	0.027%
5 - 20.0 ppm PFOS (High)	M	C92799	0.056%
5 - 20.0 ppm PFOS (High)	M	C92812	0.053%
		Mean	0.210%
		SEM	0.106%


*Proliferating cell nuclear antigen; percentage of cells in G1, S, G2 and M


COVANCE STUDY NO. 6329-183
TABLE 4. PCNA CELL PROLIFERATION IN LIVER OF FEMALE RATS AFTER 14 WEEKS ON STUDY

Group	Sex	Animal Number	PCNA Proliferating Index*
1 - 0 ppm PFOS (Control)	F	C92880	0.082%
1 - 0 ppm PFOS (Control)	F	C92887	0.161%
1 - 0 ppm PFOS (Control)	F	C92898	0.137%
1 - 0 ppm PFOS (Control)	F	C92903	0.028%
1 - 0 ppm PFOS (Control)	F	C92905	0.085%
		Mean	0.099%
		SEM	0.023%
2 - 0.5 ppm PFOS (Low)	F	C92944	0.110%
2 - 0.5 ppm PFOS (Low)	F	C92962	0.826%
2 - 0.5 ppm PFOS (Low)	F	C92967	0.215%
2 - 0.5 ppm PFOS (Low)	F	C92978	0.080%
2 - 0.5 ppm PFOS (Low)	F	C92987	0.054%
		Mean	0.257%
		SEM	0.145%
3 - 2.0 ppm PFOS (Mid)	F	C92993	0.081%
3 - 2.0 ppm PFOS (Mid)	F	C93000	0.054%
3 - 2.0 ppm PFOS (Mid)	F	C93018	0.054%
3 - 2.0 ppm PFOS (Mid)	F	C93023	0.356%
3 - 2.0 ppm PFOS (Mid)	F	C93035	0.053%
		Mean	0.120%
		SEM	0.059%
4 - 5.0 ppm PFOS (Mid-High)	F	C93051	0.054%
4 - 5.0 ppm PFOS (Mid-High)	F	C93064	0.082%
4 - 5.0 ppm PFOS (Mid-High)	F	C93071	0.057%
4 - 5.0 ppm PFOS (Mid-High)	F	C93085	0.027%
4 - 5.0 ppm PFOS (Mid-High)	F	C93109	0.053%
		Mean	0.055%
		SEM	0.009%
5 - 20.0 ppm PFOS (High)	F	C93111	0.028%
5 - 20.0 ppm PFOS (High)	F	C93127	0.140%
5 - 20.0 ppm PFOS (High)	F	C93143	0.081%
5 - 20.0 ppm PFOS (High)	F	C93155	0.000%
5 - 20.0 ppm PFOS (High)	F	C93169	0.084%
		Mean	0.067%
		SEM	0.024%
*Proliferating cell nuclear antigen; percentage of cells in G1, S, G2 and M			

COVANCE STUDY NO. 6329-183
TABLE 5. BRDU CELL PROLIFERATION IN RAT LIVER AFTER 52 WEEKS ON STUDY

Treatment Group	Gender	Animal Number	BrdU Labeling Index*
1	Male	C92504	0.51%
1	Male	C92512	0.19%
1	Male	C92534	0.09%
1	Male	C92562	0.26%
1	Male	C92570	0.24%
		Mean	0.26%
		SEM	0.07%
5	Male	C92778	0.08%
5	Male	C92795	0.31%
5	Male	C92796	0.09%
5	Male	C92817	0.38%
		Mean	0.22%
		SEM	0.08%
1	Female	C92876	6.94%
1	Female	C92889	1.23%
1	Female	C92899	1.64%
1	Female	C92923	1.40%
1	Female	C92930	0.11%
		Mean	2.26%
		SEM	1.20%
5	Female	C93112	0.26%
5	Female	C93120	0.11%
5	Female	C93154	0.03%
5	Female	C93163	0.27%
5	Female	C93171	0.13%
		Mean	0.16%
		SEM	0.05%
*Bromodeoxyuridine; percentage of cells in S phase			







IV. SIGNATURE PAGE

Submitted by:

PAI Project Manager:



Sandra R. Eldridge, Ph.D.




Date

PAI Project Pathologist:



Carolyn Moyer, D.V.M., Diplomate, A.C.V.P.



Date

Final Cell Proliferation Report
Covance Study Number 6329-183

V. QUALITY ASSURANCE STATEMENT



Pathology Associates International

A Company of Science Applications International Corporation



Cell Proliferation Report


104-Week Dietary Chronic Toxicity and Carcinogenicity Study With Perfluorooctane Sulfonic Acid Potassium Salt (PFOS; T-6295) in Rats


Covance Study No.: 6329-183

QUALITY ASSURANCE STATEMENT

This cell proliferation project has been inspected and audited by the PAI Quality Assurance Unit (QAU) as required by the Good Laboratory Practice (GLP) regulations promulgated by the U. S. Environmental Protection Agency (EPA-TSCA). The cell proliferation report is an accurate reflection of the recorded data. The following table is a record of the inspections/audits performed and reported by the QAU.

<u>Date of Inspection</u>	<u>Phase Inspected</u>	<u>Date Findings Report to PAI Management/Project Manager/Pathologist</u>
08/18/98	Labeling (100% slide/block match)	08/18/98
10/07/98	Study Data and Supporting Documentation	10/08/98
10/07/98	Draft Cell Proliferation Report	10/08/98
05/10/99	Staining and Coverslipping	05/10/99
08/20,24/99	Second Draft Cell Proliferation Report	08/24/99
09/15/99	Final Cell Proliferation Report	09/15/99


Karen E. Butler
Quality Assurance Specialist


9/15/99
Date

Final Cell Proliferation Report
Covance Study Number 6329-183

VI. APPENDIX

Individual Animal Findings

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS;T-3295) in Rats

Histopathologic Findings after 4 Weeks on Study

Tissue: Liver

Animal Number	Sex	Dose Group	Histologic Findings Liver
C92506	M	1-0 ppm PFOS (Control)	No Significant Findings
C92524	M	1-0 ppm PFOS (Control)	No Significant Findings
C92526	M	1-0 ppm PFOS (Control)	No Significant Findings
C92529	M	1-0 ppm PFOS (Control)	No Significant Findings
C92546	M	1-0 ppm PFOS (Control)	No Significant Findings
C92574	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92575	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92610	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92613	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92618	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92646	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92650	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92652	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92668	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92678	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92715	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92718	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92731	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92734	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92744	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92752	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92759	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92779	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92793	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92798	M	5-20.0 ppm PFOS (High)	No Significant Findings

Covance Study Number 6329-183

Individual Animal Findings

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS;T-3295) in Rats

Histopathologic Findings after 4 Weeks on Study

Tissue: Liver

Animal Number	Sex	Dose Group	Histologic Findings Liver
C92861	F	1-0 ppm PFOS (Control)	No Significant Findings
C92864	F	1-0 ppm PFOS (Control)	No Significant Findings
C92914	F	1-0 ppm PFOS (Control)	No Significant Findings
C92919	F	1-0 ppm PFOS (Control)	No Significant Findings
C92926	F	1-0 ppm PFOS (Control)	No Significant Findings
C92941	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92945	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92950	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92969	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92982	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92996	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93006	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93008	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93031	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93045	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93058	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93067	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93070	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93075	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93084	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93114	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93123	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93142	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93144	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93159	F	5-20.0 ppm PFOS (High)	No Significant Findings

Individual Animal Findings

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS;T-3295) in Rats

Histopathologic Findings after 14 Weeks on Study

Tissue: Liver

Animal Number	Sex	Dose Group	Histologic Findings Liver
C92509	M	1-0 ppm PFOS (Control)	No Significant Findings
C92511	M	1-0 ppm PFOS (Control)	No Significant Findings
C92521	M	1-0 ppm PFOS (Control)	No Significant Findings
C92528	M	1-0 ppm PFOS (Control)	No Significant Findings
C92532	M	1-0 ppm PFOS (Control)	No Significant Findings
C92593	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92600	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92616	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92621	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92627	M	2-0.5 ppm PFOS (Low)	No Significant Findings
C92640	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92645	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92662	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92676	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92684	M	3-2.0 ppm PFOS (Mid)	No Significant Findings
C92713	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92714	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92719	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92722	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92728	M	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C92765	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92777	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92789	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92799	M	5-20.0 ppm PFOS (High)	No Significant Findings
C92812	M	5-20.0 ppm PFOS (High)	No Significant Findings

Individual Animal Findings

104-Week Dietary Chronic Toxicity and Carcinogenicity Study with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS;T-3295) in Rats

Histopathologic Findings after 14 Weeks on Study

Tissue: Liver

Animal Number	Sex	Dose Group	Histologic Findings Liver
C92880	F	1-0 ppm PFOS (Control)	No Significant Findings
C92887	F	1-0 ppm PFOS (Control)	No Significant Findings
C92898	F	1-0 ppm PFOS (Control)	No Significant Findings
C92903	F	1-0 ppm PFOS (Control)	No Significant Findings
C95905	F	1-0 ppm PFOS (Control)	No Significant Findings
C92944	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92962	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92967	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92978	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92987	F	2-0.5 ppm PFOS (Low)	No Significant Findings
C92993	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93000	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93018	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93023	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93035	F	3-2.0 ppm PFOS (Mid)	No Significant Findings
C93051	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93064	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93071	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93085	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93109	F	4-5.0 ppm PFOS (Mid-high)	No Significant Findings
C93111	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93127	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93143	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93155	F	5-20.0 ppm PFOS (High)	No Significant Findings
C93169	F	5-20.0 ppm PFOS (High)	No Significant Findings

APPENDIX 8

Electron Microscopy Report

Note: This appendix contains information supplied by the Pathology Associates International and has been reviewed by the Quality Assurance Unit of Pathology Associates International.

PATHOLOGY REPORT

TRANSMISSION ELECTRON MICROSCOPY EVALUATION
OF LIVER TISSUE IN RATS

104-WEEK DIETARY CHRONIC TOXICITY AND CARCINOGENICITY STUDY
WITH PERFLUOROOCTANE SULFONIC ACID POTASSIUM SALT (PFOS;T-6295)
IN RATS

COVANCE STUDY NUMBER 6329-183
PAI STUDY NUMBER EM 01.37

Prepared by:

Connie A. Cummings, D.V.M., PhD.

And

James B. Nold, D.V.M., Ph.D., Diplomate, A.C.V.P.

Pathology Associates
A Charles River Company
4915-D Prospectus Drive
Durham, NC 27713

October 10, 2001

PREPARED FOR COVANCE LABORATORIES INC.,
3301 KINSMAN BOULEVARD
MADISON, WISCONSIN 53704

SIGNATURE:  _____
THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
DATE: 11/27/01

Final Report Amendment

Covance Study Number: 6329-183

PAI Study Number: EM 01.37


Study Title: Transmission Electron Microscopy Evaluation of Liver Tissue in Rats. 104-Week Dietary Chronic Toxicity and Carcinogenicity study with Perfluorooctane sulfonic acid potassium salt (PFOS;T-6295) in rats

Date of Final Report: October 10, 2001


Amendment: Change Covance Study number from 6239-183 to the correct Study number of 6329-183 on the cover page and all the "Transmission Electron Micrograph Interpretation" forms found in Section II.

Reason for amendment: Typographical error


Approvals:


Connie A. Cummings, D.V.M., PhD.

Date 11/27/01


James B. Nold, D.V.M., PhD.
Diplomate, A.C.V.P.

Date 27 Nov. 2001


Quality Assurance Officer

11/30/01
Date

TABLE OF CONTENTS

	Section
Pathology Narrative	I
Transmission Electron Micrograph Interpretations	II
Transmission Electron Micrographs	III
Quality Assurance Statement	IV

SECTION I

PATHOLOGY NARRATIVE

Summary

Ten CrL:CD® (SD) IGS BR rats (five males and five females) were treated for 104 weeks with 20.0ppm (PFOS; T-6295). Ten other rats of similar strain (five males and five females) were used as controls. Liver samples were obtained from each of the 20 rats during necropsy at terminal sacrifice for examination by transmission electron microscopy (TEM). Liver samples were assessed for ultrastructural changes that may be related to chronic toxicity of the test material when administered in the diet. Electron microscopic evaluation identified mild to moderate changes related to treatment. Mild to moderate smooth endoplasmic reticulum hyperplasia and minimal to mild hepatocellular hypertrophy were the prominent features found to be different between the high dose group and control animals. Other changes included a slight increase in the amount of glycogen in treated animals compared with controls.

Procedure

The objective of this study was to examine ultrastructurally samples of liver from 10 rats treated orally for 104-weeks with PFOS; T-6295. This study is part of a larger chronic toxicity study of PFOS; T-6295. This portion of the study included 10 treated rats (5 males and 5 females) and 10 control rats (5 males and 5 females). Treated rats were orally dosed daily for at least 104 weeks with 20ppm of T-6295. The control rats were given the basal diet only. Terminal necropsies were performed on all 20 rats. Multiple tissues including liver were collected and preserved in 10% neutral-buffered formalin according to the study protocol. Additionally, samples of liver from each animal were thin-sliced, placed in 2% paraformaldehyde/2.5% glutaraldehyde in 0.1M phosphate buffer then subsequently processed and embedded in epoxy blocks for examination by TEM. Thin sections (approximately 90nm) from the epoxy blocks were cut, mounted on 200-mesh copper grids, stained with 5% methanolic uranyl acetate, and Reynold's lead citrate, then examined on a Zeiss EM10C or a Zeiss 900 transmission electron microscope. Both centrilobular and periportal hepatocytes were examined. Representative ultrastructural photomicrographs from each liver sample were taken and significant features were described and recorded for each micrograph, animal, and group. The descriptive features of each rat were recorded on a transmission electron micrograph interpretation form. The number of peroxisomes per hepatocyte was manually counted then averaged for each animal. The average number of peroxisomes per group was tabulated.

Results

Micrograph interpretations for each rat can be found in section II. Representative micrographs of specific features are shown in section III as report figures. All remaining electron micrographs are separately attached to this report grouped according to rat number.

TEM evaluation

A total of 113 micrographs were evaluated. Fifty-four (54) micrographs represented the control group while fifty-nine (59) micrographs represented the high-dose treated group. Ultrastructural findings for each group are summarized in Table 1. There was a minimal to mild increase in the size of hepatocytes in the treated group. Similarly, a mild to moderate increase in smooth endoplasmic reticulum (SER) was also noted. The increase in the size of most hepatocytes was generally due to the increase in SER. SER is invariably affected during some types of hepatic toxicity, mostly toxicities that induce

hepatic microsomal enzymes and lipid peroxidation (Cheville, 1994). Similarly, the increase in SER is regarded as an adaptive response by animals as a means to handle drug toxicities (Ghadially, 1997). Based on personal communication with the study pathologist, liver weights were increased and hepatocellular hypertrophy was evident in high dose animals, which is consistent with ultrastructural findings of an increase in SER (Ghadially, 1997).

Other minor features between treated and control groups were slight increases in glycogen and lipid. Both glycogen and lipid accumulations are considered a non-deleterious adaptive change and not overtly related to treatment. An incidental finding of large granular cell leukemia was seen in rat C92775, a high dose group male. All control animals were considered normal. Although a small number of control rats had a mild increase in SER, the increase in SER in hepatocytes of treated animals was much more prominent compared with the amount in hepatocytes of control animals.

Table 2 summarizes the quantitation of peroxisomes for each group. Often, an increase in the number of peroxisomes indicates an alteration in liver cell physiology. However, in this study, the average number of peroxisomes was not obviously different between treated and untreated animals.

Table 1 Ultrastructural findings per animal

Animal no	Group ¹ /Sex ²	Comments
C92505	1/M	Normal hepatocytes.
C92510	1/M	Normal hepatocytes.
C92513	1/M	Normal hepatocytes.
C92514	1/M	Normal hepatocytes.
C92518	1/M	Normal hepatocytes.
C92757	5/M	SER is increased in 5/5 hepatocytes. One hepatocyte had scattered glycogen while another hepatocyte is hypertrophic.
C92762	5/M	Mild Hepatocellular hypertrophy (2/5), increased SER (5/6). Two hepatocytes had some accumulation of glycogen.
C92775	5/M	Circulating lymphocytes are consistent with a diagnosis of large granular cell leukemia. SER is noticeably increased in 6/6 hepatocytes. Mild hepatocellular hypertrophy (1/6).
C92786	5/M	Hepatocytes (5/5) had early autolytic changes most likely due to fixation artifact; therefore, interpretation was limited.
C92791	5/M	A moderate to marked increase in SER. Glycogen is observed in 4/5.
C92868	1/F	Normal hepatocytes. One hepatocyte had abundant SER while two others have mild SER accumulation.
C92871	1/F	Normal hepatocytes.
C92874	1/F	Normal hepatocytes. One hepatocyte had a small amount of SER.
C92896	1/F	Normal hepatocytes. SER is minimally increased.
C92897	1/F	Normal hepatocytes.
C93113	5/F	Mild hepatocellular hypertrophy (2/6). SER is increased in 3/6 hepatocytes while lipid is prominent in 2/6 hepatocytes.
C93124	5/F	Mitochondria appear slightly larger in 4/6 hepatocytes.
C93125	5/F	Hepatocellular hypertrophy (4/6). SER is increased in 5/6 hepatocytes. One hepatocytes has scattered deposits of glycogen.
C93135	5/F	Mild hepatocellular hypertrophy (3/5). The amount of SER is increased in 5/5 hepatocytes while 4/5 hepatocytes have lipid accumulation. One hepatocyte also has scattered glycogen.
C93149	5/F	Hepatocellular hypertrophy (4/6). SER is increased in 6/6 hepatocytes. Lipid is present in 4/6 while one hepatocyte has lipofuscin granules.

¹1=Control, 5=High dose group; ²M=male, F=female; ³ratio of abnormal hepatocytes per total number of hepatocytes described.

Table 2 Quantitation of Peroxisomes per rat¹


Control Group				Treated Group			
Animal #	Male	Animal #	Female	Animal #	Male	Animal #	Female
C92505	21.8	C92868	16.6	C92757	20.2	C93113	27.5
C92510	21.2	C92871	15.6	C92762	18.0	C93125	18.3
C92513	16.5	C92874	16.4	C92775	13.0	C93135	20.0
C92514	16.0	C92896	22.8	C92786	13.8	C93149	16.3
C92518	32.2	C92897	16.2	C92791	19.5	C93124	26.8
Mean = 21.6		Mean = 17.5		Mean = 16.9		Mean = 21.8	

¹The average number of hepatocytes counted per rat was 4.


Conclusion

Transmission electron microscopy evaluation was done on liver samples from rats treated orally with 20.0ppm PFOS;T-6295 for a total of at least 104 weeks. Treatment related ultrastructural changes included minimal to mild hepatocellular hypertrophy and a mild to moderate increase in SER.

Signature of Authors


Connie A. Cummings, D.V.M., PhD.

Date 10/10/01


James B. Nold, D.V.M., PhD.
Diplomate, A.C.V.P.

Date 10/10/01

References

Cheville NF: Ultrastructural Pathology An Introduction to Interpretation. 1st ed. p. 704.
Ames: Iowa State University Press, 1994.

Ghadially FN: Ultrastructural pathology of the cell and matrix. 3rd ed. v. 1. p. 484.
London: Butterworths, 1997

SECTION II

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATIONS

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C92505

Tissue: Liver-Centrilobular

Treatment Group: 1 (Control)

Block No(s): C92505-2A

Sex: Male

Photo/Negative No(s): L6116-L6121

Significant Lesions (check one): Yes X No

Interpreting Pathologist (signature and date): *C. Cummins* March 19, 2001

Features: L6116. Liver. Hepatocyte. 7,920X. An oval shaped hepatocyte is located horizontally in the center of the micrograph. The nucleus is round with finely granular chromatin. Within the cytosol, there are numerous lipid droplets, mitochondria, and both RER and SER. Nineteen (19) peroxisomes are counted. The micrograph also contains multiple small elongated fissures (tissue artifact).

L6117. Liver. Hepatocyte. 7,920X. The hepatocyte is the exact same cell as in micrograph labeled **L6116**. Peroxisomes not counted.

L6118. Liver. Hepatocyte. 7,920X. A somewhat rounded hepatocyte is located in the center of the micrograph. The nucleus of this hepatocyte is rounded with two nucleoli, one marginating along the periphery of the nuclear membrane. Within the cytosol, there are numerous mitochondria, RER, and a number of large lipid vacuoles. A few small lysosomes are also found. Seventeen (17) peroxisomes are counted.

L6119. Liver. Hepatocyte. 7,530X. In the center of the micrograph is a hepatocyte that has two nuclei. Both nuclei are approximately the same size and shape. Both have a centrally located nucleolus. Within the cytosol of this large somewhat cuboidal cell are numerous mitochondria, RER, and lysosomes. Along the bottom left hand portion of the cell, there is a myelin figure observed. Thirty (30) peroxisomes are counted.

L6120. Liver. Hepatocyte. 10,200X. An oval centrally located hepatocyte is described. There is a large, round, somewhat eccentric nucleus with a single centrally located nucleolus. Within the cytosol, there are numerous round same-sized mitochondria, abundant RER, and a few randomly scattered lysosomes. Twenty-one (21) peroxisomes are counted.

L6121. Liver. Hepatocyte. 14,400X. A high magnification of the cytoplasm of a hepatocyte. The nucleus of the hepatocyte is found at the bottom of the micrograph. Within the cytosol, there are a number of mitochondria with normal lamellar cristae. In addition to the mitochondria, there is an abundance of RER, and randomly scattered lysosomes. A bile canaliculus is observed separating this hepatocyte from another hepatocyte at the upper right hand top of the micrograph. Peroxisomes not counted.

Conclusions: Normal hepatocytes. Two hepatocytes had a few lipid droplets. Peroxisome average is 21.8 per hepatocyte.

THIS PAGE REVISED.

COVANCE STUDY NO.: 6329-183

SIGNATURE: *C. Cummins* DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD[®] (SD) IGS BR

Animal No.: C92510

Tissue: Liver-Periportal

Treatment Group: 1 (Control)

Block No(s): C92510 2A

Sex: Male

Photo/Negative No(s): L6183-L6187

Significant Lesions (check one): _____ Yes ☒ No

Interpreting Pathologist (signature and date): *Al Cummins* March 19, 2001

Features: **L6183.** Liver. Hepatocyte. 7,530X. In the center of the micrograph is a binucleated hepatocyte. The nuclei of this hepatocyte are similar in size and both are round. Within the cytosol, there are a number of similar sized mitochondria. RER is also observed. The cell membrane is easily delineated from the adjacent hepatocytes. Twenty (20) peroxisomes are counted. A bile canaliculus is found along the left hand edge of the micrograph between the central hepatocyte and the adjacent hepatocyte on that side.

L6184. Liver. Hepatocyte. 7,920X. A vertically centered hepatocyte is found in this micrograph. Along the top right hand corner, there are a few clumped erythrocytes. The central hepatocyte has a distinctly rounded nucleus having finely granular chromatin. There are numerous mitochondria, RER, SER, and a few lipid droplets in the cytoplasm of this cell. Twenty-two (22) peroxisomes are counted.

L6185. Liver. Hepatocyte. 10,200X. A somewhat cuboidal hepatocyte is located in the center of the micrograph. The nucleus of this cell is small and round. The cytoplasm is abundant. Numerous mitochondria, RER, and lesser amount of SER are observed in the cytoplasm. Twenty-five (25) peroxisomes are counted. Erythrocytes are found along the top right hand edge of the micrograph.

L6186. Liver. Hepatocyte. 10,200X. A centrally located hepatocyte is noted in this micrograph. The nucleus is "bean" shaped due to a large lipid vacuole compressing along one side. There is another smaller lipid vacuole also observed in the cytoplasm. In addition to the lipid, there are numerous mitochondria, and RER in the cytoplasm. Eighteen (18) peroxisomes are counted.

L6187. Liver. Hepatocyte. 10,200X. A large magnification of a single hepatocyte. The nucleus is somewhat rounded with irregular indentation of the nuclear membrane. A single eccentric nucleolus is also observed. The cytoplasm contains a zonal cluster of mitochondria along the left hand edge and an expanded region of SER along the right hand edge of the cell. A small amount of RER is scattered randomly throughout the cell. Twenty-one (21) peroxisomes are counted.

Conclusions: Normal hepatocytes. Two hepatocytes had small lipid droplets while another had an expanded region of SER. Peroxisome average is 21.2 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE: *Al Cummins* DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C92513 Tissue: Liver-Centrilobular
Treatment Group: 1 (Control) Block No(s): C92513-2A
Sex: Male Photo/Negative No(s): Z21345-
Z21349
Significant Lesions (check one): Yes X No
Interpreting Pathologist (signature and date): *Chumney* March 19, 2001

Features: **Z21345.** Liver. Hepatocyte. 15,700X. Approximately 90% of a single hepatocyte is observed in this micrograph. The nucleus is round with marginating chromatin. Within the cytosol, there are a number of mitochondria, SER, and RER. A few lipid vacuoles are also observed. Seventeen (17) peroxisomes are counted. Along the left hand edge of the micrograph is a bile canaliculus.

Z21346. Liver. Hepatocyte. 10,900X. In the center of the micrograph, there is a hepatocyte with a large rounded nucleus and a smaller nucleus along the right hand side of the micrograph. Within the larger nucleus, there is an eccentrically located single nucleolus. The cytosol contains a slightly decreased number of mitochondria, abundant RER, and a few randomly scattered lysosomes and lipid vacuoles. Nineteen (19) peroxisomes are counted.

Z21347. Liver. Hepatocyte. 10,900X. Approximately 90% of a single hepatocyte is found located in the center of the micrograph. This hepatocyte has an eccentrically located nucleus with one dense nucleolus. Within the cytosol, there is a cluster of lipid vacuoles along the right side of the cell. In addition to the lipid, there are a number of mitochondria, abundant RER, and a small amount of SER. Twenty-one (21) peroxisomes are counted.

Z21348. Liver. Hepatocyte. 15,700X. Approximately 90% of a single hepatocyte is observed in this micrograph. The nucleus is rounded and eccentrically located in the cell. There are five lipid droplets in the cytosol surrounded by mitochondria and RER. Abundant glycogen is also noted in the cytoplasm. Nine (9) peroxisomes are counted. A bile canaliculus is located at the top of the micrograph.

Z21349. Liver. Hepatocyte. 36,200X. A high magnification of the cytoplasm of a hepatocyte. Within the cytoplasm, there are a number of normal mitochondria. Scattered between the mitochondria are RER and small glycogen rosettes. Peroxisomes not counted.

Conclusions: Normal hepatocytes. A few lipid droplets were found in 4/5 hepatocytes, and scattered glycogen (2/5 hepatocytes) was also observed. Peroxisome average is 16.5 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE: *Chumney* DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C92514

Tissue: Liver-Periportal


Treatment Group: 1 (Control)

Block No(s): C92514-2A

Sex: Male

Photo/Negative No(s): Z21350-
Z21354

Significant Lesions (check one): Yes X No

Interpreting Pathologist (signature and date):  March 19, 2001

Features: **Z21350.** Liver. Hepatocyte. 10,900X. A centrally located cuboidal hepatocyte is observed in this micrograph. The nucleus is round with a marginating nucleolus. The cytosol is filled with similar-sized mitochondria, RER, and a few lysosomes. Seventeen (17) peroxisomes are counted. Along the top left hand corner, there is a portion of a sinusoid. Small bile canaliculi are found between the central hepatocyte and the adjoining hepatocytes on both sides.


Z21351. Liver. Hepatocyte. 10,900X. A somewhat rounded hepatocyte is noted in the center of the micrograph. This hepatocyte contains a centrally located nucleus with a central nucleolus. The cytosol contains numerous mitochondria, RER, and a few lipid vacuoles. Eleven (11) peroxisomes are counted. Bordering the hepatocyte on the bottom and left hand side are bile canaliculi.

Z21352. Liver. Hepatocyte. 10,900X. Approximately 60% of a hepatocyte is observed in this micrograph. The nucleus is eccentrically located, round, with finely granular chromatin. There are numerous mitochondria and abundant RER in the cytoplasm. Peroxisomes not counted.


Z21353. Liver. Hepatocyte. 10,900X. A cuboidal hepatocyte is located in the center of the micrograph. The nucleus is round with a large nucleolus. The cytosol contains abundant RER, less SER, and numerous mitochondria. Twenty (20) peroxisomes are counted. A bile canaliculus is found along the lower half of the micrograph bordering the hepatocyte.

Z21354. Liver. Hepatocyte. 36,200X. A high magnification of mitochondria in the cytoplasm of a single hepatocyte. The mitochondria are normal with well-developed cristae. There is also abundant RER observed as well. Peroxisomes not counted.

Conclusions: Normal hepatocytes. Peroxisome average is 16.0 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C92518 Tissue: Liver- Periportal
Treatment Group: 1 (Control) Block No(s): C92518-2A
Sex: Male Photo/Negative No(s): L6203-L6207
& Z21355
Significant Lesions (check one): Yes X No
Interpreting Pathologist (signature and date):  March 19, 2001

Features: **Z21355.** Liver. Hepatocyte. 10,900X. Approximately 95% of a hepatocyte is observed in the center of the micrograph. The hepatocyte contains an eccentrically located nucleus that has three rounded edges and a flat edge. Within the nucleus, there is a centrally located dense nucleolus. The cytosol contains numerous mitochondria, abundant RER, and less SER. Thirty-one (31) peroxisomes are counted.

L6203. Liver. Hepatocyte. 7,920X. An oval hepatocyte is found in the center of the micrograph. An eccentrically located nucleus is somewhat oval as well. The chromatin is finely granular. Within the cytosol are numerous small similar-sized mitochondria and abundant RER. A few small lysosomes are observed as well. Thirty-four (34) peroxisomes are counted. Along the bottom edge of the micrograph, there is a portion of a perisinusoidal fat storing cell (Ito cell).

L6204. Liver. Hepatocyte. 7,920X. In the center of the micrograph, there is a somewhat polygonal shaped hepatocyte. This hepatocyte is bordered by portions of other hepatocytes along the bottom and top edge of the micrograph. The nucleus is small and cuboidal in shape. There is an abundance of cytoplasm filled with a number of small mitochondria, SER, RER, and a few small lysosomes. Thirty-three (33) peroxisomes are counted.

L6205. Liver. Hepatocyte. 7,920X. An oval shaped hepatocyte is observed in the upper central region of the micrograph. The hepatocyte contains a large rounded nucleus having finely stippled chromatin and small rounded pale nucleolus. The cytosol contains numerous mitochondria, SER, and some RER. Thirty-six (36) peroxisomes are counted. Below this hepatocyte, there are two other hepatocytes, one filled with six large lysosomes. Another perisinusoidal fat storing cell (Ito cell) is observed along the left hand margin of the micrograph.


L6206. Liver. Hepatocyte. 10,200X. A higher magnification of a single hepatocyte. Approximately 97% of the hepatocyte is observed. The nucleus is large, rounded, with a somewhat centrally located nucleolus. The cytosol contains numerous mitochondria, RER, SER, and a few randomly scattered lysosomes. Twenty-seven (27) peroxisomes are counted. There is a small bile canaliculus adjacent to the hepatocyte located on the upper left hand edge of the micrograph.

L6207. Liver. Hepatocyte. 28,350X. High magnification of the cytoplasm of a hepatocyte. Within this micrograph, there are a number of mitochondria, RER, and SER. Peroxisomes not counted.

Conclusions: Normal hepatocytes. Two hepatocytes had a small amount of SER. Peroxisome average is 32.2 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD[®] (SD) IGS BR
Animal No.: C92757 Tissue: Liver- Centrilobular
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C92757-2A
Sex: Male Photo/Negative No(s): L6122-L6126
&L6200
Significant Lesions (check one): X Yes No
Interpreting Pathologist (signature and date):  March 20, 2001

Features: L6122. Liver. Hepatocyte. 7,530X. A somewhat rounded hepatocyte is found in the center of the micrograph. The nucleus of this cell is small. The cytoplasm contains mitochondria that are dispersed between patches of SER and less RER. Glycogen particles are scattered throughout the cell. Lipid vacuoles, some with myelin figures and a few small lysosomes are also observed. Thirty-two (32) peroxisomes are counted. Thin to somewhat dilated sinusoids separate this hepatocyte from portions of other hepatocytes. Similar to the central hepatocyte, lysosomes, glycogen, SER, RER, and mitochondria fill the cytoplasm of the surrounding hepatocytes.

L6123. Liver. Hepatocyte. 7,530X. In the lower center half of the micrograph somewhat located on the right side is a large globoid hepatocyte. This hepatocyte is bordered by three other hepatocytes. One hepatocyte along the lower left corner contains a number of lipid vacuoles. The central hepatocyte has a small distinctly round nucleus. The cytosol is filled with widely spaced mitochondria and RER due to abundant SER. A few small lysosomes and lipid vacuoles are also observed. Twenty-two (22) peroxisomes are counted.

L6124. Liver. Hepatocyte. 7,530X. The centrally located hepatocyte is oval with an eccentrically located round nucleus. The cytoplasm contains numerous mitochondria, SER, RER, and two large lipid vacuoles. The cell is surrounded on three sides by dilated sinusoids containing erythrocytes. Twenty (20) peroxisomes are counted. Other hepatocytes on this micrograph have similar characteristics as the hepatocyte described. The micrograph is pale and somewhat distorted due to chatter lines.

L6125. Liver. Hepatocyte. 7,920X. In the center of the micrograph, there is a large hepatocyte with no nucleus. A cluster of lipid vacuoles are found along the right side of the cell while mitochondria and SER are located in the left hand portion of the cytoplasm. Fifteen (15) peroxisomes are counted. A number of these peroxisomes are large and prominent. Surrounding this cell, on three sides, is a large dilated sinusoid containing erythrocytes.

L6126. Liver. Hepatocyte. 4,990X. In the center of the micrograph is an oval hepatocyte with two small portions of a nucleus. The cytoplasm is distended due to an increase in SER, numerous mitochondria, and randomly scattered RER. A few moderate sized lipid vacuoles and small lysosomes are also observed. Nineteen (19) peroxisomes are counted. Similar to hepatocyte in micrograph L6125, the hepatocyte is surrounded by dilated sinusoids that contain erythrocytes. In the top portion of the micrograph, there is a perisinusoidal fat storing cell (Ito cell) within the sinusoid above the central hepatocyte.

L6200. Liver. Hepatocyte. 7,920X. A large vertically centered oval hepatocyte is observed in this micrograph. Surrounding this hepatocytes are erythrocytes and a finely reticulated material within sinusoids. The cell has a large round nucleus with a marginating nucleolus. The cytosol of this hepatocyte is filled with SER, RER, mitochondria, and randomly scattered variable-sized lipid vacuoles. Thirteen (13) peroxisomes are counted.

Conclusions: SER is increased in 5/5 hepatocytes. One hepatocyte had scattered glycogen while another hepatocyte is hypertrophic. Peroxisome average is 20.2 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C92762

Tissue: Liver-Periportal

Treatment Group: 5 (High-20.0ppm T-6295)

Block No(s): C92762-2A

Sex: Male

Photo/Negative No(s): L6127-L6131
&L6201

Significant Lesions (check one): X Yes No

Interpreting Pathologist (signature and date): *C. Cummins* March 20, 2001

Features: **L6127.** Liver. Hepatocyte. 7,530X. A vertically centered oval hepatocyte is observed in this micrograph. Along the left side of the hepatocyte, there is a dilated sinusoid containing two erythrocytes. To the right hand edge of the micrograph, there is a small portion of a dark staining hepatocyte. The central hepatocyte does not have a nucleus (sectioning artifact). The cytoplasm is filled with mitochondria, patches of SER, and some RER. A few lysosomes are also observed. Due to the dark staining of the micrograph, peroxisomes are not counted.

L6128. Liver. Hepatocyte. 7,530X. A pyramidal-shaped hepatocyte with a large centrally located round nucleus is located in the middle of the micrograph. The cytosol of this hepatocyte is filled with patches of SER, RER, and numerous mitochondria. Randomly scattered lipid vacuoles and a small amount of glycogen are also observed in the cytoplasm. Ten (10) peroxisomes are counted. Alongside on the left is a sinusoid containing erythrocytes. In addition to the red blood cells, there is a large plasma cell located in the upper left hand corner.

L6129. Liver. Hepatocyte. 12,100X. High magnification of the cytoplasm of a hepatocyte. Within the cytoplasm, there are a number of similar sized mitochondria, RER, and some SER. A few randomly scattered glycogen particles and two lipid droplets are also observed. Peroxisomes not counted.

L6130. Liver. Hepatocyte. 7,530X. A round hepatocyte is found in the center of the micrograph. The nucleus is also round and centrally located within the cell. Randomly scattered are numerous mitochondria, RER, and a cluster of lipid vacuoles located in the lower portion of the cytoplasm. Surrounding lipid vacuoles is a dense accumulation of glycogen. Thirty-one (31) peroxisomes are counted. Surrounding this hepatocyte are other hepatocytes within similar characteristics. A sinusoid containing erythrocytes is noted on the lower left hand portion of the micrograph.

L6131. Liver. Hepatocyte. 7,920X. A slightly larger polygonal hepatocyte is found in the center of the micrograph. In the upper right hand corner there is a clump of erythrocytes in a sinusoid. The central hepatocyte contains an eccentrically located somewhat small, rounded nucleus with a single nucleolus. The cytoplasm contains numerous mitochondria, some RER, and a slight increase in SER. A few lipid vacuoles are also observed. Twenty-one (21) peroxisomes are counted. Below this hepatocyte, there are three other hepatocytes with similar characteristics.

L6201. Liver. Hepatocyte. 7,920X. A large cuboidal-shaped hepatocyte is found in the center of the micrograph. The nucleus is eccentrically located and contains a single marginating nucleolus. The cytoplasm is distended with a large increase in SER and less RER. A moderate number of mitochondria and a few lipid droplets are also observed in the cytoplasm. Ten (10) peroxisomes are counted. In the upper right hand corner, there is a dilated sinusoid containing one erythrocyte in a finely granular matrix.

Conclusions: Mild hepatocellular hypertrophy (2/5 hepatocytes), increased SER (5/6). Two hepatocytes had some accumulation of glycogen. Peroxisome average is 18 per hepatocyte.

THIS PAGE REVISED.

COVANCE STUDY NO.: 6329-183

SIGNATURE: *C. Cummins* DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD[®] (SD) IGS BR
Animal No.: C92775 Tissue: Liver – Not specified
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C92775-2A
Sex: Male Photo/Negative No(s): L6132-L6137
Significant Lesions (check one): X Yes No
Interpreting Pathologist (signature and date):  March 20, 2001

Features: **L6132.** Liver. Hepatocyte. 10,200X. Located to the left hand side of the micrograph is a polygonal-shaped hepatocyte. This hepatocyte contains a centrally located nucleus with a large round nucleolus. There are a number of small round mitochondria in the cytoplasm, separated by SER and RER. Fifteen (15) peroxisomes are counted. Below this hepatocyte to the lower left of the micrograph is a sinusoid containing a number of erythrocytes and four large lymphocytes.

L6133. Liver. Hepatocyte. 10,200X. Approximately 50% of a hepatocyte is observed along the top of the micrograph. This hepatocyte has a large round nucleus with finely stippled chromatin. The cytosol contains RER, mitochondria, and SER. Peroxisomes not counted. Below this hepatocyte is a sinusoid with a finely granular matrix containing a large lymphocyte and an erythrocyte. Chatter lines along the bottom half of the micrograph are artifact.

L6134. Liver. Hepatocyte. 7,920X. A rounded hepatocyte is found in the center of the micrograph. This cell has a large distinctly rounded nucleus with one round nucleolus. The cytoplasm of this cell contains abundant SER, RER, and numerous mitochondria. Fifteen (15) peroxisomes are counted. Portions of other hepatocytes surround the central hepatocyte. These cells have similar cytoplasmic characteristics. Along the bottom of the micrograph, a sinusoid contains two erythrocytes and a lymphocyte.

L6135. Liver. Hepatocyte. 7,920X. The micrograph is somewhat distorted due to chatter lines. The centrally located hepatocyte is pyramidal in shape with a large rounded nucleus. The cytosol contains a number of mitochondria that are separated by RER and a few small patches of SER. Six (6) peroxisomes are counted. Another hepatocyte along the lower left hand margin of the micrograph contains a few small lysosomes along with SER, RER and mitochondria. The nucleus of this cell is somewhat rounded. In the upper right hand corner, a few clumped erythrocytes are observed along with a small tear in the tissue (artifact).

L6136. Liver. Hepatocyte. 7,920X. Portions of two hepatocytes are located in the top half of the micrograph. Approximately 90% of the hepatocyte on the left is visible. The nucleus of this cell is large and distinctly round. A somewhat eccentrically located nucleolus is found in the nucleus. Abundant mitochondria, RER and some SER are present in the cytoplasm. Fifteen (15) peroxisomes are counted. On the bottom of the micrograph, there is a large sinusoid containing a circulating lymphocyte and a few erythrocytes.

L6137. Liver. Hepatocyte. 10,200X. A large hepatocyte is observed in this micrograph. A small portion of a sinusoid with clumped erythrocytes is observed in the upper portion of the micrograph. The nucleus of the endothelial lining of the sinusoid is noted just above the upper left of the central hepatocyte. The hepatocyte contains a large somewhat rounded nucleus with a marginating nucleolus and finely granular chromatin. The cytosol contains numerous mitochondria, RER, and large patches of SER. A few randomly scattered dense lysosomes are also observed. Fourteen (14) peroxisomes are counted.

Conclusions: Circulating lymphocytes are most consistent with a diagnosis of large granular cell leukemia. SER is noticeably increased in 6/6 hepatocytes. Mild hepatocellular hypertrophy (1/6 hepatocytes). Peroxisome average is 13.0 per hepatocyte

THIS PAGE REVISED.

SIGNATURE:  COVANCE STUDY NO.: 6329-183
DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C92786 Tissue: Liver – Periportal
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C92786-2A
Sex: Male Photo/Negative No(s): L6106-L6610
Significant Lesions (check one): Yes X No
Interpreting Pathologist (signature and date): *C. Cummins* March 20, 2001

Features:
L6106. Liver. Hepatocyte. 7,920X. Cells in this micrograph are undergoing autolysis based on a loosely expanded, pale cytoplasm that contains fragmented and dilated endoplasmic reticulum, electron dense mitochondria with no delineated cristae and an indistinct cell membrane. The nucleus is large, round, and still intact. The morphology of the adjoining tissue and cells is similar. In the upper left hand corner, there is a portion of a nucleus but no cell margins. Fourteen (14) peroxisomes are counted.
L6107. Liver. Hepatocyte. 7,920X. In the center of the micrograph, there is an oval shaped hepatocyte with a large distinctly rounded nucleus. Within the cytoplasm of this cell, there are a number of small rounded mitochondria, RER, and two small lipid droplets (on the right hand side of the cell). Nine (9) peroxisomes are counted. In the upper left hand corner of the micrograph adjacent to this central cell, there is a portion of another hepatocyte with similar characteristics.
L6108. Liver. Hepatocyte. 7,920X. Similar to the hepatocyte in **L6106**, the centrally located hepatocyte is undergoing autolysis. The cytoplasm is loosely expanded. RER and mitochondria are observed but loosely arranged. The cell membrane is indistinct. Eleven (11) peroxisomes are observed.
L6109. Liver. Hepatocyte. 7,920X. Similar to the other hepatocytes, the hepatocyte in this micrograph is mildly autolytic. The cytoplasmic organelles are loosely arranged. There are a number of mitochondria, small patches of RER and some SER observed. The nucleus is eccentrically located, round, and small. Twenty-one (21) peroxisomes are counted. Above this hepatocyte located in the upper left hand corner of the micrograph is a large hepatocyte with similar characteristics.
L6110. Liver. Hepatocyte. 18,500X. High magnification of the cytoplasm of a hepatocyte. The nucleus of the cell is present in the upper left hand corner of the micrograph. RER is somewhat dilated while the mitochondria are normal. The cell membrane along the bottom of the micrograph is difficult to discern.

Conclusions: Hepatocytes (5/5) had early autolytic changes most likely due to fixation artifact; therefore, interpretation was limited. One hepatocyte had two small lipid droplets while another had some SER. Peroxisome average is 13.8 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE: *C. Cummins* DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD[®] (SD) IGS BR
Animal No.: C92791 Tissue: Liver – Periportal
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C92791-2A
Sex: Male Photo/Negative No(s): L6138-L6142
Significant Lesions (check one): X Yes No
Interpreting Pathologist (signature and date):  March 20, 2001

Features:**L6138.** Liver. Hepatocyte. 12,100X. Approximately 90% of an oval hepatocyte is observed in this micrograph. The hepatocyte has an eccentric nucleus located at the top of the cell. Mitochondria appear slightly larger. There is an abundance of SER, lesser RER, and randomly scattered glycogen particles in the cytoplasm. A few lipid vacuoles are also observed. Twelve (12) peroxisomes are counted. This hepatocyte is located adjacent to a large sinusoid, located in the upper left hand region of the micrograph.


L6139. Liver. Hepatocyte. 7,920X. A round hepatocyte is found in the center of the micrograph. Surrounding this hepatocyte are portions of other hepatocytes. The central hepatocyte has an eccentrically located round nucleus. In the cytoplasm, numerous mitochondria are found separated by SER, RER, and a few lipid vacuoles. Randomly scattered throughout the cytoplasm are glycogen particles. Twenty (20) peroxisomes are counted.

L6140. Liver. Hepatocyte. 7,920X. In the center of the micrograph, there is a cuboidal-shaped hepatocyte. This hepatocyte has a large round nucleus with a central nucleolus. Two somewhat large lipid vacuoles and two small lipid vacuoles are observed in the cytoplasm along with numerous mitochondria, SER, and RER. Glycogen and a few lysosomes are also observed. Twenty-nine (29) peroxisomes are counted. A bile canaliculus is present above the central hepatocyte.

L6141. Liver. Hepatocyte. 7,920X. A somewhat round hepatocyte is found in the center of the micrograph surrounded on the left and bottom by other similar hepatocytes. The central hepatocyte has a rounded nucleus that is displaced somewhat to the right of the cell. Organelles in the cytoplasm consist of numerous mitochondria, SER, RER, and glycogen. A few lipid vacuoles are observed in the lower left hand portion of the cell. Seventeen (17) peroxisomes are counted.

L6142. Liver. Hepatocyte. 12,100X. High magnification of the cytoplasm of a hepatocyte. A large nucleus is located in the upper left hand corner while another smaller portion of the nucleus is present just below (sectioning artifact). Within the cytoplasm, there is an increase in SER, glycogen along with the numerous mitochondria and randomly scattered RER. Peroxisomes not counted.

Conclusions: A moderate to marked increase in SER. Glycogen is observed in 4/5 hepatocytes. Peroxisome average is 19.5 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C92868 Tissue: Liver - Periportal
Treatment Group: 1 (Control) Block No(s): C92868 2A
Sex: Female Photo/Negative No(s): L6143-L6147
Significant Lesions (check one): Yes X No
Interpreting Pathologist (signature and date): *CE Cummins* March 16, 2001

Features: **L6143.** Liver. Hepatocyte. 7,920X. Placed somewhat in the center of the micrograph is a horizontally elongated hepatocyte. There is an extreme invagination of the nucleus envelope that contains cytoplasmic organelles, mostly mitochondria and lesser RER. The remaining cytosol contains a rather small number of mitochondria, a few lipid droplets, and slight increase the amount of SER. Fifteen (15) peroxisomes are counted.

L6144. Liver. Hepatocyte. 7,920X. Adjacent to the central hepatocyte are other hepatocytes, some of which contain a few large lipid vacuoles. There are two distinct hepatocytes in the center of the micrograph. The oval-shaped hepatocyte has a centrally located normal round nucleus. Cytoplasmic organelles appear normal. Within the cytoplasm, there are a number of mitochondria, abundant RER, and a few small lysosomes. Nineteen (19) peroxisomes are counted.

L6145. Liver. Hepatocyte. 7,920X. A somewhat rounded to oval hepatocyte, centrally located on the micrograph, is described. The hepatocyte nucleus is centrally located, irregularly rounded, and appears normal. There are a number of mitochondria that are essentially the same in size and shape. Additionally within the cytoplasm, there is abundant RER, multifocal areas of SER and a few randomly scattered lipid droplets. Fifteen (15) peroxisomes are counted.

L6146. Liver. Hepatocyte. 7,920X. Along the lower right-hand corner is a small grid bar segment. A portion of an erythrocyte is found within a sinusoid along the right aspect of the micrograph as well. The centrally located hepatocyte is characterized by a somewhat smaller round nucleus with an eccentrically located small nucleolus, and a cytoplasm filled with numerous mitochondria and patches of RER. The edges of the cell membrane are irregular and somewhat indistinct (fixation artifact). Seventeen (17) peroxisomes are counted.

L6147. Liver. Hepatocyte. 7,920X. There is a hepatocyte vertically centered on the micrograph, a portion of this hepatocyte is cutoff at the bottom. The hepatocyte lacks a nucleus (sectioning artifact). There are a number of mitochondria in the cytosol along with abundant SER and lesser RER. There is a slight increase in the number of lysosomes. Seventeen (17) peroxisomes are counted.

Conclusions: Normal hepatocytes. One hepatocyte had abundant SER while two others have mild SER accumulation. A small amount of lipid is scattered in another hepatocyte. Peroxisomes average 16.6 per hepatocyte.


THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE: *CE Cummins* DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C92871 Tissue: Liver - Centrilobular
Treatment Group: 1 (Control) Block No(s): C92871 2A
Sex: Female Photo/Negative No(s): L6188-L6192
L6148, L6149
Significant Lesions (check one): Yes X No
Interpreting Pathologist (signature and date):  March 15, 2001

Features: **L6188.** Liver. Hepatocyte. 7,920X. A portion of a sinusoid containing a degenerate cell is found above the centrally located hepatocyte. The hepatocyte is oval shaped. The nucleus of the hepatocyte is round with two similar sized nucleoli and finely granular chromatin. Within the cytosol are numerous small, oval to elongated mitochondria and abundant RER. Nineteen (19) peroxisomes are counted.
L6189. Liver. Hepatocyte. 7,920X. One whole hepatocyte and a portion of another hepatocyte having no nucleus (sectioning artifact) are prominent in the micrograph. The whole hepatocyte is somewhat pyramidal in shape. The nucleus of this hepatocyte is somewhat rounded and contains an eccentrically located round nucleolus. The cytosol is filled with an abundance of RER interlacing around a moderate number of mitochondria. There are a few lipid vacuoles and a few randomly scattered lysosomes. Eleven (11) peroxisomes are counted.
L6190. Liver. Hepatocyte. 7,920X. A portion of a hepatocyte is found in the center of the micrograph. This portion has no nucleus (sectioning artifact) but does contain numerous mitochondria, RER, and a number of lipid droplets. Two of the lipid droplets contain myelin figures. Along the bottom of the micrograph, there is a sinusoid containing clumped erythrocytes. Above the hepatocyte, there is another sinusoid lined by a prominent endothelial cell while in the lumen there are clumped erythrocytes. Peroxisomes are not counted since only approximately 30% of the hepatocyte is available for interpretation.
L6191. Liver. Hepatocyte. 7,530X. A dilated sinusoid is observed along the right hand border of the micrograph. A centrally located, polygonal hepatocyte is observed within the center and adjacent to the bile canaliculus. The nucleus of this hepatocyte is rounded with a somewhat centrally located nucleolus. The cytosol contains abundant RER, a number of small round to often-elongated mitochondria, and a few lysosomes. Nineteen (19) peroxisomes are counted.
L6192. Liver. Hepatocyte. 7,530X. Found along the right hand bottom of the micrograph is a sinusoid containing an erythrocyte, a perisinusoidal fat storing cell (Ito cell), and serum plasma. An oval shaped hepatocyte is observed in the center of the micrograph. The nucleus of this cell is somewhat small compared to the cytoplasm of the cell. The cytosol contains abundant RER, mitochondria, SER, and a few small lysosomes. Sixteen (16) peroxisomes are counted.
L6148. Liver. Hepatocyte. 12,100X. High magnification of a single hepatocyte. The nucleus is round with finely granular chromatin. Adjacent to the nucleus is a large oval lysosome containing reticulo-particulate material. Also within the cytosol are a number of mitochondria and abundant RER. Peroxisomes are not counted since the entire hepatocyte is not available for interpretation.
L6149. Liver. Hepatocyte. 4,990X. An oblong hepatocyte containing abundant mitochondria and RER is located in the center of the micrograph. Thirteen (13) peroxisomes are counted. Along one side of the hepatocyte, there is a sinusoid containing erythrocytes and a clump of cellular debris. In the upper right hand corner is a wide black stripe (folded tissue).

Conclusions: Normal hepatocytes. The average peroxisomes are 15.6 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 4/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C92874

Tissue: Liver – Centrilobular

Treatment Group: 1 (Control)

Block No(s): C92874 2A

Sex: Female

Photo/Negative No(s): L6150-L6154

Significant Lesions (check one): Yes X No

Interpreting Pathologist (signature and date):  March 15, 2001

Features: **L6150.** Liver. Hepatocyte. 7,530X. A centrally located hepatocyte is bordered on all four sides by sinusoids containing erythrocytes. This hepatocyte is irregular in shape, somewhat rounded with a round central nucleus. The cytosol contains numerous mitochondria, some RER, and a few lipid droplets. Ten (10) peroxisomes are counted.

L6151. Liver. Hepatocyte. 7,530X. A rounded hepatocyte is found in the center of the micrograph. This hepatocyte has a distinctly round nucleus. The cytosol contains numerous mitochondria and abundant RER. A few lysosomes with reticulo-particulate material are also noted. Sixteen (16) peroxisomes are counted. A dilated sinusoid with numerous erythrocytes is found on the right hand side at the top of the micrograph. Along the left hand margin, there is a hole (artifact).

L6152. Liver. Hepatocyte. 7,530X. Two hepatocytes are found on this micrograph. One hepatocyte has a single nucleus. The other hepatocyte is binucleated. Both nuclei are rounded with one slightly bigger than the other. The large nucleus has a single nucleolus. There are numerous small mitochondria and a moderate amount of RER. A sinusoid is noted with erythrocytes along the lower left corner and just above the binucleated hepatocyte on the upper right side of the micrograph. Twenty-three (23) peroxisomes are counted.

L6153. Liver. Hepatocyte. 4,990X. Two hepatocytes are observed in this micrograph. The one at the top edge of the micrograph is cut almost in half. The other hepatocyte is located somewhat in the center of the micrograph slightly to the left hand margin. This hepatocyte has an eccentrically located round nucleus that contains finely stippled chromatin. The cytosol is filled with small mitochondria, RER, and a few small lysosomes. Seventeen (17) peroxisomes are counted.

L6154. Liver. Hepatocyte. 7,530X. In this micrograph, there is a single centrally located hepatocyte surrounded by portions of other hepatocytes and a sinusoid containing two small erythrocytes (along the right hand margin). The central hepatocyte has a rounded nucleus with two round nucleoli. The cytosol contains abundant RER, less SER, a mild amount of randomly scattered glycogen, and numerous small rounded mitochondria. One large lipid droplet with a myelin figure is also observed. Sixteen (16) peroxisomes are counted.

Conclusions: Normal hepatocytes. One hepatocyte had a small amount of SER while another had a few lipid droplets. Peroxisomes average 16.4 per hepatocyte.

THIS PAGE REVISED.

COVANCE STUDY NO.: 6329-183

SIGNATURE: 

DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C92896

Tissue: Liver - Centrilobular

Treatment Group: 1 (Control)

Block No(s): C92896 2A

Sex: Female

Photo/Negative No(s): L6155-L6159

Significant Lesions (check one): Yes X No

Interpreting Pathologist (signature and date): *CD Cummins* March 16, 2001

Features: L6155. Liver. Hepatocyte. 7,530X. Central to the micrograph is a hepatocyte that is somewhat pyramidal in shape. The nucleus is centrally located and round. There are two small nucleoli and finely granular chromatin within the nucleus. The cytosol contains numerous similar sized mitochondria, abundant RER, scant SER, and a few lipid droplets and lysosomes. The plasma membrane in areas is somewhat difficult to discern from adjacent hepatocytes. Twenty-one (21) peroxisomes are counted.

L6156. Liver. Hepatocyte. 10,200X. A higher magnification of a hepatocyte characterized by numerous mitochondria, RER, and SER. A few lipid droplets are also found. Peroxisomes not counted.

L6157. Liver. Hepatocyte. 7,920X. The centrally located oval-shaped hepatocyte contains a slightly eccentrically located nucleus containing one nucleolus. The cytosol contains numerous mitochondria, RER, scant SER, and variable sized lipid droplets. Twenty-two (22) peroxisomes are counted.

L6158. Liver. Hepatocyte. 7,920X. Along the right hand margin of the micrograph there is a bile canaliculus. An erythrocyte in the upper right hand corner is within the duct. There is a rounded hepatocyte in the center of the micrograph that contains a number of mitochondria interwoven with patches of RER and SER. The nucleus is slightly eccentrically located, small, and indented along one edge. A few lipid droplets are present in the right hand portion of the cell. A particle of debris is present in cytosol in the lower half of the cell. Twenty (20) peroxisomes are counted.

L6159. Liver. Hepatocyte. 7,920X. Centrally located on the micrograph is an oval binucleate nucleus. In one of the nuclei, there is a small eccentrically located nucleolus. Within the cytosol, there are numerous mitochondria and RER. Randomly scattered are small patches of SER. This hepatocyte is bordering a bile canaliculus on the lower right hand corner of the micrograph. Twenty-eight (28) peroxisomes are counted.

Conclusions: Normal hepatocytes. SER is minimally increased. The peroxisome average is 22.8 per hepatocyte.

THIS PAGE REVISED.

COVANCE STUDY NO.: 6329-183

SIGNATURE: *CD Cummins*

DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C92897

Tissue: Liver - Periportal

Treatment Group: 1 (Control)

Block No(s): C92897-2A

Sex: Female

Photo/Negative No(s): L6160-L6164

Significant Lesions (check one): ☐ Yes ☒ No

Interpreting Pathologist (signature and date):  March 19, 2001

Features: **L6160.** Liver. Hepatocyte. 7,920X. Two hepatocytes are observed in this micrograph. In the upper left hand corner, there is one half of one hepatocyte. The other hepatocyte is centrally located on the micrograph. This hepatocyte is polygonal in shape with an eccentrically located nucleus. The chromatin in the nucleus is finely granular. There are numerous mitochondria and RER in the cytosol. A few randomly scattered lysosomes are also observed. Fourteen (14) peroxisomes are counted.

L6161. Liver. Hepatocyte. 7,530X. A single whole hepatocyte is located in the center of the micrograph. Surrounding this hepatocyte are portions of other hepatocytes. There is a sinusoid along the left hand margin that contains a leukocyte. The central hepatocyte is somewhat oval with tapered ends. The nucleus is irregularly rounded with clumped chromatin and one small nucleolus. The cytosol contains numerous mitochondria and RER. A few randomly scattered lysosomes are also observed. Sixteen (16) peroxisomes are counted.

L6162. Liver. Hepatocyte. 7,530X. A binucleated hepatocyte located somewhat on the left side of the micrograph is described. The nuclei are round and similar in size. One nucleus has a small nucleolus. The cytosol is packed with mitochondria and RER. Along the upper left hand margin of the micrograph, there is a clearing of the hepatocytes (artifact). Seventeen (17) peroxisomes are counted.

L6163. Liver. Hepatocyte. 7,530X. The micrograph is slightly dark. A single whole hepatocyte is observed in the center of the micrograph. Cell margins are difficult to discern completely. The hepatocyte has a large eccentrically located nucleus with two dense somewhat rounded nucleoli. The cytosol contains numerous mitochondria and RER. A small amount of SER, a few small lysosomes, and a few variable-sized lipid droplets. Nineteen (19) peroxisomes are counted.

L6164. Liver. Hepatocyte. 10,200X. Approximately 90% of a hepatocyte is located along the bottom central region of the micrograph. The nucleus of this cell is small and rounded. Chromatin is coarse. The cytosol contains numerous similar-sized mitochondria and RER. Fifteen (15) peroxisomes are counted. Two other hepatocytes are observed in the upper region of the micrograph.

Conclusions: Normal Hepatocytes. One hepatocyte had a small amount of SER and a few variable sized lipid droplets. Peroxisomes average 16.2 per hepatocyte.

THIS PAGE REVISED.

COVANCE STUDY NO.: 6329-183

SIGNATURE:  DATE: 11/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C93113 Tissue: Liver - Centrilobular
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C93113-2A
Sex: Female Photo/Negative No(s): L6111-L6115
&L6202
Significant Lesions (check one): X Yes No
Interpreting Pathologist (signature and date):  March 19, 2001

Features: **L6111.** Liver. Hepatocyte. 7,920X. In the center of the micrograph, there is a cuboidal shaped slightly larger hepatocyte. The hepatocyte contains a large round nucleus with finely granular chromatin. Within the cytosol, there are a number of small round mitochondria interwoven by RER. Surrounding the nucleus and along the outer periphery of the cell is a moderate amount of SER. Thirty-nine (39) peroxisomes are counted.

L6112. Liver. Hepatocyte. 10,200X. A cuboidal shaped hepatocyte is observed in the center of the micrograph. The nucleus is somewhat rounded with irregular indentation of the nuclear membrane. Chromatin is clumped along the periphery of the nucleus. There is a centrally located single nucleolus. Numerous mitochondria, RER, and lysosomes are distributed within a loosely expanded cytoplasm. Twenty-four (24) peroxisomes are counted.

L6113. Liver. Hepatocyte. 7,920X. The quality of the micrograph is poor. There is a significant amount of lysosomes present; however, no further interpretation is done.

L6114. Liver. Hepatocyte. 7,920X. Two hepatocytes are observed in this micrograph, one is located along the left hand margin while the other is adjacent to the right hand margin of the micrograph. Approximately 90% of the hepatocyte on the right is present. This cell has a centrally located, distinctly rounded nucleus with one round eccentric nucleolus. Numerous mitochondria, RER, some SER, and a number of lipid vacuoles are present in the cytosol. Twenty-two (22) peroxisomes are counted.

L6115. Liver. Hepatocyte. 12,100X. A high magnification of the cytoplasm of a hepatocyte, the nucleus of the cell is located in upper right hand corner of the micrograph. Mitochondria, RER, and a few lysosomes are found in the cytosol. Peroxisomes not counted. A bile canaliculus is found along the left lower edge of the cell.

L6202. Liver. Hepatocyte. 7,920X. An oval, somewhat larger hepatocyte is observed in the center of the micrograph. The nucleus of this cell is large, round, and contains one nucleolus. The cytosol contains numerous similar-sized mitochondria, RER, SER, and a few randomly scattered small lysosomes. Along the bottom edge of the cells, there is a cluster of lipid vacuoles. Twenty-five (25) peroxisomes are counted. A portion of another hepatocyte adjacent on the lower right also contains a number of lipid vacuoles.

Conclusions: Mild hepatocellular hypertrophy (2/6 hepatocytes). SER is increased in 3/6 hepatocytes while lipid is prominent in 2/6 hepatocytes. Peroxisome average is 27.5 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 11/23/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C93124

Tissue: Liver - Centrilobular

Treatment Group: 5 (High-20.0ppm T-6295)

Block No(s): C93124-2A

Sex: Female

Photo/Negative No(s): L6165-L6170

Significant Lesions (check one): X Yes No

Interpreting Pathologist (signature and date):  March 19, 2001

Features: **L6165.** Liver. Hepatocyte. 7,530X. A cuboidal-shaped bi-nucleated hepatocyte is found in the center of the micrograph. The nuclei are similar in shape and size. Both nuclei have a centrally located nucleolus. In the cytosol, there are a number of slightly larger round mitochondria. RER and lysosomes are also observed. Twelve (12) peroxisomes are counted.

L6166. Liver. Hepatocyte. 7,530X. In the center of the micrograph is an oval to slightly rounded bi-nucleated hepatocyte. The nuclei of this cell are rounded and similar in size. One nucleus contains two nucleoli while the other has only one. The cytosol contains a number of slightly larger mitochondria, RER, and a few clustered lysosomes. Twelve (12) peroxisomes are counted. A portion of four other hepatocytes surrounds this hepatocyte. A large erythrocyte is found adjacent to the hepatocyte on the left hand side of the micrograph.

L6167. Liver. Hepatocyte. 7,920X. This micrograph contains portions of two adjacent hepatocytes. Approximately 50% of the hepatocyte on the right is present. The nucleus of this cell is distinctly rounded, larger than normal, with a marginating nucleolus. The cytosol contains numerous mitochondria that appear slightly enlarged. RER and clustered lysosomes are also observed. Peroxisomes not counted.

L6168. Liver. Hepatocyte. 7,920X. An oval hepatocyte is located horizontally in the center of the micrograph. To the left of this cell is a portion of another hepatocyte. To the right of the central hepatocyte is a sinusoid containing lipid droplets and an erythrocyte. The central hepatocyte contains a large oval nucleus with two slightly eccentric nucleoli. Within the cytosol, there are a number of large round mitochondria, RER, and a large cluster of lysosomes along the left hand edge of the cell. In addition, individual lysosomes are found randomly scattered within the cytosol. Peroxisomes not counted. Cell borders are difficult to discern in some areas. An electron dense thin circular artifact is found on the left edge of the micrograph. Additionally, there are a scattered tissue fissures over the entire micrograph (artifact).

L6169. Liver. Hepatocyte. 7,920X. An oval shaped hepatocyte is found slightly to the right of the center of the micrograph. A large slightly rounded nucleus is located along the bottom portion of the cell. Numerous small round tightly packed mitochondria and a large cluster of lysosomes is found in the cytosol. The lysosomes are located adjacent to the nucleus. In addition, a small amount of randomly scattered RER is also located in the cytoplasm. Peroxisomes are increased-sixty (60) are counted.

L6170. Liver. Hepatocyte. 7,920X. A single cuboidal hepatocyte is found in the center of the micrograph. The nucleus is rounded with one marginating nucleolus. The cytosol is packed with small round mitochondria, lysosomes, and a small accumulation of RER. The left edge of the cell contains a few chatter lines (tissue artifact). Twenty-three (23) peroxisomes are counted.

Conclusions: Mitochondria appear slightly larger in 4/6 hepatocytes. Peroxisome average is 26.8 per hepatocyte.

THIS PAGE REVISED.

SIGNATURE:  COVANCE STUDY NO.: 6329-183 DATE: 4/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD[®] (SD) IGS BR
Animal No.: C93125 Tissue: Liver -Centrilobular
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C93125-2A
Sex: Female Photo/Negative No(s): L6171-L6176
Significant Lesions (check one): X Yes _____ No
Interpreting Pathologist (signature and date):  March 20, 2001

Features: **L6171.** Liver. Hepatocyte. 7,920X. A large polygonal hepatocyte is located horizontally in the center of the micrograph. The nucleus of this cell is quite small while the cytoplasm is extremely distended with small round mitochondria, RER, and SER. There are a few randomly scattered small lysosomes as well. Thirty-eight (38) peroxisomes are counted.

The left hand edge of the hepatocyte contains a number of villous projections. A small leukocyte and an erythrocyte are found along the bottom right hand margin of the micrograph.

L6172. Liver. Hepatocyte. 7,920X. A number of hepatocytes are present in this micrograph. One cuboidal-shaped hepatocyte, vertically centered in the middle of the micrograph is characterized by a distinctly large round eccentrically located nucleus having a rather large dense nucleolus. The cytosol of this cell is packed with numerous small mitochondria, RER, and a few small patches of SER. Sixteen (16) peroxisomes are counted. The hepatocyte is bordered on three sides by sinusoids that contain erythrocytes. Adjacent to the edge where the nucleus is located, there is a perisinusoidal fat storing cell (Ito cell) within a dilated sinusoid.

L6173. Liver. Hepatocyte. 7,920X. A large polygonal hepatocyte is found located in the center of the micrograph. This hepatocyte has a small nucleus compared to the cytoplasm that is greatly distended with small mitochondria, RER, and SER. Eleven (11) peroxisomes are counted. The plasma membrane contains a number of villous projections. A number of hepatocytes surround the central hepatocyte. These hepatocytes also contain numerous mitochondria, RER, and SER. A portion of one hepatocyte, located along the upper right hand corner of the micrograph, has an abundance of glycogen.

L6174. Liver. Hepatocyte. 7,920X. A cuboidal shaped hepatocyte is found located vertically in the center of the micrograph. The left and right hand edges of the plasma membrane contain numerous villous projections. A nucleus is not observed (sectioning artifact). The cytoplasm contains large patches of SER, RER, and a moderate number of mitochondria. There are a few lipid vacuoles and a noticeable increase in the amount of glycogen. Ten (10) peroxisomes are counted. Between this hepatocyte and the hepatocyte at the bottom of the micrograph is a small bile canaliculus.

L6175. Liver. Hepatocyte. 7,530X. A large round hepatocyte with a small portion of the nucleus (sectioning artifact) is found in the center of the micrograph. This cell is characterized by large numbers of small mitochondria, abundant SER, and lesser RER. Fifteen (15) peroxisomes are counted. Surrounding this hepatocyte are portions of other hepatocytes.

L6176. Liver. Hepatocyte. 7,530X. A smaller hepatocyte is located in the center of the micrograph surrounded by dilated sinusoids. The hepatocyte has no nucleus (sectioning artifact). Within the cytosol, there are a number of small elongated to round mitochondria, SER, and RER. A large lipid vacuole and randomly scattered deposits of glycogen are also observed. Twenty (20) peroxisomes are counted. In the upper right hand corner of the micrograph is a sinusoid containing a small leukocyte. Below and to the right of the central hepatocyte, there is a small hole (sectioning artifact).

Conclusions: Hepatocellular hypertrophy (4/6 hepatocytes). SER is increased in 5/6 hepatocytes. One hepatocyte has scattered deposits of glycogen. Peroxisome average is 18.3 per hepatocyte.

THIS PAGE REVISED.

SIGNATURE:  COVANCE STUDY NO.: 6329-183
DATE: 11/21/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37 Species/Strain: Cr:CD® (SD) IGS BR
Animal No.: C93135 Tissue: Liver - Periportal
Treatment Group: 5 (High-20.0ppm T-6295) Block No(s): C93135-2A
Sex: Female Photo/Negative No(s): L6177-L6182
Significant Lesions (check one): X Yes No
Interpreting Pathologist (signature and date):  March 20, 2001

Features: **L6177.** Liver. Hepatocyte. 7,530X. An oval hepatocyte is found located vertically in the center of the micrograph. Above this hepatocyte, there is a sinusoid lined by a prominent endothelial cell that contains one small leukocyte and two large lipid droplets. Lipid droplets are located over the entire micrograph both within the central hepatocyte and well as other hepatocytes above and below. The central hepatocyte has a oval shaped nucleus with finely granular chromatin. The cytosol of this cell contains numerous small round mitochondria and surrounding the nucleus is a thick zone of RER. Small patches of SER are also observed. Twenty-three (23) peroxisomes are counted. There is a large knife mark (artifact) running along the bottom edge of the cell.

L6178. Liver. Hepatocyte. 3,750X. A number of hepatocytes are observed in this micrograph. An oval hepatocyte is found vertically placed in the center of the micrograph. The cell membrane has a number of villous projections especially prominent on the lower half of the cell. The nucleus of this cell is small and contains three nucleoli; one is distinctly round and larger than the others. Within the cytosol, there is an increase in the amount of SER and lesser numbers of mitochondria and RER. Eighteen (18) small peroxisomes are counted. Lipid droplets are observed along the top edge of the cell as well as scattered along the bottom. Lipid droplets are found scattered throughout other hepatocytes surrounding this cell. At the top of the micrograph, located in the center, is an electron dense, elongated trapezoid artifact.


L6179. Liver. Hepatocyte. 4,990X. An oval hepatocyte is found in the center of the micrograph. Above this hepatocyte is a sinusoid containing cellular debris and a nucleus of a leukocyte. The central hepatocyte contains a distinctly round somewhat eccentric nucleus. A small round eccentric nucleolus is found in the nucleus. The cytosol contains a dense population of small mitochondria, RER, and a few patches of SER. Twenty-two (22) peroxisomes are counted. A tissue fold is observed at the bottom of the micrograph.

L6180. Liver. Hepatocyte. 4,990X. A polygonal hepatocyte with a small nucleus is found in the center of the micrograph. The hepatocyte is somewhat separated from adjacent hepatocytes by dilated sinusoids containing erythrocytes. The cytoplasm of this cell contains a number of thin elongated mitochondria, some RER, and a few patches of SER. A few small lipid droplets are also observed. Seventeen (17) peroxisomes are counted.

L6181. Liver. Hepatocyte. 4,990X. The hepatocyte in this micrograph is the same one as the hepatocyte in micrograph **L6180**.

L6182. Liver. Hepatocyte. 7,530X. A higher magnification of the cytoplasm of a hepatocyte. The nucleus of the hepatocyte is distinctly rounded and located in the upper left corner of the micrograph. The cytoplasm of this cell contains a number of small mitochondria, RER, and numerous patches of SER. A few small randomly scattered lipid droplets are found also within the cytosol. A few lysosomes and minute glycogen particles are similarly observed. Peroxisomes not counted.

Conclusions: Mild hepatocellular hypertrophy (3/5 hepatocytes). The amount of SER is increased in 5/5 hepatocytes while 4/5 hepatocytes have lipid accumulation. One hepatocyte also has scattered glycogen. Peroxisome average is 20.0 per hepatocyte.

THIS PAGE REVISED.
COVANCE STUDY NO.: 6329-183
SIGNATURE:  DATE: 4/27/01

TRANSMISSION ELECTRON MICROGRAPH INTERPRETATION

Study No.: 6329-183 EM 01.37

Species/Strain: Cr:CD® (SD) IGS BR

Animal No.: C93149

Tissue: Liver - Periportal


Treatment Group: 5 (High-20.0ppm T-6295)

Block No(s): C93149-2A

Sex: Female

Photo/Negative No(s): L6193-L6199

Significant Lesions (check one): X Yes No

Interpreting Pathologist (signature and date):  March 20, 2001

Features: **L6193.** Liver. Hepatocyte. 7,920X. A large somewhat rounded hepatocyte is found located in the center of the micrograph. The nucleus of the cell is centrally located, distinctly rounded with slight clumping of chromatin. The cytosol of this cell is filled with numerous mitochondria and RER. A few small lysosomes and lipid droplets are also observed. Twelve (12) peroxisomes are counted. A portion of another hepatocyte is observed along the bottom of the micrograph. Within the cytoplasm of that cell, there are a few small deposits of lipofuscin.

L6194. Liver. Hepatocyte. 7,920X. Two oval hepatocytes are found vertically aligned in this micrograph. The bottom hepatocyte contains a large, somewhat rounded nucleus with an eccentrically located nucleolus. Within the cytosol of this hepatocyte, there are numerous mitochondria, RER, and a few large lipid vacuoles. A few randomly scattered, small, patches of SER are also observed. Peroxisomes not counted due to darkness of the micrograph. The hepatocytes above and below this hepatocyte also contain a number of lipid vacuoles.

L6195. Liver. Hepatocyte. 7,920X. Approximately 90% of a large (fills the entire micrograph) hepatocyte is described. The nucleus is distinctly rounded and contains two large round nucleoli. The cytoplasm contains numerous small mitochondria, RER, and SER. In addition, there are numerous variable-sized lipid droplets also observed. Some of these droplets contain debris. Twenty-one (21) peroxisomes are observed.

L6196. Liver. Hepatocyte. 10,200X. A pyramidal-shaped hepatocyte, located in the center of the micrograph, is described. This cell has an eccentrically located, rounded nucleus. The chromatin in the nucleus is somewhat clumped along the periphery. There is a large lipid droplet in upper right hand corner of the cell. Numerous small elongated to rounded mitochondria, abundant RER and scattered SER are also observed in the cytoplasm. Ten (10) peroxisomes are counted. This hepatocyte is somewhat surrounded on three sides by sinusoids that are dilated and filled with cellular debris, erythrocytes, and one small leukocyte (along the upper left hand edge of the micrograph).

L6197. Liver. Hepatocyte. 10,200X. The centrally located, oval hepatocyte is somewhat distorted (tissue artifact). The nucleus is distinctly rounded, large, with one large and one small nucleolus. The left hand portion of the cytoplasm contains a number of large lipid vacuoles and SER while the bottom half or right hand portion of the cytoplasm contains clustered mitochondria and RER along with a few other lipid vacuoles. An even smaller number of lysosomes are found scattered randomly throughout the cell. Twenty-two (22) peroxisomes are counted. A large erythrocyte in a dilated sinusoid is noted along the upper right hand portion of the micrograph.


L6198. Liver. Blood vessel. 4,990X. There is extensive widening of the cytoplasm of the endothelial cells. The nuclei of the endothelial cells are enlarged with finely granular chromatin. Within the center of this vessel, there is a portion of a circulating leukocyte. Adjacent to this vessel is another large lumen (at the bottom left hand corner). The top of the micrograph is dark and not interpreted.

L6199. Liver. Hepatocyte. 10,200X. High magnification of the cytoplasm of a hepatocyte. Within the cytosol, there are a number of large lipid droplets, lipofuscin particles, SER, RER, and mitochondria. Peroxisomes not counted.

Conclusions: Hepatocellular hypertrophy (4/6 hepatocytes). SER is increased in 6/6 hepatocytes. Lipid is present in 4/6 while one hepatocyte has lipofuscin. Peroxisome average is 16.3 per hepatocyte.

THIS PAGE REVISED.

COVANCE STUDY NO.: 6329-183

SIGNATURE: 

DATE: 11/27/01

SECTION III

TRANSMISSION ELECTRON MICROGRAPHS

FIGURE LEGENDS

Magnification. Print magnification is indicated on the back of each photograph. The Bar in the right-hand corner of the micrograph equals 1micron (0.001mm).

Figure 1. Liver. Hepatocyte. This hepatocyte illustrates a few normal ultrastructural features. Within the cytosol, there are a number of mitochondria separated by abundant RER. SER is scant to not seen in this hepatocyte. Animal no. C92871, Control Female.

Figure 2. Liver. Hepatocyte. A binucleated hepatocyte located somewhat on the left side of the micrograph also illustrates normal organelles. The cytosol is packed with small round mitochondria, and a few small aggregates of RER. Animal no. C92897, Control Female.


Figure 3. Liver. Hepatocyte. A high magnification of the cytoplasm of a hepatocyte is illustrated. The nucleus of the hepatocyte is found at the bottom of the micrograph. Within the cytosol, there are a number of mitochondria with normal lamellar cristae, abundant RER, and randomly scattered lysosomes. A bile canaliculus is observed separating this hepatocyte from another hepatocyte at the upper right hand top of the micrograph. Animal no. C92505, Control Male.


Figure 4. Liver. Hepatocyte. An enlarged cuboidal-shaped hepatocyte is found in the center of the micrograph. The cytoplasm is distended due to a large increase in SER and less RER. A moderate number of mitochondria and a few lipid droplets are also observed in the cytoplasm. Animal no. C92762, High dose treated Male.


Figure 5. Liver. Hepatocyte. A large polygonal hepatocyte is found in the center of the micrograph. This hepatocyte has a small nucleus compared to the cytoplasm that is greatly distended with small mitochondria, RER, and SER. The plasma membrane contains a number of villous projections. Surrounding hepatocytes contain numerous mitochondria, RER, and SER. A portion of one hepatocyte, located along the upper right hand corner of the micrograph, has a large amount of glycogen. Animal no. C93125, High dose treated Female.

Figure 6. Liver. Hepatocyte. A round hepatocyte is found in the center of the micrograph. Randomly scattered are numerous mitochondria, RER, and a cluster of lipid vacuoles located in the lower portion of the cytoplasm. Surrounding the lipid vacuoles is a dense accumulation of glycogen. A sinusoid containing erythrocytes is noted on the lower left hand portion of the micrograph. Animal no. C92762, High dose treated Male.












**FIGURE LABELS FOR
ULTRASTRUCTURAL STRUCTURES**

<u>Abbreviations</u>	<u>Structure</u>
BC	Bile canaliculus
DC	Degenerate cell
G	Glycogen
L	Lipid droplet
LY	Lysosome
M	Mitochondria
N	Nucleus
NU	Nucleolus
P	Peroxisomes
RBC	Erythrocyte
RER	Rough endoplasmic reticulum
SER	Smooth endoplasmic reticulum
VP	Villous projection

SECTION IV

QUALITY ASSURANCE STATEMENT



QUALITY ASSURANCE STATEMENT

The electron microscopy portion of this study has been inspected and audited by the Quality Assurance Unit of Pathology Associates International, as required by the Good Laboratory Practice regulations promulgated by the U.S. Food and Drug Administration. PAI has a functioning and responsive quality assurance unit which reports directly to management. The following is a record of inspections/audits and their resulting reports:

<u>Date of Inspection</u>	<u>Phase Inspected</u>	<u>Date Reported to Management and Project Manager</u>
03/14/01	Darkroom Procedures	03/14/01
03/29, 30/01	Audit of Data and Draft Report	03/30/01
11/29/01	Audit of Amended Final Report	11/29/01


Jeanne deWard, B.S., RQAP-GLP
Quality Assurance Officer

11/29/01
Date

Sponsor: Covance Laboratories

Study Title: 104 Week Dietary Chronic Toxicity and Carcinogenicity Study
with Perfluorooctane Sulfonic Acid Potassium Salt (PFOS;
T6295) in Rats

Study Number: 6329-183