

VPP Information Resources

Further information about the VPP and approved worksites may be obtained by contacting:

VPP Coordinator*

U.S. Department of Labor - OSHA

(at the nearest address among the following OSHA Regions:)

Region I

16-18 North Street
1 Dock Square Building
4th Floor
Boston, Massachusetts 02109
(617) 233-6710

Region III

Gateway Building Suite 2100
3535 Market Street
Philadelphia, Pennsylvania 19104
(215) 596-1201

Region V

32nd Floor Room 3244
230 South Dearborn Street
Chicago, Illinois 60604
(312) 353-2220

Region VII

Room 406
911 Walnut Street
Kansas City, Missouri 64106
(816) 374-5861

Region IX

11349 General Building
450 Golden Gate Avenue
P. O. Box 36017
San Francisco, California 94102
(415) 556-0586

Region II

1515 Broadway
(1 Astor Plaza), Rm. 3445
New York, New York 10036
(212) 944-3432

Region IV

Suite 587
1375 Peachtree Street
Atlanta, Georgia 30367
(404) 881-3573

Region VI

Room 602
555 Griffin Square Building
Dallas, Texas 75202
(214) 767-4731

Region VIII

Federal Building Room 1560
1961 Stout Street
Denver, Colorado 80294
(303) 837-3061

Region X

Room 6003
Federal Office Building
909 1st. Avenue
Seattle, Washington 98174
(202) 442-5930

or:

Directorate of Federal-State Operations
US Department of Labor - OSHA
Room N-3476
200 Constitution Ave., N.W.
Washington, D.C. 20210
(202) 523-7266

- VPP coordinators can arrange for you to talk with Safety Directors whose companies are participating in VPP.

FEB 3-

AP00022419

LITIGATION UPDATE - VC STANDARD, INDUSTRY VS EPA - AS OF 7/1/80

COMPANY	WHERE	REGION	PRODUCTION	INITIATED	CONCLUDED	\$ SETTLM'T	MISC.
CASES FOR WHICH \$ PAYMENTS WERE AGREED TO:							
Borden	MASS	1	PVC	4/81	5/85	90,000	
Tenneco	NJ	2	PVC	2/80	6/82	80,000	
UCC	NJ	2		10/80	10/83	30,000	
UCC	TEX	6		9/85	6/87	142,000	
OCCID	NJ	2	PVC	2/85	7/87	490,000	
OCCID	LA	6	PVC		/87	75,000	
OCCID	LA	6	PVC	6/86	/87	425,000	
AIR PROD	KY	4		10/78	12/78	24,000	
AIR PROD	KY	4		5/80	3/83	125,000	
CONOCO	MISS	4	PVC	1/80	8/85	100,000	
CONOCO	OKLA	6	PVC	3/83	8/85	125,000	
CONOCO	LA	6	VC	6/83	8/85	100,000	
GOODRICH	KY	4		3/80	2/87	123,900	
GOODRICH		4		10/80		160,000	
GOODRICH	LA	6		3/86	6/87	75,000	
GOODYEAR/GOODRICH	LA	6		9/83	6/87	395,000	
SHELL	LA	6	VC	6/83	6/85	50,000	
GA-PAC	LA	6	PVC	9/84	1/86	825,000	
DOW	TEX	6	VC	6/85	3/87	105,000	
PPG	LA	6	VC	9/83	8/87	225,000	
'85 TOTAL	20 Sites	4 Regions				3,534,500	
('87 TOTAL)	(19 Sites)	(4 REG.)				(3,309,500)	
('86 TOTAL)	(16 Sites)	(4 REG.)				(1,918,000)	

LITIGATION UPDATE - VC STANDARD, INDUSTRY VS EPA - AS OF 7-1-88

COMPANY	WHERE	REGION	PRODUCTION	INITIATED	CONCLUDED		
CASES WITHDRAWN BY EPA:							
DIAM.-SHAM.	DEL	3		11/80	6/82		
FORMOSA	DEL	3		12/84	4/85		
BORDEN	ILL	5		10/80	7/82		
CERTAINTED	LA	6		1/79	3/80		
CASES VOLUNTARILY DISMISSED:							
CONOCO		6		10/78	11/79		
PPG		6		10/78	3/80		
CASE DECLINED BY EPA:							
VULCAN		6			3/80		
CASE CONCLUDED WITH CONSENT DECREE UNDER CERCLA:							
GA-PAC		6		12/83	5/85		
CASES PENDING:							
ETHYL	LA	6	VC	3/82			
BORDEN	LA	6	VC	3/83			
BORDEN	LA	6	VC	6/83			
FORMOSA	LA	6		10/83			
DOW	LA	6	VC	11/84			

#5

HOW CHANGES OCCUR

A STRUCTURE CHANGE

CAN RESULT IN



A BEHAVIOR CHANGE

CAN LEAD TO



AN ATTITUDE CHANGE

STRUCTURE CHANGE

- VISIBILITY
- SUPPORT
- CONFRONTATION
- FOLLOW-UP
- MEASUREMENT

MANAGEMENT SAFETY INSPECTIONS

S SAFE BEHAVIOR
(AN OBSERVABLE ACT)

O OPERATIONS
(DAILY ACTIVITIES)

M MAINTENANCE
(EXTERNAL SERVICES)


E ENGINEERING
(A MODIFICATION)

WAYS TO ACHIEVE ZERO DEFECTS


- PERSONAL COMMITMENT AS OBSERVED BY OTHERS THROUGH DAILY ACTIONS
- HIGH PERSONAL STANDARDS
- DAILY FOCUS ON SAFETY ROLES "I WILL"
- WILLINGNESS TO CONFRONT CONTROLLABLE ITEMS
- REINFORCE SAFE BEHAVIORS
- DAILY SELF INSPECTIONS
- ENCOURAGE SUPPORT
- MEASURE EFFECTIVENESS

ZERO DEFECTS CAN
ONLY BE ACCOMPLISHED
WHEN THE
SOME = 0

SAFETY INSPECTION DEFECTS



SAFE BEHAVIOR DEFECTS



AP00022427