MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE KY-788 LOT 38030

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
1790	1	T= 19		
1730	1	T=109		
	STUMP	LUMP	3549	

TOTAL NET WT. 3520 PKG. N–CODE

PROD. SPVR.	DATE	WHSE. OPER.
	12-2-80	

303

N34501

DUP050104209

23/240

CG 03 CODE KY-788-D PKG. ____

→ NOV 25 80 38030

EST. WGT. 960 LBS.

Total Wgt. 3560# Req(_____)

PROCESSING INSTRUCTIONS: BATCH UNIT

	PROCESSES	APPROVED BY
	KY-788-D (J)	EWK 9/22/7
		DCG 9/27/7
	TYPED BY	
	NE 2/17/77	

MAKING NOTES

REMARKS

NAME: "KROLOR" YELLOW - LIGHT NON-BLEEDING

INSTRUCTIONS				-PRESSING- RECORD					
AT	240			PRESSLOAD	1ST	2ND	3RD	4TH	5T
ATE	11-26-80 (JM)			STARTED	8 30 am				
IME	7:15 RM (JM)			CAKES USED	54				
ELEASED BY	E.M.			WATER ON	4:30 PM				
RESS	22	23	24	HRS. WASHED	3½				
O. OF CAKES	46	46	46	OHMS	2060				
RESS With	AGITATION			HRS. WASHED					
ASH TO 2000	OHMS with 35-75°F water			OHMS					
EST AFTER 2	HOURS			HRS. WASHED					
OAD on 6 cars				OHMS					
				CAKE CONDITION					
				NO. CARS LOADED	6				
				EXPLAIN LOSSES					
AMPLES 1- 8oz JAR									
ELIVER TO CTL for Color				SAMPLED BY		RELEASED BY			

-DRYING-

Dry 12 hrs at 220 °F	LUMP: - OK - WET - SALTS - CONTAMINA
Then Dry 8 hrs at 160 °F	
	ADDITIONAL DRYING HOURS REQUIRED
	No Drums 13
AMPLES	NO. CARS PULLED 6 LUMP WGT. 3549
ELIVER TO	SAMPLED BY RELEASED BY

-GRINDING-

ILL 939 HSP 3/32" RP SCREEN 3500 RPM	SCREEN RPM
AX. TEMP. 150 °F	MAX. TEMP. °F
	EXPLAIN LOSSES
AMPLE / WITHOUT MIXING	DATE MIXED
AMPLES 1 Env. & 1 Pt can	
ELIVER TO CTL	SAMPLED BY RELEASED BY

DUP050104210


33030
41
16
0
294
12.
290
12.
276
12.
293
12.
293
12.
296
12.
272
12.
291
12.
287
12.
295
12.
292
12.
304
12.
230
12.
6 cars pulled
13 DRUMS