

GSA CENTRA WSH

WU WSH

TLXADW9 (27)DZW190

DDE CA538 XCT2614 PV PDB FAX CHICAGO ILL 1 818P CDT

- L FRADKIN, STOCKPILE STORAGE DIVN, GENERAL SERVICES ADMINISTRATION

PROPERTY MANAGEMENT & DISPOSAL SERVICE WASHDC

WITH REFERENCE NEW CONTRACT BEING ISSUED FOR FIVEHUNDRED TONS
GRADE DX AMOSITE FIBER PLEASE ARRANGE TO SHIP IN OUR NAME FROM
BATONROUGE DEPOT LOUISIANA TO PITTSBURGH CORNING CORPORATION
OWENTOWN TEXAS THEIR ORDER NUMBER T-3026 MATERIAL TO BE SHIPPED
VIA RAIL COLLECT ROUTING IC TO SHREVEPORT-SSW TO DESTINATION.

THREE CARS THIRTY SIX TONS EACH TO MOVE FORWARD ON EACH OF FOLLOWING
DAYS NOVEMBER SECOND NOVEMBER SIXTH NOVEMBER TENTH NOVEMBER
SIXTEENTH AND TWO CARS THIRTYFOUR TONS EACH TO MOVE FORWARD
ON NOVEMBER TWENTIETH. FREIGHT RATE OF \$1.14 PER CWT. ON MINIMUM
50,000 POUNDS PER CAR TARIFF REFERENCE 1004 MUST BE PROTECTED
BAGS MUST BE IN GOOD CONDITION. ANY BROKEN MUTILATED OR STAINED
BAGS MUST NOT BE SHIPPED. PLEASE HAVE THE BATONROUGE DEPOT
CALL OUR OFFICE COLLECT WITH CAR NUMBERS AS SHIPMENTS MOVE
FORWARD.

NORTH AMERICAN ASBESTOS CORP

T-3026 50,000 1004 ALSO \$1.14

(829).

WU WSH 222A EDT 2 OCT 70

GSA CENTRA WSH

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

GG 10913

NO CONTRACT

TO 2-70

5th ST.

1 BB 0008971

13092

RECEIVED
E S T

APR 12 6 21 PM '71

GENERAL SERVICES ADMIN
CENTRAL OFFICE TELETYPE

A CENTRA WSH

WSH

XA222 (04)DEA245 KC292

VEE155 RW PDB TDVE CHICAGO ILL 12 150P CST

D GOODMAN, CHIEF MINERALS AND ORES BRANCH,

GENERAL SERVICES ADMN PROPERTY MANAGEMENT AND DISPOSAL

SERVICE WASHDC

AVE RECEIVED CONTRACT NUMBER GS-00-DS-(S)-13234 WE ARE SIGNING

ND RETURNING AIRMAIL SPECIAL DELIVERY TODAY

JOAN HOLTZE NORTH AMERICAN ASBESTOS CORP.

GS-00-DS-(S)-13234-(234)

615P

GSA CENTRA WSH

DDS O

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

ok to release
4-13-71

BB 0008972

GG 10914

RECEIVED
EST

APR 8 5 51 PM '71

GENERAL SERVICES ADMIN.
CENTRAL OFFICE TELETYPE

GSA CENTRA WSH

WU MAIN A WSH

TLXB047 (15)CTB483 .

CT CA166 XCT1450 AT RX PDB CHICAGO ILL 8 232P CST

JACK FRAZIER, STOCKPILE STORAGE DIVN, GENERAL SERVICES ADMINISTRATION

PROPERTY MANAGEMENT & DISPOSAL SERVICE WASHDC

WITH REFERENCE NEW CONTRACT BEING ARRANGED WITH MRS. HARPER

PLEASE SHIP FIVEHUNDRED SHORT TONS GRADE KAYTHREE AMOSITE ASBESTOS

FIBER AS FOLLOWS THREEHUNDRED TONS ARE TO BE SHIPPED RUSH

ALL POSSIBLE FROM SOMERVILLE NEW JERSEY, VIA TRUCK, EITHER

BOSS-LINCO OR EASTERN FREIGHTWAYS, FREIGHT COLLECT, TO PITTSBURGH

CORNING CORPORATION PORT ALLEGANY, PENNSYLVANIA, THEIR ORDER

NUMBER PA 87740. TWO HUNDRED TONS ARE TO BE SHIPPED RUSH ALL

POSSIBLE FROM BATON ROUGE, VIA TRUCK, VIA REDBALL OR ROADWAY,

FREIGHT COLLECT, TO PITTSBURGH CORNING CORPORATION, TYLER TEXAS

THERE ORDER NUMBER T3226 THANK YOU FOR YOUR COOPERATION

JOAN HOLTZE NORTH AMERICAN ASBESTOS CORP.

547P EST

GSA CENTRA WSH

NOTE: THIS DOCUMENT DID
NOT COME FROM BFG FILES
CS-60-DS-5-132
4/9/71

1 BB 0008973 1

GG 10915

X

183185 EVDEE

RECEIVED
EST

APR 8 7 15 PM '71

GENERAL SERVICES ADMIN.
CENTRAL OFFICE TELETYPE

RAAUIJAZ RUEVDAG0094 0982337-UUUU--RUEVDEE.

NCNC

DDSC

RVA013 607P EST AAPR 8 71 (50)CTB472

CT CA151 XCT1339 AT RX PDB CHICAGO ILL 8 205P CST

S D GOODMAN, CHIEF MINERALS & ORES BRANCH GENERAL SERVICES
ADMINISTRATION (TELEX 892-515)

PROPERTY MANAGEMENT & DISPOSAL SERVICE WASHINGTON DC
CONFIRMING TELEPHONE CONVERSATION WITH MRS. HARPER TODAY WE
OFFER TO PURCHASE FIVEHUNDRED SHORTS TONS GRADE KAYTHREE AMOSITE
ASBESTOS FIBRE FROM GOVERNMENT STOCKS AT \$185.00 PER SHORT
TON FOB GSA DEPOT SHIPMENTS ARE TO BE MOVED AS SOON AS POSSIBLE
TWOHUNDRED SHORT TONS FROM BATONROUGE DEPOT TO TYLER TEXAS
VIA TRUCK AND THREEHUNDRED SHORT TONS FROM SOMERVILLE, NEW
JERSEY DEPORT TO PORT ALLEGANY PENNSYLVANIA VIA TRUCK. CONTRACT
TO EXPIRE NINETY DAYS AFTER SIGNATURE DATE. IF ACCEPTABLE PLEASE
FORWARD FORMAL CONTRACT. MANY THANKS FOR YOUR COOPERATION

JOHN HOLTZE NORTH AMERICAN ASBESTOS CORP.

GR 652P

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

1 BB 0008974 1

GG 12916

WU WSH

GSA CENTRA WSH

TLXA130 TLX143 (43)CTA669

CT CA318 ZO NL PDB FAX CHICAGO ILL 13

H M KIRTLEY, DIRECTOR STOCKPILE STORAGE DIVN

GENERAL SERVICES ADMINISTRATION PMDS 19 AND F STS WASHDC
REFERENCE TELEPHONE CONVERSATION TODAY WITH MR. GOODMAN
RE ONEHUNDRED TONS DX AMOSITE STOP SHIP FULL RAIL CARS

NEXT POSSIBLE IN OUR NAME FROM BATON ROUGE DEPOT TO
PITTSBURGH CORNING CORP OWENTOWN TEXAS ROUTING IC TO
SHREVEPORT SSW TO DESTINATION FREIGHT COLLECT PLEASE
EXPEDITE ALL POSSIBLE MANY THANKS

NORTH AMERICAN ASBESTOS CORP.

840P EST

WU WSH

GSA CENTRA WSH

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

*orig. wire given to Mr. Goodman
no contract
held until we
here from Mr. Goodman
in Mr. Harper
3/14/69*

*to Cooper sent telegram to alert depot - wants asbestos
before April 1st -
DIT 3-14-69*

may need \$17,600

GG 10918

BB 0008976

GSA CENTRA WSH

WU WSH

TLXA099 TLX113 (53)CTA381

W CT CC019 NL PDB

FAX CHICAGO ILL 3

H M KIRTLEY, DIRECTOR STOCKPILE STORAGE DIV, GENERAL SERVICES
ADMINISTRATION

PMDS 19 AND F STS WASHDC

REFERENCE CONTRACT NO. GS00-DS-(S)-92086 FOURHUNDRED SHORT
TONS GRADE DX AMOSITE PLEASE ARRANGE TO SHIP

ONE FULL RAIL CAR PER DAY COMMENCING SOONEST POSSIBLE. SHIP

IN OUR NAME FROM BATON ROUGE DEPOT LOUISIANA TO PITTSBURGH CORNING
CORPORATION. ** OWENTOWN (TYLER) TEXAS THEIR ORDER T 2467 ROUTING

IG TO SHREVEPORT-SSW TO DESTINATION FREIGHT COLLECT. PLEASE

EXPECITE ALL POSSIBLE MANY THANKS

NORTH AMERICAN ASBESTOS CORPORATION.

904P EST.♦

GSA CENTRA WSH

Recd 10 AM 1-6-69
NO-SIR
DMOD

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

80-312-922 74

GG 10917

*** Owentown is the destination.
Tyler is the mail address. (See T.C.)
Per Mr. Harty, No. Amer. Asb. Corp.*

*2 p.p.
1/6/69*

BB 0008975

Suite 600, Texaco Building
1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7504	OSHA-I NO. 1
AREA Region VI	REGION VI

OSHA-2C

TO: E. W. Holman, V.P., Technology and Manufacturing
Pittsburgh Corning Corporation
3 Gateway Center
16th Floor
Pittsburgh, Pennsylvania 15222

Date December 16, 1971

Subject: Citation for Alleged Occupational Safety and Health Violation(s)

An inspection of a workplace under your operation, ownership, or control has revealed conditions which we believe do not comply with the provisions of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651. The nature of such alleged violation(s) is described in the enclosed citation with references to applicable standards, rules, regulations, and provisions of the said Act. These conditions must be corrected on or before the date shown to the right of each violation therein.

The Act requires that a copy of the enclosed citation(s) be prominently posted "in a conspicuous place upon receipt" at or near each place a violation referred to in the citation occurred. It must remain posted until all violations cited therein are corrected, or for 15 working days, whichever period is longer. A sufficient number of copies of the attached citation(s) should be prepared to permit posting in accordance with the requirements of the Act.

If you contest the citation you may post a notice to this effect near the citation contested. The Act contains penalties for violation of the posting requirements.

You will soon be notified by certified mail whether or not a proposed penalty will be assessed as a result of the cited violation(s). You have the right to contest the citation(s), the proposed penalties, or both, before the Occupational Safety and Health Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties. If you do contest, you must so notify the Area Director within 15 working days after receipt of the certified mail notice regarding proposed penalties. If you fail to contest within the 15 working day period, the citation and the proposed assessment of penalties shall be deemed to be a final order not subject to review by any court or agency.

Asst. Regional Administrator-Compliance

An employee or representative of employees may file a notice to contest the time stated in the citation for the abatement of the alleged violation(s).

Alleged violations that are not contested shall be corrected within the abatement period specified in the citation. Failure to correct an alleged violation within the abatement period may result in a further proposed assessment of penalties.

As to alleged violations with an abatement period of 30 days or less, you are directed to promptly advise the Area Director as to the specific corrective action on each such violation and the date of such action. Asst. Regional Administrator-Compliance

Alleged violations having a longer abatement period will require a progress report at the end of each 30-day period. The progress report should detail what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, the Area Director shall be so advised.

Asst. Regional Administrator-Compliance

A followup inspection may be made for the purpose of ascertaining that you have posted the citations as required by the Act and corrected the alleged violations as you have reported. The Act provides that whoever knowingly gives false information is subject to a fine up to \$10,000, imprisonment up to 6 months, or both.

If you wish additional information, you may direct such request to the undersigned at the address listed above.

NOT COME FROM PPG FILES

U. S. Department of Labor

By Area Director *CR Holman*
Asst. Regional Administrator-Compliance

cc: C. E. van Horne, Works Manager
Owentown Plant, Tyler, Texas

BB 0008977 1

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 1 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning Glass Works - E. W. Holman, Vice President
(Street) 3 Gateway Center, 16th Floor
ADDRESS (City) Pittsburgh State Pennsylvania Zip 15222

An inspection of a workplace under your ownership, operation, or control located at Owentown Plant, Tyler, Texas

on November 23-24 and November 29-December 1, 1971 and described as follows

Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1	29 CFR 1910.134(b)(10)	New personnel have been assigned to tasks requiring respirators without a preliminary physical examination to establish that they are physically able to perform the work and use the equipment.	Immediate
2	29 CFR 1910.134(a)(1)	Three open air vents on air operated drive of large saw in finishing dept. discharge into base area under conveyor creating excessive dust turbulence.	Corrected on same day

NOTE: THIS DOCUMENT DID NOT COME FROM PPG FILES

ASSISTANT REGIONAL ADMINISTRATOR CRH
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

BB 0008978 1 GG 10020

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSNO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 2 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning Glass Works - E. W. Holman, Vice President
(Street) 3 Gateway Center, 16th Floor
ADDRESS (City) Pittsburgh State Pennsylvania Zip 15222
An inspection of a workplace under your ownership, operation, or control located at Owntown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pine insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	A fourth air vent from the air operated drive of the large saw in the finishing dept. discharges into the exhaust hood for the North cut off saw, thereby reducing its exhaust efficiency. Inadequate confinement of dust hazardous operations due to unposted open doors on East side of building which disturb exhaust ventilation system control. Piped air is being used to blow off cut insulation pipe sections at end of conveyor outside the exhaust hood on the small saw unit. This is adjacent to the automatic tying machine.	Immediate Immediate Corrected on same day.

NOTE: THIS DOCUMENT DID NOT COME FROM PPO FILES

Area Director's Signature CRH
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

1 BB 0009979 1

Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. II-7734 E-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 3 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
ADDRESS (3 Gateway Center, 16th Floor
(City Pittsburgh State Pennsylvania Zip 15222
An inspection of a workplace under your ownership, operation, or control located at Owentown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.123(a)(1)	Air is being used at the small saw to blow off equipment during usage. Solid back up block for block saw trimmer unit interferes with local exhaust duct access to trimming operation. Inadequate enclosure of feeder units, a) open backs, b) open inspection plates, c) miscellaneous openings on sides of feeders for drive maintenance etc. No adequate set schedule for inspection of ventilation system to prevent duct pluggage, etc.	Immediate Immediate Immediate Immediate

Area Director's Signature CRH/holder
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

BB 0008980

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 4 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., a subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
(Street 3 Gateway Center, 16th Floor
ADDRESS (Pittsburgh State Pennsylvania Zip 15222
(City
An inspection of a workplace under your ownership, operation, or control located at Owntown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	Bag filters which handle asbestos dust are discharging contaminated air inside the building. a) Builder and feeder bag filter, b) Scrap feeder unit, c) Block saw unit. Feeder transfer belts have inadequate confinement. The block saws have insufficient enclosure and/or insulation. Insufficient dust control in saw transfer areas between end trim and splitting operations.	3/31/72 3/31/72 3/31/72 3/31/72

NOTICE
NOT COME FROM PPG FILES

Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

BB 0008981

Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 5 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
3 Gateway Center, 16th Floor
ADDRESS (City Pittsburgh State Pennsylvania Zip 15222)
An inspection of a workplace under your ownership, operation, or control located at _____
on November 23-24 and November 29-December 1, 1971 and described as follows:
Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	The ventilation system for the feeder system and the builder requirements for insufficient air capacity. Carrying velocities in the ducts are too low and system pluggage occurs.	3/31/72
3	29 CFR 1910.141(a)(3)(ii)	Housekeeping inadequate for dust control a) Work areas not cleaned, immediately after use. b) Fiber and dust accumulation on equipment surfaces. c) No provision made to clean such surfaces without supply air.	Immediate
4	29 CFR 1910.134(a)(3)	Respirator not worn properly by production personnel.	Corrected on same day.

NOTE: THIS CITATION IS NOT TO BE REMOVED FROM THE FILES

Director's Signature CRH
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

GG 19924

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

BB 0009982

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

OSHA-2C

CSHO NO. 4-7734 5-7524	OSHA-1 NO. 1
AREA Region VI	REGION VI

TO: E. W. Holman, V.P., Technology and Manufacturing Date 12/16/71

Pittsburgh-Corning Corp.
3 Gateway Center
16th Floor
Pittsburgh, Pennsylvania 15222

Subject: Citation for Alleged Occupational Safety and Health Violation(s)

An inspection of a workplace under your operation, ownership, or control has revealed conditions which we believe do not comply with the provisions of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651. The nature of such alleged violation(s) is described in the enclosed citation with references to applicable standards, rules, regulations, and provisions of the said Act. These conditions must be corrected on or before the date shown to the right of each violation therein.

The Act requires that a copy of the enclosed citation(s) be prominently posted "in a conspicuous place upon receipt" at or near each place a violation referred to in the citation occurred. It must remain posted until all violations cited therein are corrected, or for 15 working days, whichever period is longer. A sufficient number of copies of the attached citation(s) should be prepared to permit posting in accordance with the requirements of the Act.

If you contest the citation you may post a notice to this effect near the citation contested. The Act contains penalties for violation of the posting requirements.

You will soon be notified by certified mail whether or not a proposed penalty will be assessed as a result of the cited violation(s). You have the right to contest the citation(s), the proposed penalties, or both, before the Occupational Safety and Health Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties. If you do contest, you must so notify the Area Director within 15 working days after receipt of the certified mail notice regarding proposed penalties. If you fail to contest within the 15 working day period, the citation and the proposed assessment of penalties shall be deemed to be a final order not subject to review by any court or agency. *FR A COMPLAINT*

An employee or representative of employees may file a notice to contest the time stated in the citation for the abatement of the alleged violation(s).

Alleged violations that are not contested shall be corrected within the abatement period specified in the citation. Failure to correct an alleged violation within the abatement period may result in a further proposed assessment of penalties.

As to alleged violations with an abatement period of 30 days or less, you are directed to promptly advise the Area Director as to the specific corrective action on each such violation and the date of such action. *ASSIST. REGIONAL ADM. COMPLIANCE*

Alleged violations having a longer abatement period will require a progress report at the end of each 30-day period. The progress report should detail what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, the Area Director shall be so advised. *ASSIST. REGIONAL ADM. COMPLIANCE*

A followup inspection may be made for the purpose of ascertaining that you have posted the citations as required by the Act and corrected the alleged violations as you have reported. The Act provides that whoever knowingly gives false information is subject to a fine up to \$10,000, imprisonment up to 6 months, or both. *GG 19925*

If you wish additional information, you may direct such request to the undersigned at the address listed above.

NOTE: THIS DOCUMENT IS
NOT TO BE USED IN THE FILES
U.S. Department of Labor

By Area Director
Asstn. Regional Adm. Compliance

CC. C.E. van Horne, Works Manager
Owenbun, TEXAS

1 BB 0008983

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSNO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 1 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President.
(Street 3 Gateway Center, 16th Floor
ADDRESS (Pittsburgh State Pennsylvania Zip 15222
(City
An inspection of a workplace under your ownership, operation, or control located at Owentown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pipe insulation.
has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1	29 CFR 1910.134(b)(10)	New personnel have been assigned to tasks requiring respirators without a preliminary physical examination to establish that they are physically able to perform the work and use the equipment.	Immediate
2	29 CFR 1910.134(a)(1)	Three open air vents on air operated drive of large saw in finishing dept. discharge into base area under conveyor creating excessive dust turbulence.	Corrected on same day (12-1-71)

NOTE: THIS CITATION IS NOT TO BE FILED IN THE FILES

Area Director's Signature
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

BB 0008984

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7501	OSHA-1 NO. 1
OSHA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 2 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
(Street) 3 Gateway Center, 16th Floor
ADDRESS (City) Pittsburgh State Pennsylvania Zip 15222
An inspection of a workplace under your ownership, operation, or control located at Owentown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	A fourth air vent from the air operated drive of the large saw in the finishing dept. discharges into the exhaust hood for the North cut off saw, thereby reducing its exhaust efficiency. Inadequate confinement of dust hazardous operations due to unposted open doors on East side of building which disturb exhaust ventilation system control. Piped air is being used to blow off cut insulation pipe sections at end of conveyor outside the exhaust hood on the small saw unit. This is adjacent to the automatic tying machine.	Immediate Immediate Corrected on same day.

NOTE: THIS DOCUMENT DID NOT COME FROM HPG FILES

Area Director's Signature _____
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

66 10927
BB 0008985 1

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 3 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
(Street)
ADDRESS (3 Gateway Center, 16th Floor
(City Pittsburgh State Pennsylvania Zip 15222

An inspection of a workplace under your ownership, operation, or control located at Orentown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows

Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	Air is being used at the small saw to blow off equipment during usage. Solid back up block for block saw trimmer unit interferes with local exhaust duct access to trimming operation. Inadequate enclosure of feeder units, a) open backs, b) open inspection plates, c) miscellaneous openings on sides of feeders for drive maintenance etc.. No adequate set schedule for inspection of ventilation system to prevent duct pluggage, etc.	Immediate Immediate Immediate Immediate

NOTE: THIS DOCUMENT DID NOT COME FROM PPG FILES

Area Director's Signature
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

1 BB 0008986 1

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CIR NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 4 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., a subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
(Street 3 Gateway Center, 16th Floor)
ADDRESS (Pittsburgh State Pennsylvania Zip 15222
(City Pittsburgh State Pennsylvania Zip 15222)
An inspection of a workplace under your ownership, operation, or control located at Owentown Plant, Tyler, Texas
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pipe insulation.

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	Bag filters which handle asbestos dust are discharging contaminated air inside the building. a) Builder and feeder bag filter, b) Scrap feeder unit, c) Block saw unit. Feeder transfer belts have inadequate confinement. The block saws have insufficient enclosure and/or insulation. Insufficient dust control in saw transfer areas between end trim and splitting operations.	3/31/72 3/31/72 3/31/72

NOTE: THIS DOCUMENT DID NOT COME FROM PPG FILES

~~Area Director's Signature~~
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

GG 19929

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

1 BB 0008987 1

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
Dallas Regional Office
Suite 600 - 1512 Commerce Street
Dallas, Texas 75201

CSHO NO. H-7734 B-7501	OSHA-1 NO. 1
AREA Region VI	REGION VI

OSHA-2

CITATION*

Citation Number 1 (Page 5 of 5) Date Issued December 16, 1971
EMPLOYER Pittsburgh Corning Corp., subsidiary of Pittsburgh Plate Glass Ind. and Corning
Glass Works - E. W. Holman, Vice President
(Street) 3 Gateway Center, 16th Floor
ADDRESS (City) Pittsburgh State Pennsylvania Zip 15222
An inspection of a workplace under your ownership, operation, or control located at _____
on November 23-24 and November 29-December 1, 1971 and described as follows
Manufacturing of unibestos pipe insulation.
has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
2	(continued) 29 CFR 1910.134(a)(1)	The ventilation system for the feeder system and the builder requirements for insufficient air capacity. Carrying velocities in the ducts are too low and system pluggage occurs.	3/31/72
3	29 CFR 1910.141(a)(3)(ii)	Housekeeping inadequate for dust control a) Work areas not cleaned, immediately after use. b) Fiber and dust accumulation on equipment surfaces. c) No provision made to clean such surfaces without supply air.	Immediate
4	29 CFR 1910.134(a)(3)	Respirator not worn properly by production personnel.	Corrected on same day.

~~Area Director Signature~~
Ass't. Regional Administrator - Compliance

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act which have a direct or immediate relationship to occupational safety and health.

BB 0008988 1

TO: E. W. Holman, V.P., Technology and Manufacturing
Pittsburgh Corning Corporation
3 Gateway Center
16th Floor
Pittsburgh, Pennsylvania 15222

On the 16th day of December, 1971, a Citation(s) was (were) issued to you in accordance with the provisions of section 9(a) of the Occupational Safety and Health Act of 1970 (84 Stat. 1601; 29 U.S.C. 651, et seq.) hereinafter referred to as the Act. You were thus notified of certain alleged violations of the Act, as specified in that Citation(s).

YOU ARE HEREBY NOTIFIED that pursuant to the provisions of section 10(a) of the Act, the penalty(ies) set forth below is/are being proposed, based on the above Citation(s):

SERIOUS VIOLATIONSCitation No.Proposed Penalty**OTHER VIOLATIONS***Citation No.Item No.Proposed Penalty

1

1. Physically able to use
respirators

\$25.00

2. Insufficient Dust Control

135.00

3. Housekeeping

25.00

4. Respirators not properly worn

25.00

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

GG 12931

Total for All Alleged Violations 210.00

* In the case of each "other violation," the proposed penalty reflects a 50 percent adjustment factor for corrective action taken within the period prescribed in the citation. If a particular alleged violation is not corrected within this period, an automatic additional penalty of 50 percent will be proposed for each violation. However, if you contest an alleged violation in good faith before the Review Commission, the period for correction does not begin to run until the entry of a final order by the Review Commission affirming the citation. The proposed penalty is exclusive of such other additional penalty as may subsequently be proposed for failure to correct violation within the abatement period.

1 BB 0008989 1

The payment of penalties is to be made by certified check or money order, payable to the order of "Occupational Safety and Health-Labor." Remit to the Area Director whose address appears below.

YOU ARE FURTHER NOTIFIED that the aforesaid Citation(s), this Notification, and the proposed assessment shall be deemed to be the final order of the Occupational Safety and Health Review Commission and not subject to review by any court or agency, unless, within 15 working days from the date of receipt of this notice, you notify the official named below in writing that you intend to contest the Citation or this Notification of Proposed Penalty before the Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties.

There is no requirement that this Notification be posted.

Dated at Dallas, Texas this 16th day
of December, 19 71.

CR Holden

~~Area Director~~ Asst. Reg. Admin. - Compliance
Occupational Safety and Health Administration
U. S. Department of Labor
Suite 600, Texaco Building
1512 Commerce Street
Dallas, Texas 75201

NOTE: THIS DOCUMENT DID
NOT GO INTO THE FILES

GG 10932

1 BB 0009990 1

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

1. CSHQ NO. H 7734 B-7504	2. OSHA-1 NO. 1
3. AREA * 1730	4. REGION 6

OSHA-1B

SAFETY AND HEALTH PROGRAM EVALUATION

PROGRAMS	YES	PROGRAMS	YES	PROGRAMS	YES
5 SAFETY PROGRAM		8 MEDICAL		10 ACCIDENT INVESTIGATION (Injury)	
Safety Staff		Pre-Employment Examination		Supervisor	X
Full Time	X	Placement		Committee	
Part Time		Hazardous Occupation	X	(1) Labor-Management	
Other Duties		Periodic	X	(2) Employee-Management	
NUMBER ON STAFF		Followup	X	Analysis	X
		Annual Examination	X	Corrective Action	X
		Sight Conservation	X	Followup	X
6 SAFETY COMMITTEES	YES	Hearing Conservation		Enforcement	X
Executive		First Aid	X	Accident Investigation (No Injury)	
Labor-Management		Doctor		11 INCENTIVE AWARDS	YES
Supervisory	X	(1) Full Time		Supervisory	
Employee		Nurse		Employee	
Meetings		(2) Full Time		Other (explain): At one time used stamp Rugby m	
Other (explain):		9 PERSONAL PROTECTIVE EQUIPMENT	YES	12 PUBLICITY-PROMOTION	YES
		Foot Protection	X	House Organ	X
7 TRAINING	YES	Eye/Face Protection	X	Rules and Standards	X
Training Staff		Head Protection <i>MAINT. RECORD</i>	X	Posters	X
Type Programing		Respiratory Protection	X	Bulletin Boards	X
Supervisory		Hand/Skin Protection		Betty-Meetings <i>Monthly Super</i>	X
Employee		Safety Belts		13 MANAGEMENT INTEREST	YES
On the Job	X	Water Hazards		Good	X
Formal		(1) Life Vests		Lacking	
Other (explain): SUPER. ATTEND Night CLASSES at Tyler College		(2) Life Rings		Cooperative	
		Rescue		Injury Rate	
		Ear Protection		Costs (Injury)	

REMARKS:

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES
GG 19933

1 BB 0008991 1

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
7th Floor - 1512 Commerce St.
Dallas, Texas 75201

Authorized Representative of
Employees:
OCMA, AFL-CIO Local 4-202
710 East Noble
Tyler, Texas 75701

1. CSHO NO. H-7734	2. REPORT NO. 1
3. AREA 21730	4. REGION 6

OSHA-1

SAFETY AND HEALTH REPORT

5. STATE 48	6. CITY 7070	7. EMPLOYER	8. INSPECTION DATE 11/23-24-29-30 & 12/1/77	9. SECONDARY COVERAGE PCA SCA CSA MAR OTHER					
10. NAME OF EMPLOYER, TYPE OF LEGAL ENTITY, AND ADDRESS OF PRINCIPAL OFFICE Pittsburg Corning Corp., subsid. of PPG Inc. & Corning Glass Works				11. TELEPHONE NO. (214) 877-3411					
12. STREET OR BUILDING (Place of Performance) Owentown Industrial District				13. ZIP CODE 75701					
14. CITY Tyler			15. STATE Texas	16. COUNTY AND CODE Smith - 423					
17. TYPE OF BUSINESS Mfg. of unibestos mine insulation				18. NUMBER EMPLOYED	19. ALL SHIFTS	20. LARGEST SHIFT			
21. CLASSIFIED CONTRACTS ☐ YES ☐ NO				21. SIC 3292	MALE	67	39		
22. MAIN PLANT ☐ BRANCH PLANT ☐ ONLY PLANT ☐				FEMALE	3	3			
23. TYPE INITIAL FOLLOWUP		24. COMPLAINT YES NO		25. INSPECTION BY Federal		TOTAL		42	
26. MANAGEMENT OFFICIALS CONTACTED C. E. van Horne William Jenkins		TITLE Works Mgr. Works Sup. AS, D		27. EMPLOYEE INSPECTION REPRESENTATIVE(S) Don Barron, Maint. Man and member of Workman Union Committee			TITLE		
Edmond Shavler		Works Asst.		28. OTHER EMPLOYEES CONTACTED (If no authorized employee representative)					
28. MANAGEMENT INSPECTION REPRESENTATIVE(S) H. L. Lindley		Shift Supt.							
30. CLOSING CONFERENCE CONTACTS (Use the OSHA-1C for details) C. E. van Horne		Works Mgr.		NOTE: THIS DOCUMENT DID NOT COME FROM PPG FILES					

(A) DESCRIPTION OF WORKSITE
31. (1) CONSTRUCTION OF BUILDINGS OR TYPE OF WORK AREA (including size)
Concrete blk. office 22' x 100', Bldg. #1 eastside wooden frame, wooden siding, 50' x 960'
production, warehousing & storage, Bldg. #2, Butler type structure warehouse & storage
50' x 960'

32. (2) TYPE OF FIRE PROTECTION
Sprinklered throughout, adequate CO₂, Dry Powder & Soda Acid fire extinguishers

33. (3) DESCRIPTION OF PROCESSES (Raw materials, major processes, and products, etc)

34. (C) SECONDARY COVERAGE-LIST FEDERAL CONTACT NUMBER, AND PREFIX (Details in OSHA-1C)

35. (D) DID YOU OBSERVE AN INJURY OR HEALTH HAZARD NOT COVERED BY A STANDARD? ☐ YES ☐ NO
IF "YES," SUBMIT AN OSHA-9 FORM.

36. (E) (1) WAS ADVANCE NOTICE OF INSPECTION GIVEN? ☐ YES ☐ NO TO WHOM? WHEN?
(2) IN YOUR JUDGMENT DID THE ADVANCE NOTICE ADVERSELY AFFECT THE INSPECTION? ☐ YES ☐ NO
IF "YES," EXPLAIN ON REVERSE OF THIS FORM.

37. (F) (1) DOES EMPLOYER MAINTAIN INJURY AND ILLNESS RECORDS AS REQUIRED? ☐ YES ☐ NO

38. (2) WERE FORMS AND INSTRUCTIONS PROVIDED? ☐ YES ☐ NO

39. (3) DOES EMPLOYER COMPLY WITH THE POSTING REQUIREMENTS? ☐ YES ☐ NO
IF "NO," LIST AS A VIOLATION ON OSHA-1A.

TIME INVESTED - TO NEAREST (0.5) HOUR						46.
40. PREPARATION	41. TRAVEL	42. CONFERENCE	43. INSPECTION	44. REPORT PREPARATION	45. TOTAL	CSHO'S SIGNATURE DATE 12/2/77
						47. AREA DIRECTOR'S SIGNATURE DATE

1 BB 0008992

NARRATIVE

This inspection was made by C. R. Holder and John P. Boyle for the purpose of the Industrial Hygienist performing a survey to determine if employees were being exposed to excessive amounts of asbestos fines. A team from NIOSH had visited the plant at the request of the Texas State Department of Health and passed on to Regional Administrator John K. Barto the information that they felt extremely serious health hazard conditions existed at this plant due to employees being exposed to excessive amounts of asbestos fines.

The entrance interview was with Mr. Edmond Shavley, Works Accountant, and Mr. C. E. van Horne, Works Manager. The ARA and Industrial Hygienist properly identified themselves by presenting their identification credentials and the ARA explained that the purpose of the inspection was for Mr. Boyle to perform an industrial hygiene survey to determine if employees were being exposed to excessive amounts of asbestos fines. Copies of the Occupational Safety and Health Act of 1970, 29-CFR Part 1910, Handy Reference Guide, and Safety Standards magazine, dated May-June, 1971, were presented to them. Both of these employer representatives were familiar with the Act and when we informed them it would be necessary for an employee representative to accompany us on the inspection Mr. Ray Barron, Maintenance Man and Union Workman Committee member, who resides at

1 and is a member of O.C.A.W., Local 4-202, the authorized representative of the employees, was called to the office and he was briefed on the purpose of our visit.

Prior to starting the inspection a review of the accident reports was made and no serious injuries have resulted in this plant during the current calendar year. Prior to the employees' representative being called to the office Mr. van Horne was informed that if conditions were noted during the inspection that constituted alleged violations of the rules and regulations, that it could cause the company to be issued a citation of alleged violations and proposed assessment of penalties. Additional information as to other employees contacted can be found in the Industrial Hygienist's narrative report.

Mr. van Horne was informed that we would be taking pictures of the equipment and people at each test site and he voiced no objection.

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

GG 10035

I BB 0008993 I

NARRATIVE

1. CSNO NO. H-7734	2. OSHA-1 NO. 1
3. AREA #1730	4. REGION 6

EMPLOYER Pittsburg Corning Corp.

ADDRESS P. O. Box 3057

Tyler, Texas 75701

DATE 12/2/71

OSHA-1C

Page 1 of

1. Coverage Information: Manufacturer unibestos pipe insulation affecting commerce obtaining raw materials and distributing finished products.

3. Closing Conference Summary: Date 12/1/71, Mr. C. E. van Horne, Works Manager, C. R. Holder, ARA Compliance, and John P. Boyle, I. H., present. ARA informed Mr. van Horne alleged violations had been noted and that citation of alleged violations and proposed assessment of penalties would be issued. Mr. Boyle covered alleged violations noted and this portion of closing conference is covered in the I. H. narrative report. Mr. van Horne and stated company had requested variance. Copy of this variance request was furnished by van Horne and is in the file. Mr. van Horne did not object to proposed abatement dates or violations.

NOTE: THIS DOCUMENT DID
NOT COME FROM PPG FILES

GG 12936

3. In your opinion, is a followup inspection necessary? ☐ Yes ☐ No

1 BB 0008994 1