

PACKAGE TICKET

CODE R-695

LOT K2J-59

LOCATION

38

2756

39-40

STUMP

TOTAL NET WT. 2756

LUMP WT. 9770

PKG. N-CODE

PROD. SUPV.

DATE _____

OPERATOR

10-136182

23

0.0

0.69 +
0.78 +
0.73 +
0.88 +
0.69 +
0.65 +
0.75 +
0.67 +
0.69 +
0.71 +
0.83 +
0.70 +
0.69 +
0.79 +
0.69 +
0.80 +
0.71 +
0.75 +
0.82 +
0.73 +
0.65 +
0.76 +
0.68 +
0.81 +
0.81 +
0.60 +
0.79 +
0.64 +
0.67 +
0.67 +
0.59 +
0.68 +
0.83 +
0.69 +
0.73 +
0.80 +
0.66 +
0.75 +

038

27.56

PRODUCT NAME - DON BLEED DRAIN

NON-BLEEDING

CODE RT-695-D PKG

PROCESSES APPROVED BY
RT-695-D (D) EWK 12/7/81

LOT

K2359

38

EST. WT. 2608* LBS

TYPED BY KLV
MAKING NOTES

JOB NAME 36RT695DPN

INSTRUCTIONS						PRESSING		RECORD				
DATE						PRESS LOAD		1ST	2ND	3RD	4TH	5TH
TIME						STARTED		2 AM				
RELEASED BY						CAKES USED		60				
PRESS	32	33	35	36	39	WATER ON						
NO. OF CAKES	60	60	60	60	60	HRS. WASHED		4 1/2				
PRESS WITHOUT						HRS. WASHED		1 1/2				
WASH TO 250 M MHDS WITH 35-75F WATER						M MHDS						
TEST AFTER 16 HOURS						HRS. WASHED						
LOAD ON 12 CARS						M MHDS						
						CAKE CONDITION						
						NO CARS LOADED		4 1/2				
						EXPLAIN LOSSES						

SAMPLES JAR
DELIVER TO CTL FOR COLOR

SAMPLED BY
RELEASED BY

DRY 24 HOURS AT 180°F

DRYING

LUMP - OK - WET - SALTS - CONTAMINATED

MN COLOR

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES
DELIVER TO

NO CARS PULLED
SAMPLED BY
RELEASED BY

NO DRUMS
LUMP WGT

MILL 5 HSP 1/8" RP SCREEN 3500 RPM
MAX. TEMP. 140 F
MN COLOR

SCREEN RPM
MAX. TEMP. F

IF FOLLOWING RT-531-D/RT-539-D CLEAN
MILL THOROUGHLY, CHANGE BAG & HOSE
DOWN EXHAUST SYSTEM. NAPHTHANIL
CAUSES BAD TOLUOL BLEED
INERT MILL WITH CO2 WHEN GRINDING
PER D.P. & Q.P. 0043
SAMPLE WITHOUT MIXING
SAMPLES: ENVELOPE & 2 PINT CANS
DELIVER TO CTL

EXPLAIN LOSSES

DATE MIXED

SAMPLED BY
RELEASED BY

221
10-26-82

59
5100
231.

0.00 *

1.67 +

0.12 -

1.62 +

0.12 -

1.62 +

0.12 -

1.64 +

0.12 -

1.67 +

0.12 -

1.65 +

0.12 -

1.68 +

0.12 -

1.69 +

0.12 -

1.63 +

0.12 -

1.65 +

0.12 -

1.69 +

0.12 -

1.67 +

0.12 -

1.69 +

0.12 -

1.63 +

0.12 -

1.59 +

0.12 -

1.58 +

0.14 -

1.65 +

0.12 -

1.88 +

0.14 -

27.70 *