DEC 26 1968

bcc: [redacted]
E. Kelly - EKELL
W. K. Johnson - WJOHN
S. Tucker - STUCK
R. E. Keller - RKELL
K. A. Wells - KWELL
W. R. Richard - WRICH
[illegible] d. Bengtson
G. W. Miller - ANNISTON

December 23, 1968

[illegible]
[illegible] Laboratory
[illegible]14 [illegible]chory Road
[illegible], New York 12440

Dear Mr. Harris:

Although reference to our Bulletin C-FF/1 recommendation for the inclusion of Aroclor 5460 and 1254 as extenders in pesticide formulation is quite correct, we do not know of an appreciable use for this purpose. We shall be happy to provide you with samples of Aroclor 5460 and Aroclor 1254 for your studies.

Additionally, we are very happy to hear the results you reported concerning the degree of toxicity of Aroclor 1242. Having worked with the chlorinated pesticides for several years myself, I am amazed that people will compare the Aroclors with other chlorinated pesticides. Since they are all chlorinated organics, I guess the natural tendency is to associate them to some degree.

Since your interest appears outside the electrical use for Aroclors, our Mr. Ken Wells can probably assist you best on any future inquiries. He has been informed of your interest and will be happy to work with you.

If in the future I can be of further assistance please advise.

Regards,

J. G. Bryant
Product Specialist
Dielectric Fluids

JGB:KWE

MONS 090787