

315-423-5188

Chester C. Whitehouse
100 So Clinton St
Room 1267
Syracuse NY 13260

Ron Morrow

Museum -

OSHA

Whitehouse
(Area Director)

Nov 9

Sampling Data - Not available yet.

Nov 15

13 or 20

Un Fl 1974/present.

①
VET
Sunt-1st
1110.20 D

X-rays
X-rays
Spine ↑

1978
.18 up to 1.2

By name & Check Number.

Snd. Part
1910.1001
611 ②

X-rays
Chest Filmm & Pulmonary Functions
F L C F E V I. D

Sandyl
malinite
1 Headers

Wilson +

5 } 4 not sampled.
Mold Repurman

Name
Last Name

Symptoms
Respiratory Dis.

'73 till present

Asbestos

Conversation

③ Elements of min Hearing Program
Audiograms/Baseline & Most recent tests 3 people

1910.20

&

Sept 16

1910.95 1-3

WHY
EMP. REQ. - RELEASE
GET COPIES TO JOE

Gene Thompson - Flynn - They're looking

Plowd

Not
overexposed Herb Walker

"withhink"

Wesley Tester

6 copies of the new standards.
Abatement Procedures.

PLAINTIFF'S
EXHIBIT

AL-1569

412279 0023

Parker
Sanator

WKS
over
conducted
for 1/2 yr
Noise - 12 people
6 cited

serious

304%

Butt

stripper

E.G.

No Hearing

Hear Loss - He says

Not tested in 5 years

1971 - 74 years

But no recent

any contacts

5 men serious

143 - 355%

Were wearing

2 jackhammers on Butt

10 yr molder 603% - noisy vibration of Sand Molder

2 Grinders 140-203%

May request audiograms - they saw these audiograms

F (●) Heart Stress SAI - Gen'l Duty

Went thru
all records
since 1972

Probable
Citation

1 sample

1 guy
Butt in violation

Wt 179
blake

Gen'l Problem

Crane Operator - P75

Dr. Elder gave
wrong definition
of heart expansion

1. Respiratory
Protection
Program

Part 134
Training

Written Program

FII (●) Eye Protection - Good!

Flint Bent Plastic Hat the cap

Chips etc. Require the cap.

1910.133 A1

We don't agree.

AMSE Std.

1 Hell of a lot of work to do!
Miller - Sharp guy

- Shouldn't have come unprepared.

- Campaign to get him

OSHA Records since 1972 - Hell of a guy. Agree.

Wouldn't give
us their exposure
data unless
we write

MJV

1. Data - Exposure data will be given but no details on calculations or methods

~ Caustic Dip - Crane operator not wearing face guard.

3. Respirators

Training, Fitting, Cleaning, Storage
No written program.

What action now.

1. MJV & Ron Morrow planning supply strategy now
2. Conc on Medical Records
 - a. 1 guy on asbestos - Has not been tested annually
 - b. P-75 Pot Rooms - V.I. Fl. - (TCC, Crane operator, Pot Sock work)
 - c. Noise on 12 people Audiograms
3. On above see BDD
4. 8706 respirator
 - a. 3M
 - b. Check other all cos.
 - c. Check for Union involvement.

11/1/79

Massena OSITA Demands on Med Info. - Phone instruction
to Morrow/Vandewick
during OSITA mtg.

Our ^{objective} strategy:

We will try to work cooperatively toward our reasons:

- (1) To try to give them what they ^{really} need; while --
- (2) Also trying to fulfill our respon to our employees
to maintain their privacy and honor the
privileged ^{med.} information between "employee patient" and
physician.

EE R

11/16/79

Massena - OSHA - Request for Med. Data

Letter rec'd by Massena 11/15 from OSHA Area Dir.

Chester C. Whiteside

OSHA Office

100 South Clinton St.

Room 1267

Syracuse, N.Y. 13260

315-423-5188

They are requesting the following:

1.

Mascoma - Arimay Fluorides

- 1 Art Belile
- 2 Gerald Debien
- 3 Dave Fountain
- 4 Bob Meacham
- 5 David Colby
- 6 Randy Le Clair
- 7 John Raulston
- 8 Gary Tatro
- 9 Dave Pepe
- 10 Rod Carney
- 11 Wesley Charleston
- 12 Jerry Clary
- 13 Robert Pearson.

Massena - Arima Florida

- 1 Art Belile
- 2 Gerald Debien
- 3 Dave Fontaine
- 4 Bob Meacham
- 5 Daniel Colby
- 6 Randy Le Clair
- 7 John Raulston
- 8 Gary Tatro
- 9 Dave Pepe
- 10 Rod Carney
- 11 Wesley Charleston
- 12 Jerry Clary
- 13 Robert Pearson.