FILE NAME: Westinghouse (WH)

DATE: 1972 Aug 28

DOC#: WH025

DOCUMENT DESCRIPTION: Memo Sample of Asbestos Cloth from South Philadelphia Works

dust from Asb.
Cloth etc. as
Hazard

IN RE: ASBESTOS November 1992

SOUTH PHILADELPHIA WORKS
Accident Prevention Dept.

W. C. Lane, Safety Engineer

From: East Pittsburgh 2-G-46
WIN:
Date: August 28, 1972
Subject:

We received the sample of Asbestos Cloth, Ⓜ M-41521CT, several days ago. We did not get the piece of "string" you mentioned in your letter; it must have been lost. When you get time, send us another sample.

Mr. Speicher has looked at the sample and agreed that this is an improvement over other types of asbestos cloth. At this time, he will not object to its use as described in your letter.

We want to remind you that on any operation that may cause this material to "dust-off" local exhaust ventilation must be provided.

Mr. Speicher also wants me to tell you that within the next few months our laboratory will be set-up to process asbestos air samples.

Zella R. Rees
Zella R. Rees
Headquarters Industrial Hygiene

cmm

RECEIVED
AUG 30 1972
SAFETY DEPT.

→ Sample Requested
W C Lane 9/6/72

PLAINTIFF'S EXHIBIT
WH 963