

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE 14-858-0

LOT 34487

NET WT/PKG

NO. PKG

PACK. WGT

LOCATION

PO

13

2006

24-58-13

10/2004

STUMP

TOTAL NET WT.

2006

PKG. N-CODE

PROD. SPVR.

DATE

WHSE. OPER.

2/26/90

74

1	4	2
1	4	5
2	4	5
1	5	5
1	5	5
1	6	5
1	5	0
1	4	0
1	5	0
1	5	3
1	5	7
1	5	7
1	1	7

CG 46 CODE YT-858-D PKG.
 → FEB 22 34487
 EST. WGT. 2313 ~~2313~~ LBS.

EWK
PROCESSING INSTRUCTIONS: BATCH UNIT

33 105	PROCESSES YT-858-D (A)	APPROVED BY EWK 09-30-76 DCG 05-30-78
	TYPED BY emw080878	

MAKING NOTES

REMARKS ± 50# of color lost when V-105
foamed over while testing.

RH.

AME: DALAMAR® YELLOW

BLEEDING

INSTRUCTIONS				-PRESSING-		RECORD					
AT		105				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE		2-22-80				STARTED	1244				
TIME		11:50P				CAKES USED	60				
RELEASED BY		KFA				WATER ON	508				
PRESS	32	33	35			HRS. WASHED	6			4	
NO. OF CAKES	60	60	60			OHMS	8000				
PRESS	without		AGITATION			HRS. WASHED					
WASH TO	4000		OHMS with 35-75°F water			OHMS					
EST AFTER	6		HOURS			HRS. WASHED					
LOAD on 10 cars						OHMS					1
						CAKE CONDITION					2
DO NOT LOAD BOTTOM 2 ROWS OF CARS						NO. CARS LOADED	9				
						EXPLAIN LOSSES					

AMPLES 10T
DELIVER TO
SAMPLED BY
RELEASED BY

-DRYING-

Dry 36 hrs at 150°F	LUMP: - OK - WET - SALTS - CONTAMINATE
	See note above from MAKING area
	ADDITIONAL DRYING HOURS REQUIRED

AMPLES 10T
DELIVER TO
NO. CARS PULLED
SAMPLED BY
NO. DRUMS 13
LUMP WGT. 2094
RELEASED BY

-GRINDING-

ALL 4 or 10 HSP 1/8" RP SCREEN 3500 RPM	SCREEN	RPM
CO ₂ USAGE:	MAX. TEMP.	°F
OXYGEN 14-14-14	EXPLAIN LOSSES	

AMPLE WITHOUT MIXING
AMPLES 1 Env & 1 Pt Can + 1 gallon
DELIVER TO CTL
DATE MIXED 2-25-80
SAMPLED BY 1477
RELEASED BY

DUP050293212

N33074.02

201

1.47

1.43

1.48

1.44

1.52

1.23

1.20

1.21

1.27

1.20

1.57

1.66

1.45

20041