

Exhibit 60-9



DEALERS
PRICE LIST

23 - A

FOR AUTHORIZED DEALERS ONLY

All Prices Subject to Change Without Notice

EFFECTIVE SEPTEMBER 5, 1939

JOHN LUCAS & COMPANY, INC.

ADMINISTRATION OFFICES — PHILADELPHIA, PENNSYLVANIA

OFFICES, FACTORIES AND WAREHOUSES IN PRINCIPAL CITIES

The prices in this Catalog supersede all previous prices, and are subject to change without notice. They are F.O.B.

PHILADELPHIA, PA.	BALTIMORE, MD.	LOUISVILLE, KY.	CHICAGO, ILL.
NEW YORK, N. Y.	WASHINGTON, D. C.	DETROIT, MICH.	INDIANAPOLIS, IND.
BOSTON, MASS.	PITTSBURGH, PA.	CLEVELAND, OHIO	SPRINGFIELD, ILL.
ST. LOUIS, MO.	DES MOINES, IOWA	SAGINAW, MICH.	

If shipped direct from factories, freight will be equalized with rate from nearest warehouse

SPECIAL ATTENTION

For price per gallon in 5 gallon cans, $\frac{1}{2}$ barrels and agitator barrels deduct 10 cents from one gallon price.

For price in barrels deduct 15 cents per gallon from one gallon price.

TERMS

60 days Net; 2% for cash within 10 days from date of invoice; on Paints, Varnishes, Lacquers, Synthetics, Coal Tar Products, Lucasoap, White and Red Lead and Brushes.

30 days Net; 1% discount for cash within 10 days from date of invoice; on Linseed Oil, Turpentine, Alcohol, Dry Colors, and goods not of our manufacture.

STOCK ORDER TERMS

Stock orders booked for shipments between November 1st and the following April 1st are subject to terms of: 60 days from April 1st Net; 2% for cash if paid on or before April 10th. Opening stock orders to new trade sales customers are subject to four months dating; 2% 10 days after the four months' period; 60 days Net. No spring stock order to a regular dealer, jobber or distributor shall be less than a minimum of \$150.00, with the exception of brushes.

NOTES ON ORDERING

Our Products are sold by the United States Standard Measure and net weight.

All Claims must be made within 10 days from date of invoice; otherwise they cannot be considered.

Always give P. O. address and shipping directions, naming the delivering railroad.

Specify whether colors are required dry, in oil, or in japan, naming quality and shade; on mixed paint specify brand, shade and number.

French Ochre, Whiting and Lamp Black barrels charged at cost and will not be redeemed.

No Charge for original packages except where specified. All imported goods sold at invoice weights.

Empty Packages charged when containing certain liquids will be redeemed at same price, less freight charges, if received in good order.

To Insure Prompt Attention, all orders should be addressed to the firm and not to our representatives.

POINTERS ON PACKING

1. Coach Colors, Zincs and Zinc Compounds, Putty, etc., in cases of:

48-1	100 lbs.	gross weight, about 120 lbs.
10-20-5	100 lbs.	gross weight, about 120 lbs.
4-12 $\frac{1}{2}$	100 lbs.	gross weight, about 115 lbs.
4-25	100 lbs.	gross weight, about 115 lbs.

Barrels: The capacity of barrels will vary with the barrel used, and the gravity of the material to be packed. The following will serve as an average capacity for Whites, Paste Paints, Putty, etc.—

24-12 $\frac{1}{2}$'s, 12-25's.

2. Liquid Paints, Stains and Enamels and Colors in Oil in cartons of:

4-1	4 gals.	gross weight packed about 70 lbs.
6- $\frac{1}{2}$	3 gals.	gross weight packed about 50 to 60 lbs.
12- $\frac{1}{4}$	3 gals. or 1 doz.	gross weight packed about 50 to 60 lbs.
12- $\frac{1}{8}$	1 $\frac{1}{2}$ gals. or 1 doz.	gross weight packed about 15-20 lbs.
24- $\frac{1}{8}$	1 $\frac{1}{2}$ gals. or 2 doz.	gross weight packed about 25-30 lbs.
24- $\frac{3}{8}$	$\frac{3}{4}$ gal. or 2 doz.	gross weight packed about 10-15 lbs.

3. Varnishes, when sold in round cans, are packed the same as Liquid Paints; when sold in panel cans, are packed in cartons of:

6-1	6 gals.	gross weight, about 65 lbs.
12- $\frac{1}{2}$	6 gals.	gross weight, about 70 lbs.
24- $\frac{1}{4}$	6 gals. or 2 doz.	gross weight, about 70 lbs.
24- $\frac{1}{8}$	3 gals. or 2 doz.	gross weight, about 60 lbs.
48- $\frac{1}{8}$	3 gals. or 4 doz.	gross weight, about 45 lbs.

GROUP 1 HOUSE PAINTS

TINTED GLOSS PAINT 1's 1/2's 3/4's 1/16's 1/32's

Pure linseed oil, ready-mixed house paint, Gallon covers 350 to 400 square feet, two coats. 26 Colors, White and Sash Black

2.85 1.55 .83 .48

TINTED GLOSS PRIMER WHITE

For priming and sealing new or weathered surfaces to be finished with Tinted Gloss Paint. Produces perfect surface for repainting

2.85 1.55 .83

TINTED GLOSS PRIMER GRAY

For use under solid colors of Tinted Gloss House Paint, Perma-Bronze, Farmtrim. Primes and seals new or old painted surfaces...

2.85 1.55 .83

DURA-MIX HOUSE PAINT

PURE LINSEED OIL 1's 1/2's 3/4's 1/16's 1/32's

Heavy-bodied with exceptional hiding and covering qualities. Dries to a firm, elastic, glossy surface that will not crack, scale or peel. 12 Colors, White and Black

2.00 1.12 .62 .37

Refer to Discount Schedule

GROUP 2

PERMATRIM COLORS 1's 1/2's 3/4's 1/16's 1/32's

A line of permanent and non-fading synthetic trim colors. 8 attractive colors. All colors...

4.20 2.22 1.17 .65

GIANT PAINTERS WHITE

A semi-paste paint that reduces with linseed oil for interior or exterior finishes. Does not discolor from sulphur fumes or gases

2.75

CONCRETE AND STUCCO PAINT

Pure Oil, ready-mixed paint for concrete, stucco, cement and brick—inside and outside. 8 Colors and White

2.45

REDUCER

1.45

BRICK PAINT

Paste paint for old or new interior or exterior brick walls. Thins with turpentine.

2.20 .. .67 .. .26 ..

RUSTIC SHINGLE STAIN

Wood preservative for shingles. Prevents penetration of water. Preserves the rough texture.

1.10

AMERICAN WALNUT

1.10

SNUFF BROWN

1.30

LIGHT GREEN

1.35

DARK GREEN

1.35

PEARL GRAY

1.35

CEMENT FILLER (Clear)

Liquid that seals the pores of cement and concrete surfaces and stops action of alkali. Dries flat for finish coat

2.25 .. .68

ZONE MARKING PAINTS

ZONE MARKING PAINT 1's 1/2's 3/4's 1/16's 1/32's

For painting zone and traffic lanes and curbs of asphalt, wood, brick or stone. Will not chip or flake.

Red 2.40
Yellow 1.80
White 1.65
Orange 1.80

TRAFFIC ZONE LACQUERS

A quick-drying lacquer for zone marking. Can be brushed on. Reduces 50% for spray use. Dries in 5 minutes. Withstands severe traffic conditions

White 1.75
Federal Yellow 1.75
Med. Yellow 1.75
Orange 1.75
Red (Fire Zone Color) 1.75
Black 1.55

FLOOR PAINT

FLOOR-LIFE

For wood, concrete, cement, tile or composition floors—inside or outside. Covers 250 square feet per gallon, two coats. 12 Colors. All colors

2.60 1.42 .77 .45

ROOF, BARN and METAL PAINTS

ROOF and BARN PAINT

Oil paint containing Iron Oxide for barns, roofs, stables, fences, sheds, bridges and structural iron work.

Black, Brown and Gray 1.35 .. .46
Red No. 1 1.30 .. .45
Green 1.50 .. .50

See page 1 for 5-gallon, 1/2-barrel and barrel differentials

MAKE-TITE ROOF COATING

Water-proof and storm-proof coating for worn, leaky roofs—including corrugated galvanized iron, tin, sheet iron, wood, asbestos or slate shingles, concrete, slate or sleg. Does not run or crack. Brushing consistency.

Black .40
Red 1.00
Green 1.00

MAKE-TITE ROOF CEMENT

A plastic roof compound for trowel application. Will not crack or shrink.

Black, per lb. .03 1/2 .03 3/4 .04 1/4 .05 .05 1/4 .06 1/2 .08
Red and Green, per lb. .10 1/2 .10 3/4 .12 .12 .13 1/2 .15

WATERPROOF BLACK

Glossy paint for all wood and metal surfaces. Elastic. Resists weather, dampness, acid and alkali

40

METALIFE RED LEAD PRESERVATIVE

A priming coat of pure red lead, reinforcing pigments and durable paint liquids

2.10 .. .65 .38

METALIFE PAINTS

For use on metal surfaces, inside or outside. Prevents corrosion, is highly acid and alkali resisting and insulative in character. Covers solidly in one coat.

Red, Green, Brown and Black 2.30 .. .70
Gray 2.40 .. .72

SPECIAL BLACK ASPHALTUM

An acid and alkali proof asphaltum varnish for stoves, coal and gas ranges, iron, steel or galvanized surfaces. Dries in damp locations. Resists moisture

1.05 .65 .38 .25 .19 ..

GENERAL USE ASPHALTUM

Low price asphaltum varnish for interior and exterior use. Excellent rust preventive

.80 .52 .32 .22 .17 ..

3. ROOF, BARN and METAL PAINTS (Continued)

	1's	1/2's	3/4's	1's	1/16's	1/32's
GALVOTEX A metal primer, particularly for galvanized iron; has great adhesion	2.30	..	.70	..	..	..
RUST-KIL Dissolves rust, prevents further rusting and forms a bond between the metal and subsequent coats of paint	2.20	..	.67	.40	..	..

WALL FINISHES

	1's	1/2's	3/4's	1's	1/16's	1/32's
DURAFILM SEMI-GLOSS Interior finish for interior walls, ceilings and woodwork, that "Washes like Porcelain." Washes clean of soot, grease, pencil marks, ink stains, mercurchrome and even match scratches—with soap and water. Beautiful eggshell finish in 8 pastel tints and White	2.45	1.35	.73	.43	..	..
DURAFILM GLOSS A high gloss paint for interior walls, ceilings and woodwork, having the same remarkable washability as Durafilm Semi-Gloss. Eight pastel colors and White	2.45	1.35	.73	.43	..	..
DURAFILM FLAT A deluxe flat oil paint for smooth or stipple finishes on interior walls and ceilings of plaster, wallboard, cement, etc. Washable. Virtually stain-proof. 12 flat pastel tints and White	1.80	1.02	.57	.35	..	..
DURAFILM PRIMER A primer especially formulated as a first coat over raw plaster, concrete, wallboard and new woodwork before a finishing coat of Durafilm Gloss or Durafilm Semi-Gloss	1.95	1.05	.58	.35	..	..
LUCO-A-FLAT WHITE A washable, varnish-type finish for interior walls and ceilings. May also be used as a general purpose Enamel Undercoat. Ready-mixed	1.55	.90	.51	.31	.22	..
OILTEX The original plastic oil paint for texturing. Any stipple, texture or design on interior walls can be made with Oiltex and Texoil. May be tinted with Colors in Oil	2.05	..	..	..	..	..
TEXOIL Reducer for Oiltex and an excellent glazing liquid	1.30	..	..	..	..	..
EMPIRE WALL PRIMER A pigmented primer recommended as a priming and sealing coat for interior plaster, wallboard, brick, concrete and wood trim. Stops suction, neutralizes alkali and hides sufficiently to require only one finish coat	1.70	..	.55	..	..	..
LUCASEALER A varnish like liquid for sealing the pores of unfinished or new walls and ceilings. One coat permits subsequent finish coat to dry without spots or streaks	1.75	1.00	.56	..	..	..
SIZING VARNISH An economical sizing for sealing old or new plaster walls	.90	..	..	..	..	..
GLAZING LIQUID For glazing over smooth or textured finished walls. When tinted with Gibbsboro Colors in Oil produces multi-color effects. Dries to eggshell gloss. Covers 500 square feet one coat. Washable	2.20	..	.67	.40	.26	.19

See page 1 for 5-gallon, 1/2-barrel and barrel differentials

WALL FINISHES (Continued)

	1's	1/2's	3/4's	1's	1/16's	1/32's
FLATTING OIL Especially designed for thinning Paste Paints, Whites, Tints and Colors to ready-mixed consistency so that they will dry to velvety, dull, eggshell and semi-gloss effects						

Prices on Application

WATER PAINTS

COLD WATER PAINT A very economical exterior or interior paint that is sanitary, non-poisonous and highly fire resistant. A dry powder which mixes readily with water and produces a paint that is easily applied, dries hard and adheres tenaciously. Resists moisture...						
---	--	--	--	--	--	--

Prices on Application

WALL TINTS Beautiful economical cold water finish for interior walls and ceilings of plaster, brick, cement, concrete or wallboard. One pound covers 50 to 100 square feet. Fourteen colors and White						
--	--	--	--	--	--	--

Prices on Application

WALL SIZE An economical cold water soluble Size that replaces glue, Venice turps, molasses, vinegar, etc. Neutralizes lime in plaster. One pound makes 1 1/2 gallons of Size						
--	--	--	--	--	--	--

Prices on Application

ONE COAT WASHABLE KAYCENE A water-paint for interior walls and ceilings of plaster, wood, brick, etc. Quickly and easily applied. It dries to a velvetlike sheen that is extremely washable and durable. Available in Paste or Powder form						
--	--	--	--	--	--	--

Prices on Application

STUCCO & CEMENT BOND A dry powder material which, when mixed with clean, cold water, forms a beautiful, water-proof coating for interior and exterior porous, unpainted surfaces such as cement, stucco, brick, etc.						
---	--	--	--	--	--	--

Prices on Application

ENAMELS

	1's	1/2's	3/4's	1's	1/16's	1/32's
LUCASEAL ENAMEL WHITE Highest quality, free-flowing and self-leveling enamel for interior or exterior. Sets slowly, has unequalled spreading capacity. White only	4.60	2.42	1.27	.70	.41	.26
LUCOFLINT SUPER WHITE ENAMEL A new permanently white enamel for interior use. It flows easily and sets in a short time with the hardness of a baked enamel finish	3.40	..	.97	.55	..	..
LUCO-KWIK FOUR HOUR ENAMEL An enamel for interior or exterior use, ideal for woodwork, mouldings and furniture. Dries to a beautiful lustre, free of laps and brush marks and is exceptionally wear-resisting. 16 Colors, White and Black	3.30	1.77	.95	.53	.33	.22
MARINE ONE-COAT ENAMEL A true one-coat enamel. Brushes freely and has unusual covering capacity. For use on walls, woodwork or furniture where it will retain its color, gloss and durability. White and Ivory	2.20	1.22	.67	..	..	..
LUCASEAL ENAMEL UNDERCOAT An undercoater made for both interior and exterior use. Has intense whiteness and hiding properties. Dries to a hard film that holds out the full gloss of subsequent enamel coatings	2.40	1.32	.72	.42	.27	..

ENAMELS (Continued)

AUTO-KWIK	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's
A quick drying, smooth flowing finish for automobile and auto-truck bodies. A one coat, hard drying, durable exterior enamel, primarily for refinishing.						
Flat Black	2.00	..	.62	.37	.25	.18
Black	3.35	..	.96	.54	.33	.22
Maroon and Arab Red	4.25	..	1.18	.65	.39	..
Regular colors	4.00	..	1.12	.62	.37	..

TRUCK AND IMPLEMENT ENAMEL

A fine enamel designed especially for recoating farm and home implements. It is made of permanent, durable, sun-resisting pigments and high grade spar varnish.						
Black	2.45	..	.73	.43	..	..
Maroon, Vermilion, Green, Yellow	2.65	..	.78	.45	..	..
Blue	2.85	..	.83	.48	..	..

LUCAS SCREEN ENAMEL

A quick drying enamel, in black and green, for both mesh and frame on screens. A smooth, even coat is applied with the Lightning Applicator without splashing or clogging mesh.						
Black	1.20	.72	.42	.27	.20	..
Green	1.90	1.07	.60	.36	.24	..
Quart with Applicator, Green or Black	..	..	.62	..	..	..

STOVE ENAMEL (Rastus Black)

An excellent jet black enamel for stoves and stove pipes or wherever a gloss black finish is desired. For any surface, inside or outside	1.20	.72	.42	.27	.20	.16
--	------	-----	-----	-----	-----	-----

BLACK ENAMEL TOP DRESSING

A dressing to weatherproof automobile, carriage or wagon tops, curtains, aprons and trimmings. It will keep them soft and pliable and make them look like new	2.25	..	.68	.40	.26	..
---	------	----	-----	-----	-----	----

BRONZES and BRONZING LIQUIDS

PERFECT ALUMINUM ENAMEL	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's	1 1/4's
An aluminum enamel finish that will give smoothness and lustre to picture frames, chairs, metal frames, iron bedsteads, etc. Comes in double compartment cans. Per Dozen	..	..	..	..	4.84	2.86	1.94

PERFECT GOLD ENAMEL

A perfect gold enamel finish for finest lustre and smoothness on bird cages, toys, table lamps, chandeliers, etc. Comes in double compartment cans. Per Dozen	..	..	..	..	4.84	2.86	1.94
---	----	----	----	----	------	------	------

ALUMINUM SPAR ENAMEL

(In D. C. Cans)	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's
For exterior use on tanks, pumps, galvanized iron or other metal surfaces. Can be used without a primer or over previously coated surfaces. One coat is sufficient to cover	3.05	..	.88	.50	..	..

BRIGHT ALUMINUM ENAMEL

An excellent aluminum enamel put up in double compartment cans. Ideal for a smooth finish on fixtures, metal frames, statuary, chairs, etc.	2.35	..	.71	.41	..	..
--	------	----	-----	-----	----	----

ALUMINUM SPAR ENAMEL

(Ready Mixed)	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's
Brilliant aluminum powder, combined with durable spar varnish in ready mixed form. For exterior or interior use. More convenient than double compartment can product.	2.20	..	.67	.40	..	..

BRONZES and BRONZING LIQUIDS (Continued)

SPECIAL BRONZING LIQUID	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's
To be used with Bronze Powder on interior surfaces. Will not discolor itself or discolor Bronze Powder even under heat.	1.30	.77	.45	.28	.20	.16
ALUMINUM SPAR LIQUID						
Vehicle for Bronze Powders to produce durable, elastic Spar Enamels for all exterior uses. Does not discolor.	1.65	..	.53	..	..	..

VARNISHES

LUCASPAR VARNISH	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's
Our finest all purpose varnish for interior and exterior use wherever a high grade varnish finish is desired. Will not crack or check. Will not turn white. Covers 250 square feet of smooth surface, two coats.	4.15	2.20	1.16	.64	.38	..

FOUR HOUR VARNISH

A quick-drying all purpose varnish for all interior or exterior varnish purposes. Presents a glass hard, flexible, wear resisting surface	3.25	1.75	.93	.53	.32	.22
---	------	------	-----	-----	-----	-----

LUCASEAL INTERIOR VARNISH

A good bodied, pale, overnight drying varnish, which rubs down to a beautiful dull or flat. Not to be used on floors.	3.25	1.75	.93	.53	.32	..
--	------	------	-----	-----	-----	----

LUCASEAL FLOOR VARNISH

A tough, pale, overnight drying varnish for interior floors. Dries hard but without brittleness. Can be scrubbed with soap and water	3.25	1.75	.93	.53	.32	..
--	------	------	-----	-----	-----	----

LUCASEAL DULL VARNISH

A full bodied, very pale varnish which dries overnight to a soft, velvety, uniformly dull finish. A perfect imitation of hand rubbed work	3.00	1.62	.87	.50	.31	..
---	------	------	-----	-----	-----	----

GIANT PAINTERS' STANDARD VARNISH

A very easy working, light colored varnish for general interior use	2.20	1.22	.67	.40	.26	..
---	------	------	-----	-----	-----	----

METRO-KWIK VARNISH

An economical all-purpose varnish for use on floors, woodwork, furniture and all surfaces both inside or outside. Quick-drying.	1.75	1.00	.56	.34	..	..
--	------	------	-----	-----	----	----

BAR TOP VARNISH

A very high grade synthetic varnish that will not blister, turn white, stain or dull even in contact with pure alcohol.	3.65	1.95	1.03	.58	..	..
--	------	------	------	-----	----	----

LINOFLINT

A finish that banishes scrubbing and adds years of life to printed and inlaid linoleum. Dries to a flexible, glossy surface that will stand months of wear. Without Applicator	2.80	1.52	.82	.47	..	..
--	------	------	-----	-----	----	----

SUPER DAMAR VARNISH

A water white, quick drying, brilliant glossy varnish, for interior use only. Gas and fume proof. Will not discolor under 170° F.	3.00	1.62	.87	.50	.31	..
--	------	------	-----	-----	-----	----

SPECIAL DAMAR VARNISH

An economical, water white Damar for interior use only.	2.30	1.27	.70	.41	.26	..
--	------	------	-----	-----	-----	----

* See page 1 for 5-gallon, 1/2-barrel and barrel differentials

STAINS

LUCASPAR FOUR HOUR STAIN	1's	1/2's	3/4's	1 1/4's	1 1/2's	1 3/4's
Stains and varnishes in one operation and dries rapidly without becoming brittle. Will not turn white from hot or cold water and is permanent and non-fading. All colors	3.10	..	.90	.51	.31	.22

STAINS (Continued)

PERFECT VARNISH STAIN

Stains and varnishes in one operation. Dries hard quickly and produces a lustrous, tough elastic coating which will not crack, check, scale or blister and is fast to sunlight. All colors.

VELVO-TONE

The only semi-gloss varnish stain on the market. Produces a rich, durable finish on floors, furniture and woodwork. Dries with the beautiful soft lustre of a hand-rubbed finish. Popular Colors.

LUCASEAL OIL STAIN

For interior and exterior use on any bare wood surface. A true oil stain that will not fade, cause laps, bleed or raise the grain of the wood.

Dark Mahogany, Walnut, Light Mahogany

BUFF GROUND COLOR

A flat-drying undercoat for stains when refinishing previously painted surfaces. Covers up the grain of the wood, producing a color almost like natural unfinished wood.

LIQUID GRAINING COLORS

Graining colors for general household use for application over Ground Color, preparatory to varnishing. Recommended for use under Lucasper Varnish and Perfect Varnish Stain. Furnished in Oak and Mahogany.

FILLERS

LIQUID WOOD FILLER

For filling, priming and surfacing soft or close grained woods such as pine, maple, birch, cypress, poplar, etc. Covers twice as much surface as Shellac at one-half the cost. Dries in 1/2 to 1 hour. Light color.

PASTE WOOD FILLER

A quick setting filler for coarse grained woods. Sets quickly, does not pull out and dries hard. In light and dark shades.

WOOD CRACK FILLER

A non-shrinking putty-like paste for filling cracks, seams and crevices in old and new floors, decks and other surfaces. Does not shrink. Color of yellow pine.

SHELLAC

Pure White, Pure Orange.

Prices on Application

COLORS—JAPANS—DRIERS

GIBBSBORO BRAND COLORS IN OIL

Trueness or purity of tone in reduction is an outstanding quality of Gibbsboro Colors in Oil. Each is a natural, untinted color, assuring maximum permanence whenever used.

Greens

Chrome, Extra Light*

Yellows

Chrome C. P., Lemon C. P., Medium C. P., Orange C. P., D. D. Orange C. P., French Ochre C. P.

* \$2.75 carton of 4 tubes.
** \$1.15 carton of 6 tubes.
*** \$1.30 carton of 6 tubes.

COLORS—JAPANS—DRIERS (Continued)

Browns
Raw Umber*

Reds and Vermillions

Venetian Red*

Fast Vermillions

Extra Light, Light, Medium, Deep

Blacks

Ivory Drop Black*

Blues

Prussian*

Bulletin Colors in Oil

Fast Bulletin Red***

* \$2.75 carton of 4 tubes.
** \$1.15 carton of 6 tubes.
*** \$1.30 carton of 6 tubes.

COACH AND AUTO COLORS

Each color is ground to the last degree of fineness in the most suitable vehicle. They dry flat when thinned with turpentine and make unsurpassed color finishes.

Blacks

Ivory Drop Black

Whites

Flake White

Browns

Raw Umber

Greens

Light Chrome Green, Extra

Yellows

Lemon Chrome Yellow

Blues

Prussian Blue

Red

Fast Bulletin Red

The prices are for 1 lb. cans and 5 lb. press cans.
Add 18c per lb. to net price for 4 oz. tubes.

COBALT DRIER

Recommended for use with titanium paints or in white and very light tints. Will not cause curdling when mixed with clear oils.

WHITE JAPAN DRIER

A lead drier especially prepared to reduce to a minimum possibility of discoloration in white and light tints.

GIBBSBORO JAPAN

A very strong, dark colored, concentrated drier. For general use except in whites and very light tints.

COLORS—JAPANS—DRIERS (Continued)

SPECIAL JAPAN A combination liquid drier similar to but not as strong as Gibb's-boro Japan	1's	1/2's	1/4's	1/8's	1/16's	1/32's
.....	1.40	.82	.47	.30	.21	..
XX DRIER A low priced, concentrated Brown Japan for general exterior use except in whites and light tints	1.10	.67	.40	.26	.19	..

YACHT FINISHES

	Gallon	Quart	Pint
YACHT WHITE GLOSS A free flowing, quick drying white for hulls and exterior surfaces. Levels out without brush marks and is gas and fume proof. Withstands frequent washing without loss of gloss.	3.65	1.03	.58
YACHT WHITE SEMI-GLOSS A white of the same characteristics as Yacht White Gloss which tones down to a semi-gloss or eggshell finish. For hulls and exterior surfaces	3.65	1.03	.58
YACHT WHITE FLAT An exterior flat white of exceptional hiding properties. Dries overnight to a velvet flat that is washable	3.45	.98	.55
YACHT BLACK GLOSS Especially formulated for use on hulls and all exposed surfaces. Works freely, yielding a full, jet black gloss—free of brush marks. Very tough and durable	3.65	1.03	.58
YACHT WHITE ENAMEL A brilliant, synthetic white enamel for all interior surfaces where a full enamel gloss is desired. Easy working and quick drying. Dries to a porcelainlike finish	3.80	1.07	.60
YACHT INTERIOR FLAT WHITE A beautiful flat white paint for all interior surfaces where a flat finish is desired. Excellent spreading and hiding. Also ideal as an undercoater for Yacht White Enamel	3.45	.98	.55
YACHT INTERIOR SEMI-GLOSS FINISHES A beautiful, thoroughly washable finish for all interior cabin surfaces except floors. Dries hard overnight. Stains—even oil and grease—are easily removed with soap and water without loss of gloss or injury to film.	3.65	1.03	.58
YACHT DECK, HULL, AND SUPER-STRUCTURE FINISHES These exterior finishes are designed for wood and canvas surfaces and also are excellent as a finish coat on steel decks which have been primed with Quick Drying Red Lead. They dry quickly to a tough, long wearing, high gloss film which will hold its color under extreme exposure.	3.45	.98	.55
YACHT SIGNAL COLORS These signal colors are modern synthetic formulations which are permanent and non-fading. Ideal for trim work.	4.00	1.12	.62
YACHT BOTTOM PAINTS Yacht Anti-Corrosive First or priming coat for metal bottoms designed to act as a primer or filler before Yacht Anti-Fouling is applied. Dries to recoat in about one hour.	3.45	.98	..
Brown	3.45	.98	..

YACHT FINISHES (Continued)

	Gallon	Quart	Pint
Yacht Anti-Fouling Red A finish coat over Anti-Fouling on metal bottoms. Contains poisons of sufficient quality and strength to prevent the growth of grass or the adhesion of barnacles. Especially ideal in tropical and semi-tropical waters....	3.90	1.10	..
Yacht Bottom Green A beautiful shade of green which will hold its color to a remarkable degree. Extra strength poisons afford all-season protection. For wood or metal bottoms....	5.90	1.60	..
Yacht Copper Paints Formulated for protecting wood bottom against worms or borers. Sets in four hours ready to go overboard.	3.90	1.10	..
Red and Brown	4.00	1.12	..
Green	1.65	.53	..
Fisherman Red Copper A commercial grade of Copper Paint with excellent anti-fouling properties. Only for wood bottoms	1.65	.53	..
QUICK DRY RED LEAD (Bare Plate Primer) Finest quality primer for steel or iron frame truck or keelson. A pure red lead combined with a true synthetic vehicle. Dries to recoat in 4 hours. Resists corrosion and moisture	4.00	1.12	..
ENGINE ENAMELS Designed for use on engines and stacks or anywhere a heat-resisting enamel is desired. Dries with a high, full enamel gloss which is highly oil and gasoline resistant.	3.65	1.03	.58
Regular Colors	3.15	.91	.51
Black	3.15	.91	.51
See page 1 for 5-gallon, 1/2-barrel and barrel differentials			
ALUMINUM FINISH For interior or exterior surfaces. A brilliant, waterproof finish. Comes in ready to mix double compartment cans	3.45	.98	.55
YACHT SPAR VARNISH Our best pure synthetic varnish for all interior and exterior uses. Extremely tough. Weather and alcohol resistant. Dries overnight	3.65	1.03	.58
YACHT FOUR-HOUR VARNISH A fine quality all purpose varnish for inside and outside use. Brilliant gloss. Wear and weather resistant	3.50	1.00	.56
YACHT FLOOR VARNISH Especially formulated to withstand extreme abuse to which interior floors and decks are subjected	3.25	.93	.53

WAXES

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
WAXOLAC LIQUID WAX A liquid wax containing a harmless solvent for brushing. For use on any dry surface where a glossy, wax finish is desired. Especially recommended for floors.	1.85	1.04	.57	.34	.23	..
FLO-BRITE A liquid wax finish that polishes and waxes floors, linoleum, woodwork and furniture. Dries in 15 to 20 minutes to a high gloss, hard wax finish.	1.50	..	.49	.30	..	..
Without Applicator	1.50	..	.49	.30	..	..
With Applicator	..	..	.80	.60	..	..
HYGEIA PREPARED WAX For use on any dry surface on which a glossy, waxy finish that will resist water and wear is desired. Ideal for floors.	..	..	..	..	.34	.39
Per lb.	..	..	..	..	.34	.39

SOAP

LUCASOAP

A 100% pure Linseed Oil soap for all household cleaning purposes. Ideal cleanser for floors, dishes, furniture, etc. Also makes an excellent hand soap and shampoo.

	1/2	50	25	10	5	1	1/2
	Drms.	Drms.	lbs.	lbs.	lbs.	lb.	lb.
	.09	.10	.11 1/2	.12	.14	.15	.18

REMOVER

MIRAC VARNISH AND PAINT REMOVER

A highly satisfactory product for removing paint and varnish from furniture, woodwork, etc. Does not raise the grain or discolor wood. Will not injure the hands.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	1.15	.70	.41	.26	.19	..

MISCELLANEOUS

BLACKBOARD LIQUID SLATING

For resurfacing old blackboards or making new blackboards on new plastered walls, wood or smooth wallboard. Dries flat to a true slate black with a smooth surface.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	2.25	1.25	.68	.40	.26	..

EBONY FLAT BLACK

The densest, blackest flat black made. For use on surfaces such as lighting fixtures, andirons, etc. Ideal for novelty work and trimming, furniture.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	1.80	1.02	.57	.35	.23	..

DURA-MIX QUICK-DRYING ENAMEL

ALL PURPOSE ENAMEL FOR INSIDE OR OUTSIDE USE

For walls, woodwork, furniture, plaster and metal. Also ideal for porch and lawn furniture. Dries in 4 hours.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
14 Colors and Black and White...	2.00	1.12	.62	.37	.25	.18

DURA-MIX ONE-COAT ENAMEL

WASHABLE ENAMEL FOR WALLS, CEILINGS AND WOODWORK

Can be brushed on like paint, but dries to the hard gloss of an enamel. It's washable!

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
9 Colors and White...	1.80	1.02	.57	.35	..	..

DURA-MIX FLOOR & DECK ENAMEL

ENAMEL FOR INSIDE OR OUTSIDE USE

Ideal for all floors, outside or inside wood, cement, concrete and composition. Ideal for basement floors. Covers most surfaces in one coat.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
8 Colors and Black and White...	2.00	1.12	.62	.37	..	..

DURA-MIX SUPER-FLAT PAINT

A WASHABLE OIL-FLAT WITH EXCEPTIONAL HIDING QUALITIES

Perfect finish for all interior walls, ceilings and woodwork. Exceptional hiding quality. Dries to a soft, flat surface that is really washable. May be used on plaster, wood, burlap, brick, metal.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
12 Colors and White...	1.40	.82	.47	.30	..	..

DURA-MIX VARNISH STAINS

VARNISH STAINS

A quick drying finish that stains and varnishes in one application. Dries overnight to a glossy, hard finish that is ideal for floors, woodwork, furniture—inside or outside.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
5 Colors	1.70	.55	.33	.23	..	..

DURA-MIX OIL STAINS

OIL STAINS

A rich penetrating stain that brings out the beauty of the grain. Waterproof and non-fading. For interior woodwork, floors, furniture.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
5 Colors	1.60	.52	.32	.22	..	..

DURA-MIX GROUND COLOR

GROUND COLOR

Recommended as a perfect undercoater for Dura-Mix Varnish or Oil Stains. A flat drying opaque paint that produces a color similar to natural unfinished wood. Covers in one coat.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	1.60	.92	.52	.32	.22	..

DURA-MIX SPAR VARNISH

SPAR VARNISH

An all-purpose varnish for inside or outside use. Waterproof and alcohol resisting. Will not turn white.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	1.60	.92	.52	.32	.22	..

DURA-MIX FLOOR & TRIM VARNISH

FLOOR AND TRIM VARNISH

A quick-drying varnish for inside or outside. Gives an unusual hard tough finish. Especially recommended for floors and outside trim where long durability is required.

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	1.45	.85	.48	.30	.21	..

DURA-MIX JAPAN DRIER

JAPAN DRIER

An economical drier for general use. Will not separate, but leaves a smooth, elastic, long-wearing surface. Will aid in drying from the inside out, preventing "surface drying".

	1's	1/2's	1/4's	1/8's	1/16's	1/32's
	.90	.57	.35	.23	.18	..

GROUP 3

PUTTY

J. L. & CO.'S PURE LINSEED OIL PUTTY

No. 1 PUTTY (COMPOUND)

SEMI-LIQUID GLAZING PUTTY (COMPOUND)

STEEL SASH PUTTY (COMPOUND) Red, Gray, Natural

All these grades furnished in following sizes:

	per 100 lbs.
In barrels, bulk	"
In 100-lb. kegs	"
In 25-lb. cans, packed	"
In 25-lb. cans, loose	"
In 12 1/2-lb. cans, packed	"
In 12 1/2-lb. cans, loose	"
In 5-lb. cans	"
In 1-lb. cans	"

Standard Discounts Do Not Apply

Prices Quoted on Application

LEADS, ZINCS and WHITES

LUCAS LEADS, ZINCS AND WHITES

Ground in Paste Form

As the market price of dry lead and zinc fluctuates, it is impossible to name fixed prices. Consequently, prices are named on application only. All brands of white lead and whites are put up in 12 1/2-, 25-, 50- and 100-lb. steel kegs. All brands of zinc and zinc compounds are put up in 12 1/2- and 25-lb. cans and 100-lb. steel kegs. The brands marked with an asterisk (*) are also put up in 1- and 5-lb. cans.

*Certified Pure White Lead in Oil

(Old Dutch Process)

*Capitol White

LUCAS LEAD AND ZINC (75-25)

(Acceptable on Government Specifications)

KELLY WHITE

Paste White that reduces like Lead in Oil but produces a much whiter job which stays white. It will not discolor from acid or gas fumes. One hundred pounds bulk four gallons paint, whereas 100 pounds White Lead bulk only 3 gallons. Takes 5 quarts linseed oil to gallon for finish coat. Can be tinted with Colors in Oil.

ZINC WHITES AND ZINC WHITE COMPOUNDS IN OIL

French Process Zinc White

(Same as supplied to U. S. Navy)

Superfine Pure Zinc Oxide

*Intense Pure Zinc Oxide

PRICES QUOTED

ON APPLICATION

PRICES QUOTED

ON APPLICATION