

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE RT443 LOT 33208

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PG
	<u>17</u>	<u>1435</u>	<u>7-7</u>	

STUMP

TOTAL NET WT. 2435 PKG. N-CODE _____

PROD. SPVR. _____ DATE _____ WHSE. OPER. _____

12 1/23 5

7 8
7 6
8 9
9 8
8 7
8 6
7 6
7 7
8 6
9 8
8 7
9 6
9 7
8 9
8 8
8 7
7 5
1 4 7 5 7

35
100

CG 36 CODE RT-443-D PKG.
 → JAN 9 33709
 EST. WGT. 1534 LBS.

ggs

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES RT-443-D (0) APPROVED BY
 JJG 05-19-77
 DCG 05-20-77

TYPED BY
 emw061777

MAKING NOTES

REMARKS

NAME: DUOL® CARMINÉ

NON-BLEEDING

INSTRUCTIONS

- PRESSING -

RECORD

VAT		100				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE		1-10				STARTED	3:20				
TIME		10:00				CAKES USED	60				
RELEASED BY						WATER ON	7pm				
PRESS	32	35	37			HRS. WASHED	5				
NO. OF CAKES	60	60	60			OHMS	5000				
PRESS with						HRS. WASHED					
WASH TO	3000					OHMS					
TEST AFTER	4					HRS. WASHED					
LOAD on 9 cars						OHMS					
						CAKE CONDITION	3 2				
						NO. CARS LOADED					
						EXPLAIN LOSSES					

Clean magnetic separator & screen after pressing

Cleaned by Time Cleaned

SAMPLES
 DELIVER TO

SAMPLED BY

RELEASED BY

- DRYING -

Dry 48 hrs at 160°F
 Cool - 130

LUMP: - OK - WET - SALTS - CONTAMINATED
 Dryer sections used:

all color pulled. No record of any processing loss
 ADDITIONAL DRYING HOURS REQUIRED

SAMPLES
 DELIVER TO

NO. CARS PULLED
 SAMPLED BY

No. DRYMS: 14
 LUMP WGT. 1365
 RELEASED BY

- GRINDING -

MILL 2 LSP 0.066" RP SCREEN 1750 RPM
 MAX. TEMP. 150°F

SCREEN RPM
 MAX. TEMP. °F

EXPLAIN LOSSES

SUCCESS IN CORRECT
 of Lump WGT.

SAMPLE WITHOUT MIXING
 SAMPLES 2 ENV
 DELIVER TO C T L

DATE MIXED
 SAMPLED BY

RELEASED BY

DUP050292608

N 31870.02

