

JCH: JCL: TGG: RF

RF: _____

TO: Distribution

FROM: Tom Grumbles

DATE: April 30, 1985

SUBJ: MATERIAL SAFETY DATA SHEET MANUALS

Interoffice
Communication

VISTA

Enclosed are the following MSDS's:

ALFONIC 810-40
ALFONIC 1216-30
ALFONIC 610-60
Aqueous Aluminum Chloride
LPA Solvent

The ALFONIC's should replace the black and white sheets currently in your manual.

The Aqueous Aluminum Chloride and LPA MSDS's should replace the blue and white sheets currently in the book. These MSDS's have been edited. Any old ones should also be destroyed. Please let me know if you need replacements for any other stock of these two MSDS's.

Also, please be aware that the Lake Charles complex telephone prefix has changed to 494. If you make copies out of this manual to send to anyone, please change any 491 prefix to 494. This includes the emergency number for all products. We will be changing the MSDS's in the near future.



Thomas G. Grumbles

Enclosures

Distribution:

M. F. Fitzpatrick, A. Sather - Aberdeen
F. L. Newberger, L. A. Mauerman - Baltimore
Jan-Hein Weijers - Brussels
A. E. Russell, Fred Thurston - Hammond
P. C. Gowan, G. A. Marchand, Fred Thomas, J. J. Hall,
W. S. Tuzinkiewicz, Pam Wildman - Houston
W. A. Miller, R. Edwards, S. F. Pitts, J. D. Laratta - LCCP
Keith Fogg - LC LAB
Steve Ashby - LC VCM
Elaine Green - Oak Brook
Randy Gantz - OKC
O. C. Kerfoot, D. L. Wharry, D. T. Plummer, - Ponca City
Fran Polidoro - Saddle Brook
Susan Sweeny - Santa Ana
Mark Schneider - Tokyo
Fred Thomas - Houston
Matt Tonkovich - Hammond

VVV 000015772

MAY 06 1985

TO: Distribution

FROM: Tom Grumbles
DATE: April 30, 1985

Interoffice
Communication

SUBJ: MATERIAL SAFETY DATA SHEET MANUALS

VISTA


Enclosed are the following MSDS's:

ALFONIC 810-40
ALFONIC 1216-30
ALFONIC 610-60
Aqueous Aluminum Chloride
LPA Solvent

The ALFONIC's should replace the black and white sheets currently in your manual.

The Aqueous Aluminum Chloride and LPA MSDS's should replace the blue and white sheets currently in the book. These MSDS's have been edited. Any old ones should also be destroyed. Please let me know if you need replacements for any other stock of these two MSDS's.

Also, please be aware that the Lake Charles complex telephone prefix has changed to 494. If you make copies out of this manual to send to anyone, please change any 491 prefix to 494. This includes the emergency number for all products. We will be changing the MSDS's in the near future.


Thomas G. Grumbles

Enclosures

Distribution:

M. F. Fitzpatrick, A. Sather - Aberdeen
F. L. Newberger, L. A. Mauerman - Baltimore
Jan-Hein Weijers - Brussels
A. E. Russell, Fred Thurston - Hammond
P. C. Gowan, G. A. Marchand, Fred Thomas, J. J. Hall,
W. S. Tuzinkiewicz, Pam Wildman - Houston
W. A. Miller, R. Edwards, S. F. Pitts, J. D. Laratta - ICCP
Keith Fogg - LC LAB
Steve Ashby - LC VCM
Elaine Green - Oak Brook
Randy Gantz - OKC
O. C. Kerfoot, D. L. Wharry, D. T. Plummer, - Ponca City
Fran Polidoro - Saddle Brook
Susan Sweeny - Santa Ana
Mark Schneider - Tokyo
Fred Thomas - Houston
Matt Tonkovich - Hammond

MARY
P/S change any
copies you
have -

Elaine has retired. Please
distribute to Janice Schur
in the future

VVV 000015773