

AGENDA FOR THE HOURLY SAFETY COMMITTEE MEETING

JULY 31, 1984

- Guest Speaker - Ray Forsthoffer
- Election of new chairman of HSC - Don Jordan
- Question HSC on why they think we are doing as well as we are in plant safety
- General Permit Procedure
- Annual Safety & Housekeeping Inspection 9/19, 20, & 21/84 by CB team; Feedback 9/24; Safety Organizations invited; Theme - "Safety Through Employee Involvement"
- Quarterly Inspection w/o August 6th - alternate every other inspection
- Old Business
- New Business

Kozlek • Ice H₂O - 51 - Loading ice into H₂O coolers in unit vs. by Gate 3 - Supak 7/31/84, Butler had already conducted

Hare • Dept. 33 - Drum unloading - Fans - Sherman 7/31/84

Larry • I/D of Tanks - Styrene - no order yet, 4" or larger 7/31/84
 - MeOH to OXO
 - 6" + Internat'l. Orange

Ben • I/D of pumps, equipment from E → W & S → N
 Painting over gauges, equipment nos., etc. - use jelly for gauges, signs, etc. 7/31/84

Don • Pedestrian Crossing signs not consistent
 "STOP"
 * STOP FOR PEDESTRIAN *
 * PICTOGRAPH *

Larry • Can't hear alarm at ^{new} scale house - ^{install} piezoelectric ⊕ Sgt. to call Guard - Loney 7/31/84

James • Alarm stickers for hard hats ✓ Gave 7/31/84

LAM013589

Don • *Mowers & safety requirements - CPSC - Mark
 - Push mower in 19 - Flying objects - "Did not disengage blade" - Machine to talk w/ craft
 - Scaffold Boards - split, protruding nails - 20 of 50 boards bad
 - for shutdown - Bailey

SC

12395