Monsanto

FROM (NAME LOCATION PHONE)

Dept. of Medicine & Environmental Health -G.J. Levinskas, A2SA (4-218

DMEN CENTRAL Corr.

DATE: November 5, 1980

SUBJECT: PCB's

REFERENCE:

TO J.H. Craddock, G3WA

Recently, I had two telephone inquiries about PCB toxicity. In each case, I indicated that Monsanto would be happy to send them a copy of the MSDS and the booklet which recently was prepared for PCB's. The two inquiries were:

1. Dr. Stanley R. Drachman
   20 Old Mamaroneck Road
   White Plaines, New York 10605

Dr. Drachman was inquiring about PCB's because two individuals involved in excavation work had been in contact with water containing PCB's. Neither of the workmen had any signs or symptoms. However, Dr. Drachman would like the information for his files.

2. Dr. Frank Vincent
   American Can Company
   P.O. Box 702
   Neenah, Wisconsin 54956

Dr. Vincent is with an industry group that wishes to comment on FDA's proposal to have PCB-containing transformers removed from food processing areas.

Would you kindly send the information on PCB's to each of these individuals.

May I request another copy of the MSDS and the booklet for mailing to another person. Thank you.

George J. Levinskas

alw

MONS 003063

IN-10M (REV. 2/78)