

Georgia Pacific

PLAINTIFF'S EXHIBIT

GP-844

9.6/Ge




1977

Gypsum Boar

SGP 0002646

DT	Document Index	2
MR	Manufacturer Testing Facilities	4
UA	Uses, Applications, Limitations	4
PP	Product Presentation	5
OP	Overall Production Place ..	6-27
AI	Construction, Assembly, Installation	14-27
MF	Materials, Finishes	28-34
CS	Coatings, Surfaces	28-34
TC	Technical Support	35
CC	Code Acceptability, Certification	35
	Georgia-Pacific Distribution Centers Back Cover	36



SGP 0002647

MINING AND
MANUFACTURING
GYPSUM AND
GYPSUM PRODUCTS




SGP 0002648



GEORGIA-PACIFIC THE COMPANY

Georgia-Pacific began its history distributing lumber domestically and abroad from the South, then entered the fields of plywood manufacture and timber ownership and management. It believed in integrated manufacturing and each phase of using a tree's residue produced something new . . . lumber hardboard, particleboard, pulp, paper (fine papers, working papers, containers, tissues, food board, etc.), chemicals from paper residues, chemicals to help make wood products, chemicals for broad market sales, new kinds of plywood, recycling of wood and chemical materials, development of new and better trees, better timber management methods. Other resources include . . . gypsum (gypsum products), natural gas, metallurgical and other coal, oil, silica, ceramic clays and many other minerals. G-P is also a nationwide distribution system in every major market in the United States and Canada, and a transportation company with fleets of trucks and railcars to ensure good service with good products. Georgia-Pacific owns timber throughout the U.S. and in Brazil and Canada; timber rights in Indonesia and the Republic of the Philippines. It also manufactures wood products in Brazil, the Philippines and Indonesia, selling to both Asia and America. G-P is a highly decentralized company with over 33,500 employees working in 47 states, the District of Columbia and several foreign countries. Georgia-Pacific . . . The Growth Company.



SYSTEM INSTALLATION DETAILS

5/8" FIRESTOP® GYPSUM BOARD 1 LAYER BOTH SIDES (BASIC 1 HR. FIRE RATED WALL)

#086


STC/34

SOUND TEST OR-64-8

FIRE RATING/1 HR. COMBUSTIBLE
FIRE TEST U.L. U305 (U.L. 5)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 5/8" Firestop® Gypsum board
4. 5d Common Nails—7" spacing



5/8" FIRESTOP® GYPSUM BOARD 2 LAYER 2 SIDES

#098


STC/41

SOUND TEST OR-64-12

FIRE RATING/2 HR. COMBUSTIBLE
FIRE TEST T-194

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 5/8" Firestop® Gypsum board
4. 6d and 8d Nails, 7" o.c.



1/2" FIRESTOP® GYPSUM BOARD LAMINATED TO 1/4" GYPSUM SOUND DEADENING BOARD

#100


STC/45

SOUND TEST G&H BW 27FT

FIRE RATING/1 HR. COMBUSTIBLE
FIRE TEST U. L. U312 (U.L. 30)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 1/4" Gypsum Sound Deadening Board
4. 1/2" Firestop® Gypsum board or Firestop® Eternawall™
5. 5d cc Nails, 7" o.c.
6. 4d Finish
7. G-P Joint Compound



**5/8" FIRESTOP® GYPSUM BOARD
LAMINATED TO 1/4" GYPSUM
SOUND DEADENING BOARD**

#102

STC/47


SOUND TEST G&H BW 28FT

FIRE RATING/1 HR. COMBUSTIBLE

FIRE TEST U.L. U312 (U.L. 30)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 1/4" Gypsum Sound Deadening Board
4. 5/8" Firestop® Gypsum board or Firestop® Eternawall™
5. Joint Compound
6. 4d Finishing Nails
7. 5d Nails, 7" o.c.



**1/2" FIRESTOP® GYPSUM BOARD
LAMINATED TO 1/4" GYPSUM
SOUND DEADENING BOARD**


#105

STC/47 STC/52 WITH INSULATION
SOUND TEST G&H BW 29ST/G&H BW 30ST

FIRE RATING/1 HR. COMBUSTIBLE/EST.

Materials Used

1. 2" x 4" Wood Studs staggered 8" o.c. on opposite sides of 2" x 6" Wood Plate
2. 2" x 6" Wood Plate
3. 1/4" G-P Gypsum Sound Deadening Board
4. 1/2" Firestop® or Firestop® Eternawall™ Gypsum board
5. G-P Joint Compound
6. 4d Finishing Nails and 4d Common Nails
7. 5d Common Nails, 7" o.c.
8. 2" Insulation Batts (on BW-30ST for STC/52)



**5/8" FIRESTOP® GYPSUM BOARD
TYPE X, 1 LAYER LAMINATED
TO 1/4" S.D.B., 2 SIDES
WITH 1 1/2" INSULATION**

#106

STC/50


SOUND TEST G&H BW 35FT

FIRE RATING/1 HR. COMBUSTIBLE

FIRE TEST U.L. U312 (U.L. 30)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 1/4" Gypsum Sound Deadening Board
4. 5/8" Firestop® Gypsum board or Firestop® Eternawall™ Gypsum board
5. Joint Compound
6. 4d Finishing Nails
7. 5d Nails, 7" o.c.
8. 2" Insulation Batts



**1/2" FIRESTOP® GYPSUM BOARD
LAMINATED TO 1/4" GYPSUM
SOUND DEADENING BOARD**


#109

STC/50 STC/55 WITH INSULATION
SOUND TEST G&H BW 31ST/G&H BW 32ST

FIRE RATING/1 HR. COMBUSTIBLE/EST.

Materials Used

1. 2" x 4" Wood Studs (double row) 16" o.c.
2. 2" x 4" Wood Plates—1" apart
3. 1/4" G-P Gypsum Sound Deadening Board
4. 1/2" Firestop® or Firestop® Eternawall™ Gypsum board
5. 4d Finishing Nails, 4d Nails
6. 5d Nails, 7" o.c.
7. G-P Joint Compound
8. 2" Insulation Batts (on BW 32ST with insulation for STC/55)





5/8" FIRESTOP® GYPSUM BOARD OVER FIBER SOUND DEADENING BOARD 2 SIDES

#118


STC/46

SOUND TEST OR-64-73

FIRE RATING/1 HR. COMBUSTIBLE
FIRE TEST T-3006

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 2" x 4" Wood Fire Blocks
4. 1/2" Fiber Sound Deadening Board
5. 5/8" Firestop® Gypsum board
6. 5d Cement Coated Nails and 8d Box Nails
7. Laminating or Joint Compound



1/2" FIRESTOP® GYPSUM BOARD 2 LAYERS ON FACE, 1 LAYER INSIDE, BOTH SIDES


#175

STC/57 STC/59 WITH INSULATION
SOUND TEST R.A.L.

FIRE RATING/2 HR. COMBUSTIBLE
FIRE TEST FM WP-297

Materials Used

1. 2" x 4" Wood Studs 24" o.c.
2. Fireblocks—2" x 4" x 22 1/2"
3. 1/2" Firestop® Gypsum board
4. 8d Coated Box Nails
5. 6d Coated Box Nails
6. 6d Nails
7. 12d Common Nails



1/2" FIRESTOP® GYPSUM BOARD 1 LAYER EACH SIDE OVER T. & G. COREBOARD

#230


STC/36

SOUND TEST G.A.

FIRE RATING/2 HR. NON-COMBUSTIBLE
FIRE TEST G.A.

Materials Used

1. 1" T. & G. Coreboard, "V" edge
2. 1/2" Firestop Gypsum board
3. Metal Track
4. Laminating Adhesive



1/2" GYPSUM BOARD OVER COREBOARD

#200


STC/47

SOUND TEST OR-64-39

FIRE RATING/2 HR. NON-COMBUSTIBLE
FIRE TEST T-2575

Materials Used

1. 3" x 1 1/8" Wood Perimeter Framing
2. 1" x 24" Tongue & Groove Coreboard
3. 1/2" Gypsum board
4. Laminating Compound
5. 8d Nails



SGP 0002652

**½" FIRESTOP® GYPSUM BOARD,
LAYERS 2 SIDES WITH INSULATION
IN CAVITY**

#310

STC/48

SOUND TEST BW 12FT


FIRE RATING/2 HR. NON-COMBUSTIBLE

FIRE TEST T-3218

(fiberglass insulation not required for fire rating)

Materials Used

1. 2½" G-P Steel Studs, 24" o.c.
2. 2½" Floor and Ceiling Tracks
3. ½" Firestop® Gypsum board
4. 2" Insulation
5. Laminating or Joint Compound
6. 1" and 1½" Type S Gypsum board Screws



**¾" FIRESTOP® GYPSUM BOARD,
2 LAYERS 2 SIDES**


#314

STC/46 EST.

**FIRE RATING/2 HR. NON-COMBUSTIBLE/EST.
FIRE TEST T-2557**

Materials Used

1. 2½" G-P Steel Studs, 24" o.c.
2. 2½" Floor and Ceiling Track
3. ¾" Firestop® Gypsum board, 2 layers each side
4. 1" & 1½" Type S Screws



**¾" FIRESTOP® GYPSUM BOARD,
1 LAYER 1 SIDE, 2 LAYERS OTHER SIDE**

#312


STC/43

SOUND TEST OR-63-2

**FIRE RATING/1½ HR. NON-COMBUSTIBLE/
EST.**

Materials Used

1. 2½" G-P Steel Studs, 24" o.c.
2. 2½" Floor and Ceiling Track
3. ¾" Firestop® Gypsum board
4. 1" and 1½" Type S Gypsum board Screws



**½" FIRESTOP® GYPSUM BOARD,
1 LAYER 1 SIDE, ½" G-P REGULAR,
2 LAYERS OTHER SIDE**


#316

STC/48 EST.

**FIRE RATING/1 HR. NON-COMBUSTIBLE
FIRE TEST T-4848**

Materials Used

1. 3½" Steel Studs, 24" o.c.
2. 3½" Track
3. ½" Firestop® Gypsum board
4. ½" Regular Gypsum board, 2 layers
5. 1½" Insulation (not required for fire rating)
6. 1" and 1½" Type S Screws



**5/8" FIRESTOP® GYPSUM BOARD,
2 LAYERS 2 SIDES WITH INSULATION
IN CAVITY**


#324

**STC/52
SOUND TEST OR-64-50**

**FIRE RATING/2 HR. NON-COMBUSTIBLE
FIRE TEST T-2557**

Materials Used

1. 3 3/8" Steel Studs, 24" o.c.
2. 3 3/8" Floor and Ceiling Track
3. 5/8" Firestop® Gypsum board
4. 2" Insulation
5. Laminating or Joint Compound
6. 1" and 1 1/2" Type S Gypsum board Screws



**1/2" FIRESTOP® GYPSUM BOARD,
OVER 1/4" GYPSUM SOUND
DEADENING BOARD**


#415

**STC/41; IIC 75 (WITH CARPET & PAD)
SOUND TEST G&H BW 2-MT**

**FIRE RATING/1 HR. NON-COMBUSTIBLE
EST. BASED ON L 503 (U.L. 46)**

Materials Used

1. 2" x 10" Wood Joists
2. Carpet and Pad
3. 1/2" Particleboard Underlayment
4. 5/8" CD Grade Plywood Subfloor
5. 1/4" G-P Gypsum Sound Deadening Board
6. 1/2" Firestop® Gypsum board
7. 4d Ring Shank Nails; 6d Common Nails; 8d Common Nails



**1/2" FIRESTOP® GYPSUM BOARD,
OVER 1/4" GYPSUM SOUND
DEADENING BOARD**


#326

**STC/47 STC/52 WITH INSULATION*
SOUND TESTS: BW-33ST/BW 34ST**

FIRE RATING/1 HR. NON-COMBUSTIBLE

Materials Used

1. 1 1/4" Steel Studs, 24" o.c.
2. 1 1/4" Floor and Ceiling Track
3. 1/4" G-P 1/4" Gypsum Sound Deadening Board
4. 1/2" Firestop® Gypsum board or Firestop® Eternawall™ Gypsum board
5. 1 1/4" Type S Gypsum board Screws
6. 1 1/4" Type S Gypsum board Screws
7. 1/2" x 6" x 12" Gypsum board Spacers
8. 2" Insulation Batts (on BW-34ST for 52 STC)



**1/2" FIRESTOP® GYPSUM BOARD
ON RESILIENT METAL FURRING
(FLOOR/CEILING)**


#402


**STC/47
SOUND TEST TL 65-155**

**FIRE RATING/1 HR. NON-COMBUSTIBLE
FIRE TEST L502 (U.L. 33)**

Materials Used

1. 2" x 10" Wood Joists
2. Rosin Building Paper
3. 1" x 6" Tongue and Groove Subflooring
4. 1" x 4" Tongue and Groove Finished Flooring
5. Donn DG-8 Resilient Channels
6. 1/2" Firestop® Gypsum board
7. 1" Type S Gypsum board Screws and 8d Nails





TESTING AND RESEARCH FACILITIES

Georgia-Pacific's Gypsum Product Development and Technical Service laboratory is located at Tigard, Oregon. This is where new products such as Predec® gypsum paneling, tile backer board, sound deadening board, Sentinel™ board, Denscote®, Denscal®, and Densite® plasters, and Firestop®, Speed Set

and gypsum board had their beginnings. The G-P family of joint system products, the G-P sound control systems and the G-P fire rated systems, including the shaft wall systems, were also developed here. The increase in multi-family living has made fire safety and sound privacy of utmost importance.

The technical personnel at the Gypsum Lab also deal with quality and production problems. The effort to offer reliable products at the lowest possible cost is a never-ending task. Georgia-Pacific must be technically competent in these continually changing times in order to be able to furnish the products required by the construction industry.





JOINT SYSTEM PRODUCTS

G-P Joint System products are designed to conceal joints and nail heads and "surface-weld" gypsum board panels together. Properly used, these products assure smooth, seamless appearance of walls and ceilings, with joints stronger than the gypsum board itself.

G-P BEDDING COMPOUND

Bedding Compound is designed to provide maximum adhesion of tape to the joints and for initial application to nail heads and corner bead. It spreads smoothly and may be hand or machine applied. **Coverage:** 15 to 20 lbs. per 1,000 sq. ft. (Used in conjunction with 40 to 45 lbs. of Topping Compound.) **25 lb. bags.**

G-P TOPPING COMPOUND

G-P Topping Compound is specifically designed for the second and third coats over the bedding compound. Since it is used only for topping, the amount of adhesive can be reduced and other materials incorporated which reduce the shrinkage and make it easier to sand and work. Coverage is approximately 40 to 45 lbs. per 1,000 square feet. (Used in conjunction with 15-20 lbs. of G-P Bedding.) **Available in 25 lb. bags.**

TRIPLE DUTY™ JOINT COMPOUND

Triple Duty Gypsum board Joint Compound is a vinyl multipurpose joint system product. A single bag offers taping, topping and texturing. It can be used for all coats in the reinforcing and concealing of joints in gypsumboard construction. The binder, a vinyl, gives this product a wet life of 30 to 60 days duration. This allows premixing in large quantities prior to application. Triple Duty can be applied using standard hand or mechanical tools. There is low shrinkage and it is easily sanded. When the application is completed, the surface is ready for priming and decoration as desired with no further preparation necessary. **Coverage:** 60 lbs. per 1,000 sq. ft. **25 and 50 lb. bags.** Can be used as a Texture. **Coverage:** 12-50 lbs. per 1,000 sq. ft.

G-P READY MIX JOINT COMPOUND

Ready Mix Joint Compound is an easy-working material for embedding the joint reinforcing tape and the filling and finishing of joints in gypsum board construction. Furnished in cans and cartons ready to use, this stable, all-purpose compound is also excellent for use in covering nail heads and forming interior and exterior angles. Ready Mix Joint Compound assures a standard mixture for uniform workability throughout the job. It has a long wet life and will not spoil even when the container is left open. Ready Mix Joint Compound produces an excellent surface for any type of decoration. Ready Mix Topping Compound also available. For best results, the surface should be primed before being decorated. **Coverage:** 5 gal. per 1,000 sq. ft. **Package—1 and 5 gal. cans, 4 gal. cartons.**

G-P ALL PURPOSE JOINT COMPOUND

G-P All Purpose Joint Compound is used for bedding tape, topping, corner bead, nail spotting and texturing. When taping be sure the compound under the tape, and the first coat over the tape is thoroughly dry before applying the next coat over the joints. When used for texturing, for best results, apply a

vinyl primer to the entire area before texturing. The texture may be applied with a roller, sponge, brush or can be sprayed, depending on the type of configuration desired. **Coverage:** 60 lbs. per 1,000 sq. ft. **25 lb. bag and packaged 18 lbs. of compound plus 250' roll of tape.**

U.S. AND CANADIAN SPECIFICATION DIRECTORY - GYPSUM BOARD PRODUCTS

Brand	Product	ASTM [*] Standards	Federal Spec.
G-P	JOINT SYSTEM MATERIALS	C 475	SS-J-570a 10/24/66

†Standard Length—Other Lengths on Order.
*All ASTM Standards—Per Latest Revision.
■All Canadian Standards in Blue

Any questions not answered by the information on this page or available from local sources should be referred to Georgia-Pacific, Gypsum Division, 900 S.W. Fifth, Portland, Oregon 97204.

CC CODE ACCEPTABILITY CERTIFICATION WARRANTY

The assemblies and information in this brochure have been developed based on practical construction methods.

However, since the Georgia-Pacific Gypsum Division does not have any prior knowledge of a specific building design and its construction or the methods of application used with its products, no warranty of performance is made. All tests

have been obtained under controlled laboratory testing conditions where environmental variables are reduced to a minimum. In the field, such laboratory conditions are not always met, since many other variables may be produced. Laboratory results may exceed field test results but the laboratory tests under controlled conditions are the only logical way to compare the performance of different assemblies.

The Gypsum Division of the Georgia-Pacific Corporation makes no warranty that the performance of assemblies in the field will have a performance equal to or better than that developed in the test.

DISTRIBUTION CENTERS United States

ALABAMA

Birmingham
3400 Ball St.
(205) 841-0415
Montevallo
570 Highway 20 East
Madison, Alabama
(205) 772-9611
Mobile
3451 Georgia-Pacific Ave.
(205) 478-0804
Montgomery
4542 Baldwin Ave.
(205) 268-7260

ALASKA

Fairbanks
272 Illinois St.
(907) 452-2183

ARIZONA

Phoenix
4801 West Colter St.
(602) 939-1413
Tucson
450 E. Irvington Rd.
(602) 889-5701

ARKANSAS

Ft. Smith
6901 Jenny Lind Road
(501) 846-4361
Little Rock
3101 Dugan St.
(501) 374-0212
Tosarkana
3500 Tennessee Road
(501) 773-4618

CALIFORNIA

Anaheim
1700 Lewis St.
(714) 634-4841
Fresno
5298 East Home Ave.
(208) 251-8471
Los Angeles
14750 Nelson Ave.
City of Industry
(213) 968-5551
Oakland
2300 Polvorosa Ave.
San Leandro
(415) 352-5100
Riverside
1450 Citrus Ave.
(714) 664-5353
Sacramento
2951 Orange Grove Ave.
North Highlands
(916) 481-4444
Salinas
1031 Industrial Ave.
(408) 758-0913
San Diego
901 West 24th St.
National City
(714) 262-9955
San Francisco
789 Deering Ave.
Canoga Park
(213) 887-3211
San Jose
660 East Gish Rd.
(408) 287-7900
Santa Rosa
3417 Standish Road
(707) 544-3040

COLORADO

Denver
3900 Uvalde St.
(303) 371-1500

CONNECTICUT

Hartford
778 North Main St.
Manchester, Conn.
(203) 646-8700
Wallingford
805 North Colony St.
(203) 298-8725

DELAWARE

Wilmington
Wittenhouse Ind. Pk.
Terminal Ave. & Christiana
(302) 856-8203

FLORIDA

Ft. Myers
3587 Work Drive
(813) 332-3857
Jacksonville
1333 Haines St.
(904) 356-9711
Miami
3201 N.W. 110th St.
(305) 688-4603
Orlando
2721 Regent Ave.
(305) 283-5781
Pensacola
4601 McCoy Dr.
(904) 434-5501
Tallahassee
808 Mabry St.
(904) 576-2146
Tampa
3701 East Columbus Dr.
(813) 821-1351

GYPSUM/SALES OFFICES

MID-ATLANTIC
1121 Ardwick-Ardmore Rd.
Landover, Maryland
(301) 773-3388

MIDWEST

3815 North Carnation
Franklin Park, Illinois
(312) 678-4468

West Palm Beach

900 West 15th
Riviera Beach
(305) 844-6371

GEORGIA

Albany
1013 Worth St.
(912) 432-5106
Atlanta
2351 Bulton Gwinnett Dr.
Norcross, Ga.
(404) 449-7400
Augusta
1153 Gordon Highway
(404) 724-0578
Columbus
1401 Blanchard Dr.
(404) 327-8521
Macon
7591 N.E. Ind. Blvd.
(912) 781-8700
Savannah
Telfair Rd.
and SCL Drive
(912) 233-0071

IDAHO

Boise
1675 Commercial Ave.
(208) 345-4441

IOWA

Des Moines
5631 Northeast 17th St.
(515) 265-5251

ILLINOIS

Chicago
10450 Waveland Ave.
Franklin Park
(312) 678-2990
17046 Lathrop Ave.
Harvey
(312) 928-3338
Bloomington
422 White Oak Rd.
Normal, Illinois
(309) 452-9422
Quincy
300 East Fourth Ave.
Miles, Ill.
(309) 787-8121

INDIANA

Elkhart
225 Collins Rd.
(219) 294-5481
Evansville
520 North Congress Ave.
(812) 477-5123
Fort Wayne
8620 Bluffton Road
(219) 747-1891
Indianapolis
1477 South Franklin Road
(317) 357-8754

KANSAS

Wichita
401 West 47th St. South
(316) 522-4831

KENTUCKY

Louisville
2718 Grassland Drive
(502) 491-5440

LOUISIANA

Baton Rouge
1011 Leesville St.
(504) 342-7481
Lafayette
814 S.W. Evangeline
Thruway
(337) 232-2551
New Orleans
7500 Almonaster Ave.
(504) 281-2380
Shreveport
2801 Valley View Dr.
(318) 688-8771

MAINE

Bangor
Bennett St. & Hildreth
(207) 947-0142
Portland
508 Warren Ave.
(207) 787-6564

MARYLAND

Baltimore
6813 Quad Ave.
(301) 285-4700
Salisbury
Armstrong Parkway &
Marvel Rd.
(301) 546-2161

MASSACHUSETTS

Boston
250 Ballardvale St.
Wilmington
(617) 444-6300
Springfield
121 Memorial Drive
Memorial Ind. Park
(413) 781-7030

MICHIGAN

Detroit
11800 Sears Ind. Dr.
Livonia
(313) 522-5100
Grand Rapids
825 Buchanan Ave. S.W.
(616) 241-1628
Saginaw
3720 E. Wash. Rd.
(517) 752-8134
MINNESOTA
Minneapolis
8025 Byassee Dr.
Hazelwood
(314) 731-0181
Springfield
3220 East Cherry St.
(417) 889-1841

MISSISSIPPI

Jackson
555 Gulf Line Rd.
(601) 838-8420

MISSOURI

Cape Girardeau
Nash Road
(314) 324-0333
Kansas City
1443 Taney St.
North Kansas City
(816) 842-3366
St. Louis
8025 Byassee Dr.
Hazelwood
(314) 731-0181

MONTANA

Billings
600 Daniel St.
(406) 245-3136
Great Falls
901 River Drive S.
(406) 453-5471

NEBRASKA

Lincoln
545 "L" St.
(402) 473-7525

NEW HAMPSHIRE

Manchester
300 Gay St.
(603) 627-3861

NEW JERSEY

Citron
400 Allwood Rd.
(201) 773-1000
Trenton
530 U.S. Route #130
Yardville
(609) 585-1100

NEW MEXICO

Albuquerque
1820 Bellamh N.W.
(505) 242-2781

NEW YORK

Albany
Brown and Ind. Rds.
(518) 458-8080
Binghamton
Broome Ind. Pk.
Kirkwood
(607) 775-1120
Buffalo
2585 Walden Ave.
(716) 685-2323
Crown-Point
1 Hudson River Dr.
(914) 271-4201
Hempstead
175 Underhill Blvd.
Syosset
(516) 921-7200
Rochester
1480 East Henrietta Rd.
(716) 442-1800
Suffolk
Yachant Ave. and Park St.
Yachant
(516) 924-7400
Syracuse
Midler Park Dr.
(315) 437-1201

NORTH CAROLINA

Asheville
Route #2, Azalea Road
(704) 298-5274
Charlotte
3300 Parkside Dr.
(704) 384-3171
Greensboro
3005 Fragstone Dr.
(919) 275-9431
Raleigh
3501 Tameal Dr.
(919) 876-4430
Wilmington
319 Marlboro St.
(919) 799-5200

NORTH DAKOTA

Fargo
204 No. 18th St.
Moorhead, Minn.
(218) 236-1520

OHIO

Akron
550 Munroe Falls Road
(216) 794-1140
Cincinnati
4710 Dues Dr.
(513) 874-4123
Cleveland
19100 Holland Rd.
(216) 234-1378
Columbus
2100 Refugee Rd.
(614) 445-8256
Dayton
5150 Webster St.
(513) 276-5986
Toledo
2815 Hill Ave.
(419) 536-3721

OKLAHOMA

Oklahoma City
5519 N.W. Fourth St.
(405) 946-0737
Tulsa
5717 North Mingo
(918) 272-2211

OREGON

Eugene
3445 W. 1st Ave.
(503) 334-4358
Portland
10515 S.W. Allen Avenue
Beaverton
(503) 643-8611

PENNSYLVANIA

Lancaster
3638 Hemphill Industrial
Park
(717) 285-4544
Philadelphia
801 First Ave.
King of Prussia
(215) 265-4600
Pittsburgh
Hunker Rd. and Rt. 118
New Stanton
(412) 242-9100
Scranton
10515 S.W. Allen Avenue
Yatesville-Pittston
(717) 655-2901

RHODE ISLAND

Providence
170 Jefferson Blvd
Warwick
(401) 463-7700

SOUTH CAROLINA

Charleston
Bennett Ind. Park
(803) 554-8181
Columbia
855 Brookwood Dr.
(803) 771-7740
Greenville
Mayward Road
(803) 288-2020
SOUTH DAKOTA
Sioux Falls
4501 No. 4th
(605) 339-8300

TENNESSEE

Bristol
100 Patsy Indus. Blvd.
(615) 968-4121
Chattanooga
201 East 28th St.
(615) 698-8078
Knoxville
1301 Mitchell St. N.E.
(615) 546-4441
Memphis
4287 Pilot Dr.
(901) 365-2100
Nashville
331 28th Ave. N.
(615) 283-7180

TEXAS

Amarillo
80 Lakeside Drive
(806) 372-5706
Austin
2418 East Sixth St.
(512) 478-7406
Beaumont
6550 Oakcrest Drive
(713) 892-8720
Corpus Christi
230 Omaha Dr.
(512) 884-3231
Dallas
1800 John Connally Dr.
Carrollton
(214) 242-4251
El Paso
6900 Marat St.
(915) 778-8353
Fort Worth
4747 Mark IV Parkway
(817) 625-2351

Houston

650 Gellhorn Dr.
(713) 875-1721
Lubbock
702 East 44th St.
(806) 747-3528
San Antonio
535 North W. White Rd.
(512) 333-8110
Tyler
8th Street & Lawton Ave.
Owenston
(214) 877-3181

UTAH

Salt Lake City
2875 S. 300 W.
(801) 486-9281

VERMONT

Burlington
Pine Haven Shore Road
Shaftsbury, Vt.
(802) 943-2511

VIRGINIA

Lynchburg
Graves Mill Rd.
Timberlake
(804) 239-8241

WASHINGTON

Bellevue
200 Price St.
Virginia Beach
(804) 498-5981
Richmond
Corner Dabney &
Bathlehem Rds.
(804) 355-8187

WASHINGTON, D.C.

629 Cornwell Avenue
(202) 733-8000
Seattle
12815 N.E. 178th St.
Woodinville
(206) 486-0741
Spokane
6815 E. Mission
(509) 928-3030
Tacoma
2322 Rose Way
(206) 383-4578
WASHINGTON, D.C.
Washington, D.C.
8121 Ardwick-Ardmore Road
Landover, Maryland
(301) 322-2270
West Washington, D.C.
11800 Bella Ford Rd.
Manassas, Virginia
(703) 381-5147

WEST VIRGINIA

Charleston
Rock Branch Ind. Pk.
Poca, W. Va.
(304) 753-8153
WISCONSIN
Madison
103 Mayfair Ave.
(608) 241-3874
Milwaukee
5059 North 118th St.
(414) 464-7900
Wausau
809 S. 62nd Ave.
(715) 842-0651

Canadian Branches

Georgia-Pacific Building
Materials, LTD
Calgary
8205-30th St. S.E.
Calgary, Alberta
(403) 278-4436
Edmonton
12825-149th St.
Edmonton, Alberta
(403) 452-0940
London
100 Thames Street North
Ingersoll, Ontario
(519) 485-4431
Montreal
4650 Notre Osme St. East
Montreal, Quebec
(514) 253-0300
Ottawa
1246 Leeds Avenue
Ottawa, Ontario
(613) 741-7220
Quebec City
48 Abraham Martin St.
Louise Basin, Port of Quebec
Quebec City, Quebec
(418) 692-2871
Toronto
173 Carver Drive
Rexdale, Ontario
(416) 745-2444
Vancouver
916 River Dr.
Richmond, B.C.
(604) 273-7821
Winnipeg
1500 Clarence Avenue
Winnipeg, Manitoba
(204) 453-9027

WESTERN

P.O. Box 24373
Oakland, California
(415) 463-6878

GYPSUM EXPORT DEPT.

228 South 16th Street
Philadelphia, Pa.
(215) 364-7995

Georgia-Pacific



900 S.W. Fifth Avenue
Portland, Oregon 97204

SGP 0002659

Like in U.S.A.