

SECTION IV

Page 4: 10: Your Operators wear approved respirators. Attached is a copy of Form which all our Operators sign, in triplicate, on receipt of a new Respirator. One copy is retained by Operator, one by our Medical Room and one by Department concerned.

Page 4: 12 to 16: General requirements.

Enclos:- "The Asbestos Industry Regulations, 1931"
J.W.R. Form for receipt of Respirators.
J.W.R. Recommendations for Respirators.

"List of Check Points on S.L.A. Equipment".

ABB/JF
30.11.65
JWR.1018

30/681

J.W. ROBERTS LIMITED

13th September, 1963

JGC/JD

Sprayed 'Limpet' Asbestos - Respirators

'Limpet' spray operators and machine feeders should wear masks and we advise licensees when any new or recently evaluated mask has been approved.

The purpose of this note is simply to ensure that the present position on approved masks is clear. The models which we currently recommend are:-

- 1) The Siebe Gorman - Mark IV - *respirator as marked*
Siebe Gorman & Co. Ltd.,
Neptune Works,
Davis Road,
Chessington, Surrey.
- 2) The Dustfoe No. 66
Mine Safety Appliances Ltd.,
Queenslie Industrial Estate,
Glasgow E.3.

Both of these have approval of H.M. Inspectorate of Factories for use in Asbestos Processes. We have no preference. Adoption of either is a matter of choice in which the most important feature is probably the operator's comfort.

May we add that in our experience, operators tend to be careless or forgetful on this subject and constant vigilance by foremen and supervisors is necessary in order to safeguard the health of employees and satisfy the Factory Inspectorate.

J.C. Campbell
Manager
SPRAY SERVICE DEPT

PLAINTIFF'S
EXHIBIT
TN 5318