

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE KY787 LOT 36180

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
<u>1745</u>	<u>1</u>	<u>T-286</u>		
<u>1720</u>	<u>1</u>	<u>T-213</u>		

STUMP 1.444 3.474TOTAL NET WT. 3.465 PKG. N-CODE _____

PROD. SPVR. _____

DATE _____

WHSE. OPER. _____

JT 612880

N32137

DUP050456788

23
240

CO 03 CODE KY-787-D PKG.
→ JUN 17 36180
EST. WGT. 1090 LBS.

TOTES OK
H

3490

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
KY-787-D (Q)	EWK 9/22/76
	DCG 9/27/76
RETYPE BY	
CJH 4/2/80	
MAKING NOTES	

REMARKS

NAME: KROLOR - YELLOW MEDIUM

NON-BLEEDING

INSTRUCTIONS

- PRESSING -

RECORD

VAT	DATE	TIME	RELEASED BY	PRESS	NO. OF CAKES	PRESS WITH	AGITATION	WASH TO	TEST AFTER	LOAD ON	PRESSLOAD	1ST	2ND	3RD	4TH	5TH
	6/20/80	1:50 PM	OK	22	46	23	24	25	48		STARTED	4 PM				
											CAKES USED	4530				
											WATER ON	8				
											HRS. WASHED	3580				
											OHMS					
											HRS. WASHED					
											OHMS					
											HRS. WASHED					
											OHMS					
											CAKE CONDITION	6				
											NO. CARS LOADED					
											EXPLAIN LOSSES					

SAMPLES 1-8 OZ JAR
DELIVER TO CTL FOR COLOR

SAMPLED BY RELEASED BY

- DRYING -

DRY 12 HRS AT 220 °F
THEN DRY 6 HRS AT 160 °F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES
DELIVER TO

NO. CARS PULLED
SAMPLED BY

NO. DRUMS 14
LUMP WGT. 3474
RELEASED BY

- GRINDING -

MILL 939 HSP 3/32" RP SCREEN 3500 RPM
MAX. TEMP. 150 °F

SCREEN RPM
MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE AFTER / WITHOUT MIXING
SAMPLES 1 ENV & 1 PT. CAN
DELIVER TO C T L

DATE MIXED
SAMPLED BY RELEASED BY

N32137.01

DUP050456789

35130
41
294

0	09	*
2	36	+
0	14	-
2	52	+
0	14	-
2	70	+
0	14	-
2	59	+
0	14	-
2	71	+
0	14	-
2	61	+
0	14	-
2	56	+
0	14	-
2	62	+
0	14	-
2	68	+
0	14	-
2	54	+
0	14	-
2	56	+
0	14	-
2	47	+
0	14	-
2	46	+
0	14	-
2	65	+
0	14	-
34	74	*

N32137.02

DUP050456790