

Price List A-100

CURRENT REVISION DATES OF INCLUDED PAGES

✓ COVER	9/1/54
✓ PAGE 1	2/23/56
✓ PAGE 2	8/17/56
✓ PAGE 3	10/1/56
✓ PAGE 4	10/1/56
✓ PAGE 5	9/1/56
✓ PAGE 6	10/1/55
✓ PAGE 7	5/25/56
✓ PAGE 8	3/15/56
✓ PAGE 9	9/1/54
✓ PAGE 10	10/23/56
✓ PAGE 11	10/23/56
✓ PAGE 12	7/23/56
✓ PAGE 13	6/15/56
✓ PAGE 14	4/15/56
✓ PAGE 15	4/15/56
✓ PAGE 16	1/18/56
✓ PAGE 17	9/1/55
✓ PAGE 18	6/15/55
✓ PAGE 19	

HISTORICAL FILE

Faint, illegible text

Faint, illegible text

DO NOT DETACH

U S G ACOUSTICAL CONTRACTORS

ACOUSTONE* mineral acoustical tile

AUDITONE* fiber acoustical tile

SLOTTED

PERFORATED

CORRUTONE perforated metal acoustical panels

PERFATONE* perforated metal acoustical tile

PERFORATED ASBESTOS BOARD

METAL ACCESSORIES

UNITED STATES GYPSUM COMPANY

 300 W. Adams Street • Trade Marks registered U.S. Patent Office
 Chicago 6, Illinois

 industrial sales
 division


ACOUSTONE* Acoustical Tile

ACOUSTONE* "F": Either Square Edge or 1/8" Bevel Edge. Motif'd Acoustone: Square Edge only. Prices include standard kerfing, rabbeting, back-cut, beveling and centerscoring. Beveled Acoustone not back-cut.

Carloads - Carload prices on Acoustone apply to any combination of colors, sizes and designs shipped by rail. All stopover shipments subject to our approval. Stopover charges will be for customer's account.

** East of the Rockies: All states except Arizona, California, Idaho, Nevada, Oregon, Utah and Washington, in no case shall carload shipments be less than 36,000 lbs. in the official area generally East of the Mississippi River and North of the Ohio and Potomac Rivers, or less than 30,000 lbs. in the area East of the Rocky Mountains, West of the Mississippi River and South of the Ohio and Potomac Rivers.

*** West of the Rockies: For states of Arizona, California, Idaho, Nevada, Oregon, Utah and Washington, in no case shall carload shipments be less than 24,000 lbs.

Truckloads - Truckloads, meeting minimum weight requirements of applicable tariffs, will be shipped at carload prices, the increase in rate, if any, between truckload rate and carload rate will be for customer's account. All stopover truckload shipments subject to our approval. Stopover charges will be for customer's account.

Other than Carload or Truckload Shipments - LCL quantities, unless shipped by full truckload as above provided, will be shipped by rail. If express or LTL shipment is requested, extra costs over applicable LCL rail freight will be for customer's account.

TERMS: 2% - 10 FM - Net End FM

Discount applies on net amount of invoice after deducting transportation charges. Date of invoice is date of shipment.

*Trade Marks registered U.S. Patent Office.

^ Indicates change

Page 1

Revised 9/1/54

Cancels 11/13/53

BB028 1025

ACOUSTONE "F"*

Price per square foot f.o.b. Gypsum, Ohio, Mill, Rail Freight Allowed to Destination. If prices change, prices in effect at time of shipment will be applicable.

Thickness	Size	Type of Installation	Type of Kerf	Center Bevel	Edge	Color	PRICES			
							** (NOTE PAGE 1)	** (NOTE PAGE 1)	** (NOTE PAGE 1)	** (NOTE PAGE 1)
							EAST OF ROCKIES C.L.	WEST OF ROCKIES C.L.	EAST OF ROCKIES L.C.L.	WEST OF ROCKIES L.C.L.
3/4"	12x12	Adhesive only	Kerfed for Fiber Splines No Kerf unless specified "Kerf for Fiber Splines"	No	Square Bevel		.28	.2975	.30	.3225
	12x24	Mechanically Suspended on Concealed Z-Spline	Kerfed & Rabbeted for Concealed Z-Spline System	No	Square					
				Only when specified	Bevel	WHITE				
				No	Square	or	.29	.3075	.31	.3325
		Mechanically Suspended on E-Z-S System	Kerfed & Rabbeted for E-Z-S System	No	Square	IVORY				
				Only when specified	Bevel					
		For Walls only with Adhesive	Kerfed for Fiber Splines No Kerf unless specified "Kerf for Fiber Splines"	No	Square		.28	.2975	.30	.3225
				Only when specified	Bevel					
	12x36	Mechanically Suspended on E-Z-S System	Kerfed & Rabbeted for E-Z-S System	No	Square		.29	.3075	.31	.3325
				Only when specified	Bevel					
				No	Square					
				Only when specified	Bevel					

MOTIF'D ACOUSTONE*

Price per square foot f.o.b. Gypsum, Ohio, Mill, rail freight allowed to destination,
If prices change, prices in effect at time of shipment will be applicable

II. Prices change, prices in effect at time of shipment will be applicable							PRICES			
Thick- ness	Size	Type of Installation	Type of Kerf	Center Bevel	Edge	Color	**(Note Page 1) East of Rockies		*** (Note Page 1) West of Rockies	
							C.L.	L.C.L.	C.L.	L.C.L.
MOTIF'D PATTERN #19										
3/4"	12x12	Adhesive only	Kerfed for Fiber Splines	No	Square	White	.295	.3125	.315	.3375
		Mechanically Suspend- ed on concealed Z- Spline	Kerfed & Rabbeted for concealed Z-Splines			or Ivory	.305	.3225	.325	.3475
OTHER MOTIF'D PATTERNS (2, 5, 10, 32A, 32B, 33, 36, 37, 38**, 39, and 40)										
3/4"	12x12	Adhesive only	Kerfed for Fiber Splines			White	.305	.3225	.325	.3475
		Mechanically sus- pended on conceal- ed Z-Spline	Kerfed & Rabbeted for concealed Z-Splines	No	Square	or Ivory	.315	.3325	.335	.3575
	**12x24	Mechanically sus- pended on EZS Sys- tem	Kerfed for the EZS System							

SPECIAL DESIGNS MOTIF'D ACOUSTONE*

LIMITATIONS OF OUR PROCESS MAY MAKE IT IMPOSSIBLE TO PRODUCE CERTAIN DESIGNS.
SUBMIT DRAWINGS OF ALL SPECIAL MOTIF'D ACOUSTONE* DESIGNS FOR APPROVAL OF OUR
ABILITY TO PRODUCE, AVAILABILITY AND PRICE.

MOTIF'D ACOUSTONE NUMBERS AND PATTERNS

NO. 2 GEORGIAN
NO. 3 CLOVERLEAF
NO. 5 MEDALLION
NO. 10
NO. 32 A & B OUTLINE
NO. 33 GALAXY
NO. 36 TEXTURA
NO. 37 GROSSGRAIN
NO. 38 LINEA
NO. 39 MOSAIC
NO. 40 FANTASIA

**12"x24" ONLY.

STANDARD COLORS, PRICE AND AVAILABILITY - ACOUSTONE F AND MOTIF'D
ACOUSTONE ARE FINISHED IN MILL PAINTED WHITE OR IVORY COLORS.

Page 3
Effective 8/17/56
Cancels 4/20/56

ACOUSTONE* MECHANICAL SYSTEM ACCESSORIES

ACCESSORIES FOR "Z-SPLINE" METHOD OF MECHANICAL ERECTION — ORDER DIRECT FROM UNITED STATES GYPSUM COMPANY

	PRICES F.O.B. SHIPPING POINT	SHIPPING POINT	SHIPPING WEIGHT	MATERIAL	PACKAGE
85 CLIPS	\$10.00 M PCS.	CHICAGO, ILL.	30 LBS. PER M PCS.	11 GA. GALV.	500 PCS. PER BOX
87-S CLIPS	25.00 " "	"	40 " " " "	11 " "	500 " " "
82-A CLIPS	10.00 " "	"	25 " " " "	10 " "	500 " " "
FLAT SPLINES	15.00 " "	"	65 " " " "	26 " "	500 " " "
1-1/4" Z-SPLINES (PAINTED WHITE) (10'0" LENGTH)	58.00 " LIN. FT.	"	250 " M LIN. FT.	26 " "	50 " 500 LIN. FT.
1-1/4" Z-SPLINE SPLICES	20.00 M PCS.	"	85 " M PCS.	24 " "	500 " PER BOX
3/4" Z-SPLINES (8'0" LENGTHS)	35.00 M LIN. FT.	"	200 " M LIN. FT.	26 " "	50 " 400 LIN. FT.
1-1/4" Z-SPLINES (NOT PAINTED) (10'0" LENGTH)	55.00 M " "	"	250 " M " "	26 " "	50 " 500 " "
3/4" Z-SPLINE SPLICES	20.00 M PCS.	"	52 " M PCS.	24 " "	500 " PER BOX
1-1/4" FINISH CHANNELS (WHITE OR IVORY) (8'0" LENGTHS)	55.00 M LIN. FT.	"	340 " M LIN. FT.	24 " "	50 " 400 LIN. FT.
1-1/4" FINISH CHANNEL SPLICES	20.00 M PCS.	"	80 " M PCS.	22 " "	500 " PER BOX
TROFFER CLIP	25.00 M PCS.	"	15 " PER CARTON	18 " "	250 " PER BOX
TEE-SPLINE FOR E-Z-S SYSTEM	45.00 M PCS.	"	58 " CARTON	.023 ELECTRO GALV.	250 TEES PER BOX
ANGLE SPLINES FOR E-Z-S SYSTEM	37.00 M PCS.	"	62 " " "	.027 " "	500 ANGLES PER BOX
TEE SPLINES 35-3/4" LENGTH FOR E-Z-S SYSTEM	90.00 M PCS.	"	100 " M PCS.	.023 " "	250 TEES PER BOX
ANGLE SPLINES 35-3/4" LENGTH FOR E-Z-S SYSTEM	75.00 M PCS.	"	80 " M " "	.027 " "	500 ANGLES PER BOX
490 CLIPS (ATTACH Z-SPLINE TO WOOD STRIPS)	17.50 M PCS.	"	76 " M " "	18 GA. GALV.	500 " " "
ACOUSTONE FINISH CHANNEL CORNER PLATES (PAINTED WHITE)	135.00 M PCS.	"	27 " M " "	26 " "	100 " " "
Z-BOARD	OBTAIN PRICE FROM U.S.G. INDUSTRIAL SALES DEPT.	OBTAIN SHIPPING POINT FROM U.S.G. INDUSTRIAL SALES DEPT.	APPROX. 2.1 LBS. PER SQ. FT.	SPECIAL TYPE 1/2" x 2'x8" GYPSUM BOARD	2 PCS. PER BDL.
L-2 CLIPS (SUPPORT USG Z-BOARD ON Z-SPLINES)	7.50 M PCS.	CHICAGO, ILL.	18 LBS. PER M PCS.	12 GA. GALV.	500 PCS. PER BOX
Z-BOARD HOLD-DOWN CLIP	15.00 M PCS.	"	15 LBS. PER M PCS.	18 GA. GALV.	500 " " "
Z-BOARD END TEE	60.00 M PCS.	"	60 " " " "	.023 GA. ELECTRO GALV	250 " " "
Z-SPLINE & ACOUSTONE FINISH CHANNEL TOUCH-UP LACQUER	1.50 PER QT. -50 PER 1/2 PT.	"	SPECIAL BRUSH TYPE FORMULATED LACQUER	6 QUART CANS 1 1/2 PT. CANS	4 LBS. PER QT. 1 LB. PER 1/2 PT.

NO. 87-S CLIP TO BE USED ONLY FOR ATTACHING Z-SPLINES TO BAR JOISTS WITH LOWER CHORD DIMENSIONS GREATER THAN 3-1/4" x 14" AND LESS THAN 4 1/2" x 24" OR TO CHANNEL MEMBERS NO SMALLER THAN 2" OR NO LARGER THAN 3".

FINISH CHANNEL AND SPLICE PLATES NOT REQUIRED WHERE A WOOD FINISH MOULD IS USED AT WALLS.

#90 CLIPS ARE MANUFACTURED WITH A 3/16" HOLE PUNCHED IN THE FACE TO PERMIT USE AS A FURRING CLIP TO ATTACH Z-SPLINE TO WOOD FURRING STRIPS.

ORDER ALL ABOVE "Z-SPLINE" ACCESSORIES IN FULL CARTON QUANTITIES ONLY.

PRICES IN EFFECT AT TIME OF SHIPMENT WILL BE APPLICABLE TO ALL SALES.

TERMS: 28-10 PM — NET END PM.

DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES.

DATE OF INVOICE IS DATE OF SHIPMENT.

* TRADE MARKS REGISTERED U.S. PATENT OFFICE.

+ INDICATES CHANGE.

FOOTAGE TABLES

(For quantities over 20 cartons, use multiples of figures shown)

Approx. Shipping Wt. per Carton 58 lbs. for all thicknesses.

3/4" ACOUSTONE* TILE

<u>Cartons</u>	<u>12" x 12"</u>		<u>12" x 24"</u>	
	<u>No. Pcs.</u>	<u>Square Feet</u>	<u>No. Pcs.</u>	<u>Square Feet</u>
1	41	41	21	42
2	82	82	42	84
3	123	123	63	126
4	164	164	84	168
5	205	205	105	210
6	246	246	126	252
7	287	287	147	294
8	328	328	168	336
9	369	369	189	378
10	410	410	210	420
11	451	451	231	462
12	492	492	252	504
13	533	533	273	546
14	574	574	294	588
15	615	615	315	630
16	656	656	336	672
17	697	697	357	714
18	738	738	378	756
19	779	779	399	798
20	820	820	420	840

*Trade Marks registered U.S. Patent Office

Layouts & Designs

Acoustical Contractors will arrange for their own layouts and detailing for jobs they sell. Architects in some cases may prefer to furnish their own layouts. USG cannot provide this service.

Orders & Correspondence

To avoid delays and errors in servicing your requirements, please be sure all of the following information is shown on your orders:

1. Name and location of job (important for future identification)
2. Material (ACOUSTONE*"F" or MOTIF'D* ACOUSTONE).
3. Number of pieces and number of sq.ft. (Only MOTIF'D* ACOUSTONE shipped in part cartons.)
4. Thickness and size.
5. Color
6. Design (if MOTIF'D*).
7. Square or bevel type edge.
8. Type of kerfing required.
9. RR delivery at destination.
10. For 12"x24" ACOUSTONE* specify 'plain' or 'center' scored.

See USG Acoustical Contractors' manual on the use, proper methods of erection and limitations of the following materials.

Order direct from Manufacturer:

Spring Steel Spacers - not furnished by USG but may be purchased from Advance Spring Corp., 1749 Carrol Avenue, Chicago, Illinois.

Order Identification: Black Tempered Spring Steel Spacer,
5/8"x4"x.02" (Plain Finish) as per
United States Gypsum Co., blueprint
dated Oct. 12, 1944.

Following prices are F.O.B. Chicago and are not guaranteed but are based on Advance Spring Corp.'s quotations of October 3, 1952 to USG (but applicable to District Contractors) and are shown here for estimating purposes only.

18	pcs.	\$ 4.50 for lot	5,000	pcs.	\$31.91 per M
18 to 50	"	0.25 each	6,000	"	31.71 " "
51 to 100	"	15.53 per 100	7,000	"	31.46 " "
101 to 200	"	13.38 " "	8,000	"	31.26 " "
201 to 250	"	10.58 " "	9,000	"	30.91 " "
250 to 300	"	7.88 " "	10,000	"	30.64 " "
301 to 400	"	6.78 " "	15,000	"	30.01 " "
401 to 500	"	5.33 " "	20,000	"	28.81 " "
501 to 750	"	4.73 " "	25,000	"	28.46 " "
751 to 1,000	"	44.31 " M	50,000	"	21.56 " "
2,000	pcs.	42.41 " "	75,000	"	19.81 " "
3,000	"	37.01 " "	100,000	"	18.46 " "
4,000	"	34.66 " "			

ADHESIVES (not a USG product) - Adhesives are to be purchased direct from any of the manufacturers of these materials, and below is listed a group of manufacturers whose adhesive we have found to be satisfactory:

Paint Products Laboratory	- Chicago, Illinois	- Stickum
Templar Oil Products	- Brooklyn, N.Y.	- Acousti-Gum
Atlas Supply Company	- Manyunk, Pa.	- Atlas
The Clinton Company	- Chicago, Illinois	- Clinco
Armstrong Cork Company	- Lancaster, Pa.	- Armstrong Cork 314
A.Z. Bogert Company	- Ambler, Pa.	- Acousti-Bond

Fiber Splines (not of USG manufacture) - Place orders direct with vendor. If metal splines desired, use 24 gauge galvanized stock cut to size 9/16" x 4" purchase locally. Fiber Splines (designated as gray fiber pieces 4" x 9/16" x .027") may be obtained from the Continental Diamond Fiber Co., Newark, Delaware, or from others manufacturing similar products. For your information, sales offices of the Continental Diamond Fiber Co. are located in the following cities:

Cleveland, Ohio	Minneapolis, Minn.
Chicago, Ill.	New Orleans, La.
Birmingham, Ala.	New York, N.Y.
Boston, Mass.	Omaha, Nebr.
Buffalo, N.Y.	Philadelphia, Pa.
Bridgeport, Pa.	Pittsburgh, Pa.
(Montgomery Co.)	Portland, Oregon
Dayton, Ohio	St. Louis, Mo.
Dallas, Texas	San Francisco, Calif.
Denver, Colorado	Seattle, Wash.
Detroit, Mich.	Spartanburg, S.C.
Houston, Texas	University City, Mo.
Kansas City, Mo.	Valparaiso, Ind.
Los Angeles, Calif.	Washington, D.C.
Milwaukee, Wisc.	Weathersfield, Conn.

(In Canada, Diamond State Fiber Co. of Canada, Ltd., Toronto)

Resilient Sleeper Chairs for Floors - Resilient Sleeper Chair No. 1816T priced at 15¢ each, f.o.b. Chicago, freight allowed to destination. Shipping weight approx. 235 lbs. per M pcs.

Colored End Tapes for Acoustone Cartons

<u>Type of Acoustone</u>	<u>Color of Tape</u>
Square Edge Acoustone "F"	Manila
Beveled Edge Acoustone "F"	Blue
Motif'd Acoustone	Red
Non-Standard Acoustone	Green

/ Indicates change to be effective 10-1-55.

Page 7
Revised 10/1/55
Cancels 6/15/55

BB028 1031

AUDITONE* Acoustical Tile

CARLOADS - Carload prices apply to any combination of sizes shipped by rail. All stopover shipments subject to our approval. Stopover charges will be for customer's account. In no case shall carload shipments be less than 40,000 lbs. Minimum carload quantities of one thickness tile for 40'6" cars are:

1/2" AUDITONE 47,000 sq.ft.
 3/4" AUDITONE 39,000 "
 1" AUDITONE 27,000 "

Note: Minimum carloads may be made up of any combination of types and sizes, using the following equivalent as a basis of computing required minimum quantities.

575 sq.ft. 1" AUDITONE shall be considered same as 835 sq.ft. 3/4" AUDITONE and 1000 sq.ft. 1/2" AUDITONE.

TRUCKLOADS - Truckloads, meeting minimum weight requirements of applicable tariffs, will be shipped at carload prices, the increase in rate, if any, between truckload rate and carload rate will be for the customer's account. All stopover shipments are subject to our approval. Stopover charges will be for the customer's account.

OTHER THAN CARLOAD OR TRUCKLOAD SHIPMENT - Unless otherwise requested, other than carload or truckload quantities will be shipped by rail. When requested, less than truckload or express shipments will be made at LCL prices, increase charges, if any, between actual transportation charges and the charges applying to rail shipment of the quantity involved will be for the customer's account.

PRICES PER SQUARE FOOT

Prices - Per sq.ft. apply f.o.b. Greenville, Mississippi and Lisbon Falls, Maine with rail freight allowed to destination. Billing to customers will be at prices in effect at time of shipment.

PRODUCT	SIZE	TYPE & EDGE	PLAIN		SLOTTED		PERFORATED		RANDOM PERFORATED	
			CL	LCL	CL	LCL	CL	LCL	CL	LCL
STANDARD TILE										
AUDITONE *	1/2"x12"x12"	BUTT BEVEL	\$.0875	\$.0975	\$ -	\$ -	\$.105	\$.12	\$.105	.12
AUDITONE *	1/2"x12"x24"	T&G	.0875	.0975	-	-	.105	.12	.105	.12
AUDITONE *	3/4"x12"x12"	BUTT BEVEL	.1175	.1275	.1425	.1575	.1475	.165	.1475	.165
AUDITONE *	3/4"x12"x24"	T&G	.1175	.1275	.1425	.1575	.1475	.165	.1475	.165
AUDITONE *	1"x12"x12"	BUTT BEVEL	.15	.16	.19	.21	.195	.215	-	-
AUDITONE *	1"x12"x24"	T&G	.15	.16	.19	.21	.195	.215	-	-

FLAME RESISTANT COATING: ADD 1¢ PER SQ.FT. TO ABOVE PRICES ON ALL THICKNESSES AND TYPES.

NOTE: ALL 12"x24" AUDITONE IS CENTERSCORED TO REPRESENT 12"x12" UNITS.

COLOR: AUDITONE AVAILABLE ONLY PAINTED WHITE - FACTORY FINISH.

TERMS: 2% - 10 FM - NET END FM.

DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES.
 DATE OF INVOICE IS DATE OF SHIPMENT.

*TRADE MARKS REGISTERED U.S.PATENT OFFICE.

WEIGHTS - PER SQ.FT. BASIS

GREENVILLE HILL:

EDGE SURFACE	SIZE	AUDITONE* 1/2"		AUDITONE* 3/4"		AUDITONE* 1"	
		SHPG.WT.	NET WT.	SHPG.WT.	NET WT.	SHPG.WT.	NET WT.
RE SLOT., PERF., RANDOM PERF.	12"x12"	.855	.835	1.024	.910	1.490	1.350
CS PLAIN	12"x12"	.985	.850	1.115	.925	1.555	1.375
TAC SLOT., PERF., RANDCH PERF.	12"x24"	.860	.845	1.031	.930	1.556	1.375
TAG PLAIN	12"x24"	1.050	.875	1.150	.960	1.560	1.400

LISEON FALLS HILL:

EDGE SURFACE	SIZE	AUDITONE* 1/2"		AUDITONE* 3/4"		AUDITONE* 1"	
		SHPG.WT.	NET WT.	SHPG.WT.	NET WT.	SHPG.WT.	NET WT.
HB SLOT., PERF., RANDOM PERF.	12"x12"	.820	.800	1.027	.900	1.540	1.350
EF PLAIN	12"x12"	.980	.850	1.115	.930	1.580	1.450
TAC SLOT., PERF., RANDOM PERF.	12"x24"	.940	.860	1.160	.940	1.500	1.350
TAG PLAIN	12"x24"	1.050	.950	1.210	1.110	1.550	1.400

CAR- TONS	1/2" AUDITONE* Tile				3/4" AUDITONE* Tile				1" AUDITONE* Tile			
	12"x12"		12"x24"		12"x12"		12"x24"		12"x12"		12"x24"	
	Pcs.	Sq.Ft.	Pcs.	Sq.Ft.	Pcs.	Sq.Ft.	Pcs.	Sq.Ft.	Pcs.	Sq.Ft.	Pcs.	Sq.Ft.
1	40	40	20	40	28	28	14	28	20	20	10	20
2	80	80	40	80	56	56	28	56	40	40	20	40
3	120	120	60	120	84	84	42	84	60	60	30	60
4	160	160	80	160	112	112	56	112	80	80	40	80
5	200	200	100	200	140	140	70	140	100	100	50	100
6	240	240	120	240	168	168	84	168	120	120	60	120
7	280	280	140	280	196	196	98	196	140	140	70	140
8	320	320	160	320	224	224	112	224	160	160	80	160
9	360	360	180	360	252	252	126	252	180	180	90	180
10	400	400	200	400	280	280	140	280	200	200	100	200
11	440	440	220	440	308	308	154	308	220	220	110	220
12	480	480	240	480	336	336	168	336	240	240	120	240
13	520	520	260	520	364	364	182	364	260	260	130	260
14	560	560	280	560	392	392	196	392	280	280	140	280
15	600	600	300	600	420	420	210	420	300	300	150	300
16	640	640	320	640	448	448	224	448	320	320	160	320
17	680	680	340	680	476	476	238	476	340	340	170	340
18	720	720	360	720	504	504	252	504	360	360	180	360
19	760	760	380	760	532	532	266	532	380	380	190	380
20	800	800	400	800	560	560	280	560	400	400	200	400
25	1000	1000	500	1000	700	700	350	700	500	500	250	500
50	2000	2000	1000	2000	1400	1400	700	1400	1000	1000	500	1000
75	3000	3000	1500	3000	2100	2100	1050	2100	1500	1500	750	1500
100	4000	4000	2000	4000	2800	2800	1400	2800	2000	2000	1000	2000

* Trade Marks registered U.S.Patent Office

/ Indicates change

Page 9
Dated 3-15-56
Cancels 3-22-55

BB028 1033

AUDITONE* Acoustical Tile Accessories

MACATEE T&G SUSPENSION SYSTEM - Not furnished by USG. Purchased from Macatee, Inc.,
2106 Preston, P.O. Box 993, Houston 1, Texas.

ORDER DIRECT FROM MACATEE

The following prices are f.o.b. Houston, Texas. They are copied from Macatee's Acoustical Contractor Price List, dated 5-25-54 and are not guaranteed by USG.

ITEM	LENGTH	PACKAG- ING WEIGHT	USE	F.O.B. HOUSTON PRICES			
				500' - 19,500'	20,000' - 49,500'	50,000' - 149,500'	Over 150,000'
T&G Bar Chan- nel	10'	65# per 500' car- tons	For suspen- sion of all thicknesses of tongue and groove tile from 1-1/2" chan- nels.	\$.05/ft.	\$.0475/ft.	\$.045/ft.	\$.04/ft.
T&G Zee Bar	10'	65# per 500' car- tons	For suspen- sion of all thicknesses of tongue and groove tile from wood joists	\$.05/ft.	\$.0475/ft.	\$.045/ft.	\$.04/ft.
1-1/4" Galv. Finish Chan- nel	10'	40# per 240' car- tons	For finish at walls with either of above bars	\$.055/ft.	\$.0525/ft.	\$.05/ft.	\$.045/ft.
T&G Splic- er	-	90#/M pcs.	For splic- ing finish channel	\$.05 ea.			

- NOTES: (1) Prices subject to change without notice.
(2) All members made of 26-ga. galvanized steel.
(3) Channel bars are NOTCHED ON ENDS to allow LAPPING and thus eliminate need for splicers on most jobs. Zee bars may be lapped without notching.
(4) Channel bars and zee bars are shipped only in full cartons as stated above.
(5) Terms: 1% - 10 Days, NET 30 days.

CEILING BOARD

Prices on Ceiling Board apply f.o.b. Mill, rail freight allowed to destination, subject to prices in effect at time of shipment.

CARLOADS - Carload prices apply to combination of bulletin sizes and designs shipped by rail. All stopover shipments subject to our approval.

Stopover charges will be for customers account. Minimum carload order quantities are 33,600 sq.ft. of 3/4" material and 20,000 sq.ft. of 1-1/4" material.

TRUCKLOADS - Truckloads meeting minimum quantity requirement as set forth above will be shipped at carload prices. The increase in rate, if any, between truckload rate and carload rate will be for customers account. All stopover truckload shipments subject to our approval. Stopover charges will be for customers account.

OTHER THAN CARLOAD OR TRUCKLOAD SHIPMENTS - Unless otherwise requested, other than carload or truckload quantities will be shipped by rail. When requested less than truckload or express shipments will be made at lcl prices, the difference, if any, between actual transportation charges and the charges applying to rail shipment of the quantity involved will be for the customers account. Quantity ordered must meet minimum order requirements.

MINIMUM ORDER QUANTITIES - Standard Items - One Carton.

Made to Order Items - Six Cartons.

Size	Std.	Made to Order	Price/Square Foot		Pieces/ Carton	Sq.Ft./ Carton	Shipping Weight
			C.L.	L.C.L.			
<u>MAT FACED PAINTED CEILING BOARD</u>							
3/4"x16" x48"		x	\$.18	\$.20	24	128	85
3/4"x24"x24"	x		.16	.18	32	128	80
3/4"x24"x36"		x	.185	.205	24	144	95
3/4"x24"x48"	x		.17	.19	16	128	80
3/4"x30"x30"		x	.24	.26	24	150	85
3/4"x24"x60"		x	.185	.205	16	160	100
3/4"x30"x60"		x	.25	.27	12	150	90
1 1/4"x48" x 48"	x		.24	.265	6	96	95
<u>SONOFACED*DESIGN "A" & "B" CEILING BOARD</u>							
3/4"x24"x48"			\$.25	\$.27	16	128	75
Design "A" & "B" White							
3/4"x24"x48"			.25	.27	16	128	75
Design "A" Colored							
<u>PAINTED STRIA*CEILING BOARD</u>							
3/4"x24"x24"			\$.17	\$.19	32	128	80
3/4"x24"x48" **			.18	.20	16	128	80

TERMS: 2% - 10 FM- Net End FM. Discount applies on net amount of invoice after deducting transportation charges.

** Orders must indicate whether striations are to be lengthwise or crosswise on the 3/4"x24"x48" product.


* Fiberglas, Soniface, and Stria are trademark (Reg. U.S.Pat.Off. of Owens-Corning Fiberglas Corp.)

APPLICABLE AREA

(All areas of the United States east of and including the states of North Dakota, South Dakota, Nebraska*, Kansas, Oklahoma, and Texas**.

* Includes all the state of Nebraska except the counties of Sioux, Dawes, Sheridan, Box Butte, Scots Bluff, Morrill, Garden, Banner, Kimball, Cheyenne, and Deuel.

** Includes all the state of Texas except the counties of El Paso, Hudspeth, Culbertson, Reeves, Pecos, Brewster, Jeff Davis, and Presidio.



CORRUTONE STEEL PANELS

ITEM	NOMINAL SIZE	FINISH	APPROX. SHIPPING WEIGHT PER PIECE	QUANTITY PER PACKAGE	SHIPPING POINT	PRICE PER PIECE CL	PRICE PER PIECE LCL
CORRUTONE GALVANIZED, BONDERIZED 28 GA. STEEL PANELS	2' x 2' (23x23-7/8")	2 COATS OF BAKED-ON ENAMEL. ON THE FACE SIDE	4.0 LBS.	20 PIECES	COSHOCTON, OHIO	\$ 1.04	\$1.04
	2' x 4' (23x47-7/8")	2 COATS OF BAKED-ON ENAMEL. ON THE FACE SIDE	8.0 LBS.	10 PIECES	COSHOCTON, OHIO	2.08	2.08
APPLICATION OF PRICES: ALL PRICES OF CORRUTONE STEEL PANELS ARE F.O.B. SHIPPING POINT. ALL TRANSPORTATION CHARGES WILL BE FOR THE CUSTOMER'S ACCOUNT, AND SHIPMENTS WILL BE MADE FREIGHT COLLECT.							

CORRUTONE HOLD DOWN CLIPS

ITEM	NOMINAL SIZE	FINISH	APPROX. SHIPPING WEIGHT PER PIECE	QUANTITY PER PACKAGE	SHIPPING POINT	PRICE PER PIECE CL	PRICE PER PIECE LCL
CORRUTONE HOLD DOWN CLIPS	1/4" THICK 24"x24"	MEMBRANE FACED UNWRAPPED	500 PER BOX	29 LBS./M. PIECES	20 GA. GALV.		
APPLICATION OF PRICES: ALL PRICES OF CORRUTONE HOLD DOWN CLIPS ARE F.O.B. SHIPPING POINT. ALL TRANSPORTATION CHARGES WILL BE FOR CUSTOMER'S ACCOUNT, AND SHIPMENTS WILL BE MADE FREIGHT COLLECT.							

MINERAL FIBER CORRUTONE PAD

ITEM	NOMINAL SIZE	FINISH	APPROX. SHIPPING WEIGHT PER SQ. FT.	QUANTITY PER PACKAGE	SHIPPING POINT	PRICE PER SQ. FT. EAST OF ROCKIES C.L. L.C.L.	PRICE PER SQ. FT. WEST OF ROCKIES C.L. L.C.L.
CORRUTONE MINERAL FIBER PAD	3/4" THICK 24"x24"	MEMBRANE FACED UNWRAPPED	4.0 LB.	40 SQ. FT.	GYPSUM, OHIO	\$0.035	\$0.0625
	1" THICK	MEMBRANE FACED UNWRAPPED	5.0 LB.	40 SQ. FT.	GYPSUM, OHIO	0.065	0.075
APPLICATION OF PRICES: PRICES ON CORRUTONE MINERAL FIBER PADS APPLY F.O.B. GYPSUM, OHIO, RAIL FREIGHT ALLOWED TO DESTINATION, SUBJECT TO PRICE IN EFFECT AT TIME OF SHIPMENT.							

CARLOADS: CARLOAD PRICES APPLY TO ANY COMBINATION OF BULLETIN LISTED SIZES SHIPPED BY RAIL. ALL STOPOVER SHIPMENTS ARE SUBJECT TO OUR APPROVAL. STOP- OVER CHARGES WILL BE FOR CUSTOMER'S ACCOUNT.

EAST OF THE ROCKIES: ALL STATES EXCEPT ARIZONA, CALIFORNIA, IDAHO, NEVADA, OREGON, UTAH, AND WASHINGTON, IN NO CASE SHALL CARLOAD SHIPMENTS BE LESS THAN 36,000 LBS. IN THE OFFICIAL AREA GENERALLY EAST OF THE MISSISSIPPI RIVER AND NORTH OF THE OHIO AND POTOMAC RIVERS, OR LESS THAN 30,000 LBS. IN THE AREA EAST OF THE ROCKY MOUNTAINS, WEST OF THE MISSISSIPPI RIVER AND SOUTH OF THE OHIO AND POTOMAC RIVERS.

WEST OF THE ROCKIES: FOR STATES OF ARIZONA, CALIFORNIA, IDAHO, NEVADA, OREGON, UTAH, AND WASHINGTON, IN NO CASE SHALL CARLOAD SHIPMENTS BE LESS THAN 24,000 LBS.

TRUCKLOADS: TRUCKLOADS, MEETING MINIMUM WEIGHT REQUIREMENTS OF APPLICABLE TARIFFS, WILL BE SHIPPED AT CARLOAD PRICES. THE INCREASE IN RATE, IF ANY, BE- TWEEN TRUCKLOAD RATE AND CARLOAD RATE WILL BE FOR CUSTOMER'S ACCOUNT. ALL STOPOVER TRUCKLOAD SHIPMENTS SUBJECT TO OUR APPROVAL. STOPOVER CHARGES WILL BE FOR CUSTOMER'S ACCOUNT.

OTHER THAN CARLOAD OR TRUCKLOAD SHIPMENTS: L.C.L. QUANTITIES, UNLESS SHIPPED BY FULL TRUCKLOAD AS ABOVE PROVIDED, WILL BE SHIPPED BY RAIL. IF EXPRESS OR L.T.L. SHIPMENT IS REQUESTED, EXTRA COSTS OVER APPLICABLE L.C.L. RAIL FREIGHT WILL BE FOR CUSTOMER'S ACCOUNT.

ORDERS FOR MINERAL FIBER CORRUTONE PADS MAY BE COMBINED WITH ACQUSTONE ORDERS TO ATTAIN MINIMUM CARLOAD WEIGHT REQUIREMENTS.

TERMS: 2% - 10FM - NET END FM

DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES.

DATE OF INVOICE IS DATE OF SHIPMENT.

PAGE 13
REVISED 10/23/56
CANCELS 10/1/55

GLASS FIBER CORRUTONE PADS

ITEM	NOMINAL SIZE	FINISH	APPROX. SHIPPING WT. PER SQ. FT.	QUANTITY PER PACKAGE	SHIPPING POINT	PRICE PER SQ. FT.	
						C.L.	L.C.L.
CORRUTONE GLASS FIBER PAD	2" THICK, 24" WIDE ROLL	UNWRAPPED	.08 LBS.	200 SQ. FT.	DEFIANCE, OHIO	\$0.075	\$0.085
CORRUTONE GLASS FIBER PAD	3/4" THICK, 24" WIDE ROLL	UNWRAPPED	.04 LBS.	200 SQ. FT.	DEFIANCE, OHIO	0.040	0.045

APPLICATION OF PRICES: PRICES ON CORRUTONE GLASS FIBER PADS APPLY F.O.B. DEFIANCE, OHIO, RAIL FREIGHT ALLOWED TO DESTINATION, SUBJECT TO PRICE IN EFFECT AT TIME OF SHIPMENT.

CARLOADS: CARLOAD PRICES APPLY TO ANY COMBINATION OF BULLETIN LISTED SIZED SHIPPED BY RAIL. ALL STOPOVER SHIPMENTS SUBJECT TO OUR APPROVAL. STOPOVER CHARGES WILL BE FOR CUSTOMER'S ACCOUNT. MINIMUM CARLOAD QUANTITIES CONSIST OF 20,000 SQ. FT. FOR THE 3/4" PAD AND 13,000 SQ. FT. FOR THE 2" PAD.

TERMS: 25 - 10 PM - NET END PM
DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES.
DATE OF INVOICE IS DATE OF SHIPMENT.

PERFATONE
ALL PRICES SHOWN ARE FOR SHIPPING POINT, ALL TRANSPORTATION CHARGES WILL BE FOR THE CUSTOMER'S ACCOUNT

ITEM	SIZE	FINISH	APPROX. SHIPPING WT. PER SQ. FT.	QUANTITY PER PACKAGE	SHIPPING POINT	PRICE
PERFORATED STEEL #20980 - ZCPG Electro Zinc Coated 26 ga. steel including grid pad supports.	12x24 beveled & center scored	2 coats baked-on-enamel on the face side, 1 coat on back surface	1.13 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	\$ 0.32 PER SQ. FT.
UNPERFORATED STEEL #20979 - ZCP Electro Zinc Coated 26 ga. steel. No grid pad supports included.	12x24 beveled & center scored	2 coats baked-on-enamel on the face side, 1 coat on back surface.	1.13 "	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.30 "
PERFORATED STEEL #20980 - ZCFG Electro Zinc Coated 26 ga. steel including grid pad support.	12x24 beveled & center scored	2 coats baked-on-enamel on the face side only	1.13 "	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.30 "
UNPERFORATED STEEL #20979 - ZCF Electro Zinc Coated 26 ga. steel. No grid pad support included.	12x24 beveled & center scored	2 coats baked-on-enamel on the face side only	1.13 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.28 "
PERFORATED STEEL #20980 - CRPG Cold Rolled 26 ga. steel including grid pad supports	12x24 beveled & center scored	2 coats baked-on-enamel on the face side, 1 coat on the back surface	1.13 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.30 "
UNPERFORATED STEEL #20979 - CRP Cold Rolled 26 ga. steel No grid pad support included.	12x24 beveled & center scored	2 coats baked-on-enamel on the face side, 1 coat on back surface	1.13 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.28 "
PERFORATED ALUMINUM #20980 - ALPG 35 1/2 H .025 aluminum sheet. Including grid pad support	12x24 beveled & center scored	2 coats baked-on-enamel on the face side, 1 coat on back surface	0.60 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.475 "
PERFORATED ALUMINUM #20980 - ALG 35 1/2 H .025 aluminum sheet Including grid pad support	12x24 beveled & center scored	No paint. Normal bare mill finish	0.60 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.40 "
UNPERFORATED ALUMINUM #20979 - ALP 35 1/2 H .025 aluminum sheet No grid pad supports included	12x24 beveled & center scored	2 coats baked-on-enamel on the face side, 1 coat on back surface	0.60 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.455 "
UNPERFORATED ALUMINUM #20979 - AL 35 1/2 H .025 aluminum sheet No grid pad supports included	12x24 beveled & center scored	No paint. Normal bare mill finish	0.60 lbs.	24 pans 48 sq. ft.	COSHOCKTON, OHIO	0.38 "

NOTE #1 - GRID PAD SUPPORTS ARE INCLUDED IN THE ABOVE PRICE OF PERFORATED PANS. IF PERFORATED PANS ARE ORDERED WITHOUT PAD SUPPORTS, DEDUCT \$0.018 PER SQ. FT. FROM ABOVE PERFORATED PAN PRICES.

NOTE #2 - ADD .17 PER SQ. FT. FOR ALUMINITE FINISH APPLIED TO UNPAINTED PERFORATED AND UNPERFORATED ALUMINUM PANS.

NOTE #3 - IF OTHER COLORS (LIGHT COLORS ONLY) THAN WHITE PERFATONE ARE DESIRED, SEND SAMPLES OF THE COLOR REQUIRED TO DEPT. #136 FOR PRODUCTION APPROVAL.

ADD TO STANDARD PRICES THE FOLLOWING FOR SPECIAL COLORS:

0 TO 20,000 SQ. FT.	ADD \$0.0125 PER SQ. FT.
20,000 TO 50,000 "	" 0.005 "
50,000 SQ. FT. & OVER	" 0.008 "

TERMS: 2% - 10 PM - NET END FM
DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES. DATE OF INVOICE IS DATE OF SHIPMENT.
PRICES WILL BE THOSE IN EFFECT AT TIME OF SHIPMENT.

* TRADEMARKS REGISTERED U.S. PATENT OFFICE.

(OVER)

PAGE 15
REVISED 4/15/56
CANCELS 6/15/58

PERFATONE® ACCESSORIES

ALL PRICES SHOWN ARE FOB SHIPPING POINT, ALL TRANSPORTATION CHARGES WILL BE FOR THE CUSTOMER'S ACCOUNT

ITEM	SIZE	FINISH	APPROX. SHIP. WEIGHT	QUANTITY PER PACKAGE	SHIPPING POINT	PRICE
TEE RUNNERS-PLAIN	10"0" LONG	*.030" COPPER BEARING COLD ROLLED STEEL	60 LBS. PER 100 LIN. FT.	25 PCS. 250 LIN. FT.	CHICAGO, ILL.	\$ 6.50 PER 100 LIN. FT.
TEE RUNNERS-PLAIN	10"0" LONG	*.030" COPPER BEARING COLD ROLLED STEEL	60 LBS. PER 100 LIN. FT.	WOOD CRATE - SIZE VARIES TO MEET ORDER	COSHOCTON, OHIO	8.50 PER 100 LIN. FT.
TEE RUNNERS-GALVANIZED #20762	10"0" LONG	ZINC COATED 20 GA. STEEL	60 LBS. PER 100 LIN. FT.	WOOD CRATE - SIZE VARIES TO MEET ORDER	COSHOCTON, OHIO	10.00 PER 100 LIN. FT.
TEE RUNNER SPLICE PLATES	6" LONG	22 GA. HOT ROLLED STEEL PAINTED BLACK	0.15 LBS. EACH	300 PIECES	CHICAGO, ILL.	.037 EACH
1-15C WIRE CLIPS	FIT 1 1/2" CHANNELS	12 GA. GALVANIZED WIRE	4 LBS. PER 100 PIECES	500 PIECES	CHICAGO, ILL.	1.10 PER 100 PIECES
1-20C WIRE CLIPS #20643	FIT 2" CHANNELS	12 GA. GALVANIZED WIRE	5.5 LBS. PER 100 PIECES	CARTON - SIZE VARIES TO MEET ORDER	COSHOCTON, OHIO	1.50 PER 100 PIECES
FINISH CHANNEL SEE NOTES #4 & #5	8"0" LONG 3/4" BOTTOM FLANGE, 1 1/2" TOP FLANGE 1-9/16" DEEP	24 GA. GALVANIZED STEEL, 1 COAT OIL BASE WHITE OR IVORY PAINT	37.5 LBS. PER 100 LIN. FT.	30 PCS. 240 LIN. FT.	CHICAGO, ILL.	7.00 PER 100 LIN. FT.
FINISH CHANNEL #20759	10"0" LONG 3/4" BOTTOM FLANGE, 1 1/2" TOP FLANGE 1-9/16" DEEP	24 GA. SHEET STEEL, 2 COATS OF STANDARD WHITE ENAMEL	37.5 LBS. PER 100 LIN. FT.	WOOD CRATE - SIZE VARIES TO MEET ORDER	COSHOCTON, OHIO	8.90 PER 100 LIN. FT.
FINISH CHANNEL SPLICE PLATES	6" LONG	24" GA. GALVANIZED STEEL - NOT PAINTED	25 LBS. PER 100 PIECES	500 PIECES	CHICAGO, ILL.	5.00 PER 100 PIECES
PAPER WRAPPED PADS	11"X12"X24"	WRAPPED IN FLAMEPROOF PAPER	1.1 LBS. PER SQ. FT.	24 PADS, 48 SQ. FT. PER CARTON	WALWORTH, WISC.	16¢ EACH
PAPER WRAPPED PADS	11"X12"X24"	WRAPPED IN FLAMEPROOF PAPER	1.1 LBS. PER SQ. FT.	24 PADS, 48 SQ. FT. PER CARTON	TACOMA, WASH.	23¢ EACH

NOTE #1: NORMALLY SHIPMENTS OF FINISH CHANNEL WILL BE MADE FROM CHICAGO, ILLINOIS, BUT BECAUSE OF UNUSUAL CONDITIONS WHICH MAY INTERFERE WITH RAW MATERIALS (STEEL) SUPPLY, IT MAY BE NECESSARY TO SHIP FROM COSHOCTON, OHIO, IN WHICH CASE PRICE OF FINISH CHANNEL WILL BE \$8.21 PER 100 LIN. FT.

NOTE #5: IF OTHER COLORS (LIGHT COLORS ONLY) THAN WHITE PERFATONE FINISH CHANNEL ARE DESIRED, SEND SAMPLES OF THE COLOR REQUIRED TO DEPT. #136 FOR PRODUCTION APPROVAL. PRICES OF COLORED (OTHER THAN WHITE) PERFATONE FINISH CHANNEL ARE:

0 TO 5,000 SQ. FT.	\$ 8.80 PER 100 LIN. FT.
5,000 TO 10,000 SQ. FT.	8.57 " "
10,000 SQ. FT. AND OVER	8.21 " "

PRICES WILL BE THOSE IN EFFECT AT TIME OF SHIPMENT.

TERMS: 25 - 10TH PM - NET END PM.
DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES.
DATE OF INVOICE IS DATE OF SHIPMENT.

TRADEMARKS REGISTERED U.S. PATENT OFFICE
INDICATES CHANGE.

PAGE 16
EFFECTIVE 4/15/56
CANCELS 1/18/56

APPROXIMATE QUANTITIES REQUIRED PER 1000 SQ.FT. (WASTE NOT INCLUDED)

ITEMS	SIZE	PIECES	FOOTAGE	PACKAGE
PERFATONE Pans	12" x 24"	500	1000 SQ.FT.	CARTON - 24 PANS 48 SQ.FT. FULL CARTON ONLY.
UNPERFORATED PANS	12" x 24"	VARIES	VARIES	" " " " " " " " " " " "
METAL PAD SUPPORTS	12" x 24"	500	1000 SQ.FT.	INCLUDED IN CARTON WITH PERFATONE Pans
PAPER WRAPPED PADS	12" x 24"	500	" "	CARTON - 24 PADS 48 SQ.FT., PART CARTON ORDER ACCEPTED
TEE RUNNERS	10"0" LONG	50	500 L.IN.FT.	WOOD CRATE - SIZE VARIES TO MEET ORDER
TEE RUNNER SPLICE PLATES	6" LONG	50	"	CARTON - " " " " " " " "
P-150 CLIPS	FOR 1 1/2" CHANS.	125	"	CARTON - " " " " " " " "
FINISH CHANNEL - WHITE	8"0" LONG	VARIES	VARIES	WOOD CRATE - " " " " " " " "
FINISH CHANNEL SPLICE PLATES	6" LONG	"	"	CARTON - " " " " " " " "

ONE FINISH CHANNEL SPLICE PLATE REQUIRED PER EACH PIECE OF FINISH CHANNEL

METAL PAD SUPPORTS: GALVANIZED WIRE MESH.

FINISH CHANNELS: HOLES 3/16" DIAMETER AND 2 1/4" O.C. PUNCHED ALONG NEUTRAL AXIS OF 1-1/2" x 16" SIDE. (SEE PAGE 7, SECTION XIII CONTRACTORS MANUAL FOR DETAILS).

TERMS: 2% 10TH PM - NET END PM - DISCOUNT APPLIES ON NET AMOUNT OF INVOICE AFTER DEDUCTING TRANSPORTATION CHARGES.

DATE OF INVOICE IS DATE OF SHIPMENT.

TRADE MARKS REGISTERED U.S. PATENT OFFICE.

PAGE 17
DATE 1/18/56
CANCELS 6/15/55

PERFORATED ASBESTOS BOARD

Price in effect at time of shipment will be applicable to all sales

		In following sizes only (perforations 0.197 inch diameter spaced 1/2" o.c.	PRICE PER PIECE F.O.B. Ambler, Pa.
Furnished in accordance with Drawing 843-1-2 dated 8-6-43	Beveled	3/16"x12"x12"	.37
		3/16"x12"x24"	.55
		3/16"x24"x24"	.90
		3/16"x24"x48"	1.75
	Not Beveled	3/16"x12"x12"	.28
		3/16"x12"x24"	.43
		3/16"x24"x24"	.75
		3/16"x24"x48"	1.42

Weight: Approximate shipping weight 2 pounds per sq.ft. packed in wood crates.

MINERAL WOOL PADS

(See PERFATONE* Pads on opposite page)

PRODUCT DESCRIPTION -
PERFORATED ASBESTOS BOARD

I. USE


3/16" Asbestos Board, cut to size, perforated and used as a finish wall or ceiling material in conjunction with a sound absorbing material (mineral wool blankets or pads) for acoustical treatment.

II. COLOR

Furnished in natural grey only. Not painted.


III. TYPES AND SIZES

The type of spacing in Drawing No. 843-1-2 shows a distance of 1/2" from the edge of the unit to the centerline of the first row of holes. This spacing gives a strong edge and should be promoted on all sales.



FULL SIZE DETAIL

NOMINAL SIZE	A	B	C	D
12" X 12"	12"	12"	22"	22"
12" X 24"	12"	24"	22"	46"
24" X 24"	24"	24"	46"	46"
24" X 40"	24"	40"	46"	94"



NOTE
PLAN
 BOARD WITHOUT BEVEL TO BE SAME AS SHOWN EXCEPT FOR THE OMISSION OF BEVEL.
TOLERANCES:
 LENGTH & WIDTH $\pm \frac{1}{16}$ "
 THICKNESS $\pm \frac{1}{32}$ "
 TILE SHALL NOT BE MORE THAN $\frac{1}{16}$ " OUT OF SQUARE.
 Dec: No. B43-1-2
 Date: B-6-43