

BIBLIOGRAPHY ON LEAD POISONING

1929 - 1930

The presence of the asterisk indicates that a longer abstract may be obtained from The American Public Health Association, 450 Seventh Avenue, New York City.

ALESANDRINI, P. Frequent and Unsuspected Causes of Lead Poisoning, Mild Forms. Med. del lavoro, Vol.20, July 13, 1929, p.307-313.

AUSTRALIA, Sanitation, Food and Drugs. Annual report, Commission of P.H. Queensland, Australia.

Appropriate solutions ordered to neutralize lead found in water in soda fountains. *

Abst. Chemical Abstracts, Vol.24, May 10, 1930, p.2220.

AUSTRALIA, The excretion of Lead and Blood Changes in Workers Exposed to Lead. Med. Journal of Australia, Vol. 1. Feb. 16, 1929, pp.194-217.

Abst. Journal of Ind. Hyg. Vol.11, No. 7. Sept. 1929, p.159.

BATURIN, A.T. Balneotherapy and Mobilization of Lead. Profess. pat.i.gig. No.7. 1929, p.22-29.

BEINTKER, Irritation of the Kidney, - Cases. Med. Welt. Vol.3. Sept. 7, 1929, p.1292.

BELKNAP, E.L. Lead Poisoning-Diagnosis and Treatment of Lead Colic. Wisconsin Medical Journal, Vol. 28, Aug. 1929, p.346-351.

Belknap endorses the treatment of the acute stage of lead poisoning by intravenous injections of 50 c.c. of 2 per cent. calcium chloride four times daily and a high calcium diet and calcium lactate by mouth. On discharge the patient is placed on a low calcium diet and ammonium chloride further to combat the poisoning. *

Abst. Journal of American Medical Assn. Vol. 93, Sept. 14, 1929, p.4281.

BICKERT, F.W. Effect of Lead and Lead Preparations on Formation of Agglutinin and Precipitin in Rabbits. Zentralbl.f. Bakteriol. Vol.114, Oct. 31, 1929, p.428-437.

BICKERT, F.W. Effect of Lead and Lead Preparations in Formation of Hemolysin in Rabbits. Ztschr.f.Immunitatsforsch.u. Exper.Therap. Vol.60, 1929. p.297-336.

Lead causes an increase in antibody formation proportional to the solubility of the substance used. *

Abst. Chemical Abstracts, Vol.24, Jan.20, 1930, p.420

BISHOP, W.B.S. The Occurrence of Lead in the Egg of the Domestic Hen. Part 11. Medical Journal of Australia, Vol. 1. Jan. 26, 1929, pp.96-99.

Only slightly more lead found in eggs from a lead area than elsewhere. Lead in eggs probably present as a lecithin compound, not a diphosphate.*

Abst. J. of Ind.Hyg. Vol.11, No. 7. Sept.1929, p.158

BISHOP, W.B.S. The Occurrence of Lead in the Egg of the Domestic Hen--Part III. Med. Journal, Australia, Vol.1. June 15, 1929, p.792-806.

Lead invariably present. Relative toxicity of various lead substances injected into egg showed chlorides headed list, fat-soluble compounds at bottom (lecithin). *

Abst. J. of Ind. Hygiene, Vol.11, No. 10, Dec.1929, p.244.

BISHOP, W.B.S. and COOKSEY, T. The Occurrence of Lead in the Egg of the Domestic Hen, an Additional Note. Medical Journal, Australia. Vol.2, Nov.9, 1929, p.660-662.

Articles reporting upon Parts I, II and III of this extended research appeared on April 21, 1928, Jan. 26, 1929 and June 15, 1929.*

Abst. J. of Ind. Hyg. Vol.12, No.5. May 1930, p.93.

BLOCH, S. Zur Frage der Bleiveissvergiftung in der Schweiz. Z. Sanderabdr.a.d.Thurgauer Arbeiterztg. Genossenschaftsdruckerei, Zurich. 1929

BLUM, R. Die Klinik der Bleivergiftung als Grundlage ihrer Begutachtung. Ergebn.d.inn.Med.u.Kinderheilk. Bd.V.S. 685. 1929.

BRANDIS, W. Medicolegal Differentiation between Degeneration of Cardiac Muscle and Poisoning--Compensation refused--Case. Med.Klin. Vol.25, Oct.4,1929, p.1552-1553.

BRINLEY, F. J. Toxicity of Lead Salts to Insects. J.Econ.Entomol. Vol.22, 1929, p.221-225.

Toxicity is in proportion to the molecular weight of the lead salt used.*

Abst. Chemical Abstracts, Vol.23, July 10, 1929, pp.3295.

BUCK, J.S. and KUMRO, D.M. Effect of Lead Poisoning on Rat Sarcoma.
J.Lab. and Clin.Med. Vol.15, Oct.1929, p.24.

A lead poisoned rat developed sarcoma from
which it died.*

Abst. Journal of American Medical Assn. Vol.93, No.21
Nov. 23, 1929, p.1683.

CACCURI, S. Changes in Semilunar Ganglia in Experimental Poisoning. *Riforma Med.* Vol. 45, Aug. 31, 1929, p.1168-1170.

CASCIO, GERLANDO lo. Pharmacological Action of Colloidal Mercury, Lead and Copper. *Boll.Soc.ital.biol.spr.* Vol.4. 1929, p.617-621.

The effects on the appearance of nucleated red cells were none for mercury, slight for lead, marked for copper.*

Abst. Chemical Abstracts, Vol. 24, Oct. 16, 1930, p.4863.

CAVAGLIANO, B. Alimentary Glycosuria after Poisoning. *Med.del. lavoro.* Vol.20, Nov.30, 1929, p.505-507.

CHARTSCHENKO, K. Zur Klinik der Chronischen Bleivergiftung. S.142-145 ulfolg. *Wien-Leipsig*, Sept. 15, 1929.

CHISTONI, A. and MILANESI, E. Pharmacologic Experiments with Colloidal Lead Sulphate. *Arch.di. farmacol.sper.* Vol.46, 1929, p.147-173.

The stability and toxicity of the substance discovered are described.*

Abstract--Chemical Abstracts, Vol. 24, Jan. 10, 1930, p.162.

COMMITTEE ON LEAD POISONING. Lead Poisoning, presented at Minneapolis, 1929. Industrial Hygiene Section, A.P.H.A.

A synopsis, the full report being printed as a separate monograph by the A.P.H.A. Discusses also the 27-page bibliography for 1928.*

Abstract-A.J.P.H.A. Vol.19, No.12. Dec.1929, pp.1371.

COCKSEY, T. and WALTON, S.G. Electrolytic Determination of Lead in Urine. Analyst, Vol.54, Feb.1929, p.97-99.

Electrolytic Determination of Lead in Urine.*

Abst. Chemical Abstracts, Vol.23, April 20, 1929, p.1921

COUFIN. Contribution à l'étude clinique et étiologique della paralysie anti-brachiale pseudo-saturnine. Thèse, Faculté de Med de Nancy, 1929.

CROLL, D.G. Incidence of Chronic Nephritis Among Young People in Queensland. Med.J. of Australia, vol.2, Aug. 3, 1929, p.143-178. ✓ *found in lead reports*

Some unknown factor in 10 years has caused 884 deaths of persons under 40 years of age. The factor is not operative after 40, nor in neighboring states.*

Abst. Journal of American Medical Assn. Vol.93, No. 14, Oct. 5, 1929.

CROSS, G. H. Removal of Lead Shot from Vitreous. Am.J. Ophthalmology, Vol.13, Jan.1930, p.41.

DATNOW, M. Effect of Lead Poisoning on Tissues. Liverpool Med. Clin. Journal, Vol.37, July 1929, p.63-70.

DAVIS, P.A. Toxic Substances in the Rubber Industry---VI Lead and its Compounds. Rubber Age, Vol.26, 1929, p.317-319.

The subject is treated in such a way that it is of interest also to the glass, porcelain, tile, paint, cable, dye, sizing and storage battery industries.*

Abst. Chemical Abstracts, Vol.24, Jan.10,1930, p.1763.

de BALSAC, F.H., AGASSE-LA FONT, E, and FEIL, A. Occupational Intoxication by Lead Tetra-ethyl. Chimie et industrie, Special No. Feb. 1929, p.740.

A brief discussion of the danger of acute or chronic saturnism attending the use of lead tetra-ethyl.*

Abst. Chemical Abstracts, Vol.23, Sept.20,1929, p.4563.

DILLING, W.J. Effect of Intravenous Injections of Colloidal Lead upon Circulatory System. J. Pharmacology and Exper. Therapeutics Vol.35, April,1929, p.449-462.

Satisfactory preparations of colloidal lead should not affect the normal circulatory system; it should not be used in myocardial disease.*

Abst. Biological Abstracts, Vol.4, No.4. April,1930, p.1109.

DILLING, W.J., and HAWORTH, E.F. Distribution of Lead in Tissues after Intravenous Injections. J. Pathology and Bacteriology, Vol.32, Oct.1929, p.753-763.

The spleen and liver contain most lead, the lungs some, the kidneys a considerable amount. Only the kidneys seem to be damaged.*

Abst. Chemical Abstracts, Vol.24, Jan.10, 1929, p.161.

DU MORTIER, J.J. Lead Poisoning. Yale J. Biol. and Med. Vol. 2, Dec. 1929, p.147-150.

ENGLAND, Action of Lead on the Chorionic Epithelium. Lancet,
Dec. 28, 1929, p.1374-1375.

ENGLAND, Health Leaflets for the Printing Trades. Joint Industrial
Council, Printing and Allied Trades of the United Kingdom,
7-10 Old Bailey, London, E.C.4.

Within the last 12 years there have occurred
230 cases of plumbism in 185 printing establish-
ments; compositors 98, stereotypers 55, lino-
typers 20, monotypers 14, electrotypers 2, other-
wise employed 41.*

Abst. American Journal of Public Health, Vol. 19, No. 8.
August 1929, p.936.

EWSEBOWA, E.K. Effects on Nervous System of Dogs. Arch.f.Psychiat.und.
Nervenkrankheiten, Vol.88, 1929, p.752-775.

FLORENT, Aetiologischer Zusammenhang einer Meniereschen Erkrankung.
Ztrbl.f.Gewhyg.u.Unfallverh. S.310-311. Oct.1929.

FOREIGN LETTERS—BELGIUM. Occupational Diseases. Journal of American
Medical Association, Vol.92, No.25, June 22, 1929, p.2118.

Lead poisoning included in list of compensable
occupational diseases.*

FOREIGN LETTERS—LONDON. Tetra-ethyl Lead in Gasoline; Official
Report Criticized. Journal of American Medical Association,
Vol.92, No.8. Feb.23,1929, p.661.

FORSTER, A. Studies on the Influence of Chronic Lead Poisoning on the
Vaginal Cycle in Rats. Endokrinologie, Vol.4, 1929, pp.260-263.

No effects noted, hence not all animals have
gonads sensitive to heavy metals.*

Abst. Journal of Ind. Hygiene, Vol.12, No. 7. Aug.1930, p.140.

FRANCIS, A.G., HARVEY, C.O., and BUCHAN, J.L. Determination of Small
Quantities of Lead with Special Reference to Urine and Biological
Materials. Analyst, Vol.54, Dec.1929, p.725-735.

Method for determination of traces of lead in
urine.*

Abst. Chemical Abstracts, Vol.24, March 20,1930, p.1402.

FRIEDBERGER, E., and HASHIMOTO, H. Determination of Solubility of Lead
in Water by Means of Friedberger's Method. Ztschr.f.Hyg.u.
Infektionskr. Vol.110, 1929, p.755-760.

Determination of Solubility of Lead in
Water by Means of Friedberger's Method.*

Abst. Chemical Abstracts, Vol.24, May 20, 1930, p.2484.

FROEBESE, V., and BRUCKNER, H. Inhalation Experiments with Animals with Certain Amounts of Air Colloidal Lead Oxide and Air in Imitation of Conditions Leading to Poisoning of Lead Burners. Arch.f.Hyg. Vol.101, 1929, p.161-172.

Apparatus and procedure adopted in obtaining results previously described by Froebese.*

Abst. Journal of Ind. Hygiene, Vol.11, 1929, p.243-244.

GANASSINI, D. Detection of Lead in Body Fluids and Tissues.
Arch.inst.biochim.ital, Vol.1, 1929, p.105-112.

Detection of Lead in Body Fluids and
Tissues.*

Abst. Chemical Abstracts, Vol.24, April 20, 1930, p.1877.

GELMAN, J. Genesis and Clinical Aspects of Lead Colic and Lead
Encephalopathy. Deutsch.Arch.f.klin.Med. Vol.163,
Feb. 1929, p.1-13.

Three forms of lead encephalopathy described
psychic depressive, epileptic, and eclamptic.*

Abst. Journal of American Medical Association, Vol.92,
April 13, 1929, p.1311.

GREENBURG, L., SHAYE, A. A., and SHLIONSKY, H. A Study of Lead
Poisoning in a Storage Battery Plant. U.S. Public
Health Reports, Vol.44, No.26, July 12, 1929, p.1666-1698.

Air analyses, cases of lead poisoning, relative
dangers in different processes suggestions for
control.*

Abst. Journal of Industrial Hygiene, Vol.12, No. 4.
April 1930, p.74.

GRONOVER, A., and WOHNICH, E. Lead Content of Red Glazings of
Earthenware. Ztschr.f.Untersuch.d.Lebensmitt. Vol.57,
April 1929, p.1292.

GUIDA, G. Experiments Showing Larynx Unaffected. Valsalva, Vol.5.
Nov. 1929, p.691-697.

HAACK, K. Zur Frage der Jodkaliprovokation als Bleitüpfeln.
Med. Klin. H.32, 1929.

HAAGEN, W.W. Lead Poisoning from Retained Lead Missile-Case.
Deutsche.Ztschr.f.Chir. Vol.215, 1929, p.39-47.

The time interval was 22 years between the gunshot wound of the knee and the appearance of lead symptoms which were in the nervous system.*

Abst. Journal of American Medical Assn., Vol.92, No. 21, May 25, 1929, p.1806.

HAMADA, I., and NAKANO MISAO. On the Changes of the Ends of the Peripheral Nerves in Experimental Lead Poisoning. Journal of Kyatofu Med. College, March 1929.

HAMMETT, F. S. Growth Recovery after Inhibition by Lead. British Med. Journal, Vol.1. May 18, 1929, p.896-897.

HAMMETT, F. S. Influence of Lead on Mitosis and Cell Size in Growing Root. Protoplasma, Vol.5. Jan.1929, p.535-543.

HAMMETT, F. S. Nature of Lead Compound Deposited in Growing Root. Protoplasma, Vol.5, Jan.1929, p.547-562.

HAMMETT, F. S., and JUSTICE, E. S. Selective Fixation of Lead by Root Nuclei in Mitosis. Protoplasma, Vol.5. Jan.1929, p.543-546.

HANNS, A. Present State of Question of Saturnism in Enamel Industry. Strasbourg med. Vol.89, June 5, 1929, p.281-287.

HAYHURST, E. R. Occupational Diseases, Definition, Cause, Prevalence, and Prevention. Monthly Labor Review, Vol.29, No.1. July 1929, p.29-51.

Lead poisoning coverage and reporting is among the occupational diseases reviewed by states and provinces.*

Abst. American Journal of Public Health, Vol.19, No. 10. Sept. 1929, pp.1157.

HEALTH PRACTICES PAMPHLET, NO.3. Lead. Division of Industrial Health.
National Safety Council, 108 E. Ohio St., Chicago, Ill.

A general resume of the whole subject, with illustrations, for industrial information.*

Abst. American Journal of Public Health, Vol.19, No. 8.
August 1929, p.937.

HERZFELD, E. Simple Methods for Detection of Minute Quantities of
Lead in Urine. Schweiz.med.Wchnshr. Vol.59, Sept. 7, 1929.
p.910-912.

HOFFMAN, F.I. Deaths from Lead Poisoning, 1925-1927. U.S. Bureau of
Labor Statistics, Bulletin No. 488, June 1929.

Statistics of various civilized countries.
Deaths from lead poisoning materially decreasing.*

Abst. American Journal of Public Health, Vol.19, No.12.
Dec. 1929, p.1371.

HOFFMAN, K.J. Early Brain Symptoms. Therap.d.Gegenw. Vol. 70,
March 1929, p.115-117.

HORTON, B.T., POWELSON, M.H., and OSTERBERG, A.E. Excretion of Lead in
Urine in Patients with Peripheral Vascular Disease. Proc.Staff
Meeting Mayo Clinic, Vol.4. Oct. 2, 1929, p.296.

Of 50 such patients, 43 excreted lead in the urine
varying from 0.04 to 0.4 mgm. in 24 hours; 10 also
excreted arsenic.*

Abst. Chemical Abstracts, Vol.24, Jan.10,1929, p.425.

HUNTER, D. Modern Treatment of Lead Poisoning. Lancet, Vol.26, Oct.1929.
p.901-902.

HUSEFELDT, E. Lead Poisoning as Cause of Anemia of Pregnancy Resembling
Pernicious Anemia--Case. Acta.obst.et gynec.Scandinav. Vol. 8,
1929, p.25-34.

Red oxide of lead used as an abortive produced grave
anemia.*

Abst.Biological Abstracts, Vol.4. No.4. April 1930, p.1111

INDUSTRIAL and LABOR INFORMATION. Progress of Ratification of the
White Lead Convention. Vol.31, Sept. 9, 1929.

This is the League of Nation's measure to
control white lead poisoning as so far
adopted by various countries.*

Abst. American Journal of Public Health, Vol.19, No.12,
1929, pp.1371-1372.

ISAC, S. SCURTOPAL, V., and STOICA, A.S. Examination of Feces in
Printers--Lead Determination. Compt.rend.Soc.de biol.
Vol.100, April 18, 1929, p.902. ✓ 162

Amount of lead found in 39 out of 71 cases,
studies varied from 0.002 to 1.047 gm. per
1,000.*

Abst. Physiological Abstracts, Vol.14, No.5. Aug.1929,
p.322.

JOWETT, M. DILLING, W.J. and BELL, W.B. Estimations of Lead in
Tissues of Lead-treated Patients and Animals. Lancet,
Vol.1, Jan.19, 1929, p.126-128.

Fairhall's method followed; but little lead
found in bones (the facts given are fragmentary).*

Abst. Journal of Ind. Hygiene, Vol.11, No.7, Sept.1929,
p.158.

JOINT INDUSTRIAL COUNCIL. Health Leaflets for the Printing Trades.
Printing and Allied Trades of the United Kingdom, 7-10 Old
Bailey, London, E.C.4.

Within the last 12 years there have occurred
230 cases of plumbism in 185 printing establish-
ments: compositors 98, stereotypers 55, lino-
typers 20, monotypers 14, electrotypers 2,
otherwise employed 41.*

Abst. American Journal of Public Health, Vol.19, No. 8.
August 1929, p.936.

KASPAR, F. Surgical Treatment of Poisoning of Gastro-intestinal Tract.
Wien, med. Wchnschr. Vol. 79, May 25, 1929, p. 707-711.

KEHOE, R.A., and THAMANN, F. The Excretion of Lead. Journal of American
Medical Assn. Vol. 92, April 27, 1929, p. 1418-1421.

The Excretion of Lead.*

Abst. Journal of Ind. Hygiene, Vol. 11, No. 9. Nov. 1929, p. 204.

KIELHOFER, E. Lead in Must and Wine of Grapes Treated with Lead Sprays.
Ztschr. f. Untersuch. d. Lebensmitt, Vol. 58, Sept. 1929, p. 382-386.

Enough lead found to advise against lead sprays,
especially in dry seasons.*

Abst. Chemical Abstracts, Vol. 24, April 20, 1930, p. 1930.

KIEMSTEDT, H. Detection and Determination of Lead in Ethyl Gasoline.
Ztschr. f. angew. Chem. Vol. 42, 1929, p. 1107-1108.

Detection and Determination of Lead in Ethyl
Gasoline.*

Abst. J. of Ind. Hygiene, Vol. 12, No. 8. Sept. 1930, p. 169.

KOELSCH, F. LEDERER, E., and KOELSCH, R. Comparative Study of the
Toxicity of White Lead Sulfate and White Lead Carbonate.
Arch. f. Hyg. Vol. 101, No. 4. 1929, p. 234-256.

No significant difference in the relative
toxicity of the two substances studied.*

Abst. Journal of Ind. Hygiene, Vol. 12, No. 7. Aug. 1930,
p. 140.

KOHN-ABREST, E. New Data on Saturnism. Chimie et industrie, Special
number, Feb. 1929, p. 741-742.

New Data on Saturnism.*

Abst. Chemical Abstracts, Vol. 23, Sept. 10, 1929, p. 4281.

KOIRANSKY, B. B. Weakness of the Extensor Muscle in Lead Poisoning.
Zentr.Gewerbehyg.Unfallverhütung, Vol.16, 1929, p.65-71.

The percentages of weakness is given by trades
letter press workers heading the list.*

Abst. Chemical Abstracts, Vol.24, No.22, Nov. 20, 1929,
p.5897.

LAENDERICH, L., and POUMEAU, DEHILLE, G. Lesions in Parotid Gland, Testicles and Prostate. Bull.et mem Soc.med.d.hop. de Paris, Vol. 53, Feb. 25, 1929, p.292-295.

LAIGNEL-LAVASTINE and FOUQUET, J. Acetylcholine Treatment of Lead Colic. Bull.et mem.Soc.med.d.hop.de Paris. Vol.53, March 18, 1929. p.360-362.

LANE, R.E., M.D. Lead Dust Hazard. Lancet, Vol.5528, Aug. 10, 1929, p.283. ✓

There is a measured relationship between lead in the air, lead in the urine, and the basophile count, the latter being a delicate index of the degree of absorption but not the proof of lead poisoning.*

Abst. American Journal of Public Health, Vol.19, No.10, Sept. 1929, p.1158.

LAVROVSKY, K.A. Colorimetric Determination of Coproporphyrin in Lead Poisoning. Profess.pat.i.gig. No. 8. 1929, p.56-88.

LEDERER, E. Gastric Cancer Diagnosed as Lead Colic: Case. Zentralbl. f.Gewerbehyg. Vol.6, Feb. 1929, p.40-42.

LEGG, Sir Thomas Morison. Thirty years' Experience of Industrial Maladies. J.Roy. Soc.Arts, Vol.4006, Aug.30, 1929, pp.1007-22.

Vast improvements noted in protecting workers. Protection rests with the employer, not with the worker. Stop discharge of dust and fumes and plumbism disappears.*

Abst. American Journal of Public Health, Vol.19, No.11, Nov. 1929, p.1258-1259.

LEGG, Sir Thomas. Lead Poisoning. J. of Roy.Soc.Arts. Vol.4006, Sept. 6, 1929, p.1023-1039. ✓

A general discussion of industrial lead poisoning.*

Abst. American Journal of Public Health, Vol.20, No. 4. April 1930, p.436-437.

LEHMANN, K.B. Comparative Study of the Toxicity of Lead Sulphate and White Lead. Arch.f.Hyg. Vol.101. No.4. 1929. p.197-204.

There is no material difference in the toxicity of the two substances studied.*

Abst. J. of Ind. Hygiene, Vol.12, No.7. Aug.1930. p.140.

LEHMANN, H. The Presence of Basophilic Granular Erythrocytes in Persons without Lead Poisoning. Arch.f.Hyg. Vol.102. 1929, pp.111-123.

The Presence of Basophilic Granular Erythrocytes in Persons without Lead Poisoning.*

Abst. J. of Ind. Hygiene, Vol.12, No.6, June 1930, p.112.

LEVITZKY, V.A. Balneotherapy and Parasympathetic System. Prof.pat.i. gig. No.7. 1929, p.5-21.

LEWIN, C. Medicolegal Aspect of Industrial Poisoning. Ergebn.d.inn. Med.u.Kinderh. Vol.35, 1929, p.286-354.

LEWY, F.H. Electrodiagnosis by Measurement of Chronaxia. Ztschr.f.arztl. Fortbild. Vol.26, May 15, 1929, p.324.

LEWY, F.H., and WEISZ, S. Neuromuscular Chronaxia in Workers. Ztschr. f.d. gesamte Neurol.u.Psychiat. Vol.120, 1929, p.385-402.

LIPKOVICH. The Underwood Typewriter and Lead Poisoning. Vestnik Sovreennoi Meditsiny--Moscow, July 1929.

A lead cushion beneath type occasioned measurable quantities of lead in the air of offices, with symptoms in typists ascribed to lead poisoning; a cork cushion covered with velvet recommended.*

Abst. J. of Ind. Hygiene, Vol.12, No.6. June 1930, p.114.

LITZNER, S. Pathogenesis, Clinical Aspects and Treatment of Lead Poisoning. Med.Klin. Vol.25, Sept.20,1929, p.1462.

Pathogenesis, Clinical Aspects and Treatment of Lead Poisoning.*

Abst. Journal of American Medical Association, Vol.93, Nov. 23, 1929, p.1690.

LORENZ, E. Acute Lead Poisoning in Infant--Case. Klin.Wchnschr. Vol.8. July 2, 1929, p.1267.

LORENZINI, G. Colloidal Lead in Toxicological Tests. Arch.ist.biochim. ital. Vol.1, 1929, p.13-26.

Ganassini's colloidal lead is harmless in therapeutic doses.*

Abst. Chemical Abstracts, Vol.24, May 20, 1930, p.2505.

LUDWIG, H. Experiments on Treatment of Chronic Lead and Mercury Poisoning. Biochem.Ztschr. Vol.210, 1929, p.353-392.

A chemical explanation for the use of KI in lead poisoning, but its counterindications in mercury poisoning.*

Abst. J. of Ind. Hygiene, Vol.12, No.8. Sept.1930, p.169.

MAAS, A. R. Removing Lead Arsenate from Fruit. U.S.1, 764-173, April 8.

Use a solution of $\text{Na}_2\text{S}_2\text{O}_3$, wash with water and dry.*

Abst. Chemical Abstracts, Vol.24, May 20, 1930, p.2513.

MACKINTOSH, P.G. Clinical Manifestation and Surgical Treatment in Horse. J. American Vet. M.A. Vol.74, Jan.1929, p.193-195.

MARKOFF, A.M. Effect of Sulphurated Baths on Lead Poisoning. Klin.med. Vol. 7, No.6. 1929, p.348-356.

MASSA, M. Pathogenic Effect of Coproporphyrin. Gior.di.clin.med. Vol.10, Oct.30, 1929, p.979-992.

MATHEW, R.Y. The Blood of Workers Exposed to Lead. Med. Journal, Australia, Vol.1. Feb.16, 1929, p.208-216. ✓

The Blood of Workers Exposed to lead.*

Abst. J. of Ind. Hygiene, Vol.11, No.7. Sept.1929, p.159.

MAXWELL, L.C. and BISCHOFF, F. Reaction of Lead with Constituents of Erythrocytes. J.Pharmacol. and Exper.Therap. Vol.37, Dec. 1929, p.413-428.

A toxic penta-lead-diphosphoglycerate is formed which produces anemia (in rabbits).*

Abst. Chemical Abstracts, Vol.24, May 10, 1930, p.2200.

MAXWELL, L.C. and BISCHOFF, F. The Solubility of Lead Salts in Physiological Salt Solutions. Journal Pharmacol. and Exper. Therapy, Vol.36, 1929, pp.279-293.

The solubility of tri-lead phosphate and lead carbonate determined.*

Abst. J. of Ind. Hygiene, Vol.12, No.5. May 1930, p.95.

MAYERS, M.R. Lead Absorption and Compensation. Journal of Ind. Hyg.
Vol.11, No.4, April 1929, p.124-137.

Abst. in 1928 bibliography.

MAYERS, M.R. Prevention of Lead Poisoning. Industrial Hygiene Bulletin,
N.Y. State Dept. of Labor, Vol. 9, March 1929, pp.33-34.

With special reference to housing and
working conditions.*

Abst. American Journal of Public Health, Vol.19, No. 8.
August 1929, p.937.

MAYERS, M.R. The Biochemical Reaction of Lead in the Body. Industrial
Hygiene Bulletin of New York State Dept. of Labor. Vol. 5,
Jan. 1929, pp.26-28.

The amount of soluble lead phosphate in the
blood stream determines its toxicity, its
wide distribution in the body, the multiplicity
of symptoms.*

Abst. J. of Ind. Hygiene, Vol.11, No.7. Sept. 1929, p.158

McDONALD, Dr. J.C. Lead Poisoning. A Review of the subject of lead
poisoning including lead absorption, diagnosis and symptoms
of lead poisoning. Transactions of the Chemical Section,
National Safety Council, April 17-18, 1929, p.13.

Complete article available from the A.P.H.A.
if requested.

McNAIR, L.C. and PRICE, C.W. The Effect of Rubbing Down and Scraping
by Dry Process of Lead Painted Surfaces of Iron and Steel
Structures. J. of Industrial Hygiene, Vol.11, No. 6. June
1929, p.175-181.

Air analyses showing lead, given for
different processes.*

Abst. Chemical Abstracts, Vol.23, Sept.10,1929, p.4354.

MILLER, J. Degenerative Changes in Thyroid Gland Result of Treatment by Lead Ionization. J. Technical Methods, Vol. 12, March 1929, p.208-210.

MITSUO TAHARA. Influence of Lead Poisoning on Rabbits Ovaries and Uterus. Journal of the Osaka Med. Soc., May 1929.

NEBULONI, A. Sodium Thiosulphate in Acute Poisoning, Experiments on Dogs. Med. del. lavoro, Vol.20, May 31, 1929, p.215-219.

NEISWANDER, B.E., and HAYHURST, E.R. Recent Trends in Occupational Diseases in Ohio. Ohio State Med. Journal, XXV, Jan. 1929, p.37-41.

450 cases of lead poisoning reported in 2 1/2 years, storage batteries and painting leading. Decided upward trend in most industries.*

Abst. American Journal of Public Health, Vol. 19, No. 4. April 1929, pp.435-436.

NYE, L.J.J. An Investigation of the Extraordinary Incidence of Chronic Nephritis in Young People in Queensland. Med. Journal, Australia, Vol.2. Aug. 3, 1929, p.145-149. *Lead in lead paint*

Lead poisoning in childhood acquired from lead painted houses and verandas, which paint the sun dries to a powder, is charged with chronic nephritis before 40 years of age.*

Abst. Journal of Ind. Hygiene, Vol.12, No.3, March 1930, p. 54.

OKKELS, H. Histochemical Detection of Gold and Lead. Compt. rend. Soc. de biol. Vol.102, 1929, p.1089-1091.

Histochemical Detection of Gold and Lead.*

Abst. J. of Ind. Hygiene, Vol.13, No.2. Feb.1931, p.24.

OLIVER, T. Lead Poisoning Industries. J. State Medicine, Vol. 37, No.4, April 1929, p.187.

Lead Poisoning--A general review of the administrative measures taken to reduce plumbism and a consideration of some of the cases still encountered.*

Abst. J. of Indus. Hyg., Vol.11, No.9. Nov.1929, p.202-203.

OMELJANOVITSCH-PAVLENKO, M.J. Biochemical Changes in the Blood in Chronic Lead Poisoning. Ztschr.f.Hyg. Vol.110,1929, p.348-354.

Hemolysis affected kidney function, increased blood cholesterin (a protective factor) occur. Also, during colic, decreased alkali reserve, increased nitrogen.*

Abst. J. of Ind. Hygiene, Vol.12, No.10, Dec.1930. p.219.

OPERA COLLECTA--Fifth International Medical Congress on Industrial Accidents and Occupational Diseases, Sept. 1928.

E. W. Baader. Observation on Occupational Lead Poisoning in the Industrial Dept. of the Kaiserin Augusta Victoria Hospital at Berlin, Lichtenberg. p.411-416.

Betke. Experiences with Occupational Diseases with Special Reference to Lead Poisoning. p.434-437.

Friedrich, W. Symptoms of Lead Poisoning. p.440-442.

Zaborsky, S. Our Cases of Lead Poisoning. p.530-532.

Absts. J. of Ind. Hygiene, Vol.12, No. 5. May 1930, p.91-92.

ORESTANO, G. The Possibility of the Formation of Lead Phosphatide Compounds in the Body. Boll.Soc.ital.biol.aper. Vol. 4. 1929, p.622-625.

Dog experiments fail to confirm Blair Bell's idea that phosphatides bind lead in cancer cells.*

Abst. J. of Ind. Hygiene, Vol.12, No.10, Dec.1930, p.220.

PANSE, F. Gewerbliche Bleivergiftung, Nervenarzt, Bs. 1 H 11.

PANSE, F. Progress in Diagnosis and Prevention of Industrial Poisoning. Veroffentl.a.d.Geb.d.med.Verwalt. Vol.29, 1929, p.615-658.

PARISOT, P., and CAUSSADE, L. Compensation for Nephritis due to Lead Poisoning under Law of Occupational Diseases. Ann.de.Med.lég. Vol.9. Jan.1929, p.3-10.

PARONI, G. Action--Animal Experiments. Bol.d.Soc.med.chir.di.Pavia. Vol.43, 1929, p.821-824.

PARONI, G. Behavior of Colloidal Lead in Experimental Animals. Arch. ist.biochim.ital. Vol.1. 1929, p.226-254.

Ganassini's colloidal lead is less toxic than others. After injection it appears in tissues in non-colloidal form.*

Abst. Chemical Abstracts, Vol.24, Oct.10, 1930, p.4834.

PEARCE, W. and HARRIS, R.A. Lead Poisoning with Analysis of Employees of Enameling. Illinois med.Journal, Vol.56, Dec.1929, p.413-421.

PEISACHOWITSCH, I.M. Changes in Endocrine Glands. Virchows-Arch.f.path. Anat. Vol.273, 1929, p.276-284.

PENTSCHEW, A. Lead Poisoning--Relation to Pellagra. Krankheitsforschung, Vol.7, 1929, p.399-415.

PROPPER, N.J. Saturnism Encephalomyelitis Case. J.neuro.pat.i.psikhiat. Vol.22, 1929, p.610-612.

PUTTIER, G. Rapport annuel sur la surveillance de l'exécution de la loi relative à l'emploi de la céruse et autres pigments blancs de plomb. Bull. du Serv. Méd. du Trav. No. 2. 1929, p. 64-84.

QUERIES AND MINOR NOTES. Effects of Ethyl Gasoline on the Eyes.
J.A.M.A., Vol.92, No.20, May 18, 1929, p.1698.

Same external action to be expected as with gasoline--irritation, ulceration. Constitutional tetra-ethyl lead poisoning especially affects the brain from which visual impairment is known to occur.*

QUERIES AND MINOR NOTES. Possible Dangers from Lead in Pewter Vessels.
J.A.M.A., Vol.93, No.7. Aug. 17, 1929, p.565.

The danger of lead poisoning relegates pewter vessels to ornamental rather than utilitarian purposes.*

QUERIES AND MINOR NOTES. Treatment of Lead Anemia. J.A.M.A., Vol.93,
No.7. Aug. 17, 1929, p.566.

REITZEL, R.J. Lead Poisoning from Snuff. Ann.Int.Med.Vol.3, Oct.1929, p.378-385. ✓ 12

Four cases reported, all from same brand of snuff.*

Abst. Journal of American Medical Assn., Vol. 93, No. 2, Nov. 23, 1929, p.1680.

REZNIKOFF, A.B. Neurosaturnism. Vrach.gaz.Vol.33, Sept.1929, p.2316-2322.

RIESENFELD-HIRSCHBERG, F. Spasms of Colon Cardinal Symptoms. Med.Klin. Vol.25, Aug.16, 1929, p.1280-1282.

ROLLSTON, H. Industrial Diseases and Their Prevention. J. Roy. San. Inst. Vol.49, No.11, p.617, May 1929.

Rather superficial consideration of some of the industrial diseases without much practical preventive measures.

Abst. American Journal of Public Health, Vol.19, No.8, August 1929, p.953.

ROS, A. Retrobulbar Neuritis; Case. Medicine Ibera, Vol.2. Aug. 17, 1929. p.169-172.

RUHL, A. Genesis of Apoplexy Illustrated in Case of Lead Poisoning. Med.Klin. Vol.25, Feb.1, 1929, p.187-189.

History of a painter aged 51 with lead poisoning attack 15 years previously. Slow development of arteriosclerotic and apoplectic symptoms for 9 years. Postmortem proved condition of arteries and showed large hemorrhage on brain surface, areas of softening, also contracted kidneys.*

Abst. Journal of American Medical Assn. Vol.92, April 13, 1929, p.1313.

RUHL, A. Lead Causing Apoplexy--Case. Verhandl.d.Berl.med.Gesellsch. Vol.59, 1929, p.304-310.

SAPPINGTON, S.O. The Prevalence of Lead Poisoning. National Safety News, Sept. 1929.

SCHMEERTANN, F. Occupational; diagnosis. Fortschr.d.Med. Vol.47, Feb. 8, 1929, p.53-57.

SCHMIDT, Dr.P. SEISER, Dr.A., and LITZNER, Dr.S. Bleivergiftung. Published by: Urban and Schwarzberg, Berlin and Vienne, 1930.

A monograph on the subject of lead poisoning by well-known authorities.*

Abst. J. of Ind. Hygiene, Vol.12, No.5. May, 1930, p.222.

SCHNITZER. Concerning Increased Blood Pressure in Chronic Lead Poisoning. Munchen.med.Wchschr. Vol.76, 1929, p.151-152. ✓

Reports of several authorities - Goadby, Collis and the author - fail to support the impression of an increased blood pressure effect as the result of lead poisoning.*

Abst. J. Ind. Hygiene, Vol.12, No.5. May 1930, p.94.

SCHWEISHEIMER, W. Diagnosis of Lead Poisoning by Examination of Blood, Treatment with Sodium Thiosulphate. Ztschr.f.Gewerbehyg. Vol.35, June 15, 1929, p.94.

SEISER, A. NECKE, A., and MULLER, H. Determination of Minute Quantities of Lead by Electrolysis. Z.Angew.Chem. Vol.42, 1929, p.96-98.

Determination of Minute Quantities of Lead by Electrolysis.*

Abst. Chemical Abstracts, Vol.23, April 20, 1929, p.4834.

SEREBRIANIK, B. Affections of Nervous System--Cases. Russk.klin. Vol.11, June, 1929, p.698-708.

SEREBRANIK, B. Conception and Nature of Lead Epilepsy. Arch.f.Psychiat. Vol.89, 1929, p.102-112.

SIMON, I. Pharmacological Action of Stabilized Colloidal Lead. Arch. ist.biochim,ital, Vol.1. 1929, p.47-68.

In tissues, colloidal lead assumes a granular metallic state. Retarding local circulation enhances fixation.*

Abst. Chemical Abstracts, Vol.24, May 20, 1930, p.2505.

SMIRNOFF, L., and LUKIN, T.S. Erythrocytes, Pigmentation, Metabolism, and Leukocytic Formula. Profess.pat.i.gig. No.7, 1929, pp.30-41.

SOTO, M. ROSADO and AU. The Possible Existence of Arsenic and Lead in Pepper Fruits. Mon.farm.y.Terap. Vol.35, 1929, p.365-367.

Both metals absent except a trace in one of 60 samples.*

Abst. Chemical Abstracts, Vol.24, June 10, 1930, p.2810.

STABLER, F.E. Action of Lead on Blood. Newcastle Med.Journal, Vol.9. April 1929, p.177-181.

STAMMLER, M. Anatomic Changes in Brain in Lead Epilepsy. Klin.Wchnschr. Vol.8. June 25, 1929, p.1210-1212.

SUNDELIN, F. Chronic Poisoning with Case in Rubber Industry. Svenska lak-tidning, Vol.26, Nov.22,1929, p.1385-1394.

SUPONITZKA, F.M. The Effect of HCL on the Variation of the Intermediary Nitrogen Metabolism in Experimental Lead Poisoning. Trudy materialy, Ukrain, gosudarstv.Inst.pat. Vol.6. 1928, p.250-261.

Administration of HCL increased resistance to lead and lengthened life in dogs with lead poisoning.*

Abst. J. of Ind. Hygiene, Vol.12, No.7. Sept.1930, p.139.

TAKEUCHI, N., and FUJIWARA, H. Experiment on Lead Deposition in Uterine Tissues due to Poisoning. Jap.J.Obstetrics and Gynec. Vol.12, March 1929, p.71-74.

TANNAHILL, R.W. A Critical Survey of the Methods for the Determination of Lead in Biological Material. Med.Journal of Australia, Vol.1. Feb. 16, 1929, p.194-201.

A Critical Survey of the Methods for the Determination of Lead in Biological Material.*

Abst. J. of Ind.Hygiene, Vol.1. Sept.10, 1929, p.159.

TANNAHILL, R.W. Lead Excretion of Workers at the Smelters Port Pirie. Medical Jour. of Australia, Vol.1. Feb.16, 1929, p.205-208. ✓

Lead Excretion of Workers at the Smelters Port Pirie.*

Abst. J. of Ind.Hygiene, Vol.11, No.7. Sept.1929, p.159.

TANNAHILL, R.W. The Distribution of Lead in the Body after Absorption. Med.Journal Australia, Vol.1. Feb. 16, 1929, p.216-217.

The Distribution of Lead in the Body after Absorption.*

Abst. J. of Ind. Hygiene, Vol.11. No.7. Sept.1929, p.159.

TANNAHILL, R.W. The Excretion of Lead by Mine Workers at Broken Hill. Medical Journal of Australia, Vol.1. Feb.16, 1929, p.201-205. ✓

The Excretion of Lead by Mine Workers at Broken Hill.*

Abst.J. Ind. Hygiene, Vol.11. No.7. Sept.1929, p.159.

TEITZ, J. Die Bleikrankheit in der Praxis der Berufsumschulung. Jugend u.Beruf. S.37-38, Oct.1929.

TELEKY, Examination of Workers. Zentralbl.f.Gewerbehyg. Vol.6. Aug.1929, p.238.

TELEKY, L., and SCHULZ, W. Ergographic Tests for Measurement of Weakness of Extensor Muscles of Hand (wrist-drop) in Lead Workers. Ztschr.f.Hyg.u.Infektionskr. Vol.109, 1929, p.568-578.

TRUC, E. Histophysiology of Renal Elimination of Lead Salts. Bull. d'histol.appliq.a la physiol, Vol.6. Dec.1929, p.393-399.

Lead eliminated by the convoluted tubules,
not by the glomeruli.*

Abst. Chemical Abstracts, Vol.24, Oct.10, 1930, p.4838.

TUTHILL, R. Neuropathologic Changes in Case of Lead Encephalopathy. Bull.Buffalo Gen.Hospital, Vol.7. June 1929, p.15-19.

UFIAND, U.M., and MOLOKOFF, B.M. Effect of Lead on Neuromuscular System. Gig.bezopass.i.pat.truda. Vol.7. Jan.1929, p.40-50.

UFLAND, I.M. Muscular Strength in Chronic Lead Poisoning. Arch.f. Hygiene, Vol.101, No.2. 1929, p.107-115.

Strength decreased from 10 to 25 per cent.*

Abst. Journal of American Medical Assn. Vol.92, June 1, 1929, p.1897.

UGLOFF, V.A., REEBERG, V.A., and BOITIN, M.V. Presence of Lead in Glazing of Cooking Utensils in Ukrainia. Profilak.med. Vol. 8, No. 2. Feb. 1929, p.1-12.

Presence of Lead in Glazing of Cooking Utensils in Ukrainia.*

Abst. Chemical Abstracts, Vol.24, Nov.20, 1930, p.5956.

U.S. BUREAU OF LABOR STATISTICS. Deaths from Lead Poisoning, 1925-1927.

Bulletin, No.488--37 pages.*

Abst. American Journal of Public Health, Vol.19, No.12, Dec.1929, pp.1371.

U.S. DEPT. OF LABOR--Monthly Labor Review. Report of Lead Poisoning in the U.S. Monthly Labor Review, Aug.1929, p.78-79.

U.S. DEPT. OF LABOR. Spray Painting Practices and Hazards. Monthly Labor Review, Vol.28, No.5. May 1929, p.915.

A Report on the Investigation of 71 Establishments and 8 Government Posts.*

Abst. American Journal of Public Health, Vol.19, No.7. July 1929, p.826.

VILA, B. Lead Poisoning in Child. Boletin de la Soc. Cubana de Pediatría. Vol.1. Feb.1929, p.45.

Child permitted in father's automobile repair shop. Father also leaded.*

Abst. Journal of American Med. Assn. Vol.92, No.17, June 22, 1929, p.2145.

VILLARET, M., and JUSTIN, BESCANON L. Therapeutic Application of Acetylcholine. Lancet, Vol.1. March 9, 1929, p.493.

Strong doses, hypodermically, seem to give splendid results in lead colic.*

Abst. Journal of American Med. Assn. Vol.92, No.17, April 27, 1929, p.1486.

VOGT, J.H. Ventilation in Connection with Applying and Finishing Materials by the use of Atomizers and Compressed Air. Industrial Hygiene Bulletin, N.Y. Dept. of Labor, Vol.5, No.8. Feb.1929, pp.29.

This paper describes the booths and ventilation apparatus used in spraying lacquers on automobile bodies.*

Annotation- American Journal of Public Health, Vol.19, No.4. April 1929, p.471.

VON MEDUNA, L. Experimental Poisoning in Guinea Pigs. Arch.f. Psychiatrie und Nervenkrankheiten, Vol.87, p.571-598. 1929.

WAGNER, G. Lead Poisoning in Railway Service. Ztschr.f.Bahnartze,
Vol.24, March 1, 1929, p.80-91.

WEISZ, S. Neuromuscular Chronaxio-in Experimental Poisoning. Ztschr.
f.d.ges.neurol.u.Psychiat. Vol.120, 1929, p.403-408.

WHITING, S.E. Putting the Specialists Ideas to Work in our Plants.
Transactions--National Safety News, Sept.1929.

A discussion of Lead Poisoning Therapy.
A section extracted from above article.

WINKLER, U. Basophilic Erythrocytes in Blood following Ingestion of
KI as means of Diagnosing suspected Lead Poisoning--Case.
Med.Klin. Vol.25, Feb.22, 1929, p.302-304.

WURTH, K. The Present State of the Lead Paint Question. Korrosion
Metallschutz, Vol.5. 1929, p.14-18.

The Present State of the Lead Paint
Question.*

Abst. Chemical Abstracts, Vol.23, May 1929, p.2583.

ZADEK, E. Disturbances of Liver due to Chronic Lead Poisoning.
Deutsche med.Wehnschr. Vol.55, Aug. 9, 1929, p.1336-1338.

ZELINER, HEINRICH. Lead in Oil Sardines. Deut.Nahrungsen.Rundshaw,
Vol. 4, 1929, p.23-24.

Of a large number of canned sardines examined,
50% showed lead, from traces to 9.4 parts per
100.*

Abst. Chemical Abstracts, Vol.23, July 20, 1929. p.3520.

CANCER SECTION

BIBLIOGRAPHY ON LEAD POISONING

CANCER

1929 - 1930

- BARLOW, D.L. Lead. Med. Journal, Australia, Vol.2, Dec. 28, 1929,
p.915-916.
- BELL, W. B. Present Position of Lead Therapy in Malignant Disease.
Brit. Med. Journal, Vol.1. March 9, 1929, p.431-437.
- BONA, G. B. Cancer in Saturnism. Med.del.lavoro, Vol.20, Sept. 30,
1929, p.420-424.
- BOTRINI, E. Results of Experiment of Treatment with Colloidal Lead,
Combined with Radiant Therapy in Women (Cancer--Genitals).
Ann.di.Ostet, Vol.51, Sept.30, 1929, p.1142-1157.
- BRUNNER, A. Lead Therapy in Cancer. Schweiz.med.Wohnschr. Vol.59,
March 2, 1929, p.253-255.
- Colloidal lead and mercury preparations
with roentgen therapy advocated in all
cases of inoperable gastric and intestinal
cancer. Case reports show some amelioration.*
- Abst. Journal of American Medical Association, Vol.92,
No.18, May 4, 1929, p.1561.

CUNNINGHAM, L., and DATNOW, M.M. Importance of Liver in Chemotherapy.
Lancet, Vol.2, Sept. 28, 1929, p.643-694.

Liver function tests should be the guide
to therapeutic uses of lead (cancer cases).*

Abst. Journal of American Medical Assn. Vol.93, No.19,
Nov. 9, 1929, p.1508.

DENTICI, S. MORATTI, A., and PATTARIN, P. Colloidal Lead. Tumori,
Vol.15, 1929, p.663-727.

The authors hesitate to speak of stable
improvements or of cures in their exper-
ience.*

Abst. Journal of American Medical Assn. Vol.94, No.8.
Feb. 22, 1930, p.596.

DINATALE, L. Experiments Showing that Lead is Worthless as a
Therapeutic Agent and also Harmful to Organisms. Minerva
med. Vol.2, Dec. 22, 1929, p.997-1005.

FECI, L. Lead and Roentgen Rays in Treatment of Malignant Tumors--
Case. Gior.di.clin.med. Vol.10, Sept.20, 1929, p.838-862.

The combination of the two treatments
increases effectiveness and decreases
toxic effects.*

Abst. Journal of American Medical Assn. Vol.92, No.22,
Nov. 30, 1929, p.1769.

KAWATA, N. No Affinity Between Cancer Cell and Lead. Beitr.z.path.
Anat.u.z.allg.Path. Vol.82, Aug. 22, 1929, p.259-267.

The amounts of lead in tissues may be determined by adding a radioactive lead isotope to the lead solution injected and determining the number of units of radio-activity found.*

Abst. Chemical Abstracts, Vol.24, Feb.20, 1930, p.886.

KNOX, L.C. Lead Therapy, Journal of American Medical Assn. Vol.92, Jan. 12, 1929, p.106-109. ✓

KRAUSE, E. An Active Influence of Organic Lead Compounds on Experimental Carcinoma. Tech.Hochschule--Berlin. Ber.62 B 1929, p.135-137.

The toxicity was related to the structure rather than the solubility of the compound. Several of the organic lead compounds studied showed prophylactic and curative effects against carcinoma.*

Abst. Chemical Abstracts, Vol.23, May 10, 1929, p.2209.

LAVEDAN, J. Lead Treatment of Malignant Tumors. Paris med. Vol.1.
March 16, 1929, p.272-280.

LEVI, A. The Behavior of the Reticulo-endothelial System in Environ-
mental Tumors treated with Lead and Zinc. Arch.farmacol.
sper.Vol.46, 1929, p.189-200.

The metals used greatly increased the
development of the system named.*

Abst. Chemical Abstracts, Vol.24, Feb.20, 1930, p.859.

LEVI, A., and VOLTA, E. Lead and Zinc in Experimental Tumors. Boll.
soc.ital.bio.sper. Vol.4. 1929, p.1176-1177.

The zinc element showed no effect while
that of lead was only transitory.*

Abst. Chemical Abstracts, Vol. 24, May 10, 1930, p.2176.

MILLER, H. The Excretion of Lead in Urine. Journal of Biological Chemistry, Vol.83, 1929, p.265-268.

There is a definite normal excretion of lead in the urine whether or not colloidal lead phosphate is administered (as to cancer patients).*

Abst. Chemical Abstracts, Vol.20, Oct. 20, 1929, p.4971-4972.

NEWMAN, R.K. Colloidal Lead in Cancer Treatment. J. Cancer Research
Committee, University of Sydney, Vol.1. 1929, pp.106-113.

A review of the present day knowledge. Lead
excretion varied daily between 0.20 and 0.30
mg. in urine, and 0.29 to 0.36 in feces.*

Abst. Chemical Abstracts, Vol.24, Feb.20, 1930, p.895.

PESCAROLO, B. Lead--Discussion of Work of Bell. Minerva med.pt.1
Vol.9, April 14, 1929, p.537-542.

PETTIT, R. J. Intravenous Lead in Treatment of Cancer. Illinois
med.Journal, Vol.55, Jan. 1929, p.9-15.

POLICHEPPI, E. Failure of Lead Treatment in 38 Cases. Rinasc.med.
Vol.6, Aug. 1, 1929, p.361-363.

REINHARD, M.C., and BUCHWALD, K.W. No Lead in Tumor Tissue after Intravenous Injection of Colloidal Lead. J. Cancer Research, Vol.13, Oct. 1929, p.239-241.

ROFFO, A.H. Lead. Neoplasmes, Vol.8. Sept.-Oct. 1929, p.270-278.

A careful review of all work to date
refutes the value of lead in treatment
of cancer.*

Abst. Chemical Abstracts, Vol.24, July 10, 1930, p.3277.

ROFFO, A.H., and CALCAGNO. Lead--Treatment of Cancer. Prensa med. argent, Jan. 1929, April 1929.

SCHREINER, B.F., and WENDE, R.C. Advanced Cancer Treated by Colloidal Lead--19 Cases. Surg.Gynec.Obst. Vol.48, Jan. 1929, p.115-118. ✓

Negative results, grave anemia produced.*

Abst. Journal of American Medical Assn., Vol.92, No.8. p.676.

SOILAND, A., COSTLOW, W.E., and MELAND, O.N. Colloidal Lead Combined with X-rays and Radium--Further Cases. Journal of American Medical Assn., Vol.92, Jan. 12, 1929, p.104-106.

See 1928 Bibliography for abstract.

TODD, A.T., and ALDURINCKLE, H.M. Combination of Colloidal Lead
Selenide and Radium in the Treatment of Cancer. Brit.
Med. Journal, Vol. 12, Nov. 2, 1929, p. 799-801.

ULLMANN, H.J. Colloidal Lead and Irradiation in the Treatment of Cancer--2 yrs. experience. Journal of American Medical Assn., Vol.92, Jan. 5, 1929, p.18-20.
(See 1928 Bibliography for abstract)

ULLMANN, H.J. Lead in the Treatment of Cancer. Southwestern Med., Vol.13, Feb. 1929, p.73-75.

Insoluble lead phosphate is preferred form. Lead definitely augments the effect of radiation.*

Abst. Chemical Abstracts, Vol.23, Aug. 10, 1930, p.3742.

ULLMANN, H.J. New Lead Preparation for Treatment of Cancer. Radiology, Vol.13, Dec. 1929, p.494-495.

A double phosphate of lead and calcium is less toxic than other preparations while it also increases hemoglobin and red count.*

Abst. Journal of American Medical Assn., Vol.93, No.25, Dec. 21, 1929, p.2004.

WATERS, C.A., COLSTON, J.A.C., and GAY, L.N. Colloidal Lead with High Voltage Roentgen Therapy--Cases. Journal of American Medical Assn., Vol.92, Jan. 5, 1929, p.14-18.

See 1928 bibliography for abstract.

WOODARD, H.Q. Factors Influencing Precipitation. J. Cancer Research, Vol.13, July 1929, p.173-179.

BIBLIOGRAPHY ON LEAD POISONING

COCCIDIoidES AND TUMORS

1929 - 1930

COLLIER, W. A. Value of Several Organic Lead Salts in Mouse Tumors.
Ztschr.f.Hyg.u.Infektionskr. Vol.110, 1929, p.236-238.
Abstract- Biological Abstracts, Vol.4, No.11, 1930, p.2611

FULFORD, D.S., and LARSON, E.E. Coccidioid Granuloma Case treated
by Intravenous Dye, Colloidal Lead and Colloidal Copper
with Autopsy Observations. Journal of American Medical
Assn., Vol.93, Oct. 5, 1929, p.1049-1055.

VECCHI, A. Lead Therapy in Malignant Tumors--Cases. Minerva med.
pt.2. Vol.9, Oct. 6, 1929, p.525.

Mimeographed in U.S.A.

BIBLIOGRAPHY ON LEAD POISONING

1930 - 1931

The presence of the asterisk indicates that a longer abstract may be obtained from The American Public Health Association, 450 Seventh Avenue, New York City.

ABESSALOMOFF, D. G. and EITVID, A. A. Lead Poisoning and Gastro-intestinal Diseases Among Factory Workers. Mosk. Med. J. (No. 4) Vol. 10, 1930, pp. 7-13.

ADAMS, B. A. Removal of Lead, Zinc, Copper and Tin from Drinking Water by means of Base Exchange Materials. Water and Water Eng., Vol. 32, 1930, pp. 415-419.

Lead, zinc, copper and tin in solution can be replaced by alkali or alkaline earth bases.*

Abst. Chemical Abstracts, Vol. 24, Nov. 20, 1930, p. 5903.

AGASSE-LAFONT, E. Lead Poisoning from Applying a Lead Enamel to Metal. Med. du travail, July 1930, pp. 277-279.

The risk of lead poisoning in factories which apply a lead enamel to metal is evidenced in the fact that 132 workers are engaged yearly to maintain a personnel of 36.*

Abst. Journal of Industrial Hygiene, Vol. 12, No. 10, Dec. 1930, p. 219.

AIELLO, G. and GALLAVREST, H.* Histamine Effects on Blood Picture. Med. del Lavoro, Vol. 21, Aug. 31, 1930, pp. 340-342.

AZBEL, R. I. An Experimental Study in the Sanitation of Labor
Conditions in the Manufacture of White Powder at the
Rubber Factory "The Red Triangle." Arb. Leningrad.
Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 182-192.

A physiologically harmless product to substitute
for the lead containing compound is sought. Bri-
quetting of the powdery ingredients, mechaniza-
tion, and air-tight sealing are recommended.

Abst. Journal of Industrial Hygiene, Vol. 13, No. 10,
Dec. 1931, p. 262.

AZBEL, R. I. Reorganization of the Processes of File Manufacturing
as a Method of Labor Sanitation. Arb. Leningrad.
Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 109-121.

The use of lead in the file manufacturing
industry can be eliminated by using zinc.*

Abst. Journal of Industrial Hygiene, Vol. 13, No. 10,
Dec. 1931, p. 262.

- BAADER, E. W. Isopathic Treatment of Lead Poisoning. München
Med. Wehnschr., Vol. 77, Oct. 3, 1930, pp. 1708-1710.
- BAUER, M. German Law for Prevention in Painters. Arbeiter-
schutz, No. 6, June 15, 1930, pp. 105-110.
- BELL, M. Lead Poisoning in Children - Case report from Canton.
China M.J., Vol. 44, September 1930, pp. 885-890.
- BICKERT, F. W. Increase in Antibody Formation from Subcutaneous In-
jections of Lead Acetate in Immunized Animals Previous-
ly Treated with Lead Injections. Zentralbl.f.Bakt.
(Abt. 1) Vol. 118, Sept. 30, 1930, pp. 159-163.
- BICKERT, F. W. The Influence of Lead on Agglutinin and Precipitin
Formation in Animals already Treated with Lead.
Zentr. Bakt. Parasitenk. Vol. 118, 1930, pp. 159-63.
- In animals previously immunized and treated
with Pb by subcutaneous injection of a 5%
soln. of Pb (OAc)₂ and the titer allowed to
drop, the titer came back up more quickly
than in control animals not treated with Pb.
- Abst. Chemical Abstracts, Vol. 52, January 1931,
p. 137.
- BOGUSLAVSKI, Y. M. Labor Conditions and Occupational Hazards in the
Mendeleyev White Lead Factory. Arb. Lenigrad. Inst.
Gewerbehyg., Vol. 3, No. 4, 1930, pp. 161-169.
- The substitution of white lead by lithopone
and titanium products is highly recommended.
The first has been placed on a practical
basis, while the sources and methods of util-
ization of the second are under study.
- Abst. Chemical Abstracts, Vol. 25, July 10, 1931,
p. 3413.
- BÖTTRICH, Wrist-drop, case. Zentralbl.f.Gewerbehyg., Vol. 7,
April 1930, p. 93.
- BRANDIS, W. Death Resulting from Lead Poisoning or from Streptococcic
Infection; Question of Compensation. Med. Klin., Vol. 26,
Jan. 17, 1930, pp. 96-97. June 6, 1930, p. 862-863.

B.

BRUNN, Lead Poisoning from Drinking Water in Leipzig. Aerzte -Ztg.
(hft. 236) Vol. 5, Nov. 2, 1930.

BUCK, J. S. and KUMRO, D. M. Toxicity of Lead Compounds. Journal
of Pharmacol & Exp. Therapy, Vol. 38, Feb. 1930, p. 161.

Buck and Kumro investigated the toxic effects
of certain groups of lead compounds and find
that tetramethyl lead is of relatively low
toxicity compared with other lead compounds.*

Abst. J.A.M.A., Vol. 94, No. 14, April 5, 1930, p. 1098.

- CACCURI, S. Lead Poisoning - Lipemia: Experiments. Folia Med., Vol. 16, Jan. 15, 1930, p. 48. (January 30, 1930, Vol. 101.)
- CAVAGLIANO, B. Changes in Gastric Functions due to Lead Poisoning. Med. del lavoro, Vol. 21, Dec. 31, 1930, pp. 538-543.
- CIOVINI, M. Experiments on Vagus Nerve, Suprarenal Gland and Asphyxia in Circulation of Dextrose and Leucocytes, and Clinical Aspects of Blood Pressure, Glycemia and Renal Threshold of Sugar in Nephritis from Lead Poisoning. Pensiero Med., Vol. 19, 1930, p. 763, 803, 883.

DEL MUNDO, S. Acculion of Lead and Copper in Nonferrous Alloys
by Metastannic and Metantimanic Acids. Philippine
Journal of Science, Vol. 43, Nov. 1930, p. 403.

DEVLET-KILDEEVA, M. D. and RAIKHSTEIN, B. A. Effect of Lead on
Isolated Uterns. Kazausky Meditsinsky, Vol. 26,
July 1930, p. 690.

Results of a study of the effect of lead on
the uterine muscle. This study was under-
taken because of the frequent occurrence of
sterility, abortion and premature labor among
women working in lead industries.*

Abst. Jour. of American Medical Association, Oct.-
Dec. 1930, pp. 1545-1546.

ELISSAHOVITCH, I. M. Internal Secretion Glands During Poisoning by Lead and Carbon Monoxide. Méd. du travail, March 1930, pp. 139-146.

Atrophy of the thyroid occurs in dogs and cats poisoned by white lead in their food.*

Abst. Journal of Industrial Hygiene, Vol. 12, No. 10, Dec. 1930, p. 220.

ERENBURG, G. S. The Danger of Lead Poisoning in the Enameling Industry. Arb. Lenigrad. Inst. Gewerbehyg. Vol. 3, No. 4, 1930, pp. 231-239.

ETIENNE, G. Subacute, Anterior Poliomyelitis with Mild Beginning of Pseudosaturine, Antebrachial Type. Rev. Méd. de l'est, Vol. 58, May 1, 1930, pp. 362-364.

FAGGIOLI, A. Value of Thick Drop in Examination of Erythrocytes in Diagnosis of Lead Poisoning. Arch. di autopol. crim. (supp.) Vol. 50, 1930, p. 1513.

FANSO GANDOLFO, C. and ZWANCK, A. Lead Poisoning in Printers. Semana Medica, Vol. 37, Sept. 11, 1930, p. 792.

FLECKEL, I. and CHERNOV, I. Early Diagnosis of Lead Poisoning. Zentr. Gewerbehyg. Unfallverhütung. Vol. 17, March 1930, pp. 65-74.

The authors have studied a large number of persons, some healthy and others showing symptoms of Pb poisoning. They developed a method of classification, based on the ratio of reticulocytes to normal erythrocytes. The relation of hemoglobin content to reticulocytes in persons working with Pb and others outside of the industry is shown.

Abst. Chemical Abstracts, Vol. 25, No. 15, August 10, 1931, p. 4059.

FOREIGN LETTERS - LONDON. Tetra-ethyl Lead in Motor Spirit. Jour. of American Medical Assn., Vol. 94, No. 18, May 3, 1930.

The final report of the committee appointed by the minister of health to inquire into the possible dangers to health from the use of motor spirit containing tetra-ethyl lead confirms the previous report - that there are no reasons for prohibiting the use of ethyl gasoline so long as adequate precautions are observed.*

FRETWURST, Fritz and HERTZ, Arthur. The Determination of Lead in Feces and Urine and its Significance for the Diagnosis of Lead Poisoning. Arch. Hyg., Vol. 104, 1930, pp. 315-325.

A method is described for the determination of lead in feces and urine by which 0.01 mg. of lead may be determined.*

Abst. Chemical Abstracts, Vol. 25, May 10, 1931, p. 2166.

FRIEDLAND, I. G. Convulsions and Paresthesia - Lead Poisoning. Gig. bezopass.i.pat.truda, Vol. 8, No. 5, 1930, pp. 9-20.

GERBIS, Gangrene of Lower Extremities (Raynaud's disease) in
Printer. Aezt. Sachverst - Ztg., Vol. 36, June 1, 1930,
pp. 161-168.

GOUGEROT, H. Artificial Dermatitis and Eczema due to Application of
Zinc Oxide or Lead Plaster; 2 cases. Bull. Soc. franc.
de dermat. et syph., Vol. 37, Nov. 1930, p. 1163.

GRUNBERG, F. F. Morphologic Changes in Sympathetic Nervous System in
Experimental Poisoning. Virchows Arch. j. path. Anat.,
Vol. 278, 1930, pp. 372-382.

Observations made on the histologic changes
in various ganglia in 18 cats poisoned with
lead carbonate indicate that severe nervous
symptoms in lead poisoning are due not only
to functional but organic disturbances.*

Abst. Journal of Industrial Hygiene, Vol. 14, No. 1,
January 1932, p. 6.

HAWES, R. B. Lead Poisoning in Chinese Girls. Malayan M. J.
Vol. 5, June 1930, pp. 69-70.

HEGNA, H. Lead Poisoning. Norsk Magasin for Laegeridenskapen,
Vol. 91, June 1930, p. 673.

Hegna presents six cases of lead poisoning
due to inhaling and swallowing lead dust.
In four cases the intoxication occurred in
spite of the uses of masks during work.*

Abst. Journal of the American Medical Association,
Vol. 95, No. 13, Sept. 27, 1930, p. 978.

HENRIQUES, V. and OKKELS, H. Histochemical Investigation on the
Method by which Gold and Lead are Deposited in the
Organism. Pflugers Arch. ges. Physiol. Vol. 225,
1930, p. 364.

The locus of deposition of Au and Pb compounds
injected intravenously into rabbits is depend-
ent upon the nature of compounds introduced.*

Abst. Chem. Abstracts, Vol. 24, November 10, 1930,
p. 5314.

HERITES, Jaromir. Qualities of Red Lead Required for Practice.
Chem. Listy, Vol. 24, 1930, p. 218-20.

Procedures for analyses are given in detail.*

Abst. Chemical Abstracts, Vol. 25, No. 6, March 20,
1931, p. 1397.

INDUSTRIAL AND LABOUR INFORMATION. Protection against Lead
Poisoning in Germany. Indust. & Labour Inf.,
Vol. 35, No. 1, July 7, 1930, p. 54.

Description of recent order relating to the
protection of workers engaged in house paint-
ing against the risks of lead poisoning,
issued by the German Government in 1930.*

Abst. American Journal of Public Health, Vol. XX,
No. 10, Oct. 1930, p. 1152.

K.

KEHOE, R. A. Diagnosis and Treatment of Lead Poisoning. J. Med.
Australia, Vol. 11, March 1930, pp. 3-11.

KEOGH, E. V. and GARNET, J. R. Erythrocyte Sedimentation Test in
Lead Absorption. M. J. Australia, Vol. 1, June 7,
1930, pp. 744-746.

KRUSE, Professor and FISCHER, Dr. M. Lead Poisoning from Tap Water.
Hygienisches Institut, University of Leipzig.

Results of investigation of the occurrence
of lead poisoning from the drinking water
in Leipzig.*

Abst. Journal of American Medical Association, Vol. 95,
No. 22, Nov. 29, 1930, p. 1684.

- LASIUS, O. J. Normal Blood Pressure. Arch.J.Gewerbepath.u.Gewerbehyg., Vol. 1, Sept. 13, 1930, pp. 574-581.
- LEDO, E. Treatment of Varicose Veins with Sheet of Lead. Clin.y.Lab., Vol. 16, Oct. 1930, pp. 304-309.
- LEVI, A. and VOLTA, E. Effects of Lead and Zinc on Experimental Tumors in White Rats. Arch.di.biol., Vol. 7, May, June 1930, pp. 25-33.
- LEWY, F. H. and WEIZS, S. Chronaxia in Slightly and Much Exposed Industrial Workers. Arch.J.Gewerbepath.u.Gewerbehyg., Vol. 1, Sept. 13, 1930, pp. 561-568. ✓
- LITZNER, S. Advances in Treatment of Lead Poisoning. Fortschr.d. Therap., Vol. 6, Dec. 10, 1930, pp. 717-722.
- LOMHOLT, S. Distribution of Lead in Organism. Hospitalstidende, Vol. 73, June 26, 1930, p. 713.
- LORRAINE, N. Severe Poisoning from Drinking Water; Case: Lancet, Vol. 2, Dec. 20, 1930, p. 1347.
- LYUBLINA, E. I. The Functional Properties of The Cardiovascular System of Laborers Manifesting Symptoms of Lead Poisoning. Arb.Leningrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 96-108.
- Workers manifesting second-degree symptoms of lead poisoning show various functional changes in the cardiovascular system.
- Abst. Journal of Industrial Hygiene, Vol. 13, No. 10, Dec. 1931, p. 261.

- MOISSEFF, S. G. Capillaries in Lead Poisoning. Klin. Med., Vol. 8, No. 12, 1930, pp. 686-692.
- MAKARITSCHEW, A. Slight Effect of Sulfur Baths on Lead Poisoning. Zentralbl.f.Gewerbehyg., Vol. 7, June 1930, pp. 159-161.
- MARGOLIN, L. I. Lead Poisoning Among Autogenous Welders in the Scraping of Naval Vessels and Means for Combating it. Arb. Lenigrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 205-224.
- The usual respirator was found inefficient and a new type of respirator is described.
- Abst. Journal of Industrial Hygiene, Vol. 13, No. 10, Dec. 1931, p. 263.
- MASSA, M. Pathogenic Effects of Coproporphyrin. Med.del.lavoro. Vol. 21, January 31, 1930, pp. 7-17.
- MATTINA, A. Lead in Malignant Tumors. Cultura Med. Mod., Vol. 9, Nov. 15, 1930, pp. 890-901.
- McDONALD, S. F. Kinor Manifestations of Plumbism in Childhood. M. J. Australia, Vol. 1, June 21, 1930, pp. 806-810.
- McLEAN, J. A. Changes in Blood and Haematopoietic Tissue in Experimental Lead Poisoning. M. J. Australia, Vol. 2, July 5, 1930, pp. 1-18.
- Rabbits that have died from acute lead poisoning caused by intravenous injections of colloidal lead show various changes in the blood which are not evident in those killed.*
- Abst. Chem. Abstracts, Vol. 24, Oct. 10, 1930, p. 4867.

MIYASAKI, S. Lead: Prevention of Absorption from Gastro-Intestinal Canal. Archiv.f.exper. Pathologie u. Pharmacol, Vol. 150, April 1930. p. 39.

Miyasaki concludes that the absorption of lead from the gastro-intestinal canal is to be considered as a simple process of diffusion.*

Abst. Journal of American Medical Assn., Vol. 95, No. 3, July 19, 1930, p. 238.

MOORE, G. A. Lead Poisoning and The Eighteenth Amendment. American Journal of Surgery, Vol. 10, Oct. 1930, p. 32. ✓

Moore suggests that a more extensive search for lead as an etiologic factor in many of the so-called "scofflaws" who are suffering from symptoms of peptic ulcer and enteritis might increase the incidence of lead poisoning.

Abst. Journal of American Medical Assn., Vol. 10, Oct. 1930, p. 32.

MOPPETT, W. Action of Colloidal Lead on an in-Vitro Culture with Reference to Supplementary Irradiation. M.J. Australia, Vol. 2, Nov. 22, 1930, pp. 690-692.

MUCK, O. Lead Poisoning - Diagnosis of Angioplastic Effect by Epinephrine Sound Test. Arch.J.Gewerbepath.u. Gewerbehyg.; Vol. 1, Sept. 13, 1930, pp. 569-573.

NEBULONI, A. Lead Poisoning - Relation to Constitution. Med. del. lavoro, Vol. 21, Aug. 31, 1930, p. 352; Sept. 30, 1930, p. 416; Oct. 31, 1930, p. 463.

NEDOK, M. Etiology of Lead Poisoning. Wiener Klinische Wochenschrift, Vol. 43, April 3, 1930, pp. 417-448.

Nedok reports his observations on three patients who showed the clinical aspects of lead poisoning.*

Abst. Journal of American Medical Assn., Vol. 95, No. 1, July 5, 1930, p. 84.

NEWMAN, R. K. Excretion of Lead in Urine and Feces of Patients Injected with Colloidal Lead. Medical Journal of Australia, Vol. 1, June 14, 1930, pp. 781-785.

The results of the examination made by Newman of the excretion of lead following injections support the belief that the therapeutic action of the lead is a quantitative rather than a qualitative one.*

Abst. Journal of American Medical Assn., Vol. 95, No. 8, July 23, 1930, p. 629.

NEWMAN, R. K. Intravenous Injections. J. Cancer Research. Com., University Sydney, Vol. 2, May 1, 1930, pp. 18-26.

The chemical reactions following the injection of lead preparations, the distribution of lead in the body and its mode and rate of excretion are discussed.

Abst. Chem. Abstracts, Vol. 24, Oct. 10, 1930, p. 4862.

NEWMAN, R. K. Relative Rates of Excretion after Injection of Colloidal Lead and Colloidal Lead Orthophosphate. M. J. Australia, Vol. 1, Feb. 8, 1930, pp. 170-177.

- OKKELS, H. Histochemical Detection of Lead. Compt. rend. Soc. de biol., Vol. 102, Jan. 3, 1930, pp. 1089-1091.
- OKSMANAS, G. Acute Lead Poisoning. Medicina, Kaunas, Vol. 11, Sept. 1930, pp. 639-641.
- ORESTANO, G. Eventual Formation of Lead Phosphorous Compounds in Body. Boll.d.Soc.ital.di biol. sper., Vol. 5, March 1930, pp. 273-275.
- ORESTANO, G. The Formation of Compounds between Lead and Lipoids in the Organism - Fatty Acids of the Liver in Lead Poisoning. II. Arch.intern.Pharmacodynamie, Vol. 39, 1930, pp. 285-93.

The results from administering lead compounds to animals by the gastric route are described.*

Abst. Chemical Abstracts, Vol. 25, No. 18, Sept. 20, 1931, p. 4936.

- ORESTANO, G. Formation of Compounds between Lead and Lipoids in Body; Behavior of Fatty Acids of Liver in Lead Poisoning. Arch.sci.biol., Vol. 15, 1930, pp. 204-214.

The formation of compounds between lead and lipoids in the organism. The behavior of the fatty acids of the liver in lead poisoning.

Abst. Chemical Abstracts, Vol. 25, No. 6, March 20, 1931, p. 1286.

PAKHORUKOVA, L. D. Sanitation Experiments in (Gun-) Shot Manufacture. Arb. Lenigrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 151-160.

Mechanization and air-tight sealing of the various processes of manufacturing shot have been tried experimentally as a means of eliminating danger to the worker due to lead poisoning. These sanitary measures were found effective, incidentally leading to increased production.

Abst. Journal of Industrial Hygiene, Vol. 13, No. 10, Dec. 1931, p. 262.

PALMER, A. and SHELDAN, S. Lead Poisoning by Arsenate of Lead. M.J. Australia, Vol. 1, March 22, 1930, pp. 390-391.

PANSE, F. Fortschritte in der Erkennung und Bekämpfung der Bleivergiftung in der Industrie und im Gewerbe; neu aufgetretene Bleivergiftungsgefahren. Heft 6 of Bd. 29 of "Veröffentlichungen aus dem Gebiete der Medizinalverwaltung." Berlin: Richard Schoetz 44 pp - m.2,40. Reviewed in Chimie & Industrie, 23,807 (1930)

Abst. Chem. Abstracts, Vol. 24, No. 18, Sept. 20, 1930, p. 4562.

PEDLEY, Frank G. The Effects of Lead on the Vision: A Case of Sub-hyaloid Hemorrhage. Journal of Industrial Hygiene, Vol. 12, No. 10, Dec. 1930, pp. 359-363.

This contribution discusses the literature with reference to the effects of lead on vision, and presents references to five cases of lead poisoning with associated eye disorders. From the authors experience one of these cases, that of sub-hyaloid, is presented in some detail.*

Abst. American Journal of Public Health, Vol. 21, No. 5, May 1931, p. 564.

PENTISCHEW, A. and KASSOWITZ, H. Experimental Investigation of Pellagra, Ergotism and Lead Poisoning. III. Studies on Lead Poisoning. Krankheitsforsch. 8, 407-26 (1930).

Chronic poisoning results after continued injections of lead and animals become sensitive to quantities which ordinarily are without effect.

Abst. Chem. Abstracts, Vol. 25, No. 17, Sept. 10, 1931, p. 4622.

PETROFF, J. R. Investigation of the Behavior of the Blood Pressure and the Heart Action in Lead Poisoning. Arch.f.Exp. Path.u.Pharmak., Vol. 148, 1930, pp. 330-341.

Description of the effects of lead on the circulation in acute and chronic lead poisoning, *

Abst. Journal of Industrial Hygiene, pp. 49-84;
Abs. pp. 21-44, Feb. 1931, p. 25.

PETROV, J. R. The Pathology of Lead Poisoning. Arb.Leningrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930. pp. 62-95.

Description of the pathologic picture produced by inhalation of red lead dust which is identical with the picture of general lead poisoning, *

Abst. Journal of Industrial Hygiene, Vol. 13, No. 10, Dec. 1931, p. 260.

QUERIES AND MINOR NOTES. Burn with Tetra-ethyl Lead or Ethylene Dibromide. Jour. of American Medical Association, Oct.-Dec. 1930, p. 1446.

Information as to antidote and neutralizing agent to be used on a burn with tetra-ethyl lead or ethylene dibromide.*

QUERIES AND MINOR NOTES. Callus Formation Delayed in Lead Poisoning. Journal of American Medical Association, Vol. 95, No. 12, Sept. 20, 1930, p. 884.

Discussion of the possibility of the presence of lead in bone hampering the laying down of a callus in fracture cases.*

QUERIES AND MINOR NOTES. Effect of Lead and Tin Weighted Silk Clothing. Jour. of American Medical Association, Vol. 94, No. 26, June 28, 1930, p. 2086.

Lead is not absorbed through the skin except in the form of tetra-ethyl lead. Therefore, lead weighting of silk is not likely to effect the health of the wearer.*

RICHARDSON, F. W. Determination of Minute Amounts of Lead and Copper in Food and Beverages, etc. Analyst, Vol. 55, 1930, pp. 323-325.

Details are given for the practical application of the method of the determination of minute amounts of copper and lead.*

Abst. Chem. Abstracts, Vol. 24, August 10, 1930, p. 3835.

ROFF, Avery. The Arsenic and Lead Limits of the British Pharmacopoeia. Pharm. Journal, Vol. 124, 1930, pp. 506-507.

Certain inconsistencies are pointed out and suggestions are made.

Abst. Chem. Abstracts, Vol. 24, No. 21, Nov. 10, 1930, p. 5433. (See C.A. 24,2238).

ROSENTHAL, W., and ROSENTHAL-DEUSSEN, E. Risks in New Methods of Work Spraying. Deutsch. med. Wchnschr., Vol. 56, 1930, pp. 1444-1446; pp. 1487-1489.

This article in two numbers is intended to enlighten medical practitioners in industrial districts where the process of cellulose lead and other forms of spraying are carried on now in increasing volume, and to indicate what to look for in the way of symptoms.*

Abst. Journal of Industrial Hygiene, Vol. 13, No. 5, May 1931, p.212.

SACHER, Jul F. New Rust-Preventive Pigments as Substitute for Red Lead. Chem. Ztg., Vol. 54, 1930, pp. 781-782.

The pigments ordinarily used as rust preventives are listed in order of their rust resisting qualities.*

Abst. Chem. Abstracts, Vol. 25, No. 6, March 20, 1931, p. 1397.

SCHACHNOWSKAJA, S. Mobilization of Lead Under Influence of KI and Sodium Bicarbonate. Zeitschrift f. d. ges. experimentelle Medizin, Vol. 70, March 15, 1930, pp. 513-526.

Chronic lead poisoning was produced in rabbits and guinea pigs. No toxic symptoms followed the use of KI although lead was excreted in the urine.*

Abst. Chem. Abstracts, Vol. 24, Nov. 20, 1930, p. 5862.

SCHIVO, A. J. and POZZI, E. New Product on Basis of Colloidal Lead: Case. Bull. et. mém. Soc. méd. d'hôp de Bucarest, Vol. 12, Jan. 1930, pp. 5-9.

SCHMIDT, K. W. The Biological Action of Waste Water from Lead and Zinc Smelters. Z. Fischerei, Vol. 28, 1930, p. 105; Wasser u. Abwasser, Vol. 28, 1931, p. 127.

In the vicinity of smelters in the Harz Mountains (Germany) numerous biological tests showed the waste water to be without appreciable effect on fish and lower organisms in the neighboring rivers.

Abst. Chem. Abstracts, Vol. 26, March 10, 1932, p. 1368.

SENEIDERMAN, M. G. and PROZOROV, B. A. Sanitary and Hygienic Conditions in the Newly Mechanized Process of the Manufacture of Red Lead and Letharge in the Mendeleyev Factory. Arb. Leningrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 170-181.

SORRENTINO, M. Lead Poisoning from Holding Nails in Mouth; Case.
Rinasc. Med., Vol. 7, Sept. 15, 1930, pp. 450-52.

STAS, M. E. Determination of Small Amounts of Zinc in the Presence
of Lead. Pharm. Weelbl., 1930, pp. 93-97.

In the absence of the sulphide or
ferrocyanide nephelometric methods
of zinc determination (which require
the removal of lead in any case in
order to give results), the o-oxyquino-
line method gives good results even in
the presence of lead.

Abst. Journal of Industrial Hygiene, Vol. 14, No. 3,
March 1932, p. 65.

STICK, Solubility of Lead in the Municipal Water of Leipzig.
Pharm. Ztg., Vol. 75, 1930, pp. 1262-1263.

The results are given which were obtained
in a comparative series of experiments on
the solubility of Pb. shavings and pipe
in various types of distilled water and
that delivered in the mains of Leipzig.
The results reported emphasize the neces-
sity for consistent control of municipal
waters coming in contact with Pb conduits.

Abst. Chem. Abstracts, Vol. 25, No. 3, Feb. 10, 1931,
p. 550.

TAYLOR, H. B. A Criticism of Recent Work on the Presence of Lead in the Egg of the Domestic Hen. Med. J. Australia, Vol. 1, 1930, pp. 675-679.

The lead content of eggs obtained from various sources does not exceed 0.005 mg. when the fowls are fed on ordinary food giving a lead intake of approximately 0.5 mg. lead daily.*

Abst. Chem. Abstracts, Vol. 25, July 20, 1931, p. 3716.

TOFT, E. Lead Poisoning - Case. Ugeskrift for Læger, Copenhagen, Vol. 92, Feb. 20, 1930, p. 193.

TORELLI, G. Effects of Chronic Lead Poisoning on Offspring; Cases. Med. del. lavoro, Vol. 21, March 31, 1930, pp. 110-121. ✓

TOULOUSE, E. and COURTOIS, A. Lead Poisoning - Causing Severe Mental Troubles; Case. Bull. Soc. clin. de Médiment, Vol. 18, June-July 1930, pp. 95-99.

TRUMPER, Max. Some Recent Advances in Toxicology. Intern Clinics (40). Vol. 1, 1930, pp. 233-246.

A review of recent work on the toxicology of Alcohol, Pb, CCL₄, C₆H₆, H₃BO₃, H₂Cl₂, bromides, gas hazards in fires, poisonous gaseous refrigerants and coal oil poisoning.

Abst. Chem. Abstracts, Vol. 24, No. 20, Oct. 20, 1930, p. 5070.

UGLOW, W. A., REBERG, W. A., and BOLTINA, M. W. Lead Contents of Glazings in Ukranian Pottery. Ztschr. f. Untersuch.d. Lebensmilt, Vol. 59, April 1930, pp. 379-394.

Fifty-five samples of pottery glazes were examined for lead content. There was considerable variation in Pb content of the different articles examined though the authors believe that enough lead was present in some cases to be of public health significance.*

Abst. Chem. Abstracts, Vol. 24, Nov. 20, 1930, p. 5956.

ULLMANN, H. J. Lead Therapy. Amer. J. Roentgenol. & Rad. Therapy, Vol. 23, March 1930, p. 306.

VALDIGINE, and PLANQUE. Total Case of Toxicoderma from Capillary Tincture of Lead Acetate. Ann. de dermat. et syph., Vol. 1, Oct. 1930, pp. 1026-1037.

VALLERY-RADOT and DEROT, M. Saturnine Nephritis. Paris méd., Vol. 2, Oct. 18, 1930, pp. 341-346.

VIGDORCHIK, E. A. and KUPRITZ, E. N. An Evaluation of the Sanitary Aspects of Occupations in which Lead is Among the Working Materials. Arb. Leningrad. Inst. Gewerbehyg. u. Unfallverhütung 3, No. 4, 1930, pp. 241-311.

An excellent index of the functions performed by the sectional workers, the types of lead compounds primarily concerned, temperature at which the lead substances are used, etc.

Abst. Chemical Abstracts, Vol. 25, No. 13, July 10, 1931, p. 3412.

VIGDORCHIK, E. A. and KUPRITZ, E. N. High-Temperature Lead Smelting. Arb. Leningrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 225-230.

Recommendations are: (1) rapid removal of lead vapors, (2) instruction in personal hygiene, and (3) medico-prophylactic measures of the dispensary type.

Abst. Journal of Industrial Hygiene, Vol. 13, No. 10, Dec. 1931, p. 263.

VIGDORCHIK, E. A. and KUPRITZ, E. N. Introduction of Labor Hygiene in the Manufacture of Accumulators. Arb. Leningrad. Inst. Gewerbehyg., Vol. 3, No. 4, 1930, pp. 122-150.

An extensive survey of the manufacture of accumulators with special reference to lead as a hazard to health of the laborers is made, and recommendations for the introduction of certain protective and sanitary measures are formulated.

Abst. Journal of Industrial Hygiene, Vol. 13, No. 10, December 1931, p. 262.

VIZIOLI, F. Effects of Experimental Poisoning on Neuroglia and Oligodendroglia. Riv. di pat. nerv., Vol. 35, Jan.-Feb., 1930, pp. 183-189.

VOGT, E. C. Roentgen Sign of Plumbism; Lead Line in Growing Bone. Am. J. Roentgenol., Vol. 24, Nov. 1930, pp. 550-553.

The sign described by Vogt consists of a marked flaring of the ends of the long bones with an unusually dense zone at the end of the diaphyses. On chemical examination, lead was found in this zone.*

Abst. Journal of American Medical Association, Vol. 96, No. 2, Jan. 10, 1931, p. 143.

WEISBACH, W. Occupational Diseases of Lead Solderers. Méd. du travail. July 1930, pp. 270-276.

The author found no grounds for presuming that all lead solderers are liable to contract lead poisoning.*

Abst. Journal of Industrial Hygiene, Vol. 12, No. 10, Dec. 1930. p. 219.

WELLER, C. V. Lead Poisoning in English Books of Trades. Annals of Internal Medicine, Vol. 4, July 1930, pp. 81-93.

WELLS, C. A. Acute Lead Poisoning: Prevention, Diagnosis and Treatment. Canadian Med. Assn. Journal, Vol. 22, June 1930, p. 825.

This paper refers to cases of acute lead poisoning occurring in men engaged in the manufacture of storage batteries. The symptoms and signs of lead poisoning are given.*

Abst. Journal of Industrial Hygiene, Vol. 13, No. 4, April 1931, p. 88.

WEYRAUCH. New Investigations on the Absorption of Lead and its Distribution in the Organism in Experimental Poisoning. Ztschr.f.Hyg.u.Infektionskrankh., Vol. 111, 1930, pp. 162-179.

Description of the process for determining lead in blood.*

Abst. Chem. Abstracts, Vol. 24, July 20, 1930, p. 3560.

WILLIS, John W., M.D. Plumbism. U.S. Vet. Bur. M. Bull., Vol. 6, July 1930, pp. 608-611.

A case report of chronic lead poisoning in a painter.*

Abst. Chem. Abstracts, Vol. 24, October 10, 1930, p. 485.

WITHERS, S. Therapeutic Lead Poisoning. Amer. J. Roentgenol. and
Rad. Therapy, Vol. 24, August 1930, p. 169.

WOOD, F. C. Detection of Small Quantities of Lead in Tissues.
Journal of Cancer Research, Vol. 14, August 1930,
pp. 476-485.

Wood discusses methods and errors in
spectroscopic detection of small quan-
tities of elements in tissues.*

Abst. Chem. Abstracts, Vol. 24, Nov. 20, 1930,
p. 5858.

CANCER SECTION

- - - - -

BIBLIOGRAPHY ON LEAD POISONING

CANCER

1930

ANTANIOLI, G. M. and VILLATA, G. Experimental and Clinical
Investigations on the Lead Preparation "Dezani".
Arch. farmacol. sper. Vol. 50, 1930, pp. 268-285.

In the treatment of 10 patients with
malignant tumors the non-colloidal
preparation "Dezani" gave no encour-
aging results, though in some cases
a temporary improvement was seen.*

Abst. Chemical Abstracts, Vol. 24, Oct. 10, 1930,
pp. 4861-4862.

BRUNTON, C. E. Lead Therapy in Inoperable Cancer. Irish J. M. Sc.,
June 1930, pp. 247-253.

COFMAN, V. Lead Preparations in Treatment of Cancer. Néoplasmes,
Vol. 9, 1930, pp. 5-40.

A general review of lead compounds used
in the treatment of cancer with special
reference to colloidal lead and several
methods of preparation.

Abst. Chemical Abstracts, Vol. 24, July 20, 1930,
p. 3604.

COSTA, A. and GUASTALLA, R. Unsatisfactory Results with Dezani's
Lead Preparation - Case. Minerva med., Vol. 2,
July 21, 1930, pp. 80-85.

Dezani's lead preparation was found to
have a deleterious action on the kidneys
and caused thromboses and general lead
poisoning.*

Abst. Chemical Abstracts, Vol. 24, Nov. 10, 1930,
p. 5378.

DUROUX, E. Favorable Local Effects of Lead in Ulcerated Cancers.
Bull. Med. Paris, Vol. 44, June 5, 1930, p. 413.

GILMAN, H., GRUHZIT, O. M., ROBINSON, J. D. and TOWNE, E. B.
The Toxicities of some organo-lead Compounds for
Cancer and Related Studies. Proc. Iowa Acad. Sci.,
37, 248 (1930); cf. C.A. 25, 2485.

In connection with the application of
organo-Pb. in cancer, in some plant
diseases as antiknock reagents, a phar-
macol study has been made of the relative
toxicities of a miscellany of products
derived from alkyl and aryl Pb. compounds.

Abst. Chemical Abstracts, Vol. 25, No. 17, Sept. 10,
1931, p. 4619.

KNOX, L. C. Lead Therapy. Amer. J. Roentgenol. & Rad. Therapy,
Vol. 23, March 1930, p. 304.

Knox's experience in about seventy cases
has convinced her that colloidal lead
has been effective in prolonging the
lives of some patients with malignant
disease."

Abst. Jour. of American Medical Association, Vol. 94,
No. 18, May 3, 1930, p. 1437.

NEWMANN, Rollo K. Preparations of Colloidal Lead for the Treatment
of Cancer. J. Proc. Sydney tech. Coll. Chem. Soc.,
Vol. 4, 1930, pp. 35-40.

A review of Bell's therapeutic application
of colloidal lead. The results are tabulated.
Despite the comparatively small no. of suc-
cesses with colloidal lead treatment, results
offer some promise.

Abst. Chemical Abstracts, Vol. 24, Aug. 10, 1930,
p. 3829.

NARASIMHAN, N. S. Lead in Cancer Therapy. Madras M.J., Vol. 12,
Oct. 1930, pp. 183-195.

1931 - 1932

AIELLO, G. Lead Poisoning - Kidney diseases. Med.del
 lavoro, Vol. 22, April 30, 1931, pp. 145-157.

ANZILOTTI, A. Radiologic Examination of Digestive System
 in Chronic Lead Poisoning. Radiol.med.
 Vol. 18, March 1931, pp. 356-381.

BARTH, E. Lead Content of Human Bones. Virchows Archiv f. path. Anat.u.Physiol. Berlin, Vol. 281, June 23, 1931, p. 146.

Discussion of the lead content of the bones of a number of dead persons of various ages investigated by means of the micro-method developed at the Halle Hygienic Institute (Paul Schmidt).*

Abst. J. Industrial Hygiene, Vol. 14, No. 6, June 1932, p. 138.

BAUER, W., SALTER, W. T. and AUB, J. C. Calcium Chloride to Relieve Lead Colic. Jour. Amer. Medical Assn., Vol. 96, No. 15, April 11, 1931, p. 1216.

Discussion of the use of injections of calcium chloride to relieve intense abdominal pain in cases of lead poisoning.*

BAZZANO, S. Decrease in Number and Gravity of Cases in Varnishers in Milan, 1911 - 1931. Med. del. lavoro, Vol. 22, Sept. 30, 1931, pp. 352-355.

BAZZANO, S. Digestive Hemoclasia; 18 Cases. Med. del. lavoro, Vol. 22, Feb. 1931, pp. 58-67.

BERRY, E.H. Report on (the determination of) lead (in foods). J. Assoc. Official Agr. Chem., Vol. 14, 1931, pp. 452-454.

Preliminary investigation indicated that satisfactory results can be obtained by ashing at dull red heat (about 500°), pptg. the Pb as sulfide and finally weighing as chromate; but collaborative work is necessary before the method can be recommended for adoption as official.

Abst. Chem. Abstracts, Vol. 26, No. 3, Feb. 10, 1932, p. 775.

BICKERT, F. W. Effect of Industrial Poisoning on Formation of Immune Bodies. Arch.f.Hyg., Vol. 106, 1931, pp. 271-298.

The subcutaneous administration of Pb (OAc)₂ and other lead salts to rabbits appears to stimulate the production of hemolysins for sheep erythrocytes, of agglutinins for typhus bacilli and of an antitoxin for diphtheria toxin.*

- BIROSEL, D. M. Ether - Insoluble Lead Salt of Lumbang Oil.
Philippine Journal of Science, Vol. 45, June 1931,
p. 251.
- BISHOP, W. B. S. Effect of Colloidal Lead Orthophosphate on
Domestic Hen. Medical Journal of Australia, Vol. 2,
Aug. 1, 1931, p. 130.
- BISHOP, W. B. S. Estimation of Lead in Egg of Domestic Hen. Medical
Journal of Australia, Vol. 2, Aug. 8, 1931, p. 197.
- BLAND, E. F. and WHITE, P. D. Clinical Significance of Complete
Inversion of Lead III of Human Electrocardiogram.
American Heart Journal, Vol. 6, Feb. 1931, p. 333.
- The results of a clinical study of 100
patients with complete inversion of lead
III of the electrocardiogram are presented.*
- Abst. J.A.M.A., Vol. 96, No.19, May 9, 1931, p. 1648.
- BRAMWELL, E. Some Clinical Pictures Attributable to Lead Poisoning
with Especial Reference to Neurologic Manifestations of
Plumbism. British Medical Journal, Vol. 2, July 18,
1931, pp. 87-92.
- The author points out that the possibility of
lead poisoning calls for consideration in all
cases with anomalous nervous symptoms.*
- Abst. J. Industrial Hyg., Vol.14, No.1, Jan. 1932, p. 7.
- BÜLL, H. Microdetermination of Lead in an Organism. Biochem.
Ztschr., Vol. 230, 1931, pp. 299-303.
- BURKE, Wm. J., Chemical Engineer. Control of "Ethyl Gas" Hazard.
Industrial Bulletin, State Dept. of Labor, Vol. 11,
No. 2, Nov. 1931, p. 37.
- The author points out that if, in the use
of ethyl gas, the carbon monoxide concen-
tration is properly reduced by adequate
ventilation, it will also control the
hazards due to lead in exhaust gases.*

CAFFEY, J. Clinical and Experimental Lead Poisoning: Some Roentgenologic and Anatomic Changes in Growing Bones. Radiology, St. Paul, Vol. 17, Nov. 1931, p. 957.

Report of 3 cases of chronic lead poisoning in children showing changes in the roentgenograms of the long bones.*

Abst. Journal A.M.A., Vol. 98, No. 1, Jan. 2, 1932, pp. 81-82.

CASTELLINO, N. Pain in Vagus Nerve from Lead Poisoning Case. Folia med., Vol. 17, Jan. 15, 1931, pp. 3-32.

COBAS, E. Moreno and MOROSOLI, L. Munuera. Pneumoconiosis - Lead Poisoning. Ann. de med., Vol. 30, June 1931, pp. 15-30.

COLIN, E. C. A Comparison of Descendants of Lead-poisoned Male Guinea Pigs with those from Untreated Animals of some Closely inbred strains. Jour. Exper. Zool., Vol. 60, Nov. 5, 1931, pp. 427-484.

CURRENT COMMENT. Jour. Amer. Med. Assn., Vol. 96, No. 3, June 6, 1931, p. 1956.

Lead poisoning induced in childhood may reveal itself in roentgenograms of the adolescent skeleton.*

DASSEN, R. Differential Diagnosis of Saturnine Colic and Acute Appendicitis; Case. Semana Med., Vol. 2, Nov. 19, 1931, pp. 1579-1581.

FALCONER, E. H. Lead Intoxication. California and Western Medicine, Vol. 34, April 1931, p. 250.

FLORET. Connection between Lead Poisoning and Cardiac-Esophageal Spasms. Zentralbl.f.Gewerbehyg., Vol. 8, June 1931, N.S., pp. 148-150. Tuberculosis of the Lungs and Doubtful Lead Poisoning. Ibid., pp. 150-152; 152-154.

These are three judgments given in full by medical referees.*

Abst. Jour. of Industrial Hygiene, Vol. 14, No. 5, May 1932, pp. 129-130.

FONTANA, Alfredo. Splenic Hyalinosis in the Course of Chronic Lead Poisoning. Minerva med., Vol. 2, Dec. 15, 1931, pp. 813-820.

Discussion of marked hyaline degeneration of the spleen due to chronic lead poisoning.*

Abst. Jour. A.M.A., Vol. 98, No. 11, March 12, 1932, p. 929.

FOREIGN LETTERS, Berlin. Poisoning from Drinking Water - Leipzig. Jour.A.M.A., Vol. 96, No.17, April 25, 1931, p. 1422.

Report of Kruse and Fischer on their investigations of the epidemic of lead poisoning from tap water in Leipzig.*

FOREIGN LETTERS, Paris. Chronic Poisoning from Water in Lead Pipes. Jour.A.M.A., Vol. 97, No. 9, Aug. 29, 1931, p. 654.

Report of an investigation of 150 cases of lead intoxication derived from the pipes of the city water system.*

GERLACH, Walther and GERLACH, Werner. Detection of Lead in organic Tissues. Arch.f.Gewerbepath.u.Gewerbehyg., Vol. 2, May 5, 1931, pp. 7-10.

Detection of lead in organic tissues.*

Abst. Chem. Abstracts, Vol. 25, No. 20, Oct. 20, 1931, p. 5368.

GIBSON, J. L. Ocular Plumbism in Children. Brit. J. Ophth., Vol. 15, Nov. 1931, pp. 637-642.

Ocular plumbism in children.*

Abst. J. of Ind. Hyg., Vol. 14, No. 4, April 1932, p. 86.

GILMAN, H. and GRUHZIT, O. M. Relative Toxicities of Some Organic Salts of Triethyl Lead Hydroxide. J. Pharmacol. and Exper. Therap., Vol. 41, Jan. 1931, pp. 1-4.

Discussion of the toxicities of organic salts of triethyl lead hydroxide.*

Abst. Chem. Abstracts, Vol. 25, May 20, 1931, p. 2485.

GLASS, E. Lead Pencil and Indelible Pencil: Different Mode of Healing into Tissues. Zentralblatt für Chirurgie, Leipzig, Vol. 58, July 11, 1931, p. 1770.

GOLDBERG, Rosamond. Occupational Diseases, Sept. 1, 1931, Columbia University Press.

GREIG, J. W. A. Treatment of Lead Poisoning. Univ. Toronto Med. Journal, Vol. 8, Jan. 1931, pp. 93-95.

GRASSL. Nature, Symptoms and Prevention of Chronic Lead Poisoning. Aertztl.Rundschau., Vol. 41, Dec. 10, 1931, p. 323; Dec. 25, 1931, p. 337.

HARTMANN, F. L. Lead Therapy in Leukemia. M.Clin.North America,
Vol. 14, January 1931, pp. 923-933.

HOF, A. Cerebral Disturbances from Lead Poisoning. Deutsche
Ztschr.f.Nervenk., Vol. 117-119, 1931, pp. 214-225.

HOLSTEIN, E. Involvement of Pyramidal Tract in Lead Poisoning.
Arch.f.Gewerbepath.u.Gewerbehyg., Vol. 2, Dec. 17,
1931, pp. 676-687.

ILLINOIS HEALTH MESSENGER. Tests Prevent Lead Poisoning. Vol. 3,
No. 21, Nov. 1, 1931, p. 83.

By a series of blood tests on persons it is possible to indicate marked absorption of lead.*

Abst. Amer. Jour. of Public Health, Vol. 22, No. 3, March 1932, p. 329.

INDUSTRIAL HYGIENE BULLETIN. Wet Sandpapering. N.Y. State Dept. of Labor, Vol. 8, No. 4, October 1931.

Rubbing down painted surfaces is no longer a potential source of lead poisoning because of the existence of waterproof sandpaper.*

INDUSTRIAL HYGIENE AND SAFETY. Lead Poisoning. Industrial and Labour Information, Vol. XL, No. 7, Nov. 16, 1931, p. 251.

The lead poisoning situation in various industries is reviewed.*

INDUSTRIAL HYGIENE AND SAFETY. Use of White Lead in New Zealand. Industrial and Labour Information, Vol. XL, No. 7, Nov. 16, 1931, p. 253.

Discussion of the New Zealand Painters' and Decorators' Health Protection Bill.*

INDUSTRIAL HYGIENE AND SAFETY. Occupational Diseases in The German Chemical Industry.* Industrial and Labour Information, Vol. XL, No. 7, Nov. 16, 1931, p. 252.

INDUSTRIAL AND LABOUR INFORMATION. Proposed Legislation in the Dutch East Indies Prohibition of the Use of Powdered White Lead. Industrial and Labour Information, Vol. 39, No. 13, Sept. 28, 1931.

The Government of the Dutch East Indies recently submitted to the Volksraad a Draft Ordinance prohibiting the manufacture, importation, possession and sale of powdered white lead.*

INDUSTRIAL AND LABOUR INFORMATION. Prohibition of the Use of White Lead in Morocco. Vol. 39, No. 13, Sept. 28, 1931.

J.

JAKOPP, R. and OBORNY, W. Lead Poisoning Among Potters.
Mitt.d.Volksgesundhamt., June 1, 1932, p. 62.

KORNYEY, S. Anatomic Finds in Brain in Acute Catatonic Excitation;
2 Cases. Deutsche. Ztschr.f.Nervenk., Vol. 122, 1931,
p. 18-35.

KEHOE, R. A. and THAMANN, F. The Behavior of Lead in the Animal
Organism 11. Tetraethyl lead. Amer. Jour. of Hyg.,
Vol. 13, 1931, pp. 478-498.

Experiments on about 38 healthy rabbits
show that tetraethyl lead (Pb(Et)₄) is
absorbed through the skin.*

Abst. Biological Abstracts, Vol. 6, Nos. 6-7, June
and July 1932, p. 1666.

KHOKHRYAKOV, K. P. Microchemical Methods for the Estimation of Lead
Dust in Manufacturing Establishments.* Arb.Lenigrad.
Inst.Gewerbehyg., Vol. 3, No. 4, 1930, pp. 13-26.

KLASSEN, P. Errors in Diagnosis of Lead Poisoning from Blue Line on
Gums. Monatschr.f.Unfallh., Vol. 38, Feb. 1931, pp. 56-59.

KLEIN, F. Lead Poisoning from Earlier Bullet Wound of Heart; Case.
Arch.f.Psychiat., Vol. 94, 1931, pp. 128-144.

KRAUS, E. W. and FICKLEN, J. B. Detection of Small Amounts of Lead.
J.Ind. Hygiene, April 1931, Vol. 13, pp. 140-143.

Kraus and Ficklen of the Chemical Laboratory
of the Travelers Insurance Company and the
Travelers Indemnity Company, have outlined a
colorimetric method for the detection and
estimation of small amounts of lead.*

Abst. Ind. Hyg. Digest, Sept. 1931, p. 3.

KUMMEL, M. Medicolegal Aspects of Disability in Industrial Lead
Poisoning. J. M. Soc. New Jersey, Vol. 28, April 1931,
pp. 327-334.

Report of twelve cases of physical disability
following lead poisoning.*

Abst. J. of Ind. Hyg., Vol. 14, No. 3, March 1932, p. 79.

- MAGATH, T. B. Lead Poisoning in Wild Ducks. Proc. Staff Meet., Mayo Clin., Vol. 6, Dec. 23, 1931, pp. 749-752.
- MAJOR, R. H. Landmarks in History of Lead Poisoning. Annals of Medical History, Vol. 3, March 1931, p. 218. ✓ 12R
- MARK, J. S. Differential Diagnosis of Lead Poisoning. New Jersey Med. Soc. Journal, April 1931, Vol. 28, p. 334.
- MARK, J. S. The Prevention and Control of Lead Poisoning in Industry. New Jersey Med. Soc. Journal, Vol. 28, Oct. 1931, p. 773.
- MASCHBITZ, L. and URJEWA, F. Potassium and Calcium Metabolism in Experimental Lead Poisoning. Ztschr.f.d.ges.exper.Med., Vol. 75, 1931, pp. 590-600.
- Experiments were performed on rabbits to determine the potassium and calcium metabolism in lead poisoning.*
- Abst. J. of Ind. Hyg., Vol. 14, No. 5, May 1932, p. 116.
- MATHIEW, E. Lead Poisoning - Case. Union Méd. du Canada, Vol. 60, May 1931, p. 312.
- MAYER, R.L. Cosmetics; Their Injurious Effects. Jour.A.M.A., Vol. 96, No. 5, Jan. 31, 1931, p. 397. ✓
- Injurious effects are caused by such ingredients as white lead.*
- MCDONALD, S. F. Chronic Lead Poisoning. M. J. Australia, Vol. 1, May 9, 1931, pp. 572-575. ✓ 14R
- Discussion of the diagnosis of lead poisoning in children and adults.*
- Abst. J. of Ind. Hyg., Vol. 14, No. 3, March 1932, p. 65.
- MCDONALD, S. F. Primary Kidney Injury Apparently due to Lead. M. J. Australia, Vol. 2, Oct. 10, 1931, pp. 453-454. ✓ 15R

MEDICAL NEWS. Free Tests for Lead Poisoning - Illinois. Jour. A.M.A., Vol. 96, No. 22, May 30, 1931, p. 1881.

Free blood tests by the laboratories of the Illinois State Department of Health are now available for persons exposed to lead poisoning.*

MEDICAL NEWS. Report of Lead Poisoning. Jour.A.M.A., Vol. 96, No. 9, Feb. 28, 1931, p. 697.

Lead Poisoning is the subject of the first report of a series of investigations of industrial diseases being made by the Bureau of Industrial Hygiene of the New York State Department of Labor.*

MILLIGAN, E. Plumbism. Brit. Med. Jour., Vol. 2, Aug. 1, 1931, pp. 222-223.

The existence is stressed of a mild and insidious form of lead poisoning due particularly to lead soluble water.*

Abst. J. Ind. Hyg., Vol. 14, No. 1, Jan. 1932, p. 6.

NEWMAN, R. K. The Excretion of Lead in the Urine after Injection of Colloidal Lead Ortho-phosphate. Med. J. Australia, Vol. 1, March 28, 1931, pp. 373-375; cf. C.A. 25, p. 3726.

After injection, Pb phosphate is not excreted as such nor is it quickly changed in the blood into any excretable form.*

Abst. Chem. Abstracts, Vol. 25, No. 15, Aug. 10, 1931, p. 4063.

NEW YORK STATE DEPT. OF LABOR. Prevention of Lead Poisoning. Ind. Hygiene Division, Series No. 1-A - 1931.

This leaflet prepared by the Division of Industrial Hygiene of the N.Y. State Dept. of Labor aims to acquaint workers, employers, physicians and the public in general with the dangers of lead poisoning, to give simple rules for recognizing them and to suggest some of the improved methods of prevention.

NORMAN, J. L. Lead Poisoning from Chipping on U.S.S. Arizona. U. S. Naval M. Bull., Vol. 29, April 1931, pp. 337-350.

A report of fifteen cases which originated from chipping painted and red-leaded surfaces on a battleship.*

Abst. J. of Ind. Hyg., Vol. 14, No. 4, April 1932, p. 85.

NYE, L. J. J. Saturnine Renal Dwarfism. M. J. Australia, Vol. 2, Dec. 26, 1931, pp. 813-816.

- OMARU, I. Histologic Changes in Nervous System due to Lead Poisoning. Fukuoka-Ikwadaigaku-Zasshi., Vol. 24, Feb. 1931, pp. 7-9.
- ORESTANO, G. Lead Sulphide - Pharmacologic Action of Colloidal Lead Sulphide. Arch.internat.de pharmacodyn. et de therapie, Vol. 41, 1931, pp. 309-344.

PARK, E. A., JACKSON, D. and KAJDI, L. Shadows Produced by Lead in Roentgen-Ray Pictures of Growing Skeleton. American Journal of Diseases of Children, Vol. 41, March 1931, p. 485.

Park and associates state that when taken for a sufficiently long period in sufficient dosage lead apparently can produce changes in the roentgenograms as shadows of increased density.*

Abst. Jour. of A.M.A., 1932, p. 1989.

PORRITT, N. Cumulative Effects of Infinitesimal Doses of Lead. British Medical Journal, Vol. 2, July 18, 1931, pp. 92-94.

A discussion of plumbism.*

Abst. J. Ind. Hyg., Vol. 14, No. 1, Jan. 1932, p. 6.

PEDLEY, Frank G., M.D., and WARD, R. Vance, M.D. Lead Poisoning in Brass and Bronze Foundries. Canadian Medical Assn. Journal, Vol. 25, Sept. 1931, pp. 299-303.

Report of 38 cases of lead poisoning in men engaged in the founding of high lead (railroad) bronze.*

Abst. Amer. Jour. of Public Health, Vol. 22, No. 1, Jan. 1932, p. 98.

PEDOTTI, A. Lead Arsenate Poisoning in Cattle. Profilassi, Vol. 4, May-June 1931, p. 82.

PEHRSON, Elmer, W. Lead and Zinc Pigments and Salts in 1929. Bur. Mines, Mineral Resources of the U.S. 1929, Pt. 1, pp. 507-523. (reprint No. 18, published May 30, 1931).

QUERIES AND MINOR NOTES. Gasoline Dermatitis. Journal of A.M.A.,
Vol. 97, No. 5, Aug. 1, 1931.

Discussion of the dangers of a burn with
tetra-ethyl gas.*

QUERIES AND MINOR NOTES. Hazards to Workers in Storage Battery
Industry. Jour.A.M.A., Vol. 96, No. 11, March 14,
1931, p. 885.

There is no lead hazard in the acid room
of a storage battery factory.*

QUERIES AND MINOR NOTES. Stippled Cells in Lead Poisoning.
Jour. A.M.A., Vol. 96, No. 18, May 2, 1931, p. 1531.

Discussion of the proper technic used
in counting red cells with basophilic
stippling.*

RAWKIN, I. G. Neurotic and Psychopathologic Symptoms. Ztschr.f. d.ges.Neurol.u.Psychiat., Vol. 136, Oct. 24, 1931, pp. 720-781.

After analyzing the neurotic and psychopathologic symptoms of lead poisoning, Rawkin lists them in a report and indicates the frequency with which they appear.

Abst. J.A.M.A., Vol. 98, No. 6, Feb. 6, 1932, p. 517.

RAWKIN, I. G. Psychic Disturbances following Lead Poisoning. Ztschr. f.d.ges.Neurol.u.Psychiat., Vol. 133, 1931, pp. 70-118.

REITZEL, R. J. Optic Atrophy from Lead Poisoning. Jour.A.M.A., Vol. 96, No. 15, April 11, 1931, p. 1226.

Report of a Case.*

RIDDELL, A. R. Laboratory Aids in Diagnosis of Lead Poisoning. Canad. P. H. Journal, Vol. 22, March 1931, pp. 138-142.

The author gives a very clear and succinct account of the dangers of exposure to lead, the various modes of its entrance into the body, and the laboratory tests that can be applied in the diagnosis of lead poisoning.*

Abst. Journal of Ind. Hyg., Vol. 13, No.8, Oct. 1931, p. 200.

RIESENFELD-HIRSCHBERG, Fr. Practical Hints for Recognition and Judgment of Lead Poisoning. Saz. Med., Vol. 4, 1931, pp. 585-590.

ROBERTS, H. L. Lead Poisoning in Herd of Dairy Cows. Vet. Rec., Vol. 11, July 11, 1931, pp. 732-740.

ROSENDAHL, C. Some Cases of Lead Poisoning Accompanied by Insufficiency of the Kidneys. Med. Rev., Vol. 48, 1931, pp. 462-471.

- SCHERK, G. Difficulties in Distributing between Mesenterial Thrombosis, perforating Peritonitis or Valvulus after Chronic Lead Poisoning: Case. Med. Klin., Vol. 27, March 13, 1931, pp. 397-398.
- SEITZ, A. The Permeability of Semi-permeable Membranes and Especially of the Skin, for Lead in the Presence of an Electric Current.* Arch. Hyg., Vol. 106, June 1931, pp. 160-167.
Abst. Chem. Abstracts, Vol.26, No.2, Jan. 20, 1931, p. 508.
- SETTIM, Mario. Determination of Minute Quantities of Lead in Urine. Ann.chim.anal.chim.appl., Vol. 13, 1931, pp. 129-137.
Description of the most desirable method of determining minute quantities of lead in urine.*
Abst. Chem. Abstracts, Vol.25, July 20, 1931, p. 3679.
- SMITH, A. Ross, M.D. Lead Poisoning, N.Y. State 1931. The Industrial Bulletin, N. Y. Department of Labor, Vol. 11, No. 10, July 1932, p. 315.
Report of the number of cases of lead poisoning in N. Y. during 1931.*
- SPATA, B. B. Symmetrical Antebrachial Paralysis in Industrial Poisoning. Semana med., Vol. 1, Jan. 1, 1931, pp. 30-34.
- STEPHENS, G. A. Lead-Poisoning Caused by Handling Lead Lining Tea-Chests. Medical Officer, Vol. 46, 1931, p. 78.
Report of a case.*
Abst. J. of Ind. Hygiene, Vol. 14, No. 4, April 1932, p. 86.
- STRATTON, R. C. The Chemical-engineering Control of Industrial Lead Poisoning. Traveler's Standard (Traveler's Insurance Company), Vol. 19, May 1931, pp. 81-90.
- STROTMEYER, A. Paralysis Case. Zentralbl.f.Gewerbehyg., Vol. 8, Sept. 1931, pp. 234-238.

TELEKY. Modern Therapy of Lead Poisoning. Münchener medizinische Wochenschrift, Vol. 78, Feb. 27, 1931, p. 354.

The author reviews the modern theories of lead absorption, circulation, and deposition, and discusses calcium therapy with respect to lead poisoning as well as other therapeutic means of deleading chronic sufferers.

Abst. J. Ind. Hyg., Vol. 14, No. 1, Jan. 1932, p. 7.

TETRA-ETHYL LEAD. Indus. Hyg. Bulletin, Vol. 8, No. 2, Aug. 1931, p. 6.

Tetra-ethyl lead, a new industrial hazard since the introduction of ethyl gas.*

TÖDT, F. Lead Poisoning from Use of Tap Water. Centr.Gesundh. u.Stadtehyg., 1930, pp. 2-4.

In Prussia a lead content of 0.3 mg. per l. is allowed. This limit is too high. The use of the lead pipe should be avoided and may be displaced by Cu. or by asphalt coated pipes.

Abst. Chem. Abstracts, Vol. 26, March 10, 1932, p. 1366.

TSCHARNY, A. and ISRAILEWITCH, E. Influence of HCL on Changes in Phosphorous and Calcium Metabolism in Experimental Poisoning. Arch.f.Gewerbepath.u.Gewerbehyg., Vol. 2, May 5, 1931, pp. 56-70.

TSCHARNY, A. M. Pathology of Metabolism Following Lead Poisoning of the Organism: Nitrogen Metabolism of Carnivora in Chronic Lead Poisoning. Arch.f.Gewerbehyg.u.Gewerbepath, Vol. 2, 1931, pp. 11-41.

U.

URTEL. Lead Poisoning and Its Importance in the Zinc Industry.
Z. oberschles.berg-huttenmann, Ver. Katowice, Vol. 70,
1931, pp. 177-81.

U. S. DEPT. OF LABOR, Bureau of Labor Statistics, No. 541. Lead
Poisoning. Handbook of Labor Statistics, Sept. 1931,
pp. 335-337.

VALLEJO NAGERA, A. and COMAS, R. Industrial Saturnine Psycho-neurosis; Case. Siglo med., Vol. 87, March 7, 1931, pp. 249-252.

VILLARET, M. and WALLICH, R. Lead Poisoning, with double Parotitis; role of Arterial Spasm Localized in Abdominal Aorta. Paris Med., Vol. 1, June 13, 1931, pp. 549-550.

VILLAYERDE, J. M. de. Lesions in Muscular Fibers in Experimental Lead Poisoning. Trav.du.lab.d.recherches biol.de l'Univ.de Madrid, Vol. 27, March 1931, pp. 227-248.

- WATERFIELD, R. L. Delayed Poisoning with Latent Period of 24 years;
Case. Guy's Hosp. Rep., Vol. 81, July 1931, pp. 374-378.
- WATSON, A. J. Case of Lead Poisoning with Miners' Nystagmus. China
M. J., Vol. 45, Aug. 1931, pp. 779-781.
- WEYRAUCH, F. Distribution of Lead in Organism after Intravenous In-
jection of Lead Nitrate and Colloidal Lead Sulphate.*
Ztschr.f.d.ges.exper.Med., Vol. 75, 1931, pp. 706-709.
Abst. J. of Ind. Hyg., Vol. 14, No. 4, April 1932, p. 85.
- WEYRAUCH, F. The Absorption of Lead and its Compounds in Animals in
Experimental Poisoning II. Z.Hyg.Infektionskrankh., Vol.
112, 1931, pp. 559-568.
The greater part of the lead dust which is in-
haled is absorbed from the alimentary canal
and not from the respiratory system.
Abst. Chem. Abstracts, Vol. 26, March 10, 1932, p. 1338.
- WILCOX, R. L. Plumbism. British Med. Jour., Aug. 1, 1931, Vol. 2,
p. 222.
Dangers in wine made in utensils glazed with
lead compounds.*
Abst. J. of Ind.Hyg., Vol. 14, No. 1, Jan. 1932, pp. 5-6.
- WILLIUS, F. A. Significance of Enlarged Q Deflections in Lead III of
Electrocardiogram. Deutsches Archiv für klinische Medizin,
Berlin, Vol. 172, Dec. 8, 1931, p. 113.
- WINGE, K. Case of Slow Lead Poisoning with Peculiar Etiology. Ugeskrift
for Laeger, Copenhagen, Vol. 93, Nov. 19, 1931, p. 1154.
Report of a case.*
Abst. Jour.A.M.A., Vol. 98, No. 7, Feb. 13, 1932, p. 592.
- WOOD, H. C. The Indispensable Uses of Narcotics. Laudanum either
with or without Lead Acetate. Jour.A.M.A., Vol. 96, No.14,
April 4, 1931, p. 1141.
Discussion of the use of narcotics with lead
acetate in cases of sprains and bruises.*

ZADEK, E. Chronic Lead Poisoning, Clinical Studies. Ztschr.f.
klin.Med., Vol. 116, 1931, pp. 241-267.

CANCER SECTION

- - - - -

WANG, E. J., WATSON, P. T., and CURRAN, J. A. Lead Acetate in
Cancer Therapy - Intravenous Administration. China
M. J., Vol. 44, April 1930, pp. 370-374.

WOOD, F. C. Experimental Investigation of Lead Therapy. Amer. J.
Roentgenol. & Rad. Therapy, Vol. 23, March 1930,
p. 299.

Wood says that the mere fact that Blair
Bell has a certain number of well observed
and completely arrested cases of carcinoma
and sarcoma in which the growth has receded
under treatment with lead alone cannot be
discounted because of the failure of other
workers in the field to obtain satisfactory
results.*

Abst. Jour. of American Medical Assn., Vol. 94, No. 18,
May 3, 1930, p. 1437.

BIBLIOGRAPHY ON LEAD POISONING

- - - - -

CANCER

1931 - 1932

BELL, W. B. Chemotherapy (especially lead therapy). Practitioner, Vol. 127, Aug. 1931, pp. 225-234.

COLLIER, W. A. and KRAUSS, F. Experimental Therapy of Tumors. 111.
The Activity of Various Heavy Metal Compounds on
Experimental Mouse Cancer. Ztschr.f.Krebsforsch.,
Vol. 34, 1931, p. 526.

The action of a heavy metal on trans-
planted mouse carcinomas is determined
not alone by the metal itself but also
by its partner in the compound.*

Abst. Amer. Journal of Cancer, Vol. 16, No. 3,
May 1932, p. 524.

DUROUX, E. Lead in Cancer Therapy. Bull. med. Paris, Vol. 45,
Nov. 14, 1931, pp. 797-800.

HARTMANN, F. L. Lead Therapy in Leukemia Myelogenous. M.Clin.
North America, Vol. 14, Jan. 1931, pp. 923-933.

KRAEMER, W. H. Preliminary Report on Colloidal Lead Phosphate
with Manganese. Amer. Jr. of Cancer, N. Y.,
Vol. 15, July 1931, p. 2357.

LEIGNER, B. Heavy Metals in Treatment of Malignant Tumors.
Monatschrift f. Geburtshilfe u. Gynakologie, Vol. 88,
July 1931, p. 386.

PENFOLD, W. J. and SUTHERLAND, J. Effect of Gamma Rays of Radium
or X-rays on Blair Bell's Colloidal Lead. M. J.
Australia, Vol. 2, July 25, 1931, pp. 98-100.

YAMMANURA, I. Yoshio. Effect of colloidal solutions on lead, gold,
silver, copper, iron, tin, antimony and selenium upon
the growth of transplantable rat carcinoma.
Sei-i-kwai Med. J., Vol. 50, No. 9, pp. 118-30.
(English abst., 1931, pp. 3-5.)

BIBLIOGRAPHY ON LEAD POISONING

1932 - 1933

The presence of the asterisk indicates that a longer abstract may be obtained from the American Public Health Association, 450 Seventh Avenue, New York City.

ALDAMA, M. FERNÁNDEZ.

Alterations of Blood in Chronic Lead Poisoning; Prevention of Poisoning by Improving Hygienic Conditions. Clin. y. lab., Vol. 20, July 1932, pp. 572-579.

ANONYMOUS.

The Employment of Women in Vitreous Enameling. Fourteenth Annual Report, Women's Bureau, 1932, pp. 5-7. ✓

Study of the enameling departments of about fifty plants.*

Abst. Am. Jour. of Pub. Health, Vol. 23, No. 4, April 1933, pp. 370-371.

ANONYMOUS.

Lead, Brass, Bronze and Copper. Ind. Health Digest, Vol. 2, No. 3, March 1932.

Lead plays an important part in the disease picture variously diagnosed as brass poisoning, bronze poisoning and copper poisoning.*

AUB, JOSEPH A.

Relationship of Lead Poisoning to Industry. Bulletin, U.S. Bureau of Labor Statistics, Vol. 563, Jan. 1932, pp. 146-150.

AUB, J.C., ROBE, G. P. and ROSSMEISL, E.

Significance of Bone Trabeculae in the Treatment of Lead Poisoning. Am. Jour. of Public Health, Vol. 22, No. 8, Aug. 1932, pp. 825-830.

A discussion of the practical value of accelerating lead excretion.*

- BERGER, W., STUDENY, O. and ROSEGGER, F. Group Lead Poisonings Caused by Lead Plate in Millstone. Wiener klinische Wochenschrift, Vol. 45, May 6, 1932, p. 586.
- BEHRENS, BEHREND and BEHRENS, HANS O. The Pharmacology of Lead. VI. A Method for the Determination of Small Quantities of Lead. Arch. exptl. Path. Pharmacol., Vol. 164, 1932, pp. 501-508.
- A method for the determination of lead is described in detail.*
- Abst. Chem. Abstracts, Vol. 26, No. 12, June 20, 1932, p. 3272.
- BENON, R. Saturnism and Mental Pathology. Hôpital, Vol. 20, Dec. 1932, pp. 754-756.
- BICKERT. Lead Poisoning from Glass Bead Dyeing. Zentralbl. f. Gewerbehyg., Vol. 9, Oct.-Nov. 1932, pp. 211-212.
- BOHM, L. Four Hundred Cases of Lead Poisoning. Ztschr. f. ärztl. Fortbild., Vol. 29, April 15, 1932, pp. 239-241.
- BÖTTCHICH. Importance of Basophilic Stippling of Erythrocytes in Industrial Lead Poisoning. Zentralbl. f. Gewerbehyg., Vol. 9, Feb. 1932, pp. 25-26.
- BOYD, T. C. and GANGULY, H. D. Lead in Urine. Indian J. Med. Research, Vol. 19, July 1932, pp. 75-80.
- Although significant quantities of lead are excreted by Europeans, none could be demonstrated in the urine of Indians.
- Abst. Chem. Abstracts, Vol. 27, No. 4, Feb. 20, 1933, p. 768.
- BRUCE, J. W. Lead Poisoning -- Case. Kentucky Medical Journal, Vol. 30, May 1932, p. 274.
- BRUCE, J. W. Acute Lead Poisoning in Infant: Case Report. Kentucky Medical Journal, Vol. 30, July 1932, p. 402.

CABOT CASE.
18022

Lead Poisoning. New Eng. Jour. of Med., Vol. 206,
Jan. 14, 1932, pp. 90-91.

CHETFEL.

Detection and Determination of Lead in Tin Cans for
Foodstuffs. Ann. fals., Vol. 25, 1932,
pp. 156-157.

Care should be taken to avoid any droplets
of solder which might occur in the neigh-
borhood of the seam of the can in the
detection of lead.

Abst. Chem. Abstracts, Vol. 26, August 19, 1932,
p. 4006.

D.

de BALSAC, F. H. and FEIL, A. Hygienic Conditions of Work in Certain Operations of Spray Painting, With the Use of Cellulose Varnishes. Mouvement Sanitaire, Vol. 9, 1932, pp. 222-226; 229.

Discussion of use of spray in painting and the apparent risk connected with it.*

Abst. Jour. of Ind. Hyg., Vol. 14, No. 9, Nov. 1932, p. 225.

DRANE, R.

Lead Poisoning; Bone Changes Roentgenologically Considered. Southern Med. Jour., Vol. 25, Sept. 1932, p. 907.

DRINKER, C. K.

Changes in Growing Bones in Clinical and Experimental Lead Poisoning. Radiology and Jour. Amer. Med. Assn., June 1932.

Description of the changes in the long bones in three children afflicted with lead poisoning.*

Abst. Industrial Medicine, Vol. 1, No. 1, Oct. 1932, p. 53.

EHRLSMANN, OTFRID.

Absorption of Dust by the Respiratory Tract. --
Quantitative Investigation of the Absorption of
Lead and Copper Dusts by the Respiratory Tract.
Ztschr. f. Hyg. u. Infektionskrankh., Vol. 114,
1932, pp. 224-268.

Review of experiments made on
dust inhalation.*

Abst. Jour. of Ind. Hyg., Vol. 15, May 1933,
p. 36.

ENGELHARDT.

Aids to Recognition of Industrial Lead Poisoning.
Deutsche med. Wchnschr., Vol. 58, Feb. 12, 1932,
pp. 258-259.

ENGELHARDT.

Improbability of Poisoning Being Cause of Death
or Aggravating Fatal Disease. Aerztl.
Sachverst-Ztg., Vol. 38, Jan. 1, 1932. pp. 7-11.

EVANS, T. S.

Encephalopathy Due to Chronic Plumbism; Report
of Case. Archives of Internal Medicine,
Vol. 49, May 1932, p. 735.

FAIRHALL, L. T. and HEIM, J. W. The Problem of the Possible Health Hazard of Lead-Weighted Silk Fabric. Jour. of Indust. Hyg., Vol. 14, No. 9, Nov. 1932, pp. 317-327.

Description and results of experiments to determine possible chances of lead poisoning from lead weighted silk. No absorption occurs.*

Abst. Am. Jour. of Pub. Health, Vol. 23, No. 1, Jan. 1933, pp. 67-68.

FRES, E. Resorption of Lead by Gastro-intestinal Canal and Its Retention in Organism. Arch. f. exper. Path. u. Pharmacol., Vol. 165, 1932, pp. 583-593.

FERRARO, A. and HERNANDEZ, R. Lead Poisoning: Histopathologic Study of Nervous System of Cats and Monkeys in Acute and Subacute Stages. Psychiatric Quarterly, Vol. 6, April 1932, p. 319.

FILIPPIS, V. de. Influence of Subacute Lead Acetate Poisoning on Anaphylactic Shock; Experiments in Guinea Pigs. Ateneo parmense, Vol. 4, May-June 1932, pp. 298-314.

FLEKEL, I. M. Diagnosis of Chronic Lead Enterocolitis; Presence of Reticulocytosis. Sovet. vrach. gaz., July 15, 1932, pp. 793-799.

FLINN, F.B. and SMITH, A.R. Effect of Viosterol (irradiated ergosterol) on Excretion of Lead. Proc. Soc. Exper. Biol. and Med., Vol. 30, Dec. 1932, pp. 367-368.

FONTANA, A. and COLAPINTO, F. Pathology of Capillaries in Chronic Lead Poisoning. Clinica Medica Italiana, Milan, Vol. 63, Dec. 1932, p. 1109.

FOREIGN LETTERS, BELGIUM. Enameling and Lead Poisoning. Jour. of Amer. Med. Assn., Vol. 99, No. 2, July 9, 1932, p. 146.

Report on dangers of certain enameling processes and the necessity of suppressing the use of these lead containing enamels.*

FOREIGN LETTERS, BELGIUM. Lead Poisoning Due to Snuff. Jour. of Amer. Med. Assn., Vol. 99, No. 13, Sept. 24, 1932, p. 1098.

Review of five cases of lead poisoning from snuff.*

FRIEFELD, H. Changes in Nervous System: Development of Lead Colic; Case. Virchows Arch. f. path. Anat., Vol. 287, 1932, pp. 549-554.

- GALLEGO, J. DANTIN. Spasms of Colon. Arch. de. med. cir. y.
especialid., Vol. 35, June 4, 1932, pp. 453-456.
- GENDRON, A. and ANVIGNE, R. Poisoning Caused by Use in Nose of
Powder Containing Lead; Urinary Complications;
Case. Bull. et mém. Soc. méd. d. hôp. de Paris.
Vol. 48, March 7, 1932, pp. 265-267.
- GUIDICI, E. Insensible Perspiration in Chronic Lead Poisoning.
Clin. med. ital., Vol. 63, March 1932, pp. 271-293.
- GROETSCHER. Injuries of Central Nervous System. Arch. f.
Gewerbehyg. u. Gewerbehyg., Vol. 3, 1932,
pp. 325-334.
- GROTEPAS, WILHELM. The Porphyrin Occurring in Urine After Lead Poison-
ing. Z. Physiol. Chem., Vol. 205, 1932,
pp. 193-197.
- GUDJONSSON, S. V. Reports of Various European Committees on Dangers
of Ethyl Gas in Lead Poisoning. Nord. hyg. tidsskr.,
Vol. 13, 1932, pp. 219-230.

INDUSTRIAL AND LABOUR INFORMATION. Lead Poisoning in the United States. Industrial and Labour Information, Vol. XLV, No. 6, Feb. 6, 1933, p. 188.

Review of lead poisoning cases among women following the use of lead enamel in the manufacture of stoves.*

INDUSTRIAL BULLETIN. Dangerous Green Paint. The Industrial Bulletin, Vol. 11, No. 11, Aug. 1932, p. 342.

Discussion of the dangers of lead poisoning from the use of green paints and the recommendation to use other colors.*

JACKSON, M.C.N. and L.N. Local Outbreak of Devonshire Colic (from lead in cider). Lancet, Vol. 2, Oct. 1, 1932, pp. 717-719.

JÖTTEN, K. W. Industrial Dust and Pulmonary Tuberculosis. Part 3. (Limestone, Quartz Chamotte, Chamotte, Thomas Slag, White Lead, Cotton Textile Dusts and Kühn's Lung Powder). Schrift a. d. Gesamtgeb. d. Gewerbehyg., N. S. no. 39, 1932, p. 169.

A comparison of the effects of the above dusts on rabbits lungs.*

Abst. Jour. of Ind. Hyg., Vol. 14, No. 8, Oct. 1932, pp. 208-211.

JOWETT, MAURICE. The Reactions of Lead Compounds with Serum and Serum Models. Biochem. Jour. Vol. 26, 1932, pp. 2108-2121.

The reactions of lead compounds, and in particular lead ion, with serum and serum models have been studied by a manometric method with the lead electrode and with the help of solubility data.*

Abst. Jour. of Ind. Hyg., Vol. 15, No. 3, May 1933, p. 28.

KALLET, A. and SOHLINK, F.J. Eat and Be Poisoned--Lead Arsenate.
The Nation, Vol. 135, Oct. 12, 1932, pp. 325-327.

KASAHARA, M. and ARIMICHI, K. Lead Content of Cerebrospinal Fluid.
Ztschr. f. d. ges. exper. med., Vol. 81, 1932,
pp. 696-697.

A small amount of lead was found in the cerebrospinal fluid of 3 goats and 5 dogs after lead intoxication. It had probably entered from the blood.

Abst. Biol. Abstracts, Vol. 7, April 1933, p. 870.

KASAHARA, M. and HIROSHIMA, H. Roentgen Visibility of Changes in Bones of Infants and Very Small Children in Lead Poisoning.
Ztschr. f. Kinderh., Vol. 53, 1932, pp. 587-596.

KATO, K. Lead Meningitis in Infants; résumé of Japanese Contributions on Diagnosis of Poisoning in Nurlings.
Am. Jour. Dis. Child., Vol. 44, Sept. 1932, pp. 569-591.

KOST, EMANUEL. The Blood Picture in Lead Poisoning. Arch. Gewerbe-path. Gewerbehyg., Vol. 4, 1932, pp. 42-73.

Histological study of 35 cases.

Abst. Chem. Abstracts, Vol. 27, No. 2, Jan. 20, 1933.

KÖTZING, K. Duodenal Ulcer after Occupational Lead Poisoning: Case. Vereinsbl. d. pfälz. Aerzte, Vol. 44, March 1, 1932, pp. 66-69.

KOYRANSKIY, B.B. Calcium Chlorate in Treatment of Professional Lead Poisoning. Sovetskaya Vrachebnaya Gazeta, No. 11, June 15, 1932, p. 647.

The author concludes that calcium may be administered in large amounts to persons in contact with lead products and that this may be of both therapeutic and prophylactic value.*

Abst. Jour. of Amer. Med. Assn., Vol. 99, No. 15, Oct. 8, 1932, p. 1304.

KRAFT, E. and KATO, K. Roentgenologic Sign in Children; Lead Line in Growing Bone. Fortschr. a. d. Geb. d. Röntgenstrahlen, Vol. 46, Sept. 1932, pp. 249-256.

KROLL, F. W. Sensory Chronaxia in Lead Workers. Ztschr. f. d. ges. Neurol. u. Psychiat., Vol. 141, 1932, pp. 141-144.

- LANE, R. E. Punctate Basophilia in Diagnosis of Plumbism. Clin. J., Vol. 61, Jan. 27, 1932, pp. 42-44.
- LE FEVRE de ARRIO, M. Severe Attack of Lead Poisoning from Presence of Lead in Snuff. Bull. Acad. roy. de med. de Belgique, Vol. 12, March 19, 1932, pp. 252-265.
- LEWIS, D. R. Lead Poisoning as Cause of Peptic Ulcer. Brit. Med. Jour., Vol. 1, Jan. 30, 1932, pp. 185-186.
- Review of results of observations made upon men employed in smelting spelter.*
- Abst. Jour. of Ind. Hyg., Vol. 14, No. 16, June 1932, p. 138.
- LIEBERMANN, B. Rare Course in Lead Poisoning. Ztschr. f. Gewerbehyg. Vol. 39, June 15, 1932, pp. 92-93.
- LITZNER, S. Concerning Basophilic Granulation of Erythrocytes in Cases of Contracted Kidney. Med. Klin., No. 3, 1932.
- Description of basophilic granulation of erythrocytes in six of eight cases of contracted kidney.*
- Abst. Jour. of Ind. Hyg., Vol. 15, No. 3, May 1933, p. 30.
- LIEBERMANN, B. Unusual Cause of Lead Poisoning (Presence of Lead in Tap Water). München med. Wchnschr., Vol. 79, May 1932, pp. 746-747.
- LOCATELLI, G. Porphyrin in Saturnine Colic. Med. del. Lav., Vol. 23, Nov. 30, 1932, pp. 423-433.
- This is a continuation of a report of 42 cases of lead poisoning with particular reference to hemoglobin destruction.*
- Abst. Jour. of Ind. Hyg., Vol. 15, No. 3, May 1933, p. 28.

MACHEBOEUF, A., CHETTEL, H. and BLASS, J. Colorimetric Determination of Small Quantities of Lead in Alimentary Materials. Compt. rend., Vol. 195, 1932, pp. 146-147.

Colorimetric Determination of small quantities of lead in alimentary materials.*

Abst. Chem. Abstracts, Vol. 26, No. 18, Sept. 20, 1932, p. 4686.

MARYLAND.

Lead Poisoning from Battery Casings. Jour. of Amer. Med. Assn., Vol. 99, No. 16, Oct. 15, 1932, p. 1361.

Discussion of 36 cases of lead poisoning, chiefly among negro children in whose homes discarded storage battery cases were used as fuel.*

MAYERS, MAY R.

Lead Absorption and Compensation. The Industrial Bulletin, Dept. of Labor, Vol. 12, No. 2, Feb. 1933, p. 33.

The proper solution of the problems arising from claims of disability or death alleged to have been caused by lead poisoning is of importance not only from the standpoint of the number of cases involved, but also because such a proper solution must have a large influence on procedure of compensation for occupational diseases generally.*

MCCARTHY, WM. J.

Report on (the determination of) Lead (in foods). J. Assoc. Official Agr. Chem., Vol. 15, 1932, pp. 370-373.

Detailed description of method of determining lead.*

Abst. Chem. Abstracts, Vol. 26, No. 20, Oct. 20, 1932, p. 5349.

McKHANN, C. F. Lead Poisoning in Children - Cerebral Manifestations.
Arch. Neurol. and Psychiat., Vol. 27, Feb. 1932,
pp. 294-304.

Lead poisoning in children produces a
severe and dangerous form of cerebral
involvement, the symptom of which ap-
parently is dependent on the development
of an extreme cerebral edema.*

Abst. Jour. of Ind. Hyg., Vol. 14, No. 6, June 1932,
p. 137.

MILLER, FRIEDA S. Occupational Disease and Compensation. Indust.
Bull. New York Dept. of Labor, Vol. 11, Sept.
and Oct. 1932, pp. 12-13.

Review of the claims made for compen-
sation for occupational diseases.*

Abst. Amer. J. of Public Health, Vol. 23, No. 4,
April 1933, p. 369.

MITCHELL, H. S. Lead Poisoning in Children. Canadian Med. Assn.
Jour., Vol. 26, May 1932, p. 546.

MYERS, C. N. Medicolegal Aspects of Chronic Lead Poisoning.
Internat. J. Med. and Surg., Vol. 45, Oct. 1932,
pp. 473-479.

NÉLIS, P. Relation of Lead Poisoning to Basophil Granulations.
Ann. d'hyg., Vol. 10, Sept. 1932, pp. 529-533.

NELSON, E. M. and MOTTERN, H. H. Effect of Lead Arsenate Spray on
the Composition and Vitamin Content of Oranges.
Am. Jour. of Public Health, Vol. 22, 1932,
pp. 587-600.

Data are presented to show that oranges
produced by trees sprayed with lead
arsenate differ in chemical composition
from normal oranges.*

Abst. Chem. Abstracts, Vol. 26, Aug. 10, 1932,
pp. 4108-4109.

NELSON, W. T., LOCKWOOD, L. and MACKAY, K. Incidence of Punctate
Basophilia. M. J. Australia, Vol. 2, Sept. 10,
1932, pp. 317-321.

ORESTANO, G.

Pharmacological Studies on Colloidal Lead Sulfide.
Boll. soc. ital. biol. sper., Vol. 7, 1932,
pp. 263-266.

Results of administering Colloidal PbS by
mouth subcutaneously and intravenously.*

Abst. Chem. Abstracts, Vol. 26, No. 20, Oct. 20,
1932, p. 5342.

POMETTA, D.

Rational Therapy. Schweiz. med. Wchschr., Vol. 62,
April 9, 1932, pp. 353-354.

QUERIES AND MINOR NOTES.

Absorption of Lead Through Skin. Jour. of Amer. Med. Assn., Vol. 99, No. 24, Dec. 10, 1932, p. 2050.

Reasons why statements as to the nonabsorbability of lead through the skin need to be qualified.*

QUERIES AND MINOR NOTES.

Is There An Increase in Lead Poisoning. Jour. of Amer. Med. Assn., Vol. 98, No. 14, April 2, 1932, p. 1206.

Deaths from frank lead poisoning are definitely fewer than a decade ago.*

QUERIES AND MINOR NOTES.

Lead Poisonings in Workers on Storage Batteries. Jour. of Amer. Med. Assn., Vol. 98, No. 2, Jan. 9, 1932, p. 163.

Description of ways to diagnose lead poisoning.*

QUERIES AND MINOR NOTES.

Poisonous Lacquers on Children's Toys. Jour. of Amer. Med. Assn., Vol. 99, No. 12, Sept. 17, 1932, pp. 1013-1014.

Discussion of the use and attempted elimination of the use of lacquers on children's toys.*

QUERIES AND MINOR NOTES.

Lead Poisoning in Radio Factory. Jour. of Amer. Med. Assn., Vol. 98, No. 15, April 9, 1932, p. 1321.

Discussion of the probable causes for certain symptoms found in men employed in soldering condenser plates to a brass bar.*

- RISING, L. W. and LYNN, E. V. Toxicological Investigation of Lead.
Jour. of Amer. Pharm. Assn., Vol. 21,
March 1932, pp. 225-229.
- ROTHCHILD, K. Lead Encephalopathy with Recovery: Case.
Journal of Nervous and Mental Diseases,
Vol. 75, March 1932, pp. 263-266.
- ROTHWELL, H. E. Occupational Poisonings; Application of
Chemical Methods in Diagnosis and Control.
Can. Chem. Met., Vol. 16, 1932, pp. 187-
189.
- Chemical methods for determining
lead, Co. C_6H_6 , dusts, As and
Arsenates are noted.*
- Abst. Chem. Abstracts, Vol. 26, No. 18,
Sept. 20, 1932, p. 4894.
- RUTISHAUSER, E. Experimental Studies on Osseous Changes
Occurring in Chronic Lead Poisoning Re-
sembling Osteitis Fibrosa of Reckling-
hausen; Demonstrable Enlargement of
Epithelial Bodies. Arch. f. Gewerbepath.
u. Gewerbehyg., Vol. 3, 1932, pp. 300-324.

- SCHMITZ, H. A. The Psychopathologic Symptoms in Lead Poisoning and Their Significance. Deut. Z. ges. gericht. Med., Vol. 19, 1932, pp. 391-408.
- SCHOORL, N. Examination of Tap Water for Small Quantities of Copper and Lead. Z. anal. Chem., Vol. 88, pp. 325-336.
- Details are given for the colorimetric determination of small quantities of Cu and Pb as sulfides and of Cu as ferrocyanide.
- Abst. Chem. Abstracts, Vol. 26, No. 17, Sept. 10, 1932, p. 4641.
- SCHWARZ, L. Relation of Lead Poisoning to Gangrene; Question of Compensation. Zentralbl. f. Bowerbehyg., Vol. 9, Dec. 1932, pp. 253-260.
- SEITZ, A. Diagnosis of Industrial Lead Poisoning. Prakt. Arzt., Vol. 17, Jan. 5, 1932, pp. 3-8.
- SEITZ, A. Lesions of Gastric Mucosa in Lead Poisoning. Med. Welt., Vol. 6, July 9, 1932, pp. 979-980.
- SHELDON, W.D., DOYLE, J.B., and OSTERBERG, A.E. Neuritis from Lead; Significance of Chemical Studies in Diagnosis. Arch. Neurol. and Psychiat., Vol. 27, Feb. 1932, pp. 322-332.
- SHIPLEY, P.G., SCOTT, T.F.M. and BLUMBERG, H. Spectrographic Detection of Lead in Blood as Aid to Clinical Diagnosis of Plumbism. Johns Hopkins Hospital Bulletin, Vol. 51, November 1932, p. 327.
- SPIRA, L. Unusual Cause of Lead Poisoning - (Presence of Lead in Tap Water). München. med. Wchnschr., Vol. 79, June 17, 1932, pp. 1003-1004.
- Comment on Liebermann's article.
- SMITH, ADELAIDE ROSS. Lead Poisoning. New York State, 1931. Indust. Bull., New York, Dept. of Labor, Vol. 11, No. 10, July 1932, p. 315.
- Report on a number of cases of lead poisoning in New York State in 1931.*
- Abst. Amer. Jour. of Public Health, Vol. 23, No. 5, May 1933, p. 509.

- SPIEGLER, G. and JURIS, K. Lead Determination; Simple Tests to Determine Lead Equivalence of Roentgen Protective Substances. Fortschr. a. d. Geb. d. Rontgenstrahlen, Vol. 45, June 1932, pp. 708-710.
- ST. LITZNER and WEYRAUCH, F. Studies on the Lead Content of Blood and Urine, its Relation to Clinical Symptoms and its Diagnostic Value. Arch. Gewerbepath. Gewerbehyg., Vol. 4, 1932, pp. 74-100.
- In general lead concentrations up to 0.06 mg. per 100 cc. blood cause no symptoms of intoxication.*
- Abst. Chem. Abstracts, Vol. 27, No. 2, Jan. 20, 1933, p. 328.
- STEPHENS, G.A., LEWIS, D.R., EDWARDS-JONES, J.O., SHIRLAW, J.T. and LEGGE, T. M. Plumbism and Peptic Ulcer. Brit. Med. Jour., Vol. 1, Feb. 6, 1932, p. 262; Feb. 13, 1932, p. 308; Feb. 20, 1932, p. 354; March 5, 1932, pp. 449-450 and March 12, 1932, p. 497.
- Discussion as to whether a relationship exists between lead poisoning and peptic ulcer.*
- Abst. Jour. of Ind. Hyg., Vol. 14, No. 6, June 1932, p. 138.
- SHELLING, D. H. Effect of Dietary Calcium and Phosphorous on Toxicity of Lead in Rat; Rationale of Phosphate Therapy. Proc. Soc. Exper. Biol. and Med., Vol. 30, Nov. 1932, pp. 248-254.
- SPARCHEZ, COTUTIU and SECAREA. Visceral Complications in Saturnism. Clin. Med., Vol. 13, Oct. 1, 1932, pp. 502-508.
- STIEFLER, G. and TENSCHERT, O. Poisoning from Lead in Cider. Wien. med. Wochenschr., Vol. 82, Oct. 1, 1932, pp. 1273-1274.
- SUZUKI, S. Effect of "Oshiroi", Face Powder Containing Lead on Nasal Mucosa, Gradually Leading to Rhinitis and Poisoning; Experimental Study. Mitt. a. d. med. Okad. zu Kioto, Vol. 6, 1932, pp. 2538-2539.

T.

THOMAS, E. F. and SHEALY, A. L. Lead Arsenate Poisoning in Chickens.
J. Agr. Research, Vol. 45, 1932, pp. 317-319.

Chickens may consume as much as
13 grains of lead arsenate per day
for 60 days without suffering any
ill effects.*

Abst. Chem. Abstracts, Vol. 27, No. 2, Jan.
20, 1932, p. 365.

TRENEL, M.

Case of Lead Paralysis in Pictore by Pietro
Francesco Mola. Aesculape, Vol. 22, March
1932, pp. 98-99.

U. & V.

URTEL.

Lead Poisoning and Its Importance in Zinc Industry.
Ztschr. f. Gewerbehyg., Vol. 39, Nov. 15, 1932,
p. 165.

VIGLIANI, E.

Behavior of Arterial Pressure in Workers in Lead. ✓
Gior. d. r. Accad. di med. di Torino, Vol. 95, July-
Oct. 1932, pp. 159-161.

VIGLIANI, E. and OLIVETTI, R.

Sedimentation Speed of Erythrocytes
in Workers with Lead. Gior. d. r. Accad. di med. di
Torino, Vol. 95, July-Oct. 1932, pp. 162-164.

VOGT, E. C.

Röntgenologic Diagnosis of Lead Poisoning in Infants
and Children. Jour. of Amer. Med. Assn., Vol. 98,
No. 2, Jan. 9, 1932, p. 125.

Lead poisoning in children is more common
than generally suspected and may be the
cause of obscure neurologic and gastro-
intestinal complaints.*

- WAGNER, B. E. Poisoning from Lemonade in Enamel-ware Utensils.
Jour. of Amer. Med. Assn., Vol. 99, No. 16,
Oct. 15, 1932, p. 1376.
- Poisoning from lemonade in enamel-ware
utensils is more often antimony poison-
ing than lead.*
- WEYRAUCH, F. Lead Poisoning Resulting from Gunshot Injury.
Deutsche med. Wchnschr., Vol. 58, June 3, 1932,
pp. 887-888.
- WEYRAUCH, F. and ST. LITZNER. Investigation on Lead Elimination through
the Liver and the Influence of Definite Forms of Food
and Drugs in Man. II. So-called Normal Lead Urine.
Arch. Gewerbepath. Gewerbehyg., Vol. 3, 1932, pp. 15-22.
- Normal lead is defined as the small amount
of lead eliminated by persons who ordinarily
do not work or come in contact with large
amounts of lead.*
- Abst. Chem. Abstracts, Vol. 26, Aug. 10, 1932,
p. 4089.
- WEYRAUCH, F. Results of Recent Investigations on Absorption. Dis-
tribution and Elimination of Lead. Med. Klin.,
Vol. 28, Aug. 12, 1932, pp. 1123-1125.
- WURTZ, JOHN G. Lead Poisoning. Hahnemannian Monthly, Vol. 67, 1932,
pp. 846-854.
- A concise summary with a bibliography
of 26 references.
- Abst. Chem. Abstracts, Vol. 27, No. 4, Feb. 20,
1933, p. 781.
- ZIERVOGEL, K. Importance of Blood Picture, Especially of Basophilia,
in Differential Diagnosis of Alcoholism and Poisoning.
Folia haemat., Vol. 48, 1932, pp. 67-89.

CANCER SECTION

- - - - -

BIBLIOGRAPHY ON LEAD POISONING

- - - - -

CANCER

1932 - 1933

- COLLIER, W. A. The Experimental Therapy of Tumors. IV. The Effect of a Complex Lead Preparation (R232) Upon Transplanted Rabbit Carcinoma. Klin. Wochschr., Vol. 11, 1932, pp. 235-237.
- K plumbodithiepyridinecarboxylate (R232), administered soon after inoculation, prevents metastases from rabbit carcinoma.
- Abst. Chem. Abstracts, Vol. 26, No. 18, Sept. 20, 1932, p. 4867.
- DALIMIER, R. Lead Therapy in Cancer. Progres med. April 9, 1932, pp. 646-659.
- OSTERBERG, A.E., HORTON, B.T., BARGEN, J.A. and RANKIN, F.W. Lead Treatment for Inoperable Cancer. Proc. Staff. Meeting, Mayo Clinic, Vol. 7, April 20, 1932, pp. 231-237.
- SIMPSON, F.E. and THOMPSON, J.S. Lead-Antimony Ampules Containing Radon for Implantation in Cancer. Am. Jour. of Surgery, Vol. 15, Feb. 1932, p. 256.

SUPPLEMENT TO 1930-1931 BIBLIOGRAPHY

AGOL, M.

A Contribution to the Clinical Picture of Poisoning Through Dimethylamidoazobenzene. *Gigiena, bezopasnosti i patologija truda.*, No. 3, 1931, pp. 39-43.

Review of a study of three cases of poisoning by dimethylamidoazobenzene in three workmen in a chemical factory.*

Abst. *Jour. of Ind. Hyg.*, Vol. 14, No. 8, Oct. 1932, pp. 206-207.

BAADER, E. W.

Paper Urban and Schwarzenberg, 1931.

A brief, clear and up-to-date treatise on the chief diseases of occupation.*

Abst. *Jour. of Ind. Hyg.*, Vol. 14, No. 7, Sept. 1932, pp. 280-281.

BARTH, E.

Investigation of the Lead Content of Human Bones. *Virchows Arch. f. path. Anat.*, Vol. 281, 1931, pp. 146-151.

Report of investigation of the bones of a number of dead persons by means of the micromethod developed at the Halle Hygienic Institute.*

Abst. *Jour. of Ind. Hyg.*, Vol. 14, No. 6, June 1932, p. 138.

BLATT, N.

Paralysis of Accommodation and Pupillary Disturbances After Lead Poisoning. *Klin. Monatsbl. f. Augenh.*, Vol. 86, April 1931, p. 482.

Report on the study of 320 clinical histories of lead poisoning with a view to pupillary changes.*

Abst. *Am. Jour. Ophth.*, Vol. 14, Sept. 1931, p. 980.

LATISCHEV, W.

On the Pathogenesis of Occupational Diseases Among Workers in the Porcelain Industry. Gigeina, bezopasnosti i patologija truda, No. 3, 1931, pp.31-35.

Review of the course of pulmonary tuberculosis among those engaged in dusty trades.*

Abst. Jour. of Ind. Hyg., Vol. 14, No. 9, Nov.1932, pp.221-222.

MORENO-COBOS, E. and MUNUERA-MOROSOLI, L. Lead Pneumoconiosis. Ann. med., Vol. 30, 1931, pp. 15-30.

ROBERTI, C. E.

The Reaction of the Macrogia and the Nerve Elements to Experimental Poisoning by Histamine, Guanidine, Hydrochloric Acid, Lead Acetate and Thallium Acetate. Rassegna di studi psichiat., Vol. 20, 1931, p. 7.

ROMANIELLO, G.

Colloidal Lead Sulfide: Distribution in Organism and Route of Elimination. Atti. d. r. Accad. d. fisicirit. Siena., Vol. 6, 1931, pp. 495-520.

ZELLNER, HEINRICH.

Aluminum, Tin or Tinned-lead Tubes for Toothpastes. Z. Untersuch. Lebensm., Vol. 62, 1931, pp. 370-378.

Discussion of toxicology of lead and its presence in tubes for toothpaste.*

Abst. Chem. Abstracts, Vol. 26, No. 12, June 20, 1932, p. 3331.

1. The Commission has received information from the
2. Ministry of Health that the following persons have
3. been identified as having been in contact with the
4. patient on 12/1/77:

Review of the course of pulmonary infection among those exposed in duty.

[illegible][illegible]

1. The following information was obtained from the records of the Federal Bureau of Investigation, Washington, D. C., dated 10/10/50, and is being furnished to you for your information.

1. Subject: [Illegible]
 2. Reference: [Illegible]
 3. Date: [Illegible]
 4. Location: [Illegible]
 5. Time: [Illegible]
 6. Weather: [Illegible]
 7. Remarks: [Illegible]

SECRET

201 DNA sent to Cytochrome C laboratory
*ofagatool will be at school

1008, p. 233.
Annals, Chap. 13, p. 16, June 10.