

CG 01 CODE YE-698-D

PROCESSES APPROVED BY
() YE-698-D (S) FWP 04/05/82

MAY 28 1982

F2H41

5547* LBS.


COMTYP JOB NAME: 01YE698DMS
TYRED BY: JMW

(DATE) (LOT) (EST WGT)

EQUIP MENT	NAME: MOLYBDATE ORANGE	USE LBS	N-CODE	ACCT LBS
PREP				
1	1 OBTAIN FOR S-20	84 ✓	108-A	84
2	2 CALCULATE & SET ON BADGER METER FOR S-23 0.440%	93	33-D	60
3	3 OBTAIN FOR S-28	734 ✓	4-A	734
4	4 OBTAIN FOR S-32	146 ✓	3-A	146
5	5 OBTAIN FOR S-34	237 ✓	32-D	237
6	6 OBTAIN FOR S-38	350 ✓	3-A	350
7	7 OBTAIN FOR S-41	70 ✓	711-B	70
351	8 WEIGH INTO V-351 CHECKED BY: 342 M 176.38% 49.37	49.37	10-D	1885
359	9 WEIGH IN. OPTR 342, MK 32, T-370, 31.04% 776	776	423-D	303
SV				
4	10 RUN 20" (996 G) WATER INTO V-242			
11	11 RUN IN FROM V-354. OPTR 342, MK 378, 78*F			
	RECORD: G/ML 1.319 (1.270-1.328) 28.89% 12688		41-D	5110
	RECORD: PH 2.5 (2.2-3.7)			
12	12 ADJ TO 76" (3625G) AT 67-69*F			
	RECORD: TEMP 67*F		57-A	
13	13 STIR 5 MIN & RECORD: PH 2.2 (2.2-3.7)			
14	14 IF NECESSARY, ADJ TO PH 3.0-3.1 ASSUME 60%		33-D	
	RECORD: PH 3.0			
	NOTE: DILUTE N-7-D 10:1 WITH WATER BEFORE			
	ADDING ASSUME 50%	4	7-D	2
15	15 RECORD: 1142 G/ML (1.142-1.144)			
	NOTE: IF G/ML OUT OF LIMITS FILL OUT			
	CHECK LIST & ATTACH			
16	16 STIR AT 67-69*F FOR S26. TAKE 1 QT SAMPLE.			
358				
5	17 RUN 10" (500 G) WATER INTO V-358			
18	18 RUN V-359 INTO V-351 & PUMP IN V-351.			
19	19 ADJ TO 55" (2600 G)			
20	20 SIFT IN N-108-A FROM S 1			
21	21 STIR 5 MIN & RECORD: PH 9.6 (9.0-10.0)			
22	22 ADJ TO PH 9.8-9.9 & RECORD: PH 9.8			
	ASSUME 50%	2	7-D	1
	ASSUME 60%		33-D	
23	23 ADD N-33-D FROM S 2 USING BADGER METER			
24	24 ADJ TO 66" (3121 G) AT 67-69*F			
	RECORD: VOL 66" & 67*F			
25	25 STIR 5 MIN & RECORD: PH 7.5 (7.4-7.6) &			
	G/ML 1.082 (1.080-1.083)			
	NOTE IF G/ML OUT OF LIMITS FILL OUT CHECK			
	LIST & ATTACH. TAKE 1 QT SAMPLE			

JUN 4 1982

N39449



YE-698

7.2549

7.56

ME-71190

7.52

7.49

0 10 20 30 40 50 60 70 80 90 100

9.87
1.02
3.02

ME-71190

0 10 20 30 40 50 60 70 80 90 100

9.91
1.03
3.03

10/16
12/18
13/18
14/18