



RECERTIFICATION OF GENERATOR'S WASTE MATERIAL PROFILE SHEET



LCM 128.9.1a1

INSTRUCTIONS: A COPY OF THE COMPLETE GENERATOR'S WASTE MATERIAL PROFILE SHEET WHICH IS BEING RECERTIFIED MUST BE ATTACHED TO THIS RECERTIFICATION FORM. ORDINARILY THE LAST COMPLETE PROFILE SHEET WILL BE ATTACHED TO YOUR CONTRACT. IF YOU HAVE ANY DIFFICULTY LOCATING THE LAST COMPLETE PROFILE SHEET, CONTACT PERSON SHOWN BELOW. IN ADDITION WE ASK YOU TO COMPLETE THE REMAINDER OF THIS FORM AND TO HAVE IT SIGNED BY AN AUTHORIZED EMPLOYEE. ANSWERS MUST BE MADE TO ALL QUESTIONS AND MUST BE COMPLETED IN INK. INFORMATION SUPPLIED WILL BE MAINTAINED IN STRICT CONFIDENCE CONSISTENT WITH LEGAL REQUIREMENTS.

RETURN THIS FORM AND ATTACHMENTS TO: CHEMICAL WASTE MANAGEMENT, INC.

ROUTE 2 BOX 1935

SULPHUR, LA 70663

A GENERAL INFORMATION

GENERATOR NAME: PPG INDUSTRIES, INC.

TRANSPORTER: CWMI-BAYTOWN, TX

FACILITY ADDRESS: P.O. BOX 1000

TRANSPORTER PHONE: 713/427-6772

COLUMBIA SOUTHERN ROAD - WESTLAKE, LA

GENERATOR USEPA ID: LA.D.0.0.8.0.8.6.5.0

LAKE CHARLES, LA 70602

GENERATOR STATE ID:

TECHNICAL CONTACT: PATRICE M. MCFARLAIN

TITLE: Plt. Env. Lia. Foreman PHONE: (318) 491-4420

NAME OF WASTE: Ceramic Scaffolds from Incineration Absorber

PROCESS GENERATING WASTE: Production of Chlorinated Organic Solvents

B CHANGES OR ADDITIONS SINCE LAST PROFILE SHEET PREPARATION OR RECERTIFICATION

1. HAVE YOU OBTAINED ANY LABORATORY ANALYSIS OF THIS WASTE? ☐ YES ☒ NO (IF YES, PLEASE ATTACH COPIES)


2. HAVE YOU CHANGED THE RAW MATERIALS USED IN THE WASTE-GENERATING PROCESS? ☐ YES ☒ NO

3. HAVE YOU CHANGED THE WASTE-GENERATING PROCESS ITSELF? ☐ YES ☒ NO

4. ARE YOU AWARE OF ANY FACTS OR CIRCUMSTANCES WHICH HAVE, OR REASONABLY COULD HAVE, ALTERED THE PHYSICAL OR HAZARDOUS CHARACTERISTICS, OR CHEMICAL COMPOSITION OF THE WASTE? ☐ YES ☒ NO

5. ARE YOU AWARE OF ANY HUMAN HEALTH EFFECTS OF EXPOSURE TO THE WASTE NOT PREVIOUSLY DESCRIBED? ☐ YES ☒ NO

6. IF YOU ANSWERED "YES" TO QUESTIONS 2, 3, 4 OR 5, PLEASE PROVIDE DETAILS BELOW:



C SPECIFIC CONSTITUENTS

DOES THIS WASTE CONTAIN POLYCHLORINATED BIPHENYLS? ☐ YES ☒ NO

DOES THIS WASTE CONTAIN 2,3,7,8-TCDD? ☐ YES ☒ NO

D SHIPPING INFORMATION

METHOD OF SHIPMENT: ☐ BULK LIQUID ☒ BULK SOLID ☐ DRUM (TYPE/SIZE)

ANTICIPATED VOLUME: GALS. 10 CUBICYDS. TOSS OTHER

PER: ☐ ONE TIME ☐ WEEK ☐ MONTH ☐ QUARTER ☒ YEAR ☐

RECERTIFICATION. I AM AN EMPLOYEE OF THE GENERATOR AUTHORIZED TO SIGN THIS CERTIFICATION. THE INFORMATION PROVIDED IN THE RECERTIFIED WASTE PROFILE IS ATTACHED HERETO, AND THE INFORMATION SUPPLIED ABOVE, ARE COMPLETE, TRUE AND CORRECT.

NAME: Patrice M. McFarlain

SIGNATURE: Patrice M. McFarlain

TITLE: Plt. Env. Lia. Foreman

DATE: 8-27-85

SL 046188

GENERATOR'S WASTE MATERIAL PROFILE SHEET

TSOR

A GENERAL INFORMATION

GENERATOR NAME: PPG Ind. PPG Industries, Inc. TRANSPORTER: CWM, Orange, TX 4-21
 FACILITY ADDRESS: P. O. Box 1000 Lake Charles, LA 70602 TRANSPORTER PHONE: (318) 625-9003
Columbia Southern Road, Westlake, LA GENERATOR USEPA I.D. LA D, 0, 0, 8, 0, 8, 6, 5, 0, 6
 TECHNICAL CONTACT: Mike DiGiulia TITLE: Env. Control Asst. PHONE: (318) 491-4370
 NAME OF WASTE: Ceramic Saddles from Incinerator Absorber
 PROCESS GENERATING WASTE: Production of Chlorinated Organic Solvents

B PHYSICAL CHARACTERISTICS OF WASTE

COLOR White to Gray	ODOR ☐ NONE ☒ MILD ☐ STRONG	PHYSICAL STATE @ 70°F ☒ SOLID ☐ SEMI-SOLID ☐ LIQUID ☐ POWDER	LAYERS ☐ MULTILAYERED ☐ BI-LAYERED ☒ SINGLE PHASED	FREE LIQUIDS ☐ YES ☒ NO
	DESCRIBE:			VOLUME: %

pH: ☐ < 2 ☐ 7.1-10 ☐ N/A ☒ 2-4 ☐ 10.1-12.5 ☒ 4.1-6.9 ☐ > 12.5 ☐ 7 ☐ EXACT	SPECIFIC GRAVITY ☒ < 1 ☐ 1.3-1.4 ☐ 1.5-1.7 ☐ 1.1-1.2 ☐ > 1.7 ☐ EXACT	FLASH POINT ☐ < 70°F ☐ 70°F - 100°F ☐ 101°F - 130°F ☐ 140°F - 200°F ☒ > 200°F ☒ NO FLASH ☐ EXACT	☐ CLOSED CUP ☐ OPEN CUP
---	--	--	---

C CHEMICAL COMPOSITION (TOTALS MUST ADD TO 100%)

Ethylene Dichloride _____ %
 1,1,2-Trichloroethane _____ %
 Perchloroethylene _____ %
 1,1,1,2-Tetrachloroethane _____ %
 Ceramic Saddles 95-99 %
 Carbon 1-5 %

D METALS ☐ TOTAL (PPM) ☐ EPA EXTRACTION PROCEDURE (mg/L)
 ARSENIC (As) None SELENIUM (Se) None
 BARIUM (Ba) None SILVER (Ag) None
 CADMIUM (Cd) None COPPER (Cu) None
 CHROMIUM (Cr) None NICKEL (Ni) None
 MERCURY (Hg) None ZINC (Zn) None
 LEAD (Pb) None THALLIUM (Tl) None
 CHROMIUM-HEX (Cr + 6) None

OTHER COMPONENTS - TOTAL (PPM)

ANIDES None PCB'S None
 SULFIDES None PHENOLICS None

F SHIPPING INFORMATION

DOT HAZARDOUS MATERIAL ☒ YES ☐ NO
 PROPOSED SHIPPING NAME: Hazardous Waste Solid, NOS
 HAZARD CLASS: NA 9189 I.D. NO. NA 9189 R.D. None
 METHOD OF SHIPMENT: ☐ BULK LIQUID ☒ BULK SOLID
☐ DRUM (TYPE/SIZE)
 ANTICIPATED VOLUME: 10 GALS. 1 CUBIC YARDS
 OTHER Tons
 PER: ☐ ONE TIME ☐ WEEK ☐ MONTH
☐ QUARTER ☒ YEAR

G HAZARDOUS CHARACTERISTICS

REACTIVITY: ☒ NONE ☐ PYROPHORIC ☐ SHOCK SENSITIVE
☐ EXPLOSIVE ☐ WATER REACTIVE ☐ OTHER
 OTHER HAZARDOUS CHARACTERISTICS:
☒ NONE ☐ RADIOACTIVE ☐ ETIOLOGICAL
☐ PESTICIDE MANUFACTURING WASTE ☐ OTHER
 USEPA HAZARDOUS WASTE? ☒ YES ☐ NO
 USEPA HAZARDOUS CODE(S) F024
 STATE HAZARDOUS WASTE? ☒ YES ☐ NO
 STATE CODE(S) F024

H SPECIAL HANDLING INFORMATION

Avoid contact with skin or eyes. Flush with water if contact occurs. Clean up spilled material immediately. ☐ ADDITIONAL PAGE(S) ATTACH

I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ATTACHED DOCUMENTS IS COMPLETE AND ACCURATE, AND THAT ALL KNOWN OR SUSPECTED HAZARDS HAVE BEEN DISCLOSED.

AUTHORIZED SIGNATURE: [Signature] TITLE: Environmental Control Assistant DATE: 8/31/84

LCM A 89601
TSDR 11/24

A GENERAL INFORMATION

GENERATOR NAME: PPG Industries, Inc. TRANSPORTER: CWM, Orange, TX
 FACILITY ADDRESS: P. O. Box 1000 Lake Charles, LA 70602 TRANSPORTER PHONE: (318) 625-9003
Columbia Southern Road, Westlake, LA GENERATOR USEPA ID: LA D 000 808 550 6
 TECHNICAL CONTACT: Mike DiGiglia TITLE: Env. Control Asst. PHONE: (318) 491-3300
 NAME OF WASTE: Ceramic Saddles from Incinerator Absorber
 PROCESS GENERATING WASTE: Production of Chlorinated Organic Solvents

B PHYSICAL CHARACTERISTICS OF WASTE

COLOR <u>White to Gray</u>	ODOR ☐ NONE ☒ MILD ☐ STRONG DESCRIBE: _____	PHYSICAL STATE @ 70°F ☒ SOLID ☐ SEMI-SOLID ☐ LIQUID ☐ POWDER	LAYERS ☐ MULTILAYERED ☐ BI-LAYERED ☒ SINGLE PHASED	FREE LIQUIDS ☐ YES ☒ NO VOLUME: _____ %
pH ☐ < 2 ☐ 7.1-10 ☐ N/A ☒ 2.4 ☐ 10.1-12.5 ☒ 4.1-6.9 ☐ > 12.5 ☐ 7 ☐ EXACT _____	SPECIFIC GRAVITY ☒ < .8 ☐ 1.3-1.4 ☒ .8-1.0 ☐ 1.5-1.7 ☐ 1.1-1.2 ☐ > 1.7 ☐ EXACT _____	FLASH POINT ☐ < 70°F ☐ > 200°F ☐ 70°F - 100°F ☒ NO FLASH ☐ 101°F - 139°F ☐ EXACT _____ ☐ 140°F - 200°F	☐ CLOSED CUR ☐ OPEN CUR	

C CHEMICAL COMPOSITION (TOTALS MUST ADD TO 100%)

Ethylene Dichloride _____ %
1,1,2-Trichloroethane _____ %
Perchlormethylene <30 ppm %
1,1,1,2-Tetrachloroethane _____ %
Ceramic Saddles 95-99 %
Carbon 1-5 %
 _____ %
 _____ %
 _____ %

D METALS ☐ TOTAL (PPM) ☐ EPA EXTRACTION PROCEDURE (mg/L)
 ARSENIC (As) None SELENIUM (Se) None
 BARIUM (Ba) None SILVER (Ag) None
 CADMIUM (Cd) None COPPER (Cu) None
 CHROMIUM (Cr) None NICKEL (Ni) None
 MERCURY (Hg) None ZINC (Zn) None
 LEAD (Pb) None THALLIUM (Tl) None
 CHROMIUM-HEX (Cr + 6) None

E OTHER COMPONENTS - TOTAL (PPM)

CYANIDES None PCB'S None
 SULFIDES None PHENOLICS None

F SHIPPING INFORMATION

DOT HAZARDOUS MATERIAL? ☒ YES ☐ NO
 PROPER SHIPPING NAME: Hazardous Waste Solid, NOS
 HAZARD CLASS: ORM-F ID NO: NA 4189 R.O. None
 METHOD OF SHIPMENT ☐ BULK LIQUID ☒ BULK SOLID
☐ DRUM (TYPE/SIZE) _____
 ANTICIPATED VOLUME _____ GALS _____ CUBIC YARDS
10 OTHER Tons
 PER ☐ ONE TIME ☐ WEEK ☐ MONTH
☐ QUARTER ☒ YEAR

G HAZARDOUS CHARACTERISTICS

REACTIVITY ☒ NONE ☐ PYROPHORIC ☐ SHOCK SENSITIVE
☐ EXPLOSIVE ☐ WATER REACTIVE ☐ OTHER _____
 OTHER HAZARDOUS CHARACTERISTICS
☒ NONE ☐ RADIOACTIVE ☐ ETIOLOGICAL
☐ PESTICIDE MANUFACTURING WASTE ☐ OTHER _____
 USEPA HAZARDOUS WASTE? ☒ YES ☐ NO
 USEPA HAZARDOUS CODE(S) F024
 STATE HAZARDOUS WASTE? ☒ YES ☐ NO
 STATE CODE(S) F024

H SPECIAL HANDLING INFORMATION

Avoid contact with skin or eyes. Flush with water if contact occurs. Clean up spilled material immediately. ☐ ADDITIONAL PAGE(S) ATTACHED

I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ATTACHED DOCUMENTS IS COMPLETE AND ACCURATE, AND THAT ALL KNOWN OR SUSPECTED HAZARDS HAVE BEEN DISCLOSED.

AUTHORIZED SIGNATURE

TITLE

DATE SL 046190

Environmental Control Assistant



SALES

CODE

142

LCH

A 89611

WASTE PROFILE SHEET CODE

GENERATOR'S WASTE MATERIAL PROFILE SHEET

GENERAL DIRECTIONS: In order for us to determine whether we can lawfully, safely and environmentally transport, store, treat or dispose of your waste stream, we must ask certain information about your waste. All of the information we seek is necessary, for our purposes and yours. Be complete in your answers: if your response is "none," so indicate. Answers must be in ink or typewritten. Information you provide will be maintained in strictest confidence. Please make a copy of this form for your records, returning the original to the location indicated below.

THIS FORM AND ANY SUPPLEMENTAL INFORMATION SHOULD BE RETURNED TO:

CWM

Rt. 2, Box 1955

Carlyss, LA 70663

Attn: Chief Chemist

1. GENERATOR NAME: PPG Industries, Inc.
2. GENERATING FACILITY NAME/ADDRESS/USEPA FACILITY I.D. NUMBER (IF ANY): PPG Industries, Inc.
P. O. Box 1000, Columbia Southern Road, Lake Charles, LA 70602
EPA ID #LAD 008086506
3. COMPANY CONTACTS:

GENERAL	<u>Andy P. Plauche'</u>	TITLE	<u>Plt. Env. Foreman</u>	PHONE	<u>(318) 491-4814</u>
	<u>J. Mike DiGiglia</u>	TITLE	<u>Env. Contr. Asst.</u>	PHONE	<u>(318) 491-4370</u>
TECHNICAL	<u>Arlen L. Greathouse</u>	TITLE	<u>Sr. Env. Engr.</u>	PHONE	<u>(318) 491-4422</u>
	<u>Mark W. Wood</u>	TITLE	<u>Supv. Env. Lab</u>	PHONE	<u>(318) 491-4450</u>
4. WASTE NAME: Ceramic saddles from incinerator absorber
5. PROCESS GENERATING WASTE: Mfg. of chlorinated organic solvents
6. WASTE CHARACTERISTICS:
 - A. PHASES/LAYERS: BILAYERED ☐ MULTILAYERED ☐ NONE ☒
 - B. PHYSICAL STATE AT 70°F: SOLID ☒ SEMI-SOLID ☐ LIQUID ☐
POWDER ☐ OTHER: _____
 - C. SOLIDS: TOTAL (%): 100% TOTAL DISSOLVED (ppm or %): _____
 - D. SPECIFIC WEIGHT (AS # PER UNIT): 1500 lb/yd³
 - E. pH: 3-5 (Show the following as range of %)

AS: H ₂ SO ₄	<u>N/A</u>	%	H ₃ PO ₄	<u>N/A</u>	%
HC1	<u>N/A</u>	%	NaOH	<u>N/A</u>	%
HF	<u>N/A</u>	%	NH ₄ OH	<u>N/A</u>	%
HNO ₃	<u>N/A</u>	%	Ca(OH) ₂	<u>N/A</u>	%
OTHER:	_____	%	_____	_____	%
	_____	%	_____	_____	%
 - F. FLASH POINT: N/A °F (CLOSED CUP TEST ONLY)
 - G. VAPOR PRESSURE (in mm of Hg at 25°C): N/A
 - H. BTU PER #: N/A ASH CONTENT N/A %
 - I. CHARACTERISTIC COLOR Grey DISTINCTIVE ODOR Slight
 - J. HALOGENATED? Variable % SULFONATED? N/A %
 - K. ALPHA RADIATION AS pCi/l: N/A

7. WASTE COMPOSITION:

A. ORGANIC COMPONENTS (WITH RANGES — INDICATE WHETHER % OR ppm)

< 30 ppm total any of the following compounds:

Ethylene Dichloride	—	1,1,1,2 Tetrachloroethane	—
1,1,2 Trichloroethane	—		—
Perchloroethylene	—		—

(ATTACH ADDITIONAL PAGES IF NECESSARY)

DOES THIS WASTE CONTAIN ENDRIN, LINDANE, METHOXYCHLOR, TOXAPHENE, 2,4-D, 2,4,5-TP SILVEX, OR ANY OTHER ORGANIC COMPOUNDS LISTED BY USEPA AT 40 CFR 261.24? No IF SO, PLEASE NOTE ABOVE.

B. HEAVY METALS (WITH ppm RANGES):

TOTAL	TOTAL LEACHABLE	TOTAL	TOTAL LEACHABLE
Ag <u>N/A</u>	—	Hg <u>N/A</u>	—
As <u>N/A</u>	—	Ni <u>N/A</u>	—
Ba <u>N/A</u>	—	Pb <u>N/A</u>	—
Cd <u>N/A</u>	—	Se <u>N/A</u>	—
Cr <u>N/A</u>	—	Zn <u>N/A</u>	—
Cu <u>N/A</u>	—		—

Other (ATTACH ADDITIONAL PAGES)

(IF YOU HAVE DETERMINED TOTAL LEACHABLES USING USEPA'S "EP TOXICITY TEST PROCEDURE" — AT 40 CFR, PART 261, APPENDIX II — SO INDICATE BY MARKING "EP" AFTER THE RESULT SHOWN ABOVE.)

C. INORGANIC COMPONENTS (WITH % RANGES):

OTHER

TOTAL CYANIDE	<u>N/A</u> — %	—	%
FREE CYANIDE	<u>N/A</u> — %	—	%
SULFIDE AS:	<u>N/A</u> — %	—	%
BISULFITE AS:	<u>N/A</u> — %	—	%
SULFITE AS:	<u>N/A</u> — %	—	%

(ATTACH ADDITIONAL PAGES IF NECESSARY)

D. DOES THIS WASTE STREAM CONTAIN BIOLOGIC MATERIALS, PATHOGENS, OR ETIOLOGICAL AGENTS? No
IF SO, ATTACH ADDITIONAL PAGES DESCRIBING SUCH MATERIALS.

E. IS THE WASTE A PESTICIDE OR PRODUCED BY A PESTICIDE MANUFACTURING PROCESS? No
IF SO, INDICATE WHETHER IT CONTAINS:


- ☐ ORGANOPHOSPHATES — CONTAINING SULFUR ☐ YES ☐ NO
☐ CARBAMATES
☐ CHLORINATED HYDROCARBONS

8. HAZARDOUS COMPONENTS AND CHARACTERISTICS

A. HAZARDOUS PROPERTIES (INSERT NUMBER CODES PER INSTRUCTIONS ON LAST PAGE)

(1) TOXICITY RATING: INHALATION 0 DERMAL 0 ORAL 1

Flammability



Health

Reactivity

Special Instructions

(2) HAZARD IDENTIFICATION SYSTEM:

B. LIST ANY OTHER ACUTE OR CHRONIC HAZARDS ASSOCIATED WITH OR ALLEGED TO BE ASSOCIATED WITH HUMAN CONTACT WITH OR EXPOSURE TO THE WASTE: Avoid contact with eyes.

SL 046192

9. REGULATORY CLASSIFICATION OF WASTE

A. IS THIS WASTE A "HAZARDOUS MATERIAL" AS DEFINED BY REGULATIONS OF THE U.S. DEPARTMENT OF TRANSPORTATION PURSUANT TO THE HAZARDOUS MATERIALS TRANSPORTATION ACT? Yes
(SEE 49 CFR 172.101 AND 173 FOR "HAZARDOUS MATERIALS" LIST AND CHARACTERISTICS.) IF SO, PLEASE ADVISE OF THE FOLLOWING:

- (1) CORRECT SHIPPING DESCRIPTION: Waste Hazardous Substance, Solid, Nos
(2) HAZARD CLASS(ES): ORM-E NA 9188
(3) MATERIAL I.D. NO.(S) K018, K019, K020, K021

B. DOES THIS WASTE CONTAIN ANY "HAZARDOUS SUBSTANCE" AS DEFINED BY REGULATIONS OF THE U.S. ENVIRONMENTAL PROTECTION AGENCY PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT? Yes
(SEE 40 CFR 117 FOR "HAZARDOUS SUBSTANCES" AND CATEGORIES.) IF SO, PLEASE ADVISE OF THE FOLLOWING:

- (1) THE NAMES OF EACH HAZARDOUS SUBSTANCE PRESENT IN THE WASTE, THE HAZARD CATEGORY (X, A, B, C OR D) AND THE APPROXIMATE CONCENTRATION OF THE SUBSTANCE BY WEIGHT IN THE WASTE:
1,2 Dichloroethane, 0, > 30 ppm

(ATTACH ADDITIONAL PAGES IF NECESSARY)

C. IS THIS WASTE A "HAZARDOUS WASTE" AS DEFINED BY REGULATIONS OF THE U.S. ENVIRONMENTAL PROTECTION AGENCY PURSUANT TO SECTION 3001 OF THE RESOURCE CONSERVATION AND RECOVERY ACT? Yes (SEE 40 CFR, PART 261 FOR WHAT IS A "HAZARDOUS WASTE.") IF SO, STATE:

- (1) THE USEPA HAZARDOUS WASTE NUMBER(S): K018, K019, K020, K021
(2) DO YOU CLAIM TO BE A SMALL QUANTITY GENERATOR? No (SEE 40 CFR 261.5.)

D. IS THIS WASTE A "HAZARDOUS WASTE" AS DEFINED BY THE ENVIRONMENTAL REGULATORY AGENCY IN YOUR STATE? Yes IF SO, STATE WHY IT IS SO DEFINED AND ANY STATE HAZARDOUS WASTE CODE NUMBERS ASSIGNED: Contains listed compounds: LA #508-14

10. IS THE INFORMATION PROVIDED IN SECTIONS 6-9 BASED UPON LABORATORY ANALYSIS OF THE WASTE MATERIAL? Yes IF SO, PLEASE ADVISE OF THE DATE OF THE MOST RECENT ANALYSIS: Unavailable

11. HAVE YOU OBTAINED TOXICITY STUDIES OF THIS WASTE STREAM? No IF SO, PLEASE ATTACH A COPY OF THE RESULTS.

12. QUANTITY/SHIPPING REQUIREMENTS:

ANTICIPATED VOLUME IS: 20


GALLONS ☐ TONS ☒ CUBIC YARDS ☐ DRUMS ☐ OTHER ☐

PER: DAY ☐ WEEK ☐ MONTH ☐ YEAR ☒ ONE TIME ☐

TRANSPORTATION EQUIPMENT REQUIRED: Roll-off truck and closed top roll-off

SERVICE/SCHEDULING REQUIREMENTS: As required

GENERATOR'S
AUTHORIZED SIGNATORY:



Environmental
Contr. Asst. DATE 5/21/83

CONFIDENTIALITY AGREEMENT:

as consideration for the Generator's release of the above information, and any other supplemental data provided, agrees to treat such information as confidential property and will not disclose such information to others except as is required by law, and in such circumstances only after first giving notice to the Generator.

SL 046193

By: _____
Name

Title

SALES	CODE
LCH	A-89611
WASTE PROFILE SHEET CODE	

CERTIFICATION OF REPRESENTATIVE SAMPLE

GENERAL DIRECTIONS: IN ORDER TO DETERMINE WHETHER WE CAN ACCEPT THE SPECIAL WASTE DESCRIBED IN THE ABOVE NUMBERED PROFILE SHEET, WE MUST OBTAIN A REPRESENTATIVE SAMPLE OF THE WASTE. WE WILL ANALYZE THE SAMPLE TO VERIFY THE INFORMATION YOU HAVE PROVIDED US, SO IT IS PARTICULARLY IMPORTANT THAT THE SAMPLE BE TRULY REPRESENTATIVE. IN MOST CIRCUMSTANCES YOU WILL BE OBTAINING THE SAMPLE. HOWEVER, IN THOSE CASES IN WHICH WE OBTAIN THE SAMPLE, WE MUST ASK THAT ONE OF YOUR EMPLOYEES BE PRESENT TO DIRECT THE PARTICULAR SOURCE TO BE SAMPLED AND TO WITNESS THE SAMPLING. IN SUCH CASE, YOUR EMPLOYEE MUST SIGN THIS CERTIFICATION AS A WITNESS.

THIS CERTIFICATION MUST BE RETURNED, WITH THE REPRESENTATIVE WASTE SAMPLE, TO:

CWM
 Rt. 2, Box 1955
 Carlyss, LA 70663
 Attn: Chief Chemist

THE UNDERSIGNED CERTIFIES THAT HE/SHE OBTAINED A REPRESENTATIVE SAMPLE OF THE WASTE MATERIAL DESCRIBED IN THE "GENERATOR'S WASTE MATERIAL PROFILE SHEET" ABOVE REFERENCED, AND THAT THE FOLLOWING REPRESENTATIONS ARE TRUE AND CORRECT:

- HOUR AND DATE OF SAMPLING: A.M. 5/14/83
- SOURCE FROM WHICH SAMPLE TAKEN: Roll-off box
- EQUIPMENT AND SAMPLING METHOD USED: Scoop, Grab Sample
- AMOUNT OF SAMPLE OBTAINED: 1 quart
- TYPE OF CONTAINER INTO WHICH SAMPLE WAS PLACED: Glass jar
- THE SAMPLING EQUIPMENT USED, AND THE CONTAINER INTO WHICH THE SAMPLE WAS PLACED, WERE THEMSELVES UNCONTAMINATED BEFORE USE.
- AT THE TIME OF SAMPLING I AFFIXED A LABEL TO THE CONTAINER IN THE FOLLOWING FORM WITH THE FOLLOWING INFORMATION (FILL IN THIS PORTION, INCLUDING YOUR SIGNATURE, JUST AS IT APPEARS ON THE LABEL YOU PREPARED):

GENERATOR:	PPG Industries, Inc.
SAMPLE HOUR/DATE:	A.M. 5/14/83
PROFILE SHEET CODE:	A-89611
SAMPLER SIGNATURE:	<i>[Signature]</i>

WITNESS VERIFICATION. I WAS PERSONALLY PRESENT DURING THE SAMPLING DESCRIBED; I DIRECTED THE WASTE SOURCE TO BE SAMPLED; AND I VERIFY THE INFORMATION ABOVE NOTED.

SAMPLER NAME: Mike DiGiglio

SIGNATURE: *[Signature]*

WITNESS: Andy P. Plauche

SIGNATURE: *[Signature]*

TITLE: Plant Environmental Foreman

EMPLOYER: PPG Industries, Inc.

DATE: 5/24/83

TITLE: Plant Environmental Control Assistant

EMPLOYER: PPG Industries, Inc.

DATE: 5/24/83

LABORATORY REVIEW OF SAMPLING PROTOCOL.

BASED UPON MY REVIEW OF THE ABOVE PROFILE SHEET, I CONCLUDE THAT THE ABOVE METHODOLOGY IS:

- ☐ ADEQUATE FOR YIELDING A REPRESENTATIVE SAMPLE.
☐ INADEQUATE FOR THE REASONS NOTED HEREON.

DATE: _____

SL 046194