

From: LACSDC::LAWSON "A"
To: @SURVEY.DIS;3
CC:
Subject: QUICKIE ASBESTOS SURVEY

"BARBARA LAWSON" 10-DEC-1992 14:15:48.74

Expiring 3502W
 December 10, 1992

TO: Distribution List

SUBJECT: "QUICKIE" ASBESTOS SURVEY - CA II

I need a quick snapshot of where the Louisiana Division stands in terms of the approximate amount of asbestos still in service. Please take a few minutes to answer the following questions to the best of your ability, then FAX back your response as soon as possible.

Thanks, in advance.

Bruce Holmes
Industrial Hygiene

3. What kind of asbestos do you have in service in your block/facility?
Gaskets Yes/No Sizes (diameters) 1/2-inches to 12-inches Fr.
- Piping Insulation Yes/No Approx. Amount 6,710 feet
- Equipment Insulation Yes/No Approx. Amount 4686 sq. feet
- Transite Sheeting Yes/No Approx. Amount 50,000 sq. feet
- Do you have man-made fibers (i.e., fibrous glass, mineral wool, ceramic fibers) in use in your block/facility? Yes/No

Barney

I apologize for not getting this back sooner. I hope you can use it.

Charles.

X-45-2

From: LACSDC::LAWSON
To: @SURVEY.DIS/3
CC:
Subj: QUICKIE ASBESTOS SURVEY

"BARBARA LAWSON" 10-DEC-1992 14:15:48.74

Burding 3502W
December 10, 1992

TO: Distribution List

SUBJECT "QUICKIE" ASBESTOS SURVEY - *CA II*

I need a quick snapshot of where the Louisiana Division stands in terms of the approximate amount of asbestos still in service. Please take a few minutes to answer the following questions to the best of your ability, then VAX back your response as soon as possible.

Thanks, in advance.

Bruce Helms
Industrial Hygiene

1. What kind of asbestos do you have in service in your block/facility?
Gaskets Yes/No Sizes (diameter) 1/2 inches to 12 inches Fr.
Piping Insulation Yes/No Approx. Amount 6,710 feet
Equipment Insulation Yes/No Approx. Amount 4686 sq. feet
Transite Sheeting Yes/No Approx. Amount 50,000 sq. feet
2. Do you have man-made fibers (i.e., fibrous glass, mineral wool, ceramic fibers) in use in your block/facility? Yes/No

Bruce,

I apologize for not getting this back sooner. I hope you can use it.

Charles

X-4572