

Georgia-Pacific**PLAINTIFF'S
EXHIBIT**

GP-207

INTERDEPARTMENTAL COMMUNICATION**DATE:** March 5, 1974**TO:** Mr. E. B. Hollingsworth**LOCATION:** Wilmington**FROM:** J. D. Rauch**LOCATION:** Akron**SUBJECT:** O. S. H. A. INSPECTION - JOINT SYSTEM

cc: Mr. H. W. Peele - Wilmington
Mr. R. G. Tuttle - Portland
Mr. M. F. Fink - Tigard
Mr. R. G. Schifferle - Akron

On February 20, 1974, we had another OSHA inspection regarding asbestos fiber air content. The results of this testing have not been provided at this time. However, while the inspector was here he interviewed the hourly employees in the Joint System Department. During these interviews he inadvertently left a set of interview forms behind.

We do not know if this is an official O.S.H.A. form, but it may give our other operations some idea of the type interview they can expect. I have included Mr. Fink so he can advise Acme and Chicago if desired.

J. D. R.

k

att.

THIS COPY FOR 5

OSHA HEALTH ANALYSIS SURVEY INTERVIEW

EMPLOYER _____ OSHA NO. _____

CSHO _____ DATE _____

EMPLOYEE _____

(A) Length of Service _____

(B) In Present Job _____

Job Title _____ Address _____

Foreman _____ Union _____ Position _____

Protective Equipment Utilized: _____

I. RESPIRATORS: Sanitation Description (Cleaned daily, filter changed, etc.)
Do They Follow A Minimal Program? (1910.134, Page 22231.) _____

Does the company follow ANSI Standard Z88.2-1969 to be used to determine
proper selection of respirators? _____

Is the company instituting engineering changes to improve ventilation and
remove respirator need? _____

II. EYE PROTECTION:

Goggles _____ Manufacturer _____

Safety Glasses _____ Manufacturer _____

Does company provide? _____

III. HEAD PROTECTION:

Helmets _____ Manufacturer _____

Bump Caps _____ Manufacturer _____

OSHA HEALTH ANALYSIS SURVEY INTERVIEW

IV. FOOT PROTECTION:

Safety Shoes _____ Manufacturer _____

Provided by company _____

V. HEALTH:

Does company provide an annual physical? _____

Company Doctor _____ Private _____

When did employee have last physical _____

Chest X-Ray _____ Date _____

Blood Tests _____ Date _____

Did doctor find any possible job-related health problem? Yes _____ No _____

If so, what _____

When did you have last illness _____ Serious _____

Have you ever had an extreme tightness across your chest? Yes _____ No _____

Have you ever had a dermatitis problem? Yes _____ No _____

Where did the most recent rash develop? _____

What do you believe caused the dermatitis? _____

Have you ever been off work with severe dermatitis? _____ How long? _____

Do you believe the company has an adequate employee health protection program?

_____ Why? _____

Have you ever experienced difficulty in obtaining PPE to be supplied by the

company? _____ Have you ever filed a union grievance because

of this difficulty? _____ What was the result? _____

OSHA HEALTH ANALYSIS SURVEY INTERVIEW

Was an Industrial Hygiene Sampling Survey performed at the employee work site?

_____ Date _____

How many other employees performing a similar job _____

VI. SAMPLING SURVEY:

NOISE _____ (See Survey form)

VENTILATION _____ (See Survey form)

Air Analysis: SIS submitted to NIOSH _____
(Date)

Employee _____ Location _____

Pump Used _____ Sampling Rate _____

SAMPLING FOR: _____ Filter _____ Filter _____
(Inorganic)

Filter Paper Weight
Silica?

Sampler
Time

Before

After

On


Off

Georgia-Pacific

**INTERDEPARTMENTAL COMMUNICATION****TO: Mr. H. W. Peele****FROM: J. D. Rauch****SUBJECT: GYPSUM ASSOCIATION
Asbestos Abatement Guideline****DATE: March 13, 1974****LOCATION: Wilmington****LOCATION: Akron**

I read through the outline you sent to me. It looks like everything it contains matches our understanding of OSHA requirements pretty well.

The only thing I would question is under respirators. The way I read the guideline, as soon as the engineering controls are completed we should no longer use respirators. We intend to use respirators 100% of the time, now and in the future.


J. D. R.

k