

Drinking water

(Kaboré et al., 2018)

(Boone et al., 2019)

(Domingo, 2012)

(Eriksson, Kärrman, Rotander, Mikkelsen, & Dam, 2013)

(Eschauzier, Beerendonk, Scholte-Veenendaal, & De Voogt, 2012; Eschauzier, Hoppe, Schlummer, & de Voogt, 2013)

(Eschauzier, Hoppe, et al., 2013)

(Essumang et al., 2017)

(Haug et al., 2010)

(Kunacheva et al., 2012)

(Llorca et al., 2012)

(Schwanz, Llorca, Farre, & Barcelo, 2016)

(Shiwaku et al., 2016)

(Brandsma, Koekkoek, van Velzen, & de Boer, 2019; Thompson, Eaglesham, & Mueller, 2011)

(Gebbink, Van Asseldonk, & Van Leeuwen, 2017)

(Harrad, Wemken, Drage, Abdallah, & Coggins, 2019)

(Heo, Lee, Kim, & Oh, 2014)

Groundwater

1. (Barreca et al., 2018)
2. (Björnsdotter, Yeung, Kärrman, & Ericson Jogsten, 2020)
3. (Boiteux et al., 2016)
4. (Boiteux, Dauchy, Rosin, & Boiteux, 2012)
5. (Brueller et al., 2018)
6. (Dauchy, Boiteux, Bach, Rosin, & Munoz, 2017)
7. (Eschauzier, Raat, Stuyfzand, & De Voogt, 2013; Filipovic et al., 2014)
8. (Gao et al., 2019; Gobelius et al., 2018; Harrad, Drage, Sharkey, & Berresheim, 2020; Janda, Nödler, Brauch, Zwiener, & Lange, 2019; Mazzoni, Rusconi, Valsecchi, Martins, & Polesello, 2015; Munoz et al., 2017)
9. (Pignotti et al., 2017)
10. (Sammut, Sinagra, Sapiano, Helmus, & de Voogt, 2019)
11. (Zoboli et al., 2019)
12. (Dauchy et al., 2018)
- 13.

Remaining data for groundwater have been retrieved from IPChem

- Barreca, S., Busetto, M., Vitelli, M., Colzani, L., Clerici, L., & Dellavedova, P. (2018). Online Solid-Phase Extraction LC-MS/MS: A Rapid and Valid Method for the Determination of Perfluorinated Compounds at Sub ng·L⁻¹ Level in Natural Water. *Journal of Chemistry*, 2018. doi:10.1155/2018/3780825
- Björnsdotter, M. K., Yeung, L. W. Y., Kärrman, A., & Ericson Jogsten, I. (2020). Challenges in the analytical determination of ultra-short-chain perfluoroalkyl acids and implications for environmental and human health. *Analytical and Bioanalytical Chemistry*, 412(20), 4785-4796. doi:10.1007/s00216-020-02692-8
- Boiteux, V., Bach, C., Sagres, V., Hemard, J., Colin, A., Rosin, C., . . . Dauchy, X. (2016). Analysis of 29 per- and polyfluorinated compounds in water, sediment, soil and sludge by liquid chromatography–tandem mass spectrometry. *International Journal of Environmental Analytical Chemistry*, 96(8), 705-728. doi:10.1080/03067319.2016.1196683
- Boiteux, V., Dauchy, X., Rosin, C., & Boiteux, J. F. V. (2012). National screening study on 10 perfluorinated compounds in raw and treated tap water in france. *Archives of Environmental Contamination and Toxicology*, 63(1), 1-12. doi:10.1007/s00244-012-9754-7
- Boone, J. S., Vigo, C., Boone, T., Byrne, C., Ferrario, J., Benson, R., . . . Glassmeyer, S. T. (2019). Per- and polyfluoroalkyl substances in source and treated drinking waters of the United States. *Science of The Total Environment*, 653, 359-369. doi:<https://doi.org/10.1016/j.scitotenv.2018.10.245>
- Brandsma, S. H., Koekkoek, J. C., van Velzen, M. J. M., & de Boer, J. (2019). The PFOA substitute GenX detected in the environment near a fluoropolymer manufacturing plant in the Netherlands. *Chemosphere*, 220, 493-500. doi:10.1016/j.chemosphere.2018.12.135
- Brueller, W., Inreiter, N., Boegl, T., Rubasch, M., Saner, S., Humer, F., . . . Allerberger, F. (2018). Occurrence of chemicals with known or suspected endocrine disrupting activity in drinking water, groundwater and surface water, Austria 2017/2018. *Bodenkultur*, 69(3), 155-173. doi:10.2478/boku-2018-0014
- Dauchy, X., Boiteux, V., Bach, C., Rosin, C., & Munoz, J. F. (2017). Per- and polyfluoroalkyl substances in firefighting foam concentrates and water samples collected near sites impacted by the use of these foams. *Chemosphere*, 183, 53-61. doi:10.1016/j.chemosphere.2017.05.056
- Dauchy, X., Boiteux, V., Colin, A., Hemard, J., Bach, C., Rosin, C., & Munoz, J. F. (2018). Deep seepage of per- and polyfluoroalkyl substances through the soil of a firefighter training site and subsequent groundwater contamination. *Chemosphere*, 214, 729-737. doi:10.1016/j.chemosphere.2018.10.003
- Domingo, J. L. (2012). Health risks of dietary exposure to perfluorinated compounds. *Environment International*, 40, 187-195. doi:10.1016/j.envint.2011.08.001
- Eriksson, U., Kärrman, A., Rotander, A., Mikkelsen, B., & Dam, M. (2013). Perfluoroalkyl substances (PFASs) in food and water from Faroe Islands. *Environmental Science and Pollution Research*, 20(11), 7940-7948. doi:10.1007/s11356-013-1700-3
- Eschauzier, C., Beerendonk, E., Scholte-Veenendaal, P., & De Voogt, P. (2012). Impact of treatment processes on the removal of perfluoroalkyl acids from the drinking water production chain. *Environ Sci Technol*, 46(3), 1708-1715. doi:10.1021/es201662b
- Eschauzier, C., Hoppe, M., Schlummer, M., & de Voogt, P. (2013). Presence and sources of anthropogenic perfluoroalkyl acids in high-consumption tap-water based beverages. *Chemosphere*, 90(1), 36-41. doi:10.1016/j.chemosphere.2012.06.070
- Eschauzier, C., Raat, K. J., Stuyfzand, P. J., & De Voogt, P. (2013). Perfluorinated alkylated acids in groundwater and drinking water: identification, origin and mobility. *Sci Total Environ*, 458-460, 477-485. doi:10.1016/j.scitotenv.2013.04.066
- Essumang, D. K., Eshun, A., Hogarh, J. N., Bentum, J. K., Adjei, J. K., Negishi, J., . . . Masunaga, S. (2017). Perfluoroalkyl acids (PFAAs) in the Pra and Kakum River basins and associated tap water in Ghana. *Science of The Total Environment*, 579, 729-735. doi:10.1016/j.scitotenv.2016.11.035
- Filipovic, M., Woldegiorgis, A., Norstrom, K., Bibi, M., Lindberg, M., & Osteras, A. H. (2014). Historical usage of aqueous film forming foam: A case study of the widespread distribution of

- perfluoroalkyl acids from a military airport to groundwater, lakes, soils and fish. *Chemosphere*. doi:10.1016/j.chemosphere.2014.09.005
- Gao, Q., Blum, K. M., Gago-Ferrero, P., Wiberg, K., Ahrens, L., & Andersson, P. L. (2019). Impact of on-site wastewater infiltration systems on organic contaminants in groundwater and recipient waters. *Science of The Total Environment*, 651, 1670-1679. doi:10.1016/j.scitotenv.2018.10.016
- Gebbink, W. A., Van Asseldonk, L., & Van Leeuwen, S. P. J. (2017). Presence of Emerging Per- and Polyfluoroalkyl Substances (PFASs) in River and Drinking Water near a Fluorochemical Production Plant in the Netherlands. *Environmental Science and Technology*, 51(19), 11057-11065. doi:10.1021/acs.est.7b02488
- Gobelius, L., Hedlund, J., Dürig, W., Tröger, R., Lilja, K., Wiberg, K., & Ahrens, L. (2018). Per- and Polyfluoroalkyl Substances in Swedish Groundwater and Surface Water: Implications for Environmental Quality Standards and Drinking Water Guidelines. *Environmental Science and Technology*, 52(7), 4340-4349. doi:10.1021/acs.est.7b05718
- Harrad, S., Drage, D. S., Sharkey, M., & Berresheim, H. (2020). Perfluoroalkyl substances and brominated flame retardants in landfill-related air, soil, and groundwater from Ireland. *Science of The Total Environment*, 705. doi:10.1016/j.scitotenv.2019.135834
- Harrad, S., Wemken, N., Drage, D. S., Abdallah, M. A. E., & Coggins, A. M. (2019). Perfluoroalkyl Substances in Drinking Water, Indoor Air and Dust from Ireland: Implications for Human Exposure. *Environmental Science and Technology*. doi:10.1021/acs.est.9b04604
- Haug, L. S., Salihovic, S., Jogsten, I. E., Thomsen, C., van Bavel, B., Lindstrom, G., & Becher, G. (2010). Levels in food and beverages and daily intake of perfluorinated compounds in Norway. *Chemosphere*, 80(10), 1137-1143. doi:10.1016/j.chemosphere.2010.06.023
- Heo, J. J., Lee, J. W., Kim, S. K., & Oh, J. E. (2014). Foodstuff analyses show that seafood and water are major perfluoroalkyl acids (PFAAs) sources to humans in Korea. *Journal of Hazardous Materials*, 279, 402-409. doi:10.1016/j.jhazmat.2014.07.004
- Janda, J., Nödler, K., Brauch, H. J., Zwiener, C., & Lange, F. T. (2019). Robust trace analysis of polar (C2-C8) perfluorinated carboxylic acids by liquid chromatography-tandem mass spectrometry: method development and application to surface water, groundwater and drinking water. *Environmental Science and Pollution Research*, 26(8), 7326-7336. doi:10.1007/s11356-018-1731-x
- Kaboré, H. A., Vo Duy, S., Munoz, G., Méité, L., Desrosiers, M., Liu, J., . . . Sauv  , S. (2018). Worldwide drinking water occurrence and levels of newly-identified perfluoroalkyl and polyfluoroalkyl substances. *Science of The Total Environment*, 616-617, 1089-1100. doi:10.1016/j.scitotenv.2017.10.210
- Kunacheva, C., Fujii, S., Tanaka, S., Seneviratne, S. T., Lien, N. P., Nozoe, M., . . . Harada, H. (2012). Worldwide surveys of perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) in water environment in recent years. *Water Sci Technol*, 66(12), 2764-2771. doi:10.2166/wst.2012.518
- Llorca, M., Farre, M., Pico, Y., Muller, J., Knepper, T. P., & Barcelo, D. (2012). Analysis of perfluoroalkyl substances in waters from Germany and Spain. *Sci Total Environ*, 431, 139-150. doi:10.1016/j.scitotenv.2012.05.011
- Mazzoni, M., Rusconi, M., Valsecchi, S., Martins, C. P., & Polesello, S. (2015). An on-line solid phase extraction-liquid chromatography-tandem mass spectrometry method for the determination of perfluoroalkyl acids in drinking and surface waters. *J Anal Methods Chem*, 2015, 942016. doi:10.1155/2015/942016
- Munoz, G., Labadie, P., Botta, F., Lestremau, F., Lopez, B., Geneste, E., . . . Budzinski, H. (2017). Occurrence survey and spatial distribution of perfluoroalkyl and polyfluoroalkyl surfactants in groundwater, surface water, and sediments from tropical environments. *Sci Total Environ*, 607-608, 243-252. doi:10.1016/j.scitotenv.2017.06.146
- Pignotti, E., Casas, G., Llorca, M., Tell  scher, A., Almeida, D., Dinelli, E., . . . Barcel  , D. (2017). Seasonal variations in the occurrence of perfluoroalkyl substances in water, sediment and

- fish samples from Ebro Delta (Catalonia, Spain). *Science of The Total Environment*, 607-608, 933-943. doi:10.1016/j.scitotenv.2017.07.025
- Sammut, G., Sinagra, E., Sapiano, M., Helmus, R., & de Voogt, P. (2019). Perfluoroalkyl substances in the Maltese environment – (II) sediments, soils and groundwater. *Science of The Total Environment*, 682, 180-189. doi:10.1016/j.scitotenv.2019.04.403
- Schwanz, T. G., Llorca, M., Farre, M., & Barcelo, D. (2016). Perfluoroalkyl substances assessment in drinking waters from Brazil, France and Spain. *Sci Total Environ*, 539, 143-152. doi:10.1016/j.scitotenv.2015.08.034
- Shiwaku, Y., Lee, P., Thepaksorn, P., Zheng, B., Koizumi, A., & Harada, K. H. (2016). Spatial and temporal trends in perfluorooctanoic and perfluorohexanoic acid in well, surface, and tap water around a fluoropolymer plant in Osaka, Japan. *Chemosphere*, 164, 603-610. doi:10.1016/j.chemosphere.2016.09.006
- Thompson, J., Eaglesham, G., & Mueller, J. (2011). Concentrations of PFOS, PFOA and other perfluorinated alkyl acids in Australian drinking water. *Chemosphere*, 83(10), 1320-1325. doi:10.1016/j.chemosphere.2011.04.017
- Zoboli, O., Clara, M., Gabriel, O., Scheffknecht, C., Humer, M., Brielmann, H., . . . Zessner, M. (2019). Occurrence and levels of micropollutants across environmental and engineered compartments in Austria. *Journal of Environmental Management*, 232, 636-653. doi:10.1016/j.jenvman.2018.10.074