

AR226-1632

5/23/84

CC. R. E. PUTNAM

PERSONAL & CONFIDENTIAL

TO: T. M. KEMP
T. L. SCHRENK

FROM: J. A. SCHMID

C-8 MEETING SUMMARY
5/22/84 - WILMINGTON

THE REVIEW WAS HELD WITH BESPERRA, BENNETT, RIDDICK, GLEASON, HEGENBARTH, SERENBETZ, RAINES, KENNEDY, VON SCHRILTZ, AND INGALLS IN ATTENDANCE. COPIES OF THE CHARTS USED ARE ATTACHED.

THERE WAS A CONSENSUS THAT C-8, BASED ON ALL THE INFORMATION AVAILABLE FROM WITHIN THE COMPANY AND FROM 3M, DOES NOT POSE A HEALTH HAZARD AT LOW LEVEL CHRONIC EXPOSURE.

THERE WAS AGREEMENT THAT A DEPARTMENTAL POSITION NEEDED TO BE DEVELOPED CONCERNING THE CONTINUATION OF WORK DIRECTED AT ELIMINATION OF C-8 EXPOSURES OFF PLANT AS WELL AS TO OUR CUSTOMERS AND THE COMMUNITIES IN WHICH THEY OPERATE.

THERE WAS CONSENSUS REACHED THAT THE ISSUE WHICH WILL DECIDE FUTURE ACTION IS ONE OF CORPORATE IMAGE, AND CORPORATE LIABILITY. LIABILITY WAS FURTHER DEFINED AS THE INCREMENTAL LIABILITY FROM THIS POINT ON IF WE DO NOTHING AS WE ARE ALREADY LIABLE FOR THE PAST 32 YEARS OF OPERATION. CORPORATE IMAGE DISCUSSION CENTERED AROUND THE PERCEIVED DILIGENCE VERSUS OUR POLICIES IF WE ELECTED TO STOP WORK.

CURRENTLY, NONE OF THE OPTIONS DEVELOPED ARE, FROM A FINE POWDER BUSSINESS STANDPOINT, ECONOMICALLY ATTRACTIVE AND WOULD ESSENTIALLY PUT THE LONG TERM VIABILITY OF THIS BUSSINESS SEGMENT ON THE LINE. FROM A BROADER CORPORATE VIEWPOINT THE COSTS ARE SMALL.

THE BASIS FOR A DECISION AT THIS POINT IS SUBJECTIVE AND IS MADE MORE DIFFICULT BY OUR CURRENT UNDERSTANDING OF TECHNOLOGY AND COST, AND THE IMPACT ON THE FINE POWDER BUSSINESS. IT'S NOT AN EASY AND OBVIOUS DECISION AS FOR EXAMPLE TRSA WAS.

EID602999

RJZ009986

000252

SOME INFORMATION WHICH WE JUST DEVELOPED 5/21/84 IS THAT DETECTIBLE LEVELS OF C-8 ARE IN BOTH THE LUBECK, W.V. AND THE LITTLE HOCKING, OHIO WATER SYSTEMS. WE SHOULD HAVE QUANTITATIVE NUMBERS IN THE NEXT TWO WEEKS. ALSO WITH THE DEVELOPMENT OF OUR CURRENT FINE POWDER EXPANSION PLAN, WHICH TAKES CAPACITY UP TO 8.2 MMAP, THROUGH A COMBINATION OF EQUIPMENT AND RECIPE CHANGES. C-8 AIR EMISSIONS WILL RISE FROM FROM THE CURRENT 12,000 LBS./YR. TO 25,200 LBS./YR.. THE INCREASE FOR THE COMBINED DIVISIONS WILL INCREASE FROM A CURRENT 16,000 TO 25,200 LBS./YR. OR A NET 9,200 LBS. DUE TO A 4,000 LB. OFFSET WITH THE IMPLEMENTATION OF THE TBSA PROGRAM. THIS WILL INCREASE FURTHER WITH THE INSTALLATION OF THE THIRD DRYER (12MMAP FINE POWDER) TO ABOUT 37,000 LBS./YR..

I BELIEVE WE NEED TO SIT BACK DOWN WITH THE NEW INFORMATION WE NOW HAVE. AND THE FEEDBACK WE HAVE GOTTEN FROM THESE MEETINGS AND JOINTLY WITH PUTNAM REVIEW OUR PLANT POSITION. RAINES AT ONE POINT HAD REJECTED REDUCTION AS AN OPTION. THIS NEEDS TO BE INCLUDED IN OUR THINKING AGAIN.

RJZ009987

000253

C-8 HISTORY

- 8/51 BEGAN USE OF C-8 IN DISPERSION POLYMERIZATION.
FEW PRECAUTIONS IN HANDLING.
- 6/27/78 ADVISED PERSONNEL THAT 3M FOUND ELEVATED ORGANIC FLUORINE
LEVELS IN BLOOD OF WORKERS EXPOSED TO FLUORINATED
SURFACTANTS. STARTED INTERNAL REVIEW AND MONITORING.
- 9/79 PROVISIONAL AEL ESTABLISHED BY HASKEL.
- 3/20/81 3M ADVISED THAT C-8 CAUSED BIRTH DEFECTS IN THE UNBORN
WHEN FED BY STOMACH TUBE TO FEMALE RATS. ALL FEMALE
EMPLOYEES WITH POTENTIAL C-8 EXPOSURE WERE PROMPTLY
TRANSFERRED TO OTHER PLANT AREAS.
- 4/10/81 C-8 SPECIFIC BLOOD TEST DEVELOPED AND PUT IN USE.
- 3/1/82 STUDIES COMPLETE WHICH FIND C-8 NOT TO BE A TERATOGEN
AND NO ADVERSE HEALTH EFFECTS.
- 5/17/82 FINAL AEL ESTABLISHED.

JAS/NSW
2717W-1

5/20/84

RJZ009988

EID603001

000254

11/1/1991

C-8 EXPOSURE LIMITS

AEL IN AIR

0.56 MOLES PER BILLION
OR .56 PPB
OR 10 MICROGRAMS/M³

BLOOD LEVELS

NONE ESTABLISHED

PUBLIC EXPOSURE LIMITS

NONE ESTABLISHED

AEL OF .01 MG/M³ BASED ON REVERSIBLE LIVER CHANGES SEEN IN
RATS EXPOSED TO 8 MG/M³ FOR 4 HOURS/DAY FOR 5 DAYS/WEEK FOR
2 WEEKS.

JAS/NSW
2717W-2

417000989

5/21/84

RJZ009989

EID603002

000255

C-8 WASHINGTON WORKS POLICY
ESTABLISHED 6/80

- REDUCE EXPOSURE BELOW AEL BY ENGINEERING CONTROLS AND PROTECTIVE EQUIPMENT.
- REDUCE EXPOSURE BY ENGINEERING CONTROLS AND PROTECTIVE EQUIPMENT SO THAT ELEVATED ORGANIC FLUORINE LEVELS IN BLOOD WILL DECREASE AND ACCUMULATION OF ORGANIC FLUORIDES IN NEW WORKERS WILL BE LIMITED.

RESULTS

- EXPOSURES HAVE BEEN REDUCED AND MAINTAINED BELOW AEL LEVELS.
- C-8 LEVELS IN THE BLOOD ARE DECREASING.

*Go to Charles R. Hare
Review*

JAS/NSW
2717W-3

5/21/94

RJZ009990

EID603003

000256

C-8 DATA TO-DATE

- o IT IS NOT A TERATOGEN
- o IT IS NOT A MUTAGEN
- o IT IS NOT AN EMBRYOTOXIN
- o IT IS NOT A CARCINOGEN
- o IT IS MODERATELY TOXIC
- o IT HAS A ^{estimated} BIOLOGICAL HALF LIFE
OF TWO YEARS IN HUMAN BLOOD

JAS 5/21/84

RJZ009991

EID603004

000257

OFF PLANT EMISSIONS

WATER - 16,000 LBS. PER YEAR

AIR - 16,000 LBS. PER YEAR

PRODUCT - 5,000 LBS. PER YEAR

JAS 5/21/84

RJZ009992

000258

EID603005

11/000002

BLOOD DATA

VIA WATER - UNKNOWN

VIA AIR - .026 PPM (NON-TEFLON®)

VIA PRODUCT - .027 PPM (SPRUANCE PLANT)

JAS/NSW
2717W-6

5/24/84

RJZ009993

000259

EID603006

R17000001

C-8 PROGRAM

WATER - TBSA

AIR - DECISION ON ENGINEERING STUDY

JAS/NSW
2717W-7

JAS 5/21/89

RJZ009994

000260

EID603007

100000/10

ENGINEERING STUDY

DEFINE METHODS OF REMOVING C-8 FROM THE FINE POWDER
DRYER EXHAUSTS STACKS:

- TRAILER PARK NEAR PLANT SITE ESTIMATED TO HAVE ANNUAL
MEAN C-8 CONCENTRATION OF .0056 PPB (~~1% OF AEL~~)
(1/100 ~~OF~~ AEL).
- ESTIMATE OF PROBABILITY OF EXPOSURE AT THIS LOCATION
TO C-8 LEVELS ABOVE THE AEL IS .0002.

2717W-8

JAS 5/21/84

RJZ009995

EID603CC8

000261

ENGINEERING STUDY RESULTS

- THERMAL DESTRUCTION

- ECONOMICS

- \$1MM + INVESTMENT

- \$1MM ANNUAL OPERATING COST

- (APPROXIMATELY \$0.15/LB. OF PRODUCT)

- ~~CARBON ADSORPTION~~

- ~~TECHNICAL UNCERTAINTY~~

- SCRUBBING AND RECOVERY

- \$3.5MM + INVESTMENT

- \$2.5MM ANNUAL OPERATING COST

- (APPROXIMATELY \$0.40/LB. OF PRODUCT)

- \$1.5MM DEVELOPMENT COST

- POTENTIAL BREAK-EVEN IF RECOVERED

- C-8 IS USABLE

JAS 5/2/84

RJZ009996

000262

EID603009

CURRENT ACTIVE PROGRAM ITEMS

- C-8 FATE IN PROCESS WILL DEPEND ON WHETHER TFE DIMER IS USED TO REDUCE TFE EXPLOSIBILITY IN DISPERSION/FINE POWDER POLYMERIZATION.
- DIELECTRIC DRYING OF FINE POWDER IS BEING INVESTIGATED FOR ITS POTENTIAL BENEFIT IN C-8 RECOVERY.

R1/M9997

475 5/21/94

RJZ009997

000263

EID603010